

LOCAL GOVERNMENT BOARD.

MEDICAL DEPARTMENT LIBRARY.

No. _____ Room 10911

Case N Shelf _____



22500992815

7 $\frac{9604}{112}$

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 1. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JAN. 5. [Price 1½d.

General Register Office, Somerset House,
January 7th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·4 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 17·4, 19·1, and 19·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 26·8 in Stockport and in Swansea, 26·9 in Salford, 27·3 in Burton on Trent and in Newcastle on Tyne, 27·6 in Preston, 28·0 in Oldham, 32·4 in Sunderland, and 36·4 in Middlesbrough; from *measles*, 2·0 in Hull, 2·2 in Oldham, 2·4 in Rochdale, 2·9 in Wigan, 5·0 in Rotherham, and 6·7 in Warrington; from *scarlet fever*, 1·0 in Sheffield; from *diphtheria*, 1·3 in Aston Manor, 1·7 in Rotherham, 1·9 in Reading, and 2·1 in Derby; from *whooping-cough*, 1·2 in Blackburn, 1·3 in Tottenham and in Leyton, and 1·5 in Hastings and in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2905 BIRTHS and 2232 DEATHS were registered. Allowing for increase of population, the births were 44 above and the deaths 467 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·0, 20·8, and 20·4 per 1000 in the preceding three weeks rose last week to 24·5. The death-rate in the four weeks ended last Saturday averaged 20·9 per 1000, being 2·0 per 1000 above the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 2232 deaths included 36 from measles, 8 from scarlet fever, 28 from diphtheria, 38 from whooping-cough, 7 from enteric fever, and 21 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 138 deaths were referred to these diseases in the aggregate, being 1 above the corrected average number in the first week of the preceding five years.

The deaths from *measles*, which had been 26, 24, and 29 in the preceding three weeks, rose to 36 last week, but were 14 below the corrected average; 12 deaths belonged to the Borough of Stepney and 8 to Woolwich. The deaths from *scarlet fever*, which had been 15, 9, and 8 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 16, 14, and 26 in the preceding three weeks, were 28 last week, and were 11 above the corrected average; 5 deaths belonged to Stepney, 4 to Lambeth, and 3 each to Paddington and Wandsworth. The deaths from *whooping-cough*, which had been 18, 32, and 31 in the preceding three weeks, rose to 38 last week, and were 6 above the corrected average; 6 deaths belonged to Southwark, 4 each to Fulham and Lambeth, and 3 each to Shoreditch and Stepney. The deaths from *enteric fever*, which had been 15, 6, and 4 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diarrhoea*, which had been 15, 16, and 21 in the preceding three weeks, were 21 last week, and were 8 above the corrected average; 4 deaths belonged to Fulham and 4 to Lambeth. Of the 21 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 87, having been 54, 82, and 55 in the preceding three weeks. The death of a house painter, aged 40 years, was certified, after inquest, as due to *lead poisoning*.

Different forms of *violence* caused 76 deaths, concerning all of which inquests were held. Of these 76 deaths, 5 were cases of suicide, while the remaining 71 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 17 to burns or scalds, 2 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 18, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3707 cases of scarlet fever, 988 of diphtheria, 2 of typhus, and 120 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 309 cases, against 359, 334, and 237; of diphtheria, 117 cases, against 131, 123, and 126; and of enteric fever, 13 cases, against 16, 17, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 29th, 1906.

GREATER LONDON.

In Greater London 4426 births and 3053 deaths were registered. Allowing for increase of population, these numbers are 55 and 560 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 4 from scarlet fever, 3 from diphtheria, 3 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 59°·3, the latter being 0°·8 above the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 33 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 10·8 hours; the measured rainfall amounted to 0·98 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.		POPULATION estimated middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from all causes during the Week ended 11-17.		Registered during the Week ended 5th Jan., 1907.		Deaths from Causes of Death.										TOWNS.													
			Week ended				15th Dec. 1906.	22nd Dec. 1906.	5th Dec. 1906.	1st Jan. 1907.	Week ended 11-17.	BIRTHS.	DEATHS.	Infants under 1 Year.	Persons aged 1 and upwards.	Deaths from																		
			1.	2.	3.	4.										5.	6.	7.	8.	9.		10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS		16,024,458	17'4	19'1	19'7	22'4	1'6	6879	1379	2377	-	158	44	99	90	33	54	232	576	1612	87	76 TOWNS.												
LONDON -		4,768,218	18'0	20'8	20'4	24'5	1'5	2905	463	779	-	36	8	28	38	7	21	76	232	752	3	LONDON.												
CROYDON -		154,342	12'8	13'5	15'5	20'9	1'7	93	62	7	26	-	1	3	-	-	1	4	14	13	-	CROYDON.												
WILLESDEN -		149,192	12'3	12'0	11'6	18'5	1'7	99	53	18	17	-	1	2	2	-	2	1	4	12	-	WILLESDEN.												
HORNSEY -		89,816	10'2	7'8	13'2	6'4	-	29	11	3	4	-	-	-	-	-	-	1	1	-	-	HORNSEY.												
TOTTENHAM -		122,793	15'3	17'5	19'6	18'7	2'5	81	44	13	11	-	2	1	3	-	-	1	6	7	-	TOTTENHAM.												
WEST HAM -		308,284	19'9	19'2	20'9	21'0	2'0	217	124	27	43	-	7	3	1	1	3	3	9	29	-	WEST HAM.												
EAST HAM -		136,421	13'6	14'5	16'5	12'2	2'3	98	32	8	7	-	1	1	1	1	2	-	3	6	-	EAST HAM.												
LEYTON -		122,040	9'7	16'3	18'1	20'9	1'7	93	49	14	20	-	-	1	3	-	-	3	5	9	-	LEYTON.												
WALTHAMSTOW -		126,397	16'8	21'1	19'8	16'5	2'5	76	40	14	10	-	1	2	2	-	2	3	6	-	-	WALTHAMSTOW.												
HASTINGS -		67,477	7'8	13'2	16'3	21'6	2'3	26	28	4	16	-	1	-	2	-	-	-	-	2	-	HASTINGS.												
BRIGHTON -		129,023	17'5	19'9	18'7	25'1	-	57	62	6	34	-	-	-	1	-	2	3	7	-	-	BRIGHTON.												
PORTSMOUTH -		208,291	17'0	16'5	20'3	21'3	1'0	115	85	18	29	-	-	1	1	1	1	6	13	21	2	PORTSMOUTH.												
BOURNEMOUTH -		69,246	11'6	14'6	18'5	19'6	-	21	26	2	10	-	-	-	-	-	2	4	-	-	-	BOURNEMOUTH.												
SOUTHAMPTON -		118,745	12'4	15'6	17'3	20'0	1'3	51	46	4	21	-	-	1	1	-	1	1	5	8	-	SOUTHAMPTON.												
READING -		80,311	12'5	19'1	13'9	23'4	1'9	34	36	2	18	-	-	3	-	-	1	1	1	7	-	READING.												
NORTHAMPTON -		95,070	13'3	6'7	15'6	13'7	0'5	39	25	2	12	-	1	-	-	-	2	2	2	3	-	NORTHAMPTON.												
IPSWICH -		72,825	7'3	20'3	23'2	26'5	-	34	37	13	14	-	-	-	-	-	2	3	2	-	-	IPSWICH.												
GREAT YARMOUTH -		52,879	19'8	16'8	18'8	18'7	-	26	19	4	9	-	-	-	-	-	-	1	4	-	-	GREAT YARMOUTH.												
NORWICH -		118,191	19'0	18'6	23'3	22'7	1'7	64	52	8	30	-	-	1	2	-	-	1	4	9	-	NORWICH.												
PLYMOUTH -		120,063	18'1	21'2	15'5	22'6	2'2	54	52	9	20	-	4	-	-	-	1	6	7	-	-	PLYMOUTH.												
DEVONPORT -		79,959	15'3	10'0	10'6	18'9	0'7	44	29	10	7	-	-	1	-	-	1	2	3	-	-	DEVONPORT.												
BRISTOL -		367,979	14'4	12'9	14'9	15'6	0'9	210	110	20	46	-	-	2	-	-	5	13	33	-	-	BRISTOL.												
HANLEY -		67,174	21'2	23'6	25'1	21'0	1'6	49	27	8	5	-	-	-	1	-	2	4	1	2	2	HANLEY.												
BURTON-ON-TRENT -		53,425	9'9	22'7	11'8	27'3	-	25	28	7	13	-	-	-	-	-	-	-	-	5	1	BURTON-ON-TRENT.												
WOLVERHAMPTON -		102,016	10'9	16'6	19'2	16'4	1'5	70	32	7	8	-	-	-	-	-	1	1	3	5	-	WOLVERHAMPTON.												
WALSALL -		96,171	14'9	18'2	13'2	22'2	0'5	72	41	9	12	-	-	-	1	-	1	1	3	-	-	WALSALL.												
HANDSWORTH -		65,929	7'4	13'1	9'8	14'2	2'4	38	18	5	5	-	-	1	-	-	1	1	1	1	1	HANDSWORTH.												
WEST BROMWICH -		69,123	19'0	16'0	16'8	21'1	0'8	44	28	9	7	-	-	-	-	-	1	2	3	5	1	WEST BROMWICH.												

* See note † on first page of this return.

† These towns are included within the area of Greater London

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th January, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 5th Jan., 1907.		The Deaths registered in the Week include										TOWNS.			
		Week ended				in Cols.		5th Jan., 1907.		Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
		Week ended				in Cols.		5th Jan., 1907.		Deaths of		Deaths from											
		15th Dec., 1906.	22nd Dec., 1906.	29th Dec., 1906.	5th Jan., 1907.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.	Cols.
BIRMINGHAM -	-	553,155	17'5	18'8	18'3	22'2	1'8	407	295	46	58	-	9	-	4	1	4	1	6	9	62	13	BIRMINGHAM.
KINGS NORTON -	-	76,600	9'3	5'7	12'9	15'2	-	53	22	1	11	-	-	-	-	-	-	-	4	4	2	-	KINGS NORTON.
SMETHWICK -	-	66,467	12'1	28'3	22'6	22'0	2'4	57	28	10	7	-	1	-	1	-	1	-	-	1	3	3	SMETHWICK.
ASTON MANOR -	-	83,266	14'6	14'6	17'7	15'0	1'9	49	24	3	9	-	1	-	2	-	-	-	2	3	5	-	ASTON MANOR.
COVENTRY -	-	77,626	21'8	17'8	15'7	15'4	0'7	38	23	6	5	-	-	-	-	-	1	-	2	2	8	-	COVENTRY.
LEICESTER -	-	236,124	17'7	21'6	15'3	21'2	2'2	130	96	14	40	-	7	1	1	-	-	1	5	8	18	-	LEICESTER.
GRIMSBY -	-	70,574	15'0	17'3	11'3	19'9	0'7	40	27	2	10	-	1	-	-	-	-	1	2	4	5	-	GRIMSBY.
NOTTINGHAM -	-	257,489	17'4	17'2	23'1	23'9	1'4	141	118	32	42	-	-	-	-	1	1	1	1	2	14	-	NOTTINGHAM.
DERBY -	-	125,774	16'4	17'2	14'7	21'1	2'5	83	51	16	14	-	-	5	-	1	3	8	12	-	-	-	DERBY.
STOCKPORT -	-	100,986	23'0	25'1	16'2	26'8	2'1	51	52	9	16	-	2	-	2	-	-	-	1	1	9	-	STOCKPORT.
BIRKENHEAD -	-	118,563	16'4	15'1	19'1	18'0	1'3	63	41	9	13	-	2	-	-	1	-	-	3	10	7	-	BIRKENHEAD.
WALLASEY -	-	66,707	18'6	11'3	14'5	18'8	1'6	31	24	3	11	-	-	1	-	1	-	-	-	-	3	1	WALLASEY.
LIVERPOOL -	-	743,144	18'3	20'7	21'4	24'9	1'7	510	357	63	100	-	7	3	3	3	2	7	13	28	119	14	LIVERPOOL.
BOOTLE -	-	67,114	18'2	22'1	17'4	25'6	0'8	39	33	3	11	-	1	-	-	-	-	-	3	3	8	-	BOOTLE.
ST. HELENS -	-	92,476	14'9	12'2	12'0	21'4	1'7	72	38	12	8	-	1	1	1	-	-	-	4	6	8	4	ST. HELENS.
WIGAN -	-	88,606	12'5	23'2	21'4	22'4	2'9	60	38	6	8	-	5	-	-	-	-	-	2	2	3	-	WIGAN.
WARRINGTON -	-	70,269	8'3	25'6	21'1	23'7	6'7	50	32	10	5	-	9	-	-	-	-	-	2	2	3	1	WARRINGTON.
BOLTON -	-	182,917	16'2	17'0	17'0	16'0	0'3	75	56	6	24	-	-	-	-	-	-	-	2	7	9	-	BOLTON.
BURY -	-	58,901	17'8	20'4	18'6	14'2	0'9	36	16	3	9	-	-	-	-	-	1	-	-	2	1	-	BURY.
MANCHESTER -	-	643,143	19'6	21'5	23'2	25'4	1'9	345	313	49	101	-	6	8	4	4	2	-	-	28	76	8	MANCHESTER.
SALFORD -	-	236,670	19'6	19'8	20'7	26'9	3'1	150	122	22	27	-	2	4	4	2	1	1	6	12	20	1	SALFORD.
OLDHAM -	-	141,730	24'0	25'3	27'4	28'0	2'6	93	76	12	24	-	6	-	-	-	1	1	2	4	11	-	OLDHAM.
ROCHDALE -	-	87,999	28'7	30'5	31'7	21'3	3'0	48	36	3	16	-	4	-	-	-	1	2	2	2	5	-	ROCHDALE.
BURNLEY -	-	103,947	26'4	18'3	17'8	18'6	0'5	83	57	8	8	-	-	-	-	-	1	-	-	1	7	3	BURNLEY.
BLACKBURN -	-	134,980	14'0	14'8	17'5	22'0	1'5	79	57	18	18	-	-	-	-	-	-	-	-	4	6	3	BLACKBURN.
PRESTON -	-	117,093	23'7	23'3	23'7	27'6	1'8	72	62	22	25	-	2	-	-	-	-	-	1	2	8	2	PRESTON.

Births, Deaths, and Rates of Mortality.

5

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1877.	Week ended					during the 5th Jan., 1867.		Deaths of, and upwards, under 1 Year of Age.		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.	TOWNS.	
			1866.					1867.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
			1st. Dec. 1866.	2nd. Dec. 1866.	3rd. Dec. 1866.	4th. Dec. 1866.	5th. Dec. 1866.	Week ended 5th Jan., 1867.	BIRTHS.									DEATHS.						
																			7.					8.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.	
	HUDDESFIELD.	-	94,814	15'9	20'9	18'5	20'9	1'1	38	4	18	-	-	-	1	-	1	-	-	-	5	2	HUDDESFIELD.	
	HALIFAX.	-	110,138	15'7	13'4	14'8	15'1	0'5	41	7	13	-	-	-	1	-	-	-	-	3	7	-	HALIFAX.	
	BRADFORD.	-	290,323	14'3	19'0	18'1	20'1	0'5	131	112	51	-	-	1	-	1	-	1	1	10	23	-	BRADFORD.	
	LEEDS.	-	470,268	16'5	16'2	18'2	18'5	0'1	243	167	84	-	-	-	-	1	-	1	1	8	36	-	LEEDS.	
	SHEFFIELD.	-	455,553	16'5	18'3	19'6	20'4	2'7	278	178	48	-	11	9	2	1	1	-	6	10	35	2	SHEFFIELD.	
	ROTHERHAM.	-	62,412	15'4	25'6	29'0	21'7	6'7	43	26	6	-	6	-	2	-	-	-	-	-	4	2	ROTHERHAM.	
	YORK.	-	84,730	20'0	13'1	16'2	21'5	-	58	35	8	-	-	-	-	-	-	-	-	-	4	-	YORK.	
	HULL.	-	286,762	19'7	19'9	24'0	22'9	3'1	165	117	22	35	10	-	2	2	1	1	3	9	10	1	HULL.	
	MIDDLESBROUGH.	-	101,783	24'0	19'3	26'0	36'4	2'0	85	71	22	-	-	-	-	3	-	1	3	4	11	1	MIDDLESBROUGH.	
	STOCKTON-ON-TEES.	-	52,909	20'8	25'7	20'8	22'7	1'0	34	23	6	13	-	-	-	-	-	1	-	-	5	-	STOCKTON-ON-TEES.	
	WEST HARTLEPOOL.	-	75,473	18'5	17'8	12'8	13'1	-	45	19	8	7	-	-	-	-	-	-	-	-	2	1	WEST HARTLEPOOL.	
	SUNDERLAND.	-	186,029	24'0	22'3	27'4	32'4	1'0	120	97	23	29	-	-	1	-	1	1	3	5	14	5	SUNDERLAND.	
	SOUTH SHIELDS.	-	113,460	20'1	25'3	28'1	22'5	1'4	68	49	12	19	-	-	-	1	-	-	1	1	10	3	SOUTH SHIELDS.	
	GATESHEAD.	-	125,783	22'0	16'5	19'0	17'4	0'4	73	42	10	13	-	-	-	-	-	-	1	2	1	4	GATESHEAD.	
	NEWCASTLE-ON-TYNE.	-	272,969	16'5	18'0	18'2	27'3	2'1	173	143	33	46	-	5	2	2	1	1	3	9	20	-	NEWCASTLE-ON-TYNE.	
	TYNEMOUTH.	-	54,688	16'4	9'6	22'2	24'8	-	45	26	3	11	-	-	-	-	-	-	-	-	5	1	TYNEMOUTH.	
	NEWPORT (MON.).	-	75,585	19'7	26'0	28'8	26'2	1'4	49	38	6	14	-	1	-	-	-	-	1	1	5	-	NEWPORT (MON.).	
	CARDIFF.	-	187,620	17'9	16'5	19'3	20'0	0'6	91	72	14	30	-	-	1	-	-	1	1	8	14	-	CARDIFF.	
	RHONDDA.	-	130,400	16'3	15'9	20'8	20'0	2'4	103	50	10	18	-	2	1	-	-	1	1	4	1	-	RHONDDA.	
	MERTHYR TYDFIL.	-	76,085	20'2	16'0	29'9	24'7	1'4	78	36	5	12	-	-	1	-	-	1	1	4	1	-	MERTHYR TYDFIL.	
	SWANSEA.	-	97,324	21'5	20'5	23'2	26'8	1'1	68	50	8	16	-	-	1	1	-	-	2	3	1	2	SWANSEA.	
	GREATER LONDON.	-	7,217,941	16'6	18'8	19'2	22'1	1'4	4,426	3,053	636	1,099	-	52	44	52	10	26	95	292	881	6	GREATER LONDON.	
	OUTER RING.	-	2,450,723	14'0	14'9	16'7	17'4	1'3	1,521	821	173	320	-	16	16	14	3	5	19	60	129	3	OUTER RING.	
	8 TOWNS IN OUTER RING.	-	1,200,285	14'8	15'9	17'5	17'9	1'9	788	415	104	138	-	12	13	11	2	3	15	42	82	-	8 TOWNS IN OUTER RING.	
	REMAINDER OF OUTER RING.	-	1,250,438	13'2	14'0	15'9	16'9	0'7	735	406	69	182	-	4	4	3	3	1	2	4	18	47	3	REMAINDER OF OUTER RING.
	EDINBURGH.	-	345,747	19'1	17'9	17'7	23'7	1'8	166	157	31	53	-	2	4	1	-	5	7	?	40	15	EDINBURGH.	
	GLASGOW.	-	847,584	18'0	20'6	19'8	20'3	1'7	445	330	53	64	-	2	4	11	6†	3	14	?	70	14	GLASGOW.	
	DUBLIN.	-	380,691	22'3	28'8	22'8	31'9	2'5	226	239	43	78	-	3	-	7	-	9	7	9	79	16	DUBLIN.†	
	BELFAST.	-	370,163	16'8	18'1	18'4	23'8	1'3	263	169	34	44	-	1	2	4	-	-	5	8	43	3	BELFAST.†	

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 7 deaths from Cerebro-spinal meningitis were registered.

Births, Deaths, and Meteorology.

TABLE 2. LONDON.—Births and Deaths Registered in the FIRST Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2717	3001	2893	2792	2983	2949	2661	2862	2720	2788	2861.3	2905
Males - - -	1359	1509	1437	1400	1482	1496	1367	1471	1370	1424	1458.9	1464
Females - -	1358	1492	1456	1392	1501	1453	1294	1391	1350	1364	1402.4	1441
TOTAL Deaths -	1580	1990	1666	3266	1593	1810	1660	1731	1665	1756	1764.7	2232
Males - - -	803	973	882	1542	801	920	805	861	863	885	887.1	1098
Females - -	777	1017	784	1724	792	890	855	870	802	871	877.6	1134

* The numbers in this column are the average weekly numbers in the first week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 13.	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	13 Weeks.
TOTAL Births -	2355	2411	2474	2304	2.20	2390	2532	2345	2336	2172	2503	1694	2905	30643
TOTAL Deaths -	1295	1232	1209	1272	1328	1391	1453	1406	1482	1628	1886	1850	2232	19664
Under 1 year -	280	277	276	246	267	244	284	251	271	296	328	375	463	3858
1-5 years -	125	128	111	137	138	113	161	132	150	159	180	223	212	1969
5-20 " -	73	58	69	82	73	67	73	85	85	85	99	96	84	1029
20-40 " -	158	150	162	176	170	204	184	190	166	202	221	186	225	2392
40-60 " -	279	270	263	273	286	315	288	286	338	347	376	388	469	4181
60 yrs. & upwds	382	349	325	358	394	448	463	462	472	539	682	582	779	6235
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	2	5	9	15	19	10	26	21	21	26	24	29	36	243
Scarlet Fever -	19	9	15	11	17	5	8	12	12	15	9	8	8	148
Diphtheria -	14	11	16	23	11	16	14	20	20	16	14	26	28	229
Whooping-cough -	12	13	5	5	7	10	5	13	18	18	32	31	33	207
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	17	8	11	5	6	8	3	7	7	15	6	4	7	104
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	93	78	55	47	44	29	24	20	15	15	16	21	21	478
All above Diseases -	157	124	111	108	104	78	80	93	93	105	101	119	133	1409
Dis. of Resp. System	84	64	69	99	113	158	156	177	169	216	297	309	398	2309
Pneumonia - -	93	82	81	101	119	130	156	185	176	192	244	252	320	2081
Phthisis - -	120	132	129	150	133	177	129	131	134	156	204	181	184	1960
Dis. of Circ. System -	171	169	174	183	167	214	188	170	184	219	247	218	263	2567
Violence - -	53	50	44	51	70	53	62	56	59	60	57	82	76	773
Inquest Cases - -	115	140	103	121	163	141	133	128	137	162	159	187	232	1921
Deaths in Institutions	550	490	480	547	555	546	545	533	588	616	717	610	752	7559
TEMPERATURE OF THE AIR.														
Mean - - -	57.6	41.2	53.0	46.8	47.3	43.0	46.2	47.3	43.8	36.5	39.2	31.4	39.3	44.0
Mean of Highest -	65.5	59.4	61.7	53.0	52.3	49.2	50.8	51.9	49.5	41.1	42.8	36.4	44.6	50.6
Mean of Lowest -	51.2	43.5	45.4	40.9	42.3	36.3	39.8	41.4	37.2	31.6	34.7	25.9	33.0	38.7
Mean Humidity of the Air.	82	81	82	88	89	85	89	84	80	79	91	77	83	84
Rain-fall (in inches) -	0.63	0.21	0.07	1.59	2.62	0.90	0.38	0.09	0.29	0.40	0.50	0.68	0.98	9.34
Registered Sunshine (in hours).	35.7	31.7	30.6	10.6	14.9	10.2	12.5	8.1	12.4	8.6	1.6	3.2	10.8	190.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	3803	3323	4068	4178	4135	4150	4144	4053	4062	3986	3807	3846	3707	3989
Diphtheria - -	944	982	1030	1065	1076	1105	1113	1082	1033	1025	955	1000	988	1031
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	186	188	197	202	203	183	185	162	168	157	149	135	120	170

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Means Fraser, Esq., M.D., Portsmouth; H. Victor Figg, Esq., A.M.I.C.E., Plymouth; E. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and E. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Gunn, Esq., M.D., F.R.S., Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Wittey, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th January, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include.																	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age. Persons aged 160 Years and upwards.	Deaths from																	
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.							
LONDON - - -	4,536,429	2905	2232	463	779	-	36	8	28	38	-	7	-	21	76	232	752	3				
WEST DISTRICTS - - -	805,311	436	376	72	139	-	1	1	6	5	-	1	-	5	14	35	119	-				
NORTH DISTRICTS - - -	1,056,070	631	472	96	167	-	2	3	1	8	-	1	-	2	9	44	139	-				
CENTRAL DISTRICTS - - -	209,485	128	94	24	20	-	-	-	-	1	-	-	-	-	3	11	37	-				
EAST DISTRICTS - - -	715,739	561	413	79	145	-	17	-	4	8	-	-	-	2	27	75	174	-				
SOUTH DISTRICTS - - -	1,749,844	1149	811	191	231	-	16	4	16	16	-	5	-	9	23	67	217	3				
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	66	1	27	-	-	-	1	-	-	-	-	3	-	-	66	-				
WEST DISTRICTS.																						
St. Mary Paddington W,2H - -	93,178	64	50	6	23	-	-	-	1	-	-	1	-	1	-	1	13	-				
St. John Paddington H - - -	33,617	5	18	3	7	-	-	-	-	-	-	-	-	-	1	1	10	-				
North-West Paddington - - -	17,181	10	4	2	1	-	-	-	-	-	-	-	-	-	1	2	-	-				
Kensington Town 2W,w,2H - -	128,037	72	61	11	24	-	-	-	-	1	-	-	-	-	2	8	24	-				
Brompton 2H - - -	48,581	8	17	1	9	-	-	-	-	-	-	-	-	-	2	3	2	-				
North Hammersmith 2W,w,H - -	49,192	43	20	3	6	-	-	-	-	-	-	-	-	1	1	2	5	-				
South Hammersmith w,2H - -	63,047	35	26	4	10	-	-	-	-	-	-	-	-	-	3	4	6	-				
North-west Fulham W - - -	45,180	44	39	17	7	-	-	-	1	2	-	-	-	3	-	1	12	-				
North-east Fulham F - - -	46,405	34	26	8	8	-	-	1	4	1	-	-	-	-	1	4	5	-				
South Fulham W - - -	45,704	22	13	2	7	-	-	-	-	1	-	-	-	-	-	1	-	-				
Chelsea North W,w,3H - - -	42,514	13	25	1	10	-	-	-	-	-	-	-	-	-	-	1	17	-				
Chelsea South W,2H - - -	31,328	17	17	6	5	-	1	-	-	-	-	-	-	-	1	2	5	-				
Mayfair and Knightsbridge - -	28,743	3	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-				
Belgrave W,3H - - -	55,815	26	26	2	10	-	-	-	-	-	-	-	-	-	1	1	11	-				
St. Margaret & St. John 5H - -	43,898	26	19	4	5	-	-	-	-	-	-	-	-	-	-	-	6	-				
St. James and St. Anne W,6H - -	33,081	14	10	1	5	-	-	-	-	-	-	-	-	-	1	3	3	-				
NORTH DISTRICTS.																						
All Souls Marylebone 8H - - -	35,391	8	15	1	5	-	-	-	-	-	-	-	-	1	1	5	8	-				
St. Mary Marylebone W,4H - -	37,948	53	10	4	6	-	-	-	-	-	-	-	-	-	1	2	4	-				
Christchurch Marylebone - - -	39,536	19	13	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-				
St. John Marylebone 2H - - -	20,426	11	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
Hampstead W,F,7H - - -	81,942	37	24	-	8	-	-	-	1	1	-	-	-	-	-	-	12	-				
West St. Pancras 2H - - -	60,562	33	20	3	9	-	-	-	-	-	-	-	-	-	-	3	1	-				
South St. Pancras w,11H - - -	55,707	29	33	6	5	-	-	-	-	1	-	-	-	-	1	4	12	-				
East St. Pancras W,2H - - -	60,320	34	40	7	17	-	-	-	-	-	-	-	-	-	-	1	21	-				
North St. Pancras 2W - - -	58,728	31	29	3	13	-	-	-	-	1	-	-	-	-	-	2	12	-				
Tufnell W - - -	31,995	17	24	3	11	-	-	-	-	-	-	-	-	-	-	3	11	-				
Upper Holloway 2W,w,H - - -	33,978	22	31	2	13	-	-	-	-	-	-	-	-	-	-	1	24	-				
Tollington WH - - -	33,922	13	12	4	5	-	-	-	-	-	-	-	-	-	-	1	-	-				
Lower Holloway - - -	41,424	31	11	7	4	-	-	-	-	-	-	-	-	-	-	1	-	-				
Barnsbury - - -	54,478	44	31	10	9	-	-	-	-	-	-	-	-	-	-	3	-	-				
Islington South-east F - - -	75,397	50	29	4	9	-	-	-	-	-	-	-	-	-	-	1	-	-				
Highbury 2H - - -	63,797	35	22	3	9	-	-	-	-	1	-	-	-	-	-	1	3	-				
Stoke Newington H - - -	51,247	20	18	6	7	-	-	-	-	1	-	-	-	-	-	2	-	-				
North Hackney - - -	50,560	25	18	5	9	-	-	-	-	-	-	-	-	-	-	1	-	-				
Central Hackney 2w,F - - -	50,538	37	30	11	4	-	1	3	-	2	-	1	-	-	1	3	7	-				
South-west Hackney 3E - - -	59,921	40	19	5	4	-	1	-	-	-	-	-	-	-	-	-	6	-				
South-east Hackney 2W,w,H - -	58,255	42	36	8	15	-	-	-	-	-	-	-	-	-	3	4	18	-				

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

[illegible]

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th January, 1907—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total Births.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																		
Christchurch and St. Saviour } Southwark W ² H	23,319	19	11	4	-	-	-	-	-	-	-	-	-	-	1	1	8	
Kent-road	21,904	20	10	1	2	-	-	-	-	-	-	-	-	-	1	2	-	
St. George the Martyr West } W ² H,L	39,094	32	20	8	3	-	-	-	-	1	-	-	-	-	2	7	4	
Newington North	49,022	38	19	2	4	-	-	-	-	1	-	-	-	-	1	4	-	
Newington South W	72,841	65	32	14	5	-	-	-	-	4	-	-	-	-	-	1	1	
St. Olave 2W	9,817	7	5	1	3	-	-	-	-	-	-	-	-	-	-	1	1	
Bermondsey W	32,483	58	20	9	3	-	-	-	-	-	-	-	-	-	3	5	-	
Rotherhithe W,F	38,460	24	32	9	13	-	2	-	-	-	-	-	-	-	-	2	16	
Waterloo 3H-	27,440	26	16	7	4	-	-	-	-	1	-	-	-	-	1	2	1	
Lambeth Church H	27,440	13	25	6	5	-	-	-	3	-	-	-	-	-	3	5	17	
Kennington 2W	52,518	38	27	3	10	-	-	-	-	-	-	-	-	-	-	1	18	
Stockwell HF	63,826	47	22	5	8	-	-	-	2	-	-	-	-	-	-	1	2	
Brixton H	73,673	43	36	14	7	-	-	-	-	2	-	-	-	-	2	1	5	
Norwood WH	56,998	31	19	2	9	-	-	-	-	1	-	-	-	-	-	-	1	
East Battersea H	72,203	53	20	8	3	-	-	-	-	1	-	-	-	-	-	2	-	
North-west Battersea	49,656	44	14	5	4	-	-	-	-	-	-	-	-	-	1	4	-	
South-west Battersea 2W,H-	47,048	12	25	7	5	-	1	-	-	-	-	-	-	-	-	1	16	
Clapham 2H	51,361	30	22	2	13	-	-	-	1	-	-	-	-	-	-	1	2	
Streatham W,2w,2F,2L	88,019	48	43	5	22	-	-	-	1	4	-	2	-	-	-	2	19	
Springfield 2W,L	27,959	20	16	4	1	-	1	-	1	-	-	-	-	-	1	-	-	
Southfields H	40,444	34	15	3	7	-	-	-	1	-	-	-	-	-	-	1	2	
Putney	24,139	8	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
Dulwich	13,359	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w	40,206	14	33	6	14	-	-	-	-	-	-	-	-	-	1	1	22	
Camberwell North W,2L	65,584	34	39	6	16	-	-	-	-	-	-	-	-	-	1	1	14	
St George	47,331	40	11	1	5	-	1	-	-	1	-	-	-	-	-	-	-	
Peckham North	48,913	38	18	4	8	-	1	-	-	-	-	-	-	-	1	3	-	
Peckham South 2W,w	43,946	18	20	4	11	-	-	-	-	1	-	-	-	-	2	3	-	
Deptford North	37,613	29	14	4	5	-	-	-	-	-	-	-	-	-	-	1	-	
Deptford Central F	45,481	42	25	10	4	-	1	-	4	1	-	1	-	-	-	2	7	
Deptford South	34,826	14	12	3	6	-	-	-	-	-	-	-	-	-	-	1	-	
Greenwich West 2H	23,466	16	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W,H	43,859	32	47	5	24	-	-	-	-	-	-	-	-	-	2	5	26	
Eltham w,H	7,228	5	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
Lee wH	25,490	10	9	1	7	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W,w,F	58,362	44	44	7	20	-	1	1	2	-	-	-	-	-	2	-	20	
Sydenham H	43,853	20	11	2	5	-	-	-	1	1	-	-	-	-	-	-	-	
Charlton F,2H	21,134	11	8	3	2	-	-	-	1	-	-	1	-	-	-	-	3	
Woolwich 5H	41,625	28	21	3	7	-	4	-	3	-	-	1	-	-	1	2	-	
Plumstead West W	18,063	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H	50,264	33	28	7	10	-	4	-	-	-	-	-	-	-	1	3	12	
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asylum	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belmont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caterham	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	7	
Darenth	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
Leavesden	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Banstead	-	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	-	-	10	-	5	-	-	-	-	-	-	-	-	-	2	-	10	
Manor	-	-	4	-	1	-	-	-	-	-	-	-	-	-	1	-	4	
Cane Hill	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	
Dartford Heath	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
Hanwell	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
Colney Hatch	-	-	3	-	4	-	-	-	-	-	-	-	-	-	-	-	3	
Claybury	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	7	

Area, Population, Births, and Deaths in Outer Ring.

11

TABLE 3. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th January, 1907.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
							Deaths of		Deaths from												
							Infants under 1 Year of Age.	Persons aged 6 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING		368,302	2,044,973	1521	821	173	320	-	16	7	16	14	3	5	19	60	129	3			
30: 1	Carshalton 2F,3H	12,228	32,997	19	5	3	2	-	-	-	1	-	-	-	1	2	1	-			
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	4	1	2	-	-	-	1	-	-	-	-	-	1	-			
37: 1	Godstone, part of* W,F	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
38: 1	Coulsdon - - -	11,089	8,166	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
2	South Croydon w - -	4,300	49,309	31	15	1	6	-	-	-	1	-	-	-	1	5	-	-			
3	West Croydon 3W,F,H	2,168	42,888	35	30	3	14	-	-	1	2	-	-	1	1	6	14	-			
4	North Croydon H - -	2,644	41,698	27	18	3	7	-	-	-	-	-	-	-	2	3	-	-			
5	Penge w,H - - -	770	22,465	9	5	1	3	-	-	-	-	-	-	-	-	-	-	-			
6	Mitcham w - - -	11,711	30,015	30	11	2	5	-	-	-	-	-	-	-	-	1	-	-			
39: 1	Wimbledon F,3H	3,221	41,652	31	11	3	6	-	-	-	-	-	-	-	-	-	-	-			
2	Kingston 2W,H - -	6,224	42,068	24	24	6	12	-	1	-	-	-	-	-	-	-	-	6			
3	Surbiton F,H - - -	3,046	15,017	7	8	1	7	-	-	-	-	-	-	-	-	-	-	1			
4	Esher, part of* H - -	5,402	13,100	7	6	1	3	-	-	-	-	-	-	-	-	-	-	-			
5	Hampton H,F,L - -	4,584	23,456	15	6	1	2	-	-	-	-	-	-	-	-	1	1	-			
40: 1	Richmond W,H - -	2,162	28,865	8	11	3	5	-	-	-	-	-	-	-	-	-	-	1			
2	Mortlake F - - -	2,847	20,628	16	9	2	4	-	-	-	-	-	-	-	1	2	-	-			
41: 1	Bromley F,2H - - -	4,703	27,354	12	8	1	4	-	-	-	-	-	-	-	-	-	-	1			
2	Beckenham H - - -	7,825	28,497	14	8	2	4	-	-	-	-	-	-	-	-	-	-	-			
3	Orpington part of* W	10,113	9,857	4	4	-	3	-	-	-	-	-	-	-	-	-	2	-			
4	Chislehurst 2H - - -	7,333	16,446	6	5	-	2	-	-	-	-	-	-	-	-	-	-	-			
42: 1	Bexley w F,H - - -	8,678	21,151	11	5	-	2	-	-	-	-	-	-	-	-	-	-	-			
2	Erith F,H - - -	3,854	25,296	21	7	2	1	-	-	-	-	1	-	-	-	-	-	-			
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
124: 1	Sunbury w - - -	11,054	18,683	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-			
2	Staines W,H - - -	13,277	15,178	7	5	-	2	-	-	-	-	1	-	-	-	-	-	-			
125: 1	Hillingdon W,F,H	6,035	13,661	12	15	-	10	-	-	2	-	-	-	-	-	1	2	3			
2	Uxbridge H - - -	12,757	8,984	3	5	-	4	-	-	-	-	-	-	-	-	-	-	1			
3	Hayes w2 F,H - - -	8,066	16,358	17	8	1	2	-	-	-	-	-	-	-	-	-	-	-			
126: 1	Isleworth 3W,2F,H	8,859	30,663	9	21	2	9	-	-	-	-	-	-	-	-	-	-	9			
2	Twickenham F,H - -	2,421	20,991	14	7	1	2	-	-	-	-	-	-	-	-	-	-	1			
3	Brentford 3F,2H - -	4,319	48,289	47	20	4	9	-	-	-	1	-	-	-	-	-	-	1			
4	Chiswick H - - -	1,249	29,809	18	9	1	3	-	-	-	-	-	-	-	-	1	1	-			
5	Acton w,F,3H - - -	6,132	48,914	51	17	1	7	-	1	1	-	1	-	-	-	-	-	1	1		
127: 1	Harrow F,H - - -	13,809	25,523	20	7	1	5	-	-	-	-	-	-	-	-	-	-	-	1		
2	Edgware 2F,2H - -	6,994	4,521	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1			
3	Willesden W,F,2H - -	4,384	114,811	99	53	18	17	-	1	-	2	2	-	-	-	2	1	12			
4	Bendon W,L - - -	8,382	22,450	14	14	1	7	-	-	-	-	-	-	-	-	-	-	2			
128: 1	South Mimms 2F,H - -	17,755	7,308	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
2	Barnet W,2H - - -	3,324	17,970	9	5	-	3	-	-	-	-	-	-	-	-	-	-	-			
3	Finchley F,2H - - -	4,688	33,692	25	9	-	2	-	-	-	-	-	-	-	-	-	-	-			
129: 1	Hornsey F,H - - -	2,875	72,056	29	11	3	4	-	-	-	-	-	-	-	-	-	-	1			
2	Wood Green H - - -	1,625	34,233	26	11	2	2	-	-	-	-	-	-	-	-	-	-	-			
3	West Tottenham F - -	996	48,853	34	16	4	4	-	2	-	-	2	-	-	-	-	-	2			
4	East Tottenham 2H - -	2,017	53,888	47	25	9	6	-	-	-	1	1	-	-	-	1	4	4			
5	Edmonton W,w,2F - -	7,491	61,892	53	34	7	15	-	-	1	-	-	-	-	1	-	2	11			
6	Enfield 2W,F,H - - -	12,601	42,732	31	19	4	6	-	-	-	-	-	1	-	-	-	-	2			
7	Waltham Abbey F - -	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
8	Cheshunt F,H - - -	8,479	12,292	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-			
135: 1	Hatfield, part of* W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
137: 1	Bushey H - - -	9,333	9,173	7	6	1	2	-	1	-	-	-	-	-	-	-	-	-			
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
138: 1	Stratford H - - -	1,072	44,827	39	11	4	1	-	1	-	-	-	-	-	-	-	-	1			
2	Plaistow F,2H - - -	1,249	90,921	85	32	6	8	-	-	-	2	-	1	-	-	2	3	4			
3	Canning Town H - -	1,556	70,718	68	43	13	9	-	4	-	1	1	-	-	-	1	5	-			
4	Forest Gate w - - -	808	60,892	25	14	4	7	-	2	-	-	-	-	-	-	-	-	-			
5	North East Ham w,H	1,333	58,676	50	18	5	6	-	-	-	-	-	-	-	-	-	-	-			
6	South East Ham 2F - -	1,993	37,342	48	11	2	1	-	1	1	-	-	1	-	-	-	-	3			
7	Wanstead F - - -	1,679	9,179	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-			
8	South Leyton 2W - - -	631	50,467	50	26	8	12	-	-	-	-	-	-	-	-	-	-	-			
9	North Leyton 2W,w,F	1,963	48,445	43	47	9	18	-	-	-	1	4	-	-	-	-	-	25			
10	Walthamstow 3H,L - -	6,504	108,829	86	35	12	9	-	1	-	2	1	-	-	-	2	3	-			
137: 1	Chigwell 2F,3H - - -	11,778	18,397	9	10	1	6	-	-	1	-	-	-	-	-	-	-	-	1		
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1			
139: 1	Romford, part of* W,2F	6,556	6,091	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-			
2	Ilford F,L - - -	8,496	41,234	39	21	4	13	-	-	-	-	-	-	-	-	-	-	8			
3	Barking Town F - - -	3,803	21,547	19	14	3	4	-	1	-	-	-	-	-	1	-	-	-			
Manor Asylum, Epsom		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1			

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Alstead parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	January 5	2905	2232	24·5	-	36	8	28	38	7	21
CALCUTTA - -	977,822	December 1	-	680	41·7	3	-	-	-	-	187†	153†
BOMBAY - -	982,000	" 18	411	567	38·0	1	1	-	-	1	70†	69†
MADRAS - -	509,346	" 7	327	388	39·6	3	2	?	?	?	84	70
PARIS - - -	2,750,000	" 29	935	1185	22·1	-	4	5	9	4	5	22
BRUSSELS - -	612,401	" 29	223	206	17·5	-	4	3	-	4	3	6
ANTWERP - -	297,311	" 29	129	120	21·0	-	-	-	4	2	3	6
AMSTERDAM -	560,482	" 22	247	143	13·2	-	5	2	-	3	2	7
COPENHAGEN -	425,000	" 29	223	127	15·6	-	-	-	-	1	-	5
STOCKHOLM -	324,488	" 22	159	83	13·3	-	-	2	4	2	-	3
CHRISTIANIA -	226,472	" 29	134	61	14·3	-	-	-	1	1	-	5
ST. PETERSBURG	1,424,700	" 22	737	705	25·7	1	26	39	44	4	14	73
MOSCOW - -	1,154,000	" 15	-	650	29·4	-	12	11	22	5	5	72
BERLIN - - -	2,089,762	" 15	-	-	-	-	-	-	-	-	-	-
HAMBURG - -	819,380	" 29	-	267	17·3	-	2	-	3	4	1	22
BRESLAU - -	475,000	" 22	-	176	19·3	-	2	-	3	-	-	8
MT NICH - -	544,000	" 22	277	177	17·0	-	1	-	3	2	1	13
		" 29	-	173	16·7	-	-	-	1	2	-	18
VIENNA - - -	1,956,949	" 29	943	743	19·7	-	9	8	8	4	3	26
PRAGUE - - -	460,849	" 22	155	166	18·5	-	4	2	6	-	-	12
BUDA-PESTH -	859,134	" 22	375	300	19·7	-	5	4	5	1	1	10
TRIESTE - - -	196,637	" 29	127	131	34·3	-	1	-	-	1	-	1
ROME - - -	531,502	November 10	202	137	13·5	-	1	-	-	-	5	12
VENICE - - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST - -	291,138	December 29	146	130	23·3	-	-	1	-	-	-	4
NEW YORK - -	4,152,860	" 22	2202	1381	17·3	-	6	13	36	11	10	31
CHICAGO - - -	2,049,185	" 22	-	618	15·7	-	2	15	21	3	7	29
PHILADELPHIA -	1,469,126	November 17	-	473	16·7	-	4	1	10	2	20	27
RIO DE JANEIRO	912,900	December 2	-	261	14·9	-	-	-	1	-	6†	?

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Calcutta, 13 in Bombay, and 4 in Rio de Janeiro.

‡ Including 88 deaths from cholera in Calcutta, and 4 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th January, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	51·0	19·8	38·8	0·98	BRADFORD - -	51·2	26·2	37·9	0·89
BRIGHTON - -	47·9	27·7	40·5	0·88	LEEDS - - -	49·0	23·0	36·4	0·53
PORTSMOUTH - -	50·4	27·0	41·7	1·06	HULL - - -	48·0	22·0	35·7	0·41
NORWICH - - -	48·2	18·0	35·5	0·70	TYNEMOUTH - -	48·0	21·0	34·4	0·33
PLYMOUTH - -	52·9	28·5	43·1	0·86	CARDIFF - - -	51·7	26·0	33·2	1·92
BRISTOL - - -	51·6	21·0	38·8	1·15	EDINBURGH - -	50·1	23·8	35·0	0·44
BIRMINGHAM - -	49·4	21·0	37·5	0·70	GLASGOW - - -	50·8	20·7	35·9	1·31
NOTTINGHAM -	49·7	16·0	36·2	0·94	DUBLIN } Phoenix Park. Fitz- william Square.†	53·2	15·0	39·4	0·42
LIVERPOOL } OBSERVATORY.	52·0	27·0	39·3	0·75		54·1	23·1	41·6	0·30
MANCHESTER - -	48·8	19·9	36·8	1·40					
PRESTON - - -	49·5	26·5	37·6	0·88	BELFAST - - -	49·0	19·0	35·0	1·58
HUDDERSFIELD -	50·5	23·7	36·5	1·15					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 5th January, 1907.
[Under the Superintendence of the Astronomer Royal.]

TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a glass receiver, surface 5 inches of ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Phases of the Moon.	Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					Of Radiation.					General Direction.					Oster's.					Robinson's.					Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
	High-est.	Low-est.	Daily Range.	Mean value.	De- parture rected from the mean of 35 years.	Of the dew point.	the Air Temperature and Dew Point Temperature.			Degree of the midday radiation (Sat- uration 100°).	Of Radiation.		Of the Earth below the Surface.	General Direction.		Pressure on the Square Foot.		Movement of the air on each day.		Horizontal distance of air on each day.	Depart- ure from the average of 43 years.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
							Mean daily value.	Great est.	Least.		Highest in the Sun's Rays.	Lowest on the Grass.		A.M.	P.M.	Great- est.	Least.	Hourly average of 24 obs.	Miles.				Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
DECEMBER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							</

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 8h. P.M. The means of the eye readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Glaisher's hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.939 in. at the beginning of the week to 29.32 in. by 7h. P.M. on Dec. 31st; increased to 29.48 in. by 11h. A.M. on Jan. 1st; decreased to 29.46 in. by 8h. A.M. on Jan. 2nd; increased to 29.18 in. by 9h. P.M. on the same day; decreased to 28.98 in. by 4h. A.M. on Jan. 3rd; increased to 30.28 in. by 11h. P.M. on Jan. 4th; and decreased to 30.06 in. by midnight on Jan. 5th.

DAYE.		Registered Sun above horizon in hours.										GENERAL REMARKS.									
DECEMBER.																					
SUNDAY - 30																					
MONDAY - 31																					
JANUARY.																					
TUESDAY - 1																					
WEDNESDAY - 2																					
THURSDAY - 3																					
FRIDAY - 4																					
SATURDAY - 5																					
MEANS -																					
No. of Column -																					

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th December, 1906.*

BOROUGHES	Estimated Population in the middle of 1906.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	148,913	-	9	7	-	-	-	-	1	1
Kensington - - - -	180,952	-	6	5	-	-	-	-	5	-
Hammersmith - - - -	120,679	-	4	1	-	-	-	-	1	-
Fulham - - - -	161,965	-	14	6	-	-	-	-	3	1
Chelsea - - - -	74,672	-	5	1	-	1	-	-	3	-
City of Westminster -	173,905	-	6	3	-	-	-	-	2	-
NORTH.										
St. Marylebone - - - -	128,580	-	2	3	-	2	-	-	2	-
Hampstead - - - -	89,633	-	4	1	-	1	-	-	1	-
St. Pancras - - - -	236,455	-	5	2	-	2	-	-	3	-
Islington - - - -	344,987	-	15	5	2	1	-	-	5	-
Stoke Newington - - - -	53,217	-	2	1	-	-	-	-	-	-
Hackney - - - -	230,721	-	16	11	-	4	-	-	6	-
CENTRAL.										
Holborn - - - -	55,805	-	1	1	-	-	-	-	-	-
Finsbury - - - -	97,466	-	2	3	-	1	-	-	2	-
City of London - - - -	21,367	-	-	-	-	-	-	-	-	-
EAST										
Shoreditch - - - -	116,108	-	5	4	-	1	-	-	7	-
Bethnal Green - - - -	130,609	-	9	2	-	-	-	-	9	-
Stepney - - - -	307,176	-	10	16	-	1	-	-	3	-
Poplar - - - -	170,673	-	10	5	-	3	-	-	5	-
SOUTH.										
Southwark - - - -	209,143	-	15	7	-	-	-	-	3	-
Bermondsey - - - -	128,629	-	7	6	-	-	-	-	3	-
Lambeth - - - -	315,774	-	19	7	-	1	-	-	5	-
Battersea - - - -	179,622	-	21	13	-	-	-	-	1	1
Wandsworth - - - -	273,381	-	26	15	-	-	-	-	3	-
Camberwell - - - -	274,132	-	14	6	-	2	-	-	4	1
Deptford - - - -	115,495	-	16	5	-	1	-	-	3	-
Greenwich - - - -	105,350	-	4	10	-	-	-	-	-	-
Lewisham - - - -	148,463	-	7	11	-	-	-	-	-	-
Woolwich - - - -	127,345	-	13	8	-	-	-	-	1	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,721,217										
		-	261	165	2	21	-	-	80	4
Ages										
0-1 - - - -	-	-	5	8	-	-	-	-	2	-
" 1-5 - - - -	-	-	60	66	-	1	-	-	3	-
" 5- - - - -	-	-	110	56	-	-	-	-	-	-
" 10- - - - -	-	-	49	10	1	5	-	-	7	-
" 15- - - - -	-	-	15	3	-	3	-	-	4	-
" 20- - - - -	-	-	8	9	-	4	-	-	3	1
" 25- - - - -	-	-	12	6	-	5	-	-	13	3
" 35- - - - -	-	-	2	4	-	3	-	-	11	-
" 45- - - - -	-	-	-	2	1	-	-	-	15	-
" 55- - - - -	-	-	-	1	-	-	-	-	11	-
" 65 and upwards -	-	-	-	-	-	-	-	-	10	-
Age not stated - - - -	-	-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 29th DECEMBER, 1906.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered †
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	<i>Pyrexia</i> *(origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON -	18,120	-	212	152	210	176	-	101	1	576	1,871	3,653	122
West.													
PADDINGTON - - -	504	-	-	7	6	1	-	1	-	17	49	84	115
KENSINGTON - - -	636	-	1	1	6	6	-	1	-	18	69	95	124
HAMMERSMITH - - -	419	-	-	4	10	3	-	6	-	9	39	69	90
FULHAM - - -	621	-	6	5	16	8	-	4	-	44	50	158	137
CHELSEA - - -	242	-	-	2	2	2	-	-	-	7	23	45	143
CITY OF WESTMINSTER -	559	-	1	5	5	4	-	2	-	7	67	69	103
North.													
ST. MARYLEBONE - - -	482	-	2	7	4	-	-	1	-	14	56	65	68
HAMPSTEAD - - -	200	-	-	-	2	1	-	1	-	3	15	21	60
ST. PANCRAS - - -	969	-	-	8	8	9	-	7	1	21	110	165	122
ISLINGTON - - -	1,349	-	9	8	6	19	-	8	-	26	111	268	134
STOKE NEWINGTON - - -	137	-	-	-	2	1	-	-	-	4	10	22	77
HACKNEY - - -	772	-	10	8	5	4	-	8	-	36	85	144	100
Central.													
HOLBORN - - -	262	-	-	-	2	1	-	-	-	11	38	40	97
FINSBURY - - -	531	-	2	6	5	13	-	7	-	28	64	115	134
CITY OF LONDON - - -	97	-	-	1	-	1	-	1	-	-	10	7	100
East.													
SHOREDITCH - - -	538	-	1	8	4	8	-	1	-	23	56	134	145
BETHNAL GREEN - - -	627	-	20	7	4	9	-	6	-	20	81	171	166
STEPNEY - - -	1,450	-	78	7	16	12	-	11	-	64	154	350	134
POPLAR - - -	799	-	22	3	6	2	-	3	-	39	77	210	164
South.													
SOUTHWARK - - -	921	-	1	9	10	14	-	4	-	27	120	196	134
BERMONDSEY - - -	662	-	19	9	11	7	-	1	-	14	71	154	154
LAMBETH - - -	1,194	-	1	5	10	8	-	5	-	29	117	241	116
BATTERSEA - - -	611	-	1	13	4	8	-	3	-	16	65	131	121
WANDSWORTH - - -	846	-	10	6	22	9	-	6	-	16	75	174	102
CAMBERWELL - - -	962	-	2	10	14	17	-	3	-	25	102	181	111
DEPTFORD - - -	438	-	1	2	7	2	-	1	-	12	44	105	140
GREENWICH - - -	383	-	2	6	7	-	-	4	-	9	32	69	111
LEWISHAM - - -	444	-	1	4	7	6	-	1	-	18	37	73	89
WOOLWICH - - -	465	-	22	1	9	1	-	5	-	19	44	97	111

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 571 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 716 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 2. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JAN. 12. [Price 1½d

General Register Office, Somerset House,
January 14th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 20·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 19·1, 19·7, and 22·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 27·7 in York, 28·5 in Preston, 28·6 in Stockton on Tees, 28·9 in Warrington, 30·2 in West Bromwich, 31·5 in Brighton, 31·8 in Hanley, and 32·8 in Middlesbrough; from *measles*, 2·0 in West Ham and in Leicester, 2·3 in Bootle, 2·5 in Rotherham, 3·1 in Hull, and 8·2 in Warrington; from *scarlet fever*, 1·6 in Smethwick and 2·3 in Hanley; from *diphtheria*, 1·3 in Reading, 1·6 in Smethwick, and 1·7 in Leyton; from *whooping-cough*, 1·1 in Huddersfield, 1·3 in Leyton, 1·7 in Rotherham, and 2·1 in Walthamstow; from "*fever*," 1·1 in Swansea; and from *diarrhœa*, 1·1 in Oldham and 1·5 in West Bromwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2593 BIRTHS and 1946 DEATHS were registered. Allowing for increase of population, the births were 44 below and the deaths 336 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 20·8, 20·4, and 24·5 per 1000 in the preceding three weeks was 21·3 last week. The death-rate in the four weeks ended last Saturday averaged 21·8 per 1000, being 3·2 per 1000 above the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1946 deaths included 28 from measles, 9 from scarlet fever, 12 from diphtheria, 31 from whooping-cough, 11 from enteric fever, and 18 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 109 deaths were referred to these diseases in the aggregate, being 24 below the corrected average number in the second week of the preceding five years.

The deaths from *measles*, which had been 24, 29, and 36 in the preceding three weeks, were 28 last week, and were 14 below the corrected average; 14 deaths belonged to the Borough of Stepney and 5 to Woolwich. The deaths from *scarlet fever*, which had been 9, 8, and 8 in the preceding three weeks, were 9 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 14, 26, and 28 in the preceding three weeks, fell to 12 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 32, 31, and 38 in the preceding three weeks, numbered 31 last week, the corrected average being 32; 5 deaths belonged to Islington, and 4 each to Finsbury, Southwark, and Camberwell. The deaths from *enteric fever*, which had been 6, 4, and 7 in the preceding three weeks, rose to 11 last week, and were 4 above the corrected average. The deaths from *diarrhœa*, which had been 16, 21, and 21 in the preceding three weeks, were 18 last week, and were 4 above the corrected average. Of the 18 deaths from diarrhœa, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 83, having been 82, 55, and 87 in the preceding three weeks.

Different forms of *violence* caused 66 deaths, concerning all but 1 of which inquests were held. Of these 66 deaths, 9 were cases of suicide, while the remaining 57 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 4 to conflagrations, 2 to an explosion, 7 to burns or scalds, 2 to drowning, and 9, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3521 cases of scarlet fever, 928 of diphtheria, 2 of typhus, and 108 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 285 cases, against 334, 237, and 309; of diphtheria, 121 cases, against 123, 126, and 117; and of enteric fever, 16 cases, against 17, 14, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 5th, 1907.

GREATER LONDON.

In Greater London 4102 births and 2722 deaths were registered. Allowing for increase of population, these numbers are 45 and 471 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 3 from scarlet fever, 5 from diphtheria, 3 from whooping-cough, and 5 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·31 inches, and that of the Thermometer 42°·8, the latter being 4°·9 above the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 3 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 6·3 hours; the measured rainfall amounted to 0·18 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	DEATH-RATES from all Causes.				Rate from Diseases 11-17.		Registered Deaths 12th Jan., 1907.		The DEATHS registered in the Week include											TOWNS.		
	Week ended				Week ended 11-17.		12th Jan., 1907.		Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	2nd 12th 1906. 1907.				2nd 12th 1906. 1907.		12th Jan., 1907.		Infants under 1 Year of Age.		Deaths from											
	22nd Dec., 1906.	29th Dec., 1906.	5th Jan., 1907.	12th Jan., 1907.	22nd Dec., 1906.	29th Dec., 1906.	5th Jan., 1907.	12th Jan., 1907.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.					Violence.	
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
76 TOWNS.	16,024,458	191	197	22.4	20.7	1.4	9413	6348	1176	2244	-	140	41	70	91	34	47	203	478	1491	62	76 TOWNS.
LONDON.	4,758,218	20.8	20.4	24.5	21.3	1.2	2593	1946	363	720	-	28	9	12	31	11	18	68	185	695	4	LONDON.
CROYDON.	154,342	13.5	15.5	20.9	18.9	1.0	85	56	9	28	-	-	-	-	1	-	-	3	7	9	-	CROYDON.
WILLESDEN.	149,162	12.0	11.6	18.5	14.3	0.6	96	41	12	8	-	-	-	-	3	-	-	-	4	1	2	WILLESDEN.
HORNSEY.	88,816	7.8	13.2	6.4	8.7	0.6	22	15	1	9	-	-	-	-	1	-	-	-	4	-	-	HORNSEY.
TOTTENHAM.	122,793	17.5	19.6	18.7	20.0	0.4	77	47	11	16	-	-	-	-	1	-	2	4	4	10	-	TOTTENHAM.
WEST HAM.	308,284	19.2	20.9	21.0	19.8	2.9	196	117	22	32	-	12	-	4	-	-	1	5	8	24	-	WEST HAM.
EAST HAM.	136,421	14.5	16.5	12.2	14.9	1.5	95	39	12	13	-	2	1	-	-	-	1	-	3	5	-	EAST HAM.
LEYTON.	122,040	16.3	18.1	20.9	16.2	4.3	65	88	8	13	-	1	2	4	3	-	-	-	1	5	-	LEYTON.
WALTHAMSTOW.	126,397	21.1	19.8	16.5	15.3	2.5	67	37	11	8	-	-	-	1	5	-	2	2	1	8	-	WALTHAMSTOW.
HASTINGS.	67,477	13.2	16.3	21.6	20.1	1.5	23	26	3	13	-	-	-	-	1	-	1	-	-	5	-	HASTINGS.
BRIGHTON.	129,023	19.9	18.7	25.1	31.5	0.4	58	78	11	38	-	-	-	-	-	1	-	1	7	27	-	BRIGHTON.
PORTSMOUTH.	208,291	16.5	20.3	21.3	21.3	0.8	132	85	16	26	-	-	-	-	2	-	1	2	7	16	1	PORTSMOUTH.
BOURNEMOUTH.	69,246	14.6	18.5	19.6	18.8	-	16	25	4	13	-	-	-	-	-	-	1	1	1	2	-	BOURNEMOUTH.
SOUTHAMPTON.	119,745	15.6	17.3	20.0	20.9	0.9	50	48	9	22	-	-	-	-	1	-	1	1	5	9	-	SOUTHAMPTON.
READING.	80,311	19.1	13.9	23.4	17.5	1.9	45	27	5	7	-	-	-	2	1	-	-	-	1	3	1	READING.
NORTHAMPTON.	95,070	6.7	15.6	13.7	17.0	-	30	31	8	12	-	-	-	-	-	-	-	-	-	1	1	NORTHAMPTON.
IPSWICH.	72,825	20.3	23.2	26.5	15.0	-	41	21	3	8	-	-	-	-	-	-	-	3	4	2	-	IPSWICH.
GREAT YARMOUTH.	52,879	16.8	18.8	18.7	16.8	-	39	17	6	7	-	-	-	-	-	-	-	-	2	2	-	GREAT YARMOUTH.
NORWICH.	119,191	18.6	28.3	22.7	21.9	0.4	57	50	5	25	-	-	-	1	-	-	-	1	2	7	-	NORWICH.
PLYMOUTH.	130,063	21.2	15.5	22.6	19.1	2.6	70	44	4	19	-	4	-	-	1	1	-	-	2	8	-	PLYMOUTH.
DEVONPORT.	79,959	10.0	10.6	18.9	20.9	2.0	46	32	6	15	-	2	-	-	-	1	-	-	2	1	-	DEVONPORT.
BRISTOL.	367,979	12.9	14.9	15.6	15.3	0.1	193	108	12	57	-	-	-	1	-	-	-	-	4	16	-	BRISTOL.
HANLEY.	67,174	23.6	25.1	21.0	31.8	9.1	37	41	7	10	-	-	-	3	1	-	-	5	7	9	-	HANLEY.
BURTON-ON-TRENT.	53,425	22.7	11.8	27.3	22.4	1.0	30	23	4	13	-	-	-	-	1	-	1	1	1	1	1	BURTON-ON-TRENT.
WOLVERHAMPTON.	102,016	16.6	19.2	16.4	10.7	1.0	46	21	5	8	-	-	-	1	-	-	1	-	4	5	-	WOLVERHAMPTON.
WALSALL.	96,171	18.2	13.2	22.2	17.9	0.5	51	33	12	11	-	-	-	-	1	-	1	1	1	4	-	WALSALL.
HANDSWORTH.	65,829	13.1	9.8	14.2	18.2	0.8	15	23	3	11	-	-	-	-	1	-	-	1	2	1	-	HANDSWORTH.
WEST BROMWICH.	69,123	16.0	16.8	21.1	30.2	3.8	44	40	10	6	-	2	-	1	-	-	2	4	3	7	-	WEST BROMWICH.

• See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th January, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 12th Jan., 1907.		The Deaths registered in the Week include										TOWNS.		
		Week ended				11-17.		12th Jan., 1907.		Deaths from												
		2nd Dec. 1906.	5th Dec. 1906.	12th Jan., 1907.	Week ended 12th Jan., 1907.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	553,155	18'8	18'3	22'2	20'1	0'9	353	213	42	72	-	1	1	4	-	2	2	8	10	52	9	BIRMINGHAM.
KINGS NORTON -	75,600	5'7	12'9	15'2	10'3	0'7	30	15	5	4	-	-	-	1	-	-	-	1	1	1	1	KINGS NORTON.
SMETHWICK -	66,467	28'3	22'6	22'0	18'0	4'7	44	23	8	4	-	1	2	2	1	-	-	-	1	1	1	SMETHWICK.
ASTON MANOR -	83,266	14'6	17'7	15'0	14'4	2'5	45	23	4	10	-	3	-	-	-	1	-	-	-	-	-	ASTON MANOR.
COVENTRY -	77,626	17'8	15'7	15'4	15'4	-	49	23	6	9	-	-	-	-	-	-	-	2	4	3	1	COVENTRY.
LEICESTER -	236,124	21'6	15'3	21'2	18'1	2'6	120	82	14	29	-	-	1	-	-	1	1	2	4	12	1	LEICESTER.
GRIMSBY -	70,574	17'3	11'3	19'9	24'4	2'2	40	33	5	11	-	1	1	-	-	1	-	1	4	7	1	GRIMSBY.
NOTTINGHAM -	257,489	17'2	23'1	23'9	22'3	1'0	149	110	26	35	-	-	-	1	4	-	-	-	1	1	1	NOTTINGHAM.
DERBY -	125,774	17'2	14'7	21'1	18'7	0'8	52	45	9	20	-	-	-	-	1	1	-	2	4	10	-	DERBY.
STOCKPORT -	100,986	25'1	16'2	26'8	22'2	2'1	62	43	6	10	-	2	-	1	1	-	-	-	2	5	-	STOCKPORT.
BIRKENHEAD -	118,553	15'1	19'1	18'0	19'4	0'4	77	44	13	14	-	1	-	-	-	-	-	1	1	8	-	BIRKENHEAD.
WALLASEY -	66,707	11'3	14'5	18'8	17'2	-	45	22	5	6	-	-	-	-	-	-	-	4	5	1	-	WALLASEY.
LIVERPOOL -	746,144	20'7	21'4	24'9	22'6	1'6	592	324	52	110	-	6	4	3	4	1	5	14	23	103	9	LIVERPOOL.
BOOTLE -	67,114	22'1	17'4	25'6	21'8	4'7	43	28	4	5	-	3	-	1	1	1	-	1	1	8	-	BOOTLE.
ST. HELENS -	92,476	12'2	12'0	21'4	23'1	1'1	62	41	10	11	-	2	-	-	-	-	-	-	1	4	2	ST. HELENS.
WIGAN -	88,606	23'2	21'4	22'4	15'9	1'8	69	27	5	6	-	11	-	2	1	-	-	2	3	3	-	WIGAN.
WARRINGTON -	70,269	25'6	21'1	23'7	28'9	8'2	56	39	11	7	-	-	-	-	-	-	-	1	2	5	2	WARRINGTON.
BOLTON -	182,917	17'0	17'0	16'0	18'8	1'7	120	66	8	20	-	1	3	1	-	-	-	1	2	5	9	BOLTON.
BURY -	58,901	20'4	18'6	14'2	22'1	-	31	25	7	9	-	-	-	-	-	-	-	2	2	2	-	BURY.
MANCHESTER -	643,143	21'5	23'2	25'4	21'3	1'0	438	263	41	85	-	1	3	3	2	-	3	11	23	80	3	MANCHESTER.
SALFORD -	236,670	19'8	20'7	26'9	18'7	1'8	149	85	15	22	-	-	-	2	3	2	1	1	9	19	-	SALFORD.
OLDHAM -	141,730	25'3	27'4	28'6	24'3	3'7	75	66	11	18	-	5	-	1	1	-	3	1	4	9	-	OLDHAM.
ROCHDALE -	87,999	30'5	31'7	21'3	17'2	1'8	35	29	5	10	-	-	-	-	-	-	-	1	1	4	1	ROCHDALE.
BURNLEY -	103,947	18'3	17'8	18'6	27'1	1'0	61	54	9	14	-	1	-	-	-	-	1	7	7	8	-	BURNLEY.
BLACKBURN -	134,980	14'8	17'5	22'0	24'0	1'2	70	62	11	23	-	-	-	-	-	-	1	-	1	11	1	BLACKBURN.
PRESTON -	117,063	23'3	23'7	27'6	28'5	1'3	66	64	11	21	-	-	-	-	-	2	1	-	-	7	1	PRESTON.
BARROW-IN-FURNESS.	61,635	15'4	23'1	13'5	14'4	-	35	17	2	8	-	-	-	-	-	-	-	-	-	1	1	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated in the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths from 12th Jan. to 12th Jan. 1907.		Deaths of Persons aged 60 Years and upwards.		Deaths during the Week include								TOWNS.		
		Week ended				Week ended 12th Jan. 1907.		Deaths of Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Deaths from								Deaths in Public Institutions.	Uncertified Causes of Death.			
		22nd Dec. 1906.	29th Dec. 1906.	5th Jan. 1907.	12th Jan. 1907.	Week ended 12th Jan. 1907.	Infants under 1 Year of Age.			Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Typhoid.	Diarrhoea.	Violence.						
																	22nd Dec. 1906.				29th Dec. 1906.	5th Jan. 1907.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
Huddersfield	94,814	20.9	16.5	20.9	20.3	2.7	38	37	3	14	-	-	1	1	2	1	-	2	3	6	1	Huddersfield.
Halifax	110,138	13.4	14.8	15.1	22.3	-	40	47	5	18	-	-	-	-	-	-	-	2	4	10	3	Halifax.
Bradford	290,323	19.0	18.1	20.1	18.9	0.2	125	105	11	47	-	1	-	-	-	-	-	4	6	23	3	Bradford.
Leeds	470,268	16.2	18.2	18.5	19.8	0.7	259	179	27	70	-	-	2	1	1	1	1	2	14	35	-	Leeds.
Sheffield	465,553	18.3	19.6	20.4	19.7	1.8	306	172	34	56	-	9	3	1	2	1	-	-	7	34	1	Sheffield.
Rotherham	62,412	25.6	29.0	21.7	24.2	4.2	52	29	6	6	-	3	-	-	2	-	2	2	2	2	1	Rotherham.
York	84,730	13.1	16.2	21.5	27.7	-	56	45	3	24	-	-	-	-	-	-	2	4	6	-	1	York.
Hull	286,762	19.9	24.0	22.9	24.4	4.7	184	125	23	32	-	16	2	3	3	-	-	4	10	20	1	Hull.
Middlesbrough	101,783	19.3	26.0	36.4	32.8	0.5	91	64	17	18	-	-	-	-	1	-	-	2	8	-	1	Middlesbrough.
Stockton-on-Tees	52,909	25.7	20.8	22.7	28.6	1.0	36	29	5	12	-	1	-	-	-	-	-	3	3	3	2	Stockton-on-Tees.
West Hartlepool	75,473	17.8	12.8	13.1	21.4	1.4	50	31	4	12	-	-	-	1	1	-	-	2	2	1	1	West Hartlepool.
Underland	156,029	22.3	27.4	32.4	20.4	0.7	103	61	10	23	-	-	1	-	-	-	-	5	8	11	2	Underland.
South Shields	113,460	25.3	28.1	22.5	25.3	1.4	72	55	6	19	-	3	-	-	-	-	-	-	-	7	-	South Shields.
Gateshead	125,783	18.5	19.0	17.4	17.8	0.8	100	43	14	15	-	-	-	2	3	-	-	-	4	2	2	Gateshead.
Newcastle-on-Tyne	272,969	18.0	18.2	27.3	23.3	1.9	169	122	27	41	-	1	-	5	3	1	-	3	10	22	-	Newcastle-on-Tyne.
Tynemouth	54,688	9.6	22.2	24.8	21.0	-	40	22	4	11	-	-	-	-	-	-	-	1	5	-	-	Tynemouth.
Newport (Mon.)	75,585	26.0	26.8	26.2	21.4	1.4	60	31	7	12	-	1	1	-	-	-	-	1	1	2	-	Newport (Mon.).
Cardiff	157,620	16.5	19.3	20.0	18.1	1.7	100	65	11	22	-	-	1	1	3	-	-	3	14	-	-	Cardiff.
Rhondda	130,400	15.9	20.8	20.0	14.4	1.2	118	36	17	5	-	1	-	2	-	-	-	1	1	-	-	Rhondda.
Merthyr Tydfil	76,085	16.0	29.9	24.7	19.2	-	42	28	7	9	-	-	-	-	-	-	-	3	5	2	-	Merthyr Tydfil.
Swansea	97,324	20.5	23.2	26.8	25.2	2.1	83	47	8	17	-	-	-	-	1	2	-	2	5	6	-	Swansea.
Greater London	7,217,941	18.8	19.2	22.1	19.7	1.2	4102	2722	514	1023	-	46	14	29	47	12	25	95	248	819	9	Greater London.
Outer Ring	2,459,723	14.9	16.7	17.4	16.5	1.4	1509	776	161	303	-	18	5	17	16	1	7	29	63	124	5	Outer Ring.
8 Towns in Outer Ring	1,209,285	15.9	17.5	17.9	16.8	1.9	703	390	86	127	-	15	2	12	13	1	2	12	29	62	2	8 Towns in Outer Ring.
Remainder of Outer Ring	1,250,438	14.0	15.9	16.9	16.1	0.8	806	386	65	176	-	3	3	5	3	-	5	17	34	62	3	Remainder of Outer Ring.
Edinburgh	345,747	17.9	17.7	23.7	19.2	1.4	179	127	20	46	-	2	-	1	1	1†	4	4	?	41	4	Edinburgh.
Glasgow	847,584	20.6	19.8	20.3	20.3	1.6	445	330	51	88	-	1	2	3	13	3*	4	17	?	89	6	Glasgow.
Dublin†	300,691	28.8	22.8	31.9	29.0	1.1	227	217	37	70	-	3	-	-	2	1	2	1	4	84	7	Dublin.†
Belfast†	370,163	18.1	18.4	23.8	23.4	1.5	232	166	30	49	-	1	-	1	4	1	4	5	8	45	4	Belfast.†

* See note † on first page of this return.

[†] Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

71

Births, Deaths, and Meteorology.

TABLE 2. LONDON.—Births and Deaths Registered in the SECOND Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2928	2703	2435	2766	2466	2690	2349	2589	2553	2705	2637.4	2593
Males - - -	1519	1382	1275	1396	1259	1351	1147	1339	1277	1432	1239.8	1283
Females - - -	1409	1321	1160	1370	1207	1339	1202	1250	1276	1273	1297.6	1305
TOTAL Deaths -	1538	1982	1568	2930	1750	1633	1545	1677	1424	1585	1609.5	1946
Males - - -	765	997	808	1325	863	820	774	840	710	778	802.7	947
Females - - -	773	985	760	1605	887	813	771	837	714	807	806.8	999

* The numbers in this column are the average weekly numbers in the second week of the five years 1902–1906, raised by 2.357 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 20.	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	13 Weeks.
TOTAL Births -	2411	2474	2304	2220	2390	2532	2345	2338	2172	2503	1694	2905	2593	30881
TOTAL Deaths -	1232	1209	1272	1328	1391	1453	1406	1482	1628	1886	1850	2232	1946	20315
Deaths from—														
Under year - 1–5 years -	277	276	246	267	244	284	251	271	290	328	375	463	363	3941
5–20 " -	128	111	137	138	113	101	132	150	159	180	223	212	193	2037
20–40 " -	58	69	82	73	67	73	85	85	85	99	96	84	68	1024
40–60 " -	150	162	176	170	204	184	190	166	202	221	186	225	234	2170
60 yrs. & upwds	270	268	273	286	315	288	288	338	347	376	368	469	368	4270
	349	325	358	394	448	463	462	472	539	682	582	779	720	6573
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	5	9	15	19	10	26	21	21	26	24	29	36	23	269
Scarlet Fever - -	9	15	11	17	5	8	12	12	15	9	8	8	9	138
Diphtheria - - -	11	16	23	11	16	14	20	20	16	14	26	28	12	227
Whooping-cough -	13	5	5	7	10	5	13	18	18	32	31	38	31	226
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	11	5	6	8	3	7	7	15	6	4	7	11	98
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	78	55	47	44	29	24	20	15	15	16	21	21	18	403
All above Diseases -	124	111	106	104	78	80	93	93	105	101	119	133	109	1361
Dis. of Resp. System														
Pneumonia - - -	64	69	99	113	158	156	177	169	216	297	309	398	324	2549
Phthisis - - -	82	81	101	119	130	156	135	176	192	244	252	320	296	2284
Violence - - -	132	129	150	133	177	129	131	134	156	204	181	184	168	2003
Dis. of Circ. System -	169	174	183	167	214	188	170	184	219	247	218	263	223	2619
Inquest Cases - -	60	44	51	70	53	62	56	59	60	57	82	76	66	786
Deaths in Institutions	140	103	121	163	141	133	128	137	162	159	187	232	185	1991
TEMPERATURE OF THE AIR.														
Mean - - -	41.2	53.0	46.8	47.3	43.0	46.2	47.3	43.8	36.5	39.2	31.4	39.3	42.8	42.9
Mean of Highest -	59.4	61.7	53.0	52.3	49.2	57.8	51.9	49.5	41.1	42.8	36.4	44.6	46.7	49.2
Mean of Lowest -	43.5	45.4	40.9	42.3	36.3	39.8	41.4	37.2	31.6	34.7	25.9	33.0	37.9	37.7
Mean Humidity of the Air.														
Rain-fall (in inches) -	81	82	88	89	85	89	84	80	79	91	77	83	83	84
Registered Sunshine (in hours).	6.21	0.07	1.59	2.62	0.90	0.38	0.09	0.29	0.40	0.50	0.68	0.98	0.18	8.89
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3923	4068	4178	4135	4150	4144	4053	4062	3986	3807	3846	3707	3521	3968
Diphtheria - - -	982	1030	1065	1076	1105	1113	1082	1033	1025	955	1000	988	928	1029
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	186	197	202	203	183	165	162	168	157	149	135	120	108	164

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Megarns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SECOND Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 2nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 2nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
ALL CAUSES	1609.5	1946	363	193	68	234	368	720	Meningitis (not tuberc.)	13.5	7	1	1	3	2	-	-
									Insanity, Gen. Par. of	20.5	27	-	-	-	5	7	15
									Insane -	7.8	10	-	-	1	5	2	2
									Epilepsy -	25.2	12	10	2	-	-	-	-
									Convulsions	1.8	-	-	-	-	-	-	-
Small-pox*	9.6	-	-	-	-	-	-	-	Locomotor Ataxy -	7.4	5	-	-	2	2	1	1
Cowpox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	22.9	24	1	3	2	7	11	-
Measles (Morbilli)	42.0	28	6	22	-	-	-	-	Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-
Scarlet Fever	12.7	9	-	5	3	1	-	-	Valv. Dis., Endocarditis-	44.0	49	-	1	6	15	27	-
Typhus	-	-	-	-	-	-	-	-	Cerebr. Hem. Thromb.-	37.3	53	-	-	1	15	37	-
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	23.1	20	-	-	-	4	10	-
Influenza	24.4	83	3	6	3	14	17	40	Aneurysm	3.5	4	-	-	-	2	2	-
Whooping-cough	31.7	31	14	16	1	-	-	-	Embolism, Thrombosis }	1.6	-	-	-	-	-	-	-
Diphtheria	16.0	12	2	6	4	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	95.0	97	-	2	7	24	64	-
Pyæmia,† (Origin un-	0.2	-	-	-	-	-	-	-	Croup (not Spasm : nor	0.6	-	-	-	-	-	-	-
certain) -	7.0	11	-	-	4	3	4	-	Membr.) -	170.7	239	55	13	-	4	47	180
Enteric Fever	-	-	-	-	-	-	-	-	Bronchitis	7.4	6	-	-	1	2	3	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Asthma, Emphysema -	3.7	4	-	-	-	1	3	-
Epidemic Diarrhœa	3.1	5	3	2	-	-	-	-	Pleurisy -	19.0	15	2	1	1	1	9	-
(Infective Enteritis) }	10.6	13	9	1	-	1	2	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	0.2	1	-	-	-	1	-	-	Tonsillitis, Quinsy -	1.2	2	1	1	-	-	-	-
Tetanus	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	9.2	15	10	1	2	2	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-Enteritis -	3.5	6	4	-	-	1	1	-
Glanders	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.) -	3.5	1	-	-	1	-	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	15.4	10	-	-	4	5	1	-
Veneral Dis. -	8.0	5	5	-	-	-	-	-	Liver Dis. (other) -	7.2	1	-	-	-	1	-	-
Puerperal Septicæmia	3.7	7	-	-	6	1	-	-	Digestive Dis., Other	39.5	40	1	3	11	10	15	-
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-	Nephritis, Acute -	8.0	7	-	1	1	3	2	-
Puerperal Fever	1.6	-	-	-	-	-	-	-	Bright's Dis., Albumin-	37.9	40	-	1	5	12	22	-
Infective Endocarditis	3.1	1	-	-	1	-	-	-	uria	8.4	12	-	-	2	5	5	-
{ Lobar -	15.1	27	-	1	12	5	9	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-
{ Broncho-	71.8	164	77	56	3	7	14	-	Generative Organs Dis.-	6.8	4	-	-	1	2	1	-
{ Epidemic	-	-	-	-	-	-	-	-	Childbirth (Accid. of) -	6.1	2	-	-	2	-	-	-
{ Not defined	70.8	105	16	7	1	19	26	36	Old Age -	68.8	90	-	-	-	-	-	90
Erysipelas	4.9	6	-	1	-	2	3	-	Other Diseases -	99.5	104	72	15	4	3	4	6
Septicæmia (not Puer-	1.2	-	-	-	-	-	-	-	ACCIDENT.								
peral)	0.4	-	-	-	-	-	-	-	By Railways -	1.2	1	-	-	-	1	-	-
Pyæmia (not Puerperal)	6.1	2	-	-	-	1	1	-	By Vehicles and Horses-	5.1	5	-	1	-	1	1	2
Other Infective Processes	70.4	104	1	3	9	37	43	11	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
"Etiologists"	85.4	64	-	-	5	34	19	6	(exclusive of Drown-	1.2	-	-	-	-	-	-	-
Tuberculous Meningitis	18.2	18	4	11	3	-	-	-	ing) -	0.6	-	-	-	-	-	-	-
Tuberculous Peritonitis	6.5	8	2	3	2	1	-	-	In Building Operations-	0.2	4	-	1	-	1	2	-
Tabes Mesenterica	3.9	-	-	-	-	-	-	-	In Conflagrations -	7.6	9	-	5	1	1	2	-
Tuberculous Dis. (other)-	17.6	17	4	7	2	2	-	2	By Burns, Scalds, Ex-	3.7	2	-	-	1	1	-	-
Scrofula	0.2	-	-	-	-	-	-	-	plosions -	15.6	9	9	-	-	-	-	-
Alcoholism	12.9	10	-	-	3	5	2	-	By Drowning -	2.9	1	-	-	-	-	-	1
Rheumatic Fever	4.9	4	-	1	1	1	-	-	By Suffocation in Bed -	22.1	26	4	2	5	-	5	12
Gout -	2.7	6	-	-	-	1	5	-	By Poisons or Poisonous								
Carcinoma	48.7	58	-	-	4	24	30	-	Vapours -								
Sarcoma	4.5	14	-	1	2	3	5	3	Other Deaths by Acci-								
Cancer (undefined) -	35.0	42	-	-	7	16	19	-	dent								
Diabetes Mellitus	9.4	10	-	-	-	1	9	-	VIOLENCE OTHER THAN								
Premature Birth	53.4	49	49	-	-	-	-	-	ACCIDENTAL.								
									Homicide	1.2	-	-	-	-	-	-	-
									suicide	10.0	9	-	-	-	6	3	-
									Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th January, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2593	1946	365	720	-	28	9	12	31	-	11	-	18	66	185	695	
WEST DISTRICTS - - -	805,311	379	320	59	120	-	3	1	1	4	-	1	-	5	10	25	116	
NORTH DISTRICTS - - -	1,056,070	585	427	73	163	-	-	3	1	8	-	3	-	3	12	43	132	
CENTRAL DISTRICTS - - -	209,465	109	87	20	24	-	-	-	2	6	-	1	-	-	5	7	44	
EAST DISTRICTS - - -	715,739	482	336	70	108	-	16	-	1	1	-	-	-	4	4	45	147	
SOUTH DISTRICTS - - -	1,749,844	1038	717	141	235	-	9	3	7	12	-	6	-	4	35	65	197	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON [†] }	-	-	59	-	20	-	-	2	-	-	-	-	-	2	-	-	59	
WEST DISTRICTS.																		
St. Mary Paddington <i>W,2H</i> - - -	93,178	46	38	3	17	-	-	-	-	-	-	-	-	-	-	4	11	
St. John Paddington <i>H</i> - - -	33,817	2	17	-	5	-	-	-	-	-	-	1	-	-	1	2	11	
North-West Paddington - - -	17,181	8	9	3	2	-	-	-	-	1	-	-	-	-	1	3	-	
Kensington Town <i>2W,w,2H</i> - - -	128,037	69	48	7	18	-	1	-	-	-	-	-	-	-	4	6	20	
Brompton <i>2H</i> - - -	48,591	9	9	2	3	-	-	-	-	-	-	-	-	-	1	1	1	
North Hammersmith <i>2W,w,H</i> - - -	49,192	30	29	5	12	-	-	1	-	-	-	-	-	-	1	3	11	
South Hammersmith <i>w,2H</i> - - -	63,047	27	26	3	15	-	-	-	-	-	-	-	-	-	-	1	5	
North-west Fulham <i>W</i> - - -	45,180	35	29	3	10	-	2	-	-	1	-	-	-	1	-	-	12	
North-east Fulham <i>F</i> - - -	46,405	28	17	8	2	-	-	-	1	-	-	-	-	-	1	2	1	
South Fulham <i>W</i> - - -	45,704	35	12	2	7	-	-	-	-	2	-	-	-	-	-	1	-	
Chelsea North <i>W,w,3H</i> - - -	42,514	13	19	2	10	-	-	-	-	-	-	-	-	-	-	-	16	
Chelsea South <i>W,2H</i> - - -	31,328	15	14	4	6	-	-	-	-	-	-	-	-	3	-	-	5	
Mayfair and Knightsbridge - - -	28,743	5	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave <i>W,2H</i> - - -	55,815	19	19	7	2	-	-	-	-	-	-	-	-	-	-	2	10	
St. Margaret & St. John <i>5H</i> - - -	43,698	27	22	10	6	-	-	-	-	-	-	-	-	1	-	-	11	
St. James and St. Anne <i>W,6H</i> - - -	33,081	11	6	-	2	-	-	-	-	-	-	-	-	-	1	-	2	
NORTH DISTRICTS.																		
All Souls Marylebone <i>8H</i> - - -	35,391	16	15	2	2	-	-	-	-	-	-	-	-	-	2	2	8	
St. Mary Marylebone <i>W,4H</i> - - -	37,048	36	10	1	6	-	-	-	-	-	-	-	-	-	-	-	2	
Christchurch Marylebone - - -	39,536	25	12	1	4	-	-	-	-	-	1	-	-	-	-	-	-	
St. John Marylebone <i>2H</i> - - -	20,426	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
Hampstead <i>W,F,7H</i> - - -	81,042	25	30	4	9	-	-	1	-	-	-	1	-	1	1	2	13	
West St. Pancras <i>2H</i> - - -	60,562	39	16	7	4	-	-	-	-	-	-	-	-	1	1	2	2	
South St. Pancras <i>w,11,H</i> - - -	55,707	29	16	1	8	-	-	-	-	-	-	-	-	-	2	4	6	
East St. Pancras <i>W,2H</i> - - -	60,320	36	28	3	12	-	-	-	-	1	-	1	-	-	-	1	12	
North St. Pancras <i>2W</i> - - -	58,728	28	23	1	10	-	-	-	-	-	-	-	-	-	-	1	11	
Tufnell <i>W</i> - - -	31,995	20	35	2	15	-	-	-	-	-	-	-	-	-	-	-	-	
Upper Holloway <i>2W,w,H</i> - - -	33,678	20	31	3	13	-	-	-	-	-	-	-	-	1	-	5	24	
Tollington <i>WH</i> - - -	33,922	12	7	2	4	-	-	-	-	-	-	-	-	-	1	4	17	
Lower Holloway - - -	41,424	25	20	5	7	-	-	-	-	-	1	-	-	-	-	-	-	
Barnsbury - - -	54,478	36	24	8	3	-	-	-	-	-	3	-	-	-	-	1	-	
Islington South-east <i>F</i> - - -	75,397	54	25	5	10	-	-	2	-	-	-	-	-	-	-	1	-	
Highbury <i>2H</i> - - -	63,797	31	15	3	8	-	-	-	-	1	-	-	-	-	1	3	2	
Stoke Newington <i>H</i> - - -	51,247	16	11	3	6	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -	50,560	34	15	1	8	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney <i>2w,F</i> - - -	50,538	26	23	6	8	-	-	-	-	-	-	-	-	1	1	5	2	
South-west Hackney <i>3H</i> - - -	59,921	28	24	7	7	-	-	-	-	-	-	-	-	-	-	2	3	
South-east Hackney <i>2W,w,H</i> - - -	58,255	36	42	9	17	-	-	-	-	-	-	1	-	-	1	6	11	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th January, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury 2W,2H -	31,436	18	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Strand W,4H - - - - -	21,674	6	16	1	5	-	-	-	-	-	1	-	-	-	-	-	1	2	-
Strand Union Workhouse, Edmonton -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Colborn W,6H - - - - -	29,612	9	18	6	4	-	-	-	-	1	2	-	-	-	-	-	-	-	10
North Clerkenwell - - - - -	28,876	16	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - - -	35,028	20	10	2	3	-	-	-	-	-	3	-	-	-	-	-	1	1	-
Islebury 3H,L - - - - -	36,116	31	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Colborn Union Workhouse, } Micheam - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - - -	10,299	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,624	3	20	5	1	-	-	-	-	1	-	-	1	-	-	-	2	2	17
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																			
Shoreditch South H - - - - -	46,362	26	20	6	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Shoreditch North-West W,w,H -	36,127	21	45	8	23	-	-	-	-	-	-	-	-	-	-	1	-	3	30
Shoreditch North-East - - - - -	34,148	25	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W, } 2HL - - - - -	65,138	40	30	6	8	-	-	-	-	1	-	-	-	-	-	-	-	1	16
Bethnal Green South-West H - -	64,542	46	17	3	4	-	1	-	-	-	1	-	-	-	-	-	-	1	2
Spitalfields - - - - -	27,969	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town W,H - - -	28,718	25	47	6	12	-	-	-	-	-	-	-	-	-	-	1	1	6	40
Goodman's Fields - - - - -	22,081	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W - -	40,068	32	19	6	2	-	3	-	-	-	-	-	-	-	-	1	-	4	4
Shadwell and Ratcliff W,H - - -	25,568	11	17	6	2	-	3	-	-	-	-	-	-	-	-	1	1	2	11
Shadwell W - - - - -	32,369	30	9	3	1	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Mile End Old Town South- } Western H - - - - -	63,698	57	17	5	2	-	4	-	-	-	-	-	-	-	-	-	-	2	-
Mile End Old Town North- } Eastern W,w - - - - -	49,129	26	21	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	12
Bow L - - - - -	41,939	22	13	3	6	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Bromley 3w,H - - - - -	68,319	55	50	7	23	-	2	-	-	-	-	-	-	-	-	-	1	15	27
Poplar W,w - - - - -	58,514	39	19	5	10	-	-	-	-	-	-	-	-	-	-	-	-	1	5

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th January, 1907—continued.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	Deaths from													Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarthra	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																	
Christchurch and St. Saviour } Southwark W,2H - - - }	23,319	9	16	5	3	-	-	-	-	1	-	-	-	-	2	11	
Kent-road - - -	21,904	16	7	2	2	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr West } W,2H,L - - - }	39,094	20	23	5	7	-	-	-	-	2	-	-	-	1	3	1	
Newington North - - -	49,022	38	17	8	3	-	-	-	-	1	-	-	-	-	-	-	
Newington South W - - -	72,841	52	17	3	9	-	-	-	-	-	-	-	-	1	2	1	
St. Olave 2W - - - - -	9,817	5	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - - -	82,483	70	25	8	6	-	-	-	-	-	-	-	-	-	1	2	
Rotherhithe W,F - - - -	38,460	28	21	2	10	-	-	-	-	-	-	-	-	1	1	11	
Waterloo 2H - - - - -	27,440	24	11	5	1	-	-	-	-	-	-	-	-	1	1	2	
Lambeth Church H - - - -	27,440	14	24	3	4	-	-	-	-	-	-	-	-	1	3	15	
Kennington 2W - - - - -	52,518	47	44	5	23	-	-	-	-	-	-	-	-	2	6	25	
Stockwell HF - - - - -	63,826	29	17	1	9	-	-	-	-	1	-	-	-	-	-	-	
Brixton H - - - - -	73,673	29	16	4	7	-	-	-	-	-	-	-	-	2	2	2	
Norwood WH - - - - -	56,998	16	16	1	10	-	-	-	-	-	-	-	-	1	1	-	
East Battersea H - - - -	72,203	35	23	8	4	-	-	-	-	-	-	-	-	-	-	-	
North-west Battersea - - -	49,656	29	16	5	2	-	-	-	-	-	-	-	-	1	2	-	
South-west Battersea 2W,H -	47,048	21	23	2	9	-	-	-	-	-	-	-	-	-	3	-	
Clapham 2H - - - - -	51,361	29	11	2	6	-	-	-	-	-	-	-	-	-	-	14	
Streatham W,2w,2F,2L - - -	88,019	39	45	7	26	-	-	-	2	1	-	-	-	-	-	12	
Springfield 2W,L - - - -	27,959	22	14	2	7	-	1	-	-	-	-	-	-	1	1	-	
Southfields H - - - - -	40,444	28	13	6	3	-	-	-	-	-	-	-	-	-	1	2	
Putney - - - - -	24,139	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - - -	13,359	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - - -	40,206	15	35	1	13	-	-	-	-	-	-	-	-	2	2	23	
Camberwell North W,2L - -	65,584	29	46	8	21	-	-	-	-	-	-	-	-	5	8	21	
St George - - - - -	47,331	32	16	1	7	-	-	-	-	2	-	-	-	2	2	-	
Peckham North - - - - -	48,913	23	12	2	4	-	-	-	-	-	-	-	-	-	1	-	
Peckham South 2W,w - - - -	43,946	19	14	3	5	-	-	-	-	1	-	-	-	1	-	-	
Deptford North - - - - -	37,613	32	7	1	3	-	-	-	-	-	-	-	-	-	3	-	
Deptford Central F - - - -	45,481	45	19	5	4	-	-	-	3	-	-	2	-	1	2	5	
Deptford South - - - - -	34,625	13	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - - -	23,456	9	5	3	2	-	-	-	-	-	-	-	-	1	1	-	
Greenwich East 2W,H - - - -	43,559	32	28	4	12	-	1	-	-	-	1	-	-	4	5	15	
Eltham w,H - - - - -	7,226	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lee wH - - - - -	25,490	11	8	2	4	-	-	-	-	-	-	-	-	1	1	1	
Lewisham W-w,F - - - - -	58,352	46	34	7	17	-	-	1	2	1	1	-	-	4	4	16	
Sydenham H - - - - -	43,653	29	21	6	7	-	-	-	-	-	2	-	-	-	-	-	
Charlton F,2H - - - - -	21,134	11	16	3	4	-	3	2	-	-	-	2	-	-	-	5	
Woolwich 5H - - - - -	41,625	34	11	4	4	-	-	-	-	-	-	-	-	1	1	1	
Plumstead West W - - - - -	18,063	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - - - -	50,264	33	32	5	10	-	4	-	-	-	-	-	-	2	4	11	
Workhouse:-																	
Central London Sick Asylum			4	-	1	-	-	-	-	-	-	-	-	-	-	4	
(Westminster, St. Giles, and																	
Strand Unions.)																	
M. A. B. Small-pox Hospitals:-																	
Joyce Green - - - - -																	
Long Reach - - - - -																	
M. A. B. Fever Hospitals:-																	
Gore Farm (temporary)																	
North-Eastern - - - - -			1	-	-	-	-	-	1	-	-	-	-	-	-	1	
Northern - - - - -			1	-	-	-	-	-	-	-	-	-	-	-	-	1	
M. A. B. Imbecile Asylums:-																	
Belmont - - - - -			2	-	-	-	-	-	-	-	-	-	-	-	-	2	
Caterham - - - - -			4	-	1	-	-	-	-	-	-	-	-	-	-	4	
Darenth - - - - -			5	-	1	-	-	-	-	-	-	-	-	-	-	5	
Leavesden - - - - -			4	-	3	-	-	-	-	-	-	-	-	-	-	4	
London County Lunatic Asylums.																	
Banstead - - - - -			6	-	1	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony)																	
Horton - - - - -			4	-	-	-	-	-	-	-	-	-	-	-	-	4	
Manor - - - - -																	
Cane Hill - - - - -			8	-	5	-	-	-	-	-	-	-	-	-	-	8	
Dartford Heath - - - - -			4	-	1	-	-	-	-	-	-	-	-	-	-	4	
Hanwell - - - - -			6	-	3	-	-	-	-	-	-	-	-	-	-	6	
Colney Hatch - - - - -			7	-	2	-	-	-	-	-	-	-	-	-	-	7	
Claybury - - - - -			3	-	2	-	-	-	-	-	-	-	-	1	-	3	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th January, 1907.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of			Deaths from											
					Infants under 1 Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	308,302	2,044,973	1509	776	151	303	-	18	5	17	18	1	7	29	68	124	5		
1 Carshalton 2F,3H	12,228	32,997	24	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	5	3	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-
1 Godstone, part of* W,F	2,754	2,692	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
1 Coulsdon	11,089	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	19	18	-	3	12	-	-	-	-	-	-	1	4	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,888	34	24	3	10	-	-	-	2	1	-	-	2	3	9	-	-	-
4 North Croydon H	2,844	41,698	32	15	3	7	-	-	-	-	-	-	-	-	-	1	-	-	-
6 Penge w,H	770	22,465	13	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham w	11,711	30,015	57	8	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	15	11	3	3	-	-	-	-	-	-	-	-	3	2	-	-	-
2 Kingston 2W,H	6,224	42,066	26	22	3	11	-	-	-	-	-	-	-	-	3	2	-	-	-
3 Surbiton F,H	3,046	15,017	5	9	1	5	-	1	-	-	-	-	-	1	1	1	-	-	-
4 Esher, part of* H	5,402	13,100	7	9	1	5	-	-	-	-	-	-	-	1	1	1	-	-	-
5 Hampton H,F,L	4,584	23,466	19	9	1	5	-	-	-	-	-	-	-	1	1	1	-	1	-
1 Richmond W,H	2,162	28,865	5	4	-	3	-	-	-	-	-	-	-	-	-	2	-	-	-
2 Mortlake F	2,847	20,628	18	12	2	5	-	1	-	-	-	-	-	4	5	-	-	-	-
1 Bromley F,2H	4,703	27,954	15	6	2	2	-	-	-	-	-	-	-	1	1	-	-	-	-
2 Beckenham H	7,825	28,497	11	6	-	5	-	-	-	-	-	-	-	-	1	-	-	-	-
3 Orpington, part of* W	10,113	9,857	10	8	-	7	-	-	-	-	-	-	-	1	1	-	-	-	-
4 Chislehurst 2H	7,333	16,446	3	2	-	1	-	-	-	-	-	-	-	-	2	5	-	-	-
1 Bexley w,F,H	8,678	21,151	19	5	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
2 Erith F,H	3,854	25,296	12	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Dartford W,F, part of*	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-
1 Sunbury w	11,054	18,683	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Staines W,H	13,277	15,178	11	6	-	5	-	-	-	-	-	-	-	-	-	1	-	-	-
1 Hillingdon W,F,H	6,035	13,661	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Uxbridge H	12,757	8,984	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
3 Hayes w,F,H	8,066	16,368	25	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth 3W,2F,H	6,859	30,863	22	22	5	11	-	1	-	-	-	-	-	-	-	10	-	-	-
2 Twickenham F,H	2,421	20,991	22	10	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Brentford 3F,2H	4,319	48,289	39	21	2	7	-	2	-	-	-	-	-	2	1	2	1	-	-
5 Chiswick H	1,249	29,809	23	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Acton w,F,3H	6,132	48,914	42	13	4	-	-	1	-	1	1	-	-	1	1	1	-	-	-
2 Harrow F,H	13,809	25,523	19	12	2	6	-	-	-	-	-	-	-	-	-	1	1	-	-
3 Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Willesden W,F,2H	4,384	114,811	96	42	12	8	-	-	-	3	-	-	-	-	4	2	2	-	-
5 Hendon W,F	8,382	22,460	15	8	1	5	-	-	-	-	-	-	-	-	2	3	-	-	-
1 South Mimms 2F,H	17,755	7,308	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	16	6	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-
3 Finchley F,2H	4,688	33,692	18	11	1	5	-	-	-	-	-	-	-	-	2	-	-	-	-
1 Hornsey F,H	2,875	72,056	22	15	1	9	-	-	-	-	-	-	1	-	-	-	-	-	-
2 Wood Green H	1,625	34,233	23	13	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
3 West Tottenham F	996	48,653	33	11	3	3	-	-	-	-	-	-	-	-	-	1	-	-	-
4 East Tottenham 2H	2,017	53,688	44	33	3	10	-	-	-	1	-	-	-	1	2	7	-	-	-
5 Edmonton W,w,2F	7,491	61,892	77	28	6	10	-	-	-	-	1	-	-	1	2	4	10	-	-
6 Enfield 2W,F,H	12,601	42,738	31	18	2	10	-	-	-	2	-	-	-	2	2	2	-	-	-
7 Waltham Abbey F	11,017	6,549	2	3	1	1	-	-	2	-	-	-	-	1	2	4	-	-	-
8 Chesham F,H	8,479	12,292	12	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Stratford H	1,072	44,827	32	23	4	4	-	4	-	-	-	-	-	3	4	3	-	-	-
3 Plaistow F,3H	1,249	90,921	85	34	8	7	-	2	-	4	-	-	-	1	2	8	-	-	-
4 Canning Town H	1,556	70,718	49	34	8	12	-	4	-	-	-	-	-	1	2	-	-	-	-
5 Forest Gate w	806	60,892	30	14	2	4	-	2	-	-	-	-	-	-	-	1	-	-	-
6 North East Ham w,H	1,333	58,676	50	22	7	8	-	1	-	-	-	-	1	-	3	1	-	-	-
7 South East Ham 2F	1,993	37,342	45	13	5	4	-	1	-	1	-	-	-	-	-	-	-	-	-
8 Wanstead F	1,679	9,179	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
9 South Leyton 2W	631	50,467	33	19	4	8	-	1	2	-	-	-	-	-	1	5	-	-	-
10 North Leyton 2W,w,F	1,963	48,445	32	39	4	10	-	-	-	3	4	-	-	-	-	20	-	-	-
1 Walthamstow 3H,L	6,504	108,929	76	32	13	8	-	-	-	1	3	-	-	2	2	-	-	-	-
1 Chigwell 2F,3H	11,778	16,397	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
1 Romford, part of* W,2F	6,556	6,091	4	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Ilford F,L	8,496	41,234	49	24	3	8	-	-	-	1	-	-	-	-	-	4	-	-	-
3 Barking Town F	5,803	21,547	24	8	3	1	-	-	-	1	-	-	-	1	1	1	-	-	-
Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	2	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	January 12	2593	1946	21·3	-	28	9	12	31	11	18
CALCUTTA - -	977,822	December 8	-	688	40·9	4	-	-	1	-	177†	183
BOMBAY - -	982,000	" 25	408	641	42·9	1	-	-	-	-	81†	61
MADRAS - -	509,346	" 14	302	366	37·3	1	1	?	?	?	80	61
PARIS - -	2,750,000	January 5	1134	1097	21·3	-	8	2	6	3	6	14
BRUSSELS - -	612,401	" 5	240	206	17·5	-	3	2	1	2	5	6
ANTWERP - -	297,311	" 5	149	148	25·8	-	2	-	3	2	3	11
AMSTERDAM -	560,482	December 29	268	177	16·4	-	10	2	4	2	1	5
COPENHAGEN -	425,000	January 5	257	129	15·8	-	1	-	-	-	-	7
STOCKHOLM -	324,488	December 29	162	95	15·2	-	-	-	1	1	-	2
CHRISTIANIA -	226,472	January 5	113	45	10·5	-	1	-	4	-	-	1
ST. PETERSBURG	1,424,700	December 29	-	667	24·4	1	23	27	20	3	19	63
MOSCOW - -	1,172,421	" 22	-	683	-	-	16	14	22	5	9	62
BERLIN - -	2,090,758 2,091,957	" 15 " 22	942 895	641 629	16·0 15·7	-	-	2 8	7 14	3 1	3 1	21 27
HAMBURG - -	824,802	January 5	-	317	20·0	-	-	1	5	1	-	21
BRESLAU - -	481,157	December 29	-	99	10·7	-	-	-	1	3	-	11
MUNICH - -	548,000	January 5	-	187	17·6	-	5	-	5	1	-	15
VIENNA - -	1,958,323	" 5	820	713	18·9	-	12	4	12	-	1	31
PRAGUE - -	466,133	December 29	178	194	21·6	-	5	1	3	1	-	17
BUDA-PESTH -	869,134	" 29	368	301	19·7	-	7	2	6	-	-	11
TRIESTE - -	196,637	January 5	-	-	-	-	-	-	-	-	-	-
ROME - -	531,818	November 17	220	153	15·0	-	-	-	1	-	3	15
VENICE - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	January 5	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	4,152,860	December 29	2031	1558	19·6	-	3	6	30	11	12	45
CHICAGO - -	2,049,185	" 29	-	575	14·6	-	3	8	17	4	9	31
PHILADELPHIA -	1,469,126	November 24 December 1	- -	522 446	18·5 15·8	- -	6 3	4 1	12 11	1 3	21 19	18 13
RIO DE JANEIRO	912,900	" 9	-	287	16·4	1	-	-	1	3	10†	?

* Excluding deaths from croup in the Indian Cities.

† Including 19 deaths from plague in Calcutta, 10 in Bombay, and 8 in Rio de Janeiro.

‡ Including 91 deaths from cholera in Calcutta, and 3 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th January, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich) }	48·4	33·7	42·3	0·18	BRADFORD - -	?	?	?	?
BRIGHTON - -	49·1	34·1	42·5	0·14	LEEDS - - -	51·0	38·0	45·0	0·00
PORTSMOUTH -	50·2	34·0	43·6	0·09	HULL - - -	50·0	35·0	42·5	0·04
NORWICH - -	48·8	34·8	41·1	0·29	TYNEMOUTH -	52·0	35·0	42·3	0·00
PLYMOUTH - -	52·2	34·6	44·7	0·08	CARDIFF - -	49·2	29·5	41·3	0·17
BRISTOL - -	48·6	34·0	42·2	0·10	EDINBURGH -	49·5	37·0	41·9	0·03
BIRMINGHAM -	49·8	35·7	43·1	0·10	GLASGOW - -	51·4	33·2	41·1	0·51
NOTTINGHAM -	51·2	36·0	43·1	0·01	DUBLIN { Phoenix Park, Fitz- william Square.†	50·4	31·2	43·7	0·03
LIVERPOOL - -	51·0	37·0	43·4	0·08		51·5	35·7	45·5	0·02
MANCHESTER -	48·2	37·8	43·1	0·23					
PRESTON - -	47·0	39·0	43·5	0·21	BELFAST - -	50·5	32·0	41·0	0·11
HUDDERSFIELD -	48·5	36·2	43·3	0·09					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1907.

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., 1 noon, 3h. P.M. and 9 P.M. The means of the eye-readings of the barometer, the dry bulb thermometer and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal advection if the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates "higher", and "lower" than the average.

The values given in column 7 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument by the aggregate duration of bright sunshine on 30th day, are:—1.0-1.4 in. by 11 h. 45 m. the 17th; 1.5-1.9 in. by 11 h. 45 m. the 18th; 2.0-2.4 in. by 11 h. 45 m. the 19th; 2.5-2.9 in. by 11 h. 45 m. the 20th; 3.0-3.4 in. by 11 h. 45 m. the 21st; 3.5-3.9 in. by 11 h. 45 m. the 22nd; 4.0-4.4 in. by 11 h. 45 m. the 23rd; 4.5-4.9 in. by 11 h. 45 m. the 24th; 5.0-5.4 in. by 11 h. 45 m. the 25th; 5.5-5.9 in. by 11 h. 45 m. the 26th; 6.0-6.4 in. by 11 h. 45 m. the 27th; 6.5-6.9 in. by 11 h. 45 m. the 28th; 7.0-7.4 in. by 11 h. 45 m. the 29th; 7.5-7.9 in. by 11 h. 45 m. the 30th; 8.0-8.4 in. by 11 h. 45 m. the 31st; 8.5-8.9 in. by 11 h. 45 m. the 1st; 9.0-9.4 in. by 11 h. 45 m. the 2nd; 9.5-9.9 in. by 11 h. 45 m. the 3rd; 10.0-10.4 in. by 11 h. 45 m. the 4th; 10.5-10.9 in. by 11 h. 45 m. the 5th; 11.0-11.4 in. by 11 h. 45 m. the 6th; 11.5-11.9 in. by 11 h. 45 m. the 7th; 12.0-12.4 in. by 11 h. 45 m. the 8th; 12.5-12.9 in. by 11 h. 45 m. the 9th; 13.0-13.4 in. by 11 h. 45 m. the 10th; 13.5-13.9 in. by 11 h. 45 m. the 11th; 14.0-14.4 in. by 11 h. 45 m. the 12th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 5th January 1907.*

BOROUGHES	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	149,809	-	15	7	-	1	-	-	4	-
Kensington - - - - -	181,842	-	10	4	-	-	-	-	4	-
Hammersmith - - - - -	122,337	-	10	2	-	-	-	-	6	-
Fulham - - - - -	166,749	-	22	9	-	1	-	-	3	1
Chelsea - - - - -	74,857	-	2	2	-	-	-	-	1	-
City of Westminster - -	172,219	-	10	2	-	1	-	-	-	-
NORTH.										
St. Marylebone - - - -	127,718	-	7	3	-	1	-	-	3	-
Hampstead - - - - -	91,137	-	7	7	-	-	-	-	1	-
St. Pancras - - - - -	236,763	-	5	4	-	-	-	-	2	-
Islington - - - - -	347,017	-	18	5	-	3	-	-	10	1
Stoke Newington - - - -	53,613	-	2	1	-	-	-	-	3	-
Hackney - - - - -	232,993	-	22	9	-	2	-	-	9	-
CENTRAL.										
Holborn - - - - -	55,134	-	1	1	-	-	-	-	-	-
Finsbury - - - - -	96,732	-	6	3	-	1	-	-	4	-
City of London - - - - -	20,310	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	115,662	1	10	6	-	2	-	-	5	1
Bethnal Green - - - - -	130,331	-	11	4	-	-	-	-	12	1
Stepney - - - - -	308,923	-	16	18	-	2	-	-	10	-
Poplar - - - - -	171,086	-	7	5	-	1	-	-	3	-
SOUTH.										
Southwark - - - - -	209,781	-	20	9	-	3	-	-	4	-
Bermondsey - - - - -	128,263	-	9	3	-	-	-	-	2	-
Lambeth - - - - -	318,538	-	29	6	-	1	-	-	6	-
Battersea - - - - -	181,736	-	10	6	-	-	-	-	4	1
Wandsworth - - - - -	281,419	-	16	11	-	1	1	-	6	2
Camberwell - - - - -	277,059	-	19	3	-	1	-	-	3	-
Deptford - - - - -	116,510	-	10	4	-	-	-	-	4	-
Greenwich - - - - -	107,222	-	10	4	-	-	-	-	-	-
Lewisham - - - - -	152,532	-	16	6	-	1	-	-	3	-
Woolwich - - - - -	129,336	-	11	7	-	1	-	-	4	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218										
		1	332	151	-	23	1	-	118	7
Ages										
0-1 - - - - -	-	-	-	5	-	-	-	-	5	-
" 1-5 - - - - -	-	-	116	67	-	2	-	-	5	-
" 5- - - - -	1	115	40	-	-	-	-	-	3	-
" 10- - - - -	-	43	20	-	-	4	-	-	4	-
" 15- - - - -	-	25	3	-	-	3	-	-	2	-
" 20- - - - -	-	11	7	-	-	4	1	-	4	3
" 25- - - - -	-	21	7	-	-	5	-	-	14	3
" 35- - - - -	-	1	2	-	-	4	-	-	29	1
" 45- - - - -	-	-	-	-	-	1	-	-	26	-
" 55- - - - -	-	-	-	-	-	-	-	-	12	-
" 65 and upwards -	-	-	-	-	-	-	-	-	14	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING DECEMBER, 1906.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th January, 1907.

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of December.

Eleven samples were taken in each district, except the Eastern in which twelve were collected, making a total of 89 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ December 17th, Cab Rank, Victoria Street, near Christ Church. }	5·6	33·70	·250	·024	0	·294	·318	1·80	23·2
West Middlesex - -	{ December 17th, Cab Rank, Albert Road, N.W. }	4·6	29·94	·210	·023	0	·217	·240	1·80	20·3
Southwark - - - -	{ December 17th, Cab Rank, St. George's Church, Borough. }	5·1	33·30	·185	·018	0	·302	·320	1·80	23·0
Grand Junction - -	{ December 17th, Cab Rank, Pickering Place, Westbourne Grove. }	4·9	32·16	·178	·020	0	·290	·310	1·75	22·7
Lambeth - - - -	{ December 17th, Cab Rank, St. George's Road, Southwark. }	5·3	32·78	·210	·019	0	·315	·334	1·85	22·0
LEA, WELLS, THAMES, ETC.										
New River - - - -	{ December 17th, Cab Rank, Canonbury Station. }	4·8	34·96	·073	·007	0	·328	·335	1·70	25·7
Eastern - - - -	{ December 17th, Tap on Main at Lea Bridge Works. }	4·0	41·42	·231	·026	0	·348	·374	2·25	27·4
DEEP WELLS.										
Kent- - - -	{ December 17th, Police Station, Blackheath Road. }	11·0	39·20	·040	·005	0	·488	·493	2·10	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4-11 relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, on the 17th December at the cab rank in Victoria Street, had a temperature of 5·6° C.; 100,000 lbs. of it contained 33·70 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·250 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained ·294 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·318 lb. The above weight of water also contained 1·8 lbs. of chlorine and 23·2 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 17th December were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water, supplied from each of the district works, was:—Kent, 0·8; New River, 1·4; Southwark and Grand Junction, 3·4; West Middlesex and Lambeth, 3·9; Eastern, 4·4; and Chelsea, 4·6.

The supplies from the five District Works distributing filtered Thames water, examined on the 17th December, were all clear and of good quality.

The filtered Lea and deep well water supplied from the New River works was clear and of good quality. The Eastern district supply was clear, and in general quality resembled the Thames-derived water.

The deep well water collected in the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that taken in the New River district nearly colourless; the samples taken in the six remaining districts had a very pale yellow tint.

In addition to the above analytical examination the 89 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·146	·110	·128	·166	·123	·141	0	0	0	·013	·009	·0105
West Middlesex	·116	·097	·103	·123	·105	·113	0	0	0	·0115	·010	·0105
Southwark	·153	·081	·106	·163	·088	·122	·0035	0	trace	·0125	·0075	·010
Grand Junction	·110	·084	·095	·127	·094	·106	0	0	0	·0110	·0085	·0095
Lambeth	·168	·091	·122	·186	·097	·134	·001	0	trace	·014	·0085	·01
LEA, WELLS, THAMES, ETC.												
New River	·083	·030	·052	·086	·031	·057	0	0	0	·0075	·0030	·005
Eastern	·144	·072	·117	·157	·083	·129	·002	0	trace	·0165	·0105	·013
DEEP WELLS.												
Kent	·010	·009	·009	·011	·009	·010	0	0	0	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperatures.

The results show that of the five filtered Thames water supplies those from the Grand Junction and West Middlesex district works exhibited least variations in organic impurities and were of good quality throughout the month. The Southwark and Lambeth waters had about the same variations in organic matter as in November, and were of fair quality. In the case of the Chelsea water the organic matter, which was increasing during November, reached a maximum early in December and then decreased regularly. This supply was of fair quality.

The mean amount of organic impurity in the New River district water was slightly less than in the previous month and all the samples examined were of good quality.

The Eastern district water throughout the month was very similar in quality to the Thames supplies.

The samples of deep-well water collected in the Kent area were all of uniform high organic purity and excellent quality.

All the samples examined during the month were clear, except two collected in the Kent district, which contained traces of rust-stained suspended matter.

I am, Sir,

Your obedient Servant,

T. E. THORPE,

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of December, 1906, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 198 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	DECEMBER, 1905.	DECEMBER, 1906.	DECEMBER, 1905.	DECEMBER, 1906.
TOTAL SUPPLY - - -	1,039,867	1,058,000	201,827,149	209,503,360
New River - - - - -	206,871	209,933	38,398,776	40,461,000
Eastern - - - - -	234,990	238,312	38,084,903	38,271,097
Western .. { Chelsea - - - - -	39,984	39,965	11,462,258	11,840,968
{ Grand Junction - - -	81,151	84,178	15,287,912	16,839,332
{ West Middlesex - - -	92,456	92,897	22,754,516	23,657,806
Southern.. { Lambeth - - - - -	139,101	143,123	30,040,066	30,674,864
{ Southwark and Vauxhall	131,653	133,545	28,141,000	28,695,869
Kent - - - - -	113,661	116,047	17,657,718	19,062,424

Note.—The Return for December, 1906, as compared with that for the corresponding month of 1905, shows an increase of 18,133 services, and of 7,676,211 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 3. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JAN. 19. [Price 1½d.

General Register Office, Somerset House,
January 21st, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·1 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 19·7, 22·4, and 20·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·5 in Oldham, 24·8 in South Shields, 25·2 in Warrington, 25·8 in York, 26·0 in Hull, 27·6 in Rotherham, and 35·3 in Middlesbrough; from *measles*, 2·2 in Grimsby, 2·3 in West Bromwich, 3·1 in Hull, 4·5 in St. Helens, 5·2 in Warrington, and 6·7 in Rotherham; from *scarlet fever*, 1·4 in South Shields; from *diphtheria*, 1·3 in Aston Manor; from *whooping-cough*, 1·1 in Walsall, 1·2 in York, 1·3 in Leyton, 1·5 in Hastings, and 1·7 in Willesden; and from "*fever*," 1·1 in Huddersfield. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2454 BIRTHS and 1679 DEATHS were registered. Allowing for increase of population, the births were 102 below and the deaths 67 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 20·4, 24·5, and 21·3 per 1000 in the preceding three weeks fell last week to 18·4. The death-rate in the four weeks ended last Saturday averaged 21·2 per 1000, being 2·5 per 1000 above the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1679 deaths included 33 from measles, 11 from scarlet fever, 18 from diphtheria, 28 from whooping-cough, 4 from enteric fever, and 10 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 104 deaths were referred to these diseases in the aggregate, being 40 below the corrected average number in the third week of the preceding five years.

The deaths from *measles*, which had been 29, 36, and 28 in the preceding three weeks, were 33 last week, and were 11 below the corrected average; 13 deaths belonged to the Borough of Stepney, 8 to Woolwich, 4 to Poplar, and 3 to Shoreditch. The deaths from *scarlet fever*, which had been 8, 8, and 9 in the preceding three weeks, were 11 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 26, 28, and 12 in the preceding three weeks, were 18 last week, and were 2 above the corrected average; 4 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 31, 38, and 31 in the preceding three weeks, fell to 28 last week, and were 11 below the corrected average; 3 deaths belonged to Fulham, and 3 each to Lambeth and Lewisham. The deaths from *enteric fever*, which had been 4, 7, and 11 in the preceding three weeks, were 4 last week, the corrected average being 6. The deaths from *diarrhoea*, which had been 21, 21, and 18 in the preceding three weeks, fell to 10 last week, and were 6 below the corrected average. Of the 10 deaths from diarrhoea, 6 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 73, having been 55, 87, and 83 in the preceding three weeks. The death of a painter, aged 52 years, was certified as due to *phubism*.

Different forms of *violence* caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 7 were cases of suicide, and 3 of homicide, while the remaining 55 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 15 to burns or scalds, 2 to drowning, 4 to the effects of anæsthetics administered for surgical purposes, and 9, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3405 of scarlet fever, 934 of diphtheria, 2 of typhus, and 108 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 325 cases, against 237, 309, and 285; of diphtheria, 135 cases, against 126, 117, and 121; and of enteric fever, 13 cases, against 14, 13, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 12th, 1907.

GREATER LONDON.

In Greater London 3712 births and 2372 deaths were registered. Allowing for increase of population, these numbers are 197 below and 103 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 9 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.43 inches, and that of the Thermometer 40°.7, the latter being 2°.0 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 39 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 3.3 hours; the measured rainfall or wet mist amounted to 0.01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TA

* See note † on first page of this return.

02

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	Causes.				Diseases in Cols. 11-17.		Deaths of Persons aged 60 Years and upwards.		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.		
		Week ended				Week ended 1907.		1907.		Scarlet Fever, Diphtheria, Whooping-cough, Fever, Diarrhoea, Violence.								Inquest Cases.		Deaths in Public Institutions.			Uncertified Causes of Death.	
		29th Dec., 1906.	5th Jan., 1907.	12th Jan., 1907.	19th Jan., 1907.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
HUDDESFIELD.	84,814	16.5	20.9	20.3	22.5	34	41	4	17	-	1	-	-	-	2	1	1	3	7	-	HUDDESFIELD.			
HALEFAX.	110,138	14.8	15.1	22.3	16.6	31	35	-	20	-	-	-	-	1	-	-	1	1	8	-	HALEFAX.			
BRADFORD.	290,323	18.1	20.1	18.9	15.6	106	87	8	41	-	-	-	-	1	-	-	3	17	3	3	BRADFORD.			
LEEDS.	470,268	18.2	18.5	19.8	15.7	243	142	26	53	-	1	-	-	-	-	-	2	15	14	-	LEEDS.			
SHEFFIELD.	455,563	19.6	20.4	19.7	16.5	284	144	36	47	-	2	3	2	2	1	1	5	12	30	3	SHEFFIELD.			
ROTHERHAM.	62,412	29.0	21.7	24.2	27.6	25	33	12	6	-	8	-	-	-	-	-	1	2	1	-	ROTHERHAM.			
YORK.	84,730	16.2	21.5	27.7	25.8	38	42	7	19	-	-	-	-	2	-	2	2	4	7	-	YORK.			
HULL.	266,762	24.0	22.9	24.4	26.0	155	133	26	38	-	16	-	3	2	1	-	3	7	19	1	HULL.			
MIDDLESBROUGH.	101,783	26.0	36.4	32.8	35.3	81	69	18	12	-	-	1	1	2	1	2	2	3	7	1	MIDDLESBROUGH.			
STOCKTON-ON-TEES.	59,909	20.8	22.7	28.6	19.7	38	20	4	4	-	-	-	-	1	-	-	-	-	4	-	STOCKTON-ON-TEES.			
WEST HARTLEPOOL.	75,473	12.8	13.1	21.4	13.8	48	20	3	8	-	-	-	1	-	-	-	4	6	4	-	WEST HARTLEPOOL.			
SUNDERLAND.	156,029	27.4	32.4	20.4	22.1	119	66	14	24	-	-	-	-	-	-	1	3	6	12	1	SUNDERLAND.			
SOUTH SHIELDS.	113,460	28.1	22.5	25.3	24.8	75	54	13	19	-	2	3	-	1	-	-	1	1	6	3	SOUTH SHIELDS.			
GATESHEAD.	125,783	19.0	17.4	17.8	16.6	90	40	7	13	-	-	-	-	-	-	-	-	-	1	2	GATESHEAD.			
NEWCASTLE-ON-TYNE.	272,969	18.2	27.3	23.3	18.3	164	96	24	29	-	1	2	1	-	1	1	2	10	14	-	NEWCASTLE-ON-TYNE.			
TYNEMOUTH.	54,688	22.2	24.8	21.0	16.2	33	17	8	3	-	-	-	-	-	-	-	1	2	2	-	TYNEMOUTH.			
NEWPORT (MON.).	75,585	28.8	26.2	21.4	18.6	50	27	4	9	-	-	1	-	-	-	-	-	1	10	-	NEWPORT (MON.).			
CARDIFF.	187,620	19.3	20.0	18.1	15.3	106	55	10	23	-	-	-	1	2	-	-	3	7	12	-	CARDIFF.			
RHONDDA.	130,400	20.8	20.0	14.4	18.4	100	46	10	19	-	-	2	-	1	-	-	3	3	1	-	RHONDDA.			
MERTHYR TYDFIL.	76,085	29.9	24.7	19.2	18.5	54	27	7	9	-	-	-	1	-	-	-	-	1	2	1	MERTHYR TYDFIL.			
SWANSEA.	97,324	23.2	26.8	25.2	18.8	60	35	10	6	-	-	-	-	1	1	1	1	1	2	-	SWANSEA.			
GREATER LONDON.	7,217,941	19.2	22.1	19.7	17.1	3712	2372	462	811	-	54	14	24	53	5	13	98	220	763	2	GREATER LONDON.			
OUTER RING.	2,459,723	16.7	17.4	16.5	14.7	1258	693	163	235	-	21	3	6	25	1	3	33	53	118	2	OUTER RING.			
8 TOWNS IN OUTER RING.	1,203,285	17.5	17.9	16.8	15.1	608	350	96	96	-	11	2	3	16	1	2	14	24	54	-	8 TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING.	1,250,438	15.9	16.9	16.1	14.3	650	343	67	139	-	10	1	3	9	-	1	19	29	64	2	REMAINDER OF OUTER RING.			
EDINBURGH.	345,747	17.7	23.7	19.2	20.4	151	135	27	51	-	1	1	3	1	-	6	4	?	39	5	EDINBURGH.			
GLASGOW.	847,184	19.8	20.3	20.3	19.8	461	322	64	68	-	2	-	5	12	2	5	4	?	81	12	GLASGOW.			
DUBLIN†.	360,681	22.8	31.9	29.0	27.5	233	206	40	66	-	1	-	2	5	2	1	8	10	77	10	DUBLIN†.			
BELFAST†.	370,163	18.4	23.8	23.4	23.7	207	168	31	40	-	1	-	1	2	1	3	3	6	36	4	BELFAST†.			

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 1 death from Cerebro-spinal meningitis was registered in Edinburgh, and 14 in Glasgow

TABLE 2. LONDON.—Births and Deaths Registered in the THIRD Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2484	2631	2811	2533	2693	2580	2593	2515	2408	2390	2555·5	2454
Males - - -	1284	1322	1485	1288	1334	1360	1353	1288	1222	1231	1320·9	1246
Females - - -	1200	1309	1326	1245	1359	1220	1240	1227	1186	1159	1234·6	1208
TOTAL Deaths -	1547	2021	1503	2365	1666	1583	1818	1549	1492	1402	1611·6	1679
Males - - -	800	1043	779	1128	799	802	930	791	757	719	818·5	841
Females - - -	747	978	724	1237	867	781	918	758	735	683	793·1	838

* The numbers in this column are the average weekly numbers in the third week of the five years 1902–1906, raised by 2·337 per cent. for increase of population

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 27.	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	13 Weeks.
TOTAL Births -	2474	2304	2220	2390	2532	2345	2538	2172	2503	1694	2905	2593	2454	30921
TOTAL Deaths -	1209	1272	1328	1391	1453	1406	1482	1628	1886	1850	2232	1946	1679	20762
Ages at Death														
Under 1 year -	276	246	267	244	284	251	271	290	328	375	463	363	299	3963
1–5 years -	111	137	138	113	161	132	150	159	180	223	212	193	207	2116
5–20 " -	69	82	73	67	73	85	85	99	96	96	84	68	66	1032
20–40 " -	182	176	170	204	184	190	166	202	221	186	225	234	182	2502
40–60 " -	266	273	286	315	288	286	338	347	376	388	469	368	349	4349
60 yrs. & upwds.	325	358	394	448	463	462	472	539	682	582	779	720	576	6800
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	9	15	19	10	26	21	21	26	24	29	36	28	33	297
Scarlet Fever -	15	11	17	5	8	12	12	15	9	8	8	9	11	140
Diphtheria -	16	23	11	16	14	20	20	16	14	26	28	12	18	234
Whooping-cough -	5	5	7	10	5	13	18	18	32	31	38	31	28	241
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	11	5	6	8	3	7	7	15	6	4	7	11	4	94
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	55	47	44	29	24	20	15	15	16	21	21	18	10	335
All above Diseases -	111	106	104	78	80	93	93	105	101	119	138	109	104	1341
Dis. of Resp. System	69	99	113	153	156	177	169	216	297	309	398	324	229	2714
Pneumonia - -	81	101	119	130	156	135	176	192	244	252	320	296	217	2410
Phthisis - -	129	150	133	177	129	131	134	156	204	181	184	168	146	2022
Dis. of Circ. System -	174	183	167	214	188	170	184	219	247	218	263	223	200	2650
Violence - -	44	51	70	53	62	56	59	60	57	82	76	68	65	801
Inquest Cases -	103	121	163	141	133	128	137	162	159	187	232	185	167	2013
Deaths in Institutions	480	647	555	546	545	533	588	616	717	640	752	695	645	7859
TEMPERATURE OF THE AIR.														
Mean - - -	53·0	46·8	47·3	43·0	48·2	47·3	43·8	36·5	39·2	31·4	39·3	42·8	40·7	42·9
Mean of Highest -	61·7	53·0	52·3	49·2	50·8	51·9	49·5	41·1	42·8	36·4	44·6	46·7	43·6	48·0
Mean of Lowest -	45·4	40·9	42·3	36·3	39·8	41·4	37·2	31·6	34·7	25·9	33·0	37·9	37·2	37·2
Mean Humidity of the Air.	82	88	89	85	89	84	80	79	91	77	83	83	81	84
Rain-fall (in inches) -	0·07	1·59	2·62	0·90	0·38	0·09	0·29	0·40	0·50	0·68	0·98	0·18	0·01	8·69
Registered Sunshine (in hours).	30·6	10·6	14·9	10·2	12·5	8·1	12·4	8·6	1·6	3·2	10·8	6·3	3·3	133·1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4068	4178	4135	4150	4144	4053	4062	3986	3807	3846	3707	3523	3405	3928
Diphtheria - - -	1030	1065	1076	1105	1113	1082	1033	1025	955	1000	988	926	934	1026
Typhus - - -	-	-	-	-	-	-	-	-	-	2	2	2	2	1
Enteric Fever - -	197	202	203	183	165	162	168	157	149	135	120	108	108	158

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. S. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRD Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorised or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 3rd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 3rd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			30 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1611.6	1679	299	207	66	182	349	576		14.5	11	1	4	1	4	1	
										20.9	22	-	-	-	6	13	
Small-pox*	11.3	-	-	-	-	-	-	-		6.5	11	-	-	2	4	2	
Cowpox	0.2	-	-	-	-	-	-	-		21.6	14	12	2	-	-	3	
Measles (Morbilli)	43.8	33	5	23	-	-	-	-		2.9	4	-	-	-	3	1	
Scarlet Fever	10.8	11	-	7	4	-	-	-		6.1	7	-	-	1	-	5	
Typhus	-	-	-	-	-	-	-	-		24.4	22	-	-	2	3	5	
Plague	-	-	-	-	-	-	-	-		47.9	51	-	1	4	5	23	
Influenza	23.1	73	6	2	2	7	20	36		41.3	38	-	-	-	14	24	
Whooping-cough	39.1	28	10	18	-	-	-	-		21.7	18	-	-	-	6	12	
Diphtheria	16.4	18	-	15	2	1	-	-		4.7	4	-	-	-	1	2	
Cerebro Spinal Fever	0.2	-	-	-	-	-	-	-		1.2	2	-	-	-	-	2	
Pyrexia,† (Origin un- certain)	-	-	-	-	-	-	-	-		90.5	87	-	1	2	5	21	
Enteric Fever	5.5	4	-	-	1	2	1	-		0.4	1	-	1	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-		189.9	210	44	16	1	5	25	
Epidemic Diarrhoea } (Infective Enteritis)	3.3	3	1	2	-	-	-	-		7	-	-	-	-	1	3	
Diarrhoea, Dysentery	13.1	7	2	1	-	1	3	-		10.2	7	-	-	-	1	-	
Tetanus	0.8	1	1	-	-	-	-	-		4.7	3	-	-	-	1	1	
Rabies, <i>Hydrophobia</i>	-	-	-	-	-	-	-	-		12.9	8	1	1	1	2	2	
Glanders	-	-	-	-	-	-	-	-		1.0	1	-	-	1	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-		6.8	7	5	1	-	1	2	
Venereal Dis.	8.4	9	7	1	-	-	1	-		5.3	7	5	1	-	-	-	
Puerperal Septicæmia	4.1	3	-	-	-	3	-	-		2.5	1	-	-	-	1	-	
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-		12.9	14	-	1	-	2	6	
Puerperal Fever	0.8	1	-	-	1	-	-	-		8.0	5	-	-	-	1	2	
Infective Endocarditis	3.1	3	1	-	-	1	1	-		42.4	41	5	5	4	4	7	
Lobar	12.5	20	-	1	-	5	8	6		7.4	8	-	-	1	2	3	
Broncho-	70.8	120	49	44	3	2	4	18		39.7	38	-	-	-	5	12	
Epidemic	-	-	-	-	-	-	-	-		9.8	11	-	-	-	2	1	
Not defined	57.1	77	15	16	2	2	20	22		4.7	3	-	-	-	2	-	
Erysipelas	4.3	8	2	-	-	1	3	2		3.3	3	-	-	-	3	-	
Septicæmia (not Puer- peral)	1.6	-	-	-	-	-	-	-		64.9	82	-	-	-	-	82	
Pyæmia (not Puerperal)	1.4	-	-	-	-	-	-	-		102.8	97	54	11	6	6	9	
Other Infective Processes	6.5	4	2	-	1	1	-	-									
Tuberculous Phthisis	83.7	105	-	4	6	45	41	9									
"Phthisis"	81.3	41	1	-	1	15	19	5									
Tuberculous Meningitis	18.8	12	1	10	1	-	-	-									
Tuberculous Peritonitis	5.3	10	1	3	1	5	-	-									
<i>Tubæ Mesenterica</i>	4.1	2	2	-	-	-	-	-									
Tuberculous Dis. (other)	13.7	14	1	2	2	5	2	2									
Scrofula	0.6	-	-	-	-	-	-	-									
Alcoholism	10.0	12	-	-	-	1	8	3									
Rheumatic Fever	5.5	8	-	-	3	3	2	-									
Gout	2.3	2	-	-	-	-	1	1									
Carcinoma	51.2	48	-	-	-	1	23	24									
Sarcoma	5.1	9	1	-	3	-	3	2									
Cancer (undefined)	35.8	37	-	1	-	3	14	19									
Diabetes Mellitus	8.8	3	-	-	-	2	1	-									
Premature Birth	53.2	50	50	-	-	-	-	-									
Meningitis (not tuberc.)																	
Insanity, Gen. Par. of																	
Insane																	
Epilepsy																	
Convulsions																	
Locomotor Ataxy																	
Paraplegia, Dis. of Cord																	
Nervous Sys. (other dis.)																	
Valv. Dis., Endocarditis																	
Cerebr. Hæm. Thromb.																	
Apoplexy, Hemiplegia																	
Aneurysm																	
Embolism, Thrombosis																	
(not cerebral)																	
Heart & Blood Vessel Dis.																	
Croup (not Spasm: nor																	
Memb.)																	
Bronchitis																	
Asthma, Emphysema																	
Pleurisy																	
Respiratory Dis. (other)																	
Tonsillitis, Quinsy																	
Enteritis (not Epid.)																	
Gastro-Enteritis																	
Peritonitis (not Puerp.)																	
Cirrhosis of Liver																	
Liver Dis. (other)																	
Digestive Dis., Other																	
Nephritis, Acute																	
Bright's Dis., Albumin-																	
uria																	
Urinary Sys., Other Dis.																	
Generative Organs Dis.																	
Childbirth (Accid. of)																	
Old Age																	
Other Diseases																	
ACCIDENT.																	
By Railways																	
By Vehicles and Horses																	
In Ships, Boats, Docks,																	
(exclusive of Drown-																	
ing)																	
In Building Operations																	
In Conflagrations																	
By Burns, Scalds, Ex-																	
plosions																	
By Drowning																	
By Suffocation in Bed																	
By Poisons or Poisonous																	
Vapours																	
Other Deaths by Acci-																	
dent																	
VIOLENCE OTHER THAN																	
ACCIDENTAL.																	
Homicide																	
Suicide																	
Execution																	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th January, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include,														
				Deaths of			Deaths from											
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic† Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertained Causes of Dea. h.
LONDON - - -	4,536,429	2454	1679	209	576	-	33	11	18	23	-	4	-	10	65	157	645	-
WEST DISTRICTS - - -	805,311	367	298	55	106	-	1	-	3	7	-	2	-	1	8	24	114	-
NORTH DISTRICTS - - -	1,056,070	509	383	71	143	-	-	6	7	4	-	-	-	-	22	47	135	-
CENTRAL DISTRICTS - - -	209,465	100	72	14	23	-	-	-	-	1	-	-	-	-	3	5	32	-
EAST DISTRICTS - - -	715,739	469	286	53	81	-	18	-	2	4	-	-	-	2	12	41	119	-
SOUTH DISTRICTS - - -	1,749,844	1009	578	106	196	-	14	5	5	12	-	2	-	4	20	49	183	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	62	-	27	-	-	-	1	-	-	-	-	3	-	1	62	-
WEST DISTRICTS.																		
St. Mary Paddington W,2H - -	93,178	58	30	5	11	-	-	-	-	-	-	-	-	-	-	2	8	-
St. John Paddington H - - -	33,617	5	6	1	1	-	-	-	-	-	-	-	-	-	1	2	4	-
North-West Paddington - - -	17,181	8	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - -	128,037	52	60	11	30	-	-	-	-	1	-	-	-	-	2	6	27	-
Brompton 2H - - -	48,591	14	9	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
North Hammersmith 2W,w,H - -	49,192	26	21	5	8	-	-	-	-	1	-	1	-	-	-	4	6	-
South Hammersmith w,2H - -	63,047	29	26	4	8	-	-	-	-	-	-	-	-	-	-	-	5	-
North-west Fulham W - - -	45,180	48	25	6	5	-	-	-	-	1	-	-	-	1	-	1	10	-
North-east Fulham F - - -	46,405	21	14	2	5	-	-	-	2	1	-	1	-	-	1	2	4	-
South Fulham W - - -	45,704	28	12	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North W,w,3H - - -	42,614	16	34	2	18	-	-	-	-	-	-	-	-	-	-	-	28	-
Chelsea South W,2H - - -	31,328	17	17	3	6	-	-	-	1	1	-	-	-	-	-	2	6	-
Mayfair and Knightsbridge - -	28,743	7	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -	56,815	18	16	2	2	-	-	-	-	-	-	-	-	-	4	4	12	-
St. Margaret & St. John 5H - -	43,698	15	15	3	2	-	-	-	-	1	-	-	-	-	-	-	4	-
St. James and St. Anne W,6H -	33,081	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	12	14	-	4	-	-	-	-	-	-	-	-	-	1	1	9	-
St. Mary Marylebone W,4H - -	37,948	30	8	3	3	-	-	-	-	-	-	-	-	-	1	1	2	-
Christchurch Marylebone - - -	39,536	14	8	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone 2H - - -	20,426	7	5	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
Hampstead W,X,7H - - -	81,942	31	21	1	8	-	-	2	2	-	-	-	-	-	2	2	8	-
West St. Pancras 2H - - -	60,562	26	15	3	6	-	-	-	-	-	-	-	-	-	-	1	1	-
South St. Pancras w,11H - - -	55,707	21	19	2	6	-	-	-	-	1	-	-	-	-	3	5	14	-
East St. Pancras W,2H - - -	60,320	45	31	5	15	-	-	-	-	1	-	-	-	-	-	1	11	-
North St. Pancras 2W - - -	58,728	25	28	3	12	-	-	-	-	-	-	-	-	-	-	2	10	-
Tufnell W - - -	31,995	18	27	2	12	-	-	1	-	-	-	-	-	-	-	-	19	-
Upper Holloway 2W,w,H - - -	33,978	15	33	4	12	-	-	-	1	-	-	-	-	-	3	5	26	-
Tollington WH - - -	33,922	17	9	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-
Lower Holloway - - -	41,424	18	11	3	4	-	-	-	-	-	-	-	-	-	-	2	-	-
Barnsbury - - -	54,478	30	16	6	5	-	-	-	-	1	-	-	-	-	-	1	2	-
Islington South-east F - - -	75,397	40	22	4	8	-	-	-	-	-	-	-	-	-	3	3	-	-
Highbury 2H - - -	63,797	28	22	7	9	-	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington H - - -	51,247	19	17	6	5	-	-	1	1	-	-	-	-	-	-	2	-	-
North Hackney - - -	50,560	25	7	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Central Hackney 2w,F - - -	50,536	32	17	5	6	-	-	2	3	-	-	-	-	-	-	1	5	-
South-west Hackney 3H - - -	59,921	23	17	5	3	-	-	-	-	1	-	-	-	-	5	7	8	-
South-east Hackney 2W,w,H - -	58,255	33	36	6	15	-	-	-	-	-	-	-	-	-	1	7	22	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th January, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
			Total DEATHS.	Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
St Giles and Bloomsbury 2W, 2H -	31,436	23	6	1	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-	
St Giles and Bloomsbury W, 4H -	21,674	4	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	7	-	
St Giles and Bloomsbury Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Giles and Bloomsbury W, 6H -	29,612	6	19	1	6	-	-	-	-	-	-	-	-	-	-	-	-	12	-	
St Giles and Bloomsbury Clerkenwell -	28,676	9	10	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury Clerkenwell H -	35,028	14	9	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury 3H, L -	36,116	35	7	2	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St Giles and Bloomsbury Union Workhouse, } St Giles and Bloomsbury -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Giles and Bloomsbury St Giles and Bloomsbury H -	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury St Giles and Bloomsbury and Allhallows W, 2H -	16,624	5	11	2	2	-	-	-	-	-	-	-	-	-	-	2	3	9	-	
St Giles and Bloomsbury St Giles and Bloomsbury of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
St Giles and Bloomsbury South H -	46,362	23	13	2	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-	
St Giles and Bloomsbury North-West W, w, H -	36,127	20	31	6	11	-	-	-	-	1	-	-	-	-	-	-	2	24	-	
St Giles and Bloomsbury North-East -	34,148	24	10	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury Union Workhouse, Wood } St Giles and Bloomsbury -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury Green North-East 2W, } St Giles and Bloomsbury Green North-East -	65,138	36	30	4	15	-	-	-	-	-	-	-	-	-	-	-	-	18	-	
St Giles and Bloomsbury Green South-West H -	64,542	49	17	3	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
St Giles and Bloomsbury Fields -	27,969	15	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St Giles and Bloomsbury End New Town W, H -	28,718	24	36	6	6	-	-	-	-	-	-	-	-	-	-	6	10	32	-	
St Giles and Bloomsbury Man's Fields -	22,081	10	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury George and St. John 2W -	49,068	46	20	4	5	-	4	-	-	2	-	-	-	-	-	1	3	7	-	
St Giles and Bloomsbury Welland and Ratcliff W, H -	25,568	11	14	5	4	-	2	-	-	-	-	-	-	-	1	-	3	5	-	
St Giles and Bloomsbury House W -	32,369	19	12	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles and Bloomsbury End Old Town South- } St Giles and Bloomsbury Eastern H -	63,698	64	17	6	3	-	2	-	-	-	-	-	-	-	-	-	5	-	-	
St Giles and Bloomsbury End Old Town North- } St Giles and Bloomsbury Eastern W, w -	49,129	37	11	-	5	-	-	-	-	-	-	-	-	-	-	-	-	4	-	
St Giles and Bloomsbury L -	41,939	23	11	4	3	-	1	-	-	-	-	-	-	-	-	-	2	-	-	
St Giles and Bloomsbury Ley 3w, H -	68,319	35	41	4	13	-	1	-	2	-	-	-	-	-	-	1	3	9	27	
St Giles and Bloomsbury ar W, w -	58,514	33	15	2	5	-	2	-	-	-	-	-	-	-	-	2	2	1	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th January, 1907.—continued.

REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	The DEATHS registered during the Week include																
			Total BIRTHS.	Total DEATHS.	Deaths from											Inquest Cases.	Deaths in Public Institutions.		
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Bacterial (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.			Violence.	
SOUTH DISTRICTS.																			
Christchurch and St. Saviour	23,319	9	19	4	2	-	-	-	-	-	-	-	-	-	-	1	4	6	15
Southwark W,2H	21,904	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road	39,094	24	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
St. George the Martyr West	49,022	34	14	5	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-
W,2H,L	72,841	48	18	4	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2
Newington North	9,817	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington South W	82,483	60	20	2	6	-	1	-	-	-	-	-	-	-	-	-	-	3	-
St. Olave 2W	38,480	22	23	3	6	-	-	-	-	-	1	-	-	-	-	-	-	-	10
Bermondsey W	27,440	30	8	3	2	-	-	-	-	-	-	1	-	-	-	-	1	-	4
Rotherhithe W,F	27,440	21	23	7	3	-	-	-	-	-	-	-	-	-	-	-	-	3	16
Waterloo 2H	52,518	29	27	1	11	-	-	-	-	-	-	1	-	-	-	-	-	1	14
Lambeth Church H	63,326	41	15	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Kennington 2W	73,673	29	15	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stockwell HF	56,998	16	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton H	72,203	36	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Norwood WH	49,858	41	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea H	47,048	21	23	1	8	-	-	-	-	-	-	1	-	-	-	-	-	5	15
North-west Battersea	51,381	15	11	2	4	-	-	-	-	-	-	-	-	-	-	-	2	2	1
South-west Battersea 2W,H	88,019	65	33	7	17	-	-	-	-	-	-	-	-	-	-	-	1	1	8
Clapham 2H	27,959	34	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham W,2w,2F,2L	27,959	34	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Springfield 2W,L	40,444	24	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H	24,139	11	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	13,359	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Dulwich	40,203	18	23	1	15	-	-	-	-	-	-	-	-	-	-	-	-	2	18
Camberwell South W,w	65,584	37	32	5	8	-	1	-	-	-	-	-	-	-	-	-	-	2	16
Camberwell North W,2L	47,331	29	14	7	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-
St. George	48,913	34	17	7	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Peckham North	43,946	27	11	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Peckham South 2W,w	37,813	31	10	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North	45,481	27	21	6	2	-	2	-	2	3	2	-	1	-	-	-	-	1	9
Deptford Central F	34,825	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South	23,458	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Greenwich West 2H	43,859	23	32	1	15	-	-	-	-	-	-	-	-	-	-	-	1	1	24
Greenwich East 2W,H	7,228	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eltham w,H	25,490	4	7	1	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Lee w,H	58,352	32	24	3	1	-	-	-	2	2	-	-	-	-	-	-	-	-	14
Lewisham W w,F	41,853	15	20	3	7	-	-	-	-	-	3	-	-	-	-	-	-	2	-
Sydenham H	21,134	7	7	1	2	-	1	1	-	-	-	-	1	-	-	-	-	-	4
Charlton F,2H	41,625	24	10	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich 5H	18,081	7	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Plumstead West W	50,264	27	21	2	7	-	4	-	-	-	-	-	-	-	-	-	-	-	11
Plumstead East 2W,H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belmont	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	-	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banstead	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Effwell (Epileptic Colony)	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	-	-	-	9	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	-	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford Heath	-	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hanwell	-	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch	-	-	-	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th January, 1907.

Legis- lation District and Sub- district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
	LONDON—OUTER RING	368,302	2,044,973	1258	693	163	235	21	3	6	25	1	3	33	53	118	2	
30: 1	Carshalton 2F,3H	12,228	32,997	13	8	-	4	-	-	1	-	-	-	-	1	1	2	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	6	4	1	2	-	-	-	-	-	-	-	-	-	1	-
37: 1	Godstone, part of* W,F	2,754	2,892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,886	36	20	4	9	-	-	-	-	-	-	-	2	2	11	-
4	North Croydon H	2,644	41,698	21	11	3	5	-	-	-	-	-	-	-	1	1	-	-
5	Penge w,H	770	22,465	7	7	1	5	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	21	8	-	7	-	-	-	-	-	-	-	2	3	-	-
39: 1	Wimbledon F,3H	3,221	41,652	16	17	4	6	-	-	-	2	-	-	-	1	2	3	-
2	Kingston 2W,H	6,324	42,068	20	20	2	10	-	3	-	-	-	-	-	-	1	6	-
3	Surbiton F,H	3,046	15,017	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,534	23,466	17	4	-	4	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H	2,132	28,865	16	10	3	5	-	1	-	-	-	-	-	-	-	4	-
2	Mortlake F	2,547	20,628	12	9	1	4	-	1	-	-	-	-	-	-	-	-	-
41: 1	Bromley F,2H	4,703	27,354	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,525	28,487	14	5	3	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	3	6	1	5	-	-	-	-	-	-	-	1	1	4	-
4	Chislehurst 2H	7,333	16,446	6	6	3	1	-	-	-	-	-	-	-	-	-	2	-
42: 1	Bexley w,F,H	8,678	21,151	14	6	1	4	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,354	25,296	24	7	1	2	-	-	-	2	-	-	-	1	2	1	-
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
24: 1	Sunbury w	11,054	18,683	11	7	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	12	4	2	2	-	-	-	-	-	-	1	-	-	2	-
25: 1	Hillingdon W,F,H	6,035	13,661	8	7	-	4	-	-	-	-	-	-	-	1	1	4	-
2	Uxbridge H	12,757	8,984	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H	8,066	16,358	20	7	-	3	-	-	-	-	-	-	-	2	2	-	-
26: 1	Isleworth 3W,2F,H	6,859	30,863	19	24	3	9	-	-	-	-	-	-	-	2	2	13	-
2	Twickenham F,H	2,421	20,991	11	11	2	6	-	-	-	-	-	-	-	1	-	-	-
3	Brentford 3F,2H	4,319	48,289	29	8	4	2	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	16	6	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	50	16	5	-	-	4	-	2	-	-	-	-	-	-	-
137: 1	Harrow F,H	13,809	25,523	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	82	46	9	15	-	1	-	1	5	-	-	1	2	4	-
4	Hendon W,F	8,382	22,450	13	8	1	4	-	1	-	2	-	-	-	-	-	2	-
138: 1	South Mimms 2F,H	17,755	7,308	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	10	1	2	-	-	-	-	-	-	-	4	4	1	-
3	Finchley F,2H	4,688	33,692	30	6	-	3	-	-	-	-	-	-	-	-	-	-	-
139: 1	Hornsey F,H	2,875	72,056	23	15	2	8	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	15	15	5	6	-	-	-	-	1	-	-	-	-	-	1
3	West Tottenham F	996	48,863	33	15	4	2	-	-	-	-	2	-	-	2	2	-	-
4	East Tottenham 2H	2,017	53,888	41	14	2	4	-	-	-	-	-	-	-	3	-	-	-
5	Edmonton W,w,2F	7,491	61,892	50	25	5	10	-	-	-	-	-	-	-	2	2	8	-
6	Enfield 2W,F,H	12,601	42,738	28	14	4	5	-	-	1	-	-	-	-	1	1	2	-
7	Waltham Abbey F	11,017	6,549	2	3	1	-	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H	8,479	12,292	5	3	-	1	-	-	-	-	-	-	-	-	-	-	1
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
136: 1	Stratford H	1,072	44,827	16	10	1	4	-	-	-	-	1	-	-	1	1	-	-
2	Plaistow F,2H	1,249	90,921	75	40	16	6	-	4	-	2	-	-	1	2	3	5	-
3	Canning Town H	1,556	70,718	56	33	16	2	-	2	-	-	-	-	-	1	1	-	-
4	Forest Gate w	806	60,892	17	11	3	5	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	1,333	58,676	38	16	7	3	-	1	-	-	-	-	1	-	-	-	-
6	South East Ham 2F	1,993	37,342	27	12	6	2	-	1	1	-	-	-	-	-	-	1	-
7	Wanstead F	1,679	9,179	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	30	26	8	7	-	2	1	-	-	-	-	2	4	7	-
9	North Leyton 2W,w,F	1,963	48,445	40	37	4	10	-	1	-	1	3	-	-	-	-	2	-
10	Walthamstow 3H,L	6,504	108,929	66	44	13	13	-	-	-	-	2	-	-	1	4	2	-
187: 1	Chigwell 2F,3H	11,778	16,397	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
189: 1	Romford, part of* W,2F	6,556	6,091	9	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,234	36	16	5	7	-	-	-	-	1	-	-	-	-	5	-
3	Barking Town F	3,803	21,547	17	4	-	-	-	-	-	-	-	-	-	-	2	-	-
	N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	January 19	2454	1679	18·4	-	33	11	19	28	4	10
CALCUTTA - -	977,822	December 15	-	681	41·7	6	-	-	-	-	164†	192†
BOMBAY - -	982,000	January 1	410	626	41·9	-	1	-	-	-	77†	78†
MADRAS - -	509,346	December 21	-	-	-	-	-	-	-	-	-	-
PARIS - - -	2,750,000	January 12	1019	1016	19·8	-	9	4	4	8	6	22
BRUSSELS - -	612,401	" 12	209	210	17·9	-	4	3	2	2	4	10
ANTWERP - -	297,311	" 12	140	121	22·9	-	2	-	3	2	3	11
AMSTERDAM -	564,194	" 5	272	180	16·6	-	5	-	2	2	-	6
		" 12	271	178	16·4	-	11	1	2	1	1	3
COPENHAGEN -	427,000	" 12	244	167	20·4	-	1	-	-	2	-	8
STOCKHOLM -	324,488	" 5	158	114	18·3	-	-	-	-	3	1	4
CHRISTIANIA -	226,472	" 12	123	85	19·9	-	4	-	7	-	-	2
ST. PETERSBURG	1,424,700	" 5	552	817	29·8	2	38	24	25	3	24	78
MOSCOW - -	1,172,421	December 29	-	703	31·8	1	29	13	16	8	8	55
		January 5	-	708	31·5	1	18	10	7	4	4	46
BERLIN - - -	2,091,966	December 29	931	692	17·3	-	3	7	3	6	1	23
HAMBURG - -	824,792	January 12	-	296	18·7	-	1	1	-	3	-	18
BRESLAU - -	481,157	" 5	-	258	28·0	-	3	-	4	2	1	18
MUNICH - - -	548,000	" 12	-	190	18·0	-	5	-	2	1	-	16
VIENNA - - -	1,958,323	" 12	887	676	17·9	-	17	3	9	3	2	32
PRAGUE - - -	466,133	" 5	200	177	19·7	-	4	-	1	1	1	10
BUDA-PESTH -	802,235	" 5	397	303	19·8	-	8	4	3	4	1	5
TRIESTE - - -	199,003	" 5	146	125	32·8	-	2	-	-	1	-	1
		" 12	122	112	29·5	-	1	-	2	1	1	2
ROME - - -	531,818	November 24	236	190	18·7	-	-	-	2	1	4‡	11
VENICE - - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	January 5	236	122	21·9	-	-	1	2	1	1	3
NEW YORK - -	4,285,435	" 5	2662	1721	20·9	-	12	14	53	13	9	36
CHICAGO - - -	2,107,620	" 5	-	673	16·6	-	-	13	15	6	6	31
PHILADELPHIA -	1,469,126	December 8	-	516	18·3	-	3	1	10	3	18	27
		" 15	-	500	17·0	-	2	-	6	3	24	18
RIO DE JANEIRO	912,900	" 16	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Calcutta, and 13 in Bombay.

‡ Including 109 deaths from cholera in Calcutta, and 8 in Bombay

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th January, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich) }	48·2	26·1	40·4	0·01	BRADFORD - -	?	?	?	?
BRIGHTON - -	49·5	37·7	43·9	0·00	LEEDS - - -	49·0	28·0	42·1	0·03
PORTSMOUTH -	50·0	36·0	44·6	0·00	HULL - - -	49·0	26·0	40·4	0·00
NORWICH - - -	47·6	25·4	40·0	0·00	TYNEMOUTH -	51·0	27·0	41·7	0·00
PLYMOUTH - -	49·8	39·7	45·3	0·06	CARDIFF - -	47·6	32·2	42·0	0·06
BRISTOL - - -	49·8	26·7	41·3	0·02	EDINBURGH -	48·5	33·7	42·2	0·00
BIRMINGHAM -	48·4	30·2	41·2	0·00	GLASGOW - -	?	?	?	?
NOTTINGHAM -	48·5	28·2	41·0	0·01	DUBLIN } Phoenix Park. Fitz- william Square.†	50·4	23·9	43·0	0·00
LIVERPOOL - -	47·0	32·0	41·7	0·03		51·1	35·1	48·0	0·00
MANCHESTER } OBSERVATORY.	47·6	32·0	41·6	0·21		50·5	38·0	44·1	0·07
PRESTON - - -	46·9	35·3	42·4	0·04					
HUDDERSFIELD -	48·0	24·3	40·4	0·02					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

Meteorological Observations.

1907.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE	
-------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	--------------	--	-------------	--

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 153 feet above the mean level of the sea;
no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb
thermometer, are converted into mean daily values by the application of corrections
deduced from a discussion of the photographic records made during the fifty years
ending 1903. With the corrected mean readings of the dry bulb thermometer is
combined the corrected mean of the readings of the maximum and minimum
thermometers, forming the mean daily value of temperature of the air (column 8). The
mean daily dew point temperature and degree of humidity are deduced from the mean
daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 65 years ending 1906, and that of horizontal movement
of the air from a discussion of the anemometric records for the 40 years ending 1906.
In each column 8 and 9 it will be borne in mind that + indicates "higher" and
- "lower" than the average.
The values given in column 17 are not corrected for the index error of the thermometer
which cannot be determined.
The record of electricity is derived from Thomson's self-registering Electrometer.
The symbols employed are: - P. positive; N. negative; w. weak; m. moderate;
s. strong; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument
show the aggregate duration of bright sunshine on each day.
The reading of the barometer increased from 30.30 in. at the beginning of the week to
30.39 in. by 5h. A.M. on the 13th; decreased to 30.24 in. by 5h. P.M. on the 14th;
increased to 30.60 in. by 2h. A.M. on the 18th; decreased to 30.47 in. by 5h. A.M. on the 19th;
and was 30.48 in. at midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED IN THE ADMINISTRATIVE COUNTY OF LONDON during the Week ended 12th January 1907.*

BOROUGHES	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	149,009	-	9	2	-	3	-	-	5	-
Kensington - - - -	181,842	-	10	5	-	3	-	-	5	-
Hammersmith - - - -	122,337	-	13	3	-	-	-	-	1	-
Fulham - - - -	166,749	-	15	7	-	1	-	-	5	1
Chelsea - - - -	74,857	-	5	3	-	-	-	-	1	-
City of Westminster -	172,219	-	6	6	-	1	-	-	2	-
NORTH.										
St. Marylebone - - -	127,718	-	7	-	-	-	-	-	4	1
Hampstead - - - -	91,137	-	4	2	-	-	-	-	1	-
St. Pancras - - - -	236,753	-	15	6	-	1	-	-	5	-
Islington - - - -	347,017	-	16	11	-	2	-	-	12	1
Stoke Newington - - -	53,613	-	3	2	-	-	-	-	1	-
Hackney - - - -	232,993	-	14	7	-	-	-	-	9	-
CENTRAL.										
Holborn - - - -	55,134	-	2	2	-	-	-	-	-	-
Finsbury - - - -	96,732	-	-	2	-	-	-	-	2	1
City of London - - -	20,310	-	1	-	-	-	-	-	1	-
EAST										
Shoreditch - - - -	115,662	-	8	5	-	-	-	-	3	-
Bethnal Green - - -	130,831	-	11	5	-	2	-	-	3	-
Stepney - - - -	308,923	-	21	7	-	4	-	-	11	-
Poplar - - - -	171,083	-	6	8	-	-	-	-	4	-
SOUTH.										
Southwark - - - -	209,781	-	28	9	-	3	-	-	6	-
Bermondsey - - - -	128,263	-	17	4	-	2	-	-	7	-
Lambeth - - - -	318,538	-	10	3	-	1	-	-	2	-
Battersea - - - -	181,733	-	16	6	-	1	-	-	4	1
Wandsworth - - - -	281,419	-	20	11	-	1	-	-	9	-
Camberwell - - - -	277,059	-	15	8	-	3	-	-	8	-
Deptford - - - -	116,510	-	10	5	-	1	1	-	6	-
Greenwich - - - -	107,222	-	9	5	-	1	-	-	2	-
Lewisham - - - -	152,532	-	6	4	-	2	-	-	3	-
Woolwich - - - -	129,336	-	15	10	-	-	-	-	3	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218		-	312	148	-	32	1	-	125	5
AGES.										
Ages 0-1 - - - -	-	-	3	4	-	-	-	-	4	-
" 1-5 - - - -	-	-	81	61	-	-	-	-	6	-
" 5- - - - -	-	-	133	43	-	4	-	-	5	-
" 10- - - - -	-	-	40	15	-	9	-	-	5	-
" 15- - - - -	-	-	24	10	-	1	-	-	8	-
" 20- - - - -	-	-	12	4	-	6	-	-	8	1
" 25- - - - -	-	-	13	7	-	8	-	-	16	3
" 35- - - - -	-	-	6	2	-	2	1	-	20	1
" 45- - - - -	-	-	-	-	-	2	-	-	23	-
" 55- - - - -	-	-	-	2	-	-	-	-	16	-
" 65 and upwards -	-	-	-	-	-	-	-	-	14	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 4. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JAN. 26. [Price 1½d.

*General Register Office, Somerset House,
January 28th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 22·4, 20·7, and 18·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·6 in Preston, 24·1 in Wigan, 24·4 in South Shields, 25·6 in Hull and in Middlesbrough, 31·5 in Stockton on Tees, and 32·4 in Newport (Mon.); from *measles*, 1·3 in Plymouth and in Aston Manor, 1·4 in West Ham and in Newport (Mon.), 1·8 in Wigan and in South Shields, and 3·5 in Hull; from *scarlet fever*, 1·4 in Newport (Mon.); from *diphtheria*, 1·2 in Derby, 1·3 in Norwich, 1·4 in Croydon, and 1·5 in Middlesbrough; from *whooping-cough*, 1·2 in Wigan, 1·3 in Norwich, 1·7 in Willesden, 2·0 in Middlesbrough, 2·1 in Stockport, and 3·3 in Walthamstow; and from "*fever*," 1·5 in Middlesbrough. One death from *small-pox* was registered in Hull and 1 in Cardiff, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2134 BIRTHS and 1647 DEATHS were registered. Allowing for increase of population, the births were 453 below and the deaths 18 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 24·5, 21·3, and 18·4 per 1000 in the preceding three weeks further fell last week to 18·0. The death-rate in the four weeks ended last Saturday averaged 20·6 per 1000, being 2·5 per 1000 above the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1647 deaths included 17 from measles, 11 from scarlet fever, 16 from diphtheria, 35 from whooping-cough, 5 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 100 deaths were referred to these diseases in the aggregate, being 43 below the corrected average number in the fourth week of the preceding five years.

The deaths from *measles*, which had been 36, 28, and 33 in the preceding three weeks, fell to 17 last week, and were 24 below the corrected average; 6 deaths belonged to the Borough of Woolwich, 4 to Stepney, and 3 to Poplar. The deaths from *scarlet fever*, which had been 8, 9, and 11 in the preceding three weeks, were 11 last week, the corrected average being 9. The deaths from *diphtheria*, which had been 28, 12, and 18 in the preceding three weeks, were 16 last week, and were 5 below the corrected average; 4 deaths belonged to Fulham. The deaths from *whooping-cough*, which had been 38, 31, and 28 in the preceding three weeks, rose to 35 last week, but were 9 below the corrected average; 5 deaths belonged to Southwark, 5 to Camberwell, 4 to Fulham, and 3 each to Islington, Hackney, and Lambeth. The deaths from *enteric fever*, which had been 7, 11, and 4 in the preceding three weeks, were 5 last week, the corrected average being 4. The deaths from *diarrhoea*, which had been 21, 18, and 10 in the preceding three weeks, were 16 last week, and were equal to the corrected average; 3 deaths belonged to Deptford. Of the 16 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 48, having been 87, 83, and 73 in the preceding three weeks.

Different forms of *violence* caused 49 deaths, concerning all but 1 of which inquests were held. Of these 49 deaths, 3 were cases of suicide, while the remaining 46 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 11 to burns or scalds, 2 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 9, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3291 of scarlet fever, 925 of diphtheria, 2 of typhus, and 99 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 307 cases, against 309, 285 and 325; of diphtheria, 121 cases, against 117, 121, and 135; and of enteric fever, 14 cases, against 13, 16, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 19th, 1907.

GREATER LONDON.

In Greater London 3294 births and 2378 deaths were registered. Allowing for increase of population, these numbers are 647 below and 96 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 2 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, 1 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.38 inches, and that of the Thermometer 30°.5, the latter being 8°.4 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 5 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 7.2 hours; the measured rainfall amounted to 0.04 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 26th January, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the Week ended 26th Jan., 1907.		The DEATHS registered in the Week include										TOWNS.																										
			Week ended				6.	7.	8.	Deaths of		Deaths from						Deaths in Public Institutions.	Uncertified Causes of Death.																												
			5th Jan., 1907.	12th Jan., 1907.	19th Jan., 1907.	26th Jan., 1907.				Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Rever.	Diarrhoea			Violence																											
3 TOWNS		16,024,458	22'4	20'7	18'1	18'2	1'4	78'74	558'4	1110	1798	2	97	42	80	125	25	45	158	49	133	605	1	53	21.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.				
LONDON -	-	4,758,218	24'5	21'3	18'4	18'0	1'1	213'4	164'7	324	557	-	17	11	16	35	5	16	49	1	2	16	1	53	21.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.				
CROYDON -	-	154,342	20'9	18'9	11'8	16'6	2'0	75	49	6	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
WILLESDEN -	-	149,192	18'5	14'3	16'1	12'9	2'4	74	37	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
HORSEY -	-	89,816	6'4	8'7	9'3	8'1	0'6	30	14	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTTENHAM -	-	122,793	18'7	20'0	13'6	12'3	1'7	52	29	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
WEST HAM -	-	308,284	21'0	19'8	19'3	20'1	2'7	150	119	32	22	-	8	1	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST HAM -	-	136,421	12'2	14'9	11'5	14'1	1'5	58	37	10	13	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
LEYTON -	-	122,040	20'9	16'2	17'1	12'8	0'9	71	30	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
WALTHAMSTOW -	-	126,397	16'5	15'3	15'3	21'5	4'5	66	52	13	14	-	-	-	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
HASTINGS -	-	67,477	21'6	20'1	17'0	16'2	-	20	21	1	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BRIGHTON -	-	129,023	25'1	31'5	19'4	18'6	0'8	50	46	4	18	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
PORTSMOUTH -	-	208,291	21'3	21'3	15'8	17'0	0'8	105	68	15	29	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
BOURNEMOUTH -	-	69,246	19'6	18'8	10'5	12'0	0'8	13	16	2	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SOUTHAMPTON -	-	119,745	20'0	20'9	18'3	12'6	0'4	35	29	5	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
READING -	-	80,311	23'4	17'5	9'1	13'6	0'6	33	21	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTHAMPTON -	-	95,070	13'7	17'0	21'4	15'9	-	38	29	4	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
IPSWICH -	-	72,825	26'5	15'0	14'3	20'0	-	36	28	4	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
GREAT YARMOUTH -	-	52,879	18'7	16'8	15'8	14'8	1'0	18	15	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORWICH -	-	119,191	22'7	21'9	17'1	19'2	3'1	52	44	6	16	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLYMOUTH -	-	20,063	22'6	19'1	15'2	20'0	2'2	48	46	5	18	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DEVONPORT -	-	79,959	18'9	20'9	18'3	14'3	1'3	28	22	2	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-																

* See note † on first page of this return.

† These towns are included within the area of Greater London.

[illegible]

The DEATHS registered in the Week include										TOWNS.	
Deaths of		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Persons aged 1 Year and upwards		Violence.						Deaths in Public Institutions.		Uncertified Causes of Death.	
Infants under 1 Year of Age.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Small-pox.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Measles.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Scarlet Fever.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Diphtheria.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Whooping-cough.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Fever.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Diarrhoea.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.	
Tuberculosis.		Deaths from						Deaths in Public Institutions.			

Births, Deaths, and Rates of Mortality.

TOWNS,	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 26th Jan., 1907.		Deaths from										Deaths of		The DEATHS registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Week ended				Week ended		26th Jan., 1907.		Deaths from										Deaths of		Deaths from											Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		1907.				1907.		1907.		Deaths from										Deaths of		Deaths from											Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		1st Jan., 1907.	10th Jan., 1907.	19th Jan., 1907.	26th Jan., 1907.	1st Jan., 1907.	10th Jan., 1907.	1st Jan., 1907.	10th Jan., 1907.	Deaths from										Deaths of		Deaths from											Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9	20.3	22.5	18.7	1.1	47	34	4	14	-	-	-	-	-	-	-	-	-	-	3	5	-	HUDDESFIELD.	-	64,814	20.9</

* See note † on first page of this return.

Excluding deaths of persons admitted into, or Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2715	2639	2686	2634	2713	2467	2652	2434	2637	2451	2587.3	2134
Males - - -	1419	1322	1360	1329	1355	1247	1343	1236	1287	1243	1300.9	1092
Females - -	1296	1317	1326	1305	1358	1220	1309	1198	1350	1208	1286.4	1042
TOTAL Deaths -	1702	1764	1381	1950	1568	1571	1569	1734	1700	1384	1628.8	1647
Males - - -	843	876	698	1009	777	808	801	853	857	715	825.7	884
Females - -	859	888	683	941	791	763	768	881	843	669	803.1	763

* The numbers in this column are the average weekly numbers in the fourth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 3.	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	13 Weeks.
TOTAL Births -	2304	2220	2390	2532	2345	2338	2172	2503	1694	2905	2593	2454	2134	30534
TOTAL Deaths -	1272	1328	1391	1453	1406	1482	1628	1886	1850	2232	1946	1679	1647	21200
Under 1 year -	246	267	244	284	251	271	296	328	375	463	363	290	324	4011
1-6 years -	137	138	113	161	132	150	159	180	223	212	183	207	153	2158
6-20 " -	82	73	67	73	85	85	85	99	96	84	68	66	72	1035
20-40 " -	176	170	204	184	190	166	202	221	186	225	234	182	178	2518
40-60 " -	273	286	315	288	286	338	347	376	388	469	368	349	363	4446
60 yrs. & upwds	358	394	448	463	462	472	539	682	582	779	720	576	557	7032
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	15	19	10	26	21	21	26	24	29	36	28	33	17	305
Scarlet Fever -	11	17	5	8	12	12	15	9	8	8	9	11	11	136
Diphtheria -	23	11	16	14	20	20	16	14	28	28	12	18	16	234
Whooping-cough -	5	7	10	5	13	18	18	32	31	38	31	28	35	271
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	6	8	3	7	7	15	6	4	7	11	4	5	88
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	47	44	29	24	20	15	15	16	21	21	18	10	16	296
All above Diseases -	106	104	78	80	93	93	105	101	119	138	109	104	100	1330
Dis. of Resp. System	99	113	158	156	177	169	216	297	309	398	324	229	230	2905
Pneumonia - -	101	119	130	156	135	176	102	244	252	320	290	217	224	2562
Phthisis - -	150	133	177	129	131	134	153	204	181	184	168	146	159	2052
Dis. of Circ. System	183	167	214	183	170	184	219	247	218	263	223	200	211	2687
Violence - -	61	70	53	62	66	59	60	67	82	76	66	65	49	806
Inquest Cases -	121	163	141	133	128	137	162	159	187	232	185	167	133	2043
Deaths in Institutions	547	555	546	545	533	588	616	717	640	752	695	645	605	7984
TEMPERATURE OF THE AIR.														
Mean - - -	46.8	47.3	43.0	46.2	47.3	43.8	36.5	39.2	31.4	39.3	42.8	40.7	30.5	41.1
Mean of Highest -	53.0	52.3	49.2	50.8	51.9	49.5	41.1	42.8	36.4	44.6	46.7	43.6	34.3	45.9
Mean of Lowest -	40.9	42.3	36.3	39.8	41.4	37.2	31.6	34.7	25.9	33.0	37.9	37.2	26.6	35.8
Mean Humidity of the Air.	88	89	85	89	84	80	79	91	77	83	83	81	74	83
Rain-fall (in inches) -	1.59	2.62	0.90	0.33	0.09	0.29	0.40	0.50	0.63	0.98	0.18	0.01	0.04	8.66
Registered Sunshine (in hours).	10.6	14.9	10.2	12.5	8.1	12.4	8.6	1.8	3.2	10.8	6.3	3.3	7.2	109.7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	4178	4135	4150	4144	4053	4062	3986	3807	3846	3707	3523	3405	3391	3868
Scarlet Fever -	1065	1076	1105	1113	1082	1033	1025	955	1000	968	925	934	925	1017
Diphtheria -	-	-	-	-	-	-	-	-	2	2	2	2	2	1
Typhus - -	202	203	183	165	162	163	157	149	135	120	108	108	99	151

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester: H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. F. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th January, 1907.

		The DEATHS registered during the Week include.																	
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Deaths.	
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric or Typhoid Fever.	Pyæmic† Origin un- certain.	Diarrhoea.	Violence.			
LONDON - - -		4,536,429	2134	1647	324	557	-	17	11	16	35	-	5	-	16	49	133	605	1
WEST DISTRICTS - - -		805,311	316	298	50	107	-	-	2	8	6	-	1	-	3	10	25	110	-
NORTH DISTRICTS - - -		1,056,070	422	349	70	124	-	1	3	1	7	-	-	-	2	11	30	98	-
CENTRAL DISTRICTS - - -		209,466	105	79	17	16	-	-	-	-	2	-	1	-	1	2	5	37	-
EAST DISTRICTS - - -		715,739	423	252	51	74	-	8	-	1	3	-	-	-	3	11	32	122	-
SOUTH DISTRICTS - - -		1,749,844	868	619	136	218	-	8	5	5	17	-	3	-	6	15	41	188	1
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	50	-	18	-	-	1	1	-	-	-	-	1	-	-	50	-
WEST DISTRICTS.																			
St. Mary Paddington W,2H - -		93,178	31	18	4	5	-	-	-	-	-	-	-	-	-	-	1	7	-
St. John Paddington H - - -		33,617	5	10	1	3	-	-	-	-	-	-	-	-	-	-	-	4	-
North-West Paddington - - -		17,181	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - -		128,037	59	67	15	25	-	-	-	1	2	-	-	-	-	1	1	28	-
Brompton 2H - - -		48,591	12	9	1	5	-	-	-	-	-	-	-	-	-	-	-	3	-
North Hammersmith 2W,w,H - -		49,192	25	17	1	7	-	-	-	1	-	-	-	-	-	-	2	4	-
South Hammersmith w,2H - -		63,047	22	21	3	7	-	-	-	-	-	-	-	-	-	3	4	5	-
North-west Fulham W - - -		45,180	34	25	7	8	-	-	-	-	1	-	-	-	1	1	2	13	-
North-east Fulham F - - -		46,405	24	19	4	5	-	-	1	5	1	-	-	-	-	-	2	7	-
South Fulham W - - -		45,704	16	14	4	4	-	-	-	-	2	-	-	-	1	-	2	-	-
Chelsea North W,w,3H - - -		42,514	16	30	-	17	-	-	1	-	-	-	-	-	-	1	1	25	-
Chelsea South W,2H - - -		31,328	10	19	3	5	-	-	-	-	-	-	-	-	1	3	4	5	-
Mayfair and Knightsbridge - -		28,743	2	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave W,2H - - -		55,815	21	28	3	11	-	-	-	1	-	-	1	-	-	1	2	5	-
St. Margaret & St. John 5H - -		43,698	16	8	3	1	-	-	-	-	-	-	-	-	-	1	1	4	-
St. James and St. Anne W,6H - -		33,081	13	5	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -		35,391	7	18	-	4	-	-	-	-	-	-	-	-	-	2	2	9	-
St. Mary Marylebone W,4H - -		37,948	33	7	-	4	-	-	-	-	-	-	-	-	-	-	1	3	-
Christchurch Marylebone - - -		39,536	16	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 2H - - -		20,420	6	3	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Hampstead W,F,7H - - -		81,942	20	19	2	11	-	-	-	-	-	-	-	-	-	-	1	4	-
West St. Pancras 2H - - -		60,562	23	17	2	9	-	-	-	-	-	-	-	-	-	-	2	2	-
South St. Pancras w,11H - - -		55,707	17	18	1	4	-	-	-	-	-	-	-	-	-	1	1	12	-
East St. Pancras W,3H - - -		60,320	28	22	2	7	-	-	-	-	-	-	-	-	-	1	1	7	-
North St. Pancras 2W - - -		58,728	28	26	2	13	-	-	-	-	1	-	-	-	-	1	1	8	-
Tufnell W - - -		31,995	20	25	5	10	-	-	-	-	1	-	-	-	-	-	2	16	-
Upper Holloway 2W,w,H - - -		33,978	18	23	1	11	-	-	-	-	-	-	-	-	-	-	1	12	-
Tollington WH - - -		33,922	11	10	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-
Lower Holloway - - -		41,424	14	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - -		54,478	26	20	5	6	-	-	-	-	1	-	-	-	1	1	1	-	-
Islington South-east F - - -		75,397	25	20	3	6	-	-	-	-	-	-	-	-	-	3	3	1	-
Highbury 2H - - -		63,797	29	14	6	7	-	-	1	-	1	-	-	-	-	1	4	-	-
Stoke Newington H - - -		51,247	19	12	1	5	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney - - -		50,560	22	14	3	7	-	-	-	-	1	-	-	-	-	-	1	-	-
Central Hackney 2w,F - - -		50,536	26	19	7	3	-	-	2	1	1	-	-	-	-	1	2	5	-
South-west Hackney 3F - - -		59,921	28	19	8	5	-	1	-	-	-	-	-	-	-	1	2	7	-
South-east Hackney 2W,w,H - -		58,255	15	25	6	4	-	-	-	-	1	-	-	-	-	1	1	12	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th January, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from																	
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
CENTRAL DISTRICTS.																							
St. Giles and Bloomsbury 2W,2H -	31,436	22	11	1	2	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-			
Strand W,4H - - - - -	21,874	3	13	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-			
Strand Union Workhouse, Edmonton -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	9	-			
Holborn W,6H - - - - -	29,612	9	12	4	2	-	-	-	-	-	1	-	-	-	-	-	-	1	1	4			
South Clerkenwell - - - - -	28,876	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
North Clerkenwell H - - - - -	35,028	29	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Finsbury 3H,L - - - - -	36,116	20	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Holborn Union Workhouse, } Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. Botolph H - - - - -	10,299	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
St. Sepulchre and Allhallows W,2H	16,624	5	19	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	16	-			
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
EAST DISTRICTS.																							
Shoreditch South H - - - - -	46,362	22	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-			
Shoreditch North-West W,w,H -	36,127	32	24	4	11	-	-	-	-	-	1	-	-	-	-	-	-	-	17	-			
Shoreditch North-East - - - - -	39,148	23	8	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bethnal Green North-East 2W, } 2HL - - - - -	65,138	31	25	6	10	-	-	-	-	-	-	-	-	-	-	-	-	2	2	18			
Bethnal Green South-West H -	64,542	46	13	4	4	-	-	-	-	2	-	-	-	-	-	-	-	-	3	-			
Spitalfields - - - - -	27,969	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Mile End New Town W,H - - - -	28,718	20	39	3	7	-	-	-	-	-	-	-	-	-	-	-	1	4	35	-			
Goodman's Fields - - - - -	22,081	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. George and St. John 2W - - -	49,068	30	16	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	7	-			
Shadwell and Ratcliff W,H - - -	25,568	18	15	4	-	-	2	-	-	-	-	-	-	-	-	-	1	3	5	11			
Limehouse W - - - - -	32,369	12	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Mile End Old Town South- } Western H - - - - -	63,698	48	12	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-			
Mile End Old Town North- } Eastern W,w - - - - -	49,129	23	24	2	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	15			
Bow L - - - - -	41,939	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bromley 3w,H - - - - -	68,319	44	35	7	10	-	-	-	-	-	-	-	-	-	-	-	-	-	6	17			
Poplar W,w - - - - -	58,514	30	16	6	6	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2			

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th January, 1907—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births,	Total DEATHS,	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour	23,319	12	21	1	2	-	-	-	-	-	-	-	-	-	1	-	6	15	
Southwark W,2H	21,904	17	6	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
Kent-road	39,094	11	8	3	2	-	-	-	-	-	-	-	-	-	-	1	1	1	
St. George the Martyr West	49,022	24	7	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
W,2H,L	72,341	42	26	9	6	-	-	-	-	-	3	-	-	-	-	-	2	2	
Newington North	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington South W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Olave 2W	9,817	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	
Bermondsey W	82,483	32	20	1	6	-	-	-	-	-	-	-	-	-	-	2	3	-	
Rotherhithe W,F	38,460	16	23	9	3	-	-	-	-	-	2	-	-	-	-	1	9	-	
Waterloo 2H	27,440	30	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	4	
Lambeth Church H	27,440	15	20	7	6	-	-	-	-	-	-	-	-	-	-	1	2	9	
Kennington 2W	52,518	28	29	5	10	-	-	-	-	-	1	-	-	-	-	-	-	19	
Stockwell HF	33,326	36	14	3	4	-	-	-	-	3	1	-	-	-	-	-	-	2	
Brixton H	73,673	30	15	6	4	-	-	-	-	-	1	-	-	-	-	1	2	4	
Norwood WH	56,998	18	20	6	11	-	-	-	-	-	-	-	-	-	-	1	2	3	
East Battersea H	72,203	33	11	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-west Battersea	49,656	28	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W,H	47,048	9	28	2	12	-	-	-	-	-	-	-	-	-	-	1	-	-	
Clapham 2H	51,361	27	7	1	5	-	-	-	-	-	-	-	-	-	-	1	17	1	
Streatham W,2w,2F,2L	83,019	43	28	2	17	-	-	-	-	-	-	-	-	-	-	-	-	12	
Springfield 2W,L	27,959	20	10	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Southfields H	40,444	23	15	1	7	-	-	-	-	-	-	-	-	-	-	1	1	-	
Putney -	24,139	14	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich -	13,359	3	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w	40,206	12	34	4	23	-	-	-	-	-	1	-	-	-	-	-	-	26	
Camberwell North W,2L	65,584	27	35	8	13	-	-	-	-	-	2	-	-	-	-	-	-	16	
St. George	47,331	19	11	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Peckham North	48,913	27	11	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham South 2W,w	43,946	24	13	2	3	-	-	-	-	-	-	-	-	-	1	2	-	-	
Deptford North	37,613	31	11	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central F	45,481	24	19	7	4	-	-	-	3	1	-	-	-	-	2	-	-	4	
Deptford South	34,626	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H	23,456	12	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W,H	43,859	27	30	3	11	-	-	-	-	-	-	-	-	-	-	3	3	21	
Eltham w,H	7,226	4	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee wH	25,490	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
Lewisham W,w,F	58,352	29	30	3	18	-	-	1	-	-	-	-	-	-	2	5	11	-	
Sydenham H	49,953	23	10	2	4	-	-	-	-	1	2	-	-	-	-	-	-	-	
Charlton F,2H	21,134	1	6	2	-	-	1	-	1	-	-	1	-	-	-	-	-	4	
Woolwich 5H	41,625	29	15	5	5	-	1	-	-	-	-	-	-	-	-	2	-	-	
Plumstead West W	18,063	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H	50,264	35	18	3	5	-	4	-	-	-	-	-	-	-	2	4	5	-	
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asylum	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belmont	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caterham	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	3	
Darenth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Leavesden	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Banstead	-	-	11	-	5	-	-	-	-	-	-	-	-	-	-	-	-	11	
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	
Dartford Heath	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
Hanwell	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	
Colney Hatch	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5	
Claybury	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th January, 1907.

The DEATHS registered in the Week include																						
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths from																
						Deaths of																
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING						368 302	2,044,973	1180	731	169	222	-	10	5	16	31	1	6	17	45	120	5
0:1	Carshalton 2F,3H	-	12,228	32,997	15	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-
2	Epsom, part of* W,w,2F,H-	-	10,423	15,548	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Godstone, part of* W,F,L-	-	2,754	2,692	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-
8:1	Coulsdon -	-	11,069	8,166	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	-	4,200	49,309	14	8	2	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-
3	West Croydon 3W,F,H	-	2,168	42,888	33	33	4	14	-	-	-	5	-	-	-	-	-	-	-	1	1	17
4	North Croydon H	-	2,644	41,698	28	9	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5	Penge w,H-	-	770	22,465	5	6	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6	Mitcham w	-	11,711	30,015	21	10	3	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-
9:1	Wimbledon F,3H	-	3,221	41,652	14	16	6	2	-	-	-	-	-	2	-	-	-	-	-	-	2	-
2	Kingston 2W,H-	-	8,224	42,068	18	25	8	12	-	-	-	-	-	-	-	-	1	3	3	-	-	-
3	Surbiton F,H	-	3,046	15,017	7	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	-	5,402	13,100	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L-	-	4,534	23,456	11	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-
10:1	Richmond W,H-	-	2,162	28,865	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake F	-	2,847	20,628	7	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11:1	Bromley F,2H	-	4,703	27,354	8	11	1	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-
2	Beckenham H-	-	7,825	28,497	12	11	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
3	Orpington part of* W	-	10,113	9,857	7	5	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
4	Chislehurst 2H	-	7,333	16,446	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
12:1	Bexley w,F,H	-	8,678	21,151	4	6	1	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-
2	Erith F,H	-	3,854	25,296	14	5	1	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-
14:1	Sunbury w-	-	11,054	18,683	11	4	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2	Staines W,H	-	13,277	15,178	10	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
15:1	Hillingdon W,F,H	-	6,035	13,661	6	3	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-
2	Uxbridge H	-	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H	-	8,066	16,368	17	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
16:1	Isleworth 3W,2F,H	-	6,859	30,883	21	19	3	9	-	-	-	1	-	-	-	-	-	-	-	8	1	-
2	Twickenham F,H	-	2,421	20,991	12	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Brentford 3F,2H-	-	4,319	48,239	34	20	5	5	-	-	-	-	1	-	1	-	-	-	-	-	-	-
4	Chiswick H-	-	1,249	29,809	24	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	-	6,132	48,914	36	23	9	5	-	-	-	-	1	-	-	2	2	-	-	-	-	-
17:1	Harrow F,H	-	13,809	25,523	12	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	-	6,994	4,521	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	-	4,384	114,811	74	37	5	9	-	-	1	1	5	-	-	-	2	3	6	-	-	-
4	Hendon W,F	-	8,382	22,450	11	9	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
18:1	South Mimms 2F,H	-	17,755	7,308	2	3	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-
2	Barnet W,2H	-	3,324	17,970	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	-	4,688	33,692	26	12	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19:1	Hornsey F,H	-	2,875	72,056	30	12	1	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	-	1,625	34,233	16	8	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-
3	West Tottenham F	-	996	48,853	30	10	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	-	2,017	53,688	22	17	2	3	-	-	-	1	1	-	-	-	-	-	-	2	3	-
5	Edmonton W,w,2F	-	7,491	61,892	47	27	7	5	-	-	1	1	1	-	-	-	-	-	-	1	8	-
6	Enfield 2W,F,H-	-	12,601	42,738	31	11	3	4	-	-	-	1	-	-	-	-	-	-	-	1	2	-
7	Waltham Abbey F	-	11,017	6,549	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	-	8,479	12,292	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20:1	Hatfield, part of* W	-	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Bushey H	-	9,333	9,173	4	4	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
3	Watford W,2F, part of*	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
21:1	Stratford H	-	1,072	44,827	23	8	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow F,2H	-	1,249	90,921	57	43	17	3	-	-	5	-	1	1	-	-	-	-	1	4	7	-
3	Canning Town H	-	1,556	70,718	44	28	7	1	-	-	2	-	-	4	-	-	-	-	-	-	-	-
4	Forest Gate w	-	806	60,892	26	21	5	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	-	1,333	58,676	34	18	6	4	-	-	1	-	-	1	-	-	-	-	-	1	-	-
6	South East Ham 2F	-	1,993	37,342	24	11	3	5	-	-	-	-	-	-	-	1	1	2	-	-	-	-
7	Wanstead F	-	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	-	631	50,467	32	14	2	7	-	-	-	-	-	-	-	-	-	-	-	-	7	-
9	North Leyton 2W,w,F	-	1,963	48,445	39	48	6	14	-	-	1	-	3	-	-	-	-	-	2	4	29	2
10	Walthamstow 3H,L	-	6,504	108,929	72	52	13	16	-	-	-	2	7	-	-	-	-	-	1	3	-	-
17:1	Chigwell 2F,3H-	-	11,778	16,397	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18:1	Romford, part of* W,2F	-	8,556	6,091	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	-	8,498	41,234	28	17	6	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-
3	Barking Town F	-	3,803	21,547	16	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London Fever Hosp., Islington		-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
N.E. Hospital, Tottenham		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.		-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
London County Asylum, Dartford Heath.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Asylum, Colney Hatch.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
London County Asylum, Claybury.		-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,758,218	January 26	2134	1647	18'0	-	17	11	17	35	5	
CALCUTTA - -	977,822	December 22	-	636	39'0	6	1	-	-	-	140+	18
		" 29	-	607	37'2	11	-	-	-	-	131+	16
BOMBAY - -	982,000	January 8	406	628	42'1	-	1	-	-	-	107+	0
MADRAS - -	509,346	December 21	-	-	-	-	-	-	-	-	-	-
PARIS - -	2,750,000	January 19	1000	1057	20'1	1	7	6	4	4	7	1
BRUSSELS - -	612,401	" 19	234	199	16'9	-	5	1	1	-	1	-
ANTWERP - -	297,311	" 19	137	81	14'2	-	-	-	-	1	2	1
AMSTERDAM -	564,194	" 19	202	158	14'6	-	6	1	3	2	-	-
COPENHAGEN -	427,000	" 19	229	149	18'2	-	1	-	-	-	-	-
STOCKHOLM -	324,488	" 12	175	100	16'0	-	-	-	-	1	-	-
CHRISTIANIA -	226,472	" 19	121	74	17'3	-	1	-	7	-	-	-
ST. PETERSBURG	1,424,700	" 12	-	839	30'7	1	26	29	25	7	24	9
MOSCOW - -	1,172,421	" 12	-	733	32'6	1	11	16	8	6	4	5
BERLIN - -	2,091,789	" 5	991	739	18'4	-	4	6	11	8	1	2
HAMBURG - -	824,792	" 19	-	277	17'5	-	-	-	3	1	-	1
BRESLAU - -	482,326	" 12	-	251	27'1	-	1	-	3	1	-	1
MUNICH - -	548,000	" 19	-	193	18'3	-	2	-	4	1	1	2
VIENNA - -	1,958,323	" 19	917	724	19'2	-	13	8	11	6	4	2
PRAGUE - -	466,133	" 12	188	166	18'5	-	3	1	2	1	2	6
		" 19	209	174	19'4	-	2	-	-	1	-	1
BUDA-PESTH -	802,235	" 12	419	303	19'6	-	13	3	3	2	-	7
TRIESTE - -	199,003	" 19	150	139	36'3	-	1	-	-	1	-	1
ROME - -	531,818	December 1	228	181	17'7	-	-	-	1	-	3	1
VENICE - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	January 12	82	125	22'4	-	-	-	-	-	1	-
NEW YORK - -	4,285,435	" 12	2463	1679	20'4	-	6	8	51	4	8	47
CHICAGO - -	2,107,620	" 12	-	699	17'3	-	6	11	19	8	4	26
PHILADELPHIA -	1,500,595	December 22	-	526	18'6	-	1	-	17	1	31	19
		" 29	-	532	18'8	-	1	1	9	4	22	30
RIO DE JANEIRO	912,900	" 23	-	348	19'9	-	-	-	2	2	7	8

* Excluding deaths from croup in the Indian Cities.

† Including 11 and 5 deaths from plague in Calcutta, 26 in Bombay, and 7 in Rio de Janeiro.

‡ Including 99 and 82 deaths from cholera in Calcutta, and 4 in Bombay.

§ Including 1 death from malarial fever.

TABLE 8.--METEOROLOGY in certain towns during the week ended Saturday, 26th January, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) {	44'0	22'4	30'4	0'04	LEEDS - - -	44'0	22'0	33'2	0'10
BRIGHTON - -	43'9	19'1	32'4	0'05	YORK - - -	47'0	19'0	32'0	0'10
PORTSMOUTH -	47'0	20'5	33'0	0'04	HULL - - -	46'0	19'0	32'0	0'12
NORWICH - -	42'8	21'0	29'6	0'40	TYNEMOUTH -	46'0	23'0	33'2	0'06
PLYMOUTH - -	49'8	23'3	35'6	0'31	CARDIFF - -	48'6	18'0	31'7	0'78
BRISTOL - -	48'7	17'3	31'3	0'55	EDINBURGH -	43'9	20'7	33'3	0'03
BIRMINGHAM -	44'8	15'3	29'8	0'09	GLASGOW - -	45'3	15'8	34'1	0'30
NOTTINGHAM -	44'3	12'0	29'4	0'12	PHOENIX Park.	48'5	22'4	34'3	0'03
LIVERPOOL -	44'0	20'0	32'8	0'33	DUBLIN { Fitz- william Square.†	49'8	27'5	37'6	0'07
MANCHESTER -	43'8	16'9	31'7	0'13	BELFAST - -	47'0	23'0	36'5	0'45
PRESTON - -	44'5	22'0	33'6	0'19					
HUDDERSFIELD -	42'7	19'0	30'2	0'14					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 19th January 1907.*

BOROUGHES	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	149,909	-	22	7	-	-	-	-	4	-
Kensington - - - - -	181,842	-	13	4	-	-	-	-	2	-
Hammersmith - - - - -	122,337	-	4	13	-	-	-	-	-	-
Fulham - - - - -	186,749	-	24	13	-	2	-	-	3	1
Chelsea - - - - -	74,857	-	3	5	-	-	-	-	2	-
City of Westminster - - -	172,219	-	6	3	-	2	-	-	1	-
NORTH.										
St. Marylebone - - - - -	127,718	-	9	4	-	1	-	-	3	-
Hampstead - - - - -	91,137	-	10	2	-	-	-	-	3	-
St. Pancras - - - - -	236,753	-	11	3	-	-	-	-	2	-
Islington - - - - -	347,017	-	15	11	-	2	-	-	6	1
Stoke Newington - - - - -	53,613	-	3	-	-	-	-	-	1	-
Hackney - - - - -	232,993	-	18	10	-	1	-	-	5	-
CENTRAL.										
Holborn - - - - -	55,134	-	1	-	-	-	-	-	2	-
Finsbury - - - - -	96,732	-	4	2	-	-	-	-	3	1
City of London - - - - -	20,310	-	1	-	-	-	-	-	-	-
EAST										
Shoreditch - - - - -	115,662	-	15	3	-	-	-	-	2	-
Bethnal Green - - - - -	130,831	-	16	6	-	-	-	-	5	-
Stepney - - - - -	308,923	-	15	10	-	11	-	-	6	-
Poplar - - - - -	171,086	-	4	4	-	2	-	-	4	-
SOUTH.										
Southwark - - - - -	209,781	-	19	5	-	4	-	-	5	1
Bermondsey - - - - -	128,263	-	17	3	-	5	-	-	8	-
Lambeth - - - - -	318,538	-	14	7	-	-	-	-	7	-
Battersea - - - - -	181,736	-	24	8	-	-	-	-	5	-
Wandsworth - - - - -	281,419	-	13	12	-	1	-	-	2	-
Camberwell - - - - -	277,059	-	25	8	-	2	-	-	6	1
Deptford - - - - -	116,510	-	10	9	-	-	1	-	2	1
Greenwich - - - - -	107,222	-	11	6	-	-	-	-	1	-
Lewisham - - - - -	152,532	-	12	7	-	1	-	-	5	-
Woolwich - - - - -	129,336	-	21	10	-	1	-	-	2	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,758,218	360	175	-	35	1	-	99	6
AGES.										
Ages 0-1 - - - - -	-	-	4	3	-	-	-	-	7	-
" 1-5 - - - - -	-	-	105	67	-	2	-	-	6	-
" 5- - - - -	-	-	151	57	-	6	-	-	3	-
" 10- - - - -	-	-	59	21	-	2	-	-	7	-
" 15- - - - -	-	-	15	8	-	6	-	-	5	-
" 20- - - - -	-	-	12	5	-	5	-	-	6	4
" 25- - - - -	-	-	11	10	-	10	-	-	11	1
" 35- - - - -	-	-	3	4	-	4	1	-	14	1
" 45- - - - -	-	-	-	-	-	-	-	-	19	-
" 55- - - - -	-	-	-	-	-	-	-	-	13	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	8	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 5. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, FEB. 2. [Price 1½d.

*General Register Office, Somerset House,
February 4th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 20·7, 18·1, and 18·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 25·1 in Rotherham, 25·2 in Warrington, 25·5 in Newport (Mon.), 25·8 in Preston, 28·6 in Tynemouth, 30·0 in Swansea, and 31·8 in Middlesbrough; from *measles*, 2·0 in Devonport, 2·2 in Hull, 3·4 in St. Helens and in Newport (Mon.), and 5·2 in Warrington; from *diphtheria*, 1·3 in Aston Manor, 1·4 in Merthyr Tydfil, 1·5 in Middlesbrough, 1·7 in Derby, and 2·1 in Newport (Mon.); from *whooping-cough*, 1·7 in Willesden, 2·1 in Walthamstow and in Swansea, and 2·2 in Preston; from "*fever*," 2·0 in Stockton on Tees; and from *diarrhœa*, 1·2 in Rhondda and 2·6 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2550 BIRTHS and 1895 DEATHS were registered. Allowing for increase of population, the births were 140 below and the deaths 323 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 21·3, 18·4, and 18·0 per 1000 in the preceding three weeks rose last week to 20·8. The death-rate in the four weeks ended last Saturday averaged 19·6 per 1000, being 2·0 per 1000 above the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1895 deaths included 20 from measles, 8 from scarlet fever, 21 from diphtheria, 51 from whooping-cough, 8 from enteric fever, and 17 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 125 deaths were referred to these diseases in the aggregate, being 5 below the corrected average number in the fifth week of the preceding five years.

The deaths from *measles*, which had been 28, 33, and 17 in the preceding three weeks, were 20 last week, and were 11 below the corrected average; 6 deaths belonged to the Borough of Woolwich, 4 to Stepney, and 3 to Shoreditch. The deaths from *scarlet fever*, which had been 9, 11, and 11 in the preceding three weeks, were 8 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 12, 18, and 16 in the preceding three weeks, rose to 21 last week, and were 4 above the corrected average; 4 deaths belonged to Fulham, and 3 each to Wandsworth and Deptford. The deaths from *whooping-cough*, which had been 31, 28, and 35 in the preceding three weeks, rose to 51 last week, and were 7 above the corrected average; 6 deaths belonged to Southwark, and 5 each to Hackney, Shoreditch, Lambeth, and Wandsworth. The deaths from *enteric fever*, which had been 11, 4, and 5 in the preceding three weeks, were 8 last week, and were 2 above the corrected average. The deaths from *diarrhoea*, which had been 18, 10, and 16 in the preceding three weeks, were 17 last week, the corrected average being 18; 3 deaths belonged to Islington and 3 to Hackney. Of the 17 deaths from diarrhoea, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 49, having been 83, 73, and 48 in the preceding three weeks.

Different forms of *violence* caused 68 deaths, concerning all of which inquests were held. Of these 68 deaths, 5 were cases of suicide, and 2 of homicide, while the remaining 61 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 16 to burns or scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 13, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3176 cases of scarlet fever, 928 of diphtheria, 3 of typhus, and 100 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 319 cases, against 285, 325, and 307; of diphtheria, 131 cases, against 121, 135 and 121; and of enteric fever, 14 cases, against 16, 13, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 26th, 1907.

GREATER LONDON.

In Greater London 3825 births and 2677 deaths were registered. Allowing for increase of population, these numbers are 272 below and 469 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 2 from scarlet fever, 6 from diphtheria, 7 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·91 inches, and that of the Thermometer 36°·1, the latter being 3°·5 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 30 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 11·8 hours; the measured rainfall amounted to 0·19 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 2nd February, 1907, and DEATH-RATES in the Week

TOWNS.	Cols.	The DEATHS registered in the Week include										Registered during the week ended 2nd Feb. 1907.		Rate from Diseases in Cols. 11-17.		DEATH-RATES from all Causes.		POPULATION to the middle of the Year 1907.*		Cols.										
												Deaths of Persons aged under 1 Year and upwards.				Week ended 12th Jan., 1907.		Week ended 26th Jan., 1907.												
												Deaths from Small-pox.		Deaths from Measles.		Deaths from Scarlet Fever.		Deaths from Diphtheria.			Deaths from Whooping-cough.		Deaths from Fever.		Deaths from Diarrhoea.		Deaths from Violence.			
												Deaths from Causes of Death.																		
76 TOWNS		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.								
LONDON -	-	16,024,453	20'7	18'1	18'2	19'8	1'5	8'550	60'97	1220	20'52	-	110	36	77	144	28	55	231	541	1487	68	76 TOWNS.							
CROYDON -	-	4,753,218	21'3	18'4	18'0	20'8	1'4	2560	18'95	367	666	-	20	8	21	51	8	17	68	216	695	3	LONDON.							
WILLESDEN -	-	154,342	18'9	11'8	16'6	17'6	1'7	87	52	13	22	-	-	-	-	2	2	1	1	10	15	-	(CROYDON.							
HORNSEY -	-	149,192	14'3	16'1	12'9	16'4	1'7	82	47	14	14	-	-	-	-	5	-	-	-	-	6	-	WILLESDEN.							
TOTTENHAM -	-	89,816	8'7	9'3	8'1	11'6	0'6	26	20	3	8	-	-	-	-	1	1	-	-	1	-	-	HORNSEY.							
WEST HAM -	-	122,793	20'0	13'6	12'3	17'8	1'7	88	42	10	19	-	-	-	1	2	1	-	-	3	6	-	TOTTENHAM.							
EAST HAM -	-	208,284	19'8	19'3	20'1	15'7	1'2	167	93	20	26	-	4	1	-	2	-	-	5	8	22	-	WEST HAM.							
LEYTON -	-	136,421	14'9	11'5	14'1	17'2	1'9	77	45	9	16	-	2	2	-	1	-	-	4	6	9	-	EAST HAM.							
(WALTHAMSTOW	-	122,040	16'2	17'1	12'8	16'2	2'6	51	38	8	11	-	2	1	1	2	-	-	1	3	8	-	LEYTON.							
HASTINGS -	-	126,397	15'3	15'3	21'5	16'1	2'9	71	39	12	7	-	-	-	2	5	-	-	-	1	7	-	(WALTHAMSTOW.							
BRIGHTON -	-	67,477	20'1	17'0	16'2	13'1	0'8	17	17	2	13	-	-	-	-	-	-	1	-	1	2	-	HASTINGS.							
PORTSMOUTH -	-	129,023	31'5	19'4	18'6	19'4	0'4	58	48	7	20	-	-	-	-	1	-	2	6	14	-	-	BRIGHTON.							
BOURNEMOUTH -	-	203,291	21'3	15'8	17'0	22'8	1'3	106	91	17	42	-	1	-	-	2	1	1	4	5	17	3	PORTSMOUTH.							
SOUTHAMPTON -	-	69,246	18'8	10'5	12'0	18'8	0'8	22	25	1	15	-	-	-	1	-	-	-	-	-	4	-	BOURNEMOUTH.							
READING -	-	119,745	20'9	18'3	12'6	16'5	0'9	67	38	3	21	-	-	-	1	-	-	1	-	2	8	-	SOUTHAMPTON.							
NORTHAMPTON -	-	80,311	17'5	9'1	13'6	13'0	1'3	34	20	2	11	-	-	-	-	2	-	-	-	-	4	-	READING.							
IPSWICH -	-	95,070	17'0	21'4	15'9	12'6	-	28	23	4	9	-	-	-	-	-	-	-	-	1	5	1	NORTHAMPTON.							
GREAT YARMOUTH -	-	72,825	15'0	14'3	20'0	17'2	0'7	30	24	5	9	-	1	-	-	-	-	-	-	-	2	-	IPSWICH.							
NORWICH -	-	52,879	16'8	15'8	14'8	23'7	1'0	34	24	5	12	-	-	1	-	-	-	-	-	-	8	-	GREAT YARMOUTH.							
PLYMOUTH -	-	119,191	21'9	17'1	19'2	22'7	0'9	54	52	8	28	-	-	-	1	1	-	-	2	4	11	-	NORWICH.							
DEVONPORT -	-	120,063	19'1	15'2	20'0	23'0	1'3	60	53	14	15	-	1	-	1	-	-	1	3	8	2	-	PLYMOUTH.							
BRISTOL -	-	79,959	20'9	18'3	14'3	18'3	2'6	41	28	8	11	-	3	-	-	1	-	-	2	4	4	-	DEVONPORT.							
HANLEY -	-	367,979	15'3	14'5	17'7	19'3	1'0	168	136	20	59	-	-	-	1	4	1	1	6	14	27	-	BRISTOL.							
BURTON-ON-TRENT -	-	67,174	31'8	21'7	20'2	19'4	0'8	36	25	2	8	-	-	1	-	-	-	-	-	1	1	-	HANLEY.							
WOLVERHAMPTON -	-	53,425	22'4	14'6	11'7	14'6	-	29	15	4	6	-	-	-	-	-	-	-	2	2	1	1	BURTON-ON-TRENT.							
WALSALL -	-	102,016	10'7	10'2	14'3	19'4	1'0	56	38	10	10	-	-	-	-	1	1	-	1	3	6	1	WOLVERHAMPTON.							
HANDSWORTH -	-	96,171	17'9	11'4	15'2	17'9	2'2	55	33	7	8	-	-	1	-	1	1	1	1	3	4	2	1	WALSALL.						
WEST BROMWICH -	-	65,929	18'2	8'7	11'9	11'9	1'6	36	15	4	5	-	2	-	-	-	-	-	1	1	-	-	-	HANDSWORTH.						
	-	69,123	30'2	9'1	21'1	15'1	-	41	20	3	10	-	-	-	-	-	-	-	-	1	1	4	1	WEST BROMWICH.						

TABLE 1 (cont.). - 76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS. - BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 2nd February, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*		DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 2nd Feb., 1907.		The DEATHS registered in the Week include										TOWNS.		
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	Deaths of Persons aged under 1 Year of Age.					Deaths from						Uncertified Causes of Death.	
												12th Jan., 1907.	16th Jan., 1907.	2nd Feb., 1907.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.			Violence.
BIRMINGHAM -	-	553,155	20.1	17.9	21.4	23.6	1.9	288	250	57	73	-	13	1	2	1	6	11	57	7	BIRMINGHAM.			
KINGS NORTON -	-	75,600	10.3	9.0	13.1	9.7	-	19	14	4	4	-	-	-	-	-	-	1	-	-	2	KINGS NORTON.		
SMETHWICK -	-	68,467	18.0	20.4	22.0	22.0	-	43	28	13	7	-	-	-	-	-	-	1	1	1	2	SMETHWICK.		
ASTON MANOR -	-	83,266	14.4	19.4	13.8	16.9	3.1	27	27	6	7	-	3	-	2	-	-	-	5	-	1	ASTON MANOR.		
COVENTRY -	-	77,626	15.4	16.8	18.8	12.1	0.7	47	18	3	7	-	-	1	-	-	1	4	2	1	COVENTRY.			
LEICESTER -	-	238,124	18.1	15.9	18.3	20.5	1.3	110	63	28	25	-	4	2	-	-	1	6	13	-	LEICESTER.			
GRIMSBY -	-	70,574	24.4	20.7	10.3	17.7	2.2	38	24	5	9	-	-	-	-	1	1	4	1	2	GRIMSBY.			
NOTTINGHAM -	-	257,489	22.3	19.2	18.4	23.5	3.0	138	116	29	43	-	3	-	2	6	3	6	8	24	-	NOTTINGHAM.		
DERBY -	-	125,774	18.7	11.6	17.8	14.9	2.9	73	36	4	11	-	-	1	4	-	3	6	11	-	DERBY.			
STOCKPORT -	-	100,936	22.2	20.1	16.0	19.1	0.5	50	37	4	14	-	-	-	-	1	-	1	10	-	STOCKPORT.			
BIRKENHEAD -	-	118,553	19.4	19.8	16.7	14.5	0.4	82	33	14	6	-	-	1	-	-	1	3	5	-	BIRKENHEAD.			
WALLASEY -	-	66,707	17.2	10.2	14.9	18.8	-	42	24	4	10	-	-	-	-	-	-	1	2	2	WALLASEY.			
LIVERPOOL -	-	746,144	22.6	20.7	20.0	23.3	0.9	451	333	63	108	-	1	3	2	4	3	19	26	113	10	LIVERPOOL.		
BOOTLE -	-	67,114	21.8	16.3	14.0	17.9	0.8	40	23	4	5	-	-	-	-	-	1	2	3	1	BOOTLE.			
ST. HELENS -	-	92,476	23.1	21.4	15.2	16.9	4.5	72	30	10	5	-	6	-	1	1	1	1	3	2	ST. HELENS.			
WIGAN -	-	88,606	15.9	20.0	24.1	17.1	1.8	51	29	5	8	-	2	-	-	-	1	1	1	-	WIGAN.			
WARRINGTON -	-	70,269	28.9	25.2	14.8	25.2	5.9	44	34	6	5	-	7	-	1	-	2	2	2	8	WARRINGTON.			
BOLTON -	-	182,917	18.8	19.4	16.2	14.5	1.1	83	51	7	23	-	2	-	2	-	-	3	7	-	BOLTON.			
BURY -	-	53,901	22.1	15.9	20.4	15.0	-	32	17	2	5	-	-	-	-	-	-	1	1	2	1	BURY.		
MANCHESTER -	-	643,148	21.3	21.4	19.2	22.3	0.9	384	275	51	64	-	-	2	1	5	1	18	27	69	3	MANCHESTER.		
SALFORD -	-	236,670	18.7	20.5	21.2	21.8	2.0	118	99	21	22	-	3	-	1	2	3	6	12	18	-	SALFORD.		
OLDHAM -	-	141,730	24.3	23.5	22.4	19.9	-	51	54	9	19	-	-	-	-	-	-	3	4	9	-	OLDHAM.		
ROCHDALE -	-	87,999	17.2	16.6	17.2	21.9	0.6	47	37	5	15	-	-	-	-	-	-	2	2	11	1	ROCHDALE.		
BURNLEY -	-	103,947	27.1	17.1	13.5	20.6	1.0	61	41	10	6	-	1	-	2	-	-	3	9	2	2	BURNLEY.		
BLACKBURN -	-	134,980	24.0	17.8	20.5	21.2	0.8	58	55	13	19	-	-	-	-	1	1	2	9	-	-	BLACKBURN.		
PRESTON -	-	117,093	28.5	17.8	23.6	25.8	2.7	52	58	9	20	-	1	-	-	5	3	4	8	1	1	PRESTON.		
BARROW-IN-FURNESS.	-	61,635	14.4	16.1	17.8	17.8	0.8	29	21	3	6	-	-	-	1	1	-	-	-	3	3	BARROW-IN-FURNESS.		

TOWNS.	COLS.	POPULATION to the middle of the Year 1907.*				DEATH-RATES FROM all Causes.				REGISTERED during the Week ended 2nd Feb., 1907.		DEATHS FROM										THE DEATHS REGISTERED IN THE WEEK INCLUDE					
		Week ended				RATES FROM DISEASES IN COLS. 11-17.		BIRTHS. DEATHS.		Deaths from										Deaths of				THE DEATHS REGISTERED IN THE WEEK INCLUDE			
		12th Jan., 1907.	19th Jan., 1907.	26th Jan., 1907.	2nd Feb., 1907.	Week ended 2nd Feb., 1907.		BIRTHS.	DEATHS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Rever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	TOWNS.						
		1.	2.	3.	4.	5.	6.															7.	8.	9.	10.	11.	12.
HUDDESFIELD.	-	94,814	20'3	22'5	18'7	18'1	1'1	39	33	5	16	-	-	1	-	1	-	-	2	4	-	21.	HUDDESFIELD.				
HALIFAX.	-	110,138	22'3	16'6	16'6	15'1	0'9	32	32	4	12	-	-	-	-	-	-	-	3	5	1	20.	HALIFAX.				
BRADFORD.	-	290,323	18'9	15'6	17'2	16'2	1'1	111	90	13	34	-	1	2	-	3	-	4	9	22	-	19.	BRADFORD.				
LEEDS.	-	470,268	19'8	15'7	18'5	18'4	1'0	261	166	33	65	-	1	1	5	1	8	1	23	-	-	18.	LEEDS.				
SHEFFIELD.	-	415,563	19'7	16'5	18'3	19'3	2'3	250	169	31	54	-	5	2	2	5	4	4	12	31	7	17.	SHEFFIELD.				
ROTHERHAM.	-	62,412	24'2	27'6	17'5	25'1	3'3	40	30	8	7	-	2	-	1	1	2	2	2	4	1	16.	ROTHERHAM.				
YORK.	-	84,730	27'7	25'8	22'2	17'8	0'6	44	29	4	10	-	-	-	-	1	-	-	6	-	-	15.	YORK.				
HULL.	-	266,762	24'4	25'0	25'6	19'5	3'7	151	100	13	33	-	11	1	2	5	-	4	12	16	1	14.	HULL.				
MIDDLESBROUGH.	-	101,783	32'8	35'3	25'6	31'8	4'6	70	62	18	16	-	-	3	-	5	-	-	2	6	-	13.	MIDDLESBROUGH.				
STOCKTON-ON-TEES.	-	52,909	28'6	19'7	31'5	24'6	3'9	34	25	5	8	-	-	-	1	1	-	-	-	3	1	18.	STOCKTON-ON-TEES.				
WEST HARTLEPOOL.	-	75,473	21'4	13'8	16'6	11'7	0'7	38	17	2	5	-	-	-	-	-	-	5	5	7	-	17.	WEST HARTLEPOOL.				
SUNDERLAND.	-	156,029	20'4	22'1	18'7	20'7	2'0	99	62	17	17	-	-	2	-	2	-	3	9	1	-	16.	SUNDERLAND.				
SOUTH SHIELDS.	-	113,460	25'3	24'8	24'4	19'3	1'8	83	42	6	12	-	2	-	1	-	2	2	2	6	2	15.	SOUTH SHIELDS.				
GATESHEAD.	-	123,783	17'8	16'6	13'3	15'8	0'8	81	38	10	12	-	-	-	1	1	-	1	1	2	4	14.	GATESHEAD.				
NEWCASTLE-ON-TYNE.	-	272,969	23'3	18'3	18'7	16'2	0'4	150	85	15	31	-	-	2	-	-	-	2	8	16	1	13.	NEWCASTLE-ON-TYNE.				
TYNEMOUTH.	-	54,688	21'0	16'2	11'4	23'6	-	28	30	7	12	-	-	-	-	-	-	1	2	3	-	12.	TYNEMOUTH.				
NEWPORT (MON.).	-	75,585	21'4	18'6	32'4	25'5	5'5	52	37	6	9	-	5	-	-	-	-	1	2	8	-	11.	NEWPORT (MON.).				
CARDIFF.	-	187,620	18'1	15'3	13'6	13'6	0'8	99	49	8	17	-	-	-	3	-	-	-	5	11	-	10.	CARDIFF.				
RHONDDA.	-	130,400	14'4	18'4	16'0	24'8	2'4	104	62	24	7	-	1	-	-	1	1	3	3	1	1	9.	RHONDDA.				
MERTHYR TYDFIL.	-	76,085	19'2	18'5	13'7	20'6	2'7	50	30	10	4	-	-	-	-	2	2	-	1	3	-	8.	MERTHYR TYDFIL.				
SWANSEA.	-	97,324	25'2	18'8	20'4	30'0	3'2	54	56	10	24	-	-	-	1	4	-	-	5	6	-	7.	SWANSEA.				
GREATER LONDON.	-	7,217,941	19'7	17'1	17'2	19'3	1'3	3825	2677	561	949	-	30	14	33	78	10	19	89	280	826	6.	GREATER LONDON.				
OUTER RING.	-	2,458,723	16'5	14'7	15'5	16'6	1'3	1275	782	194	283	-	10	6	12	27	2	2	21	64	131	3.	OUTER RING.				
8 TOWNS IN OUTER RING.	-	1,209,285	16'8	15'1	15'8	16'2	1'7	650	376	89	123	-	8	4	6	20	2	-	11	32	73	-	8 TOWNS IN OUTER RING.				
REMAINDER OF OUTER RING.	-	1,250,438	16'1	14'3	15'2	16'9	0'8	625	406	105	160	-	2	2	6	7	-	2	10	32	58	3.	REMAINDER OF OUTER RING.				
EDINBURGH.	-	345,747	19'2	20'4	22'0	17'5	0'9	124	116	22	38	-	1	-	1	-	-	4	5	?	31	4.	EDINBURGH.				
GLASGOW.	-	847,584	20'3	19'8	18'9	23'0	2'6	422	374	64	83	-	3	-	7	19	4	9	24	?	113	13.	GLASGOW.				
DUBLIN†.	-	340,681	23'0	27'6	28'6	24'8	0'5	258	186	30	67	-	-	-	-	2	-	2	4	6	67	8.	DUBLIN†.				
BELFAST†.	-	370,163	23'4	23'7	22'8	20'7	0'7	197	147	22	34	-	-	-	1	-	-	2	3	7	37	2.	BELFAST†.				

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
‡ In addition to the above, 3 deaths from Cerebro-spinal meningitis or Cerebro-spinal fever were registered in Edinburgh, 16 in Glasgow, and 12 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2582	2803	2696	2498	2410	2448	2765	2748	2676	2508	2690·4	2550
Males - - -	1279	1306	1342	1263	1254	1203	1422	1397	1374	1273	1364·9	1295
Females - - -	1303	1297	1354	1235	1156	1245	1343	1351	1302	1235	1325·5	1255
TOTAL Deaths -	1764	1861	1690	1722	1433	1652	1553	1554	1576	1339	1571·7	1895
Males - - -	884	939	875	856	709	806	797	792	766	690	788·2	933
Females - - -	880	922	815	866	729	846	761	762	810	649	783·5	957

* The numbers in this column are the average weekly numbers in the fifth week of the five years 1902-1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 10.	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	13 Weeks.
TOTAL Births -	2220	2390	2532	2345	2338	2172	2503	1694	2905	2593	2454	2134	2550	30390
TOTAL Deaths -	1328	1391	1453	1406	1482	1628	1886	1850	2232	1946	1679	1647	1895	21823
Under 1 year -	267	244	284	251	271	296	328	375	463	363	299	324	367	4132
1-5 years -	138	113	161	132	150	159	180	223	212	193	207	153	197	2218
5-20 " -	73	67	73	85	85	85	99	96	84	68	66	72	92	1045
20-40 " -	170	204	184	190	166	202	221	186	225	234	182	178	225	2567
40-60 " -	286	315	288	286	338	347	376	388	469	368	349	363	348	4521
60 yrs. & upwds	394	448	463	462	472	539	682	682	779	720	576	557	666	7340
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	19	10	26	21	21	26	24	29	36	28	33	17	20	310
Scarlet Fever -	17	5	8	12	12	15	9	8	8	11	11	11	8	133
Diphtheria - -	11	16	14	20	20	16	14	26	28	12	18	16	21	232
Whooping-cough	7	10	5	13	18	18	32	31	38	31	28	35	51	317
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	8	3	7	7	15	6	4	7	11	4	5	8	91
Pyæmia (origin un- certain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	44	29	24	20	15	15	16	21	21	18	10	16	17	266
All above Diseases -	104	78	80	93	93	105	101	119	138	109	104	100	125	1349
Dis. of Resp. System	113	158	156	177	169	216	297	309	398	324	229	260	282	3088
Pneumonia - - -	119	130	156	135	176	192	244	252	320	296	217	224	233	2694
Phthisis - - -	133	177	129	131	134	156	204	181	184	168	146	159	184	2086
Dis. of Circ. System	167	214	183	170	184	219	247	218	263	223	200	211	241	2745
Violence - - -	70	53	62	56	59	60	57	82	76	66	65	49	68	823
Inquest Cases - -	163	141	133	128	137	162	159	187	232	185	167	133	216	2143
Deaths in Institutions	555	546	545	533	588	616	717	610	752	695	645	605	695	8132
TEMPERATURE OF THE AIR.														
Mean - - -	47·3	43·0	46·2	47·3	43·8	36·5	39·2	31·4	39·3	42·8	40·7	30·5	36·1	40·3
Mean of Highest -	52·3	49·2	50·8	51·9	49·5	41·1	42·8	36·4	44·6	46·7	43·6	34·3	41·7	45·0
Mean of Lowest -	42·3	36·3	39·8	41·4	37·2	31·6	34·7	25·9	33·0	37·9	37·2	26·6	30·6	35·0
Mean Humidity of the Air.	89	85	89	84	80	79	91	77	83	83	81	74	77	82
Rain-fall (in inches) -	2·62	0·90	0·38	0·09	0·29	0·40	0·50	0·68	0·98	0·18	0·01	0·04	0·19	7·26
Registered Sunshine (in hours).	14·9	10·2	12·5	8·1	12·4	8·6	1·6	3·2	10·8	6·3	3·3	7·2	11·8	110·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	4135	4150	4144	4053	4062	3986	3807	3846	3707	3523	3405	3292	3176	3791
Scarlet Fever - -	1076	1105	1113	1082	1033	1025	955	1000	988	926	934	925	928	1007
Diphtheria - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	203	183	165	162	163	157	149	135	120	108	108	98	100	143

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 5th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 5th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			40 and under 40.	60 and under 60.			80 years and upwards.	ALL AGES.	Under 20.			40 and under 40.	60 and under 60.	80 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1571.7	1895	367	197	92	225	348	666	Meningitis (not tuberc.)	15.6	16	6	6	2	-	1	1
									Insanity, Gen. Par. of	16.6	24	-	-	1	7	10	
									Insane - - - - -	6.8	10	-	-	-	8	-	2
Small-pox	8.0	-	-	-	-	-	-	-	Epilepsy - - - - -	22.5	24	20	4	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions - - - -	1.6	-	-	-	-	-	-	-
Measles (Morbilli)	30.5	20	2	17	1	-	-	-	Locomotor Ataxy - -	7.2	9	-	-	-	2	2	5
Scarlet Fever	7.8	8	-	4	3	1	-	-	Paraplegia, Dis. of Cord	26.0	13	1	1	-	1	4	6
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)								
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	45.2	52	-	1	6	7	13	25
Influenza	21.3	49	2	2	3	7	8	27	Cerebr. Hæm. Thromb.-	32.3	43	-	-	-	1	13	29
Whooping-cough	43.6	51	20	29	2	-	-	-	Apoplexy, Hemiplegia	20.1	17	-	-	-	1	4	12
Diphtheria	16.8	21	-	15	5	1	-	-	Aneurysm - - - - -	4.3	5	-	-	-	-	3	2
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis	1.6	-	-	-	-	-	-	-
Pyæmia, (Origin un-}	0.2	-	-	-	-	-	-	-	(not cerebral)	100.1	124	-	1	4	8	28	83
certain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.								
Enteric Fever	5.5	8	-	1	2	5	-	-	Croup (not Spasm; nor	1.4	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.) - - - - -	190.2	248	55	23	1	4	25	140
Epidemic Diarrhœa }	4.1	4	4	-	-	-	-	-	Bronchitis - - - - -	8.2	16	-	-	-	2	3	11
(Infective Enteritis)	13.5	13	4	1	-	3	4	1	Asthma, Emphysema -	5.9	3	-	1	-	-	-	2
Diarrhœa, Dysentery	0.2	1	1	-	-	-	-	-	Pleurisy - - - - -	14.3	15	1	2	-	-	3	9
Tetanus	-	-	-	-	-	-	-	-	Respiratory Dis. (other)								
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	0.2	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	9.0	9	4	1	-	-	1	3
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	3.9	6	5	-	1	-	-	-
Venereal Dis. - - -	8.8	10	7	-	-	1	2	-	Peritonitis (not Puerp.)	3.5	3	-	-	-	-	3	-
Puerperal Septicæmia	3.9	3	-	-	-	3	-	-	Cirrhosis of Liver - -	12.9	15	-	-	-	2	9	4
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	5.3	8	-	-	-	-	1	7
Puerperal Fever	0.6	-	-	-	-	-	-	-	Digestive Dis., Other	39.3	32	6	-	1	5	10	10
Infective Endocarditis	2.7	2	-	-	1	1	-	-	Nephritis, Acute - - -	7.6	8	-	-	3	1	3	1
Lobar - - - - -	13.3	20	1	2	2	4	5	6	Bright's Dis., Albumin-	34.4	64	-	-	4	5	27	28
Broncho - - - -	67.1	119	50	37	3	6	6	17	uria - - - - -	10.8	13	-	-	-	1	2	10
Pneumonia	-	-	-	-	-	-	-	-	Urinary Sys., Other								
Epidemic - - - -	-	-	-	-	-	-	-	-	Generative Organs Dis.-	4.5	3	-	-	-	1	2	-
Not defined	66.9	94	17	12	6	9	21	29	Childbirth (Accid. of)	3.9	4	-	-	-	4	-	-
Erysipelas	5.3	2	1	-	-	-	-	1	Old Age - - - - -	59.8	78	-	-	-	-	-	78
Septicæmia (not Puer-}	1.0	-	-	-	-	-	-	-	Other Diseases - - -	103.3	116	77	7	4	8	6	12
peral)	-	-	-	-	-	-	-	-									
Pyæmia (not Puerperal)	1.4	1	-	1	-	-	-	-	ACCIDENT.								
Other Infective Processes	5.3	4	2	-	-	-	1	1	By Railways - - - -	2.0	4	-	-	-	2	1	1
Tuberculous Phthisis	71.4	116	2	2	10	54	37	11	By Vehicles and Horses-	4.3	5	-	1	-	2	2	-
" Phthisis "	74.7	68	-	3	4	33	21	7	In Ships, Boats, Docks,								
Tuberculous Meningitis	22.3	11	1	9	-	-	1	-	(exclusive of Drown-	0.2	-	-	-	-	-	-	-
Tuberculous Peritonitis	8.4	9	3	3	2	1	-	-	ing)								
Tabes Mesenterica	3.9	1	-	1	-	-	-	-	In Building Operations-	0.4	-	-	-	-	-	-	-
Tuberculous Dis. (other)	16.4	16	5	1	5	2	1	-	In Conflagrations - -								
Scrofula	0.2	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	9.0	16	1	7	5	1	-	2
Alcoholism	8.4	11	-	-	-	2	6	3	plosions - - - - -	4.1	1	-	-	-	1	-	-
Rheumatic Fever	5.7	9	-	-	4	1	4	-	By Drowning - - - -	13.1	13	13	-	-	-	-	-
Gout - - - - -	3.5	3	-	-	-	-	-	3	By Suffocation in Bed	1.6	3	-	-	1	2	-	-
Carcinoma - - - -	46.7	62	-	-	-	6	26	30	By Poisons or Poisonous								
Sarcoma - - - - -	5.7	7	-	-	2	2	-	-	Vapours - - - - -	16.0	19	-	1	-	1	7	10
Cancer (undefined)	36.6	39	-	-	1	2	17	19	Other Deaths by Acci-								
Diabetes Mellitus	9.2	9	-	-	2	1	1	5	dent - - - - -								
Premature Birth	50.6	56	56	-	-	-	-	-	VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - - -	1.8	2	-	-	-	1	-	1
									Suicide - - - - -	9.0	5	-	-	-	2	1	2
									Execution - - - - -	0.4	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd February, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																	
			Total DEATHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Deaths.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain).	Diarrhoea.	Violence.					
LONDON - - -	4,536,429	2550	1895	367	666	-	20	8	21	51	-	8	-	17	63	216	695	3		
WEST DISTRICTS - - -	805,311	378	308	57	120	-	1	1	6	7	-	2	-	1	13	30	104	-		
NORTH DISTRICTS - - -	1,056,070	534	402	83	153	-	-	1	-	9	-	1	-	5	11	40	123	-		
CENTRAL DISTRICTS - - -	209,465	94	72	10	16	-	1	-	-	3	-	-	-	1	4	12	35	-		
EAST DISTRICTS - - -	715,739	496	309	62	100	-	8	-	1	8	-	3	-	5	21	64	156	1		
SOUTH DISTRICTS - - -	1,749,844	1018	741	155	252	-	10	6	13	24	-	-	-	5	19	70	214	2		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	63	-	25	-	-	-	1	-	-	-	-	5	-	-	63	-		
WEST DISTRICTS.																				
St. Mary Paddington W,3H - -	93,178	48	47	9	18	-	-	-	-	2	-	-	-	-	3	7	12	-		
St. John Paddington H - - -	33,617	8	9	1	3	-	-	-	-	-	-	-	-	-	1	2	4	-		
North-West Paddington - - -	17,181	9	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	56	74	18	30	-	-	-	-	3	-	1	-	-	1	4	27	-		
Brompton 2H - - -	48,591	17	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-		
North Hammersmith 2W,w,H - -	49,192	33	15	1	9	-	-	-	-	-	-	-	-	-	1	2	5	-		
South Hammersmith w,2H - - -	63,047	42	22	1	6	-	-	-	-	-	-	-	-	-	1	2	5	-		
North-west Fulham W - - -	45,180	35	18	4	5	-	-	-	1	1	-	-	-	1	2	3	9	-		
North-east Fulham F - - -	46,405	20	19	2	6	-	-	1	6	1	-	-	-	-	1	1	8	-		
South Fulham W - - -	45,704	28	9	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-		
Chelsea North W,w,3H - - -	42,514	20	25	4	12	-	-	-	-	-	-	-	-	-	1	3	18	-		
Chelsea South W,2H - - -	31,328	11	13	3	6	-	-	-	-	-	-	-	-	-	-	3	2	-		
Mayfair and Knightsbridge - -	28,743	7	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	55,615	19	20	3	5	-	1	-	-	-	-	1	-	-	2	3	8	-		
St. Margaret & St. John 5H - -	43,698	19	11	2	2	-	-	-	-	-	-	-	-	-	-	-	4	-		
St. James and St. Anne W,6H -	33,081	6	9	2	4	-	-	-	-	-	-	-	-	-	-	1	2	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - - -	35,391	18	12	1	9	-	-	-	-	-	-	-	-	-	1	1	7	-		
St. Mary Marylebone W,4H - -	37,048	45	15	3	6	-	-	-	1	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone - - -	39,536	18	16	9	3	-	-	-	-	-	-	-	1	-	-	-	1	-		
St. John Marylebone 2H - - -	20,426	8	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,7H - - -	81,942	24	30	4	12	-	-	-	-	-	-	-	-	-	-	1	11	-		
West St. Pancras 2H - - -	60,562	43	12	1	5	-	-	-	-	1	-	-	-	-	1	2	1	-		
South St. Pancras w,11H - - -	55,707	23	31	5	9	-	-	-	-	-	-	-	-	-	2	2	15	-		
East St. Pancras W,2H - - -	60,320	35	28	3	9	-	-	-	-	-	-	-	-	-	2	6	13	-		
North St. Pancras 2W - - -	58,728	43	23	4	10	-	-	-	-	1	-	-	-	-	1	4	5	-		
Tufnell W - - -	31,995	17	29	2	17	-	-	-	-	1	-	-	-	-	-	1	21	-		
Upper Holloway 2W,w,H - - -	33,978	29	25	5	9	-	-	-	-	1	-	-	-	-	1	3	13	-		
Tollington WH - - -	33,922	14	7	3	2	-	-	-	-	-	-	-	2	-	-	-	-	-		
Lower Holloway - - -	41,424	27	14	7	4	-	-	-	-	-	-	-	-	-	-	1	-	-		
Barnsbury - - -	54,478	24	15	2	5	-	-	-	-	-	-	-	-	-	-	4	-	-		
Islington South-east F - - -	75,397	39	30	11	11	-	-	-	-	-	-	-	-	-	-	3	-	-		
Highbury 2H - - -	63,797	26	19	4	9	-	-	-	-	1	-	-	-	-	1	3	-	-		
Stoke Newington H - - -	51,247	11	12	-	5	-	-	-	-	-	-	-	-	-	1	2	-	-		
North Hackney - - -	50,560	14	11	2	6	-	-	-	-	-	-	-	-	-	1	2	-	-		
Central Hackney 2w,F - - -	60,536	26	13	4	2	-	-	-	-	3	-	1	-	1	-	3	4	-		
South-west Hackney 3F - - -	59,921	30	23	5	11	-	-	-	-	-	-	-	-	1	-	1	7	-		
South-east Hackney 2W,w,H - -	58,255	50	28	5	12	-	-	-	-	1	-	-	-	-	-	3	19	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd February, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
							Deaths of	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Paratyphoid (Origin un- certain).	Diarrhoea	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

Area, Population, Births, and Deaths in Outer Ring.

77

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd February, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
LONDON—OUTER RING		368,302	2,014,973	1275	782	104	283	-	10	6	12	27	2	2	21	64	131	3	
30: 1	Carshalton 2F,3H	12,228	32,997	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H-	10,423	15,548	7	7	1	2	-	-	-	-	-	-	-	2	3	1	3	
37: 1	Godstone, part of* W,F,L-	2,754	2,892	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
38: 1	Coulsdon	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	South Croydon w	4,200	49,309	18	10	3	3	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	50	31	6	14	-	-	-	-	2	1	-	3	4	17	-	
4	North Croydon H	2,644	41,698	19	14	4	7	-	-	-	-	-	1	-	1	4	1	-	
5	Penge w,H-	770	22,465	8	8	1	3	-	-	-	-	-	-	-	3	3	1	-	
6	Mitcham w	11,711	30,015	25	9	1	5	-	-	-	-	-	-	-	1	1	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	23	17	5	8	-	-	-	-	2	-	-	-	1	1	-	
2	Kingston 2W,H	6,224	42,068	25	19	3	12	-	1	-	-	-	-	-	2	2	6	-	
3	Surbiton F,H	3,046	15,017	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L-	4,564	23,456	5	12	2	5	-	-	-	1	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,182	28,865	11	4	1	2	-	-	-	-	-	-	-	-	-	1	-	
2	Mortlake F	2,847	20,828	17	8	2	4	-	-	-	-	-	-	-	-	-	1	-	
41: 1	Bromley F,2H	4,703	27,354	20	4	2	1	-	-	-	-	-	-	-	1	-	-	-	
2	Beckenham H	7,826	28,497	7	5	-	4	-	-	-	-	-	-	-	1	-	-	-	
3	Orpington part of* W	10,113	9,867	7	9	1	5	-	-	-	-	-	-	-	1	1	-	-	
4	Chislehurst 2H	7,393	16,446	8	3	1	2	-	-	-	-	-	-	-	-	1	3	-	
42: 1	Bexley w,F,H	8,678	21,151	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,554	25,296	23	11	4	4	-	-	-	-	-	-	-	-	1	-	1	
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
134: 1	Sunbury w	11,054	18,683	13	9	-	5	-	-	-	-	1	-	-	-	-	1	-	
2	Staines W,H	13,277	16,178	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hillingdon W,F,H	6,035	13,661	9	7	-	5	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	5	4	3	1	-	-	-	-	-	-	-	-	1	2	-	
3	Hayes w,2F,H	8,066	16,358	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
136: 1	Isleworth 3W,2F,H	6,859	30,683	17	22	6	9	-	-	-	-	-	-	-	-	-	-	-	
2	Twickenham F,2H	2,421	20,991	11	8	1	2	-	-	-	-	-	-	-	-	1	10	-	
3	Brentford 3F,2H	4,319	48,289	32	23	7	11	-	-	-	-	-	-	-	-	1	-	-	
4	Chiswick H	1,249	29,809	16	13	6	5	-	-	-	-	-	-	-	3	4	1	-	
5	Acton w,F,3H	6,132	48,914	43	27	12	7	-	-	-	-	-	-	1	2	2	1	1	
137: 1	Harrow F,H	13,809	25,523	14	6	4	-	-	-	-	-	1	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	82	46	14	14	-	-	1	-	5	-	-	-	-	1	-	
4	Hendon W,F	8,382	22,450	14	11	3	2	-	-	-	1	-	-	-	-	-	5	-	
138: 1	South Mimms 2F,H	17,755	7,308	4	1	-	1	-	-	-	-	-	-	-	-	-	2	-	
2	Barnet W,2H	3,324	17,970	5	7	2	2	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley F,2H	4,688	33,892	26	13	4	7	-	-	-	-	-	-	-	-	-	1	-	
139: 1	Hornsey F,H	2,875	72,056	26	20	3	8	-	-	-	-	1	-	-	-	2	-	-	
2	Wood Green H	1,825	34,233	23	12	4	2	-	-	-	-	1	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	40	15	3	6	-	-	-	-	-	1	-	-	-	-	-	
4	East Tottenham 2H	2,017	53,688	49	22	7	8	-	-	-	-	-	-	-	-	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	55	38	12	11	-	1	-	-	2	3	-	-	2	1	-	
6	Enfield 2W,F,H	12,601	42,738	27	16	2	6	-	-	1	1	-	-	-	1	1	4	-	
7	Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	4	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	5,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	1	7	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186: 1	Stratford H	1,072	44,827	20	13	3	4	-	-	-	-	-	-	-	-	-	-	-	
2	Plaistow F,3H	1,249	90,921	63	20	6	3	-	1	1	-	-	-	-	3	1	1	-	
3	Canning Town H	1,559	70,718	61	25	4	8	-	-	-	-	-	-	-	-	1	2	-	
4	Forest Gate w	806	60,892	23	17	6	3	-	2	-	-	2	-	-	-	1	1	-	
5	North East Ham w,H	1,333	58,676	46	19	5	6	-	1	-	-	-	-	-	1	2	-	-	
6	South East Ham 2F	1,993	37,342	31	20	4	6	-	1	1	1	-	-	-	3	4	2	-	
7	Wanstead F	1,679	9,179	3	2	-	1	-	-	1	-	-	-	-	-	1	1	-	
8	South Leyton 2W	631	50,467	25	25	5	9	-	2	1	-	-	-	-	-	-	-	-	
9	North Leyton 2W,w,F	1,963	48,445	26	40	5	15	-	-	-	3	-	-	-	1	1	13	-	
10	Walthamstow 3H,L	6,504	108,929	75	34	11	8	-	-	-	1	3	4	-	2	4	22	-	
187: 1	Chigwell 2F,3H	11,778	16,397	7	7	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	3	-	-	-	-	2	1	-	
189: 1	Romford, part of* W,3F	6,556	8,091	8	5	1	3	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F,L	8,496	41,234	21	13	2	5	-	-	-	-	-	-	-	-	-	4	-	
3	Barking Town F	3,803	21,547	15	8	3	-	-	-	-	-	-	-	-	1	1	2	-	
N.E. Hospital, Tottenham		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.		-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislehurst, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	February 2	2550	1895	20·8	-	20	8	21	51	8	17
CALCUTTA - -	977,822	January 5	-	585	35·8	12	-	-	-	-	155†	154†
BOMBAY - -	982,000	" 15	377	689	46·2	-	1	-	-	-	112†	71†
MADRAS - -	509,348	{ December 21	378	385	39·3	1	-	?	?	?	84	73
		" 23	339	354	36·1	1	-	?	?	?	78	61
PARIS - - -	2,750,000	January 26	995	1107	21·1	-	8	5	5	4	4	30
BRUSSELS - -	612,401	" 26	231	219	18·6	-	3	-	-	1	1	8
ANTWERP - -	297,311	" 26	144	91	15·9	-	-	-	3	1	1	3
AMSTERDAM -	564,194	" 26	292	182	16·8	-	3	1	5	5	-	4
COPENHAGEN -	427,000	" 26	254	126	15·4	-	-	-	-	1	-	1
STOCKHOLM -	324,488	" 19	156	95	15·2	-	-	-	3	-	-	4
CHRISTIANIA -	226,472	" 26	169	58	13·5	-	2	-	2	-	-	-
ST. PETERSBURG	1,424,700	" 19	-	-	-	-	-	-	-	-	-	-
MOSCOW - - -	1,172,421	" 19	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,091,046	" 12	982	757	18·9	-	3	3	14	6	1	36
HAMBURG - -	824,792	" 26	-	279	17·6	-	2	-	5	1	-	8
BRESLAU - - -	482,326	" 19	-	230	24·9	-	-	-	4	3	1	11
MUNICH - - -	548,900	" 26	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,956,323	" 26	889	705	18·7	-	18	3	10	1	-	27
PRAGUE - - -	466,133	" 26	225	188	21·0	-	3	-	4	-	3	4
BUDA-PESTH -	802,235	" 19	422	328	21·1	-	12	3	6	1	-	11
TRIESTE - - -	199,003	" 26	154	132	34·5	-	1	-	-	3	1	-
ROME - - -	531,818	{ December 8	242	216	21·2	-	-	-	1	1	88	13
		" 15	277	174	17·1	-	-	-	-	-	4	7
VENICE - - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST - -	291,138	January 19	148	137	24·5	-	-	2	-	-	3	3
NEW YORK - -	4,285,435	" 19	2200	1586	19·3	-	6	9	37	9	12	39
CHICAGO - - -	2,107,620	" 19	-	638	15·8	-	4	18	17	6	5	25
PHILADELPHIA -	1,500,595	{ January 5	-	634	22·4	-	-	5	10	1	17	23
		" 12	-	646	22·4	-	-	1	19	6	27	26
RIO DE JANEIRO	912,900	{ December 30	-	312	17·8	-	-	-	1	1	12†	?
		January 6	-	314	17·9	-	1	-	2	1	5†	?

* Excluding deaths from croup in the Indian Cities.

† Including 10 deaths from plague in Calcutta, 33 in Bombay, and 8 and 15 in Rio de Janeiro.

‡ Including 76 deaths from cholera in Calcutta, and 3 in Bombay.

§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd February, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	49·8	22·5	36·1	0·19	LEEDS - - -	49·0	24·0	35·4	0·21
BRIGHTON - -	45·5	24·5	36·1	0·14	YORK - - -	49·0	22·0	35·2	0·36
PORTSMOUTH -	48·0	27·0	37·4	0·11	HULL - - -	49·0	25·0	35·3	0·61
NORWICH - - -	45·8	14·8	33·9	0·43	TYNEMOUTH -	50·0	23·0	33·7	0·19
PLYMOUTH - -	50·4	26·9	39·4	0·28	CARDIFF - - -	48·9	19·0	35·6	0·35
BRISTOL - - -	46·9	20·7	35·8	0·12	EDINBURGH -	45·5	21·3	34·1	0·33
BIRMINGHAM -	48·3	23·5	35·1	0·11	GLASGOW - -	49·4	17·0	34·4	0·89
NOTTINGHAM -	47·3	20·0	34·6	0·31	DUBLIN } Phoenix Park. Fitz- william Square.†	52·1	24·4	37·7	0·16
LIVERPOOL - -	52·0	27·0	35·9	0·18		53·5	29·1	39·9	0·12
OBSERVATORY, }	48·7	22·9	35·2	0·66					
MANCHESTER -	47·0	26·0	34·7	0·23	BELFAST - - -	51·0	27·0	33·2	0·53
PRESTON - - -	47·0	20·5	34·2	0·65					
HUDDERSFIELD -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 2nd February, 1907.
[Under the Superintendence of the Astronomer Royal.]

Meteorological Observations.

1907.		TEMPERATURE.										TEMPERATURE.				Winds deduced from Anemometers.				Rain collected					
MONTH AND DAY		BAKO-METER.	Of the Air.				Of the Dew point		Difference between the Air, Temperature and Dew Point Temperature.		Of Radiation.		Of the Barometer.		Oiler's.		Robinson's.	in a Gauge whose surface is 5 inches above the Ground.							
		Mean daily reading (corrected and reduced to Fahrenheit.)	High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value.	Mean daily value.	Great-est.	Least.	Highest in Day's Run.	Lowest on the Grass.	°	°	°	A.M.	P.M.	Great-est.	Least.	Mean of the Air on each day.	Horizontal Movement of the Air on each day.	Vertical Movement of the Air on each day.	Ozone.		
JANUARY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°		
SUNDAY	27	30128	404	255	179	331	- 64	298	33	46	30	88	436	140	4080	SW.	SW.	lbs. 29	00	01	266	Miles - 78	in. 001	00	
MONDAY	28	29689	498	393	105	441	+ 45	395	46	64	26	84	640	336	4052	SW. & WSW.	SW. & WSW.	lbs. 127	00	11	582	+234	017	50	
TUESDAY	29	29409	468	333	135	388	- 09	304	84	123	63	72	747	277	4037	WSW. & W.	WSW. & W.	lbs. 110	00	15	705	+354	000	00	
WEDNESDAY	30	29668	430	332	98	377	- 20	279	98	125	87	67	610	275	4053	WSW. & NNW.	WSW. & NNW.	lbs. 130	00	18	642	+291	000	00	
THURSDAY	31	29458	390	311	79	347	- 50	281	66	115	14	77	670	250	4046	NNW. & NNW.	NNW. & NNW.	lbs. 103	00	11	405	+121	000	00	
FRIDAY	1	30197	370	277	93	325	- 71	234	41	64	24	83	618	155	4033	NNW. & N.	NNW. & N.	lbs. 22	00	03	282	- 53	001	00	
SATURDAY	2	30348	360	289	91	318	- 77	226	92	123	63	68	513	138	4009	NE. & NE.	NE. & NE.	lbs. 10	00	00	168	-158	000	00	
MEANS	-	29914	417	306	111	361	- 35	295	66	94	44	77	606	224	4045	WSW. & N.	WSW. & N.	Sum 3108	Sum +711	Sum 019	07	
No. of Column		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; a correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the sea-readings of the barometer, the dry bulb thermometers and the wet bulb thermometers are used to give the mean of the readings to sea level.

thermometer, are converted into mean daily values by the application of corrections to the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer.

reduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is

combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The

mean daily dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Gleisher's *Hygrometrical Tables*.

The average temperature of the air is that derived from a discussion of the observations of many values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables (deat Greenwich during the 65 years ending 1905) and that of the barometric movement

ade at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 0 and 24 it will be borne in mind that + indicates "higher," and "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer, which cannot be determined.

The symbols employed are:—F, positive; N, negative; W, weak; M, moderate; S, strong; and V, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.

The reading of the barometer decreased from 30.34 in. at the beginning of the week to 30.31 in. by 3h. A.M. on Jan. 30th; increased to 30.38 in. by 11h. A.M. on Feb. 2nd:

at 11:00 A.M. on Jan. 29, 1939, increased to 30.39 in. by 11:00 A.M. on Feb. 2nd and was 30.29 in. at midnight on the same day.

GENERAL REMARKS.

DATE.		ENLIGHTENMENT (For explanation of symbols, see Note.)	Registered Sun above Horizon, in hours.	Unregistered Sun below Horizon, in hours.
JANUARY				
SUNDAY	- 27	s. p. till 6h. A.M.; m. p. till 11h. A.M.; s. p. generally afterwards. w.f. and s.n till 6h. A.M.; m. p. till 11h. A.M.; w. p. generally afterwards; v. N. after 10h. P.M.	0 0	8 8
MONDAY	- 28	m. p. generally till 7h. A.M.; s. p. afterwards. s. p. generally.	0 2	8 9
TUESDAY	- 29	s. p. throughout.	4 4	8 9
WEDNESDAY	30		2 4	9 0
THURSDAY	31		4 2	9 0
FEBRUARY	1	s. p. generally; s. N. at 1h. A.M.	0 5	9 1
SATURDAY	2	s. p. throughout.	0 1	9 1
of Col.			Sum 11 8	Sum 62 8
			28	29

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th January 1907.*

BOROUGH	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	149,909	-	23	4	-	1	-	-	3	-
Kensington - - - -	181,842	-	8	1	-	1	-	-	5	-
Hammersmith - - - -	122,337	-	13	4	-	-	-	-	1	-
Fulham - - - -	166,749	-	9	6	-	-	-	-	1	-
Chelsea - - - -	74,867	-	4	2	-	-	-	-	2	-
City of Westminster - -	172,219	-	6	5	-	1	-	-	1	-
NORTH.										
St. Marylebone - - - -	127,718	-	1	1	-	2	-	-	2	-
Hampstead - - - -	91,137	-	6	1	-	-	-	-	-	-
St. Pancras - - - -	236,753	-	10	5	-	-	-	-	3	-
Islington - - - -	347,017	-	30	4	-	3	-	-	1	-
Stoke Newington - - - -	53,613	-	3	2	-	-	-	-	1	-
Hackney - - - -	232,993	-	18	7	-	1	-	-	4	-
CENTRAL.										
Holborn - - - -	55,134	-	1	3	-	1	-	-	-	-
Finsbury - - - -	96,732	-	5	-	-	1	-	-	3	-
City of London - - - -	20,310	-	-	2	-	1	-	-	-	-
EAST										
Shoreditch - - - -	115,662	-	10	1	-	1	-	-	2	-
Bethnal Green - - - -	130,831	-	9	3	-	1	-	-	3	-
Stepney - - - -	308,923	-	21	10	-	1	-	-	8	-
Poplar - - - -	171,086	-	3	4	-	-	-	-	2	-
SOUTH.										
Southwark - - - -	209,781	-	8	5	-	5	-	-	3	-
Bermondsey - - - -	128,265	-	12	5	-	2	-	-	1	-
Lambeth - - - -	313,538	-	18	7	-	1	1	-	3	-
Battersea - - - -	181,736	-	17	5	-	-	-	-	3	-
Wandsworth - - - -	281,419	-	19	13	-	1	-	-	4	-
Camberwell - - - -	277,059	-	13	4	-	1	-	-	6	-
Deptford - - - -	116,510	-	10	9	-	-	-	-	5	-
Greenwich - - - -	107,222	-	16	4	-	-	-	-	3	-
Lewisham - - - -	152,532	-	7	7	-	1	-	-	4	-
Woolwich - - - -	129,336	-	16	6	-	-	-	-	3	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,758,218	-	316	132	-	26	1	-	75
Ages										
0-1 - - - -	-	-	4	3	-	-	-	-	1	-
" 1-5 - - - -	-	-	102	49	-	3	-	-	3	-
" 5- - - - -	-	-	131	55	-	2	-	-	10	-
" 10- - - - -	-	-	46	10	-	1	1	-	7	-
" 15- - - - -	-	-	8	5	-	3	-	-	9	-
" 20- - - - -	-	-	9	3	-	2	-	-	3	-
" 25- - - - -	-	-	15	6	-	8	-	-	8	-
" 35- - - - -	-	-	1	-	-	5	-	-	10	-
" 45- - - - -	-	-	-	1	-	1	-	-	9	-
" 55- - - - -	-	-	-	-	-	1	-	-	8	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	7	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 6. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, FEB. 9. [Price 1½d.

General Register Office, Somerset House,
February 11th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in **SEVENTY-SIX GREAT TOWNS** of England and Wales corresponded to an annual rate of 20·9 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 18·1, 18·2, and 19·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 27·3 in Rochdale, 27·4 in Plymouth and in Bury, 27·7 in Wigan, 29·2 in Rhondda, 29·5 in Merthyr Tydfil, 30·2 in Wolverhampton, 30·5 in Swansea, and 33·4 in Rotherham; from *measles*, 2·0 in Hull, 2·2 in Grimsby, 3·0 in West Bromwich, 3·3 in Rotherham, and 6·8 in St. Helens; from *whooping-cough*, 2·1 in Walthamstow, 2·5 in Rotherham, 2·6 in Leyton and in Middlesbrough, 2·8 in Willesden and in Newport (Mon.), and 3·4 in Barrow in Furness; from "*fever*," 1·1 in Walsall and 1·2 in Wigan; and from *diarrhoea*, 1·5 in Middlesbrough and 2·7 in Bury. One death from *small-pox* was registered in Southampton, but none in any other of the seventy-six towns.

LONDON.*

In **LONDON** 2356 BIRTHS and 1858 DEATHS were registered. Allowing for increase of population, the births were 356 below and the deaths 224 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·4, 18·0, and 20·8 per 1000 in the preceding three weeks, was 20·4 last week. The death-rate in the four weeks ended last Saturday averaged 19·4 per 1000, being 1·7 per 1000 above the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1858 deaths included 30 from measles, 6 from scarlet fever, 20 from diphtheria, 40 from whooping-cough, 2 from enteric fever, and 17 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 115 deaths were referred to these diseases in the aggregate, being 33 below the corrected average number in the sixth week of the preceding five years.

The deaths from *measles*, which had been 33, 17, and 20 in the preceding three weeks, were 30 last week, and were 8 below the corrected average; 10 deaths belonged to the Borough of Stepney, and 4 to Woolwich. The deaths from *scarlet fever*, which had been 11, 11, and 8 in the preceding three weeks, fell to 6 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 18, 16, and 21 in the preceding three weeks, were 20 last week, and were equal to the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 28, 35, and 51 in the preceding three weeks, were 40 last week, the corrected average being 43; 6 deaths belonged to Islington, 4 to Bethnal Green, 4 to Camberwell, and 3 apiece to Paddington, Hackney, Southwark, and Bermondsey. The deaths from *enteric fever*, which had been 4, 5, and 8 in the preceding three weeks, fell to 2 last week, and were 4 below the corrected average. The deaths from *diarrhoea*, which had been 10, 16, and 17 in the preceding three weeks, were 17 last week, and were 2 below the corrected average; 4 deaths belonged to Islington and 3 to Wandsworth. Of the 17 deaths from diarrhoea, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 44, having been 73, 48, and 49 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 51 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 11 to burns or scalds, 3 to the effects of anæsthetics administered for surgical purposes, and 14, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3059 cases of scarlet fever, 932 of diphtheria, 3 of typhus, and 94 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 311 cases, against 325, 307, and 319; of diphtheria, 132 cases, against 135, 121 and 131; and of enteric fever, 17 cases, against 13, 14, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 2nd, 1907.

GREATER LONDON.

In Greater London 3653 births and 2654 deaths were registered. Allowing for increase of population, these numbers are 444 below and 380 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 3 from diphtheria, 11 from whooping-cough, 1 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.94 inches, and that of the Thermometer 33°.0, the latter being 6°.5 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 34 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 17.9 hours; the measured rainfall amounted to 0.19 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th February, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols.		Registered during the Week ended 9th Feb., 1907.		The DEATHS registered in the Week include														TOWNS.			
		Week ended					11-17.		9th Feb., 1907.																			
		Week ended					11-17.		9th Feb., 1907.																			
		Week ended					11-17.		9th Feb., 1907.																			
Cols.	I.	2.	3.	4.	5.	6.	7.	8.	Deaths of				Deaths from				11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
									10th Jan., 1907.	2nd Feb., 1907.	9th Feb., 1907.	Week ended 9th Feb., 1907.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.												
76 TOWNS	16,024,458	18'1	18'2	19'8	20'9	1'5	8592	6431	1324	2124	1	131	34	81	150	24	45	219	513	1507	65	76 TOWNS.						
LONDON -	4,758,218	18'4	18'0	20'8	20'4	1'3	2356	1868	363	649	-	30	6	20	40	2	17	57	159	639	5	LONDON.						
(CROYDON -	154,342	11'8	16'6	17'6	20'6	0'7	83	61	15	19	-	-	-	-	-	-	-	1	4	14	-	(CROYDON.						
WILLESDEN -	149,192	16'1	12'9	16'4	18'9	3'1	89	54	22	8	-	-	1	-	8	-	2	3	3	5	-	WILLESDEN.						
HORNSEY -	88,816	9'3	8'1	11'6	9'9	-	22	17	3	8	-	-	-	-	-	-	-	-	3	3	-	HORNSEY.						
TOTTENHAM -	122,763	13'6	12'3	17'8	11'5	0'4	78	27	6	6	-	-	-	1	-	-	2	4	3	3	-	TOTTENHAM.						
WEST HAM -	508,284	19'3	20'1	15'7	15'6	2'0	189	92	21	20	-	8	1	-	3	-	5	10	24	7	-	WEST HAM.						
EAST HAM -	136,421	11'5	14'1	17'2	13'0	2'3	59	34	7	13	-	3	-	1	1	-	1	2	4	7	-	EAST HAM.						
LEYTON -	122,040	17'1	12'8	16'2	15'4	3'8	65	36	7	8	-	1	-	2	6	-	-	-	4	-	-	LEYTON.						
(WALTHAMSTOW -	126,397	15'3	21'5	16'1	21'0	4'1	74	51	20	10	-	2	1	2	5	-	-	-	3	13	-	(WALTHAMSTOW.						
HASTINGS -	67,477	17'0	16'2	13'1	14'7	-	16	19	3	7	-	-	-	-	-	-	-	-	4	-	-	HASTINGS.						
BRIGHTON -	129,023	19'4	18'6	19'4	25'1	0'4	59	62	14	22	-	-	-	-	1	-	-	2	17	-	-	BRIGHTON.						
PORTSMOUTH -	208,291	15'8	17'0	22'8	26'0	0'8	105	104	18	41	-	-	-	2	-	1	2	6	25	3	-	PORTSMOUTH.						
BOURNEMOUTH -	69,246	10'5	12'0	18'8	18'1	-	30	24	4	12	-	-	-	-	-	-	1	3	1	-	-	BOURNEMOUTH.						
SOUTHAMPTON -	119,745	18'3	12'6	16'5	17'4	0'4	51	40	4	17	1	-	-	-	-	-	2	7	9	-	-	SOUTHAMPTON.						
READING -	80,311	9'1	13'6	13'0	22'1	1'3	24	34	5	14	-	-	-	1	1	-	-	5	-	-	-	READING.						
NORTHAMPTON -	95,070	21'4	15'9	12'6	21'9	-	41	40	5	17	-	-	-	-	-	-	1	2	7	1	-	NORTHAMPTON.						
IPSWICH -	72,825	14'3	20'0	17'2	18'6	-	30	26	4	12	-	-	-	-	-	-	1	3	3	-	-	IPSWICH.						
GREAT YARMOUTH -	52,879	15'8	14'8	23'7	19'7	-	24	20	9	7	-	-	-	-	-	-	1	1	1	-	-	GREAT YARMOUTH.						
NORWICH -	119,191	17'1	19'2	22'7	19'2	0'4	55	44	6	26	-	-	-	1	-	-	-	5	7	-	-	NORWICH.						
PLYMOUTH -	120,063	15'2	20'0	23'0	27'4	1'3	62	63	19	15	-	1	-	2	-	-	4	5	6	-	-	PLYMOUTH.						
DEVONPORT -	79,959	18'3	14'3	18'3	21'5	2'0	44	33	10	10	-	1	-	-	1	1	-	3	4	-	-	DEVONPORT.						
BRISTOL -	367,979	14'5	17'7	19'3	22'0	1'1	212	155	37	66	-	1	-	2	2	3	6	13	40	1	-	BRISTOL.						
HANLEY -	67,174	21'7	20'2	19'4	21'7	1'6	41	28	6	7	-	-	1	-	1	-	1	2	4	-	-	HANLEY.						
BURTON-ON-TRENT -	53,425	14'6	11'7	14'6	19'5	-	41	20	5	8	-	-	-	-	-	-	-	2	3	-	-	BURTON-ON-TRENT.						
WOLVERHAMPTON -	102,016	10'2	14'3	19'4	30'2	0'5	61	59	23	20	-	-	-	-	-	-	1	4	9	7	1	WOLVERHAMPTON.						
WALSALL -	96,171	11'4	15'2	17'9	17'9	3'3	48	33	9	9	-	-	-	-	3	2	1	1	6	5	1	WALSALL.						
HANDSWORTH -	65,829	8'7	11'9	11'9	9'5	1'6	32	12	2	6	-	-	-	2	-	-	-	-	2	-	-	HANDSWORTH.						
WEST BROMWICH -	69,123	9'1	21'1	15'1	22'6	3'0	45	30	7	9	-	4	-	-	-	-	3	-	3	1	-	WEST BROMWICH.						

* See note on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 9th February, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	DEATH-RATES from all Causes.			Rate from Diseases in 1907.		Registered Deaths during the week ended 9th Feb., 1907.		The DEATHS registered in the Week include												TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Week ended			11-17.		9th Feb., 1907.		Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		16th Jan., 1907.	2nd Feb., 1907.	9th Feb., 1907.	Week ended 9th Feb., 1907.		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		POPULATION estimated to the middle of the year 1907.	1907.		1907.		Deaths of																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2917	2843	2802	2889	2687	2647	2696	2637	2722	2550	2712·3	2356
Males - - -	1490	1488	1408	1516	1366	1359	1332	1290	1334	1285	1350·8	1203
Females - - -	1427	1355	1394	1373	1321	1288	1364	1347	1388	1265	1361·5	1153
TOTAL Deaths -	1588	1922	1991	1792	1668	1978	1504	1574	1580	1347	1633·9	1858
Males - - -	816	954	989	905	843	1002	778	782	748	673	815·2	950
Females - - -	772	968	1002	887	825	976	726	792	832	674	818·7	908

* The numbers in this column are the average weekly numbers in the sixth week of the five years 1902–1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 17.	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	13 Weeks.
TOTAL Births -	2390	2532	2345	2338	2172	2503	1694	2905	2593	2454	2134	2550	2356	30966
TOTAL Deaths -	1391	1453	1406	1482	1628	1888	1850	2232	1946	1679	1647	1895	1858	22353
Deaths from—														
Under 1 year -	244	284	251	271	296	328	375	463	363	299	324	367	353	4218
1–5 years -	113	161	132	150	159	180	223	212	193	207	153	197	179	2259
5–20 " -	67	73	85	85	85	99	96	84	68	66	72	92	73	1045
20–40 " -	204	184	190	166	202	221	186	235	234	182	178	235	194	2591
40–60 " -	315	288	286	338	347	376	388	469	368	349	363	348	410	4045
60 yrs. & upwds	448	463	462	472	539	682	682	779	720	576	557	666	649	7595
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	10	26	21	21	26	24	29	36	28	33	17	20	30	321
Scarlet Fever -	5	8	12	12	15	9	8	8	9	11	11	8	6	122
Diphtheria -	16	14	20	10	16	14	26	28	12	13	16	21	20	241
Whooping-cough -	10	5	13	18	18	32	31	38	31	28	35	-	-	350
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	8	3	7	7	15	6	4	7	11	4	5	8	2	87
Fyæria (origin uncertain). -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	29	24	20	15	15	16	21	21	18	10	16	17	17	239
All above Diseases -	78	80	93	93	105	101	119	138	109	104	100	125	115	1360
Dis. of Resp. System	158	156	177	169	216	297	309	398	324	229	280	282	285	3260
Pneumonia - - -	130	156	135	176	192	244	252	320	296	217	224	233	241	2816
Phthisis - - -	177	129	131	134	156	204	181	184	168	146	159	184	176	2128
Dis. of Circ. System -	214	188	170	184	219	247	218	263	223	200	211	241	249	2827
Violence - - -	53	62	56	59	60	57	82	76	68	65	49	68	57	810
Inquest Cases - -	141	133	128	137	162	159	187	232	185	167	133	216	159	2139
Deaths in Institutions	546	545	533	588	616	717	610	752	695	645	605	694	689	8265
TEMPERATURE OF THE AIR.														
Mean - - - - -	43·0	46·2	47·3	43·8	36·5	39·2	31·4	39·3	42·8	40·7	30·5	36·1	33·0	39·2
Mean of Highest -	49·2	50·8	51·9	49·5	41·1	42·8	36·4	44·6	46·7	43·6	34·3	41·7	37·1	43·8
Mean of Lowest -	36·3	39·8	41·4	37·2	31·6	34·7	25·9	33·0	37·9	37·2	26·6	30·6	27·9	33·8
Mean Humidity of the Air.	85	89	84	80	79	91	77	83	83	81	74	77	76	81
Rain-fall (in inches) -	0·90	0·38	0·09	0·29	0·40	0·50	0·68	0·98	0·18	0·01	0·04	0·19	0·19	4·83
Registered Sunshine (in hours).	10·2	12·5	8·1	12·4	8·6	1·6	3·2	10·8	6·3	3·3	7·2	11·8	17·9	113·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4150	4144	4053	4062	3986	3807	3846	3707	3523	3405	3292	3176	3059	3708
Diphtheria - - -	1105	1113	1082	1033	1025	955	1000	983	926	934	925	928	932	996
Typhus - - - - -	-	-	-	-	-	-	2	2	2	2	2	3	3	1
Enteric Fever - -	183	165	162	163	157	149	135	120	108	108	98	100	94	134

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Cluana, Esq., M.D., Prestwich; Manchester: H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 6th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 6th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	
ALL CAUSES	1633.9	1858	353	179	73	191	410	649	Meningitis (not tuberc.)	15.4	22	11	6	4	1	-	-
									Insanity, Gen. Par. of	21.5	18	-	-	-	1	10	-
									Insane	6.8	13	-	-	1	4	3	5
Small-pox*	13.3	-	-	-	-	-	-	-	Epilepsy	26.4	17	14	3	-	-	-	-
Cowpox	0.2	-	-	-	-	-	-	-	Convulsions	1.2	3	-	-	-	-	3	-
Measles (Morbilli)	37.9	30	9	18	3	-	-	-	Locomotor Ataxy	5.7	8	-	-	-	2	2	4
Scarlet Fever	9.4	6	1	4	-	1	-	-	Paraplegia, Dis. of Cord	26.0	22	1	-	1	5	15	-
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	49.7	55	-	-	6	8	23	18
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	33.8	50	-	-	-	1	15	34
Influenza	24.2	44	-	2	1	7	12	22	Cerebr. Hæm. Thromb.	22.5	19	-	-	-	3	16	-
Whooping-cough	42.6	40	16	23	1	-	-	-	Apoplexy, Hemiplegia	5.9	7	-	-	-	2	4	1
Diphtheria	19.9	20	1	14	3	1	1	-	Aneurysm	1.8	2	-	-	-	2	-	-
Cerebro Spinal Fever	0.2	-	-	-	-	-	-	-	Embolism, Thrombosis	107.1	116	-	-	7	7	28	74
Pyæmia,† (Origin un-	0.2	-	-	-	-	-	-	-	(not cerebral)	0.8	1	-	1	-	-	-	-
Diarrhœa, Dysentery	6.1	2	-	-	1	1	-	-	Heart & Blood Vessel Dis.	180.5	251	41	11	1	7	35	153
Enteric Fever	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	8.2	8	-	-	-	1	4	3
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.)	4.5	5	-	2	-	2	1	-
Epidemic Diarrhœa	5.5	4	3	1	-	-	-	-	Bronchitis	12.5	20	2	2	1	2	4	9
(Infective Enteritis)	13.3	13	9	3	-	1	-	-	Asthma, Emphysema	1.0	3	-	1	-	1	1	1
Tetanus	1.2	-	-	-	-	-	-	-	Pleurisy	9.4	18	9	1	-	-	5	3
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-Enteritis	5.3	4	3	1	-	-	-	-
Glanders	0.2	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.7	4	-	-	-	2	2	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Cirrhosis of Liver	11.9	18	-	-	-	3	12	3
Venereal Dis.	7.8	8	4	-	1	3	-	-	Liver Dis. (other)	7.6	4	-	1	-	1	1	1
Puerperal Septicæmia	3.5	1	-	-	1	-	-	-	Digestive Dis., Other	38.3	43	7	2	3	9	13	9
Puerperal Pyæmia	0.4	-	-	-	-	-	-	-	Nephritis, Acute	7.2	10	-	-	1	2	3	4
Puerperal Fever	0.4	-	-	-	-	-	-	-	Bright's Dis., Albumin-	41.3	47	-	-	1	5	14	27
Infective Endocarditis	3.1	5	-	3	1	1	-	-	uria	12.5	12	-	-	-	2	1	9
Lobar	13.9	26	-	2	9	10	5	-	Urinary Sys., Other Dis.	5.9	5	-	-	-	2	3	-
Broncho-	67.1	100	45	30	3	1	7	14	Generative Organs Dis.-	4.1	1	-	-	-	1	-	-
Epidemic	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	66.7	85	-	-	-	-	2	83
Not defined	71.4	115	21	13	1	14	33	33	Old Age	115.7	90	62	10	3	3	4	8
Erysipelas	4.3	4	1	-	-	-	3	-	Other Diseases	-	-	-	-	-	-	-	-
Septicæmia (not Puer-	1.6	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
peral)	1.8	-	-	-	-	-	-	-	By Railways	1.2	2	-	-	-	1	1	-
Pyæmia (not Puerperal)	5.7	4	1	-	-	1	2	-	By Vehicles and Horses	4.3	4	-	-	1	2	1	-
Other Infective Processes	65.1	120	2	9	14	37	50	8	In Ships, Boats, Docks,	1.0	-	-	-	-	-	-	-
"Phthisis"	85.8	55	1	-	3	25	22	4	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Phthisis	19.4	18	7	4	-	-	-	-	ing)	1.4	-	-	-	-	-	-	-
Tuberculous Meningitis	6.1	7	2	2	1	1	-	-	In Building Operations	0.2	-	-	-	-	-	-	-
Tuberculous Peritonitis	4.5	1	-	1	-	-	-	-	In Conflagrations	7.6	11	1	7	1	-	-	2
Tabes Mesenterica	18.0	12	2	2	-	4	3	1	By Burns, Scalds, Ex-	3.7	-	-	-	-	-	-	-
Tuberculous Dis. (other)	0.8	-	-	-	-	-	-	-	plosions	11.5	14	14	-	-	-	-	-
Scrofula	7.6	16	-	-	-	5	8	3	By Drowning	1.4	6	-	-	1	2	3	-
Alcoholism	4.1	3	-	-	-	2	1	-	By Suffocation in Bed	18.6	14	1	1	1	1	2	8
Rheumatic Fever	2.0	-	-	-	-	-	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	-
Gout	51.6	67	-	-	-	5	25	37	Vapours	-	-	-	-	-	-	-	-
Sarcoma	4.5	3	-	1	2	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Cancer (undefined)	38.1	24	-	-	-	12	12	-	dent	-	-	-	-	-	-	-	-
Diabetes Mellitus	5.7	15	-	1	1	5	8	-									
Premature Birth	45.4	57	57	-	-	-	-	-	VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide	1.2	1	1	-	-	-	-	-
									Suicide	8.0	5	-	-	-	2	3	-
									Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th February, 1907.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births,	Total Deaths,	Deaths from													
				Deaths of	Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmia† Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2356	1858	353	649	-	30	6	20	40	-	2	-	17	57	159	689
WEST DISTRICTS - - -	805,311	355	322	63	115	-	2	-	5	8	-	-	-	2	10	27	121
NORTH DISTRICTS - - -	1,056,070	472	415	67	156	-	-	3	13	11	-	13	-	6	14	40	142
CENTRAL DISTRICTS - - -	209,465	82	86	16	20	-	-	-	1	1	-	-	-	1	5	15	38
EAST DISTRICTS - - -	715,739	477	285	54	92	-	15	-	12	5	-	-	-	1	10	40	135
SOUTH DISTRICTS - - -	1,749,844	970	703	132	250	-	13	3	9	15	-	-	-	5	17	35	206
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	47	1	16	-	-	-	1	-	-	-	-	2	1	2	47
WEST DISTRICTS.																	
St. Mary Paddington W,3H - - -	93,178	41	35	4	11	-	-	-	-	3	-	-	-	-	-	1	9
St. John Paddington H - - -	33,617	7	17	2	9	-	-	-	1	-	-	-	-	-	-	-	8
North-West Paddington - - -	17,181	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - - -	128,037	51	63	13	23	-	-	-	-	2	-	-	-	-	1	5	31
Brompton 2H - - -	48,591	10	14	-	7	-	-	-	-	-	-	-	-	-	1	1	3
North Hammersmith 2W,w,H - - -	49,192	25	24	8	5	-	-	-	1	-	-	-	-	-	-	2	8
South Hammersmith w,2H - - -	63,047	34	27	7	7	-	1	-	-	-	-	-	-	-	2	3	6
North-west Fulham W - - -	45,180	32	28	4	6	-	1	-	-	-	-	-	-	-	1	4	11
North-east Fulham F - - -	46,405	32	11	4	3	-	-	-	2	-	-	-	-	-	1	2	3
South Fulham W - - -	45,704	22	13	4	3	-	-	-	-	2	-	-	-	-	1	3	-
Chelsea North W,w,3H - - -	42,514	17	30	2	18	-	-	-	-	-	-	-	-	-	3	3	21
Chelsea South W,2H - - -	31,328	22	17	7	6	-	-	-	-	1	-	-	-	2	1	1	5
Mayfair and Knightsbridge - - -	28,743	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -	55,815	24	18	3	5	-	-	-	1	-	-	-	-	-	-	1	8
St. Margaret & St. John 5H - - -	43,698	19	13	4	5	-	-	-	-	-	-	-	-	-	-	-	5
St. James and St. Anne W,6H - - -	33,081	9	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - -	35,391	7	28	1	5	-	-	-	-	-	-	-	-	-	2	3	19
St. Mary Marylebone W,4H - - -	37,948	31	8	2	3	-	-	-	-	-	-	-	-	-	-	2	3
Christchurch Marylebone - - -	39,536	15	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 2H - - -	20,426	3	6	1	1	-	-	-	-	-	-	-	-	-	1	1	1
Hampstead W,F,7H - - -	81,942	33	21	2	6	-	-	2	-	-	-	-	-	-	-	-	6
West St. Pancras 2H - - -	60,562	17	16	5	5	-	-	-	-	-	-	-	-	-	1	5	4
South St. Pancras w,11H - - -	55,707	19	24	3	6	-	-	-	-	-	-	-	-	1	2	4	17
East St. Pancras W,2H - - -	60,320	26	27	-	16	-	-	-	-	-	-	-	-	-	2	3	13
North St. Pancras 2W - - -	58,728	24	22	3	8	-	-	-	-	-	-	-	-	-	2	3	7
Tufnell W - - -	31,995	12	32	2	17	-	-	-	-	1	-	1	-	-	-	2	22
Upper Holloway 2W,w,H - - -	33,978	14	30	3	14	-	-	-	-	2	-	-	-	-	2	2	20
Tollington WH - - -	33,922	12	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway - - -	41,424	20	14	3	7	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - -	54,478	37	25	9	5	-	-	-	-	2	-	-	-	1	2	3	-
Islington South-east F - - -	75,397	30	21	6	7	-	-	-	-	-	-	-	-	2	2	3	-
Highbury 2H - - -	63,797	25	21	6	9	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington H - - -	51,247	19	17	2	8	-	-	-	-	1	-	-	-	-	1	2	1
North Hackney - - -	50,560	24	25	5	11	-	-	-	-	2	-	-	-	-	-	4	-
Central Hackney 2w,F - - -	50,536	27	13	1	3	-	-	1	2	-	-	1	-	-	-	2	7
South-west Hackney 3F - - -	59,921	37	22	3	9	-	-	-	-	-	-	-	-	1	-	1	5
South-east Hackney 2W,w,H - - -	58,255	40	30	6	11	-	-	-	-	1	-	-	-	1	-	2	17

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th February, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include														
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W,2H -	31,436	11	8	1	3	-	-	-	-	-	-	-	-	-	1	2	2	-
Strand W,4H - - - - -	21,874	7	10	-	3	-	-	-	-	-	-	-	-	-	-	2	7	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn W,6H - - - - -	29,612	8	19	7	2	-	-	-	-	-	1	-	-	-	1	-	7	-
South Clerkenwell - - - - -	28,676	9	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-
North Clerkenwell H - - - - -	35,028	14	12	3	2	-	-	-	-	-	-	-	-	-	1	4	-	-
Finsbury 3H,L - - - - -	36,116	30	9	3	1	-	-	-	-	-	-	-	-	-	1	2	-	-
Holborn Union Workhouse, } Mitcham - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph H - - - - -	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,524	-	22	2	6	-	-	-	1	-	-	-	-	-	2	4	19	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South H - - - - -	46,362	28	11	4	1	-	2	-	1	-	-	-	-	-	1	3	-	-
Shoreditch North-West W,w,H -	36,127	31	33	6	14	-	-	-	-	1	-	-	-	-	1	3	24	-
Shoreditch North-East - - - - -	36,148	18	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W, } 2HL - - - - -	65,133	49	24	5	8	-	2	-	-	-	-	-	-	-	2	4	14	-
Bethnal Green South-West H - -	64,542	42	20	6	8	-	-	-	-	3	-	-	-	-	-	1	-	-
Spitalfields - - - - -	27,969	16	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Mile End New Town W,H - - -	28,718	24	35	1	9	-	1	-	1	-	-	-	-	-	2	7	33	-
Goodman's Fields - - - - -	22,081	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W - -	49,068	31	18	7	2	-	4	-	-	-	-	-	-	-	-	-	5	-
Shadwell and Ratchiff W,H - -	25,568	9	11	3	2	-	2	-	-	-	-	-	-	-	-	-	7	-
Limehouse W - - - - -	32,969	22	13	-	2	-	3	-	-	1	-	-	-	-	1	2	-	-
Mile End Old Town South- } Western H - - - - -	63,698	59	12	6	2	-	-	-	-	-	-	-	-	1	-	4	-	-
Mile End Old Town North- } Eastern W,w - - - - -	49,129	40	21	3	11	-	-	-	-	-	-	-	-	-	1	2	15	-
Bow L - - - - -	41,939	21	15	1	7	-	-	-	-	-	-	-	-	-	1	3	-	-
Bromley 3w,H - - - - -	68,319	35	43	6	14	-	-	-	-	-	-	-	-	-	1	6	31	-
Poplar W,w - - - - -	58,514	41	21	5	10	-	1	-	-	-	-	-	-	-	-	3	6	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLE, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th February, 1907—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths from														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W,2H - - -	23,319	11	23	4	4	-	-	-	-	-	-	-	-	-	-	1	2	15	
Kent-road - - -	21,904	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr West } W,2H,L - - -	39,094	22	15	5	1	-	-	-	-	-	2	-	-	-	-	-	2	2	
Newington North - - -	49,022	19	9	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Newington South W - - -	72,841	41	19	6	4	-	1	-	-	-	1	-	-	-	1	-	-	2	
St. Olave 2W - - -	9,817	3	4	1	1	-	-	-	-	-	1	-	-	-	-	1	1	1	
Bermondsey W - - -	82,483	44	25	8	4	-	-	-	-	-	2	-	-	-	-	1	2	-	
Rotherhithe W,F - - -	38,460	15	22	3	8	-	2	-	-	-	-	-	-	-	-	1	2	11	
Waterloo 2H - - -	27,440	35	8	2	1	-	-	-	-	-	1	-	-	-	-	1	1	1	
Lambeth Church H - - -	27,440	18	17	4	1	-	-	-	-	-	-	-	-	-	-	1	1	10	
Kennington 2W - - -	52,518	27	41	8	20	-	-	-	-	-	-	-	-	-	1	-	1	24	
Stockwell HF - - -	63,826	43	23	8	5	-	-	1	2	-	-	-	-	-	-	1	2	7	
Brixton H - - -	73,673	38	25	7	7	-	-	-	-	-	1	-	-	-	-	1	2	12	
Norwood WH - - -	56,998	23	21	4	12	-	-	-	-	-	-	-	-	-	-	-	1	2	
East Battersea H - - -	72,203	48	22	7	5	-	-	-	-	1	-	-	-	-	-	-	2	1	
North-west Battersea - - -	49,656	30	12	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W,H - - -	47,048	20	33	-	15	-	-	-	-	-	-	-	-	-	-	1	1	21	
Clapham 2H - - -	51,381	35	15	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham W,2w,2F,2L - - -	88,019	48	42	8	21	-	-	-	-	-	2	-	-	-	1	-	-	15	
Springfield 2W,L - - -	27,959	17	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - -	40,444	20	15	5	7	-	-	-	-	-	-	-	-	-	-	-	1	-	
Putney - - -	24,139	14	9	1	5	-	-	-	-	-	-	-	-	-	-	1	1	-	
Dulwich - - -	13,359	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gamberwell South W,w - - -	40,206	18	27	4	14	-	-	-	-	-	-	-	-	-	-	-	-	19	
Gamberwell North W,2L - - -	65,584	31	42	5	18	-	-	-	-	-	1	-	-	-	-	2	2	24	
St. George - - -	47,331	19	13	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Peckham North - - -	48,913	30	26	7	7	-	1	-	-	-	2	-	-	-	-	-	-	-	
Peckham South 2W,w - - -	43,946	11	13	4	4	-	-	-	-	-	1	-	-	-	-	-	1	-	
Deptford North - - -	37,613	20	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central F - - -	45,481	38	13	3	4	-	2	1	2	-	-	-	-	-	-	-	-	4	
Deptford South - - -	34,625	11	8	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	
Greenwich West 2H - - -	23,456	8	7	-	4	-	1	-	-	-	-	-	-	-	-	-	1	-	
Greenwich East 2W,H - - -	43,859	36	29	1	10	-	-	-	-	-	-	-	-	-	-	-	1	18	
Eltham w,H - - -	7,226	9	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
Lee wH - - -	25,490	5	7	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	
Lewisham W,w,F - - -	58,352	34	30	3	14	-	1	1	3	-	-	-	-	-	-	1	1	17	
Sydenham H - - -	43,653	24	11	2	7	-	-	-	-	1	1	-	-	-	-	-	-	-	
Charlton F,2H - - -	21,134	11	9	4	3	-	-	-	-	-	-	-	-	-	-	-	2	1	
Woolwich 5H - - -	41,625	34	17	9	3	-	3	-	-	-	-	-	-	-	-	1	-	-	
Plumstead West W - - -	18,063	12	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - - -	50,284	27	21	4	9	-	1	-	-	-	-	-	-	-	-	-	-	8	
Workhouse - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	2	
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Joyce Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern - - -	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
Northern - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belmont - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Caterham - - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5	
Darenth - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6	
London County Lunatic Asylums.-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Banstead - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	8	
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Manor - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	1	2	
Dartford Heath - - -	-	-	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	9	
Hanwell - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	
Colney Hatch - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	
Claybury - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS OF LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th February, 1907.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
						Deaths of												
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING																		
1	Carshalton 2F,3H	12,228	32,997	14	13	3	5	-	-	-	-	-	-	-	1	2	2	-
2	Epsom, part of* W,2F,H	10,423	15,548	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, part of* W,F,L	2,754	2,692	3	3	-	1	-	-	-	-	-	-	-	-	-	1	-
1	Coulsdon -	11,089	8,166	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon W	4,300	49,309	18	11	2	3	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	35	35	9	11	-	-	-	2	-	-	-	2	3	15	-
4	North Croydon H	2,644	41,698	30	16	4	5	-	-	-	-	-	-	-	-	2	-	-
5	Penge W,H	770	22,465	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-
6	Mitcham W	11,711	30,015	26	15	3	3	-	-	-	-	1	-	-	1	3	-	-
1	Wimbledon F,3H	3,221	41,652	24	19	5	9	-	-	-	-	3	-	-	1	2	-	-
2	Kingston 2W,H	8,224	42,068	23	36	8	10	-	3	-	-	-	-	-	2	3	10	-
3	Surbiton F,H	3,046	15,017	4	2	-	1	-	-	-	-	-	1	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	10	4	2	1	-	-	-	-	-	-	-	-	-	1	-
5	Hampton H,F,L	4,584	23,456	10	5	3	-	-	-	-	-	-	-	-	1	1	-	-
1	Richmond W,H	2,182	28,865	9	6	-	2	-	-	-	-	-	-	-	-	-	1	-
2	Mortlake F	2,847	20,628	13	8	3	2	-	-	-	-	-	-	-	-	-	-	-
1	Bromley F,2H	4,703	27,354	16	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	16	9	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	6	3	-	2	-	-	-	-	-	-	-	-	1	-	-
4	Chislehurst 2H	7,333	16,446	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1	Bexley W,F,H	8,678	21,151	10	3	-	1	-	-	-	-	-	-	-	-	1	-	-
2	Erith F,H	3,354	25,296	17	9	5	4	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Sunbury W	11,054	18,883	11	5	2	1	-	-	-	1	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	5	7	3	1	-	-	-	-	-	-	-	-	-	1	-
1	Hillingdon W,F,H	6,035	13,661	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes W,2F,H	8,066	16,358	9	6	1	3	-	-	-	-	-	-	-	1	2	-	-
1	Isleworth 3W,2F,H	8,859	30,863	22	20	7	8	-	-	-	-	-	-	1	-	-	8	1
2	Twickenham F,2,H	2,421	20,991	13	12	6	1	-	2	-	-	-	-	-	-	-	2	-
3	Brentford 3F,2H	4,319	48,289	38	22	7	8	-	-	-	-	1	-	1	1	1	-	-
4	Chiswick H	1,249	29,809	15	9	3	3	-	-	-	-	-	-	1	-	-	-	-
5	Acton W,F,3H	6,132	48,914	40	36	18	5	-	1	-	-	2	-	1	-	1	-	-
1	Harrow F,H	13,809	25,523	17	4	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	89	54	22	8	-	-	1	-	8	-	-	2	3	5	-
4	Hendon W,H	8,382	22,450	18	14	2	3	-	2	-	-	-	-	-	1	2	2	-
1	South Mimms 2F,H	17,755	7,308	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	7	3	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	22	18	5	4	-	-	-	-	-	-	-	-	2	2	-
1	Hornsey F,H	2,875	72,066	22	14	3	5	-	-	-	-	-	-	-	-	3	-	-
2	Wood Green H	1,625	34,233	20	13	2	4	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham F	996	48,853	33	8	-	2	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,688	45	19	6	3	-	-	-	-	-	-	-	-	-	-	-
5	Edmonton W,2F	7,491	61,892	53	24	9	6	-	1	-	1	-	-	-	1	1	6	-
6	Enfield 2W,F,H	12,601	42,738	20	20	5	9	-	-	-	-	-	-	-	-	-	1	-
7	Waltham Abbey F	11,017	6,549	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	6	-	3	-	-	-	-	1	-	-	-	-	1	-
1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Bushey H	9,333	9,173	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H	1,072	44,827	25	8	1	1	-	1	-	-	-	-	-	-	2	-	-
2	Plaistow F,2H	1,249	90,921	59	25	7	8	-	3	-	-	2	-	-	3	4	1	-
3	Canning Town H	1,556	70,718	73	22	9	2	-	-	-	-	-	-	-	-	-	-	-
4	Forest Gate W	806	60,892	32	15	4	6	-	2	1	-	-	-	-	1	1	-	-
5	North East Ham W,H	1,333	58,676	33	18	4	10	-	-	-	-	1	-	-	-	-	-	-
6	South East Ham 2F	1,993	57,342	26	10	3	2	-	1	-	1	-	-	-	1	1	2	1
7	Wanstead F	1,679	9,179	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	34	18	3	5	-	1	-	-	2	-	-	-	-	1	8
9	North Leyton 2W,W,F	1,963	48,445	31	51	5	10	-	2	-	2	5	-	-	-	-	1	29
10	Walthamstow 3H,L	6,504	108,929	79	42	20	8	-	1	-	1	5	-	-	-	3	-	-
1	Chigwell 2F,3H	11,778	16,397	6	8	1	2	-	-	1	1	-	-	-	-	-	2	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Romford, part of* W,2F	6,556	6,091	-	6	2	-	-	-	-	-	-	1	-	-	-	3	-
2	Ilford F,L	8,486	41,234	34	19	4	3	-	-	-	1	1	-	-	-	1	1	-
3	Barking Town F	3,803	21,547	30	11	4	2	-	1	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	February 9	2356	1858	20·4	-	30	6	21	40	2	17
CALCUTTA - -	977,822	January 12	-	638	39·1	10	1	-	-	-	155†	176‡
BOMBAY - -	982,000	" 22	388	631	42·3	-	3	-	-	1	101†	70‡
MADRAS - -	509,346	" 4	344	338	34·5	-	1	1	?	?	84	50
		" 11	306	375	38·2	-	2	?	?	?	103	68
PARIS - -	2,750,000	February 2	1079	1170	22·3	-	10	4	8	8	2	18
BRUSSELS - -	612,401	" 2	229	217	18·6	-	4	-	-	2	-	7
ANTWERP - -	297,311	" 2	139	94	16·4	-	4	1	-	1	2	10
AMSTERDAM -	564,194	" 2	281	226	20·9	-	1	2	1	6	2	5
COPENHAGEN -	427,000	" 2	241	138	16·9	-	-	-	1	-	-	3
STOCKHOLM -	324,488	January 26	145	98	15·7	-	-	-	1	-	-	2
CHRISTIANIA -	226,472	February 2	124	82	19·2	-	6	-	4	1	1	5
ST. PETERSBURG	1,424,700	January 19	693	841	29·5	-	33	29	32	4	22	33
MOSCOW - -	1,172,421	" 19	-	749	33·3	3	20	12	15	2	14	63
BERLIN - -	2,093,019	" 19	983	690	17·2	-	4	1	8	8	2	30
HAMBURG - -	824,792	February 2	-	236	14·9	-	2	-	-	1	1	11
BRESLAU - -	482,326	January 26	-	198	21·4	-	1	-	2	1	-	9
MUNICH - -	548,000	" 26	-	199	18·9	-	6	1	3	1	-	11
VIENNA - -	1,958,323	February 2	1015	715	19·0	-	14	3	8	4	-	34
PRAGUE - -	466,133	" 2	208	174	19·4	-	2	-	-	-	-	21
BUDA-PESTH -	802,235	January 26	395	307	20·2	-	5	3	-	3	1	13
TRIESTE - -	199,093	February 2	129	132	34·5	-	2	-	-	2	-	-
ROME - -	531,818	December 22	270	246	24·2	-	1	-	1	3	23	5
		" 29	241	282	25·8	-	2	-	-	-	1	14
VENICE - -	171,709	October 27	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	291,138	January 26	163	144	25·8	-	-	-	-	-	-	5
		February 2	205	161	27·0	-	-	1	2	-	1	7
NEW YORK - -	4,285,435	January 26	2048	1611	19·6	-	5	8	34	5	9	48
CHICAGO - -	2,107,620	" 26	-	735	18·2	-	13	22	16	12	9	31
PHILADELPHIA -	1,500,595	" 19	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	" 13	-	242	13·8	-	-	-	-	2	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 12 deaths from plague in Calcutta, 43 in Bombay, and 1 in Rio de Janeiro.

‡ Including 104 deaths from cholera in Calcutta.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th February, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	41·2	23·5	32·5	0·19	LEEDS - - -	43·0 (†)	20·0	33·2 (†)	0·12
BRIGHTON -	41·3	26·7	33·6	0·17	YORK - - -	43·0	21·0	33·1	0·20
PORTSMOUTH -	45·2	27·0	35·1	0·07	HULL - - -	40·0	19·0	32·5	0·22
NORWICH - -	37·2	20·6	31·4	0·30	TYNEMOUTH -	46·0	22·0	32·8	0·20
PLYMOUTH -	50·7	28·0	36·5	0·64	CARDIFF - -	50·0	17·5	33·4	0·20
BRISTOL - -	49·9	18·3	32·3	0·16	EDINBURGH -	41·6	26·8	34·1	0·13
BIRMINGHAM -	46·7	20·2	32·9	0·14	GLASGOW - -	?	?	?	?
NOTTINGHAM -	43·7	17·5	32·5	0·18	DUBLIN } Phoenix Park. Fitz- william Square.†	47·1	21·1	34·0	0·36
LIVERPOOL }	46·0	25·0	33·5	0·14		47·7	28·4	37·1	0·28
OBSERVATORY. }	45·5	25·9	33·5	0·22					
MANCHESTER -	43·3	24·5	33·1	0·19	BELFAST - -	45·0	23·5	35·2	0·13
PRESTON - -									
HUDDERSFIELD -	42·0	19·2	32·7	0·22					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

Meteorological Observations.

95

1907.		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a gauge receiving surface 5 inches above ground.
MONTH AND DAY	Phases of the Moon.	Of the Air.				Of the Radiation.				Direction.				
		Barometer.		Of the Air.		Difference between the Air Temperature and Dew Point.		Of the Earth's Surface.		General Direction.		Measure on the Square Foot.		
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from the average of 65 years.	Mean daily value.	Least.	Highest in Sun's Rays.	A.M.	P.M.	Great-est.	Least.	Mean of 24 hours.
FEBRUARY.		in.	°	°	°	°	°	°	°	NE, N. & NNE.	ENE, ENE, & NNE.	lbs.	lbs.	Miles.
SUNDAY - 3	In Equator	30.109	32.9	3.0	31.5	- 8.0	24.8	6.7	7.7	2.9	76	47.3	19.0	40.06
MONDAY - 4	..	30.059	33.8	3.7	32.1	- 7.4	23.9	8.2	11.0	2.9	70	35.2	28.2	39.87
TUESDAY - 5	..	30.223	36.0	3.1	34.2	- 5.4	30.6	3.6	5.5	0.0	87	42.8	30.7	39.71
WEDNESDAY - 6	Last Quarter.	29.999	39.0	3.7	34.8	- 4.8	27.2	7.6	11.6	0.9	73	82.9	25.5	39.63
THURSDAY - 7	..	29.757	38.8	2.5	31.0	- 8.5	19.5	11.5	14.5	6.4	60	83.0	12.0	39.62
FRIDAY - 8	..	29.823	38.2	2.3	31.5	- 7.8	24.1	7.4	9.9	1.0	73	60.2	13.0	39.43
SATURDAY - 9	Greatest Dec. S.	29.629	41.2	2.7	35.6	- 3.5	34.6	1.0	3.9	0.0	93	49.7	15.3	39.37
MEANS - -	-	29.943	37.1	2.7	33.0	- 6.5	26.4	6.6	9.2	2.0	76	57.3	20.4	39.67
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16
The results apply to the civil day, or from midnight to midnight.														
FEBRUARY.		Of the Air.				Of the Radiation.				Direction.				Rain collected in a gauge receiving surface 5 inches above ground.
SUNDAY - 3		Registered Snow in hours.				Generally overcast; slight snow in afternoon.				The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.				
MONDAY - 4		9.2				Overcast; slight fog and gloom in morning; frequent slight snow after 9h. A.M.; very fine till evening; cloudy at night.				Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometrical tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.				
TUESDAY - 5		9.3				Overcast in morning with thin rain between 1h. 30m. and 2h. 30m. A.M.; very fine till evening; cloudy at night.				In reading columns 8 and 9 it will be borne in mind that + indicates "higher," and - "lower," than the average.				
WEDNESDAY - 6		6.3				Overcast till 3h. 30m. A.M.; very fine with small amounts of cloud generally afterwards; hear frost in morning and at night.				The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.				
THURSDAY - 7		8.0				Cloudy till 3h. 30m. A.M.; very fine and cloudless with slight exceptions afterwards; hear frost at night.				The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.				
FRIDAY - 8		3.6				Generally cloudy till 1h. A.M.; very fine and cloudless with slight exceptions afterwards; hear frost at night.				The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.				
SATURDAY - 9		9.5				Cloudless till 2h. A.M.; overcast till 5h. P.M.; foggy afterwards; rain in forenoon.				The reading of the barometer decreased from 30.26 in. at the beginning of the week to 29.73 in. by 2h. P.M. on the 4th; increased to 30.26 in. by 7h. P.M. on the 5th; decreased to 29.73 in. by 2h. P.M. on the 7th; increased to 29.86 in. by 1h. A.M. on the 8th; decreased to 29.59 in. by 3h. P.M. on the 9th; and was 29.65 in. at midnight on the same day.				
MEANS - -		26	17.9	Sum 65.3	29	26	Sum 17.9	Sum 65.3	29	26	Sum 17.9	Sum 65.3	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd February 1907.*

BOROUGHES	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	149,900	-	10	1	-	-	-	-	2	-
Kensington - - - - -	181,842	-	7	4	-	1	-	-	1	-
Hammersmith - - - - -	122,337	-	6	8	-	2	-	-	2	-
Fulham - - - - -	166,749	-	11	10	-	3	-	-	1	1
Chelsea - - - - -	74,857	-	2	3	-	-	-	-	2	-
City of Westminster - - -	172,219	-	6	4	-	1	-	-	1	-
NORTH.										
St. Marylebone - - - - -	127,718	-	10	-	-	3	-	-	7	1
Hampstead - - - - -	91,137	-	6	5	-	-	-	-	1	-
St. Pancras - - - - -	236,753	-	9	11	-	-	-	-	2	-
Islington - - - - -	347,017	-	21	11	-	1	-	-	7	-
Stoke Newington - - - - -	53,613	-	3	-	-	-	-	-	1	-
Hackney - - - - -	232,993	-	12	9	-	-	-	-	11	1
CENTRAL.										
Holborn - - - - -	55,134	-	-	1	-	-	-	-	-	-
Finsbury - - - - -	96,732	-	1	5	-	2	-	-	2	-
City of London - - - - -	20,310	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	115,662	-	4	3	-	1	-	-	3	-
Bethnal Green - - - - -	130,831	-	13	3	-	-	-	-	3	-
Stepney - - - - -	308,923	-	22	5	1	2	-	-	6	1
Poplar - - - - -	171,086	-	9	3	-	1	-	-	4	2
SOUTH.										
Southwark - - - - -	209,781	-	20	9	-	2	-	-	6	-
Bermondsey - - - - -	128,263	-	15	7	-	1	-	-	2	-
Lambeth - - - - -	318,538	-	16	10	-	3	-	-	3	-
Battersea - - - - -	181,736	-	16	5	-	-	-	-	4	-
Wandsworth - - - - -	281,419	-	27	8	-	-	-	-	4	-
Camberwell - - - - -	277,059	-	22	12	-	3	-	-	4	-
Deptford - - - - -	116,510	-	9	13	-	-	-	-	5	-
Greenwich - - - - -	107,222	-	18	8	-	2	-	-	1	-
Lewisham - - - - -	152,532	-	8	13	-	1	-	-	3	-
Woolwich - - - - -	129,336	-	28	9	-	1	-	-	5	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		-	332	180	1	30	-	-	96	6
Ages										
0-1 - - - - -	-	-	4	4	-	-	-	-	4	-
" 1-5 - - - - -	-	-	96	61	-	2	-	-	5	-
" 5- - - - -	-	-	147	68	-	4	-	-	5	-
" 10- - - - -	-	-	37	17	-	-	-	-	5	-
" 15- - - - -	-	-	17	9	-	6	-	-	6	-
" 20- - - - -	-	-	15	10	-	4	-	-	4	-
" 25- - - - -	-	-	13	6	-	7	-	-	7	3
" 35- - - - -	-	-	3	2	1	5	-	-	14	3
" 45- - - - -	-	-	-	2	-	2	-	-	18	-
" 55- - - - -	-	-	-	-	-	-	-	-	16	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	12	-
Age not stated - - - - -	-	-	-	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JANUARY, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th February, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of January.

Fourteen samples were collected in the Southwark district and thirteen in each of the other districts, making a total of 103 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrates.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ January 14th, Cab Rank, Fulham Road, near Hospital for Women. }	4.7	33.72	.232	.027	0	.298	.325	1.85	22.1
West Middlesex - -	{ January 14th, Cab Rank, Maida Vale, by St. John's Wood Road. }	5.1	31.22	.278	.023	0	.238	.261	1.75	20.6
Southwark - - -	{ January 8th, Cab Rank, St. George's Church, Borough. }	-	31.00	.436	.041	.0015	.284	.329	1.7	19.7
" - - -	{ January 14th, Cab Rank, Stockwell Road, near the Swan Public-house. }	6.0	32.82	.250	.025	0	.279	.304	1.85	21.8
Grand Junction - -	{ January 14th, Cab Rank, Shepherd's Bush Green. }	5.1	28.68	.228	.025	0	.167	.192	1.7	18.9
Lambeth - - -	{ January 14th, Cab Rank, Westminster Bridge Road. }	5.7	33.50	.239	.028	0	.298	.326	1.8	21.8
LEA, WELLS, ETC.										
New River - - -	{ January 14th, Cab Rank, Gray's Inn Road, by King's Cross Station. }	6.3	36.10	.165	.013	0	.350	.363	2.0	23.0
Eastern - - -	{ January 14th, Cab Rank, High Street, Shoreditch. }	5.2	23.02	.265	.029	0	.104	.133	1.75	16.7
DEEP WELLS.										
Kent- - -	{ January 14th, Cab Rank, New Cross, near Jerningham Road. }	12.0	42.96	.044	.005	0	.502	.507	2.55	28.7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district at the cab rank in Fulham Road, on the 14th January, had a temperature of 4.7° C.; 100,000 lbs. of it contained 33.72 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .232 lb. of carbon and .027 lb. of nitrogen. The above quantity of water also contained .298 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .325 lb. The above weight of water also contained 1.85 lbs. of chlorine and 22.1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The sample of Southwark water taken on the 8th and all the samples collected in the eight districts on the 14th January, were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was:—Kent, 0·8; New River, 3·0; Grand Junction, 4·3; Southwark (14th January), 4·6; Eastern, 5·0; Chelsea and West Middlesex, 5·1; Lambeth, 5·4; and Southwark (8th January) 8·1.

The proportion of organic matter in the five filtered Thames supplies was higher than that found in the previous month. The largest proportion was observed in the Southwark district water on the 8th January, when the supply was slightly opalescent and of unsatisfactory quality. In the five samples taken on the 14th January the amounts of organic impurity were moderate for the time of year, and the supplies were clear and of good quality.

The New River district water derived chiefly from the river Lea contained less organic impurity than any of the filtered Thames waters, and was clear and of good quality.

The Eastern district water was also clear, and in general quality resembled the best of the Thames supplies.

The Kent district deep-well water maintained its usual high degree of organic purity and was of excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that drawn in the New River, Eastern, Grand Junction, and Southwark (19th January) districts, very pale yellow. The samples taken in the Chelsea, West Middlesex and Lambeth districts had a pale yellow tint, and that collected in the Southwark area, on the 8th January, had a decided brown colour when observed in the two-foot tube.

In addition to the above analytical examination the 105 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·138	·113	·128	·154	·122	·143	0	0	0	·0115	·0095	·0105
West Middlesex	·127	·109	·118	·141	·122	·131	0	0	0	·012	·0105	·0112
Southwark	·242	·070	·138	·267	·079	·152	·0015	0	trace	·0195	·007	·0132
Grand Junction	·122	·096	·110	·135	·108	·124	0	0	0	·011	·0105	·0108
Lambeth	·193	·095	·131	·207	·104	·144	·001	0	trace	·017	·0085	·0127
LEA, THAMES, WELLS, ETC.												
New River	·084	·033	·061	·090	·035	·067	0	0	0	·006	·004	·005
Eastern	·127	·089	·115	·139	·099	·126	0	0	0	·017	·010	·0135
DEEP WELLS.												
Kent	·011	·008	·010	·012	·010	·011	0	0	0	·0015	·0005	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five Thames-derived supplies the above data compared with those obtained in December show that the average proportion of organic impurity had increased. The changes in the Chelsea, West Middlesex and Grand Junction supplies were slight, and all the samples examined were of good quality. The Southwark district water was affected most, and samples taken on the 7th, 8th and 9th January were slightly opalescent and of bad quality; the amount of organic matter was greater than had been found since November, 1903, and from comparison with the supplies furnished from the other Thames works it seems that the unsatisfactory state of the supply was brought about through filtering raw instead of stored water, while the river was in bad condition. The quality of the Lambeth district water was also adversely affected, but to a less extent than the Southwark supply.

The New River district water obtained chiefly from the Lea was of good quality throughout the month.

The Eastern district supply contained on the average, less organic matter than in December, and was of good quality.

All the samples of deep-well water from the Kent district were of uniform high organic purity.

All the samples examined from the Chelsea, West Middlesex, Grand Junction, New River and Eastern districts were clear; two samples of the Kent district water contained minute traces of rust stained matter, and a few samples from the Southwark and Lambeth districts were slightly opalescent.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of January, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 206 gallons to one service.

DISTRICTS,	Number of Services.		Average Daily Supply of Water in Gallons.	
	JANUARY, 1906.	JANUARY, 1907.	JANUARY, 1906.	JANUARY, 1907.
TOTAL SUPPLY - - -	1,040,686	1,058,563	204,994,846	218,579,937
New River - - - - -	206,950	209,976	39,412,411	42,768,000
Eastern - - - - -	235,209	238,476	39,884,000	41,925,194
Western .. { Chelsea - - - - -	39,993	40,000	11,463,871	11,954,194
{ Grand Junction - - -	81,273	84,299	15,447,086	16,861,661
{ West Middlesex - - -	92,433	92,788	22,878,839	24,272,387
Southern.. { Lambeth - - - - -	139,293	143,270	30,103,294	31,279,837
{ Southwark and Vauxhall	131,721	133,632	27,866,000	29,696,167
Kent - - - - -	113,804	116,122	17,939,345	19,822,497

Note.—The Return for January, 1907, as compared with that for the corresponding month of 1906, shows an increase of 17,877 services, and of 13,585,091 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 7. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, FEB. 16. [Price 1½d.

*General Register Office, Somerset House,
February 18th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 20·4 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 18·2, 19·8, and 20·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 26·1 in Middlesbrough, 26·3 in Swansea, 26·4 in Sunderland, 27·3 in Portsmouth, 30·4 in Newport (Mon.), 31·6 in St. Helens, and 33·9 in Plymouth; from *measles*, 2·0 in Great Yarmouth, 2·3 in West Bromwich, 3·0 in Grimsby, 3·4 in Newport (Mon.), and 7·3 in St. Helens; from *diphtheria*, 1·3 in Reading, 1·4 in South Shields, 1·5 in Grimsby, and 2·0 in Great Yarmouth; and from *whooping-cough*, 1·5 in Middlesbrough, 1·7 in Tottenham, 1·8 in Preston, and 2·0 in Stockton on Tees. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2350 BIRTHS and 1819 DEATHS were registered. Allowing for increase of population, the births were 300 below and the deaths 90 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·0, 20·8, and 20·4 per 1000 in the preceding three weeks, was 19·9 last week. The death-rate in the four weeks ended last Saturday averaged 19·8 per 1000, being 1·8 per 1000 above the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1819 deaths included 28 from measles, 8 from scarlet fever, 20 from diphtheria, 48 from whooping-cough, 1 from enteric fever, and 17 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 122 deaths were referred to these diseases in the aggregate, being 29 below the corrected average number in the seventh week of the preceding five years.

The deaths from *measles*, which had been 17, 20, and 30 in the preceding three weeks, were 28 last week, and were 14 below the corrected average; 5 deaths belonged to the Borough of Woolwich, 4 each to Shoreditch and Deptford, and 3 each to Bermondsey and Camberwell. The deaths from *scarlet fever*, which had been 11, 8, and 6 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 16, 21, and 20 in the preceding three weeks, were 20 last week, and were equal to the corrected average; 4 deaths belonged to Stepney, and 3 each to Hackney and Battersea. The deaths from *whooping-cough*, which had been 35, 51, and 40 in the preceding three weeks, rose to 48 last week, and were 3 above the corrected average; 6 deaths belonged to Islington, and 4 apiece to Paddington, Southwark, Wandsworth, and Camberwell. One death from *enteric fever* was recorded last week, the corrected average being 6; the deaths in the preceding three weeks had been 5, 8, and 2. The deaths from *diarrhœa*, which had been 16, 17, and 17 in the preceding three weeks, again numbered 17 last week, the corrected average being 14; 3 deaths belonged to Westminster, and 3 each to Wandsworth and Camberwell. Of the 17 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of one other death at this age. The deaths attributed directly to *influenza* numbered 49, having been 48, 49, and 44 in the preceding three weeks. In the Hospital for Sick Children, Great Ormond Street, the death of an infant belonging to Finsbury was certified as due to *epidemic cerebro spinal meningitis*.

Different forms of *violence* caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 6 were cases of suicide, while the remaining 57 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 4 to conflagrations, 12 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 16, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3035 cases of scarlet fever, 926 of diphtheria, 3 of typhus, and 101 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 368 cases, against 307, 319, and 311; of diphtheria, 130 cases, against 121, 131, and 132; and of enteric fever, 23 cases, against 14, 14, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 9th, 1907.

GREATER LONDON.

In Greater London 3654 births and 2594 deaths were registered. Allowing for increase of population, these numbers are 394 below and 217 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 8 from whooping-cough, and 6 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.62 inches, and that of the Thermometer 39.7, the latter being 0.6 above the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 6 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 15.0 hours; the measured rainfall amounted to 0.77 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

27428

See note † on first page of this return.
 † These towns are included within the area of Greater London.
 ‡ Including one death from Epidemic Cerebro-spinal Meningitis.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 16th February, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from 11-17. in Cols.		Registered during the week ended 16th Feb., 1907.		The DEATHS registered in the Week include										TOWNS.			
			Week ended				6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.	
			2.	3.	4.	5.																		
																								26th Jan., 1907.
BIRMINGHAM	-	553,155	21.4	23.6	20.8	24.9	1.4	285	264	56	81	-	8	1	2	3	1	-	12	14	81	13	Cols.	BIRMINGHAM.
KINGS NORTON	-	75,600	13.1	9.7	26.9	7.6	0.7	30	11	3	6	-	-	-	-	-	1	-	-	-	-	1	KINGS NORTON.	
SMETHWICK	-	68,467	22.0	22.0	18.0	15.7	0.8	34	26	6	6	-	1	-	-	-	-	2	-	2	-	-	SMETHWICK.	
ASTON MANOR	-	83,266	13.8	16.9	14.4	14.4	1.3	38	23	3	5	-	2	-	-	-	-	-	-	2	-	-	ASTON MANOR.	
COVENTRY	-	77,626	18.8	12.1	19.5	18.1	1.3	49	27	8	13	-	-	-	-	1	1	-	2	3	4	1	COVENTRY.	
LEICESTER	-	236,124	18.3	20.5	20.1	16.8	1.5	118	76	18	26	-	5	-	-	1	-	1	1	4	9	1	LEICESTER.	
GRIMSBY	-	70,574	10.3	17.7	23.6	20.7	5.2	36	28	5	7	-	4	-	2	-	-	-	3	6	5	-	GRIMSBY.	
NOTTINGHAM	-	257,489	18.4	23.5	25.1	25.1	2.0	112	124	32	43	-	2	-	3	3	1	1	4	5	18	1	NOTTINGHAM.	
DERBY	-	125,774	17.8	14.9	17.4	17.8	0.4	49	43	9	14	-	-	-	1	-	-	-	-	6	8	-	DERBY.	
STOCKPORT	-	100,986	16.0	19.1	22.2	18.6	-	53	36	9	10	-	-	-	-	-	-	-	2	3	7	-	STOCKPORT.	
BIRKENHEAD	-	118,553	16.7	14.5	20.7	20.2	0.4	80	46	8	19	-	1	-	-	-	-	-	3	7	10	-	BIRKENHEAD.	
WALLASEY	-	66,707	14.9	18.8	15.6	25.0	-	32	32	3	18	-	-	-	-	-	-	-	1	3	9	-	WALLASEY.	
LIVERPOOL	-	746,144	20.0	23.3	22.9	24.0	1.5	502	343	56	118	-	3	5	4	4	1	4	9	16	107	8	LIVERPOOL.	
BOOTLE	-	67,114	14.0	17.9	16.3	22.5	0.8	35	29	3	6	-	-	-	1	-	-	-	2	2	9	2	BOOTLE.	
ST. HELENS	-	92,476	15.2	16.9	25.9	31.6	7.9	67	56	7	11	-	13	-	-	-	1	-	2	2	11	1	ST. HELENS.	
WIGAN	-	88,606	24.1	17.1	27.7	14.1	1.2	54	24	7	8	-	2	-	-	-	-	1	1	4	3	-	WIGAN.	
WARRINGTON	-	70,269	14.8	25.2	19.3	18.6	0.7	36	25	2	9	-	-	-	-	-	-	-	-	-	4	1	WARRINGTON.	
BOLTON	-	182,917	16.2	14.5	18.5	14.3	0.9	89	50	7	21	-	1	-	1	-	-	-	-	4	9	2	BOLTON.	
BURY	-	58,801	20.4	15.0	27.4	23.0	-	18	26	2	15	-	-	-	-	-	-	-	1	1	3	1	BURY.	
MANCHESTER	-	643,148	19.2	22.3	22.5	23.3	1.6	348	287	53	99	-	2	-	9	7	1	1	8	19	61	3	MANCHESTER.	
SALFORD	-	236,670	21.2	21.8	25.2	23.2	1.5	126	110	12	44	-	3	-	-	4	-	-	3	11	31	-	SALFORD.	
OLDHAM	-	141,730	22.4	19.9	25.3	22.4	1.5	82	61	13	18	-	1	-	1	1	-	1	3	4	11	1	OLDHAM.	
ROCHDALE	-	87,999	17.2	21.9	27.3	20.7	1.2	31	35	2	13	-	-	-	1	1	-	-	1	2	3	4	ROCHDALE.	
BURNLEY	-	103,947	13.5	20.6	21.1	16.1	0.5	66	32	7	8	-	-	-	-	1	-	-	1	1	7	-	BURNLEY.	
BLACKBURN	-	134,980	20.5	21.2	25.2	25.9	1.5	64	67	12	27	-	-	-	1	3	-	-	2	3	6	2	BLACKBURN.	
PRESTON	-	117,093	23.6	25.8	26.3	24.0	1.8	68	54	9	22	-	-	-	-	4	-	-	1	2	9	2	PRESTON.	
BARROW-IN-FURNESS.	-	61,635	17.8	17.8	18.6	23.7	2.5	39	28	3	12	-	-	-	1	1	-	-	1	-	3	-	BARROW-IN-FURNESS.	

ended Saturday, 16th February, 1907, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	The DEATHS registered in the Week include										TOWNS.								
	Deaths from																		
	Deaths of																		
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Unrecorded Causes of Death.							
TOWNS.	Cols.	Registered during the Week ended 16th Feb., 1907.		Rate from Diseases in 1906.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
		7.	8.	11-17.	18-1907.														
HUDDESFIELD.	-	94,814	18.7	18.1	18.1	14.3	0.5	45	26	4	8	-	-	-	-	1	3	-	-
HALIFAX.	-	110,138	16.6	15.1	18.5	18.9	0.9	41	40	4	20	-	-	-	-	-	6	-	-
BRADFORD.	-	230,323	17.2	16.2	17.4	21.0	0.7	119	117	13	46	-	2	-	-	9	20	1	-
LEEDS.	-	470,268	18.5	18.4	23.9	17.0	1.0	221	153	25	63	-	1	3	6	10	22	22	4
SHEFFIELD.	-	455,553	18.3	19.3	21.2	20.1	1.8	279	176	37	51	-	1	2	8	10	38	4	4
ROTHERHAM.	-	62,412	17.5	25.1	33.4	25.1	-	39	30	10	8	-	-	-	-	-	1	2	2
YORK.	-	84,730	22.2	17.8	19.1	19.1	1.2	53	31	4	11	-	2	-	-	1	11	-	-
HULL.	-	266,762	25.6	19.5	22.5	20.7	2.3	161	106	18	29	-	2	6	-	7	23	-	-
MIDDLESBROUGH.	-	101,783	25.6	31.8	22.5	26.1	2.0	76	51	10	12	-	-	3	1	2	8	-	-
STOCKTON-ON-TEES.	-	52,909	31.5	24.6	10.8	18.7	3.0	35	19	3	7	-	1	2	-	-	1	-	-
WEST HARTLEPOOL.	-	75,473	16.6	11.7	13.8	18.7	-	43	27	6	5	-	-	-	-	1	1	1	-
SUNDERLAND.	-	156,029	18.7	20.7	21.7	25.4	1.3	119	79	9	24	-	1	-	1	2	4	14	3
SOUTH SHIELDS.	-	113,460	24.4	19.3	20.7	21.6	2.8	52	47	10	12	-	3	2	-	3	4	7	3
GATESHEAD.	-	125,783	13.3	15.8	19.1	12.0	1.2	77	29	6	9	-	-	-	-	-	2	-	-
NEWCASTLE-ON-TYNE.	-	272,969	18.7	16.2	16.8	20.1	0.4	162	105	17	28	-	1	-	-	5	16	17	-
TYNEMOUTH.	-	54,688	11.4	28.6	26.7	21.0	1.0	40	22	5	5	-	-	1	-	-	2	-	-
NEWPORT (MON.).	-	75,585	32.4	25.5	17.9	30.4	4.8	42	44	10	13	-	1	1	-	4	5	7	-
CARDIFF.	-	157,620	13.6	13.6	20.6	19.2	0.6	105	69	14	18	-	-	-	1	3	6	13	-
RHONDDA.	-	130,400	16.0	24.8	29.2	21.2	1.2	108	53	27	5	-	-	2	-	5	5	-	-
MERTHYR TYDFIL.	-	76,085	13.7	20.6	29.5	24.7	1.4	46	36	9	12	-	-	-	-	1	4	2	-
SWANSEA.	-	97,324	20.4	30.0	30.5	26.3	1.6	65	49	7	15	-	-	2	1	-	2	9	-
GREATER LONDON.	-	7,217,941	17.2	19.3	19.2	18.7	1.3	3654	506	986	-	46	12	74	2	23	79	220	761
OUTER RING.	-	2,459,723	15.5	16.6	16.9	16.4	1.3	1304	775	192	275	-	18	26	1	6	16	38	113
8 TOWNS IN OUTER RING.	-	1,209,285	15.8	16.2	16.0	15.1	1.6	632	351	81	120	-	12	3	1	-	6	65	65
REMAINDER OF OUTER RING.	-	1,250,438	15.2	16.9	17.7	17.7	1.1	672	424	111	155	-	6	5	8	10	22	48	2
EDINBURGH.	-	345,747	22.0	17.5	19.9	22.0	0.6	122	146†	22	46	-	-	-	-	-	5	?	37
GLASGOW.	-	847,584	18.9	23.0	24.4	22.5	1.4	458	366†	74	87	-	3	13	3	4	15	?	103
DUBLIN†.	-	330,691	28.6	24.8	28.6	31.4	1.2	181	233†	31	75	-	1	4	-	1	4	4	90
BELFAST†.	-	370,163	22.8	20.7	27.2	28.6	0.8	216	203†	30	55	-	-	2	4	-	5	11	55

* See note † on first page of this return.
† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.
† Including 3 deaths from Cerebro-spinal meningitis or Cerebro-spinal fever in Edinburgh, 36 in Glasgow, 2 in Dublin, and 12 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2621	2527	2862	2439	2690	2691	2515	2737	2612	2394	2650.3	2350
Males - - -	1319	1244	1465	1232	1373	1372	1306	1375	1334	1219	1352.1	1188
Females - - -	1302	1283	1397	1207	1317	1319	1209	1362	1278	1175	1298.2	1162
TOTAL Deaths -	1524	1856	1686	2013	1719	2277	1556	1589	1506	1520	1729.1	1819
Males - - -	787	918	806	1015	883	1103	793	781	766	774	864.1	890
Females - - -	737	938	880	998	836	1174	758	808	740	746	865.0	929

* The numbers in this column are the average weekly numbers in the seventh week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 24.	Dec. 1.	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	13 Weeks.
TOTAL Births -	2532	2345	2338	2172	2503	1694	2905	2593	2454	2134	2550	2356	2350	30926
TOTAL Deaths -	1453	1406	1482	1628	1886	1850	2232	1946	1679	1647	1895	1858	1819	22781
Deaths -														
Under 1 year -	284	251	271	296	328	375	463	363	299	324	367	353	314	4288
1–5 years -	181	132	150	159	180	223	212	193	207	153	187	179	199	2345
5–20 " -	75	85	85	85	99	96	84	68	66	72	82	73	89	1047
20–40 " -	184	190	166	202	221	186	225	234	182	178	225	194	193	2580
40–60 " -	288	286	338	347	376	388	469	368	349	363	348	410	363	4693
60 yrs. & upwds	463	462	472	539	682	582	779	720	576	557	666	619	681	7828
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	26	21	21	26	24	29	36	28	33	17	20	30	28	339
Scarlet Fever - -	8	12	12	15	9	8	8	9	11	11	8	6	8	125
Diphtheria - - -	14	20	20	16	14	26	28	12	18	16	21	20	20	245
Whooping-cough -	5	13	18	18	32	31	38	31	28	35	51	40	48	388
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	7	7	15	6	4	7	11	4	5	8	2	1	80
Pyrexia (origin un- certain), - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	24	20	15	15	16	21	21	18	10	16	17	17	17	227
All above Diseases -	80	93	93	105	101	119	138	109	104	100	125	115	122	1404
Dis. of Resp. System														
Pneumonia - - -	156	177	169	216	297	309	398	324	229	280	282	285	298	3400
Phthisis - - -	129	131	134	156	204	181	184	168	146	159	184	175	187	2315
Dis. of Circ. System -	188	170	184	219	247	218	263	223	200	211	241	249	249	2862
Violence - - -	62	56	59	60	57	82	76	66	65	49	68	57	63	620
Inquest Cases - -	133	128	137	162	159	187	232	185	167	133	216	159	182	2180
Deaths in Institutions	545	533	588	616	717	610	752	695	645	605	694	689	648	8367
TEMPERATURE OF THE AIR.														
Mean - - -	46.2	47.3	43.8	36.5	39.2	31.4	39.3	42.8	40.7	30.5	36.1	33.0	39.7	39.0
Mean of Highest -	50.8	51.9	49.5	41.1	42.8	36.4	44.6	46.7	43.6	34.3	41.7	37.1	44.6	43.5
Mean of Lowest -	39.8	41.4	37.2	31.6	34.7	25.9	33.0	37.9	37.2	26.6	30.6	27.9	34.5	33.7
Mean Humidity of the Air.	89	84	80	79	91	77	83	83	81	74	77	76	85	81
Rain-fall (in inches) -	0.38	0.09	0.29	0.40	0.50	0.68	0.98	0.18	0.01	0.04	0.19	0.19	0.77	4.70
Registered Sunshine (in hours)	12.5	8.1	12.4	8.6	1.6	3.2	10.8	6.3	3.5	7.2	11.8	17.9	15.0	118.7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	4144	4053	4082	3986	3807	3846	3707	3523	3405	3292	3176	3059	3035	3623
Diphtheria - - -	1113	1082	1033	1025	955	1000	938	923	934	925	928	932	926	982
Typhus - - -	-	-	-	-	-	2	2	2	2	2	3	3	3	1
Enteric Fever - -	165	162	163	157	149	135	120	108	108	98	100	94	101	128

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.B.R.G.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 7th week of the 9 years 1892-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 7th week of the 9 years 1892-1906.	1907—Deaths of Persons the Ages						
		ALL AGES.									ALL AGES.						
		Under 20.	Under 40.	Under 60.	Under 80.	Under 100.	Under 120.	Under 140.			Under 20.	Under 40.	Under 60.	Under 80.	Under 100.	Under 120.	Under 140.
ALL CAUSES	1729 ¹	1819	314	190	69	193	363	681	Meningitis (not tuberc.)	17'6	12	4	7	1	-	-	-
									Insanity, Gen. Par. of	21'1	19	-	1	-	3	8	7
									Insane -	9'2	9	-	-	-	-	-	-
Small-pox*	11'5	-	-	-	-	-	-	-	Epilepsy -	21'9	15	14	1	-	4	3	2
Cowpox -	0'2	-	-	-	-	-	-	-	Convulsions -	2'7	3	-	-	-	-	-	-
Measles (Morbilli) -	42'0	28	6	19	3	-	-	-	Locomotor Ataxy -	7'2	11	-	-	1	-	2	1
Scarlet Fever -	12'3	8	-	6	2	-	-	-	Paraplegia, Dis. of Cord	25'4	20	-	1	1	-	5	13
Typhus -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	48'3	60	-	-	6	9	17	28
Plague -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	38'9	35	-	-	-	1	5	29
Influenza -	30'7	49	4	3	-	7	9	26	Cerebr. Hæm. Thromb.	20'3	21	-	-	-	-	7	14
Whooping-cough -	44'6	48	22	24	2	-	-	-	Apoplexy, Hemiplegia	7'2	7	-	-	-	-	-	3
Diphtheria	20'5	20	-	16	4	-	-	-	Aneurysm	2'5	-	-	-	-	-	-	-
Cerebro Spinal Fever	-	1	1	-	-	-	-	-	Embolism, Thrombosis	104'4	126	-	-	2	7	37	80
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	0'6	-	-	-	-	-	-	-
certain) -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	207'7	270	42	13	-	5	39	171
Enteric Fever -	5'9	1	-	-	1	-	-	-	Croup (not Spasm; nor	9'6	13	-	-	-	1	6	6
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.) -	5'7	5	-	1	-	1	2	1
Epidemic Diarrhoea	3'5	1	1	-	-	-	-	-	Bronchitis -	17'6	10	1	3	-	-	-	6
(Infective Enteritis)	10'6	16	9	-	1	1	2	3	Asthma, Emphysema	1'6	2	-	1	1	-	-	-
Diarrhoea, Dysentery	0'6	1	1	-	-	-	-	-	Gastro-Enteritis	7'8	8	4	1	1	-	2	-
Tetanus -	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	4'1	2	1	-	-	-	-	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Cirrhosis of Liver	4'1	3	-	-	1	-	1	1
Glanders -	-	-	-	-	-	-	-	-	Liver Dis. (other)	16'0	18	-	-	-	3	10	5
Anthrax (Splemic Fever)	-	-	-	-	-	-	-	-	Digestive Dis., Other	5'1	4	-	-	-	1	-	3
Venereal Dis. -	7'2	6	6	-	1	-	-	-	Nephritis, Acute	45'0	29	6	1	3	3	6	10
Puerperal Septicæmia	1'8	2	-	-	2	-	-	-	Bright's Dis., Albumin-	8'0	7	-	-	1	2	1	3
Puerperal Pyæmia	0'8	-	-	-	-	-	-	-	uria	43'6	49	-	-	1	7	15	26
Puerperal Fever	1'2	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	12'3	11	-	-	-	-	-	9
Infective Endocarditis	3'1	3	-	-	1	2	-	-	Generative Organs Dis.	6'3	5	-	-	-	-	1	4
Lobar -	11'5	22	-	3	-	3	8	8	Childbirth (Accid. of)	3'3	2	-	-	-	2	-	-
Broncho-	82'1	111	41	46	1	1	7	15	Old Age -	65'5	77	-	-	-	-	-	77
Epidemic	-	-	-	-	-	-	-	-	Other Diseases	110'5	92	64	6	3	6	4	9
Not defined	68'4	96	14	19	2	10	25	26	ACCIDENT.	-	-	-	-	-	-	-	-
Erysipelas	3'5	2	1	-	-	-	-	1	By Railways -	1'4	-	-	-	-	-	-	-
Septicæmia (not Puer-	1'8	2	-	-	1	-	-	-	By Vehicles and Horses	4'9	4	-	1	-	-	2	1
peral)	1'0	-	-	-	-	-	-	-	In Ships, Boats, Docks,	0'6	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	5'1	5	-	-	-	1	1	3	(exclusive of Drown-	1'0	1	-	-	-	1	-	-
Other Infective Processes	75'3	121	1	3	8	55	46	8	ing)	10'6	4	-	2	1	1	-	-
Tuberculous Phthisis	83'3	66	-	1	3	33	23	6	In Building Operations	8'2	12	1	8	1	-	-	2
"Phthisis" -	26'2	15	4	8	3	-	-	-	In Conflagrations -	3'7	1	-	-	-	-	-	-
Tuberculous Meningitis	5'7	6	1	2	1	1	1	-	By Burns, Scalds, Ex-	14'1	16	16	-	-	-	-	-
Tuberculous Peritonitis	3'1	1	1	-	-	-	-	-	plosions -	2'5	1	-	-	-	1	-	-
Tabes Mesenterica	18'0	14	3	2	3	5	1	-	By Drowning -	18'0	18	-	1	3	1	11	-
Tuberculous Dis. (other)	-	-	-	-	-	-	-	-	By Suffocation in Bed	-	-	-	-	-	-	-	-
Scrofula -	-	-	-	-	-	-	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	-
Alcoholism -	11'3	10	-	-	-	2	5	3	Vapours	-	-	-	-	-	-	-	-
Rheumatic Fever -	4'5	7	-	-	5	1	1	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Gout -	1'8	2	-	-	-	-	-	2	dent	-	-	-	-	-	-	-	-
Carcinoma -	46'5	53	-	-	-	1	27	25	VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
Sarcoma -	4'9	7	1	-	3	-	2	1	ACCIDENTAL.	-	-	-	-	-	-	-	-
Cancer (undefined)	32'5	37	-	-	-	2	18	17	Homicide -	0'8	-	-	-	-	-	-	-
Diabetes Mellitus -	6'8	7	-	-	-	3	4	-	Suicide -	9'0	6	-	-	1	2	2	1
Premature Birth -	63'4	43	43	-	-	-	-	-	Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX MEASLES SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th February, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include												
				Deaths of			Deaths from									
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.
																Deaths in Public Institutions.
																Unreported Deaths.
LONDON - - -	4,538,429	2350	1819	314	681	-	28	8	20	48	-	1	-	17	63	182
WEST DISTRICTS - - -	805,311	377	347	71	132	-	2	4	3	12	-	-	-	5	12	30
NORTH DISTRICTS - - -	1,056,070	494	396	55	160	-	1	-	3	13	-	-	-	1	12	42
CENTRAL DISTRICTS - - -	209,466	98	88	12	34	-	-	-	1	3	-	-	-	-	5	14
EAST DISTRICTS - - -	715,739	440	284	61	81	-	7	-	5	1	-	-	-	3	13	37
SOUTH DISTRICTS - - -	1,748,844	941	642	115	246	-	18	3	8	19	-	1	-	8	21	53
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	62	-	28	-	-	1	-	-	-	-	-	-	-	1
WEST DISTRICTS.																
St. Mary Paddington W,3H - -	93,178	48	49	12	20	-	-	-	-	4	-	-	-	-	3	7
St. John Paddington H - - -	33,617	9	12	1	5	-	-	-	-	-	-	-	-	-	1	1
North-West Paddington - - -	17,181	7	6	1	2	-	-	-	-	-	-	-	-	-	2	-
Kensington Town 2W,w,2H - -	128,037	60	77	17	31	-	-	-	-	3	-	-	-	-	3	5
Brompton 2H - - -	48,591	11	5	-	4	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith 2W,w,H - -	49,192	38	25	6	5	-	-	-	-	2	-	-	-	-	-	2
South Hammersmith w,2H - -	63,047	22	28	8	15	-	1	-	-	-	-	-	-	-	1	4
North-west Fulham W - - -	45,180	45	23	7	6	-	1	-	-	1	-	-	-	-	-	9
North-east Fulham F - - -	48,406	30	19	5	4	-	-	4	3	1	-	-	-	1	-	1
South Fulham W - - -	45,704	23	13	3	6	-	-	-	-	1	-	-	-	-	-	-
Chelsea North W,w,3H - - -	42,514	17	34	2	16	-	-	-	-	-	-	-	-	-	1	2
Chelsea South W,2H - - -	31,328	16	6	2	1	-	-	-	-	-	-	-	-	-	-	-
Mayfair and Knightsbridge - -	28,743	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -	56,815	15	20	3	10	-	-	-	-	-	-	-	-	-	1	3
St. Margaret & St. John 5H - -	43,698	26	21	3	5	-	-	-	-	-	-	-	-	2	1	2
St. James and St. Anne W,6H - -	33,081	8	7	1	1	-	-	-	-	-	-	-	-	-	1	1
NORTH DISTRICTS.																
All Souls Marylebone 8H - - -	35,391	6	13	1	6	-	-	-	-	-	-	-	-	-	1	2
St. Mary Marylebone W,4H - -	37,948	43	12	1	8	-	-	-	-	-	-	-	-	-	1	4
Christchurch Marylebone - - -	39,536	17	18	7	3	-	-	-	1	-	-	-	-	1	1	-
St. John Marylebone 2H - - -	20,426	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,7H - - -	81,942	22	25	5	10	-	-	-	-	1	-	-	-	-	1	3
West St. Pancras 2H - - -	60,562	34	15	-	7	-	-	-	-	-	-	-	-	-	2	2
South St. Pancras w,11H - - -	55,707	30	26	4	8	-	-	-	-	-	-	-	-	-	2	4
East St. Pancras W,2H - - -	60,320	35	26	4	10	-	-	-	-	-	-	-	-	-	-	3
North St. Pancras 2W - - -	58,728	26	27	4	9	-	-	-	-	2	-	-	-	-	-	10
Tufnell W - - -	31,995	12	30	6	7	-	-	-	-	2	-	-	-	-	-	2
Upper Holloway 2W,w,H - - -	33,973	19	28	-	16	-	-	-	-	-	-	-	-	-	1	2
Tollington WH - - -	33,922	13	6	-	4	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - -	41,424	23	14	2	4	-	-	-	-	1	-	-	-	-	-	-
Barnsbury - - -	54,476	31	17	4	6	-	-	-	-	1	-	-	-	-	1	3
Islington South-east F - - -	75,397	32	21	1	11	-	-	-	-	-	-	-	-	-	-	1
Highbury 2H - - -	63,797	25	19	2	11	-	-	-	-	2	-	-	-	-	-	-
Stoke Newington H - - -	51,247	20	7	1	3	-	-	-	-	1	-	-	-	-	-	2
North Hackney - - -	60,580	18	14	3	5	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - - -	60,536	22	24	4	10	-	-	-	3	1	-	-	-	-	1	3
South-west Hackney 3F - - -	59,921	31	16	-	4	-	-	-	-	-	-	-	-	-	-	2
South-east Hackney 2W,w,H - -	58,265	27	31	6	16	-	1	-	-	1	-	-	-	-	2	6

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th February, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury 2W,2H -	31,436	19	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
Strand W,4H - - - - -	21,874	3	8	-	2	-	-	-	-	-	-	-	-	-	-	1	1	5	-		
Strand Union Workhouse, Edmonton -	-	-	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5	-		
Holborn W,6H - - - - -	29,612	9	16	1	3	-	-	-	-	1	1	-	-	-	-	-	-	7	-		
South Clerkenwell - - - - -	28,676	15	7	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
North Clerkenwell H - - - - -	35,028	20	16	4	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-		
Finsbury 3H,L - - - - -	36,116	29	9	2	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Holborn Union Workhouse, } Mitcham - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
St. Botolph H - - - - -	10,299	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-		
St. Sepulchre and Allhallows W,2H	16,824	3	14	1	3	-	-	-	-	-	-	-	-	-	-	2	6	8	-		
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
EAST DISTRICTS																					
Shoreditch South H - - - - -	46,362	25	7	2	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
Shoreditch North-West W,w,H -	36,127	16	43	5	14	-	2	-	-	-	-	-	-	-	2	6	31	-	-		
Shoreditch North-East - - - - -	36,148	22	13	5	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North-East 2W } 2HL - - - - -	65,138	31	36	7	12	-	3	-	1	-	-	-	-	-	2	6	21	-	-		
Bethnal Green South-West H - -	64,542	34	15	3	2	-	-	-	-	1	-	-	-	-	2	3	1	-	-		
Spitalfields - - - - -	27,969	13	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Mile End New Town W,H - - -	28,718	30	46	10	10	-	-	-	3	-	-	-	-	-	2	5	39	-	-		
Goodman's Fields - - - - -	22,081	12	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
St. George and St. John 2W - -	49,068	47	17	5	4	-	-	-	-	-	-	-	-	-	-	3	7	-	-		
Shadwell and Ratcliff W,H - - -	25,568	12	11	3	-	-	-	-	1	-	-	-	-	-	-	2	3	5	-		
Limehouse W - - - - -	32,369	20	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Mile End Old Town South- } Western H - - - - -	63,698	56	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
Mile End Old Town North- } Eastern W,w - - - - -	49,129	27	14	3	6	-	-	-	-	-	-	-	-	1	-	1	10	-	-		
Bow L - - - - -	41,939	22	10	2	2	-	-	-	-	-	-	-	-	-	-	1	3	-	-		
Bromley 3w,H - - - - -	68,319	32	36	7	8	-	-	-	-	-	-	-	-	-	-	1	2	27	-		
Poplar W,w - - - - -	58,514	41	15	5	9	-	-	-	-	-	-	-	-	-	-	1	1	3	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th February, 1907—continued.

REGISTRATION SUB-DISTRICTS	Enu- me- rated Popu- lation 1901	The DEATHS registered during the Week include																	
		Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Certified Causes of Death	
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W,2H - - - }	23,319	10	16	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	11
Kent-road - - - - -	21,904	10	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-
St. George the Martyr West } W,2H,L - - - }	39,094	20	19	5	7	-	-	-	-	-	-	-	-	-	-	-	3	3	2
Newington North - - -	49,022	30	8	2	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Newington South W - - -	72,811	39	18	8	4	-	-	-	-	-	2	-	-	-	-	-	3	1	-
St. Olave 2W - - - - -	9,817	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - - -	82,483	62	32	6	10	-	1	-	-	2	-	-	-	-	-	-	2	2	-
Rotherhithe W,F - - -	38,460	20	17	-	7	-	2	-	-	-	-	-	-	-	-	1	2	6	-
Waterloo 2H - - - - -	27,440	32	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church H - - -	27,440	14	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	8	-
Kennington 2W - - - -	52,518	39	35	2	16	-	-	-	-	-	1	-	-	-	-	-	2	20	-
Stockwell HF - - - - -	63,826	44	16	2	5	-	1	1	1	-	-	-	-	-	-	-	1	3	3
Brixton H - - - - -	73,673	36	25	5	14	-	-	-	-	-	-	-	-	-	-	1	1	2	2
Norwood WH - - - - -	56,998	32	39	6	16	-	-	-	-	-	-	-	-	-	-	1	2	3	3
East Battersea H - - - -	72,303	36	19	4	6	-	-	-	-	2	-	-	-	-	-	-	2	-	-
North-west Battersea - -	49,656	28	16	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H-	47,048	13	24	2	11	-	-	-	-	-	-	-	-	-	-	2	3	12	-
Olapham 2H - - - - -	51,391	19	18	4	10	-	-	-	-	1	-	-	-	-	-	-	1	3	-
Streatham W,2w,2F,2L -	88,019	57	34	6	17	-	-	1	3	-	-	-	-	-	-	1	1	13	-
Springfield 2W,L - - -	27,959	18	13	2	4	-	1	-	-	-	-	-	-	-	-	1	1	-	-
Southfields H - - - - -	40,444	20	12	2	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-
Putney - - - - -	24,139	6	6	-	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Dulwich - - - - -	13,359	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w -	40,206	16	32	-	15	-	-	-	-	-	-	-	-	-	-	-	-	21	-
Camberwell North W,2L -	65,534	35	33	4	13	-	-	-	1	-	-	-	-	-	-	2	3	6	-
St George - - - - -	47,331	30	10	3	3	-	1	-	1	2	-	-	-	-	-	-	1	17	-
Peckham North - - - - -	48,913	32	18	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South 2W,w - - -	43,916	14	7	1	2	-	-	-	2	-	-	-	-	-	-	1	1	-	1
Deptford North - - - - -	37,613	27	14	5	1	-	3	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central F - - -	45,451	18	17	1	6	-	1	1	4	-	-	1	-	-	-	1	1	6	-
Deptford South - - - - -	34,635	10	7	2	3	-	1	-	1	-	-	-	-	-	-	1	2	-	-
Greenwich West 2H - - -	23,456	13	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich East 2W,H - -	43,859	17	19	1	5	-	1	-	-	-	-	-	-	-	-	1	3	13	-
Eltham w,H - - - - -	7,226	10	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee wH - - - - -	25,490	13	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham W,w,F - - - -	58,352	37	23	4	11	-	-	1	1	-	-	-	-	-	-	-	-	11	-
Sydenham H - - - - -	43,953	15	12	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Charlton F,2H - - - - -	21,134	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Woolwich 5H - - - - -	41,625	24	17	4	7	-	4	-	-	-	-	-	-	-	-	1	2	-	-
Plumstead West W - - -	18,063	11	6	2	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Plumstead East 2W,H - -	50,264	20	19	3	7	-	1	-	-	-	-	-	-	-	-	-	2	6	-
Workhouse :-																			
Central London Sick Asylum	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:-																			
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:-																			
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Northern - - - - -	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:-																			
Belmont - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Leavesden - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
London County Lunatic Asylums.-			5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Banstead - - - - -	-	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-
Horton - - - - -	-	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - -	-	-	2	-	6	-	-	-	-	-	-	-	-	-	-	-	-	9	-
Cane Hill - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Dartford Heath - - - - -	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	-
Hanwell - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	9	-
Colney Hatch - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Claybury - - - - -	-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	5	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th February, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
	LONDON—OUTER RING	368,802	2,044,973	1304	775	192	275	-	18	4	8	26	1	6	16	38	113	4	
30: 1	Carshalton 2F,3H	12,228	32,997	16	6	2	3	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F,L	2,764	2,692	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Conlodon	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	16	11	2	6	-	-	-	-	1	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	31	34	9	11	-	-	-	2	1	-	-	1	3	14	-	
4	North Croydon H	2,644	41,698	16	14	2	8	-	-	-	-	-	-	-	-	-	1	-	
5	Penge w,H	770	22,465	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham w	11,711	30,015	23	10	4	4	-	-	-	-	-	-	1	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	22	18	4	7	-	-	-	-	1	-	-	-	2	-	-	
2	Kingston 2W,H	6,224	42,068	22	20	6	7	-	-	-	-	1	-	1	2	3	4	-	
3	Surbiton F,H	3,046	15,017	4	5	-	2	-	1	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	5	3	3	-	-	-	-	-	-	-	-	-	1	-	-	
5	Hampton H,F,L	4,684	23,456	14	7	3	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,182	28,865	13	9	4	2	-	-	-	-	-	-	-	1	-	1	-	
2	Mortlake F	2,847	20,628	24	13	4	5	-	-	-	-	-	-	-	1	1	-	-	
41: 1	Bromley F,2H	4,703	27,354	18	16	3	7	-	-	-	1	-	-	-	-	1	1	-	
2	Beckenham H	7,825	28,497	15	8	1	3	-	-	-	-	-	-	-	1	1	-	-	
3	Orpington part of* W	10,113	9,867	8	13	4	3	-	-	-	-	-	-	-	-	-	3	-	
4	Chislehurst 2H	7,333	16,446	5	9	4	2	-	-	-	1	-	-	-	-	-	2	-	
42: 1	Bexley w,F,H	8,678	21,151	9	6	1	1	-	-	-	-	-	-	-	-	1	-	-	
2	Erith F,H	3,354	25,296	19	5	2	-	-	-	-	-	-	-	-	1	1	-	-	
3	Dartford W,F, part of*	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
124: 1	Sunbury w	11,054	18,683	9	7	1	5	-	-	-	-	-	-	-	1	1	-	-	
2	Staines W,H	13,277	16,176	6	8	3	1	-	-	-	-	1	-	-	-	-	-	-	
125: 1	Hillingdon W,F,H	6,035	13,661	11	8	2	4	-	-	-	1	-	-	-	-	-	3	-	
2	Uxbridge H	12,767	8,984	5	5	-	4	-	-	-	-	1	-	-	-	-	-	1	
3	Hayes w,2F,H	8,066	16,358	17	7	2	2	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth 3W,2F,H	8,869	30,863	30	17	4	9	-	-	1	-	-	-	-	-	-	10	-	
2	Twickenham F,2H	2,421	20,991	13	10	3	3	-	-	-	-	-	-	1	-	-	-	1	
3	Brentford 3F,2H	4,319	48,286	35	18	2	5	-	-	-	-	2	-	-	2	1	1	-	
4	Chiswick H	1,249	29,809	16	16	7	6	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	46,914	37	20	9	7	-	2	-	-	-	-	-	1	1	-	-	
127: 1	Harrow F,H	13,809	25,523	14	9	1	4	-	1	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	85	46	13	13	-	-	-	2	-	-	-	-	-	6	-	
4	Hendon W,F	8,382	22,450	15	9	2	4	-	-	-	-	-	-	-	-	-	1	-	
128: 1	South Mimms 2F,H	17,755	7,308	2	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	Barnet W,2H	3,324	17,970	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	25	16	4	9	-	1	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey F,H	2,875	72,056	28	18	3	7	-	1	-	-	1	-	-	-	-	-	-	
2	Wood Green H	1,625	34,233	17	9	3	2	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham F	996	48,853	38	19	3	5	-	1	-	-	4	-	-	-	-	-	-	
4	East Tottenham 2H	2,017	53,688	40	20	9	6	-	-	-	-	-	-	-	-	1	4	-	
5	Edmonton W,w,2F	7,491	61,892	49	25	10	10	-	-	-	-	-	-	1	-	4	7	-	
6	Enfield 2W,F,H	12,601	42,738	25	18	3	9	-	-	1	-	-	-	1	1	1	3	-	
7	Waltham Abbey F	11,017	6,549	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,282	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
138: 1	Stratford H	1,072	44,827	28	10	2	4	-	1	-	-	-	-	-	-	-	-	-	
2	Plaistow F,2H	1,249	90,921	91	34	9	7	-	2	-	-	1	1	-	1	1	4	-	
3	Canning Town H	1,556	70,718	48	22	7	4	-	1	-	-	-	-	-	-	-	-	-	
4	Forest Gate w	806	60,892	27	13	3	4	-	-	-	-	-	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	35	10	3	2	-	-	-	-	1	-	-	1	2	-	1	
6	South East Ham 2F	1,993	87,342	27	14	3	1	-	3	-	-	2	-	-	1	4	-	-	
7	Wanstead F	1,679	9,179	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	19	24	5	13	-	2	1	-	1	-	-	-	1	15	-	
9	North Leyton 2W,w,F	1,963	48,445	35	33	4	13	-	1	1	1	1	-	-	1	2	21	1	
10	Walthamstow 3H,L	6,504	108,929	75	35	6	14	-	1	-	-	4	-	-	-	-	-	-	
187: 1	Chigwell 2F,3H	11,778	16,397	8	8	1	1	-	-	-	-	-	-	-	-	-	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford, part of* W,2F	6,556	6,091	9	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F,L	8,496	41,234	32	17	-	5	-	-	-	1	1	-	-	-	1	5	-	
3	Barking Town F	3,803	21,547	18	9	2	4	-	-	-	-	-	-	-	-	-	-	-	
	Horton Asylum, Epsom	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	City of London Asylum, Stone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whooping- cough.	Fever.	Diarrhoeal Diseases
LONDON - -	4,758,218	February 16	2350	1819	19'0	-	28	8	20	48	1	17
CALCUTTA - -	977,822	January 19	-	1005	61'6	25	1	-	-	2	167	5
BOMBAY - -	982,000	" 29	354	740	49'6	-	3	-	-	-	142	78
MADRAS - -	508,346*	" 18	320	364	37'1	-	2	?	?	?	80	71
PARIS - - -	2,750,000	February 9	1063	1396	26'6	-	10	9	8	11	5	20
BRUSSELS - -	612,401	" 9	224	249	21'1	-	5	1	1	1	-	9
ANTWERP - -	297,311	" 9	150	105	18'4	-	6	-	3	3	1	11
AMSTERDAM -	564,194	" 9	314	221	20'4	-	4	2	-	2	1	7
COPENHAGEN -	427,000	" 9	212	163	19'9	-	-	-	-	4	-	3
STOCKHOLM -	324,488	" 2	172	97	15'5	-	-	-	2	1	-	4
CHRISTIANIA -	226,472	" 19	125	80	18'7	-	-	-	4	-	1	1
ST. PETERSBURG	1,424,700	January 26	-	854	31'3	-	39	24	20	2	21	114
MOSCOW - -	1,172,421	" 26	-	864	38'4	4	23	14	9	3	10	68
BERLIN - - -	2,094,455	" 26	877	659	16'4	-	2	3	5	6	4	29
HAMBURG - -	824,792	February 9	-	265	16'7	-	-	-	4	3	-	17
BRESLAU - -	482,326	" 2	-	248	26'8	-	2	-	2	2	-	13
MUNICH - - -	548,000	" 9	307	203	19'3	-	7	-	3	3	-	18
		" 9	-	207	19'6	-	6	1	2	1	1	22
VIENNA - - -	1,958,323	" 9	842	726	19'3	-	10	5	7	3	-	17
PRAGUE - - -	466,133	" 9	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	802,235	" 2	407	334	21'4	-	1	5	7	-	2	12
TRIESTE - - -	199,003	" 9	130	135	35'2	-	2	-	2	-	1	2
ROME - - - -	531,818	January 5	-	-	-	-	-	-	-	-	-	-
VENICE - - -	171,709	February 2	87	98	29'3	-	-	-	-	1	-	1
BUCHAREST -	291,138	" 9	215	139	24'9	-	-	-	1	-	-	3
NEW YORK - -	4,285,435	" 2	2566	1612	19'6	1	5	15	46	13	9	50
CHICAGO - - -	2,107,620	" 2	-	741	18'3	-	4	44	15	7	4	23
PHILADELPHIA -	1,500,595	January 19	-	558	19'3	-	1	2	16	3	41	16
RIO DE JANEIRO	912,900	" 20	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 14 deaths from plague in Calcutta, and 51 in Bombay.

‡ Including 422 deaths from cholera in Calcutta, and 2 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th February, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	48'6	28'0	39'6	0'77	LEEDS - - -	54'0	32'0	40'0	0'59
BRIGHTON - -	48'9	29'9	39'0	0'83	YORK - - -	53'0	31'0	39'6	0'54
PORTSMOUTH -	50'5	29'0	40'7	0'67	HULL - - -	55'0	32'0	39'4	0'96
NORWICH - - -	50'0	29'2	37'8	0'83	TYNEMOUTH -	52'0	29'0	38'2	0'66
PLYMOUTH - -	52'3	32'5	43'1	0'95	CARDIFF - -	48'8	29'0	39'3	0'69
BRISTOL - - -	49'0	28'0	40'2	0'73	EDINBURGH -	51'7	30'3	38'2	0'36
BIRMINGHAM -	52'0	30'0	38'7	0'36	GLASGOW - -	52'8	23'5	37'9	1'26
NOTTINGHAM -	53'1	30'5	39'1	0'77	DUBLIN { Phonix Park. Fitz- william Square.†	54'3	28'7	40'4	0'60
LIVERPOOL } OBSERVATORY.	53'0	32'0	39'5	0'73		55'7	31'9	41'5	0'58
MANCHESTER -	52'8	27'8	38'4	1'09		52'0	30'0	39'1	0'64
PRESTON - - -	51'0	30'0	38'5	0'97					
HUDDERSFIELD -	51'7	28'0	37'9	1'19					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The above was 0°·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		WINDS deduced from Anemometers.		Rain collected in a Gauge whose surface is 10 square inches above the Ground.															
MONTH AND DAY	Phases of the Moon.	Of the Air.		Of the New Point.		Difference between the Air Temp. and Dew Point Temperature.		Of the Earth.		Of the Earth.															
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from average value, 65 years.	Mean daily value.	Great-est.	Least-est.	General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air in 24 hours.	Vertical Movement of the Air in 24 hours.												
FEBRUARY.		in.	°	°	°	°	°	°	°	°	°	°	°												
SUNDAY - 10	Perigee 29.580	45.8	28.0	17.8	37.7	- 1.2	36.3	°	21.2	°	39.23	SW. & SSW.	1.6	0.0	0.1	191	Miles. -144	in. 0.00	0.07						
MONDAY - 11	.. 29.488	42.2	32.4	9.8	37.4	- 1.4	30.2	°	24.8	°	39.32	SW. & SSW.	4.0	0.0	0.2	303	- 25	0.27	4.6						
TUESDAY - 12	New 28.946	45.6	32.7	12.9	39.9	+ 1.1	39.7	°	26.0	°	39.38	S. & SSW.	5.6	0.0	0.5	363	+ 34	0.40	6.7						
WEDNESDAY 13	.. 29.438	39.2	35.8	3.4	37.5	- 1.5	32.7	°	34.0	°	39.63	SSE. & NNW.	11.0	0.0	1.5	537	+214	0.07	0.0						
THURSDAY - 14	.. 30.082	43.0	34.1	8.9	38.1	- 1.2	32.2	°	26.9	°	39.62	N. & SSW.	3.2	0.0	0.3	250	- 67	0.00	0.0						
FRIDAY - 15	.. 29.856	48.6	37.9	10.7	43.4	+ 4.0	41.0	°	34.0	°	39.77	SSW. & S.	2.4	0.0	0.3	349	+ 36	0.01	0.0						
SATURDAY - 16	In Equator 29.946	48.1	40.7	7.4	43.7	+ 4.2	34.9	°	34.8	°	39.98	WSW. & WNW. & WSW.	4.0	0.0	0.4	388	+ 78	0.02	0.8						
MEANS -	29.619	44.6	34.5	10.1	39.7	+ 0.6	35.4	°	28.8	°	39.56	NNW. & SW.	Sum 2386	Sum +126	Sum 0.77	1.8						
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	
DATE.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.		FEBRUARY.	
SUNDAY - 10	s. P. generally.	48	36	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	
MONDAY - 11	w. P. till 5h. A.M.; v. P. and v. N. till 10h. A.M.; s. P. afterwards.	30	96	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	
TUESDAY - 12	v. P. till 4h. A.M.; w. P. and v. N. till 5h. P.; m. P. till 9h. P.; v. P. and v. N. till 7h. A.M.; s. P. generally afterwards.	00	97	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	
WEDNESDAY 13	s. P. generally.	00	98	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	
THURSDAY - 14	s. P. generally.	37	98	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	
FRIDAY - 15	m. P. generally.	00	99	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	
SATURDAY - 16	m. P. till 9h. A.M.; afterwards s. P. generally.	35	100	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	
No. of Col. -	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	

The results apply to the civil day, or from midnight to midnight.	
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.	
Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 8 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.	
The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.	
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.	
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.	
The reading of the barometer decreased from 29.56 in. at the beginning of the week to 29.35 in. by 6h. A.M. on the 11th; increased to 29.57 in. by 7h. P.M. on the same day; decreased to 28.88 in. by 3h. P.M. on the 12th; increased to 29.05 in. by 11h. A.M. on the 14th; decreased to 29.78 in. by 1h. A.M. on the 16th, increased to 30.02 in. by 4h. P.M., and decreased to 29.95 in. by midnight on the same day.	

GENERAL REMARKS.

Foggy till 5h. 30m. A.M.; very fine generally afterwards with short foggy interval at 8h. 30m. A.M.; hoar frost in morning. Solar halo in afternoon.
Generally cloudy till evening; very fine at night with little cloud after 11h. P.M.; snow followed by rain between 5h. and 7h. A.M.; hoar frost at night.
Generally overcast; frequent rain; brisk wind between 6h. and 10h. A.M.
Generally overcast; frequent thin rain; gusty wind.
Fine generally; variable amounts of cloud; slight fog in early evening.
Generally overcast; fine interval between 9h. and 10h. P.M.; slight rain in early morning (2 to 3h. 30m. A.M.).
Variably cloudy in day time with fine intervals; rain 5h. to 4h. A.M.; overcast at night.
Sum 684
Sum 684

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 155 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Clausius's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometer records for the 40 years ending 1906. In reading columns 9 and 34 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.
The reading of the barometer decreased from 29.65 in. at the beginning of the week to 29.35 in. by 6h. A.M. on the 11th; increased to 29.57 in. by 7h. P.M. on the same day; decreased to 28.88 in. by 3h. P.M. on the 13th; increased to 30.05 in. by 11h. A.M. on the 14th; decreased to 29.78 in. by 1h. A.M. on the 16th, increased to 30.02 in. by 4h. P.M., and decreased to 29.95 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 9th February 1907.*

BOROUGHES	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	149,909	-	25	4	-	-	-	-	3	-
Kensington - - - - -	181,842	-	15	2	-	-	-	-	3	-
Hammersmith - - - - -	122,337	-	5	5	-	1	-	-	1	-
Fulham - - - - -	166,749	-	15	7	-	1	-	-	2	1
Chelsea - - - - -	74,857	-	1	2	-	-	-	-	-	-
City of Westminster - - -	172,219	-	7	3	-	-	-	-	4	-
NORTH.										
St. Marylebone - - - - -	127,718	-	3	5	-	1	-	-	6	-
Hampstead - - - - -	91,137	-	12	3	-	1	-	-	-	-
St. Pancras - - - - -	236,753	-	8	6	-	1	-	-	2	-
Islington - - - - -	347,017	-	16	8	-	2	-	-	5	-
Stoke Newington - - - - -	53,613	-	2	3	-	1	-	-	1	-
Hackney - - - - -	232,993	-	14	9	-	2	-	-	6	-
CENTRAL.										
Holborn - - - - -	55,134	-	-	1	-	-	-	-	1	-
Finsbury - - - - -	96,732	-	7	3	-	2	-	-	2	-
City of London - - - - -	20,310	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	115,662	-	13	4	-	-	-	-	1	-
Bethnal Green - - - - -	130,831	-	10	1	-	-	-	-	4	-
Stepney - - - - -	308,923	-	24	10	-	2	-	-	1	-
Poplar - - - - -	171,086	-	9	2	-	1	-	-	2	-
SOUTH.										
Southwark - - - - -	209,781	-	15	6	-	3	-	-	11	1
Bermondsey - - - - -	128,263	-	11	10	-	3	-	-	3	-
Lambeth - - - - -	318,538	-	20	5	-	1	-	-	3	-
Battersea - - - - -	181,736	-	13	9	-	1	-	-	1	1
Wandsworth - - - - -	281,419	-	13	8	-	-	-	-	5	-
Camberwell - - - - -	277,059	-	19	8	-	-	-	-	7	1
Deptford - - - - -	116,510	-	13	8	-	1	-	-	4	-
Greenwich - - - - -	107,222	-	17	5	-	-	-	-	5	-
Lewisham - - - - -	152,532	-	10	10	-	-	-	-	1	-
Woolwich - - - - -	129,336	-	21	11	-	3	-	-	4	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218		-	339	153	-	27	-	-	88	4
AGES.										
Ages 0-1 - - - - -	-	-	4	1	-	-	-	-	1	-
" 1-5 - - - - -	-	-	103	60	-	-	-	-	4	-
" 5- - - - -	-	-	141	58	-	-	-	-	3	-
" 10- - - - -	-	-	49	15	-	1	-	-	1	-
" 15- - - - -	-	-	18	6	-	6	-	-	5	-
" 20- - - - -	-	-	11	7	-	7	-	-	7	2
" 25- - - - -	-	-	11	7	-	6	-	-	15	1
" 35- - - - -	-	-	1	2	-	7	-	-	16	1
" 45- - - - -	-	-	1	1	-	-	-	-	18	-
" 55- - - - -	-	-	-	1	-	-	-	-	11	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	6	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 8. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, FEB. 23. [Price 1½d.

General Register Office, Somerset House,
February 25th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 19·8, 20·9, and 20·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·1 in St. Helens, 23·3 in Portsmouth, 24·7 in Sunderland, 24·8 in Stockport, 25·5 in Brighton, 27·7 in Middlesbrough, and 27·9 in Hanley; from *measles*, 3·7 in Grimsby and 5·1 in St. Helens; from *diphtheria*, 1·2 in Derby and in Wigan; from *whooping-cough*, 1·7 in Rotherham and 2·6 in Middlesbrough; from "*fever*," 1·3 in Aston Manor; and from *diarrhoea*, 1·3 in Norwich. One death from *small-pox* was registered in Bristol, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2412 BIRTHS and 1538 DEATHS were registered. Allowing for increase of population, the births were 111 and the deaths 182 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 20·8, 20·4, and 19·9 per 1000 in the preceding three weeks, further fell last week to 17·1. The death-rate in the four weeks ended last Saturday averaged 19·6 per 1000, being 1·3 per 1000 above the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1558 deaths included 38 from measles, 8 from scarlet fever, 16 from diphtheria, 31 from whooping-cough, 1 from enteric fever, and 18 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 112 deaths were referred to these diseases in the aggregate, being 35 below the corrected average number in the eighth week of the preceding five years.

The deaths from *measles*, which had been 20, 30, and 28 in the preceding three weeks, rose to 38 last week, but were 8 below the corrected average; 6 deaths belonged to the Borough of Shoreditch, 6 to Stepney, 5 to Woolwich, and 4 to Deptford. The deaths from *scarlet fever*, which had been 8, 6, and 8 in the preceding three weeks, were 8 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 21, 20, and 20 in the preceding three weeks, fell to 16 last week, and were 2 below the corrected average; 3 deaths belonged to Deptford. The deaths from *whooping-cough*, which had been 51, 40, and 48 in the preceding three weeks, fell to 31 last week, and were 9 below the corrected average; 5 deaths belonged to Hackney, 5 to Southwark, 3 to St. Pancras, and 3 to Lewisham. One death from *enteric fever* was recorded last week, the corrected average being 8; the deaths in the preceding three weeks had been 8, 2, and 1. The deaths from *diarrhœa*, which had been 17, 17, and 17 in the preceding three weeks, numbered 18 last week, the corrected average being 15. Of the 18 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 44, having been 49, 44, and 49 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 11 were cases of suicide, while the remaining 45 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 11 to burns or scalds, 3 to building operations, 3 to drowning, and 6, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2938 cases of scarlet fever, 920 of diphtheria, 4 of typhus, and 102 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 322 cases, against 319, 311, and 368; of diphtheria, 114 cases, against 131, 132, and 130; and of enteric fever, 11 cases, against 14, 17, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 16th, 1907.

GREATER LONDON.

In Greater London 3647 births and 2210 deaths were registered. Allowing for increase of population, these numbers are 170 and 206 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 4 from whooping-cough, and 2 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·57 inches, and that of the Thermometer 39°·9, the latter being 0°·3 above the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 71 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 19·8 hours; the measured rainfall amounted to 0·29 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

119

TOWNS.	POPULATION estimated to the middle of the year 1907.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths in Col. 18.		The DEATHS registered in the Week include											TOWNS.	
		Week ended				Week ended 23rd Feb., 1907.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
		2nd Feb., 1907.	3rd Feb., 1907.	4th Feb., 1907.	5th Feb., 1907.				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
		19.	20.	21.	Cols.																	
76 TOWNS	16,024,458	19'8	20'9	20'4	17'8	1'3	8250	5469	1053	1847	1	136	38	65	95	16	39	188	434	1322	58	76 TOWNS.
LONDON -	4,758,218	20'8	20'4	19'9	17'1	0'4	2412	1568	275	542	-	38	8	16	31	1	18	56	153	609	-	LONDON.
(CROYDON -	154,342	17'6	20'6	18'6	17'9	1'7	65	53	12	18	-	-	-	2	3	-	1	2	2	8	-	(CROYDON.
WILLESDEN -	149,192	16'4	18'9	16'1	13'6	1'0	68	39	8	11	-	-	1	1	-	-	-	3	2	4	-	WILLESDEN.
HORNSEY -	89,816	11'6	9'9	11'0	12'2	1'7	26	21	3	9	-	-	1	-	-	-	1	3	2	2	-	HORNSEY.
TOTTENHAM -	122,793	17'8	11'5	16'6	14'4	-	85	34	11	9	-	-	-	-	-	-	2	4	5	5	-	TOTTENHAM.
WEST HAM -	308,284	15'7	15'6	17'6	16'1	2'9	147	95	22	30	-	6	3	2	2	1	3	4	10	27	-	WEST HAM.
EAST HAM -	136,421	17'2	13'0	10'3	15'3	1'9	64	40	8	14	-	4	1	-	-	-	1	1	7	7	-	EAST HAM.
LEYTON -	122,040	16'2	15'4	10'3	10'7	1'3	67	25	2	10	-	-	-	1	2	-	-	1	5	5	-	LEYTON.
(WALTHAMSTOW -	126,397	16'1	21'0	15'3	12'0	1'2	73	29	9	9	-	1	-	1	1	-	1	2	3	3	-	(WALTHAMSTOW.
HASTINGS -	67,477	13'1	14'7	18'5	12'4	-	23	16	1	9	-	-	-	-	-	-	-	1	-	-	-	HASTINGS.
BRIGHTON -	129,023	19'4	25'1	18'6	25'5	1'2	54	63	12	32	-	-	-	1	2	-	1	3	17	-	-	BRIGHTON.
PORTSMOUTH -	208,231	22'8	26'0	27'3	23'3	0'5	107	93	14	45	-	2	-	-	-	-	2	6	14	2	-	PORTSMOUTH.
BOURNEMOUTH -	69,246	18'8	18'1	19'6	15'8	-	20	21	3	8	-	-	-	-	-	-	-	2	2	2	-	BOURNEMOUTH.
SOUTHAMPTON -	119,745	16'5	17'4	17'0	17'9	0'4	50	41	5	19	-	-	-	1	-	-	-	3	7	-	-	SOUTHAMPTON.
READING -	80,311	13'0	22'1	17'5	22'1	-	37	34	1	20	-	-	-	-	-	-	-	1	12	1	-	READING.
NORTHAMPTON -	95,070	12'6	21'9	13'7	16'5	0'5	37	30	5	12	-	1	-	-	-	-	4	6	5	-	-	NORTHAMPTON.
IPSWICH -	72,825	17'2	18'6	20'8	17'2	-	38	24	5	11	-	-	-	-	-	-	3	5	4	-	-	IPSWICH.
GREAT YARMOUTH -	52,879	23'7	19'7	22'7	22'7	-	29	23	5	10	-	-	-	-	-	-	1	1	4	-	-	GREAT YARMOUTH.
NORWICH -	119,191	22'7	19'2	19'2	21'4	2'2	51	49	7	17	-	-	-	-	1	3	-	2	4	4	-	NORWICH.
PLYMOUTH -	120,063	23'0	27'4	33'9	18'7	1'3	56	43	9	19	-	2	1	-	-	-	1	4	7	7	-	PLYMOUTH.
DEVONPORT -	79,959	18'3	21'5	20'9	16'3	0'7	53	25	5	9	-	1	-	-	-	-	1	3	1	-	-	DEVONPORT.
BRISTOL -	367,979	19'3	22'0	22'1	17'9	0'4	185	126	30	57	1	-	-	1	-	-	1	7	19	-	-	BRISTOL.
HANLEY -	67,174	19'4	21'7	20'2	27'9	-	46	36	10	14	-	-	-	-	-	-	1	2	4	4	-	HANLEY.
BURTON-ON-TRENT -	53,425	14'6	19'5	12'7	15'6	-	25	16	4	8	-	-	-	-	-	-	-	-	3	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	102,016	19'4	30'2	25'6	18'9	1'0	50	37	8	6	-	-	-	-	1	-	-	1	3	3	-	WOLVERHAMPTON.
WALSALL -	96,171	17'9	17'9	16'8	18'4	-	64	34	10	13	-	-	-	-	-	-	-	-	4	6	-	WALSALL.
HANDSWORTH -	65,929	11'9	9'5	11'1	13'4	-	28	17	5	8	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	69,123	15'1	22'6	23'4	18'9	2'3	49	25	2	11	-	2	1	-	-	-	-	-	-	-	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 23rd February, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 23rd Feb., 1907.		The DEATHS registered in the Week include										TOWNS.														
		Week ended					Week ended		BIRTHS.		DEATHS.		Deaths of																						
		2nd Feb., 1907.					16th Feb., 1907.		23rd Feb., 1907.														Deaths from												
		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.		21.											Deaths in Public Institutions.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.													
BIRMINGHAM -	553,155	23'6	20'8	24'9	18'9	2'4	276	200	41	49	-	-	11	5	3	5	-	1	10	11	46	10	Deaths in Public Institutions.										Causes of Death.		BIRMINGHAM.
KINGS NORTON -	75,600	9'7	26'9	7'6	6'9	-	39	10	4	3	-	-	-	-	-	-	-	-	1	1	-	-													Deaths in Public Institutions.
SMETHWICK -	66,467	22'0	18'0	15'7	11'8	3'1	27	15	3	2	-	-	2	1	-	1	-	-	1	1	1	-	Deaths in Public Institutions.										Causes of Death.		
ASTON MANOR -	83,266	16'9	14'4	14'4	18'2	2'5	40	29	6	10	-	-	2	-	-	-	2	-	-	1	3	1													Deaths in Public Institutions.
COVENTRY -	77,626	12'1	19'5	18'1	16'8	-	45	25	5	7	-	-	-	-	-	-	-	-	1	1	2	-	Deaths in Public Institutions.										Causes of Death.		
LEICESTER -	236,124	20'5	20'1	16'8	14'1	2'0	96	61	18	22	-	-	7	1	-	1	-	-	2	5	5	-													Deaths in Public Institutions.
GRIMSBY -	70,574	17'7	23'6	20'7	19'9	4'4	44	27	6	11	-	-	5	-	-	1	-	-	1	3	2	1	Deaths in Public Institutions.										Causes of Death.		
NOTTINGHAM -	257,489	23'5	25'1	25'1	19'8	1'6	142	98	29	28	-	-	2	-	1	5	-	-	4	4	11	1													Deaths in Public Institutions.
DERBY -	125,774	14'9	17'4	17'8	11'6	1'7	49	28	6	7	-	-	-	-	3	-	-	1	1	5	3	-	Deaths in Public Institutions.										Causes of Death.		
STOCKPORT -	100,988	19'1	22'2	18'6	24'8	2'6	53	48	11	16	-	-	2	-	1	2	-	-	1	5	8	-													Deaths in Public Institutions.
BIRKENHEAD -	118,553	14'5	20'7	20'2	22'9	0'4	58	52	8	18	-	-	1	-	-	-	-	-	2	3	11	-	Deaths in Public Institutions.										Causes of Death.		
WALLASEY -	66,707	18'8	15'6	25'0	19'5	0'8	25	25	7	4	-	-	-	-	1	-	-	-	2	2	4	-													Deaths in Public Institutions.
LIVERPOOL -	746,144	23'3	22'9	24'0	17'6	0'8	440	252	54	74	-	-	4	2	1	1	2	1	9	16	90	10	Deaths in Public Institutions.										Causes of Death.		
BOOTLE -	67,114	17'9	16'3	22'5	17'1	0'8	42	22	-	6	-	-	-	-	1	-	-	-	2	2	4	-													Deaths in Public Institutions.
ST. HELENS -	92,476	16'9	25'9	31'6	23'1	5'6	63	41	8	13	-	-	9	-	-	1	-	-	-	-	6	-	Deaths in Public Institutions.										Causes of Death.		
WIGAN -	88,606	17'1	27'7	14'1	15'9	1'2	61	27	4	7	-	-	-	-	2	-	-	-	-	5	4	-													Deaths in Public Institutions.
WARRINGTON -	70,269	25'2	19'3	18'6	14'8	1'5	44	20	5	3	-	-	2	-	-	-	-	-	-	-	4	-	Deaths in Public Institutions.										Causes of Death.		
BOLTON -	182,917	14'5	18'5	14'3	13'7	0'3	83	48	7	21	-	-	1	-	-	-	-	1	1	3	5	-													Deaths in Public Institutions.
BURY -	58,901	15'0	27'4	23'0	17'7	-	14	20	2	5	-	-	-	-	-	-	-	-	-	3	3	-	Deaths in Public Institutions.										Causes of Death.		
MANCHESTER -	643,143	22'3	22'5	23'3	21'7	1'1	336	263	53	74	-	-	3	1	2	5	1	1	13	26	69	3													Deaths in Public Institutions.
SALEFORD -	236,670	21'8	25'3	24'2	18'1	2'2	140	82	20	18	-	-	2	-	4	2	2	-	2	6	23	-	Deaths in Public Institutions.										Causes of Death.		
OLDHAM -	141,730	19'9	23'2	22'4	22'8	2'2	74	62	12	18	-	-	2	1	1	2	-	-	4	4	11	-													Deaths in Public Institutions.
ROCHDALE -	87,999	21'9	27'3	20'7	20'1	3'0	40	34	3	10	-	-	2	-	-	1	-	-	-	-	4	1	Deaths in Public Institutions.										Causes of Death.		
BURNLEY -	103,947	20'6	21'1	16'1	21'6	0'5	42	43	11	13	-	-	-	-	-	1	-	-	-	4	5	-													Deaths in Public Institutions.
BLACKBURN -	134,980	21'2	22'0	25'9	16'6	1'2	59	43	10	11	-	-	-	-	1	1	1	-	-	-	6	1	Deaths in Public Institutions.										Causes of Death.		
PRESTON -	117,093	25'8	26'3	24'0	20'0	1'3	57	45	9	14	-	-	1	-	-	-	-	-	-	3	6	2													Deaths in Public Institutions.
BARROW-IN-FURNESS.	61,635	17'8	18'6	23'7	16'9	1'7	35	20	3	2	-	-	-	-	1	-	-	-	3	3	6	1	Deaths in Public Institutions.										Causes of Death.		

TOWNS.		POPULATION estimated to the middle of year 1907.		DEATH-RATES from all Causes.				Rates from Diseases in Cols. 11-17.		Registered during the week ended 23rd Feb., 1907.		The Deaths registered in the Week include										TOWNS.					
				Week ended								Deaths of		Deaths from													
				2nd Feb., 1907.	9th Feb., 1907.	16th Feb., 1907.	23rd Feb., 1907.	Week ended 23rd Feb., 1907.		BIRTHS.		Infants under 1 Year		Persons aged 60 Years and upwards.		Deaths from											
				1907.	1907.	1907.	1907.			DEATHS.																	
				2.	3.	4.	5.	6.		7.		8.		9.		10.											

See note† on first page of this return.

Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2727	2644	2752	2805	2673	2723	2449	2456	2200	2500	2523·2	2412
Males -	1376	1345	1470	1379	1329	1391	1224	1213	1083	1291	1269·4	1210
Females -	1351	1299	1282	1426	1344	1332	1225	1243	1117	1209	1253·8	1202
TOTAL Deaths -	1627	1889	1875	1894	1853	2589	1444	1467	1436	1586	1740·1	1558
Males -	821	942	976	992	916	1214	733	760	746	841	878·3	773
Females -	806	947	899	902	937	1355	711	707	690	745	861·3	785

* The numbers in this column are the average weekly numbers in the eighth week of the five years 1902–1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 1.	Dec. 3.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	13 Weeks.
TOTAL Births -	2345	2338	2172	2503	1694	2905	2593	2454	2134	2550	2356	2350	2412	30806
TOTAL Deaths -	1406	1482	1628	1886	1850	2232	1946	1678	1647	1895	1858	1819	1558	22885
Under 1 year -	251	271	296	328	375	463	393	299	324	367	353	314	275	4279
1–5 years -	132	150	159	180	223	212	193	207	153	197	179	199	165	2349
5–20 -	85	85	85	99	96	84	68	66	72	92	73	69	87	1061
20–40 -	190	166	202	221	186	225	234	182	178	225	194	193	171	2567
40–60 -	286	338	347	376	388	469	368	349	363	348	410	363	318	4723
60 yrs. & upwds. -	462	472	539	682	582	779	720	575	557	666	649	691	642	7906
Deaths from—														
Small-pox† -	21	21	26	24	29	36	23	33	17	20	30	28	38	351
Measles -	12	12	15	9	8	8	9	11	11	8	6	8	8	125
Scarlet Fever -	20	20	16	14	26	28	12	18	16	21	20	20	16	247
Diphtheria -	13	18	18	32	31	38	31	28	35	51	40	48	31	414
Whooping-cough -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	7	7	15	6	4	7	11	4	5	8	2	1	1	78
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	20	15	15	16	21	21	18	10	16	17	17	17	18	221
Diarrhoea, Dysentery -	93	93	105	101	119	138	109	104	100	125	115	122	112	1436
All above Diseases -	177	169	216	297	309	398	324	229	260	282	285	293	201	3445
Pneumonia -	135	176	192	244	252	320	296	217	224	233	241	229	178	2937
Phthisis -	131	134	156	204	181	184	168	146	159	184	175	187	147	2156
Dis. of Circ. System -	170	184	219	247	218	263	223	200	211	241	249	249	220	2894
Violence -	56	59	60	57	82	70	66	65	49	68	57	63	56	814
Inquest Cases -	128	137	162	169	187	232	185	167	133	216	159	182	153	2200
Deaths in Institutions -	533	568	616	717	640	752	695	644	605	694	689	648	609	8430
TEMPERATURE OF THE AIR.														
Mean— -	47·3	43·8	36·5	39·2	31·4	39·3	42·8	40·7	30·5	36·1	33·0	39·7	39·9	37·7
Mean of Highest -	51·9	49·5	41·1	42·8	36·4	44·6	46·7	43·6	34·3	41·7	37·1	44·6	45·6	43·1
Mean of Lowest -	41·4	37·2	31·6	34·7	25·9	33·0	37·2	26·6	30·6	27·9	34·5	35·2	35·2	33·4
Mean Humidity of the Air.	84	80	79	91	77	83	83	81	74	77	76	85	72	80
Rain-fall (in inches) -	0·09	0·29	0·40	0·50	0·68	0·98	0·18	0·01	0·04	0·19	0·19	0·77	0·29	4·61
Registered Sunshine (in hours).	8·1	12·4	8·6	1·6	3·2	10·8	6·3	3·3	7·2	11·8	17·9	15·0	10·8	126·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	4053	4062	3988	3807	3846	3707	3523	3405	3292	3176	3059	3035	2938	3530
Diphtheria -	1082	1033	1025	955	1000	988	926	934	925	928	932	926	920	967
Typhus -	-	-	-	-	-	2	2	2	2	2	3	3	4	2
Enteric Fever -	162	168	157	149	135	120	108	108	98	100	94	101	102	123

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 8th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 8th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1740'1	1558	275	165	87	171	318	542	Meningitis (not tuberc.)	14'1	18	7	5	4	2	-	-
									Insanity, Gen. Par. of	18'2	18	-	-	1	3	7	7
									Insane - - - - -	7'6	12	-	-	1	3	6	2
Small-pox*	13'3	-	-	-	-	-	-	-	Convulsions - - -	28'0	13	11	2	-	-	-	-
Cowpox - - - - -	-	-	-	-	-	-	-	-	Locomotor Ataxy -	1'2	1	-	-	-	-	-	1
Measles (Morbilli) -	45'6	38	5	27	6	-	-	-	Paraplegia, Dis. of Cord	7'0	3	-	-	-	-	-	3
Scarlet Fever - - -	7'2	8	-	5	2	1	-	-	Nervous Sys. (other dis.)	23'7	29	-	1	4	1	6	17
Typhus - - - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	50'1	55	-	-	3	11	9	32
Plague - - - - -	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	32'3	52	-	-	-	-	16	36
Influenza - - - - -	37'0	44	1	4	5	4	11	19	Apoplexy, Hemiplegia -	21'1	21	-	-	-	-	6	15
Whooping-cough - -	40'1	31	9	22	-	-	-	-	Aneurysm - - - - -	6'8	4	-	-	-	1	1	2
Diphtheria - - - -	18'4	16	-	7	8	1	-	-	Embolism, Thrombosis }	3'9	-	-	-	-	-	-	-
Cerebro Spinal Fever	0'2	-	-	-	-	-	-	-	(not cerebral) - - -	103'8	88	-	-	3	7	22	56
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	0'2	-	-	-	-	-	-	-
Enteric Fever - - -	7'6	1	-	-	1	-	-	-	Croup (not Spasm: nor	233'9	178	26	7	2	7	29	107
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Memb.) - - - - -	9'4	9	-	-	-	1	3	5
Epidemic Diarrhœa }	4'7	7	5	1	-	-	1	-	Bronchitis - - - - -	4'3	3	-	-	-	1	1	1
(Infective Enteritis)	10'2	11	6	2	-	-	-	3	Asthma, Emphysema -	16'2	11	1	1	-	2	1	6
Diarrhœa, Dysentery	0'8	-	-	-	-	-	-	-	Pleurisy - - - - -	0'8	3	-	1	-	-	2	-
Tetanus - - - - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	7'4	13	7	2	-	-	-	2
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	3'7	5	4	-	-	-	1	1
Glanders - - - - -	0'2	-	-	-	-	-	-	-	Enteritis (not Epid.) -	1'4	4	1	-	-	1	1	1
Anthrax (Splenic Fever)-	0'2	-	-	-	-	-	-	-	Gastro-Enteritis - -	13'9	12	-	-	-	1	7	4
Venereal Dis. - - -	6'5	3	2	-	-	-	1	-	Peritonitis (not Puerp.)	5'7	7	-	-	-	4	4	3
Puerperal Septicæmia	2'3	1	-	-	-	1	-	-	Cirrhosis of Liver - -	40'7	30	8	3	1	6	5	7
Puerperal Pyæmia -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	7'4	11	-	2	1	2	2	4
Puerperal Fever - -	0'6	-	-	-	-	-	-	-	Digestive Dis., Other	43'2	34	-	-	3	8	15	8
Infective Endocarditis	2'5	4	-	-	3	1	-	-	Urinary Sys., Other Dis.	17'0	6	-	-	-	1	1	4
Lobar - - - - -	13'7	17	2	3	-	4	8	-	Generative Organs Dis.-	4'1	5	-	-	-	2	1	2
Broncho- - - - -	81'3	67	28	21	2	2	3	11	Childbirth (Accid. of)	3'9	3	-	-	-	3	-	-
Epidemic - - - -	0'2	-	-	-	-	-	-	-	Old Age - - - - -	67'5	79	-	-	-	-	-	79
Not defined - - -	79'2	94	14	13	4	14	19	30	Other Diseases - - -	102'8	97	76	7	2	2	5	5
Erysipelas - - - -	3'3	4	2	-	1	-	1	-									
Septicæmia (not Puer-	1'4	-	-	-	-	-	-	-	ACCIDENT.								
peral) - - - - -	1'2	-	-	-	-	-	-	-	By Railways - - - -	1'8	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	By Vehicles and Horses-	5'7	8	-	-	1	3	1	3
Other Infective Processes	8'4	5	-	-	-	1	2	2	In Ships, Boats, Docks,	0'8	-	-	-	-	-	-	-
Tuberculous Phthisis	68'6	104	2	4	10	37	45	6	(exclusive of Drown-								
"Phthisis" - - - -	86'8	43	-	-	4	18	20	1	ing) - - - - -	1'0	3	-	-	-	1	1	1
Tuberculous Meningitis	19'9	18	4	8	5	1	-	-	In Building Operations -	9'6	11	3	5	1	1	-	1
Tuberculous Peritonitis	7'8	4	1	1	1	1	-	-	In Conflagrations - -	2'7	3	-	-	-	1	1	1
Tabs Mesenterica - -	3'5	1	1	-	-	-	-	-	By Burns, Scalds, Ex-	12'1	6	6	-	-	-	-	-
Tuberculous Dis. (other)-	18'8	23	4	8	4	3	2	1	plosions - - - - -	1'8	1	-	-	-	-	1	-
Scrofula - - - - -	-	-	-	-	-	-	-	-	By Suffocation in Bed	16'2	13	1	2	1	1	3	5
Alcoholism - - - -	12'1	7	-	-	-	4	3	-	By Poisons or Poisonous								
Rheumatic Fever - -	7'2	5	-	-	3	1	1	-	Vapours - - - - -								
Gout - - - - -	2'0	2	-	-	-	1	1	-	Other Deaths by Acci-								
Carcinoma - - - - -	51'8	40	-	-	-	14	26	-	dent - - - - -								
Sarcoma - - - - -	6'5	4	-	1	1	2	-	-									
Cancer (undefined) -	34'6	34	-	-	-	5	15	14	VIOLENCE OTHER THAN								
Diabetes Mellitus - -	13'1	4	-	-	1	2	1	-	ACCIDENTAL.								
Premature Birth - -	56'3	38	38	-	-	-	-	-	Homicide - - - - -	1'8	-	-	-	-	-	-	-
									Suicide - - - - -	10'2	11	-	-	-	4	7	-
									Execution - - - - -								

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd February, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid) Fever.	Pyæmic† Origin un- certain).	Diarrhoea.	Violence.			Inquest Cases.
LONDON - - -	4,536,429	2412	1558	275	542	-	38	8	16	31	-	1	-	18	66	153	609	-
WEST DISTRICTS	805,311	371	251	41	101	-	2	-	2	5	-	-	-	2	8	23	100	-
NORTH DISTRICTS	1,056,070	529	351	52	131	-	4	-	4	8	-	-	-	4	12	28	116	-
CENTRAL DISTRICTS	209,465	104	74	21	25	-	-	-	-	-	-	-	-	1	2	7	42	-
EAST DISTRICTS	715,739	457	263	57	76	-	16	-	7	11	-	1	-	5	13	47	116	-
SOUTH DISTRICTS	1,749,844	951	572	103	193	-	16	5	9	-	-	-	-	5	21	47	188	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	47	1	16	-	-	3	1	-	-	-	-	1	-	1	47	-
WEST DISTRICTS.																		
St. Mary Paddington W,3H	93,178	49	43	11	14	-	-	-	-	-	-	-	-	1	-	4	14	-
St. John Paddington H	33,617	10	16	-	7	-	-	-	1	-	-	-	-	-	1	1	9	-
North-West Paddington	17,181	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H	128,037	52	58	6	23	-	-	-	-	2	-	-	-	-	2	4	29	-
Brompton 2H	48,591	6	10	-	5	-	-	-	-	-	-	-	-	-	-	1	1	-
North Hammersmith 2W,w,H	49,192	36	8	-	3	-	-	-	-	-	-	-	-	-	-	-	4	-
South Hammersmith w,2H	63,047	37	13	4	4	-	2	-	-	1	-	-	-	-	-	-	2	-
North-west Fulham W	45,180	37	14	5	2	-	-	-	-	1	-	-	-	1	1	2	6	-
North-east Fulham F	46,405	23	6	1	3	-	-	-	1	-	-	-	-	-	1	1	1	-
South Fulham W	45,704	30	14	2	11	-	-	-	-	-	-	-	-	-	-	1	-	-
Chelsea North W,w,3H	42,514	19	25	1	14	-	-	-	-	-	-	-	-	-	1	2	22	-
Chelsea South W,2H	31,328	18	11	4	5	-	-	-	-	-	-	-	-	-	-	1	5	-
Mayfair and Knightsbridge	28,743	4	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave W,2H	55,815	15	13	1	4	-	-	-	-	1	-	-	-	-	1	1	2	-
St. Margaret & St. John 5H	43,898	19	11	3	3	-	-	-	-	-	-	-	-	-	-	1	5	-
St. James and St. Anne W,8H	33,081	7	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H	35,391	6	16	-	7	-	1	-	1	-	-	-	-	-	1	2	9	-
St. Mary Marylebone W,4H	37,948	36	12	3	4	-	-	-	-	-	-	-	-	-	-	1	2	-
Christchurch Marylebone	39,536	22	4	2	2	-	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone 2H	20,426	6	7	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Hampstead W,F,7H	81,942	34	25	1	12	-	-	-	1	-	-	-	-	-	-	1	8	-
West St. Pancras 2H	60,562	29	20	4	7	-	-	-	-	1	-	-	-	-	-	-	4	-
South St. Pancras w,11H	55,707	29	17	1	4	-	-	-	-	-	-	-	-	-	1	2	12	-
East St. Pancras W,2H	60,320	36	32	6	13	-	-	-	-	-	-	-	-	-	1	2	16	-
North St. Pancras 2W	58,728	40	15	5	3	-	-	-	-	2	-	-	-	1	1	2	2	-
Tufnell W	31,995	19	25	4	10	-	-	-	-	1	-	-	-	-	1	2	18	-
Upper Holloway 2W,w,H	33,978	19	24	4	5	-	-	-	-	1	-	-	-	-	1	2	15	-
Tollington WH	33,922	13	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	22	11	5	6	-	-	-	-	-	-	-	-	-	1	2	-	-
Barnsbury	54,478	30	13	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east F	75,397	32	17	3	7	-	-	-	-	-	-	-	-	1	-	-	-	-
Highbury 2H	63,797	28	13	2	5	-	-	-	-	-	-	-	-	-	2	-	-	-
Stoke Newington H	51,247	19	7	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney	50,560	14	14	2	7	-	-	-	-	-	-	-	-	1	1	1	-	-
Central Hackney 2w,F	50,536	23	16	1	4	-	-	-	2	1	-	-	-	-	-	1	2	-
South-west Hackney 3H	59,921	35	29	3	6	-	3	-	-	1	-	-	-	-	2	3	10	-
South-east Hackney 2W,w,H	58,255	37	27	5	11	-	-	-	-	1	-	-	-	1	1	2	17	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd February, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS	The DEATHS registered during the Week include															
				Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury 2W,2H -	31,436	20	9	-	4	-	-	-	-	-	-	-	-	-	-	-	2	2	-
Strand W,4H - - - - -	21,674	3	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	7	-
Strand Union Workhouse, Edmonton -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Holborn W,6H - - - - -	29,612	12	17	7	2	-	-	-	-	-	-	-	-	-	-	1	1	15	-
South Clerkenwell - - - - -	28,676	14	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - - -	35,028	20	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury 3H,L - - - - -	36,116	34	9	2	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Holborn Union Workhouse, Mitcham - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph H - - - - -	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows W,2H	16,624	-	13	3	7	-	-	-	-	-	-	-	-	1	1	2	10	-	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS																			
Shoreditch South H - - - - -	46,362	21	11	5	3	-	1	-	-	-	1	-	-	-	-	-	3	-	-
Shoreditch North-West W,w,H -	36,127	15	38	5	14	-	3	-	-	-	-	-	-	-	-	3	7	23	-
Shoreditch North-East - - - - -	39,148	16	8	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W } 2HL.	65,138	30	34	7	15	-	-	-	-	1	-	-	-	2	3	4	21	-	-
Bethnal Green South-West H -	64,542	41	21	7	4	-	3	-	-	1	-	-	-	-	1	4	1	-	-
Spitalfields - - - - -	27,969	17	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town W,H - - -	28,718	26	33	3	4	-	-	-	-	-	-	1	-	-	3	8	29	-	-
Goodman's Fields - - - - -	22,081	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W - -	49,068	41	16	7	2	-	2	-	-	-	-	-	-	-	-	4	4	-	-
Shadwell and Ratcliff W,H - -	25,568	12	6	3	-	-	-	-	-	-	2	-	-	-	-	-	4	-	-
Limehouse W - - - - -	32,369	20	6	1	-	-	1	-	-	-	-	-	-	1	1	3	-	-	-
Mile End Old Town South- Western H - - - - -	63,698	66	8	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Mile End Old Town North- Eastern W,w - - - - -	49,129	36	14	3	6	-	2	-	-	-	-	-	-	-	-	1	5	-	-
Bow L - - - - -	41,989	24	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromley 3w,H - - - - -	68,319	50	37	2	18	-	-	-	-	-	-	-	-	-	1	6	25	-	-
Poplar W,w - - - - -	58,514	35	18	4	5	-	1	-	-	-	1	-	-	-	-	6	4	-	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd February, 1907—continued.

		The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarthra	Violence.		
SOUTH DISTRICTS.																		
Christchurch and St. Saviour		23,319	18	20	5	2	-	-	-	-	1	1	-	-	-	2	4	15
Southwark W ² H		21,904	16	6	2	4	-	-	-	-	-	1	-	-	-	1	-	-
Kent-road		39,094	26	8	1	1	-	-	-	-	-	1	-	-	-	-	-	3
St. George the Martyr West		49,022	22	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-
W ² H,L		72,841	41	18	4	7	-	-	-	-	-	1	-	-	-	-	1	1
Newington North		9,817	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey W		82,483	56	25	9	7	-	-	-	-	-	-	-	-	-	-	4	-
Rotherhithe W,F		38,400	25	19	3	4	-	2	-	-	-	-	-	-	-	1	1	9
Waterloo 2H		27,440	34	11	4	1	-	-	-	-	-	-	-	-	-	1	1	2
Lambeth Church H		27,440	19	21	3	5	-	-	-	-	1	-	-	-	-	4	4	17
Kennington 2W		52,518	30	27	3	12	-	1	-	-	-	1	-	-	-	-	1	11
Stockwell HF		63,826	42	23	7	5	-	-	2	1	-	-	-	-	-	1	1	3
Brixton H		73,873	44	12	3	4	-	-	-	-	-	-	-	-	-	1	1	2
Norwood WH		56,998	18	6	2	3	-	-	-	-	-	-	-	-	-	2	1	-
East Battersea H		72,203	39	11	1	4	-	-	-	-	-	-	-	-	-	-	3	1
North-west Battersea		49,856	29	9	2	3	-	-	-	-	-	-	-	-	-	1	2	-
South-west Battersea 2W,H		17,048	15	28	4	7	-	-	-	-	-	-	-	-	-	1	3	18
Clapham 2H		51,381	22	19	1	13	-	-	-	-	-	-	-	-	1	-	1	2
Streatham W ² w,2F,2L		38,019	47	32	2	19	-	-	1	1	-	-	-	-	-	1	3	16
Springfield W ² L		27,959	22	7	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Southfields H		40,444	21	10	1	4	-	-	-	-	-	-	-	-	-	-	-	2
Putney		34,139	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich		13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w		40,206	14	28	1	13	-	-	-	-	-	-	-	-	-	-	-	24
Camberwell North W,2L		65,584	32	20	1	7	-	-	-	-	-	-	-	-	-	1	-	10
St. George		47,331	17	17	4	3	-	2	-	-	-	2	-	-	-	-	1	-
Peckham North		48,913	29	12	3	2	-	-	-	-	-	-	-	-	-	-	2	-
Peckham South 2W,w		43,946	16	10	2	6	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North		37,613	24	9	2	-	-	-	2	-	-	-	-	-	-	1	2	-
Deptford Central F		45,481	29	16	2	3	-	2	2	5	-	-	-	-	-	-	-	8
Deptford South		34,825	10	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H		23,456	13	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H		43,859	23	27	3	8	-	1	-	1	-	-	-	-	1	3	5	16
Eltham w,H		7,226	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee wH		25,490	10	9	3	3	-	-	-	-	-	-	-	-	1	1	2	-
Lewisham W,w,F		58,352	43	31	6	16	-	-	-	-	1	-	-	-	-	1	-	14
Sydenham H		43,653	17	9	2	3	-	-	-	-	-	2	-	-	-	-	-	-
Charlton F,2H		21,134	13	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich 5H		41,625	19	9	2	2	-	4	-	-	-	-	-	-	-	-	-	1
Plumstead West W		18,063	7	7	1	-	-	1	-	-	-	-	-	-	1	-	-	-
Plumstead East 2W,H		50,264	24	22	6	7	-	-	-	-	-	-	-	-	1	1	2	9
Workhouse:-																		
Central London Sick Asylum				2	1	-	-	-	-	-	-	-	-	-	1	-	-	2
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Joyce Green																		
Long Reach																		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)																		
North-Eastern				4	-	-				3	1	-						4
Northern																		
M. A. B. Imbecile Asylums:-																		
Belmont																		
Caterham				5	-	4												5
Darenth				5	-	1												5
Leavesden				4	-	2												4
London County Lunatic Asylums:-																		
Banstead				6	-	1												6
Ewell (Epileptic Colony)				1	-	-												1
Horton				3	-	2												3
Manor				1	-	1												1
Cane Hill				3	-	-												3
Dartford Heath				3	-	1												3
Hanwell				6	-	-												6
Colney Hatch				4	-	3												4
Claybury					-	-												

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd February, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of 1 Year of Age.	Persons aged 6 Years & upwards	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
LONDON—OUTER RING						368,302	2,044,973	1235	652	141	230	-	17	8	10	13	1	7	17	45	105	2
30:1	Carshalton 2F,3H	12,228	32,997	17	9	2	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	6	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
37:1	Godstone, part of* W,F,L	2,754	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38:1	Coulsdon	11,089	31,666	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	20	17	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	21	25	4	9	-	-	-	-	-	-	1	1	-	-	-	1	1	10	-
4	North Croydon H	2,644	41,698	24	13	4	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5	Penge w,H	770	22,465	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	37	11	5	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
39:1	Wimbledon F,3H	3,221	41,652	22	9	3	5	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	17	18	2	9	-	-	-	-	-	-	-	-	-	-	1	2	5	-	-
3	Surbiton F,H	3,046	15,017	5	2	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Hampton H,F,L	4,584	23,456	5	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40:1	Richmond W,H	2,182	23,865	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake F	2,847	20,628	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
41:1	Bromley F,2H	4,703	27,354	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42:1	Bexley w,F,H	8,678	21,151	12	7	3	2	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-
2	Erith F,H	3,854	25,296	23	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
124:1	Sunbury w	11,054	18,683	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125:1	Hillingdon W,F,H	6,035	13,661	14	8	1	3	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
2	Uxbridge H	12,757	8,984	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2 F,H	8,066	16,358	21	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126:1	Isleworth 3W2F,H	6,859	30,863	20	16	2	9	-	-	-	-	-	-	-	-	1	2	3	9	-	-	-
2	Twickenham F,2,H	2,421	20,991	17	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	43,239	29	15	3	6	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-
4	Chislewick H	1,249	29,809	11	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	43,914	38	13	2	4	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-
127:1	Harrow F,H	13,809	25,523	24	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	68	37	8	11	-	1	1	-	-	-	1	-	-	1	-	2	2	-	-
4	Hendon W,F	8,382	22,450	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128:1	South Mimms 2F,H	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Finchley F,2H	4,688	33,682	24	21	5	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
129:1	Hornsey F,H	2,875	72,056	26	21	3	9	-	-	1	1	1	-	-	1	-	3	2	-	-	-	-
2	Wood Green H	1,625	34,233	21	9	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	45	14	5	3	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
4	East Tottenham 2H	2,017	53,688	40	17	5	4	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-
5	Edmonton W,w,2F	7,491	61,892	39	25	7	7	-	-	-	-	1	-	1	-	1	1	1	6	-	-	-
6	Enfield 2W,F,H	12,601	42,738	32	13	4	5	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
7	Waltham Abbey F	11,017	6,549	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
135:1	Hatfield, part of* W	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137:1	Bushey H	9,333	9,173	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186:1	Stratford H	1,072	44,827	31	16	4	6	-	-	-	-	-	-	-	-	-	1	3	3	-	-	-
2	Plaistow F,2H	1,249	90,921	43	32	9	5	-	4	3	1	2	1	1	1	1	4	6	-	-	-	-
3	Canning Town H	1,556	70,713	53	17	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Forest Gate w	806	60,892	20	12	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	1,333	58,676	37	20	4	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
6	South East Ham 2F	1,993	37,342	27	14	4	4	-	2	1	-	-	-	-	-	-	1	1	1	-	-	-
7	Wanstead F	1,879	9,179	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	27	17	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	North Leyton 2W,w,F	1,963	48,445	40	31	2	13	-	-	-	1	2	-	-	-	-	1	1	9	-	-	-
10	Walthamstow 3H,L	6,504	108,929	82	31	8	10	-	1	-	1	1	-	-	-	1	2	1	19	1	-	-
187:1	Chigwell 2F,3H	11,778	16,397	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189:1	Romford, part of* W,2F	6,556	8,091	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Ilford F,L	8,496	41,234	33	16	3	4	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-
3	Barking Town F	3,803	21,547	15	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.		-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 3 are also included.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	February 23	2412	1558	17.1	-	33	8	16	31	1	18
CALCUTTA - -	977,822	January 26	-	948	58.1	25	-	-	-	2	176	42
BOMBAY - -	982,000	February 5	360	719	48.2	1	3	-	-	1	148	80
MADRAS - -	509,346	January 25	332	401	40.0	-	1	?	?	?	115	68
PARIS - -	2,750,000	February 16	1130	1632	31.2	-	10	8	10	6	6	18
BRUSSELS - -	612,401	" 16	238	242	20.6	-	1	1	1	-	2	6
ANTWERP - -	297,311	" 16	143	89	15.7	-	-	-	-	-	-	-
AMSTERDAM - -	564,194	" 16	328	232	21.4	-	1	1	2	3	2	4
COPENHAGEN - -	427,000	" 16	261	154	18.8	-	1	-	-	2	-	5
STOCKHOLM - -	324,488	" 9	167	83	13.3	-	-	2	-	-	-	1
CHRISTIANIA - -	226,472	" 16	112	89	20.8	-	5	-	3	-	-	3
ST. PETERSBURG	1,424,700	" 2	727	885	31.0	-	25	21	17	2	23	76
MOSCOW - -	1,172,421	" 2	-	797	35.4	-	16	17	19	6	6	53
BERLIN - -	2,095,998	" 2	984	631	16.4	-	5	3	6	5	2	37
HAMBURG - -	824,792	" 16	-	281	17.7	-	1	-	3	-	-	16
BRESLAU - -	482,326	" 9	-	219	23.7	-	1	3	3	-	1	17
MUNICH - -	548,000	" 16	-	202	19.2	-	3	-	4	-	-	18
VIENNA - -	1,958,323	" 16	940	797	21.2	-	15	4	10	2	-	28
PRAGUE - -	466,133	" 9	204	206	23.0	-	2	-	2	-	-	6
BUDA-PESTH - -	802,235	" 9	480	368	24.0	-	8	4	5	1	-	10
TRIESTE - -	199,003	" 16	152	152	39.7	-	3	-	-	2	-	-
ROME - -	531,818	January 5	288	192	18.8	-	-	-	1	-	-	6
VENICE - -	171,709	February 9	56	95	28.4	-	-	-	1	-	-	1
BUCHAREST - -	291,138	" 16	172	155	27.8	-	-	1	-	-	1	4
NEW YORK - -	4,285,435	" 9	2230	1670	20.3	-	5	13	57	5	7	52
CHICAGO - -	2,107,620	" 9	-	783	19.4	-	11	44	15	9	9	28
PHILADELPHIA -	1,500,595	January 26	-	651	22.6	-	1	2	15	1	44	25
RIO DE JANEIRO	912,900	" 20	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 24 deaths from plague in Calcutta, and 64 in Bombay.

‡ Including 361 deaths from cholera in Calcutta, 1 in Bombay, and 2 in Madras.

TABLE 8.--METEOROLOGY in certain towns during the week ended Saturday, 23rd February, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	51.4	25.5	40.4	0.29	LEEDS - - -	52.0	28.0	39.5	0.56
BRIGHTON - -	53.1	24.5	39.2	0.26	YORK - - -	53.0	25.0	39.6	0.24
PORTSMOUTH - -	53.0	27.0	41.2	0.32	HULL - - -	54.0	28.0	39.1	0.30
NORWICH - -	52.6	24.8	38.5	0.44	TYNEMOUTH - -	51.0	23.0	37.5	0.31
PLYMOUTH - -	50.7	28.0	42.0	0.48	CARDIFF - - -	50.9	22.0	39.2	0.85
BRISTOL - -	50.5	22.2	39.4	0.63	EDINBURGH - -	49.1	24.3	36.8	0.52
BIRMINGHAM - -	52.5	24.0	38.6	0.57	GLASGOW - - -	50.0	25.2	38.0	1.17
NOTTINGHAM - -	53.3	25.0	39.2	0.43	DUBLIN } Phoenix Park. Fitz- william Square.†	52.2	26.0	39.0	0.39
LIVERPOOL OBSERVATORY. }	50.0	27.0	39.6	0.37		51.8	29.9	41.4	0.45
MANCHESTER - -	49.3	23.7	38.8	0.76		50.0	29.5	40.7	1.31
PRESTON - -	48.5	25.5	38.9	0.77					
HUDDERSFIELD -	48.8	22.5	37.9	1.39					

* At the English stations the figures in this column which are compiled in the Meteorological Office (*see* footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0.5 Fahrenheit to be subtracted. *See* Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd February, 1901.
[Under the Superintendence of the Astronomer Royal.]

Meteorological Observations.

129

1907.		BARO-METER.		TEMPERATURE.				TEMPERATURE.				WINDS deduced from Anemometers.				Rain collected in a Gauge whose surface is in inches above the Ground.		Ozone.							
MONTH AND DAY		Phases of the Moon.	Mean daily reading (corrected to 32° Fahrenheit.)	Of the Air.				Of the Radiation.		Of the Earth 2 miles below the Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.									
FEBRUARY.	SUNDAY - 17	..	29 889	51.4	42.1	9.3	47.7	+ 8.1	41.0	6.7	9.4	3.0	78	37.6	WSW.	WSW.	W & WSW.	7.9	0.6	1.1	578	+270	2.2		
																								High-est.	Low-est.
	MONDAY - 18	..	29 782	49.8	41.5	8.3	46.3	+ 6.8	41.6	4.7	7.5	1.3	84	35.0	WSW.	SW & WSW.	10.7	0.0	0.6	465	+158	2.0			
	TUESDAY - 19	..	29 768	50.7	39.5	11.2	45.2	+ 5.7	38.3	6.9	10.7	4.2	77	35.0	WSW.	SW & WSW.	21.7	0.0	1.7	651	+344	13.5			
	WEDNESDAY 20	First Quarter.	28 937	50.6	35.6	15.0	39.2	- 0.3	30.0	9.2	12.3	4.0	70	31.6	WSW.	WSW.	22.0	0.0	3.4	946	+640	4.5			
	THURSDAY - 21	..	29 428	41.2	32.6	8.6	35.9	- 3.7	27.9	8.0	14.5	3.1	72	26.5	WSW.	WSW.	13.0	0.0	1.1	535	+232	1.0			
	FRIDAY - 22	Adgees	29 637	37.3	29.9	7.4	33.2	- 6.5	20.5	12.7	15.5	4.1	59	20.7	WSW.	WSW. & W.	1.9	0.0	0.1	290	- 13	0.0			
	SATURDAY - 23	Greatest Dec. N.	29 684	38.5	25.5	13.0	31.5	- 8.3	20.6	10.9	14.2	9.9	63	17.0	N.	N.	1.0	0.0	0.0	199	-105	0.0			
	MEANS - -		29 572	45.6	35.2	10.4	39.9	+ 0.3	31.4	8.4	12.1	4.2	72	29.1	WSW. & N.	WSW. & N.	Sum 3661	+1526	3.3			
No. of Column -		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
DATE.		ELECTRICITY (For explanation of symbols, see Note.		GENERAL REMARKS.																					
FEBRUARY.	SUNDAY - 17	w. p. generally; m. N. at 4h. 30m. P.M. occasional m. p.																							
MONDAY - 18	w p. generally; occasional m. p.																								
TUESDAY - 19	w. p. till 7h. A.M.; m. P. till noon; w. p. and occasional v. N. afterwards.																								
WEDNESDAY 20	v. p. and v. N. till 4h. A.M.; v. p. till 5h. A.M.; s. p. generally afterwards.																								
THURSDAY - 21	m. p. till 5h. A.M.; s. P. afterwards.																								
FRIDAY - 22	s. s. P.																								
SATURDAY - 23	s. s. P.																								
No. of Col.-		27																							

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th February 1907.*

BOROUGHES	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	149,909	-	25	5	-	-	-	-	2	1	
Kensington - - - -	181,842	-	7	3	-	-	-	-	-	-	
Hammersmith - - - -	122,337	-	8	6	-	-	-	-	1	-	
Fulham - - - -	166,749	-	8	8	-	1	-	-	2	-	
Chelsea - - - -	74,857	-	12	1	-	-	-	-	1	-	
City of Westminster - -	172,219	-	8	7	-	-	-	-	5	-	
NORTH.											
St. Marylebone - - - -	127,718	-	5	3	-	1	-	-	5	-	
Hampstead - - - -	91,137	-	9	2	-	1	-	-	1	1	
St. Pancras - - - -	236,753	-	12	6	-	-	-	-	6	-	
Islington - - - -	347,017	-	20	6	-	4	-	-	5	1	
Stoke Newington - - - -	53,613	-	-	2	-	-	-	-	-	-	
Hackney - - - -	232,993	-	22	11	-	2	-	-	8	1	
CENTRAL.											
Holborn - - - -	55,134	-	1	2	-	-	-	-	1	-	
Finsbury - - - -	96,732	-	10	-	-	-	-	-	1	-	
City of London - - - -	20,310	-	-	-	-	-	-	-	-	-	
EAST											
Shoreditch - - - -	115,662	-	22	5	-	-	-	-	-	-	
Bethnal Green - - - -	130,831	-	13	10	-	-	-	-	3	-	
Stepney - - - -	308,923	-	22	18	-	2	-	-	5	1	
Poplar - - - -	171,086	-	20	-	-	3	-	-	4	-	
SOUTH.											
Southwark - - - -	209,781	-	21	2	-	2	-	-	8	-	
Bermondsey - - - -	128,263	-	12	1	-	4	-	-	-	-	
Lambeth - - - -	318,538	-	15	7	-	4	-	-	3	2	
Battersea - - - -	181,736	-	20	15	-	3	-	-	1	1	
Wandsworth - - - -	281,419	-	23	5	-	1	-	-	2	1	
Camberwell - - - -	277,050	-	23	8	-	1	-	-	4	-	
Deptford - - - -	116,510	-	10	17	-	-	-	-	8	-	
Greenwich - - - -	107,222	-	14	7	-	-	-	-	5	-	
Lewisham - - - -	152,532	-	10	4	-	-	-	-	5	-	
Woolwich - - - -	129,336	-	29	8	-	-	-	-	4	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,753,218	-	401	169	-	29	-	-	90	9
Ages 0-1 - - - -			-	2	-	-	-	-	7	-	
" 1-5 - - - -			-	110	75	-	2	-	2	-	
" 5- - - - -			-	174	67	-	2	-	6	-	
" 10- - - - -			-	71	12	-	3	-	5	-	
" 15- - - - -			-	18	6	-	5	-	3	-	
" 20- - - - -			-	5	1	-	6	-	7	1	
" 25- - - - -			-	14	6	-	7	-	10	6	
" 30- - - - -			-	1	2	-	2	-	15	2	
" 35- - - - -			-	3	-	-	1	-	20	-	
" 40- - - - -			-	-	-	-	1	-	8	-	
" 45- - - - -			-	-	-	-	-	-	-	-	
" 50- - - - -			-	-	-	-	-	-	-	-	
" 55- - - - -			-	-	-	-	-	-	-	-	
" 60 and upwards - -			-	-	-	-	-	-	7	-	
Age not stated - - -			-	3	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 9. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAR. 2. [Price 1½d.

General Register Office, Somerset House,
March 4th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 20·9, 20·4, and 17·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·0 in Plymouth, 23·4 in West Bromwich, 23·7 in Rochdale, 24·8 in St. Helens, 25·0 in Oldham, 28·3 in Newport (Mon.), 28·8 in Grimsby, and 32·2 in Merthyr Tydfil; from *measles*, 1·7 in West Ham, 1·8 in Wigan and in Sheffield, 1·9 in Aston Manor, 2·1 in Newport (Mon.), 2·6 in Devonport, 5·6 in St. Helens, 6·0 in West Bromwich, and 6·6 in Grimsby; from *scarlet fever*, 1·2 in Walthamstow and 2·1 in Newport (Mon.); from *diphtheria*, 1·3 in Sunderland and 1·4 in Merthyr Tydfil; and from *whooping-cough*, 1·6 in Hanley and in Walsall, 1·7 in Rotherham, 1·9 in Blackburn, 2·0 in Middlesbrough, and 2·1 in Willesden. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2393 BIRTHS and 1678 DEATHS were registered. Allowing for increase of population, the births were 168 and the deaths 74 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 20·4, 19·9, and 17·1 per 1000 in the preceding three weeks, was 18·4 last week. The death-rate in the four weeks ended last Saturday averaged 19·0 per 1000, being 0·2 per 1000 above the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1678 deaths included 35 from measles, 6 from scarlet fever, 16 from diphtheria, 45 from whooping-cough, 6 from enteric fever, and 12 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 120 deaths were referred to these diseases in the aggregate, being 50 below the corrected average number in the ninth week of the preceding five years.

The deaths from *measles*, which had been 30, 28, and 38 in the preceding three weeks, were 35 last week, and were 20 below the corrected average; 6 deaths belonged to the Borough of Greenwich, 5 each to Stepney and Camberwell, 4 each to Bethnal Green and Woolwich, and 3 to Shoreditch. The deaths from *scarlet fever*, which had been 6, 8, and 8 in the preceding three weeks, were 6 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 20, 20, and 16 in the preceding three weeks, numbered 16 last week, and were 8 below the corrected average; 3 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 40, 48, and 31 in the preceding three weeks, rose to 45 last week, the corrected average being 46; 5 deaths belonged to Lambeth, 5 to Camberwell, and 4 each to Islington and Bermondsey. The deaths from *enteric fever*, which had been 2, 1, and 1 in the preceding three weeks, rose to 6 last week, the corrected average being 5. The deaths from *diarrhoea*, which had been 17, 17, and 18 in the preceding three weeks, fell to 12 last week, and were 3 below the corrected average. Of the 12 deaths from diarrhoea, 5 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 30, having been 44, 49, and 44 in the preceding three weeks.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 7 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 10 to burns or scalds, and 19, including 18 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2878 cases of scarlet fever, 922 of diphtheria, 4 of typhus, and 103 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 326 cases, against 311, 368, and 322; of diphtheria, 130 cases, against 132, 130, and 114; and of enteric fever, 11 cases, against 17, 23, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 23rd, 1907.

GREATER LONDON.

In Greater London 3740 births and 2366 deaths were registered. Allowing for increase of population, these numbers are 155 and 97 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 10 from whooping-cough, 1 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·23 inches, and that of the Thermometer 40°·6, the latter being 0°·4 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 47 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 11·0 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 2nd March, 1907, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	Cols.	The DEATHS registered in the Week include										TOWNS.																																
		POPULATION estimated to the middle of the Year 1907.*		Rate from Diseases in Cols. 11-17.		Registered during the week ended 2nd Mar., 1907.		Deaths of Persons aged 60 Years and upwards.		Deaths from																																		
		Week ended		Week ended		Week ended		under 1 Year of Age.		Small-pox.			Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Fever.		Diarrhoea.		Violence																			
		9th Feb., 1907.	23rd Feb., 1907.	16th Feb., 1907.	2nd Mar., 1907.	6th Mar., 1907.	13th Mar., 1907.	20th Mar., 1907.	27th Mar., 1907.	3rd Apr., 1907.	10th Apr., 1907.		17th Apr., 1907.	24th Apr., 1907.	1st May, 1907.	8th May, 1907.	15th May, 1907.	22nd May, 1907.	29th May, 1907.	5th June, 1907.	12th June, 1907.	19th June, 1907.	26th June, 1907.	3rd July, 1907.	10th July, 1907.	17th July, 1907.	24th July, 1907.																	
76 TOWNS	1.	16,024,458	20.9	20.4	17.8	18.4	1.4	8720	5652	1138	1817	-	162	39	60	117	26	36	195	445	1342	63	21.	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
LONDON†	-	4,758,218	20.4	19.9	17.1	18.4	1.3	2393	1678	290	575	-	35	6	16	45	6	12	80	161	607	2	63	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
(CROYDON.	-	154,342	20.6	18.6	17.9	19.9	0.3	78	59	14	22	-	-	-	1	1	-	-	1	3	10	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
WILLESDEN.	-	149,182	18.9	16.1	13.6	14.3	2.1	79	41	10	20	-	-	-	-	6	-	-	-	2	9	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
HORNSEY.	-	89,816	9.9	11.0	12.2	5.8	0.6	37	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
TOTTENHAM.	-	122,793	11.5	16.6	14.4	20.0	2.1	72	47	8	4	-	2	-	-	3	-	1	1	4	11	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
WEST HAM.	-	308,284	15.6	17.6	16.1	14.4	2.7	176	85	18	21	-	10	-	1	4	-	-	1	4	24	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
EAST HAM.	-	136,421	13.0	10.3	15.3	16.8	2.7	69	44	9	12	-	3	2	-	2	-	-	3	7	6	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
LEYTON.	-	122,040	15.4	10.3	10.7	11.1	0.9	58	26	6	6	-	-	-	-	2	-	-	-	3	-	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
(WALTHAMSTOW.	-	126,397	21.0	15.3	12.0	18.6	2.9	90	45	12	10	-	-	3	1	3	-	-	1	2	9	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
HASTINGS.	-	67,477	14.7	18.5	12.4	11.6	0.8	16	15	-	7	-	-	1	-	-	-	-	1	2	2	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
BRIGHTON.	-	129,023	25.1	18.6	25.5	21.8	0.4	57	54	10	19	-	-	-	-	1	-	-	-	3	12	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
PORTSMOUTH.	-	208,291	26.0	27.3	23.3	19.8	1.8	121	79	12	33	-	4	-	2	1	-	-	1	7	7	1	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
BOURNEMOUTH.	-	69,246	18.1	19.6	15.8	21.8	-	31	29	7	9	-	-	-	-	-	-	-	-	-	3	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
SOUTHAMPTON.	-	119,745	17.4	17.0	17.9	17.4	0.4	45	40	7	22	-	-	-	-	-	-	2	-	4	9	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
READING.	-	80,311	22.1	17.5	22.1	11.7	1.3	26	18	5	8	-	1	-	-	-	1	-	-	-	3	1	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
NORTHAMPTON.	-	95,070	21.9	13.7	16.5	13.2	0.5	34	24	4	9	-	-	1	-	-	-	-	-	-	5	1	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
IPSWICH.	-	72,825	18.6	20.8	17.2	20.8	0.7	31	29	10	11	-	-	-	-	-	-	1	-	1	5	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
GREAT YARMOUTH.	-	52,879	19.7	22.7	22.7	12.8	1.0	22	13	3	8	-	-	-	-	-	-	1	1	2	1	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
NORWICH.	-	118,191	19.2	19.2	21.4	18.4	0.9	59	42	10	15	-	-	-	1	-	-	-	2	6	6	1	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
PLYMOUTH.	-	120,063	27.4	33.9	18.7	23.0	0.4	63	53	13	19	-	1	-	-	-	-	-	-	4	11	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
DEVONPORT.	-	79,959	21.5	20.9	16.3	20.2	3.3	48	31	7	8	-	4	1	-	-	-	-	-	1	4	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
BRISTOL.	-	367,979	22.0	22.1	17.9	16.9	0.7	183	119	26	54	-	-	-	2	-	-	-	9	18	21	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
HANLEY.	-	67,174	21.7	20.2	27.9	19.4	2.3	54	25	6	5	-	-	-	-	-	-	1	-	2	4	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
BURTON-ON-TRENT.	-	53,425	19.5	12.7	15.6	20.5	1.0	26	21	4	8	-	-	-	-	-	-	-	-	-	-	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
WOLVERHAMPTON.	-	102,016	30.2	25.6	18.9	15.8	0.5	60	31	3	12	-	-	-	1	-	-	-	-	-	3	5	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.
WALSALL.	-	96,171	17.9	16.8	18.4	15.7	1.6	58	29	10	11	-	-	-	-	3	-	-	1	2	3	-	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
HANDSWORTH.	-	65,929	9.5	11.1	13.4	11.1	-	31	14	3	5	-	-	-	-	-	-	-	-	-	2	1	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	
WEST BROMWICH.	-	68,123	22.6	23.4	18.9	23.4	6.0	38	31	7	6	-	-	-	-	-	-	-	-	1	1	2	-	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	

* See p. 134, † on first page of this return.
 ‡ Erratum.—The death-rate from diseases in Cols. 11-17 in London during the week ended 23rd February should read 1.2 per 1,000.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 2nd March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from: Diseases 11-17.		Registered during the week ended 2nd Mar., 1907.		The DEATHS registered in the Week include										TOWNS.			
			Week ended					9th Feb., 1907.	16th Feb., 1907.	23rd Feb., 1907.	2nd Mar., 1907.	Infants under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
			2.	3.	4.	5.	6.																		
BIRMINGHAM	-	553,155	20'8	24'9	18'9	19'5	2'1	319	207	48	61	-	14	1	2	3	1	1	16	18	53	13	BIRMINGHAM.		
KINGS NORTON	-	75,600	26'9	7'6	6'9	8'3	0'7	27	12	1	6	-	1	-	-	-	-	-	-	-	2	-	KINGS NORTON.		
SMETHWICK	-	66,467	18'0	15'7	11'8	13'3	1'6	31	17	3	4	-	2	-	-	-	-	-	-	-	1	-	SMETHWICK.		
ASTON MANOR	-	83,268	14'4	14'4	18'2	20'7	2'5	46	33	10	7	-	3	-	-	-	1	-	-	1	5	-	ASTON MANOR.		
COVENTRY	-	77,626	19'5	18'1	16'8	12'1	-	57	18	1	8	-	-	-	-	-	-	-	1	1	4	-	COVENTRY.		
LEICESTER	-	236,124	20'1	16'8	14'1	18'3	1'3	121	83	22	23	-	2	2	2	-	-	-	3	7	21	1	LEICESTER.		
GRIMSBY	-	70,574	23'6	20'7	19'9	28'8	8'9	36	39	11	4	-	9	-	-	2	-	1	1	3	4	-	GRIMSBY.		
NOTTINGHAM	-	257,489	25'1	25'1	19'8	22'5	2'2	123	111	24	36	-	4	-	-	4	1	2	-	5	18	-	NOTTINGHAM.		
DERBY	-	125,774	17'4	17'8	11'6	18'2	0'8	63	44	10	13	-	-	-	2	-	-	-	1	3	8	-	DERBY.		
STOCKPORT	-	100,986	22'2	18'6	24'8	19'1	1'5	72	37	10	7	-	1	-	1	1	-	-	5	6	10	-	STOCKPORT.		
BIRKENHEAD	-	118,553	20'7	20'2	22'9	20'2	1'3	73	46	9	14	-	2	-	1	-	-	-	2	5	10	-	BIRKENHEAD.		
WALLASEY	-	66,707	15'6	25'0	19'5	17'2	1'6	41	22	3	8	-	1	-	-	-	1	-	-	1	4	-	WALLASEY.		
LIVERPOOL	-	746,144	22'9	24'0	17'6	19'6	1'0	437	281	62	78	-	4	3	-	3	3	2	12	18	90	7	LIVERPOOL.		
BOOTLE	-	67,114	16'3	22'5	17'1	19'4	-	45	25	5	11	-	-	-	-	-	-	-	-	4	2	-	BOOTLE.		
ST. HELENS	-	92,476	25'9	31'6	23'1	24'8	6'8	71	44	5	6	-	10	1	-	1	-	-	1	2	9	2	ST. HELENS.		
WIGAN	-	88,606	27'7	14'1	15'9	16'5	2'4	63	28	8	6	-	3	-	1	-	-	-	1	1	3	-	WIGAN.		
WARRINGTON	-	70,269	19'3	18'6	14'8	21'5	0'7	54	29	7	8	-	-	-	1	-	-	-	-	-	5	3	WARRINGTON.		
BOLTON	-	182,917	18'5	14'3	13'7	18'5	2'0	93	65	6	20	-	5	1	1	-	-	-	1	3	5	-	BOLTON.		
BURY	-	58,901	27'4	23'0	17'7	15'9	0'9	24	18	1	8	-	-	-	-	-	-	1	-	1	5	-	BURY.		
MANCHESTER	-	643,148	22'5	23'3	21'7	19'9	1'1	387	246	42	73	-	-	3	3	3	-	1	6	13	68	3	MANCHESTER.		
SALFORD	-	236,670	25'3	24'2	18'1	18'1	3'0	132	82	18	19	-	2	2	4	1	-	-	2	5	23	-	SALFORD.		
OLDHAM	-	141,730	23'2	22'4	22'8	25'0	1'5	85	68	12	20	-	-	1	-	-	1	2	1	1	5	1	OLDHAM.		
ROCHDALE	-	87,999	27'3	20'7	20'1	23'7	0'6	42	40	10	12	-	-	-	-	-	-	1	-	2	5	1	ROCHDALE.		
BURNLEY	-	103,947	21'1	16'1	21'6	17'6	1'0	72	35	9	14	-	-	-	-	-	-	1	2	4	6	1	BURNLEY.		
BLACKBURN	-	134,980	22'0	25'9	16'6	17'8	2'7	60	46	7	12	-	-	1	-	5	1	-	-	2	6	1	BLACKBURN.		
PRESTON	-	117,093	26'3	24'0	20'0	17'8	0'9	53	40	7	12	-	-	-	1	-	-	1	2	3	7	1	PRESTON.		
BARROW-IN-FURNESS.	-	61,635	18'6	23'7	16'9	17'8	0'8	42	21	6	7	-	-	-	-	-	-	-	1	1	1	-	BARROW-IN-FURNESS.		

TABLE 1 (cont.),—76 TOWNS, ended Saturday, 2nd March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 2nd Mar., 1907.		The DEATHS registered in the Week include										TOWNS.		
			Week ended				Week ended Feb., Mar., and 1907.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
			Week ended									Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.					Diarrhoea.	Violence.
			9th Feb., 1907.	16th Feb., 1907.	23rd Feb., 1907.	2nd Mar., 1907.																	
	1.		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	-	84,814	18'1	14'3	13'2	17'6	-	55	32	3	12	-	-	-	-	-	-	-	-	1	5	-	HUDDESFIELD,
HALIFAX	-	110,138	18'5	18'9	17'0	20'8	0'9	38	44	8	19	-	-	-	1	-	1	-	3	9	-	HALIFAX.	
BRADFORD	-	290,323	17'4	21'0	16'2	15'4	0'4	101	86	12	40	-	-	1	-	1	-	6	12	17	-	BRADFORD.	
LEEDS	-	470,268	23'9	17'0	15'0	17'7	0'3	231	160	23	64	-	-	-	-	1	1	5	15	24	-	LEEDS.	
SHEFFIELD	-	455,553	21'2	20'1	19'0	17'7	2'9	304	155	32	48	-	16	3	-	4	1	1	13	33	4	SHEFFIELD.	
ROTHERHAM	-	62,412	33'4	25'1	17'5	20'9	2'5	43	25	10	8	-	1	-	-	2	-	1	1	3	1	ROTHERHAM.	
YORK	-	84,730	19'1	19'1	17'2	16'0	0'6	42	26	6	8	-	-	-	-	-	1	-	3	6	-	YORK.	
HULL	-	266,762	22'5	20'7	18'0	17'8	1'6	134	91	20	24	-	-	-	5	3	-	4	7	14	1	HULL.	
MIDDLESBROUGH	-	101,783	22'5	26'1	27'7	17'4	4'1	69	34	6	8	-	3	1	-	4	-	-	3	4	7	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,909	10'8	18'7	17'7	15'8	-	36	16	3	8	-	-	-	-	-	-	-	1	1	1	2	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	75,473	13'8	18'7	18'0	16'6	2'1	41	24	10	5	-	2	-	-	1	-	2	2	1	-	-	WEST HARTLEPOOL.
SUNDERLAND	-	156,029	21'7	26'4	24'7	21'4	2'0	102	64	10	16	-	2	-	4	-	-	-	7	9	3	-	SUNDERLAND.
SOUTH SHIELDS	-	113,460	20'7	21'6	15'2	22'1	0'5	77	48	12	17	-	-	-	-	1	-	-	1	7	5	-	SOUTH SHIELDS.
GATESHEAD	-	125,783	19'1	12'0	19'9	9'1	0'4	74	22	8	4	-	-	-	1	-	-	-	5	5	-	1	GATESHEAD.
NEWCASTLE-ON-TYNE	-	272,969	16'8	20'1	19'7	16'8	0'2	187	88	22	30	-	-	-	-	-	1	-	1	3	10	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	54,688	26'7	21'0	16'2	18'1	1'0	38	19	6	5	-	-	-	-	-	-	1	1	1	-	-	TYNEMOUTH.
NEWPORT (MON.)	-	75,585	17'9	30'4	15'2	28'3	4'8	60	41	10	7	-	3	3	-	-	1	-	1	10	-	-	NEWPORT (MON.).
CARDIFF	-	187,620	20'6	18'2	18'6	19'2	0'6	101	69	16	25	-	-	-	-	2	-	-	6	7	-	-	CARDIFF.
RHONDDA	-	130,400	29'2	21'2	18'8	20'8	1'6	120	52	21	4	-	-	1	1	-	1	1	2	2	2	-	RHONDDA.
MERTHYR TYDFIL	-	76,085	29'5	24'7	21'9	32'2	3'4	75	47	15	15	-	-	-	2	1	1	1	2	5	3	-	MERTHYR TYDFIL.
SWANSEA	-	97,324	30'5	26'3	22'0	21'4	0'5	70	40	10	11	-	-	-	-	1	1	-	3	4	5	-	SWANSEA.
GREATER LONDON	-	7,217,941	19'2	18'7	16'0	17'1	1'4	3740	2366	447	786	-	57	12	22	75	7	17	77	205	726	2	GREATER LONDON.
OUTER RING	-	2,468,723	16'9	16'4	13'8	14'6	1'5	1347	888	157	211	-	22	6	6	30	1	5	17	44	119	-	OUTER RING.
8 TOWNS IN OUTER RING	-	1,200,285	16'0	15'1	14'5	15'4	1'9	659	357	81	98	-	15	5	3	20	-	2	7	22	72	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,250,438	17'7	17'7	13'2	13'8	1'0	688	331	76	113	-	7	1	3	10	1	3	10	22	47	-	REMAINDER OF OUTER RING.
EDINBURGH	-	345,747	19'9	22'0	17'9	17'3	1'4	136	115†	10	36	-	2	3	2	2	-	-	7	?	46	6	EDINBURGH.
GLASGOW	-	847,584	24'4	22'5	20'2	22'0	2'2	503	357‡	75	66	-	1	1	2	20	4	7	12	?	108	15	GLASGOW.
DUBLIN†	-	360,691	28'6	31'4	27'1	28'6	1'2	236	214‡	43	74	-	1	-	-	7	-	1	3	2	92	6	DUBLIN†
BELFAST†	-	370,163	27'2	28'6	20'6	28'7	0'6	230	204‡	37	42	-	2	-	-	-	1	1	-	3	3	2	BELFAST†

* See note † on first page of this return.

† Including 3 deaths from Cerebro-spinal meningitis.

‡ Extending deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the NINTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2511	2535	2676	2561	2681	2587	2512	2364	2600	2470	2561.1	2393
Males - - -	1279	1356	1409	1335	1351	1308	1278	1237	1365	1240	1315.6	1232
Females - - -	1232	1229	1267	1226	1330	1259	1234	1127	1235	1230	1245.5	1161
TOTAL Deaths -	1493	1805	1925	1683	1865	2177	1450	1594	1535	1504	1752.0	1678
Males - - -	763	925	984	885	918	1203	741	834	794	766	837.9	834
Females - - -	725	880	941	803	947	1274	709	760	741	738	861.1	844

* The numbers in this column are the average weekly numbers in the ninth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 8.	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	13 Weeks.
TOTAL Births -	2338	2172	2503	1694	2905	2593	2454	2134	2550	2356	2350	2412	2393	30854
TOTAL Deaths -	1482	1628	1886	1850	2232	1946	1678	1647	1895	1858	1819	1558	1678	23157
Ages at Death -														
Under 1 year -	271	296	328	375	463	363	299	324	367	353	314	275	290	4318
1–5 years -	150	159	180	223	212	193	207	153	197	170	199	165	181	2398
5–20 " -	85	85	99	96	84	68	66	72	92	73	69	87	89	1065
20–40 " -	166	202	221	186	225	234	182	178	235	194	193	171	206	2583
40–60 " -	338	347	376	388	469	368	349	363	348	410	363	318	337	4774
(60 yrs. & upwds.	472	539	682	582	779	720	575	557	666	649	681	542	575	8019
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	21	28	24	29	36	28	33	17	20	30	28	38	35	365
Diphtheria - -	12	15	9	8	8	9	11	11	8	6	8	8	6	119
Whooping-cough -	20	16	14	26	28	12	18	16	21	20	20	16	16	243
Typhus - - -	18	18	32	31	38	31	28	35	51	40	48	31	45	446
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pyrexia (origin uncertain) -	7	15	6	4	7	11	4	5	8	2	1	1	6	77
Diarrhoea, Dysentery	15	15	16	21	21	18	10	16	17	17	17	18	12	213
All above Diseases -	93	105	101	119	138	109	104	100	125	115	122	112	120	1463
Dis. of Resp. System	169	216	297	309	398	324	229	260	282	285	298	201	222	3490
Pneumonia - -	176	192	244	252	320	296	217	224	233	241	229	178	210	3012
Phthisis - - -	134	156	204	181	184	168	146	159	184	175	187	147	151	2176
Dis. of Circ. System	184	219	247	218	263	223	200	211	241	249	249	220	253	2977
Violence - - -	59	60	57	82	76	66	65	49	68	57	63	56	60	818
Inquest Cases -	137	162	159	187	232	185	167	133	216	159	182	153	161	2233
Deaths in Institutions	588	616	717	640	752	695	644	605	694	689	648	609	607	8504
TEMPERATURE OF THE AIR.														
Mean - - -	43.8	36.5	39.2	31.4	39.3	42.8	40.7	30.5	36.1	33.0	39.7	39.9	40.6	36.0
Mean of Highest -	49.5	41.1	42.8	36.4	44.6	46.7	43.6	34.3	41.7	37.1	44.6	45.6	48.3	42.8
Mean of Lowest -	37.2	31.6	34.7	25.9	33.0	37.9	37.2	26.6	30.6	27.9	34.5	35.2	32.7	32.7
Mean Humidity of the Air.	80	79	91	77	83	83	81	74	77	76	85	72	81	80
Rain-fall (in inches) -	0.29	0.40	0.50	0.68	0.98	0.18	0.01	0.04	0.19	0.19	0.77	0.29	0.01	4.53
Registered Sunshine (in hours)	12.4	8.6	1.6	3.2	10.8	6.3	3.3	7.2	11.8	17.9	15.0	19.8	11.0	128.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	4032	3986	3807	3846	3707	3523	3405	3292	3176	3059	3035	2938	2878	3440
Diphtheria - -	1033	1025	955	1000	988	926	934	925	928	932	926	920	922	955
Typhus - - -	-	-	-	2	2	2	2	2	3	3	3	4	4	2
Enteric Fever -	163	157	149	135	120	108	108	98	100	94	101	102	103	119

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Figg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester: H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 9th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 9th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1752.0	1678	290	181	89	206	337	575	Meningitis (not tuberc.)	19.4	18	6	8	1	3	-	
									Insanity, Gen. Par. of	19.4	22	-	-	1	9	1	
									Insane	8.4	7	-	-	1	2	2	
Small-pox*	15.8	-	-	-	-	-	-	-	Epilepsy	27.8	16	14	2	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	1.6	5	-	-	-	3	2	
Measles (Morbilli)	54.7	35	8	24	3	-	-	-	Locomotor Ataxy	6.3	8	-	-	2	2	4	
Scarlet Fever	8.6	6	-	3	2	1	-	-	Paraplegia, Dis. of Cord	24.4	21	2	2	3	-	13	
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	49.5	71	-	-	11	8	22	
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	32.3	41	-	-	-	5	9	
Influenza	39.1	30	-	-	1	4	15	10	Cerebr. Hem. Thromb.-	28.5	19	-	-	-	1	4	
Whooping-cough	46.3	45	14	26	5	-	-	-	Apoplexy, Hemiplegia	5.1	6	-	-	-	1	3	
Diphtheria	24.4	16	1	11	4	-	-	-	Aneurysm	2.9	1	-	-	-	-	1	
Cerebro Spinal Fever	0.2	-	-	-	-	-	-	-	Embolism, Thrombosis	110.7	115	-	-	2	10	34	
Pyæmia,† (Origin un-	0.2	-	-	-	-	-	-	-	(not cerebral)	0.4	-	-	-	-	-	-	
certain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	220.4	204	36	14	-	7	34	
Enteric Fever	5.1	6	-	-	4	2	-	-	Croup (not Spasm: nor	10.8	9	-	-	-	2	1	
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.)	5.9	1	-	-	-	-	6	
Epidemic Diarrhœa	4.7	-	-	-	-	-	-	-	Asthma, Emphysema	12.7	8	1	1	-	-	2	
(Infective Enteritis)	9.8	12	5	-	1	3	3	-	Pleurisy	0.8	2	1	1	-	-	-	
Diarrhœa, Dysentery	0.2	-	-	-	-	-	-	-	Respiratory Dis. (other)	9.0	12	7	1	1	-	2	
Tetanus	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	3.3	3	2	1	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	2.0	3	-	-	2	-	1	
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis	13.3	10	-	-	-	1	4	
Anthrax (Splenic Fever)-	0.4	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	5.5	3	-	-	1	2	-	
Venereal Dis.	10.2	4	2	-	-	1	1	-	Cirrhosis of Liver -	34.8	33	3	3	6	4	8	
Puerperal Septicæmia	3.3	4	-	-	4	-	-	-	Liver Dis. (other)	9.4	9	-	3	1	1	2	
Puerperal Pyæmia	-	1	-	-	1	-	-	-	Digestive Dis., Other	39.7	31	-	-	-	2	11	
Puerperal Fever	0.2	1	-	-	1	-	-	-	Urinary Sys., Other Dis.	14.1	12	-	-	-	3	3	
Infective Endocarditis	3.9	1	-	-	1	-	-	-	Generative Organs Dis.	4.7	3	1	-	-	1	1	
Pneumonia	Lobar -	10.4	31	2	2	1	12	8	Childbirth (Acid. of)	3.3	5	-	-	-	4	1	
		84.3	91	31	34	3	2	6	15	Old Age	62.0	72	-	-	-	-	72
		-	-	-	-	-	-	-	-	Other Diseases	106.7	98	89	5	7	5	4
Pneumonia	Broncho-	-	-	-	-	-	-	-	ACCIDENT.								
		-	-	-	-	-	-	-	By Railways -	1.0	1	-	-	-	-	1	
Pneumonia	Epidemic	-	-	-	-	-	-	-	By Vehicles and Horses-	3.5	4	-	-	-	1	2	
		-	-	-	-	-	-	-	In Ships, Boats, Docks,	0.4	-	-	-	-	-	-	
Pneumonia	Not defined	-	-	-	-	-	-	-	(exclusive of Drown-	0.4	-	-	-	-	-	-	
		-	-	-	-	-	-	-	ing)	0.4	1	-	-	1	-	-	
Erysipelas	3.3	2	-	1	-	-	1	-	In Building Operations	8.2	10	-	6	2	-	2	
Septicæmia (not Puer-	0.8	1	-	-	-	-	-	1	In Conflagrations	3.3	1	-	-	-	-	1	
peral)	1.8	2	2	-	-	-	-	-	By Burns, Scalds, Ex-	13.7	19	18	1	-	-	-	
Pyæmia (not Puerperal)	6.3	5	-	-	1	-	4	-	plosions	2.3	-	-	-	-	-	-	
Other Infective Processes	71.2	98	1	1	11	47	29	9	By Drowning	16.8	17	1	-	1	2	7	
Tuberculous Phthisis	83.5	53	-	-	4	26	17	6	By Suffocation in Bed	-	-	-	-	-	-	-	
"Phthisis"	20.5	17	4	11	1	1	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	
Tuberculous Meningitis	7.8	4	3	1	-	-	-	-	Vapours	-	-	-	-	-	-	-	
Tuberculous Peritonitis	4.7	2	1	1	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	
Tabes Mesenterica	22.5	20	3	6	7	2	2	-	dent	-	-	-	-	-	-	-	
Tuberculous Dis. (other)	0.4	-	-	-	-	-	-	-	VIOLENCE OTHER THAN								
Scrophula	12.3	9	-	-	2	4	3	-	ACCIDENTAL.								
Alcoholism	5.5	7	-	1	5	-	1	-	Homicide	0.6	-	-	-	-	-	-	
Rheumatic Fever	2.5	1	-	-	-	-	1	-	Suicide	7.4	7	-	-	-	4	3	
Gout	54.5	60	-	-	7	23	31	-	Execution	0.2	-	-	-	-	-	-	
Carcinoma	7.2	6	-	1	1	2	2	-									
Sarcoma	35.8	36	-	-	1	15	20	-									
Cancer (undefined)	9.6	9	-	-	3	3	3	-									
Diabetes Mellitus	52.0	44	44	-	-	-	-	-									
Premature Birth	-	-	-	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd March, 1907.

		The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid fever.	Pyæmia† Origin uncertain.	Diarrhœa.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2393	1678	290	575	-	35	6	16	45	-	6	-	12	60	161	607	
WEST DISTRICTS - - -	805,311	366	282	48	105	-	1	-	3	7	-	-	-	1	6	19	101	
NORTH DISTRICTS - - -	1,056,070	518	358	62	129	-	1	2	3	3	-	1	-	-	12	24	109	
CENTRAL DISTRICTS - - -	209,465	113	75	12	21	-	-	-	3	3	-	-	-	-	7	13	40	
EAST DISTRICTS - - -	715,739	472	297	62	81	-	12	-	3	4	-	-	-	3	15	51	138	
SOUTH DISTRICTS - - -	1,749,844	924	619	106	214	-	21	4	5	23	-	3	-	6	19	53	172	
METROPOLITAN HOSPITALS } AND ASYLUMS OUTSIDE }	-	-	47	-	25	-	-	-	-	-	-	-	-	2	1	1	47	
REGISTRATION LONDON*																		
WEST DISTRICTS.																		
St. Mary Paddington W,3H - - -	93,178	46	21	3	9	-	-	-	-	2	-	-	-	-	-	-	6	
St. John Paddington H - - -	33,617	7	7	-	-	-	-	-	-	-	-	-	-	-	-	1	6	
North-West Paddington - - -	17,181	8	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - - -	128,937	51	79	10	37	-	-	-	-	2	-	-	-	-	-	5	38	
Brompton 2H - - -	48,591	10	13	1	6	-	-	-	-	-	-	-	-	-	1	1	4	
North Hammersmith 2W,w,H - - -	49,192	35	21	6	5	-	-	-	-	1	-	-	-	-	3	3	8	
South Hammersmith w,2H - - -	63,047	27	13	4	5	-	-	-	-	-	-	-	-	-	-	1	4	
North-west Fulham W - - -	45,180	39	20	5	4	-	1	-	-	1	-	1	-	-	1	1	6	
North-east Fulham F - - -	46,405	20	18	5	7	-	-	-	3	1	-	-	-	1	-	-	3	
South Fulham W - - -	45,704	35	11	3	6	-	-	-	-	-	-	-	-	-	1	3	-	
Chelsea North W,w,3H - - -	42,514	18	15	-	8	-	-	-	-	-	-	-	-	-	-	-	12	
Chelsea South W,2H - - -	31,328	14	10	2	3	-	-	-	-	-	-	-	-	-	-	2	3	
Mayfair and Knightsbridge - - -	28,743	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -	55,815	24	14	1	4	-	-	-	-	-	-	-	-	-	-	1	5	
St. Margaret & St. John 5H - - -	43,698	22	25	7	5	-	-	-	-	-	-	-	-	-	-	1	5	
St. James and St. Anne W,6H - - -	33,081	7	8	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	11	18	1	6	-	-	-	-	1	-	-	-	-	1	1	10	
St. Mary Marylebone W,4H - - -	37,048	41	8	-	6	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone - - -	39,536	17	10	4	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. John Marylebone 2H - - -	20,426	8	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -	81,942	23	25	4	10	-	-	-	1	-	-	1	-	-	1	2	5	
West St. Pancras 2H - - -	60,562	25	17	1	7	-	-	-	-	1	-	-	-	-	-	2	1	
South St. Pancras w,11H - - -	55,707	26	31	5	9	-	-	-	-	1	-	-	-	-	3	5	17	
East St. Pancras W,2H - - -	60,320	33	20	7	5	-	-	-	-	-	-	-	-	-	-	1	7	
North St. Pancras 2W - - -	58,728	31	19	4	3	-	-	-	-	1	-	-	-	-	-	2	9	
Tufnell W - - -	31,995	17	31	2	15	-	-	-	-	1	-	-	-	-	1	1	18	
Upper Holloway 2W,w,H - - -	33,978	18	28	1	11	-	-	-	-	-	-	-	-	-	1	1	20	
Tollington WH - - -	33,922	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	27	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -	54,478	29	11	2	2	-	-	-	-	-	-	-	-	-	1	1	-	
Islington South-east F - - -	75,397	39	23	5	7	-	-	-	-	1	-	-	-	-	-	1	-	
Highbury 2H - - -	63,797	30	14	2	9	-	-	-	-	1	-	-	-	-	1	1	-	
Stoke Newington H - - -	51,247	20	16	3	12	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -	50,660	21	17	3	7	-	-	-	1	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - - -	50,536	26	14	7	1	-	-	2	1	-	-	1	-	-	1	1	4	
South-west Hackney 3E - - -	59,921	40	18	5	5	-	1	-	-	-	-	-	-	-	-	1	5	
South-east Hackney 2W,w,H - - -	58,255	30	20	4	6	-	-	-	-	1	-	1	-	-	-	1	13	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd March, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of Infants under 1 Year of Age.	Deaths from														
					Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury 2W,2H -	31,436	17	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand W,H - - - -	21,874	4	9	-	2	-	-	-	-	-	1	-	-	-	-	-	-	7	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn W,SH - - - -	29,612	10	22	8	6	-	-	-	-	2	1	-	-	-	-	1	2	14	-
South Clerkenwell - - - -	28,676	16	6	2	2	-	-	-	-	-	1	-	-	-	-	-	2	-	-
North Clerkenwell H - - - -	35,028	23	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Finsbury SH,L - - - -	38,116	38	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn Union Workhouse, } Mitcham - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - -	10,299	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Sepulchre and Allhallows W,2H	16,624	1	19	-	3	-	-	-	-	-	-	-	-	-	-	5	6	17	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																			
Shoreditch South H - - - -	46,362	17	12	2	3	-	-	-	-	-	1	-	-	-	-	1	4	-	-
Shoreditch North-West W,w,H -	36,127	36	40	10	13	-	-	3	-	-	-	-	-	-	-	-	5	30	-
Shoreditch North-East - - - -	34,148	19	13	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Shoreditch Union Workhouse, Wood } Green - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W } 2HL	65,138	40	50	4	24	-	-	4	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green South-West H -	64,542	51	15	4	3	-	-	-	-	-	1	-	-	-	-	4	7	28	-
Spitalfields - - - -	27,969	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town W,H - - - -	28,718	24	38	5	4	-	-	4	-	1	-	-	-	-	-	2	6	36	-
Goodman's Fields - - - -	22,081	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. George and St. John 2W - -	49,068	29	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	2	-
Shadwell and Ratcliff W,H - -	25,568	12	19	8	1	-	-	-	-	-	1	-	-	-	-	1	1	4	10
Limehouse W - - - -	32,369	27	7	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Mile End Old Town South- } Western H - - - -	63,698	63	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	5	7
Mile End Old Town North- } Eastern W,w - - - -	49,129	26	17	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bow L - - - -	41,939	23	8	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Bromley SW,H - - - -	68,319	35	36	3	9	-	-	-	-	-	-	-	-	-	-	1	3	19	-
Poplar W,w - - - -	58,514	44	24	7	9	-	-	-	-	-	-	-	-	-	-	3	7	6	-

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
					Deaths of Infants under 1 Year of Age.	Deaths from Persons aged 60 Years and upwards.	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																				
Christchurch and St. Saviour	W2H	23,319	15	17	3	3	-	1	-	-	-	-	-	-	-	-	4	4	10	
Southwark	-	21,904	15	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
Kent-road	-	39,094	18	13	1	6	-	-	-	1	-	-	-	-	-	-	1	2	1	
St. George the Martyr	West	49,022	35	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington North	-	72,841	34	19	4	5	-	-	-	-	2	-	-	-	-	1	1	3	1	
Newington South	W	9,817	7	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Olave	2W	82,483	51	24	11	4	-	1	-	-	-	-	-	-	-	3	5	-	-	
Bermondsey	W	38,460	22	13	5	5	-	-	-	3	1	-	-	-	-	-	2	3	-	
Rotherhithe	W,F	27,440	27	11	4	-	-	-	-	-	3	-	-	-	-	-	-	-	2	
Waterloo	3H	27,440	17	18	-	-	-	-	-	-	-	-	2	-	-	-	1	12	12	
Lambeth Church	H	52,518	21	31	3	16	-	-	-	-	-	-	-	-	-	-	1	20	20	
Kennington	2W	63,826	45	24	3	10	-	-	-	1	-	-	1	-	-	-	1	2	2	
Stockwell	HF	73,673	35	24	5	10	-	-	-	-	-	-	-	-	-	-	1	5	5	
Brixton	H	56,998	31	14	3	6	-	-	-	-	1	-	-	-	-	-	-	-	-	
Norwood	WH	72,203	37	17	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea	H	49,656	36	17	4	7	-	-	-	-	-	-	-	-	-	-	3	3	-	
North-west Battersea	-	47,048	14	32	3	10	-	1	-	-	-	-	-	-	-	-	3	3	-	
South-west Battersea	2W,H	51,381	28	16	3	6	-	-	-	-	-	-	-	-	-	1	2	2	22	
Clapham	2H	88,019	44	39	7	20	-	1	-	1	-	-	-	-	-	-	1	5	5	
Streatham	W,2w,2F,2L	27,959	20	9	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Springfield	2W,L	40,444	26	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
Southfields	H	24,139	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Putney	-	13,359	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich	-	40,208	23	25	-	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South	W,w	65,584	36	32	5	11	-	-	-	1	-	-	-	-	-	1	2	3	18	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd March, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING						368,302	2,044,973	1347	688	157	211	-	22	6	6	30	1	5	17	44	119	-
30: 1	Carshalton 2F,3H	12,228	32,997	17	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	14	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
37: 1	Godstone, part of* W,F,L	2,754	2,692	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,300	42,309	22	20	6	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	29	32	6	9	-	-	-	1	-	-	-	-	-	1	1	15	-	-	-
4	North Croydon H	2,644	41,698	27	12	3	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
5	Penge w,H	770	22,465	4	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	22	10	3	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	29	14	5	3	-	-	-	-	1	-	-	-	-	1	2	1	3	-	-
2	Kingston 2W,H	6,224	42,068	23	13	5	3	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-
3	Surbiton F,H	3,646	15,017	5	7	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,594	23,456	18	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
40: 1	Richmond W,H	2,182	28,865	11	7	-	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
2	Mortlake F	2,547	20,628	14	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
41: 1	Bromley F,2H	4,703	27,354	17	14	4	4	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	16	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	4	9	1	6	-	-	-	-	-	-	-	-	-	-	1	1	6	-	-
4	Chislehurst 2H	7,333	18,446	6	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
42: 1	Bexley w,F,H	8,678	21,151	16	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,354	25,296	20	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury w	11,054	18,883	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	10	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
125: 1	Hillingdon W,F,H	6,035	13,661	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Uxbridge H	12,757	8,984	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H	8,066	16,368	12	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
126: 1	Isleworth 3W,2F,H	6,859	30,863	15	11	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	6	-
2	Twickenham F,2H	2,421	20,991	11	9	1	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-
3	Brentford 3F,2H	4,319	48,289	36	10	5	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
4	Chiswick H	1,249	29,809	18	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	29	15	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow F,H	13,809	25,523	27	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	79	41	10	20	-	-	-	-	6	-	-	-	-	-	2	9	-	-	-
4	Hendon W,F	8,382	22,460	18	8	2	2	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-
128: 1	South Mimms 2F,H	17,755	7,308	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	8	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	25	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey F,H	2,875	72,056	37	11	4	3	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-
2	Wood Green H	1,625	34,233	25	9	-	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
3	West Tottenham F	996	48,853	40	22	3	2	-	2	-	-	2	-	-	-	-	-	-	2	-	-	-
4	East Tottenham 2H	2,017	53,688	32	20	5	1	-	-	-	1	-	-	-	-	-	-	1	2	6	-	-
5	Edmonton W,w,2F	7,491	61,892	58	20	8	2	-	-	-	3	-	-	1	2	6	-	2	2	6	-	-
6	Enfield 2W,F,H	12,801	42,738	26	18	3	3	-	1	2	-	-	-	-	-	-	-	1	3	1	-	-
7	Waltham Abbey F	11,017	6,549	2	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	5	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
186: 1	Stratford H	1,072	44,827	31	14	3	5	-	2	-	1	-	-	-	-	-	-	1	1	1	-	-
2	Plaistow F,2H	1,249	90,921	60	26	5	5	-	2	-	1	-	-	-	-	-	-	-	2	3	-	-
3	Canning Town H	1,556	70,718	63	18	5	2	-	6	-	1	1	-	-	-	-	-	1	1	-	-	-
4	Forest Gate w	806	60,892	22	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	1,333	58,676	40	20	1	7	-	2	-	-	2	-	-	-	-	-	3	5	-	-	-
6	South East Ham 2F	1,993	37,342	29	20	8	3	-	1	-	-	-	-	-	-	-	-	-	2	2	-	-
7	Wanstead F	1,679	9,179	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
8	South Leyton 2W	631	50,467	30	19	3	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	North Leyton 2W,w,F	1,963	48,445	28	38	6	7	-	-	-	-	3	-	-	-	-	-	-	-	11	-	-
10	Walthamstow 3H,L	6,504	108,929	105	43	13	10	-	-	2	1	3	-	-	-	-	-	1	2	2	-	-
187: 1	Chigwell 2F,3H	11,778	16,397	11	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
2	Ilford F,L	8,496	41,234	34	12	1	5	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
3	Barking Town F	3,803	21,547	18	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.						-	-	-	4	-	-	-	-	-	-	-	-	-	-	4	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal Diseases
LONDON - -	4,758,218	March 2	2393	1678	18'4	-	35	6	16	45	6	12
CALCUTTA - -	977,822	February 2	-	689	42'2	41	-	-	-	1	161†	274
BOMBAY - - -	982,000	" 12	310	766	51'3	2	1	-	-	-	188†	72
MADRAS - - -	509,346	" 1	306	446	45'5	-	-	?	?	?	115	76
PARIS - - -	2,750,000	" 23	1028	1461	27'9	-	1	11	3	9	9	30
BRUSSELS - -	612,401	" 23	231	194	16'7	-	2	-	3	-	1	14
ANTWERP - -	297,311	" 23	156	86	15'0	-	3	-	-	2	1	5
AMSTERDAM -	564,194	" 23	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	427,000	" 23	238	187	22'8	-	-	1	-	3	-	5
STOCKHOLM -	324,488	" 16	153	102	16'3	-	-	-	2	-	-	1
CHRISTIANIA -	226,472	" 23	99	79	23'1	-	1	-	3	3	-	3
ST. PETERSBURG	1,482,769	" 9	838	880	30'9	-	35	19	23	2	24	91
MOSCOW - - -	1,172,421	" 9	-	738	32'8	2	18	18	16	5	7	50
BERLIN - - -	2,096,242	" 9	962	629	15'6	-	3	3	8	6	1	24
HAMBURG - -	824,792	" 23	-	251	15'8	-	2	-	2	1	-	15
BRESLAU - - -	482,573	" 16	-	223	24'1	-	-	-	1	1	1	9
MUNICH - - -	548,000	" 23	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,958,323	" 23	940	770	20'4	-	11	5	5	2	-	20
PRAGUE - - -	466,133	" 16	221	208	23'2	-	9	-	1	1	1	15
BUDA-PESTH -	802,235	" 16	479	371	23'7	-	5	3	5	-	3	12
TRIESTE - - -	199,003	" 23	118	140	36'6	-	3	-	-	3	-	3
ROME - - -	531,818	January 12	252	224	22'0	-	1	-	1	-	3§	11
VENICE - - -	174,288	February 16	85	99	29'6	-	-	-	-	-	-	1
BUCHAREST -	291,138	" 23	176	138	24'7	-	-	-	1	-	-	-
NEW YORK - -	4,285,435	" 16	2143	1688	20'5	-	6	21	52	6	12	36
CHICAGO - - -	2,107,620	" 16	-	698	17'3	-	4	39	11	8	7	28
PHILADELPHIA -	1,500,595	" 2	-	620	21'5	-	1	3	7	3	42	34
RIO DE JANEIRO	912,900	January 20	-	238	13'6	1	-	-	-	1	3†	?

* Excluding deaths from croup in the Indian Cities.

† Including 24 deaths from plague in Calcutta, 102 in Bombay, and 3 in Rio de Janeiro.

‡ Including 186 deaths from cholera in Calcutta and 2 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd March, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	55'0	24'4	40'5	0'01	LEEDS - - -	54'0	28'0	43'1	0'07
BRIGHTON - -	51'7	26'1	39'8	0'14	YORK - - -	57'0	27'0	42'7	0'07
PORTSMOUTH -	52'6	26'0	41'1	0'00	HULL - - -	55'0	28'0	43'6	0'16
NORWICH - - -	54'4	25'0	40'5	0'10	TYNEMOUTH -	55'0	24'0	41'5	0'14
PLYMOUTH - -	52'8	25'0	40'8	0'00	CARDIFF - -	53'4	20'5	39'1	0'01
BRISTOL - - -	52'7	23'2	40'2	0'09	EDINBURGH -	52'1	27'8	43'0	0'00
BIRMINGHAM -	50'7	25'5	41'3	0'06	GLASGOW - -	51'5	29'5	43'3	0'26
NOTTINGHAM -	51'7	23'2	40'4	0'02	DUBLIN } Phoenix Park. Fitz- william Square.†	53'4	27'7	41'8	0'00
LIVERPOOL }	49'0	29'0	40'0	0'16		54'7	30'9	44'2	0'02
OBSERVATORY. }									
MANCHESTER -	50'5	23'2	40'0	0'16	BELFAST - -	53'0	30'0	42'0	0'11
PRESTON - - -	48'8	28'0	40'7	0'20					
HUDDESFIELD -	52'8	25'5	41'3	0'11					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'6 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the WEEK ended SATURDAY, 2ND MARCH, 1901.

[Under the Superintendence of the Astronomer Royal.]

Under the Superintendence of the Astronomical Observatory.

1907. MONTH AND DAY		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.				WINDS deduced from Anemometers.				Rain collected in a gauge 5 inches reserving surface of ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		Phases of the Moon.		Of the Air.		Of the Dew point.		Degrees of Humidity (Saturation 100).		Of Radiation.		Of the Earth's Surface below the Surface.		General Direction.		Oiler's.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average of 65 Years.	Mean daily value.							Daily Range.	Mean daily value.		Great-est.	Least-est.	A.M.	P.M.	Great-est.	Least-est.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																												in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 23rd February 1907.*

BOROUGHs	Estimated Population in the middle of 1907,	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	149,909	-	17	3	-	1	-	-	1	1	
Kensington - - - -	181,842	-	3	2	-	1	-	-	1	-	
Hammersmith - - - -	122,337	-	7	2	-	-	-	-	1	1	
Fulham - - - -	166,749	-	4	5	-	3	-	-	2	-	
Chelsea - - - -	74,857	-	1	3	-	-	-	-	1	-	
City of Westminster - -	172,219	-	5	4	-	1	-	-	2	-	
NORTH.											
St. Marylebone - - - -	127,718	-	4	5	-	-	-	-	1	-	
Hampstead - - - -	91,137	-	11	5	-	1	-	-	2	-	
St. Pancras - - - -	236,753	-	16	5	-	-	-	-	2	-	
Islington - - - -	347,017	-	26	3	-	-	-	-	4	1	
Stoke Newington - - - -	53,613	-	1	2	-	-	-	-	1	1	
Hackney - - - -	232,993	-	19	10	-	1	-	-	6	1	
CENTRAL.											
Holborn - - - -	55,134	-	-	1	1	-	-	-	1	-	
Finsbury - - - -	96,732	-	8	-	-	-	-	-	2	-	
City of London - - - -	20,310	-	1	-	-	-	-	-	-	-	
EAST											
Shoreditch - - - -	115,632	-	6	3	-	-	-	-	-	-	
Bethnal Green - - - -	130,831	-	22	9	-	-	-	-	1	-	
Stepney - - - -	308,923	-	22	6	-	1	-	-	5	-	
Poplar - - - -	171,086	-	7	3	-	1	-	-	2	1	
SOUTH.											
Southwark - - - -	209,781	-	19	7	-	-	-	-	4	-	
Bermondsey - - - -	128,263	-	14	6	-	-	-	-	1	-	
Lambeth - - - -	318,538	-	14	8	-	4	-	-	4	-	
Battersea - - - -	181,736	-	14	9	-	1	-	-	6	-	
Wandsworth - - - -	281,419	-	18	16	-	2	-	-	5	1	
Camberwell - - - -	277,059	-	23	3	-	-	-	-	11	-	
Deptford - - - -	116,510	-	15	6	-	3	-	-	3	-	
Greenwich - - - -	107,222	-	9	2	-	-	-	-	4	1	
Lewisham - - - -	152,532	-	12	4	-	-	-	-	-	-	
Woolwich - - - -	129,336	-	15	2	-	2	-	-	1	-	
Port of London - - - -	-	1	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,758,218	1	333	142	1	22	-	-	73	7
Ages 0-1 - - - -		-	-	1	3	-	-	-	-	5	-
" 1-5 - - - -		-	-	110	53	-	-	-	-	5	-
" 5- - - - -		-	-	140	58	-	2	-	-	2	-
" 10- - - - -		-	-	47	12	-	1	-	-	1	-
" 15- - - - -		-	-	18	4	-	3	-	-	3	-
" 20- - - - -		1	-	4	3	-	3	-	-	4	2
" 25- - - - -		-	-	8	5	-	10	-	-	3	5
" 35- - - - -		-	-	4	3	-	1	-	-	13	-
" 45- - - - -		-	-	-	1	1	2	-	-	15	-
" 55- - - - -		-	-	1	-	-	-	-	-	13	-
" 65 and upwards -		-	-	-	-	-	-	-	-	9	-
Age not stated - -		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 10. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAR. 9. [Price 1½d.

General Register Office, Somerset House,
March 11th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 20·4, 17·8, and 18·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 24·8 in Devonport, in Hanley, and in Stockport, 25·1 in Grimsby and in Middlesbrough, 25·8 in Norwich, 26·4 in Huddersfield, 28·8 in Merthyr Tydfil, and 30·1 in Bury; from *measles*, 2·2 in Birkenhead, 2·8 in West Hartlepool, 3·4 in East Ham, 4·4 in Grimsby, 5·1 in St. Helens, and 5·3 in West Bromwich; from *scarlet fever*, 1·4 in Newport (Mon.); from *diphtheria*, 1·2 in Derby; from *whooping-cough*, 1·1 in Walsall and in Bradford, 1·2 in York, 1·4 in Nottingham and in South Shields, and 1·9 in East Ham; and from *diarrhoea*, 1·2 in Rhondda and 1·5 in Bournemouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2391 BIRTHS and 1641 DEATHS were registered. Allowing for increase of population, the births were 249 and the deaths 80 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 19·9, 17·1, and 18·4 per 1000 in the preceding three weeks, was 18·0 last week. The death-rate in the four weeks ended last Saturday averaged 18·4 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1641 deaths included 55 from measles, 7 from scarlet fever, 19 from diphtheria, 40 from whooping-cough, 7 from enteric fever, and 12 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 140 deaths were referred to these diseases in the aggregate, being 28 below the corrected average number in the tenth week of the preceding five years.

The deaths from *measles*, which had been 28, 38, and 35 in the preceding three weeks, rose to 55 last week, but were 3 below the corrected average; 9 deaths belonged to the Borough of Camberwell, 6 each to Bethnal Green, Stepney and Bermondsey, and 5 each to Deptford, Greenwich, and Woolwich. The deaths from *scarlet fever*, which had been 8, 8, and 6 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 20, 16, and 16 in the preceding three weeks, rose to 19 last week, and were 2 above the corrected average; 3 deaths belonged to Shoreditch. The deaths from *whooping-cough*, which had been 48, 31, and 45 in the preceding three weeks, fell to 40 last week, and were 9 below the corrected average; 6 deaths belonged to Southwark, 4 each to Kensington and Islington, and 3 each to Paddington, Lambeth, and Camberwell. The deaths from *enteric fever*, which had been 1, 1, and 6 in the preceding three weeks, were 7 last week, and were 2 above the corrected average. The deaths from *diarrhoea*, which had been 17, 18, and 12 in the preceding three weeks, were again 12 last week, and were 3 below the corrected average; 3 deaths belonged to Stepney. Of the 12 deaths from diarrhoea, 11 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 26, having been 49, 44, and 30 in the preceding three weeks. The death of a child, aged 1 year and 8 months, was certified as due to *cerebro-spinal fever*.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 50 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 11 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 4, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2878 cases of scarlet fever, 967 of diphtheria, 3 of typhus, and 98 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 306 cases, against 368, 322, and 326; of diphtheria, 135 cases, against 130, 114, and 130; and of enteric fever, 12 cases, against 23, 11, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 2nd, 1907.

GREATER LONDON.

In Greater London 3636 births and 2325 deaths were registered. Allowing for increase of population, these numbers are 403 and 62 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 7 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·04 inches, and that of the Thermometer 40·1, the latter being 0·8 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 16 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 21·9 hours; the measured rainfall amounted to 0·37 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

151

TOWNS.	POPULATION to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Col.		Registered during the week ended 9th Mar., 1907.		The DEATHS registered in the Week include										TOWNS.				
		Week ended				11-17.		Deaths of Infants under 1 year of Age.	Deaths from															
		16th Feb., 1907.				23rd Feb., 1907.			2nd Mar., 1907.			9th Mar., 1907.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.		Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.
		16th Feb., 1907.	23rd Feb., 1907.	2nd Mar., 1907.	9th Mar., 1907.	11-17.	11-17.		11-17.	11-17.														
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.			
76 TOWNS	16,024,458	20'4	17'8	18'4	18'2	1'5	8236	5605	1140	1747	-	295	35	69	105	23	33	174	414	1345	55			
LONDON -	4,758,218	19'9	17'1	18'4	18'0	1'5	2391	1641†	290	545	-	55	7	19	40	7	12	60	152	925	3			
CROYDON -	154,342	18'6	17'9	19'9	14'2	0'3	69	42	8	19	-	-	-	1	2	-	1	1	6	2	1			
WILLESDEN -	149,192	16'1	13'6	14'3	13'6	1'4	79	39	18	10	-	1	-	-	-	-	2	1	1	1	-			
HORNSEY -	89,816	11'0	12'2	5'8	8'1	-	26	14	3	7	-	-	-	-	-	-	-	-	1	1	-			
TOTTENHAM -	122,793	16'6	14'4	20'0	21'2	1'3	53	50	11	15	-	1	-	-	2	-	1	10	7	-	-			
WEST HAM -	308,284	17'6	16'1	14'4	14'5	2'0	161	86	19	22	-	7	1	1	1	1	1	5	20	-	-			
EAST HAM -	136,421	10'3	15'3	16'8	19'1	5'4	67	50	10	13	-	9	-	-	5	-	1	4	7	-	-			
LEYTON -	122,040	10'3	10'7	11'1	13'2	2'1	54	31	8	8	-	3	1	-	1	-	1	4	4	-	-			
WALTHAMSTOW -	126,397	15'3	12'0	18'6	14'0	0'4	71	34	15	6	-	-	-	-	1	-	2	3	7	-	-			
HASTINGS -	67,477	18'5	12'4	11'6	13'1	-	19	17	-	11	-	-	-	-	-	-	-	-	3	-	-			
BRIGHTON -	129,023	18'6	25'5	21'8	21'4	0'8	63	53	6	21	-	1	-	1	-	-	-	2	22	-	-			
PORTSMOUTH -	208,291	27'3	23'3	19'8	19'3	3'3	117	77	16	24	-	8	-	3	2	-	-	2	4	15	-			
BOURNEMOUTH -	68,246	19'6	15'8	21'8	13'6	1'5	21	18	2	10	-	-	-	-	-	-	2	1	1	1	-			
SOUTHAMPTON -	119,745	17'0	17'9	17'4	19'6	0'9	50	45	9	16	-	-	-	1	-	1	1	5	9	-	-			
READING -	80,311	17'5	22'1	11'7	18'8	0'6	31	29	9	12	-	-	-	-	1	-	1	1	7	-	-			
NORTHAMPTON -	95,070	13'7	16'5	13'2	10'4	0'5	45	19	7	3	-	-	-	-	-	1	-	-	3	-	-			
IPSWICH -	72,855	20'8	17'2	20'8	10'7	-	37	15	6	3	-	-	-	-	-	-	-	-	1	-	-			
GREAT YARMOUTH -	52,879	22'7	22'7	12'8	10'8	1'0	26	11	5	4	-	1	-	-	-	-	-	2	2	1	-			
NORWICH -	119,191	19'2	21'4	18'4	25'8	1'3	48	59	19	22	-	-	-	-	2	1	-	1	11	11	1			
PLYMOUTH -	120,063	33'9	18'7	23'0	20'4	0'9	50	47	6	17	-	2	-	-	-	-	-	3	4	-	-			
DEVONPORT -	79,959	20'9	16'3	20'2	24'8	0'7	42	38	8	19	-	1	-	-	-	-	-	2	2	3	-			
BRISTOL -	367,979	22'1	17'9	16'9	17'6	0'7	155	124	19	38	-	-	2	3	-	-	-	3	8	31	-			
HANLEY -	67,174	20'2	27'9	19'4	24'8	3'1	44	32	7	9	-	2	1	1	-	-	-	1	1	5	-			
BURTON-ON-TRENT -	53,425	12'7	15'6	20'5	13'7	-	29	14	4	5	-	-	-	-	-	-	-	-	2	1	-			
WOLVERHAMPTON -	102,016	25'6	18'9	15'8	19'4	1'0	54	38	11	10	-	-	-	-	-	-	-	-	2	7	-			
WALSALL -	96,171	16'8	18'4	15'7	16'8	1'1	50	31	6	11	-	-	-	-	2	-	-	1	1	2	1			
HANDSWORTH -	65,929	11'1	13'4	11'1	11'9	0'8	24	15	4	4	-	-	-	-	-	-	-	-	2	1	-			
WEST BROMWICH -	69,123	23'4	18'9	23'4	23'4	5'3	34	31	7	6	-	7	-	-	-	-	-	3	4	3	-			

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ Including one death from Cerebro-spinal fever.

TABLE 1 (cont.). -78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS. -BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 9th March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.			Registered during the Week ended 9th Mar., 1907.		The DEATHS registered in the Week include:										TOWNS.					
		Week ended			BIRTHS.	DEATHS.	Deaths of															
		16th Feb., 1907.	23rd Feb., 1907.	6th Mar., 1907.			Infants under 1 Year.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
																					8.	9.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	553,155	24'9	18'9	19'5	19'0	2'7	232	202	45	50	-	18	3	4	2	2	-	8	8	39	3	BIRMINGHAM.
KINGS NORTON -	75,600	7'6	6'9	8'3	11'0	1'4	44	16	5	3	-	-	1	1	-	-	-	1	1	3	-	KINGS NORTON.
SMETHWICK -	66,467	15'7	11'8	13'3	12'6	0'8	37	16	2	10	-	1	-	-	-	-	-	-	-	2	-	SMETHWICK.
ASTON MANOR -	83,268	14'4	18'2	20'7	20'0	1'3	46	32	8	13	-	2	-	-	-	-	2	2	7	2	-	ASTON MANOR.
COVENTRY -	77,626	18'1	16'8	12'1	12'8	-	42	19	4	8	-	-	-	-	-	-	-	1	4	3	-	COVENTRY.
LEICESTER -	236,124	16'8	14'1	18'3	15'5	0'9	112	70	18	19	-	2	2	-	-	-	1	3	12	1	1	LEICESTER.
GRIMSBY -	70,574	20'7	19'9	28'8	25'1	5'2	41	34	10	4	-	6	-	-	-	1	-	2	2	3	-	GRIMSBY.
NOTTINGHAM -	257,489	25'1	19'8	22'5	21'9	4'1	122	108	23	34	-	10	-	1	7	-	2	5	11	19	2	NOTTINGHAM.
DERBY -	125,774	17'8	11'6	18'2	18'2	2'5	80	44	9	12	-	-	-	3	2	-	1	1	3	9	-	DERBY.
STOCKPORT -	100,986	18'6	24'8	19'1	24'8	2'6	45	48	4	15	-	1	-	2	2	-	-	1	5	12	-	STOCKPORT.
BIRKENHEAD -	118,563	20'2	22'9	20'2	18'5	3'5	91	42	9	14	-	5	-	1	-	1	1	1	6	6	-	BIRKENHEAD.
WALLASEY -	66,707	25'0	19'5	17'2	10'2	0'8	37	13	3	8	-	-	-	-	-	1	-	-	-	5	-	WALLASEY.
LIVERPOOL -	746,144	24'0	17'6	19'6	18'7	0'7	430	267	60	76	-	4	2	-	1	1	2	10	16	91	4	LIVERPOOL.
BOOTLE -	67,114	22'5	17'1	19'4	24'1	0'8	46	31	11	10	-	-	1	-	-	-	2	2	2	2	1	BOOTLE.
ST. HELENS -	92,476	31'6	23'1	24'8	19'7	6'2	68	35†	9	4	-	9	1	1	-	-	-	1	1	6	-	ST. HELENS.
WIGAN -	88,606	14'1	15'9	16'5	20'6	2'4	44	35	7	10	-	1	-	-	1	1	1	1	1	3	-	WIGAN.
WARRINGTON -	70,269	18'6	14'8	21'5	14'8	0'7	59	20	4	6	-	-	-	-	-	-	1	1	1	-	-	WARRINGTON.
BOLTON -	182,917	14'3	13'7	18'5	17'7	2'3	74	62	12	17	-	7	-	1	-	-	1	1	2	5	-	BOLTON.
BURY -	58,901	23'0	17'7	15'9	30'1	1'8	21	34	5	16	-	1	-	1	-	-	-	-	2	7	-	BURY.
MANCHESTER -	643,148	23'3	21'7	19'9	18'9	1'4	293	233	37	57	-	6	2	2	6	1	-	10	18	53	4	MANCHESTER.
SALFORD -	236,670	24'2	18'1	18'1	17'6	1'1	123	80	20	17	-	1	-	1	2	-	1	1	3	17	1	SALFORD.
OLDHAM -	141,730	22'4	22'8	25'0	21'7	-	73	59	7	25	-	1	-	-	-	-	-	-	3	12	1	OLDHAM.
ROCHDALE -	87,999	20'7	20'1	23'7	23'1	0'6	36	39	6	14	-	1	-	-	-	-	-	-	1	6	1	ROCHDALE.
BURNLEY -	103,947	16'1	21'6	17'6	17'1	0'0	57	34	9	9	-	-	-	-	-	1	-	2	2	-	-	BURNLEY.
BLACKBURN -	134,980	25'9	16'6	17'8	22'8	0'8	76	59	8	17	-	-	1	-	1	-	1	1	1	13	1	BLACKBURN.
PRESTON -	117,093	24'0	20'0	17'8	22'7	2'2	77	51	12	14	-	-	-	-	2	-	1	1	1	11	4	PRESTON.
BARROW-IN-FURNESS.	61,635	23'7	16'9	17'8	12'7	0'8	30	15	3	6	-	-	-	-	1	-	-	2	3	2	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in 1907.		Registered Deaths during the week ended 9th Mar., 1907.		Deaths from										Deaths of		Deaths in Public Institutions.		TOWNS.	
		Week ended				11-17.		9th Mar., 1907.		Deaths from										Persons aged and upwards.		Deaths in Public Institutions.			
		16th Feb., 1907.				11-17.		9th Mar., 1907.		Deaths from										Persons aged and upwards.		Deaths in Public Institutions.			
		16th Feb., 1907.	23rd Feb., 1907.	2nd Mar., 1907.	9th Mar., 1907.	11-17.	11-17.	9th Mar., 1907.	9th Mar., 1907.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
HUDDESFIELD	94,814	14.3	13.2	17.6	26.4	-	43	48	3	19	-	-	-	-	-	-	-	3	5	12	2	HUDDESFIELD.			
HALIFAX	110,198	18.9	17.0	20.8	15.1	0.5	44	32	3	16	-	-	-	1	-	-	-	-	1	5	-	HALIFAX.			
BRADFORD	290,323	21.0	16.2	15.4	16.2	1.4	94	90	22	32	-	-	-	2	6	-	-	4	11	14	-	BRADFORD.			
LEEDS	470,268	17.0	15.0	17.7	16.0	0.9	243	144	34	50	-	2	2	4	-	-	-	2	12	18	-	LEEDS.			
SHEFFIELD	455,553	20.1	19.0	17.7	19.1	2.7	267	167	34	43	-	15	2	4	2	1	-	3	8	32	7	SHEFFIELD.			
ROTHERHAM	62,412	25.1	17.5	20.9	18.4	0.8	56	22	7	4	-	1	-	-	-	-	-	1	1	3	-	ROTHERHAM.			
YORK	84,790	19.1	17.2	16.0	16.6	1.2	48	27	2	13	-	-	-	-	2	-	-	-	3	11	-	YORK.			
HULL	266,762	20.7	18.0	17.8	19.9	1.0	129	102	21	43	-	2	-	2	1	-	-	2	6	19	4	HULL.			
MIDDLESBROUGH	101,783	26.1	27.7	17.4	25.1	3.1	69	49	11	12	-	2	-	-	1	1	2	1	2	4	2	MIDDLESBROUGH.			
STOCKTON-ON-TEES	52,909	18.7	17.7	15.8	17.7	-	25	18	5	4	-	-	-	-	-	-	-	1	4	1	-	STOCKTON-ON-TEES.			
WEST HARTLEPOOL	75,473	18.7	18.0	16.6	14.5	2.8	46	21	5	4	-	4	-	-	-	-	-	-	1	-	-	WEST HARTLEPOOL.			
SUNDERLAND	156,029	26.4	24.7	21.4	18.4	1.7	92	55	13	13	-	1	-	2	2	-	-	3	3	10	1	SUNDERLAND.			
SOUTH SHIELDS	113,400	21.6	15.2	22.1	16.5	1.4	59	36	6	12	-	-	-	-	3	-	-	-	3	9	1	SOUTH SHIELDS.			
GATESHEAD	125,783	12.0	19.9	9.1	18.2	0.4	64	44	8	10	-	1	-	-	-	-	-	1	2	2	3	GATESHEAD.			
NEWCASTLE-ON-TYNE	272,969	20.1	19.7	16.8	18.1	0.4	142	95	13	29	-	-	1	1	-	-	-	5	9	16	-	NEWCASTLE-ON-TYNE.			
TYNEMOUTH	54,688	21.0	16.2	18.1	21.9	1.0	45	23	2	6	-	1	-	-	-	-	-	-	-	5	1	TYNEMOUTH.			
NEWPORT (MON.)	75,585	30.4	15.2	28.3	19.3	2.8	47	28	5	5	-	2	2	-	-	-	-	-	2	6	-	NEWPORT (MON.).			
CARDIFF	187,620	19.2	18.6	19.2	18.3	1.1	93	66	11	17	-	-	1	2	-	1	-	3	4	15	-	CARDIFF.			
RHONDDA	130,400	21.2	18.8	20.8	22.0	1.6	96	55	19	14	-	-	-	1	-	-	3	1	2	1	-	RHONDDA.			
MERTHYR TYDFIL	76,065	24.7	21.9	32.2	28.8	1.4	54	42	13	11	-	-	-	1	-	-	1	1	3	8	1	MERTHYR TYDFIL.			
SWANSEA	97,324	26.3	22.0	21.4	23.0	0.5	63	43	15	12	-	-	-	-	-	-	1	1	1	7	-	SWANSEA.			
GREATER LONDON	7,217,191	18.7	16.0	17.1	16.8	1.4	3636	2325	446	768	-	32	11	24	59	8	15	32	211	720	8	GREATER LONDON.			
OUTER RING	2,456,723	16.4	13.8	14.6	14.5	1.3	1245	684	156	223	-	27	4	5	19	1	3	22	59	95	3	OUTER RING.			
8 TOWNS IN OUTER RING	1,200,265	15.1	14.5	15.4	14.9	1.7	585	346	92	100	-	21	2	2	12	1	2	9	34	50	1	8 TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING	1,250,438	17.7	13.2	13.8	14.1	0.8	660	338	64	123	-	6	2	3	7	-	1	13	25	45	2	REMAINDER OF OUTER RING.			
EDINBURGH	345,747	22.0	17.9	17.3	20.1	1.1	156	133†	18	47	-	-	-	1	1	2	3	7	?	48	6	EDINBURGH.			
GLASGOW	847,564	22.5	20.2	22.0	21.0	2.5	503	342†	67	70	-	2	-	7	21	4	6	14	?	115	11	GLASGOW.			
DUBLIN†	390,691	31.4	27.1	28.6	26.2	1.3	254	180†	29	51	-	1	-	1	7	-	1	3	7	73	4	DUBLIN.†			
BELFAST†	370,163	28.6	20.6	28.7	23.5	1.4	206	167†	25	29	-	1	-	-	3	2	2	2	6	49	1	BELFAST.†			

TABLE 2. LONDON.—Births and Deaths Registered in the Tenth Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2654	2736	2627	2841	2496	2680	2584	2712	2412	2509	2639.7	2399
Males - - -	1341	1362	1312	1458	1286	1382	1328	1376	1223	1243	1341.0	1234
Females - - -	1313	1374	1315	1383	1210	1298	1256	1336	1189	1266	1298.7	1157
TOTAL Deaths -	1571	1854	1954	1652	1723	2159	1443	1796	1543	1469	1721.3	1641
Males - - -	808	946	943	884	893	1066	720	897	764	763	861.7	846
Females - - -	763	908	1011	768	830	1093	723	899	779	706	859.6	795

* The numbers in this column are the average weekly numbers in the tenth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 15.	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	13 Weeks.
TOTAL Births -	2172	2503	1694	2905	2593	2454	2134	2550	2356	2350	2412	2391	2391	30905
TOTAL Deaths -	1628	1886	1850	2231	1946	1678	1647	1895	1858	1819	1558	1678	1641	23315
Ages at Death {														
Under 1 year -	296	328	375	463	363	299	324	367	359	314	275	290	290	4337
1–5 years -	159	180	223	212	193	207	153	197	179	199	185	181	189	2437
5–20 „ -	85	99	96	84	68	66	72	92	73	69	87	89	83	1043
20–40 „ -	202	221	186	224	234	182	178	225	194	193	171	206	196	2612
40–60 „ -	347	376	368	469	368	349	363	348	410	363	318	338	353	4790
60 yrs. & upwds.	539	682	583	779	720	575	557	686	649	681	542	574	515	8091
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	26	24	29	38	28	33	17	20	30	28	38	35	55	369
Scarlet Fever -	15	9	8	8	9	11	11	8	6	8	8	6	7	114
Diphtheria - -	16	14	26	28	12	18	16	21	20	20	16	16	19	242
Whooping-cough -	18	32	31	33	31	28	35	51	40	48	31	45	40	468
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	15	6	4	7	11	4	5	8	2	1	-	6	7	77
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	15	16	21	21	18	10	16	17	17	17	18	12	12	210
All above Diseases -	105	101	119	138	109	104	100	125	115	122	112	120	140	1510
Dis. of Resp. System -	216	297	303	398	324	229	280	282	285	298	201	222	232	3553
Pneumonia - -	192	244	252	320	296	217	264	233	241	229	178	210	173	3009
Phthisis - - -	156	204	181	184	168	146	159	184	175	187	147	151	160	2202
Dis. of Circ. System -	219	247	218	263	223	200	211	241	249	249	220	253	217	3010
Violence - - -	69	67	82	76	66	65	49	68	57	63	56	60	60	819
Inquest Cases - -	162	159	167	232	185	167	133	216	159	182	153	161	152	2248
Deaths in Institutions	616	717	610	751	695	644	605	694	689	648	609	608	625	8541
TEMPERATURE OF THE AIR.														
Mean - - -	36.5	39.2	31.4	39.3	42.8	40.7	30.5	36.1	33.0	39.7	38.9	40.6	40.1	37.7
Mean of Highest -	41.1	42.8	36.4	44.6	46.7	43.6	34.3	41.7	37.1	44.6	45.6	48.3	47.2	42.6
Mean of Lowest -	31.6	34.7	25.9	33.0	37.9	37.2	26.6	30.6	27.9	34.5	35.2	32.7	33.4	32.4
Mean Humidity of the Air.	79	91	77	83	83	81	74	77	76	85	72	81	80	80
Rain-fall (in inches) -	0.40	0.50	0.68	0.98	0.18	0.01	0.04	0.19	0.19	0.77	0.29	0.01	0.37	4.61
Registered Sunshine (in hours).	8.6	1.6	3.2	10.8	6.3	3.3	7.2	11.8	17.9	15.0	19.8	11.0	21.9	138.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3986	3807	3846	3707	3523	3405	3292	3176	3059	3035	2938	2878	2878	3348
Diphtheria - - -	1025	955	1000	988	926	934	925	928	932	926	920	922	967	950
Typhus - - -	-	2	2	2	2	2	2	3	3	3	4	3	3	2
Enteric Fever - -	157	149	135	120	108	108	98	100	94	101	102	103	98	113

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich; Manchester: H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witly, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th March, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Deaths of Persons aged 10 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia† Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
LONDON - - -	4 536,429	2391	1641	290	545	-	55	7	19	40	-	7	-	12	60	152	625	3		
WEST DISTRICTS - - -	805,311	336	288	39	113	-	2	-	1	8	-	2	-	-	7	23	114	-		
NORTH DISTRICTS - - -	1,056,070	479	356	55	132	-	1	3	3	9	-	-	-	2	12	27	116	-		
CENTRAL DISTRICTS - - -	209,465	112	71	17	18	-	-	-	1	1	-	1	-	1	6	11	39	-		
EAST DISTRICTS - - -	715,739	448	277	56	75	-	20	-	3	3	-	3	-	5	10	36	128	-		
SOUTH DISTRICTS - - -	1,749,844	1016	596	123	186	-	32	3	9	19	-	1	-	4	25	64	176	3		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	53	-	21	-	-	1	3	-	-	-	-	-	-	1	53	-		
WEST DISTRICTS.																				
St. Mary Paddington W,3H - -	93,178	39	32	6	10	-	-	-	-	2	-	-	-	-	-	1	12	-		
St. John Paddington H - - -	33,617	7	14	2	4	-	-	-	-	-	-	1	-	-	1	1	7	-		
North-West Paddington - - -	17,181	7	4	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-		
Kensington Town 2W,w,2H - -	128,037	45	55	3	24	-	-	-	-	3	-	-	-	-	-	3	24	-		
Brompton 2H - - -	48,591	13	9	1	4	-	-	-	-	1	-	-	-	-	1	1	1	-		
North Hammersmith 2W,w,H - -	49,192	30	20	4	7	-	1	-	-	1	-	-	-	-	1	4	5	-		
South Hammersmith w,2H - -	63,047	26	26	3	13	-	-	-	-	-	-	-	-	-	1	4	9	-		
North-west Fulham W - - -	45,180	49	16	5	5	-	1	-	-	-	-	-	-	-	2	3	10	-		
North-east Fulham F - - -	46,405	22	10	-	6	-	-	-	1	-	-	-	-	-	-	1	1	-		
South Fulham W - - -	45,704	22	13	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-		
Chelsea North W,w,3H - - -	42,514	17	35	2	19	-	-	-	-	-	-	-	-	-	-	1	29	-		
Chelsea South W,2H - - -	31,328	14	10	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-		
Mayfair and Knightsbridge - -	28,743	3	6	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-		
Belgrave W,2H - - -	55,815	22	13	2	1	-	-	-	-	-	-	-	-	-	1	1	8	-		
St. Margaret & St. John 5H - -	43,698	14	19	4	7	-	-	-	-	-	-	-	-	-	-	-	7	-		
St. James and St. Anne W,6H - -	33,081	6	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - - -	35,391	7	19	-	5	-	-	-	1	1	-	-	-	-	-	-	10	-		
St. Mary Marylebone W,4H - -	37,948	23	5	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
Christchurch Marylebone - - -	39,536	23	12	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 2H - - -	20,426	7	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-		
Hampstead W,F,7H - - -	81,942	32	30	4	14	-	-	2	-	1	-	-	-	-	1	2	9	-		
West St. Pancras 2H - - -	60,562	31	15	1	5	-	-	-	-	-	-	-	-	-	2	5	1	-		
South St. Pancras w,11H - - -	55,707	22	28	4	10	-	-	-	-	-	-	-	-	-	3	4	14	-		
East St. Pancras W,2H - - -	60,320	24	24	2	9	-	-	-	-	-	-	-	-	-	1	2	11	-		
North St. Pancras 2W - - -	58,728	21	24	2	10	-	-	-	-	-	-	-	-	-	-	-	8	-		
Tufnell W - - -	31,995	17	25	7	10	-	-	-	-	1	-	-	-	-	-	-	15	-		
Upper Holloway 2W,w,H - - -	33,978	12	30	3	12	-	-	-	-	1	-	-	-	-	1	2	18	-		
Tollington WH - - -	33,922	7	10	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-		
Lower Holloway - - -	41,424	28	7	1	1	-	-	-	-	-	-	-	-	-	1	2	-	-		
Barnsbury - - -	54,478	29	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Islington South-east F - - -	75,397	34	12	5	4	-	-	-	-	-	-	-	-	-	-	1	-	-		
Highbury 2H - - -	63,797	24	12	3	4	-	-	-	-	1	-	-	-	-	-	-	-	-		
Stoke Newington H - - -	51,247	17	13	-	8	-	-	-	-	1	-	-	-	-	1	1	-	-		
North Hackney - - -	50,560	12	9	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-		
Central Hackney 2w,F - - -	50,536	41	19	3	4	-	-	1	2	1	-	-	-	-	1	2	4	-		
South-west Hackney 3H - - -	59,921	43	23	6	8	-	1	-	-	-	-	-	-	-	-	1	8	-		
South-east Hackney 2W,w,H - -	58,255	25	31	7	10	-	-	-	-	1	-	-	-	2	1	1	15	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th March, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																	Deaths in Public Institutions.	Uncertified Causes of Death.
			Total Deaths	Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 15 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury 2W,2H -	31,436	20	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
Strand W,4H - - - - -	21,674	2	11	-	3	-	-	-	-	-	-	-	-	-	-	3	3	6	-		
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn W,6H - - - - -	29,612	14	21	8	2	-	-	-	-	-	1	-	1	-	1	-	1	14	-		
South Clerkenwell - - - - -	28,676	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Clerkenwell H - - - - -	35,028	20	4	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-		
Finsbury 3H,1L - - - - -	36,116	32	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, } Mitcham - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
St. Botolph H - - - - -	10,299	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre and Allhallows W,2H	16,624	6	18	5	4	-	-	-	-	-	-	-	-	-	3	4	15	-	-		
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
Shoreditch South H - - - - -	46,362	20	8	1	3	-	1	-	-	-	-	-	-	-	-	1	2	-	-		
Shoreditch North-West W,w,H -	36,127	19	36	5	17	-	2	-	-	-	-	-	-	-	-	3	6	22	-		
Shoreditch North-East - - - - -	34,148	23	12	2	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-		
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North-East 2W } 2HL - - - - -	65,138	45	35	6	4	-	6	-	1	-	-	-	-	-	-	-	1	22	-		
Bethnal Green South-West H - -	64,542	39	17	4	5	-	2	-	-	-	-	-	-	-	-	1	4	1	-		
Spitalfields - - - - -	27,969	17	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-		
Mile End New Town W,H - - -	28,718	36	53	13	8	-	4	-	-	-	-	1	-	1	2	7	46	-	-		
Goodman's Fields - - - - -	22,081	9	3	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-		
St. George and St. John 2W - -	49,068	41	14	6	4	-	2	-	-	1	-	-	-	-	-	-	-	4	-		
Shadwell and Ratcliff W,H - -	25,568	22	8	3	-	-	-	-	-	-	-	1	-	-	-	-	1	7	-		
Limehouse W - - - - -	32,369	19	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mile End Old Town South- } Western H - - - - -	63,698	49	9	3	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-		
Mile End Old Town North- } Eastern W,w - - - - -	40,129	29	20	3	9	-	1	-	-	-	-	-	-	-	1	2	9	-	-		
Bow L - - - - -	41,989	23	6	-	3	-	-	-	-	-	-	-	-	-	1	2	1	-	-		
Bromley 3w,B - - - - -	68,319	36	33	5	9	-	-	-	1	-	-	-	-	-	-	-	8	15	-		
Poplar W,w - - - - -	58,614	21	13	2	5	-	1	-	-	-	-	-	-	-	-	1	1	-	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th March, 1907—continued.

		The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	Deaths from														Inquest Cases.	Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhea.	Violence.				
SOUTH DISTRICTS.																				
Christchurch and St. Saviour		23,319	10	20	3	7	-	-	-	-	-	-	-	-	2	1	1	14		
Southwark W, H		21,904	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Kent-road		39,094	26	8	2	3	-	-	-	-	-	-	-	-	-	-	-	2		
St. George the Martyr West		49,022	26	17	6	2	-	-	-	-	4	-	-	-	1	-	2	-		
W, H, L		72,841	47	25	5	13	-	-	-	-	2	-	-	-	1	1	4	1		
Newington North		9,817	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Newington South W		82,483	58	21	6	4	-	3	-	1	-	-	-	-	-	-	3	-		
St. Olave 2W		38,460	23	19	5	3	-	2	-	-	-	-	-	-	4	5	8	-		
Bermondsey W		27,440	26	11	5	-	-	-	-	-	1	-	-	-	-	-	1	2		
Rotherhithe W, F		27,440	17	27	5	4	-	-	-	-	1	-	-	-	-	6	6	18		
Waterloo 3H-		52,518	32	27	4	13	-	-	-	-	1	-	-	-	-	-	-	19		
Lambeth Church H		63,826	25	17	4	2	-	-	-	2	-	-	-	-	-	-	-	2		
Kennington 2W		73,673	38	15	3	6	-	-	-	-	1	-	-	-	1	2	1	1		
Stockwell HF		56,998	16	11	1	6	-	1	-	-	1	-	-	-	1	1	1	-		
Brixton H		72,203	41	20	5	10	-	-	-	-	-	-	-	-	2	2	-	-		
Norwood WH		49,656	23	12	7	2	-	-	-	-	-	-	-	-	-	1	-	-		
East Battersea H		47,048	19	22	2	6	-	-	-	-	1	-	-	-	2	4	15	-		
North-west Battersea		51,381	28	8	1	4	-	-	-	-	-	-	-	-	-	1	-	-		
South-west Battersea 2W, H-		88,019	60	28	6	12	-	-	-	2	2	-	-	-	-	-	-	9		
Clapham 2H		27,959	30	7	1	3	-	1	-	-	-	-	-	-	1	2	-	-		
Streatham W, 2w, 3F, 2L		40,444	36	10	4	2	-	-	-	-	-	-	-	-	1	1	-	-		
Springfield 2W, L		24,139	4	3	1	2	-	-	-	-	-	-	-	-	1	1	-	-		
Southfields H		13,359	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Putney -		40,206	23	24	4	11	-	-	-	-	-	-	-	-	-	-	-	20		
Dulwich -		85,584	38	35	4	14	-	1	1	-	1	-	-	-	1	1	17	-		
Camberwell South W, w		47,331	28	22	5	3	-	5	-	-	1	-	-	-	-	1	-	-		
Camberwell North W, 3L		48,913	22	9	1	2	-	-	-	-	1	-	-	-	-	2	-	-		
St George		43,946	28	19	4	5	-	3	-	1	-	-	-	-	-	2	-	-		
Peckham North		37,613	22	13	3	4	-	4	-	-	-	-	-	-	-	-	-	-		
Peckham South 2W, w		45,481	36	16	4	3	-	1	1	3	-	-	-	-	-	2	5	-		
Deptford North		34,625	9	8	-	3	-	-	-	-	1	-	-	-	1	2	-	-		
Deptford Central F		23,456	12	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Deptford South		43,859	24	25	5	4	-	5	-	-	-	-	-	-	-	-	10	-		
Greenwich West 2H		7,226	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Greenwich East 2W, H		25,490	14	8	2	3	-	-	-	-	-	-	-	-	1	1	3	-		
Eltham w, H		53,352	51	33	6	12	-	1	-	-	-	-	1	-	1	2	3	16		
Lee w, H-		41,653	22	8	1	2	-	-	-	-	1	-	-	-	-	-	-	-		
Lewisham W, w, F		21,134	9	5	-	-	-	1	1	1	-	-	-	-	-	-	-	3		
Sydenham H		41,625	27	6	2	-	-	3	-	-	-	-	-	-	-	-	-	-		
Charlton F, 2H		18,063	8	6	-	3	-	-	-	-	-	-	-	-	-	1	-	-		
Woolwich 5H-		50,264	24	21	5	9	-	1	-	-	-	-	-	-	-	2	8	-		
Plumstead West W																				
Plumstead East 2W, H																				
Workhouse:-																				
Central London Sick Asylum				1	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
(Westminster, St. Giles, and Strand Unions.)																				
M. A. B. Small-pox Hospitals:-																				
Joyce Green																				
Long Reach																				
M. A. B. Fever Hospitals:-																				
Gore Farm (temporary)																				
North-Eastern				3	-	-	-	-	1	2	-	-	-	-	-	-	3	-		
Northern				1	-	-	-	-	-	1	-	-	-	-	-	-	1	-		
M. A. B. Imbecile Asylums:-																				
Belmont				1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Caterham				4	-	1	-	-	-	-	-	-	-	-	-	-	4	-		
Darenth				1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Leavesden				5	-	2	-	-	-	-	-	-	-	-	-	-	5	-		
London County Lunatic Asylums:-																				
Banstead				5	-	1	-	-	-	-	-	-	-	-	-	-	5	-		
Ewell (Epileptic Colony)																				
Horton				3	-	2	-	-	-	-	-	-	-	-	-	-	3	-		
Manor																				
Cane Hill				3	-	1	-	-	-	-	-	-	-	-	-	-	3	-		
Dartford Heath				7	-	2	-	-	-	-	-	-	-	-	-	-	7	-		
Hanwell				5	-	4	-	-	-	-	-	-	-	-	-	-	5	-		
Colney Hatch				8	-	5	-	-	-	-	-	-	-	-	-	1	8	-		
Claybury				6	-	2	-	-	-	-	-	-	-	-	-	-	6	-		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th March, 1907.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
LONDON—OUTER RING		368,302	2,044,973	1245	684	156	223	-	27	4	5	19	1	3	22	59	95	3
1	Carshalton 2F,3H	12,228	32,997	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	6	1	3	-	-	-	-	-	-	-	1	1	2	-
1	Godstone, part of* W,F,L	2,764	2,892	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-
1	Conisdon	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	19	13	3	9	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	27	17	3	3	-	-	-	-	-	-	-	1	1	5	-
4	North Croydon H	2,644	41,698	23	16	3	8	-	-	-	-	-	-	-	1	1	1	-
5	Penge w,H	770	22,465	6	5	-	1	-	-	-	1	1	-	-	-	1	-	-
6	Mitcham w	11,711	30,016	28	17	8	4	-	-	-	1	1	-	-	1	2	-	-
1	Wimbledon F,3H	3,221	41,652	24	16	5	1	-	-	-	-	1	-	-	1	2	1	-
2	Kingston 2W,H	6,224	42,068	33	13	2	5	-	3	-	-	-	-	-	-	1	6	-
3	Surbiton F,H	3,046	15,017	6	6	2	1	-	1	-	-	-	-	-	1	-	1	-
4	Esher, part of* H	5,402	13,100	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,584	23,456	12	6	-	3	-	-	-	-	1	-	-	-	-	-	-
1	Richmond W,H	2,162	28,865	8	4	-	2	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake F	2,847	20,628	15	9	1	5	-	-	-	-	-	-	-	-	1	-	-
1	Bromley F,3H	4,703	27,354	8	7	1	2	-	-	1	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	15	3	-	3	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,867	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
1	Bexley w,F,H	8,678	21,151	10	6	2	1	-	-	-	-	-	-	-	1	1	1	-
2	Erith F,H	3,854	25,266	17	8	2	3	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
1	Sunbury w	11,054	18,683	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	8	7	2	3	-	-	-	-	-	-	-	-	-	-	-
1	Hillingdon W,F,H	6,035	13,661	11	4	-	2	-	-	-	-	-	-	-	1	1	1	-
2	Uxbridge H	12,757	8,984	2	5	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H	8,066	16,358	15	4	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Isleworth 3W,2F,H	6,859	30,863	20	16	1	8	-	-	1	-	-	-	-	-	-	8	-
2	Twickenham F,2H	2,421	20,991	23	6	3	1	-	-	-	-	-	-	-	-	-	-	1
3	Brentford 3F,2H	4,319	48,289	38	15	5	5	-	-	-	-	-	-	-	2	2	-	-
4	Chiswick H	1,249	29,809	13	5	1	3	-	-	-	-	-	-	-	1	1	1	-
5	Acton w,F,3H	6,132	48,914	42	24	5	7	-	-	-	1	-	-	-	2	4	1	-
1	Harrow F,H	13,809	25,523	15	7	-	4	-	1	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H	6,694	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	79	39	18	10	-	1	-	1	2	-	-	2	6	2	1
4	Hendon W,F	8,982	22,450	15	9	-	5	-	-	-	-	-	-	-	-	-	2	-
1	South Mimms 2F,H	17,755	7,308	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,683	33,692	32	10	2	2	-	-	-	-	-	-	-	-	1	-	-
1	Hornsey F,H	2,875	72,056	26	13	3	7	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,825	34,235	28	11	-	4	-	1	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	32	23	6	5	-	-	-	2	-	-	-	1	7	-	-
4	East Tottenham 2H	2,017	53,638	26	22	5	8	-	1	-	-	-	-	-	-	3	2	-
5	Edmonton W,w,2F	7,491	61,892	48	33	5	12	-	-	-	1	-	-	-	1	2	9	-
6	Enfield 2W,F,H	12,601	42,738	19	8	2	5	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Bushey H	9,333	9,173	1	4	1	1	-	-	-	1	-	-	-	1	1	-	-
1	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
2	Stratford H	1,072	44,827	14	9	3	-	-	1	-	-	-	-	-	1	-	1	1
3	Plaistow F,3H	1,249	90,921	62	30	8	8	-	3	-	-	1	-	-	1	1	2	-
4	Canning Town H	1,556	70,718	62	19	5	2	-	2	-	-	-	-	-	-	2	-	-
5	Forest Gate w	806	80,892	23	11	1	5	-	2	-	-	-	-	-	-	1	-	-
6	North East Ham w,H	1,333	58,676	36	22	6	6	-	3	-	-	2	-	-	1	3	1	-
7	South East Ham 2F	1,993	37,342	31	22	4	4	-	6	-	-	3	-	-	-	1	-	-
8	Wanstead F	1,679	9,179	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
9	South Leyton 2W	631	50,467	25	21	3	9	-	1	-	-	1	-	-	-	2	8	-
10	North Leyton 2W,w,F	1,963	48,445	29	40	8	10	-	2	-	-	-	-	-	1	2	26	-
1	Walthamstow 3H,L	6,504	108,929	74	31	16	5	-	-	-	1	-	-	-	2	3	1	-
2	Chigwell 2F,3H	11,778	16,397	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Romford, part of* W,2F	8,556	6,091	7	8	1	2	-	-	-	1	-	-	-	-	-	6	-
3	Ilford F,L	8,496	41,234	29	17	4	6	-	-	-	-	-	-	-	-	-	-	-
4	Barking Town F	3,803	21,547	20	6	1	2	-	-	-	-	-	-	-	1	1	-	-
Middlesex County Asylum, Wandsworth.		-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Oudham, and Knockholt parishes; 136: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 1873: also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,758,218	March 9	2391	1641	18'0	-	55	7	19	40	7	1
CALCUTTA - -	977,822	February 9	-	635	38'0	50	1	-	-	2	141	18
BOMBAY - -	982,000	" 19	556	788	52'8	6	3	-	-	-	242	7
MADRAS - -	509,348	" 8	298	352	35'9	1	-	?	?	?	89	6
PARIS - -	2,750,000	March 2	1052	1297	24'7	-	10	10	4	6	3	2
BRUSSELS - -	612,401	" 2	208	181	15'1	-	1	1	9	1	1	
ANTWERP - -	297,311	" 2	125	73	12'8	-	1	-	-	-	-	
AMSTERDAM - -	564,194	February 23	306	186	17'2	-	5	1	1	2	1	
		March 2	265	173	16'0	-	1	1	1	3	-	
COPENHAGEN - -	427,000	" 2	238	180	22'0	-	1	-	-	8	-	
STOCKHOLM - -	324,488	February 23	161	102	16'3	-	1	-	-	1	-	
CHRISTIANIA - -	226,472	March 2	95	55	12'0	-	-	-	3	-	-	
ST. PETERSBURG	1,482,769	February 16	991	851	29'9	-	26	21	20	7	23	8
MOSCOW - -	1,172,421	" 16	-	815	36'2	3	18	12	14	6	11	7
BERLIN - -	2,097,171	" 16	1007	615	15'3	-	4	5	6	4	-	3
HAMBURG - -	824,792	March 2	-	259	16'8	-	1	-	4	5	-	1
BRESLAU - -	482,573	February 23	-	203	22'0	-	-	1	2	3	-	1
MUNICH - -	548,000	February 23	318	208	19'7	-	4	-	4	1	-	2
		March 2	-	178	16'9	-	3	-	1	1	1	1
VIENNA - -	1,958,323	" 2	970	768	20'4	-	14	4	9	4	1	3
PRAGUE - -	466,133	February 23	221	223	24'9	-	1	-	-	-	-	1
BUDA-PESTH - -	802,235	" 23	404	371	24'0	-	6	7	2	2	1	
TRIESTE - -	199,003	March 2	132	132	34'5	-	4	-	-	3	-	
ROME - -	531,818	January 19	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,298	February 23	95	95	28'4	-	-	-	-	-	-	-
BUCHAREST - -	291,138	March 2	196	163	29'2	-	-	-	3	1	-	-
NEW YORK - -	4,285,435	February 23	2100	1671	20'3	-	10	13	46	5	12	4
CHICAGO - -	2,107,620	" 23	-	707	17'5	-	7	27	20	8	8	2
PHILADELPHIA -	1,500,595	" 9	-	595	20'6	-	3	1	17	4	41	2
RIO DE JANEIRO	912,900	January 27	-	236	16'3	-	-	-	-	1	11	1
		February 3	-	282	16'1	-	-	-	-	4	6	1

* Excluding deaths from croup in the Indian Cities.

† Including 21 deaths from plague in Calcutta, 151 in Bombay, and 10 and 4 in Rio de Janeiro.

‡ Including 105 deaths from cholera in Calcutta, 1 in Bombay, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th March, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	49'0	26'2	40'3	0'37	LEEDS - - -	56'0	31'0	40'2	0'50
BRIGHTON - -	?	?	?	?	YORK - - -	54'0	28'4	39'5	0'40
PORTSMOUTH - -	53'2	28'0	42'8	0'10	HULL - - -	51'0	29'0	38'2	0'49
NORWICH - -	48'0	26'8	39'4	0'62	TYNEMOUTH - -	55'0	28'0	39'2	0'39
PLYMOUTH - -	52'6	30'0	43'5	0'36	CARDIFF - - -	51'4	24'5	39'9	0'43
BRISTOL - -	52'4	23'4	41'0	0'21	EDINBURGH - -	51'7	28'6	41'2	0'33
BIRMINGHAM - -	48'9	28'9	39'1	0'45	GLASGOW - - -	51'6	28'8	41'0	1'61
NOTTINGHAM - -	52'4	24'8	39'2	0'41	DUBLIN { Phoenix Park. Fitz- william Square.†	55'4	28'1	43'1	0'63
LIVERPOOL - -	54'0	29'0	40'8	0'89		58'0	35'1	45'4	0'37
MANCHESTER - -	52'2	27'6	38'9	1'28		51'0	31'0	42'7	0'37
PRESTON - -	51'5	32'8	41'1	1'13					
HUDDERSFIELD -	51'7	26'3	38'4	0'98					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 9th March, 1907.

[Under the Superintendence of the Astronomer Royal.]

1907.		TEMPERATURE.										TEMPERATURE.										WIND as deduced from Anemometers.										Rain collected in a Gauge receiving rain in inches above the ground, on each of 40 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
MONTH AND DAY	Phases of the Moon.	Of the Air.					Difference between the Air Temperature and Dew Point Temperature.					Of Radiation.		Of the Earth 3 feet below the Surface.		General Direction.		Oiler's.		Robinson's.		in.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Low-est.	High-est.	Daily Range.		Mean daily value.	De-parture from Average of 65 years.	Mean New Point	Mean		Highest in Sun's Rays.	Lowest on Grass.	°	°	A.M.	P.M.	Great-est.	Least.	Mean of 40 years' obs.	Horizontal Movement of the Air on each Day.	Depar-ture from Average of 40 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				est.	°				°	°														°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 158 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day. The reading of the barometer decreased from 30.17 in. at the beginning of the week to 29.88 in. by 5h. P.M. on the 5th; increased to 30.20 in. by midnight on the 6th; decreased to 29.79 in. by 11h. P.M. on the 7th; increased to 30.12 in. by 11h. A.M. on the 8th; and decreased to 29.86 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 2nd March, 1907.*

BOROUGHES	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	149,909	-	22	5	-	2	-	-	-	-	
Kensington - - - - -	181,842	-	12	3	-	-	-	-	-	-	
Hammersmith - - - - -	122,337	-	11	1	-	1	-	-	2	-	
Fulham - - - - -	166,749	-	12	8	-	-	-	-	1	-	
Chelsea - - - - -	74,857	-	4	-	-	-	-	-	-	-	
City of Westminster - -	172,219	-	6	7	-	-	-	-	1	-	
NORTH.											
St. Marylebone - - - -	127,718	-	5	5	-	1	-	-	2	-	
Hampstead - - - - -	91,137	-	5	2	-	-	-	-	-	-	
St. Pancras - - - - -	236,753	-	10	6	-	-	-	-	7	-	
Islington - - - - -	347,017	-	15	2	-	1	-	-	3	-	
Stoke Newington - - -	53,613	-	2	2	-	-	-	-	-	-	
Hackney - - - - -	232,993	-	16	17	-	3	-	-	3	-	
CENTRAL.											
Holborn - - - - -	55,134	-	-	1	-	1	-	-	1	-	
Finsbury - - - - -	96,732	-	9	1	-	1	-	-	2	-	
City of London - - - -	20,310	-	-	-	-	-	-	-	-	-	
EAST											
Shoreditch - - - - -	115,662	-	8	4	-	2	-	-	5	-	
Bethnal Green - - - -	130,831	-	11	6	-	1	-	-	3	-	
Stepney - - - - -	308,923	-	29	10	-	1	-	-	8	-	
Poplar - - - - -	171,086	-	17	4	-	-	-	-	7	-	
SOUTH.											
Southwark - - - - -	209,781	-	20	6	-	2	-	-	7	1	
Bermondsey - - - - -	128,263	-	7	3	-	-	-	-	2	-	
Lambeth - - - - -	318,538	-	25	6	-	1	-	-	5	4	
Battersea - - - - -	181,736	-	14	9	-	1	-	-	2	-	
Wandsworth - - - - -	281,419	-	12	25	-	-	-	-	4	1	
Camberwell - - - - -	277,059	-	30	1	-	-	-	-	4	1	
Deptford - - - - -	116,510	-	7	5	-	-	1	-	3	-	
Greenwich - - - - -	107,222	-	8	5	-	-	-	-	3	-	
Lewisham - - - - -	152,532	-	4	6	-	-	-	-	-	1	
Woolwich - - - - -	129,336	-	23	6	-	-	-	-	3	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,758,218	-	344	156	-	18	1	-	78	8
AGES.											
Ages 0-1 - - - - -	-	-	5	1	-	-	-	-	-	-	
" 1-5 - - - - -	-	-	107	57	-	-	-	-	4	-	
" 5- - - - -	-	-	142	65	-	1	-	-	5	-	
" 10- - - - -	-	-	47	17	-	4	-	-	3	-	
" 15- - - - -	-	-	17	7	-	1	-	-	4	-	
" 20- - - - -	-	-	8	2	-	5	-	-	2	1	
" 25- - - - -	-	-	16	6	-	2	1	-	15	5	
" 35- - - - -	-	-	2	1	-	4	-	-	11	2	
" 45- - - - -	-	-	-	-	-	1	-	-	16	-	
" 55- - - - -	-	-	-	-	-	-	-	-	5	-	
" 65 and upwards - -	-	-	-	-	-	-	-	-	13	-	
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING FEBRUARY, 1907.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th March, 1907.

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of February.

Twelve samples were collected in each of the eight districts, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	February 13th. Cab Rank, Horse Guards, Whitehall.	3·6	33·46	·181	·017	0	·279	·296	1·8	23·3
West Middlesex - -	February 13th. Cab Rank, Riding House Street.	4·0	32·02	·227	·020	0	·283	·303	1·75	22·1
Southwark - - - -	February 13th. Cab Rank, High Street, Peckham.	4·3	33·04	·159	·015	0	·351	·368	1·75	23·6
Grand Junction - -	February 13th. Cab Rank, Piccadilly, opposite Bolton Street.	3·4	31·20	·177	·020	0	·259	·279	1·75	21·5
Lambeth - - - -	February 13th. Cab Rank, Station Road, Brixton.	4·3	33·22	·161	·015	0	·367	·382	1·75	23·6
LEA, WELLS, THAMES, ETC.										
New River - - - -	February 13th. Cab Rank by St. Clement Danes Church.	4·3	33·68	·128	·010	0	·305	·315	1·75	23·4
Eastern - - - -	February 13th. Tap on main at Lea Bridge Works.	2·5	40·40	·201	·019	0	·361	·380	2·1	28·0
DEEP WELL.										
Kent - - - -	February 13th. Cab Rank, Amersham Road, opposite New Cross Station	10·0	42·04	·057	·007	0	·509	·516	2·3	28·7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to read thus:—the water collected in the Chelsea district at the Horse Guards cab rank, on the 13th February, had a temperature of 3·6° C.; 100,000 lbs. of it contained 33·46 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·181 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained ·279 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·296 lb. The above weight of water also contained 1·80 lbs. of chlorine and 23·3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 13th February were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was:—Kent, 1·1; New River, 2·3; Southwark 2·9; Lambeth, 3·0; Grand Junction, 3·3; Chelsea, 3·4; Eastern, 3·7; and West Middlesex, 4·2.

The amount of organic impurity in the five filtered Thames waters was less than was found in the corresponding January examination, and all the samples were clear and of good quality.

The New River and Eastern supplies, obtained chiefly from the River Lea, also contained less organic matter than in January, and both waters were clear and of good quality.

The deep-well water from the Kent district works was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the other districts had a very pale yellow tint.

In addition to the above analytical examination the 96 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·106	·074	·089	·124	·082	·099	0	0	0	·0085	·006	·007
West Middlesex	·112	·091	·099	·123	·099	·109	0	0	0	·010	·0095	·0098
Southwark	·142	·064	·091	·153	·070	·099	·001	0	0	·008	·006	·007
Grand Junction	·115	·089	·097	·138	·100	·110	0	0	0	·0095	·008	·009
Lambeth	·130	·070	·094	·148	·078	·104	0	0	0	·011	·007	·008
LEA, WELLS, THAMES, ETC.												
New River	·075	·024	·052	·084	·027	·058	0	0	0	·007	·0025	·0048
Eastern	·126	·073	·096	·142	·081	·105	·001	0	0	·014	·007	·009
DEEP WELLS.												
Kent	·012	·008	·010	·013	·007	·011	0	0	0	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With reference to the five Thames-derived supplies, the above results show that these filtered waters in all cases contained, on the average, less organic matter than in January. The proportion of organic impurity in the water was diminishing from the commencement of February, but in most cases rose again somewhat towards the end of the month. All the samples examined were of good quality.

The New River district water, derived chiefly from the Lea, contained, on the average, but little more than half as much organic matter as the Thames supplies and was of good quality throughout the month.

The general quality of the Eastern district supply was similar to that of the filtered Thames waters.

The deep-well water samples drawn in the Kent district were all of uniform high organic purity.

All the samples examined from the Chelsea, West Middlesex, Southwark, Lambeth and New River districts were uniformly clear; one sample of the Grand Junction water was slightly opalescent, and in the cases of the Eastern and Kent district waters a few samples contained a little rust stained-matter.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of February, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 202 gallons to one service.

DISTRICTS,	Number of Services.		Average Daily Supply of Water in Gallons.	
	FEBRUARY, 1906.	FEBRUARY, 1907.	FEBRUARY, 1906.	FEBRUARY, 1907.
TOTAL SUPPLY - - -	1,041,805	1,059,622	200,933,263	213,564,125
New River - - - - -	207,088	210,120	38,587,634	41,432,000
Eastern - - - - -	235,434	238,647	39,334,357	42,143,643
Western .. { Chelsea - - - - -	40,006	39,994	11,533,214	11,858,571
{ Grand Junction - - -	81,477	84,425	15,358,870	16,872,764
{ West Middlesex - - -	92,442	92,376	22,465,357	23,047,803
Southern.. { Lambeth - - - - -	139,512	143,547	27,603,986	29,351,928
{ Southwark and Vauxhall	131,837	133,775	28,243,000	29,565,394
Kent - - - - -	114,009	116,238	17,786,845	19,202,022

Note.—The Return for February, 1907, as compared with that for the corresponding month of 1906, shows an increase of 17,817 services, and of 12,630,862 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 11. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAR. 16. [Price 1½d.]

*General Register Office, Somerset House,
March 18th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 17·8, 18·4, and 18·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·8 in Manchester, 22·9 in Grimsby, 23·3 in Portsmouth, 23·4 in Sunderland, 23·8 in Birkenhead, 24·2 in Huddersfield, and 26·5 in Plymouth; from *measles*, 3·1 in Hanley, 3·4 in East Ham, 4·3 in Portsmouth, 4·4 in Birkenhead, 4·5 in West Bromwich, and 6·8 in St. Helens; from *scarlet fever*, 2·3 in Hanley; from *diphtheria*, 1·6 in Hanley and 1·7 in Barrow in Furness; from *whooping-cough*, 1·2 in Nottingham and in Rhondda, and 1·3 in Tottenham; and from "*fever*," 1·1 in Walsall and 1·3 in Norwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2390 BIRTHS and 1696 DEATHS were registered. Allowing for increase of population, the births were 237 below and the deaths 52 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 17·1, 18·4, and 18·0 per 1000 in the preceding three weeks, rose last week to 18·6. The death-rate in the four weeks ended last Saturday averaged 18·0 per 1000, being 0·8 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.
† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1696 deaths included 57 from measles, 8 from scarlet fever, 15 from diphtheria, 42 from whooping-cough, 1 from ill-defined pyrexia, and 13 from diarrhoea, but not one death from small-pox, from enteric fever, or from typhus; thus, 136 deaths were referred to these diseases in the aggregate, being 37 below the corrected average number in the eleventh week of the preceding five years.

The deaths from *measles*, which had been 38, 35, and 55 in the preceding three weeks, rose to 57 last week, but were 9 below the corrected average; 8 deaths belonged to the Borough of Camberwell, 7 to Greenwich, 6 each to Bethnal Green, Stepney and Woolwich, and 4 to Shoreditch. The deaths from *scarlet fever*, which had been 8, 6, and 7 in the preceding three weeks, were 8 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 16, 16, and 19 in the preceding three weeks, fell to 15 last week, the corrected average being 16; 3 deaths belonged to Hackney. The deaths from *whooping-cough*, which had been 31, 45, and 40 in the preceding three weeks, were 42 last week, and were 3 below the corrected average; 5 deaths belonged to Lambeth, and 3 each to St. Pancras, Hackney, Stepney, and Lewisham. No death from *enteric fever* was registered last week; the deaths in the preceding three weeks had been 1, 6, and 7. The deaths from *diarrhoea*, which had been 18, 12, and 12 in the preceding three weeks, were 13 last week, and were 5 below the corrected average; 4 deaths belonged to Stepney. Of the 13 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 26, having been 44, 30, and 26 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 11 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 6 to burns or scalds, 5 to drowning, and 7, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2826 cases of scarlet fever, 984 of diphtheria, 4 of typhus, and 96 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 327 cases, against 322, 326, and 306; of diphtheria, 125 cases, against 114, 130, and 135; of typhus, 1 case, against 1, 0, and 0; and of enteric fever, 12 cases, against 11, 11, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 9th, 1907.

GREATER LONDON.

In Greater London 3681 births and 2332 deaths were registered. Allowing for increase of population, these numbers are 316 below and 36 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 4 from whooping-cough, and 1 from "fever," were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.89 inches, and that of the Thermometer 42°.8, the latter being 1°.5 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 54 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 27.0 hours; the measured rainfall amounted to 0.40 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the Week include

• See note † on first page of this return

† These towns are included within the area of Greater London

‡ Including one death from Meningitis (Meningococcal).

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 16th March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	DEATH-RATES from all Causes.				Rate from Deaths in Cols. 11-17.		Registered during the week ended 16th Mar. 1907.		The Deaths registered in the Week include												TOWNS.			
		Week ended				23rd Feb. 1907.	2nd Mar. 1907.	9th Mar. 1907.	16th Mar. 1907.	Breaths.	Deaths.	Deaths of				Deaths from				Violence.	Inquest Cases.		Deaths in Public Institutions.	Unidentified Causes of Death.	
		estimated to the middle of the year 1907.*										Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.						Diarrhoea.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM	-	553,155	18'9	19'5	19'0	18'5	1'9	285	196	57	63	-	11	2	2	2	2	1	8	13	37	8	BIRMINGHAM.		
KINGS NORTON	-	75,600	6'9	8'3	11'0	15'9	1'4	29	23	7	4	-	1	-	-	-	-	1	-	1	1	-	KINGS NORTON.		
SMETHWICK	-	66,467	11'8	13'3	12'6	14'1	-	38	18	2	5	-	-	-	-	-	-	-	1	2	1	-	SMETHWICK.		
ASTON MANOR	-	83,266	18'2	20'7	20'0	15'7	1'3	33	25	6	10	-	2	-	-	-	-	-	1	2	6	-	ASTON MANOR.		
COVENTRY	-	77,626	16'8	12'1	12'8	10'7	-	51	16	1	7	-	-	-	-	-	-	-	1	1	2	-	COVENTRY.		
LEICESTER	-	236,124	14'1	18'3	15'5	11'9	0'9	101	54	7	23	-	1	2	1	-	-	-	2	4	5	-	LEICESTER.		
GRIMSBY	-	70,574	19'9	28'8	25'1	22'9	3'0	40	31	12	4	-	3	-	-	1	-	-	2	5	1	-	GRIMSBY.		
NOTTINGHAM	-	257,489	19'8	22'5	21'9	19'2	2'8	129	95	28	23	-	6	-	1	6	-	1	3	4	22	-	NOTTINGHAM.		
DERBY	-	125,774	11'6	18'2	18'2	15'8	1'2	52	38	4	11	-	-	-	2	-	1	-	-	1	16	-	DERBY.		
STOCKPORT	-	100,986	24'8	19'1	24'8	19'6	1'0	59	38	10	13	-	-	-	-	2	-	-	2	3	8	-	STOCKPORT.		
BIRKENHEAD	-	118,553	22'9	20'2	18'5	23'8	5'3	60	54	10	13	-	10	2	-	-	-	-	3	4	8	1	BIRKENHEAD.		
WALLASEY	-	66,707	19'5	17'2	10'2	11'7	-	45	15	3	6	-	-	-	-	-	-	-	1	1	1	1	WALLASEY.		
LIVERPOOL	-	746,144	17'6	19'6	18'7	18'2	1'3	511	281	49	74	-	4	3	6	2	3	-	8	19	91	10	LIVERPOOL.		
BOOTLE	-	67,114	17'1	19'4	24'1	14'8	0'8	44	19	4	2	-	-	-	1	-	-	-	1	1	4	-	BOOTLE.		
ST. HELENS	-	92,476	23'1	24'8	19'7	19'7	8'5	48	35	11	2	-	12	1	-	-	1	1	2	2	8	-	ST. HELENS.		
WIGAN	-	88,606	15'9	16'5	20'6	17'1	1'2	49	29	5	9	-	1	1	-	-	-	-	-	-	6	-	WIGAN.		
WARRINGTON	-	70,269	14'8	21'5	14'8	18'6	0'7	61	25	4	7	-	1	-	-	-	-	1	1	1	3	2	WARRINGTON.		
BOLTON	-	182,917	13'7	18'5	17'7	16'8	1'4	96	59	14	16	-	3	-	-	1	-	1	-	3	11	1	BOLTON.		
BURY	-	58,901	17'7	15'9	30'1	12'4	-	21	14	1	3	-	-	-	-	-	-	-	1	3	3	-	BURY.		
MANCHESTER	-	643,148	21'7	19'9	18'9	22'8	2'1	351	281	63	84	-	11	2	2	7	-	4	9	28	73	6	MANCHESTER.		
SALFORD	-	236,670	18'1	18'1	17'6	17'0	1'5	130	77	19	21	-	1	-	1	4	-	1	6	9	14	-	SALFORD.		
OLDHAM	-	141,730	22'8	25'0	21'7	22'1	1'5	66	60	14	18	-	-	1	-	1	1	1	1	3	6	-	OLDHAM.		
ROCHDALE	-	87,899	20'1	23'7	23'1	19'0	0'6	41	32	8	7	-	-	-	-	1	-	-	-	-	9	3	ROCHDALE.		
BURNLEY	-	103,947	21'6	17'6	17'1	21'6	1'5	42	43	7	13	-	-	-	-	2	1	-	2	4	5	1	BURNLEY.		
BLACKBURN	-	134,980	16'6	17'8	22'8	20'5	0'8	69	63	10	19	-	-	-	-	-	-	-	1	3	11	-	BLACKBURN.		
PRESTON	-	117,093	20'0	17'8	22'7	21'4	0'4	65	48	10	15	-	-	-	1	-	-	-	2	2	12	3	PRESTON.		
BARROW-IN-FURNESS.	-	61,635	16'9	17'8	12'7	11'8	1'7	39	14	5	3	-	-	-	2	-	-	-	1	1	3	-	BARROW-IN-FURNESS.		

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, AND FOUR SCOTISH OR IRISH TOWNS.—BIRTHS, DEATHS, AND DEATH-RATES IN THE WEEK ended Saturday, 16th March, 1907, and DEATH-RATES in each of the preceding three Weeks.

Births, Deaths, and Rates of Mortality.

171

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 16th Mar., 1907.		The DEATHS registered in the Week include										TOWNS.													
			Week ended				16th Mar., 1907.	17th Mar., 1907.	18th Mar., 1907.	19th Mar., 1907.	20th Mar., 1907.	21st Mar., 1907.	Deaths of 60 Years and upwards.	Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.												
			23rd Feb., 1907.	2nd Mar., 1907.	9th Mar., 1907.	16th Mar., 1907.								17th Mar., 1907.	18th Mar., 1907.	19th Mar., 1907.	20th Mar., 1907.	21st Mar., 1907.	Deaths of 60 Years and upwards.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid Fever.	Diarrhoea.	Violence.				
																															1.	2.	3.	4.
HUDNERSFIELD	-	94,814	13'2	17'6	26'4	24'2	-	-	43	44	9	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HUDNERSFIELD.
HALIFAX	-	110,138	17'0	20'8	15'1	13'7	-	-	31	29	7	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HALIFAX.
BRADFORD	-	290,323	16'2	15'4	16'2	16'7	0'5	0'5	109	93	20	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BRADFORD.
LEEDS	-	470,268	15'0	17'7	16'0	18'4	1'1	1'1	248	186	39	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LEEDS.
SHEFFIELD	-	455,553	19'0	17'7	19'1	16'7	2'3	2'3	277	146	25	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SHEFFIELD.
ROTHERHAM	-	62,412	17'5	20'9	18'4	17'5	-	-	43	21	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ROTHERHAM.
YORK	-	84,730	17'2	16'0	16'6	12'3	0'6	0'6	30	20	3	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	YORK.
HULL	-	286,762	18'0	17'8	19'9	15'8	0'8	0'8	158	81	11	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	HULL.
MIDDLESBROUGH	-	101,783	27'7	17'4	25'1	22'0	3'6	3'6	55	43	12	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,909	17'7	15'8	17'7	15'8	1'0	1'0	38	16	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	75,473	18'0	16'6	14'5	17'3	-	-	40	25	7	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WEST HARTLEPOOL.
SUNDERLAND	-	156,029	24'7	21'4	18'4	23'4	1'0	1'0	104	70	15	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SUNDERLAND.
SOUTH SHIELDS	-	113,460	15'2	22'1	16'5	11'9	0'5	0'5	74	26	7	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SOUTH SHIELDS.
GATESHEAD	-	125,783	19'9	9'1	18'2	13'7	0'4	0'4	71	33	13	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GATESHEAD.
NEWCASTLE-ON-TYNE	-	272,969	19'7	16'8	18'1	17'2	0'8	0'8	172	90	16	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	54,688	16'2	18'1	21'9	20'0	1'9	1'9	34	21	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	TYNEMOUTH.
NEWPORT (MON.)	-	75,585	15'2	28'3	19'3	15'9	0'7	0'7	51	23	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NEWPORT (MON.).
CARDIFF	-	187,620	18'6	19'2	18'3	15'3	0'3	0'3	105	55	11	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CARDIFF.
RHONDDA	-	130,400	18'8	20'8	22'0	15'2	1'2	1'2	92	38	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	RHONDDA.
MERTHYR TYDFIL	-	76,085	21'9	32'2	23'8	19'9	1'4	1'4	52	29	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MERTHYR TYDFIL.
SWANSEA	-	97,324	22'0	21'4	23'0	20'4	-	-	65	38	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SWANSEA.
GREATER LONDON	-	7,217,941	16'0	17'1	16'8	16'8	1'5	1'5	3681	2332	469	717	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GREATER LONDON.
OUTER RING	-	2,459,723	13'8	14'6	14'5	13'5	1'4	1'4	1291	636	141	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	OUTER RING.
8 TOWNS IN OUTER RING	-	1,209,285	14'5	15'4	14'9	13'5	2'1	2'1	643	312	80	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,250,438	13'2	13'8	14'1	13'5	0'8	0'8	648	324	61	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	REMAINDER OF OUTER RING.
EDINBURGH	-	345,747	17'9	17'3	20'1	18'5	1'5	1'5	143	123†	11	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.
GLASGOW	-	847,584	20'2	22'0	21'0	23'4	2'3	2'3	447	331†	77	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.
DUBLIN†	-	380,691	27'1	28'6	25'2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DUBLIN†.
BELFAST†	-	370,163	20'6	23'7	23'5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BELFAST†.

* See note on first page of this return.
† Including 2 deaths from Cerebro-spinal meningitis of Cerebro-spinal fever in Edinburgh, and 33 in Glasgow.
‡ At the time of going to press the figures for Dublin and Belfast had not been received.

TABLE 2. LONDON.—Births and Deaths Registered in the ELEVENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2551	2576	2613	2628	2607	2628	2596	2577	2535	2499	2627.0	2390
Males - - -	1288	1332	1326	1315	1290	1352	1324	1301	1293	1284	1341.4	1242
Females - - -	1263	1244	1287	1313	1317	1276	1272	1276	1242	1215	1285.6	1148
TOTAL Deaths -	1531	1869	2099	1659	1571	1936	1521	1680	1399	1498	1644.3	1696
Males - - -	806	934	1030	851	799	937	773	846	684	770	820.7	884
Females - - -	725	935	1069	808	772	999	748	834	715	728	823.6	832

* The numbers in this column are the average weekly numbers in the eleventh week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 22.	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	13 Weeks.
TOTAL Births -	2503	1694	2905	2593	2454	2134	2550	2356	2350	2412	2391	2391	2390	31123
TOTAL Deaths -	1886	1850	2231	1946	1678	1647	1895	1858	1819	1558	1678	1641	1696	23383
Deaths from—														
Under 1 year -	328	375	463	363	299	324	367	353	314	275	290	290	328	4369
1–5 years -	180	223	212	193	207	153	197	179	199	165	181	189	193	2471
6–20 " -	99	96	84	68	66	72	92	73	69	87	89	68	101	1064
20–40 " -	221	186	224	234	182	178	225	194	193	171	206	196	191	2601
40–60 " -	376	388	469	368	349	363	348	410	363	318	338	353	363	4806
60 yrs. & up wds.	682	582	779	720	575	557	666	649	681	542	574	545	520	8072
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	24	29	36	28	33	17	20	30	28	38	35	55	57	430
Scarlet Fever -	9	8	8	9	11	11	8	6	8	8	6	7	8	107
Diphtheria -	14	26	28	12	18	16	21	20	20	16	16	19	15	241
Whooping-cough -	32	31	38	31	28	35	51	40	48	31	45	40	42	492
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	4	7	11	4	5	8	2	1	1	6	7	-	62
Erysipelas (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhoea, Dysentery	16	21	21	18	10	16	17	17	17	18	12	12	13	208
All above Diseases -	101	119	138	109	104	100	125	115	122	112	120	140	136	1541
Dis. of Resp. System -	297	309	398	324	229	260	282	285	298	201	222	232	207	3544
Pneumonia -	244	252	320	296	217	224	233	241	229	178	210	173	196	3013
Phthisis -	204	181	184	168	146	159	184	175	187	147	151	160	157	2203
Dis. of Circ. System -	247	218	263	223	200	211	241	249	249	220	253	217	228	3019
Violence -	57	82	76	66	65	49	68	57	63	56	60	60	51	810
Inquest Cases -	159	187	232	185	167	133	216	159	182	153	161	152	139	2225
Deaths in Institutions	717	640	751	695	644	605	694	689	648	609	608	625	634	8559
TEMPERATURE OF THE AIR.														
Mean -	39.2	31.4	39.3	42.8	40.7	30.5	36.1	33.0	39.7	39.9	40.6	40.1	42.8	38.2
Mean of Highest -	42.8	36.4	44.6	46.7	43.6	34.3	41.7	44.6	45.6	48.3	47.2	49.7	49.7	43.3
Mean of Lowest -	34.7	25.9	33.0	37.9	37.2	26.6	30.6	27.1	34.5	35.2	32.7	33.4	36.0	32.7
Mean Humidity of the Air.	91	77	83	83	81	74	77	76	85	72	81	80	74	80
Rain-fall (in inches) -	0.50	0.68	0.98	0.18	0.01	0.04	0.19	0.19	0.77	0.29	0.01	0.37	0.40	4.61
Registered Sunshine (in hours).	1.8	3.2	10.8	6.3	3.3	7.2	11.8	17.9	15.0	19.8	11.0	21.9	27.0	156.8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	3807	3846	3707	3523	3405	3292	3176	3059	3035	2938	2878	2878	2826	3259
Diphtheria -	955	1000	988	925	934	925	928	932	926	920	922	967	984	947
Typhus -	-	2	2	2	2	2	3	3	3	4	4	3	4	5
Enteric Fever -	149	135	120	108	108	98	100	94	101	102	103	98	96	109

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the ELEVENTH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 11th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 11th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1644.3	1696	328	193	101	191	363	520	Meningitis (not tuberc.)	19.6	13	6	4	3	-	-	-
									Insanity, Gen. Par. of	17.4	20	-	-	1	4	9	-
									Insane - - - - -	8.4	14	-	-	-	2	5	7
Small-pox*	17.0	-	-	-	-	-	-	-	Epilepsy - - - - -	21.5	24	23	1	-	-	-	-
Cowpox - - - - -	-	-	-	-	-	-	-	-	Convulsions - - - - -	1.8	2	-	-	1	-	-	1
Measles (Morbilli) -	65.5	57	12	41	4	-	-	-	Locomotor Ataxy - -	5.3	3	-	-	-	-	-	3
Scarlet Fever - - - -	7.4	8	1	7	-	-	-	-	Paraplegia, Dis. of Cord	20.1	15	3	-	1	1	4	6
Typhus - - - - -	0.2	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	44.6	63	-	-	7	14	17	25
Plague - - - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	33.8	41	1	-	1	1	13	25
Influenza - - - - -	33.6	26	-	-	2	5	4	15	Cerebr. Hæm. Thromb.	22.1	19	-	-	-	5	14	14
Whooping-cough - - -	44.8	42	19	22	1	-	-	-	Apoplexy, Hemiplegia	4.7	7	-	-	-	1	5	1
Diphtheria - - - - -	16.4	15	-	10	4	1	-	-	Aneurysm - - - - -	3.1	-	-	-	-	-	-	-
		1	-	1	-	-	-	-	Embolism, Thrombosis	98.7	98	-	1	6	7	31	53
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	(not cerebral)	0.6	-	-	-	-	-	-	-
Pyæmia,† (Origin un-}	-	1	-	-	-	1	-	-	Heart & Blood Vessel Dis.	176.4	189	35	11	2	6	38	97
Enteric Fever - - - -	3.5	-	-	-	-	-	-	-	Croup (not Spasm: nor	7.6	9	-	-	-	3	6	6
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Memb. - - - - -	3.3	2	-	-	-	2	-	-
Epidemic Diarrhœa }	3.3	5	3	1	-	-	1	1	Asthma, Emphysema -	14.7	7	1	2	-	1	1	2
(Infective Enteritis) }	14.9	8	6	-	1	-	1	1	Pleurisy - - - - -	0.8	1	-	-	1	-	-	-
Diarrhœa, Dysentery -	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	4.9	8	4	1	-	1	1	1
Tetanus - - - - -	0.8	1	-	-	-	1	-	-	Gastro-Enteritis - -	5.7	5	5	-	-	-	-	-
Rabies, Hydrophobia -	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	3.3	1	-	-	-	-	1	-
Glanders - - - - -	0.2	-	-	-	-	-	-	-	Cirrhosis of Liver -	16.4	11	-	-	-	2	6	3
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Liver Dis. (other) -	5.7	10	-	-	-	3	4	3
Venereal Dis. - - - -	7.0	6	5	-	-	1	-	-	Digestive Dis., Other	39.7	44	6	2	5	6	13	12
Puerperal Septicæmia -	2.9	3	-	-	-	1	2	-	Nephritis, Acute - -	5.7	11	-	-	1	-	7	3
Puerperal Pyæmia - -	0.2	-	-	-	-	-	-	-	Bright's Dis., Albumin-	39.3	39	-	-	2	7	12	18
Puerperal Fever - - -	0.2	-	-	-	-	-	-	-	uria - - - - -	10.2	13	-	-	1	3	1	8
Infective Endocarditis	3.5	2	-	-	1	1	-	-	Urinary Sys., Other Dis.	5.1	7	-	-	-	1	5	1
{ Lobar - - - - -	13.3	25	1	1	-	8	10	5	Generative Organs Dis.	3.3	5	-	-	-	5	-	-
{ Broncho - - - -	77.6	97	37	30	4	5	6	15	Childbirth (Accid. of)	59.8	66	-	-	-	-	-	66
Pneumonia	-	-	-	-	-	-	-	-	Old Age - - - - -	97.6	110	74	7	11	5	4	9
{ Epidemic - - -	-	-	-	-	-	-	-	-	Other Diseases - - -								
{ Not defined -	73.9	74	12	13	4	10	17	18									
Erysipelas - - - - -	4.1	6	2	2	-	-	2	-	ACCIDENT.								
Septicæmia (not Puer-}	0.8	1	-	1	-	-	-	-	By Railways - - - -	1.2	2	-	-	1	-	1	-
{ peral) - - - - -	0.8	-	-	-	-	-	-	-	By Vehicles and Horses	5.1	2	-	-	2	-	-	-
Pyæmia (not Puerperal)	0.8	-	-	-	-	-	-	-	In Ships, Boats, Docks,	0.4	-	-	-	-	-	-	-
Other Infective Processes	6.8	6	1	-	2	2	1	-	{ exclusive of Drown-								
Tuberculous Phthisis -	76.8	85	-	4	10	31	29	11	{ ing) - - - - -	1.2	-	-	-	-	-	-	-
"Phthisis" - - - - -	78.6	72	1	2	8	25	32	4	In Building Operations	1.0	-	-	-	-	-	-	-
Tuberculous Meningitis	26.2	22	7	12	3	-	-	-	In Conflagrations -	7.4	6	-	4	1	-	1	-
Tuberculous Peritonitis	7.2	6	1	2	2	1	-	-	By Burns, Scalds, Ex-	1.8	5	-	1	-	1	3	-
Tabes Mesenterica - -	2.7	1	1	-	-	-	-	-	plosions - - - - -	14.1	7	7	-	-	-	-	-
Tuberculous Dis. (other)	19.9	24	1	7	7	5	3	1	By Drowning - - - -	2.5	2	-	-	-	1	1	-
Scrofula - - - - -	0.2	-	-	-	-	-	-	-	By Suffocation in Bed	16.2	16	1	1	1	2	4	7
Alcoholism - - - - -	10.2	8	-	-	-	3	5	-	By Poisons or Poisonous								
Rheumatic Fever - -	8.4	7	-	1	2	2	2	-	Vapours - - - - -								
Gout - - - - -	2.7	8	-	-	-	-	1	7	Other Deaths by Acci-								
Carcinoma - - - - -	54.2	61	-	-	-	3	28	30	dent - - - - -								
Sarcoma - - - - -	5.5	6	-	1	-	1	2	2	VIOLENCE OTHER THAN								
Cancer (undefined) -	30.5	44	-	-	-	3	15	26	ACCIDENTAL.								
Diabetes Mellitus - -	10.0	8	-	-	2	3	3	-	Homicide - - - - -	0.8	-	-	-	-	-	-	-
Premature Birth - - -	48.1	52	52	-	-	-	-	-	Suicide - - - - -	11.5	11	-	-	1	4	5	1
									Execution - - - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th March, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Deaths.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4 538,429	2390	1696	328	520	-	57	8	15	42	-	-	1	13	51	139	634		
WEST DISTRICTS	805,311	329	285	49	106	-	8	2	2	7	-	-	-	1	13	21	116		
NORTH DISTRICTS	1,058,070	494	351	58	120	-	4	1	4	9	-	-	-	1	9	26	121		
CENTRAL DISTRICTS	209,465	116	82	16	12	-	1	-	1	2	-	-	-	1	2	4	45		
EAST DISTRICTS -	715,739	461	288	70	81	-	17	-	2	6	-	-	-	6	10	43	121		
SOUTH DISTRICTS	1,748,844	990	641	134	186	-	27	4	6	18	-	-	1	4	17	43	182		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	49	1	15	-	-	1	-	-	-	-	-	-	-	2	49		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -	93,178	46	31	6	13	-	-	-	-	2	-	-	-	-	-	1	10		
St. John Paddington H - - -	33,617	3	14	-	3	-	-	-	-	-	-	-	-	-	1	2	10		
North-West Paddington - - -	17,181	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	57	58	10	25	-	-	-	-	1	-	-	-	-	4	5	30		
Brompton 2H- - -	48,591	7	10	3	6	-	1	-	-	1	-	-	-	-	1	1	-		
North Hammersmith 2W,w,H - -	49,192	28	18	6	6	-	-	-	-	1	-	-	-	-	2	3	8		
South Hammersmith w,2H - -	83,047	25	26	6	8	-	3	-	-	-	-	-	-	-	1	2	8		
North-west Fulham W - - -	45,180	33	24	3	10	-	3	-	-	-	-	-	-	-	-	1	11		
North-east Fulham F - - -	46,405	20	12	3	-	-	1	2	-	-	-	-	-	-	-	-	4		
South Fulham W - - -	45,704	30	10	2	5	-	-	-	-	1	-	-	-	-	1	1	-		
Chelsea North W,w,3H - - -	42,514	13	21	5	7	-	-	-	1	-	-	-	-	-	1	2	12		
Chelsea South W,2H - - -	31,328	12	10	3	5	-	-	-	-	-	-	-	-	-	-	-	2		
Mayfair and Knightsbridge - -	28,743	7	4	-	2	-	-	-	-	1	-	-	-	-	-	1	-		
Belgrave W,2H - - -	55,815	14	21	-	11	-	-	-	1	-	-	-	-	-	-	-	7		
St. Margaret & St. John 5H - -	43,698	24	17	2	3	-	-	-	-	-	-	-	-	1	2	2	12		
St. James and St. Anne W,3H - -	33,081	5	6	-	2	-	-	-	-	-	-	-	-	-	-	-	2		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	6	15	1	3	-	-	-	-	-	-	-	-	-	2	3	4		
St. Mary Marylebone W,4H - -	37,948	58	11	5	2	-	-	-	-	-	-	-	-	-	-	-	3		
Christchurch Marylebone - - -	39,536	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 2H - - -	20,426	6	8	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
Hampstead W,L,7H - - -	81,942	27	28	2	10	-	-	1	1	-	-	-	-	-	-	1	13		
West St. Pancras 2H - - -	80,562	20	16	2	5	-	-	-	-	-	-	-	-	-	-	1	2		
South St. Pancras w,11H - - -	55,707	14	26	3	6	-	-	-	-	1	-	-	-	-	1	3	17		
East St. Pancras W,2H - - -	80,320	32	19	3	11	-	-	-	-	1	-	-	-	-	-	1	6		
North St. Pancras 2W - - -	58,728	25	20	3	10	-	-	-	-	1	-	-	-	-	1	2	5		
Tufnell W - - -	81,995	15	21	2	12	-	-	-	-	-	-	-	-	-	-	2	12		
Upper Holloway 2W,w,H - - -	33,978	20	26	4	10	-	-	-	-	-	-	-	-	-	-	-	21		
Tollington WH - - -	33,922	15	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - -	41,424	22	10	5	1	-	-	-	-	-	-	-	-	-	-	3	-		
Barnsbury - - -	54,478	29	16	3	6	-	-	-	-	1	-	-	-	-	-	-	-		
Islington South-east F - - -	75,397	41	17	4	5	-	-	-	-	1	-	-	-	-	-	-	-		
Highbury 2H - - -	63,797	31	17	5	6	-	-	-	-	-	-	-	-	2	2	1	-		
Stoke Newington H - - -	51,247	21	10	2	3	-	-	-	-	1	-	-	-	-	1	1	-		
North Hackney - - -	50,560	16	9	1	4	-	-	-	-	-	-	-	-	-	-	1	-		
Central Hackney 2w,F - - -	50,536	24	13	2	1	-	2	-	2	1	-	-	-	-	-	-	3		
South-west Hackney 3E - - -	59,921	35	20	6	3	-	1	-	1	2	-	-	-	-	-	1	8		
South-east Hackney 2W,w,H - -	58,265	22	39	5	17	-	-	1	-	-	-	-	-	1	2	3	24		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th March, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include																	
			Total DEATHS.	Deaths from														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury 2W,2H -	31,436	17	8	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-		
Strand W,4H - - - - -	21,674	6	13	3	-	-	-	-	-	-	-	-	-	-	1	2	10	-		
Strand Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
Holborn W,6H - - - - -	29,612	15	19	6	2	-	-	-	1	-	-	-	-	-	-	-	12	-		
South Clerkenwell - - - - -	28,876	17	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Clerkenwell H - - - - -	35,028	23	11	3	5	-	-	-	-	1	-	-	-	1	-	-	1	-		
Finsbury 3H,L - - - - -	36,116	32	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Holborn Union Workhouse, } Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - - - -	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-		
St. Sepulchre and Allhallows W,2H	16,824	5	20	1	2	-	-	-	-	-	-	-	-	-	-	-	18	-		
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																				
Shoreditch South H - - - - -	46,362	21	8	2	3	-	-	-	-	-	-	-	-	-	-	2	-	-		
Shoreditch North-West W,w,H -	36,127	31	30	5	12	-	2	-	-	-	-	-	-	1	4	4	21	-		
Shoreditch North-East - - - - -	34,146	21	7	2	1	-	2	-	-	-	-	-	-	-	-	1	-	-		
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North-East 2W } 2HL	65,138	39	42	6	12	-	3	-	-	-	-	-	-	-	-	1	21	-		
Bethnal Green South-West H -	64,542	66	17	7	3	-	3	-	-	2	-	-	-	-	1	5	-	-		
Spitalfields - - - - -	27,969	18	5	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
Mile End New Town W,H - - - -	28,718	19	48	10	5	-	4	-	-	2	-	-	-	-	2	7	43	-		
Goodman's Fields - - - - -	22,081	12	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
St. George and St. John 2W - - -	49,068	29	26	10	9	-	-	-	-	-	-	-	-	2	1	6	8	-		
Shadwell and Ratcliff W,H - - -	25,568	17	14	7	-	-	-	-	-	2	-	-	-	-	-	-	7	-		
Limehouse W - - - - -	32,369	18	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mile End Old Town South- } Western H - - - - -	63,698	61	18	5	8	-	-	-	-	-	-	-	-	1	-	4	-	-		
Mile End Old Town North- } Eastern W,w - - - - -	49,129	26	21	6	8	-	-	-	-	-	-	-	-	-	1	5	7	-		
Bow L - - - - -	41,939	22	6	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-		
Bromley 3w,H - - - - -	68,319	27	23	4	8	-	-	-	-	-	-	-	-	-	2	-	14	-		
Poplar W,w - - - - -	58,514	34	10	2	-	-	1	-	2	-	-	-	-	-	1	3	-	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th March, 1907—continued.

		The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths from																	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th March, 1907.

						The DEATHS registered in the Week include													
Regis- tration district and sub- district num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from													
						Deaths of Infants under 1 Year of Age.	Persons aged 5 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,302	2,044,973	1291	636	141	197	-	31	3	10	*18	1	3	13	44	116	4	
30: 1	Carshalton 2F,3H	12,228	32,997	21	17	3	7	-	-	-	-	-	-	-	-	-	-	3	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	12	8	-	5	-	-	-	-	-	-	-	-	-	-	4	-
37: 1	Godstone, part of* W,F,L	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	18	7	-	4	-	-	-	-	-	-	-	-	-	-	9	-
3	West Croydon 3W,F,H	2,168	42,888	27	18	6	5	-	-	-	-	-	-	-	-	-	-	1	-
4	North Croydon H	2,644	41,698	28	10	4	4	-	-	-	-	1	-	1	-	2	1	-	-
5	Penge w,H	770	22,465	9	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,711	30,015	28	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	21	8	3	2	-	-	-	-	1	-	-	3	4	4	-	-
2	Kingston 2W,H	6,224	42,068	19	14	1	6	-	1	-	-	-	-	-	-	-	-	-	-
3	Surbiton F,H	3,046	15,017	8	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,492	13,100	4	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
5	Hampton H,F,L	4,534	23,466	8	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H	2,162	28,265	15	6	-	3	-	-	-	-	-	-	-	-	-	1	-	-
2	Mortlake F	2,847	20,328	16	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley F,2H	4,703	27,354	12	13	2	9	-	-	-	-	-	-	-	-	-	2	-	-
2	Beckenham H	7,825	28,497	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	7	7	1	4	-	-	-	-	-	-	-	-	-	-	4	-
4	Chislehurst 2H	7,333	16,446	6	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley w,F,H	8,678	21,151	6	9	1	1	-	1	-	1	-	-	-	-	1	2	1	-
2	Erith F,H	3,354	25,296	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury w	11,054	18,683	12	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	6	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-
125: 1	Hillingdon W,F,H	6,035	13,661	11	7	-	2	-	-	-	-	-	-	-	-	-	2	1	-
2	Uxbridge H	12,757	8,984	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2 F,H	8,066	16,358	18	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-
126: 1	Isleworth 3W,2F,H	8,859	30,863	21	17	2	7	-	-	-	-	-	-	-	-	-	-	9	-
2	Twickenham F,2H	2,421	20,991	14	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	26	17	5	5	-	1	-	-	-	-	-	1	1	1	1	-
4	Chiswick H	1,249	29,809	21	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	23	18	3	6	-	-	-	-	-	-	-	-	-	-	-	1
127: 1	Harrow F,H	13,809	25,523	19	8	-	2	-	1	-	-	-	-	-	-	1	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
3	Willesden W,F,2H	4,384	114,811	78	34	12	8	-	-	-	1	3	-	-	-	1	-	4	-
4	Hendon W,F	8,382	22,450	11	5	1	4	-	-	-	-	-	-	-	-	-	-	1	-
128: 1	South Mimms 2F,H	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	22	8	2	3	-	-	-	1	-	-	-	-	-	1	-	-
129: 1	Hornsey F,H	2,875	72,056	21	10	1	4	-	-	-	1	-	-	-	-	1	1	1	-
2	Wood Green H	1,625	34,233	18	11	1	6	-	-	-	-	2	-	-	-	-	1	-	-
3	West Tottenham F	996	48,853	50	13	5	4	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,688	29	21	6	4	-	2	-	-	1	-	1	-	3	4	5	-
5	Edmonton W,w,2F	7,491	61,892	60	20	3	10	-	-	-	-	-	1	-	1	3	2	11	-
6	Enfield 2W,F,H	12,801	42,738	31	12	6	-	-	-	1	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	5	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186: 1	Stratford H	1,072	44,827	30	11	2	3	-	1	-	-	1	-	-	-	-	-	-	-
2	Plaistow F,2H	1,249	90,921	57	30	8	6	-	3	1	1	1	-	-	1	1	4	7	-
3	Canning Town H	1,556	70,718	70	23	4	5	-	2	-	-	-	-	-	-	-	-	-	-
4	Forest Gate w	806	80,892	28	17	2	8	-	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w H	1,333	58,676	33	21	3	1	-	6	-	-	-	-	-	-	-	1	-	-
6	South East Ham 2F	1,993	37,342	35	11	2	1	-	3	-	-	1	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	3	1	1	-	-	-	-	-	-	-	-	-	1	6	-
8	South Leyton 2W	631	50,467	31	16	4	5	-	2	-	1	1	-	1	-	1	25	-	-
9	North Leyton 2W,w,F	1,963	48,445	36	35	6	6	-	5	-	1	1	-	1	-	2	2	-	-
10	Walthamstow 3H,L	6,504	108,929	80	25	12	5	-	-	-	-	2	-	-	-	-	-	-	-
187: 1	Chigwell 2F,3H	11,778	16,397	8	5	-	1	-	1	1	1	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	8	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	8,496	41,234	27	21	6	4	-	-	-	-	2	-	-	-	-	-	8	-
3	Barking Town F	3,803	21,547	17	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,758,218	March 16	2390	1696	18·6	-	57	8	15	42	1	1
CALCUTTA - -	977,822	February 16	-	560	34·3	41	2	-	-	-	141	12
BOMBAY - -	982,000.	" 26	351	971	65·1	4	1	-	-	-	327	9
MADRAS - -	509,346	" 15	283	389	39·7	-	2	?	?	?	104	8
PARIS - -	2,750,000	March 9	1086	1250	23·8	-	5	6	2	11	9	2
BRUSSELS - -	612,401	" 9	225	186	15·4	-	1	1	4	2	1	4
ANTWERP - -	297,311	" 9	151	80	14·0	-	5	-	-	1	1	4
AMSTERDAM -	564,194	" 9	314	155	14·3	-	3	-	-	4	1	2
COPENHAGEN -	427,000	" 9	220	151	18·4	-	2	1	1	2	-	3
STOCKHOLM -	324,488	" 2	162	104	16·7	-	-	-	1	1	-	3
CHRISTIANIA -	226,472	" 9	95	66	15·4	-	3	-	3	2	-	3
ST. PETERSBURG	1,432,769	February 23	632	754	26·4	-	18	17	22	6	21	70
MOSCOW - -	1,172,421	" 23	-	747	33·2	-	15	12	8	6	5	53
BERLIN - -	2,098,106	" 23	1076	693	17·2	-	2	5	10	4	-	17
HAMBURG - -	824,792	March 9	-	271	17·1	-	-	-	3	3	-	11
BRESLAU - -	482,573	" 2	-	227	24·5	-	-	-	6	1	-	17
MUNICH - -	548,000	" 9	-	203	19·3	-	7	-	3	3	-	10
VIENNA - -	1,958,323	" 9	948	796	21·1	-	17	11	7	3	-	26
PRAGUE - -	466,133	" 2	191	194	21·6	-	4	2	-	1	1	14
BUDA-PESTH -	802,235	" 2	499	365	23·7	-	4	9	3	-	-	8
TRIESTE - -	199,003	" 9	138	121	31·6	-	7	-	-	2	-	3
ROME - -	531,818	January 19	282	229	22·5	-	1	-	1	-	25	8
VENICE - -	174,298	March 2	79	94	38·1	-	-	-	-	-	-	4
BUCHAREST -	291,138	" 9	209	159	28·5	-	1	-	-	-	1	-
NEW YORK - -	4,285,435	" 2	2404	1694	20·6	-	6	17	51	7	9	61
CHICAGO - -	2,107,620	" 2	-	786	19·4	-	12	23	5	7	9	34
PHILADELPHIA -	1,500,595	February 16	-	656	22·7	-	-	4	16	3	39	23
RIO DE JANEIRO	912,900	" 10	-	270	15·4	1	-	-	-	1	3†	2

* Excluding deaths from croup in the Indian Cities.

† Including 17 deaths from plague in Calcutta, 233 in Bombay, and 1 in Rio de Janeiro.

‡ Including 58 deaths from cholera in Calcutta, 2 in Bombay, and 9 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th March, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich) }	58·1	24·1	42·8	0·40	LEEDS - - -	57·0	29·0	43·2	0·43
BRIGHTON - -	53·9	29·3	42·6	0·37	YORK - - -	55·0	27·0	42·1	0·28
PORTSMOUTH - -	55·2	26·0	44·5	0·21	HULL - - -	56·0	28·0	42·2	0·29
NORWICH - -	54·0	29·4	41·9	0·45	TYNEMOUTH - -	56·0	28·0	39·4	0·21
PLYMOUTH - -	53·0	31·0	45·4	0·61	CARDIFF - - -	54·3	21·5	42·8	1·17
BRISTOL - -	55·0	25·0	43·5	0·76	EDINBURGH - -	50·9	27·7	40·0	0·82
BIRMINGHAM -	53·9	28·3	42·4	0·40	GLASGOW - - -	52·4	28·5	40·0	1·77
NOTTINGHAM -	55·4	25·1	42·0	0·29	DUBLIN { Phoenix Park. Fitz- william Square.†	?	?	?	?
LIVERPOOL	53·0	30·0	42·5	0·33		?	?	?	?
MANCHESTER -	53·2	26·9	41·4	1·20		?	?	?	?
PRESTON - -	51·0	31·5	41·5	1·73		?	?	?	?
HUDDERSFIELD -	52·6	24·5	40·2	1·20	BELFAST - - -	?	?	?	?

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Supervisence of the Astronomer Royal.]

1907.		BAROMETER.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		WIND deduced from Anemometers.		Rain collected in a gauge reading surfaces 5 inches above the Ground.	
MONTH AND DAY	Phases of the Moon.	Of the Air.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation 100).	Of Radiation.		General Direction.	Oiler's.		Robinson's.	Ozone.
		High-est.	Low-est.	Mean daily value.	Mean of the point.		Highest on the Sun.	Lowest on the Grass.		A.M.	P.M.	Horizontal movement on each Day.	
MARCH.													
SUNDAY - 10	..	581	391	490	+ 81	71	367	4127	WSW, W, & WNW.	73	07	523	35
MONDAY - 11	..	425	295	353	- 57	72	191	4163	WSW, W, & WNW.	40	03	301	15
TUESDAY - 12	..	451	241	358	- 53	70	136	4177	WSW, W, & WNW.	25	01	266	42
WEDNESDAY 13	..	510	392	451	+ 26	68	371	4157	WSW, W, & WNW.	80	08	513	08
THURSDAY - 14	New	472	351	412	- 06	63	308	4146	WSW, W, & WNW.	150	01	529	02
FRIDAY - 15	In	551	391	476	+ 59	89	355	4158	WSW, W, & WNW.	52	07	485	26
SATURDAY - 16	Equator	490	456	472	+ 53	84	435	4170	WSW, W, & WNW.	157	01	678	140
MEANS - -	-	497	360	428	+ 15	74	309	4157	Variable & SW.	Sum 3293	38
No. of Column -	-	5	6	7	8	9	10	11	12	13	14	15	26

DATE.		ELECTRICITY (For explanation of symbols, see Note.)		REGISTERED Sun above Horizon, in hours.		GENERAL REMARKS.	
MARCH.							
SUNDAY - 10	..	W. P. till noon; v. P. and v. N. till 6h. P.M.; m. P. afterwards.	32	114	Generally cloudy with fine intervals till evening; fine at night; gusty wind between 5h. and 6h. P.M.		
MONDAY - 11	..	W. P. till 4h. A.M.; v. P. and N. till 6h. A.M.; v. P. till 3h. P.M.; s. P. afterwards.	07	115	Generally cloudy till afternoon; very fine afterwards with hoar frost at night; occasional slight rain, snow, hail and sleet in forenoon.		
TUESDAY - 12	..	s. P. till noon; m. P. generally till 11h. P.M.; v. P. and s. N. afterwards.	71	115	Very fine till afternoon; cloudy with fine intervals till evening; overcast at night with light shower at 11h. P.M.; hoar frost and slight fog in morning.		
WEDNESDAY 13	..	v. N. principally till 7h. A.M.; s. P. till 9h. P.M.; m. P. afterwards.	63	116	Overcast with rain in early morning; fine and variably cloudy afterwards with shower at 11h. P.M.; brisk wind prevalent at times after noon.		
THURSDAY - 14	..	s. P. and s. N. till 2h. A.M.; m. P. till 5h. A.M.; s. P. afterwards.	89	117	Cloudy till 2h. A.M. with sharp shower of rain and hail at 1h. A.M.; very fine generally afterwards; brisk wind prevalent till 4h. 30m. P.M.		
FRIDAY - 15	..	v. P. generally with occasional v. N. till noon; w. P. afterwards.	03	117	Generally overcast; occasional slight rain; brisk wind after 9h. A.M.		
SATURDAY - 16	..	w. P. generally; w. N. after 11h. P.M.	00	118	Overcast generally; occasional slight rain; strong wind throughout rising to gale after 10h. P.M.		
No. of Col. -	-		23	23			

The results apply to the civil day, or from midnight to midnight. The height of the observer of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into daily values by the application of corrections deduced from the constants of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point, temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. The air in columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.85 in. at the beginning of the week to 29.69 in. by 5h. P.M. on the 10th; increased to 29.95 in. by 7h. A.M. on the 12th; increased to 29.68 in. by midnight on the 13th; increased to 29.97 in. by 9h. P.M. on the 14th; and decreased to 29.27 in. by midnight on the 16th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 9th March, 1907.*

BOROUGH.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	14	2	-	1	-	-	3	-	-
Kensington - - -	181,842	-	9	1	-	-	-	-	1	-	-
Hammersmith - -	122,337	-	8	4	-	-	-	-	1	-	-
Fulham - - -	166,749	-	11	11	-	1	-	-	1	-	-
Chelsea - - -	74,857	-	8	3	-	-	-	-	-	1	-
City of Westminster -	172,219	-	10	-	-	1	-	-	4	-	-
NORTH.											
St. Marylebone - - -	127,718	-	9	3	-	-	-	-	2	-	-
Hampstead - - -	91,137	-	4	3	-	-	-	-	3	-	-
St. Pancras - - -	236,753	-	7	8	-	-	-	-	3	1	-
Islington - - -	347,017	-	21	5	-	1	-	-	3	-	-
Stoke Newington - -	53,613	-	3	1	-	-	-	-	2	-	-
Hackney - - -	232,993	-	14	10	-	1	-	-	4	-	-
CENTRAL.											
Holborn - - -	55,134	-	3	1	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	4	5	-	-	-	-	3	-	-
City of London - - -	20,310	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	12	12	-	2	-	-	5	-	1
Bethnal Green - - -	130,831	-	10	4	-	1	-	-	3	-	-
Stepney - - -	308,923	-	21	12	-	5	-	-	9	-	-
Poplar - - -	171,086	-	7	1	-	2	-	-	1	-	-
SOUTH.											
Southwark - - -	209,781	-	13	5	-	2	-	-	2	-	-
Bermondsey - - -	128,263	-	11	6	-	-	-	-	3	-	-
Lambeth - - -	318,538	-	15	5	-	1	-	-	6	-	-
Battersea - - -	181,736	-	15	9	-	-	-	-	6	-	-
Wandsworth - - -	281,419	-	19	7	-	-	-	-	5	-	-
Camberwell - - -	277,059	-	19	8	-	1	-	-	5	-	-
Deptford - - -	116,510	-	16	10	-	-	1	-	6	-	-
Greenwich - - -	107,222	-	4	7	-	1	-	-	3	-	-
Lewisham - - -	152,532	-	7	9	-	-	-	-	1	-	-
Woolwich - - -	129,336	-	27	5	-	-	-	-	1	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
4,758,218		-	22	157	-	20	1	-	86	4	1
AGES.											
Ages 0-1 - - -	-	-	11	4	-	-	-	-	3	-	-
" 1-5 - - -	-	-	86	54	-	2	-	-	6	-	1
" 5- - - -	-	-	113	61	-	2	-	-	1	-	-
" 10- - - -	-	-	51	17	-	5	-	-	3	-	-
" 15- - - -	-	-	24	7	-	1	-	-	2	-	-
" 20- - - -	-	-	16	4	-	2	-	-	9	1	-
" 25- - - -	-	-	18	8	-	2	1	-	11	2	-
" 35- - - -	-	-	3	2	-	3	-	-	8	1	-
" 45- - - -	-	-	-	-	-	2	-	-	23	-	-
" 55- - - -	-	-	-	-	-	-	-	-	9	-	-
" 65 and upwards -	-	-	-	-	-	1	-	-	11	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 12. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAR. 23. [Price 1½d.

*General Register Office, Somerset House,
March 25th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 18·2, and 17·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 22·7 in Preston, 23·8 in Tynemouth, 24·4 in Grimsby, 25·5 in Hastings, 25·9 in St. Helens, 26·4 in Huddersfield, 27·7 in Middlesbrough, and 29·4 in West Bromwich; from *measles*, 2·0 in Middlesbrough, 2·4 in Nottingham, 2·9 in Bolton, 3·1 in Smethwick, 3·4 in East Ham, 3·5 in Birkenhead, and 6·8 in West Bromwich and in St. Helens; from *diphtheria*, 1·2 in Walthamstow, 1·4 in Halifax, and 1·5 in West Bromwich; from *whooping-cough*, 1·9 in Tynemouth, 2·1 in Willesden, and 3·1 in East Ham; and from *diarrhœa*, 1·3 in Devonport and 1·5 in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2548 BIRTHS and 1483 DEATHS were registered. Allowing for increase of population, the births were 6 above and the deaths 66 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·4, 18·0, and 18·6 per 1000 in the preceding three weeks, fell last week to 16·3. The death-rate in the four weeks ended last Saturday averaged 17·8 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1483 deaths included 29 from measles, 6 from scarlet fever, 12 from diphtheria, 36 from whooping-cough, 6 from enteric fever, and 15 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 104 deaths were referred to these diseases in the aggregate, being 59 below the corrected average number in the twelfth week of the preceding five years.

The deaths from *measles*, which had been 35, 55, and 57 in the preceding three weeks, fell to 29 last week, and were 31 below the corrected average; 6 deaths belonged to the Borough of Camberwell, 4 each to Shoreditch and Stepney, and 3 to Bethnal Green. The deaths from *scarlet fever*, which had been 6, 7, and 8 in the preceding three weeks, numbered 6 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 16, 19, and 15 in the preceding three weeks, fell to 12 last week, and were 7 below the corrected average. The deaths from *whooping-cough*, which had been 45, 40, and 42 in the preceding three weeks, fell to 36 last week, and were 7 below the corrected average; 5 deaths belonged to Shoreditch, 5 to Camberwell, 4 to Hackney, and 3 each to Islington and Battersea. The deaths from *enteric fever*, which had been 6, 7, and 0 in the preceding three weeks, were 6 last week, the corrected average being 4. The deaths from *diarrhoea*, which had been 12, 12, and 13 in the preceding three weeks, were 15 last week, and were equal to the corrected average. Of the 15 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 22, having been 30, 26, and 26 in the preceding three weeks. The death of a water-side labourer, aged 41 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 66 deaths, concerning all of which inquests were held. Of these 66 deaths, 13 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 8 to burns or scalds, 6 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 11, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2734 cases of scarlet fever, 1006 of diphtheria, 3 of typhus, and 94 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 312 cases, against 326, 306, and 327; of diphtheria, 129 cases, against 130, 135, and 125; and of enteric fever, 20 cases, against 11, 12, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 16th, 1907.

GREATER LONDON.

In Greater London 3894 births and 2096 deaths were registered. Allowing for increase of population, these numbers are 15 and 69 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 12 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.96 inches, and that of the Thermometer 46°.1, the latter being 4°.1 above the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 62 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 50.5 hours; the measured rainfall amounted to 0.13 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 23rd March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	DEATH-RATES from all Causes.										Rate from Diseases in Cols. 11-17.		Registered during the Week ended 23rd Mar., 1907.		The DEATHS registered in the Week include										TOWNS.
		Week ended				6.	7.	8.	Deaths of		Deaths from						19.	20.	21.							
		2nd Mar., 1907.	9th Mar., 1907.	16th Mar., 1907.	23rd Mar., 1907.				Week ended 11-17.	Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Diarrhoea.	Violence.					
																						Infants under 1 Year of Age.	Persons aged 1 to 60 Years and upwards.			
76 TOWNS		16,024	458	18'4	18'2	17'8	16'8	1'5	85'4	5156	1117	1563	-	132	39	59	113	26	49	209	432	1227	56	76 TOWNS.		
LONDON -	-	4,758	218	18'4	18'0	18'6	16'3	1'1	25'8	1483	293	490	-	29	6	12	36	6	15	66	157	552	1	LONDON.		
(CROYDON.	-	154	342	19'9	14'2	11'8	18'9	1'4	75	56	12	26	-	-	-	3	1	-	-	1	6	14	-	(CROYDON.		
WILLESDEN -	-	149	192	14'3	13'6	12'2	9'1	2'1	93	26	8	6	-	-	-	-	6	-	-	-	2	1	-	WILLESDEN.		
HORNSEY -	-	89	816	5'8	8'1	6'4	10'4	0'6	35	18	-	8	-	-	-	-	-	-	-	1	3	1	-	HORNSEY.		
TOTTENHAM -	-	122	793	20'0	21'2	14'4	14'9	3'0	88	35	11	7	-	3	-	1	2	-	1	2	6	4	-	TOTTENHAM.		
WEST HAM -	-	308	284	14'4	14'5	16'9	13'2	2'0	182	78	23	16	-	5	1	1	5	-	1	1	4	23	-	WEST HAM.		
EAST HAM -	-	136	421	16'8	19'1	14'5	17'6	7'3	60	46	11	5	-	9	-	2	8	-	-	2	5	6	-	EAST HAM.		
LEYTON -	-	122	040	11'1	13'2	11'5	10'7	2'1	51	25	5	5	-	2	2	1	-	-	-	-	-	4	-	LEYTON.		
(WALTHAMSTOW -	-	126	397	18'6	14'0	13'2	13'6	3'3	66	33	9	9	-	-	-	3	3	2	-	3	3	8	-	(WALTHAMSTOW.		
HASTINGS -	-	67	477	11'6	13'1	18'5	25'5	-	24	33	10	12	-	-	-	-	-	-	-	-	-	1	-	HASTINGS.		
BRIGHTON -	-	129	023	21'8	21'4	15'8	21'8	0'8	52	54	9	24	-	-	-	-	1	-	1	5	5	14	-	BRIGHTON.		
PORTSMOUTH -	-	208	291	19'8	19'3	23'3	17'8	2'0	125	71	10	25	-	7	-	-	1	-	2	5	5	12	-	PORTSMOUTH.		
BOURNEMOUTH -	-	69	246	21'8	13'6	17'3	10'5	0'8	20	14	-	8	-	-	-	1	-	-	-	-	-	5	-	BOURNEMOUTH.		
SOUTHAMPTON -	-	119	745	17'4	19'6	12'2	14'4	-	58	33	6	14	-	-	-	-	-	-	-	-	1	6	-	SOUTHAMPTON.		
READING -	-	80	311	11'7	18'8	21'4	16'9	0'6	37	26	5	11	-	-	-	1	-	-	3	3	6	1	-	READING.		
NORTHAMPTON -	-	95	070	13'2	10'4	11'0	10'4	-	35	19	5	7	-	-	-	-	-	-	-	1	2	1	1	NORTHAMPTON.		
IPSWICH -	-	72	825	20'8	10'7	20'8	14'3	2'1	38	20	5	4	-	-	-	1	2	-	-	1	1	1	-	IPSWICH.		
GREAT YARMOUTH -	-	52	879	12'8	10'8	18'7	15'8	-	26	16	4	7	-	-	-	-	-	-	-	-	-	1	-	GREAT YARMOUTH.		
NORWICH -	-	119	191	18'4	25'8	22'3	17'5	-	58	40	12	17	-	-	-	-	-	-	-	1	2	9	-	NORWICH.		
PLYMOUTH -	-	120	063	23'0	20'4	26'5	10'4	-	63	24	4	11	-	-	-	-	-	-	-	2	3	4	-	PLYMOUTH.		
DEVONPORT -	-	79	969	20'2	24'8	17'0	14'3	3'3	35	22	5	7	-	2	1	-	-	-	2	-	3	2	-	DEVONPORT.		
BRISTOL -	-	367	979	16'9	17'6	16'7	14'2	0'7	170	100	18	45	-	1	-	3	-	-	1	6	12	30	-	BRISTOL.		
HANLEY -	-	07	174	19'4	24'8	21'7	21'0	1'6	51	27	9	4	-	-	1	1	-	-	-	-	-	4	1	HANLEY.		
BURTON-ON-TRENT -	-	53	425	20'5	13'7	8'8	9'8	-	24	10	3	3	-	-	-	-	-	-	-	1	1	2	-	BURTON-ON-TRENT.		
WOLVERHAMPTON -	-	102	016	15'8	19'4	18'9	22'5	0'5	48	44	9	17	-	-	-	-	-	1	-	2	3	12	-	WOLVERHAMPTON.		
WALSALL -	-	96	171	15'7	16'8	15'2	19'0	1'1	47	35	4	14	-	-	-	1	1	-	-	3	6	5	-	WALSALL.		
HANDSWORTH -	-	65	929	11'1	11'9	11'1	10'3	0'8	30	13	1	7	-	-	-	-	-	-	-	-	-	2	-	HANDSWORTH.		
WEST BROMWICH -	-	69	123	23'4	23'4	21'1	29'4	8'3	33	39	7	12	-	9	-	2	-	-	-	1	1	3	2	WEST BROMWICH.		

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 2. LONDON.—Births and Deaths Registered in the TWELFTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2707	2218	2480	2675	2424	2556	2585	2423	2611	2243	2541.6	2548
Males - - -	1393	1123	1249	1378	1233	1271	1276	1243	1321	1202	1292.1	1326
Females - - -	1314	1095	1231	1297	1191	1285	1309	1180	1290	1041	1249.5	1222
TOTAL Deaths -	1534	1731	2025	1817	1588	1649	1461	1645	1376	1436	1548.8	1483
Males - - -	802	873	981	973	813	833	714	857	699	732	786.0	776
Females - - -	732	858	1044	844	775	811	747	788	677	704	762.8	707

* The numbers in this column are the average weekly numbers in the twelfth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 29.	1907. Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	13 Weeks.
TOTAL Births -	1694	2905	2593	2454	2134	2550	2356	2350	2412	2391	2391	2390	2548	31168
TOTAL Deaths -	1850	2231	1946	1678	1647	1895	1853	1819	1558	1678	1641	1696	1483	22980
Ages at Death	Under 1 year -	375	463	393	299	324	367	353	314	275	290	329	293	4334
	1-5 years -	223	212	193	207	153	197	179	199	165	181	189	193	2458
	5-20 " -	96	84	68	66	72	92	73	69	87	89	68	101	1038
	20-40 " -	186	224	234	182	178	225	194	193	171	206	196	191	181
	40-80 " -	388	469	368	349	363	348	410	363	318	338	353	363	279
	(80 yrs. & upwds.)	582	779	720	575	557	666	649	681	542	574	545	490	4709
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	29	36	28	33	17	20	30	28	38	35	55	57	29	435
Scarlet Fever - -	8	8	9	11	11	6	6	8	8	6	7	8	6	104
Diphtheria - - -	26	28	12	18	16	21	20	20	16	16	19	15	12	239
Whooping-cough -	31	38	31	28	35	51	40	48	31	45	40	42	36	496
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	7	11	4	5	8	2	1	1	6	7	-	6	62
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea, Dysentery	21	21	18	10	16	17	17	17	18	12	12	13	15	207
All above Diseases -	119	138	109	104	100	125	115	122	112	120	140	136	104	1544
Dis. of Resp. System	309	398	324	229	280	282	285	238	201	222	232	207	173	3420
Pneumonia - - -	252	320	296	217	224	233	241	229	178	210	173	196	180	2949
Phthisis - - -	181	184	168	146	159	184	175	187	147	151	160	157	136	2135
Dis. of Circ. System	213	263	223	200	211	241	249	249	220	253	217	228	182	2951
Violence - - -	82	76	66	65	49	68	57	63	56	60	60	51	66	819
Inquest Cases - -	187	232	185	167	133	216	159	182	153	161	152	139	157	2223
Deaths in Institutions	640	751	695	644	605	694	689	648	609	608	625	634	552	8394
TEMPERATURE OF THE AIR.														
Mean - - -	31.4	39.3	42.8	40.7	30.5	36.1	33.0	39.7	39.9	40.6	40.1	42.8	46.1	38.7
Mean of Highest -	36.4	44.6	46.7	43.6	34.3	41.7	37.1	44.6	45.6	48.3	47.2	49.7	55.1	44.2
Mean of Lowest -	26.9	33.0	37.9	37.2	26.6	30.6	27.9	34.5	35.2	32.7	33.4	36.0	37.4	32.9
Mean Humidity of the Air.	77	83	83	81	74	77	76	85	72	81	80	74	64	77
Rain-fall (in inches) -	0.68	0.98	0.18	0.01	0.04	0.19	0.19	0.77	0.29	0.01	0.37	0.40	0.13	4.24
Registered Sunshine (in hours).	3.2	10.8	6.3	3.3	7.2	11.8	17.9	15.0	19.8	11.0	21.9	27.0	50.5	205.7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	Means
Scarlet Fever - -	3846	3707	3523	3405	3232	3176	3059	3035	2938	2878	2878	2826	2734	3177
Diphtheria - - -	1000	988	928	934	925	928	932	926	920	922	967	983	1006	951
Typhus - - -	2	2	2	2	2	3	3	3	4	4	3	4	3	3
Enteric Fever - -	135	120	108	108	98	100	94	101	102	103	98	96	94	104

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the TWELFTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 12th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 12th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1548.8	1483	233	167	73	181	279	490	Meningitis (not tuberc.)	15.1	19	10	4	4	1	-	-
									Gen. Par. of Insane, Insanity	12.3	15	-	-	-	-	10	-
Small-pox*	11.5	-	-	-	-	-	-	-	Epilepsy	4.7	3	-	1	-	-	-	1
Whooping-cough	60.0	29	8	19	2	-	-	-	Convulsions	23.5	16	14	2	-	-	-	-
Measles (Morbilli)	9.6	6	1	3	2	-	-	-	Locomotor Ataxy	1.2	1	-	-	-	-	-	1
Scarlet Fever	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	5.5	6	-	-	-	-	1	5
Cyphus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	21.9	27	3	1	2	1	6	14
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	44.2	50	-	-	4	9	12	25
Influenza	26.2	22	-	1	1	1	5	14	Cereb. Hæm., Cereb. Emb.	32.3	25	-	-	-	2	4	19
Whooping-cough	43.2	36	15	20	1	-	-	-	Apoplexy, Hemiplegia	17.0	20	-	-	-	-	4	16
Diphtheria	19.0	12	2	6	4	-	-	-	Aneurysm	7.2	5	-	-	-	1	4	-
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.6	-	-	-	-	-	-	-
Pyæmia† (origin uncertain)	0.2	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	93.1	82	-	1	2	6	26	47
Enteric Fever	4.3	6	-	-	2	2	2	-	Croup (not Spasm: nor Memb.)	0.6	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	152.9	147	29	9	-	3	18	88
Epidemic Diarrhoea, Infective Enteritis	3.3	5	4	1	-	-	-	-	Emphysema, Asthma	7.4	7	1	-	-	1	3	2
Diarrhoea, Dysentery	11.5	10	7	1	-	1	1	-	Pleurisy	4.5	5	-	2	-	-	1	2
Tetanus	0.2	-	-	-	-	-	-	-	Respiratory Dis., Other	14.1	14	-	5	-	1	2	6
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	1.2	1	-	1	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	7.2	9	2	1	1	1	1	2
Anthrax (Splenic Fever)	0.2	1	-	-	-	-	1	-	Gastro-enteritis	4.5	5	3	-	-	-	-	-
Venerical Dis.	8.4	10	9	-	-	-	1	-	Peritonitis (not Puerp.)	1.2	3	-	1	-	-	-	1
Puerperal Septicæmia	3.3	1	-	-	-	1	-	-	Cirrhosis of Liver	13.5	12	-	-	-	3	8	1
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-	Liver Dis., Other	5.9	9	-	-	-	2	4	3
Puerperal Fever	1.2	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	34.0	41	7	1	4	8	9	12
Infective Endocarditis	2.7	5	-	-	2	3	-	-	Acute Nephritis	7.8	9	-	1	-	2	3	3
Lobar	11.7	27	2	3	1	5	7	9	Bright's Dis., Albuminuria	39.9	39	-	-	1	2	14	22
Broncho	72.5	84	36	29	2	3	3	11	Urinary Sys., Other Dis.	10.6	15	-	-	-	-	1	14
Epidemic	-	-	-	-	-	-	-	-	Generative Organs Dis.	4.5	7	-	-	-	2	3	2
Not defined	73.3	69	6	11	4	8	11	29	Childbirth (Accid. of)	3.7	9	-	-	-	9	-	-
Erysipelas	4.3	7	3	-	-	1	1	2	Old Age	59.8	60	-	-	-	-	-	60
Septicæmia (not Puerperal)	1.0	1	-	-	-	1	-	-	Other Diseases	97.5	92	62	14	3	3	5	5
Pyæmia (not Puerperal)	1.6	1	-	-	-	1	-	-	ACCIDENT.								
Other Infective Processes	5.9	5	1	-	-	-	2	2	By Railways	2.7	1	-	-	1	-	-	-
Tuberculous Phthisis	72.9	94	3	2	4	40	36	9	By Vehicles and Horses	4.1	8	-	-	4	2	2	-
"Phthisis"	72.9	42	-	1	2	17	16	6	In Ships, Boats, Docks, (exclusive of Drowning)	1.2	1	-	-	-	1	-	-
Tuberculous Meningitis	19.9	25	6	10	7	2	-	-	In Building Operations	0.6	-	-	-	-	-	-	-
Tuberculous Peritonitis	7.6	11	3	2	2	2	2	-	In Conflagrations	0.4	-	-	-	-	-	-	-
Tabes Mesenterica	3.7	2	2	-	-	-	-	-	By Burns, Scalds, Explosions	7.4	8	1	3	2	2	-	-
Tuberculous Dis., Other	18.6	11	3	4	1	2	1	-	By Drowning	4.1	6	-	-	-	4	2	-
Scorfula	0.4	-	-	-	-	-	-	-	By Suffocation in Bed	9.0	11	11	-	-	-	-	-
Alcoholism	11.7	4	-	-	-	2	2	-	By Poisons or Poisonous Vapours	2.3	3	-	-	-	1	2	-
Rheumatic Fever	4.1	5	-	-	3	1	1	-	Other Deaths by Accident	16.6	15	2	3	2	1	4	3
Gout	3.1	4	-	-	-	-	1	3	VIOLENCE OTHER THAN ACCIDENTAL.								
Carcinoma	46.5	49	-	-	-	6	20	23	Homicide	0.6	-	-	-	-	-	-	-
Sarcoma	4.3	4	-	1	-	2	-	1	Suicide	10.8	13	-	-	-	5	7	1
Cancer (undefined)	33.2	30	-	-	2	5	8	15	Execution	-	-	-	-	-	-	-	-
Diabetes Mellitus	10.8	9	-	-	1	-	2	6									
Premature Birth	53.4	37	37	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd March, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include,														Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia of Origin uncertain.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -		4,536,429	2548	1483	293	490	-	29	6	12	36	-	6	-	15	66	157	552	1	
WEST DISTRICTS - - -		805,311	400	258	54	87	-	3	2	2	4	-	-	-	3	16	30	104	-	
NORTH DISTRICTS - - -		1,056,070	537	316	44	115	-	-	-	2	2	2	-	-	3	13	31	104	-	
CENTRAL DISTRICTS - - -		209,465	102	69	16	11	-	-	-	-	-	-	-	-	-	5	10	41	-	
EAST DISTRICTS - - -		715,739	464	267	63	79	-	11	-	-	8	-	-	-	1	15	40	123	-	
SOUTH DISTRICTS - - -		1,749,844	1045	541	116	184	-	13	4	5	13	-	1	-	7	17	46	143	1	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	32	-	14	-	-	-	1	-	-	1	-	1	-	-	32	-	
WEST DISTRICTS.																				
St. Mary Paddington W,3H - -		93,178	40	27	6	11	-	-	-	-	1	-	-	-	-	2	5	8	-	
St. John Paddington H - - -		33,617	8	11	1	3	-	-	-	-	-	-	-	-	-	1	1	7	-	
North-West Paddington - - -		17,181	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -		128,037	71	48	11	20	-	-	-	-	2	-	-	-	1	-	-	22	-	
Brompton 2H - - -		48,591	14	10	2	4	-	-	-	-	-	-	-	-	1	1	1	2	-	
North Hammersmith 2W,w,H - -		49,192	43	23	8	2	-	-	-	-	1	-	-	-	-	3	8	5	-	
South Hammersmith w,2H - -		63,047	28	20	4	6	-	1	-	-	-	-	-	-	-	3	3	3	-	
North-west Fulham W - - -		45,180	42	21	7	5	-	2	-	-	-	-	-	-	-	1	3	7	-	
North-east Fulham F - - -		46,405	18	13	4	3	-	-	2	2	-	-	-	-	-	-	1	4	-	
South Fulham W - - -		45,704	43	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
Chelsea North W,w,3H - - -		42,514	17	33	1	15	-	-	-	-	-	-	-	-	1	-	1	26	-	
Chelsea South W,2H - - -		31,328	10	9	2	5	-	-	-	-	-	-	-	-	-	1	1	3	-	
Mayfair and Knightsbridge - -		28,743	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -		55,815	19	12	1	4	-	-	-	-	-	-	-	-	-	3	4	8	-	
St. Margaret & St. John 5H - -		43,998	20	13	2	3	-	-	-	-	-	-	-	-	-	-	1	7	-	
St. James and St. Anne W,6H - -		33,081	5	8	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-	
NORTH DISTRICTS.																				
All Souls Marylebone 8H - - -		35,391	14	19	1	6	-	-	-	-	-	-	-	-	-	2	3	11	-	
St. Mary Marylebone W,4H - -		37,948	58	8	-	4	-	-	-	-	-	-	-	-	-	-	-	3	-	
Christchurch Marylebone - - -		39,536	22	10	2	2	-	-	-	-	1	-	-	-	-	-	-	2	-	
St. John Marylebone 2H - - -		20,426	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -		81,942	21	23	3	7	-	-	-	-	-	-	2	-	-	-	-	13	-	
West St. Pancras 2H - - -		60,562	24	16	3	6	-	-	-	-	-	-	-	-	-	-	1	1	-	
South St. Pancras w,11H - - -		55,707	23	24	2	10	-	-	-	-	-	-	-	-	-	-	2	11	-	
East St. Pancras W,2H - - -		60,320	34	16	-	9	-	-	-	-	-	-	-	-	-	-	-	8	-	
North St. Pancras 2W - - -		58,728	21	17	2	6	-	-	-	-	-	-	-	-	-	2	2	5	-	
Tufnell W - - -		31,995	7	18	3	7	-	-	-	-	-	-	-	-	1	1	1	13	-	
Upper Holloway 2W,w,H - - -		33,978	22	23	1	8	-	-	-	-	-	-	-	-	1	1	3	15	-	
Tollington WH - - -		33,922	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -		41,424	26	15	3	5	-	-	-	-	2	-	-	-	-	-	-	-	-	
Barnsbury - - -		54,478	38	10	1	5	-	-	-	-	-	-	-	-	-	-	3	-	-	
Islington South-east F - - -		75,397	31	11	3	5	-	-	-	-	1	-	-	-	-	-	-	-	-	
Highbury 2H - - -		63,797	18	14	5	5	-	-	-	-	-	-	-	-	-	1	2	-	-	
Stoke Newington H - - -		51,247	24	12	1	6	-	-	-	-	-	-	-	-	-	1	1	-	-	
North Hackney - - -		50,560	28	19	4	4	-	-	-	-	3	-	-	-	-	-	2	-	-	
Central Hackney 2w,F - - -		50,536	33	18	5	4	-	2	-	2	1	-	-	-	-	1	3	4	-	
South-west Hackney 3E - - -		59,921	47	13	3	4	-	-	-	-	-	-	-	-	-	-	1	4	-	
South-east Hackney 2W,w,H - -		58,255	28	22	1	9	-	-	-	-	-	-	-	-	1	3	3	14	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd March, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from															
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury 2W, 2H -	31,436	26	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1	3	-		
Strand W, 4H - - - - -	21,674	5	12	1	2	-	-	-	-	-	-	-	-	-	-	-	-	9	-		
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Isleborn W, 6H - - - - -	29,612	13	16	5	3	-	-	-	-	-	2	-	-	-	-	-	2	11	-		
South Clerkenwell - - - - -	28,676	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Clerkenwell H - - - - -	35,028	14	6	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Isleborn 3H, L - - - - -	36,116	31	3	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
Isleborn Union Workhouse, } Mileham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Botolph H - - - - -	10,299	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
St. Sepulchre and Allhallows W, 2H	16,824	2	23	4	1	-	-	-	-	2	-	-	-	-	-	4	5	17	-		
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
Shoreditch South H - - - - -	46,362	23	11	4	1	-	3	-	-	-	2	-	-	-	-	-	1	2	-		
Shoreditch North-West W, w, H -	36,127	24	33	6	19	-	-	-	-	-	2	-	-	-	-	3	6	21	-		
Shoreditch North-East - - - - -	39,148	24	10	2	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-		
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North-East 2W } 2H, L - - - - -	65,138	36	37	8	7	-	1	-	-	1	-	1	-	-	-	-	3	25	-		
Bethnal Green South-West H - -	61,542	44	13	3	4	-	2	-	-	-	-	-	-	-	-	2	2	-	-		
Spitalfields - - - - -	27,969	12	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Field End New Town W, H - - -	28,718	27	39	6	7	-	1	-	-	-	-	1	-	-	-	5	6	33	-		
Woodman's Fields - - - - -	22,081	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George and St. John 2W - - -	49,068	28	11	5	3	-	-	-	-	-	-	-	-	-	-	-	2	3	-		
Whitechapel and Ratcliff W, H - -	25,568	14	11	4	3	-	-	-	-	1	-	-	-	-	-	-	1	5	-		
Whitechapel W - - - - -	32,369	23	12	2	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-		
Field End Old Town South- } Western H - - - - -	63,698	58	15	7	1	-	1	-	-	-	-	-	-	-	-	-	3	-	-		
Field End Old Town North- } Eastern W, w - - - - -	49,129	26	16	3	7	-	-	-	-	-	-	-	-	-	-	-	1	8	-		
Row L - - - - -	41,949	26	10	3	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
Bromley 3w, H - - - - -	63,314	44	27	5	9	-	-	-	-	-	-	-	-	-	-	1	4	8	22		
Poplar W, w - - - - -	58,514	51	15	3	6	-	-	-	-	-	1	-	-	-	-	1	3	4	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd March, 1907—continued.

		The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd March, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Deaths from														
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING						368,302	2,044,973	1346	613	154	184	-	23	5	15	38	2	3	29	60	106	-
30: 1	Carshalton 2F,3H	12,228	32,997	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone, part of* W,F,L	2,754	2,692	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	18	13	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	36	35	8	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	North Croydon H	2,644	41,098	21	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w,H	770	22,465	9	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham	11,711	30,015	37	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	24	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,068	29	8	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Surbiton F,H	3,046	15,017	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,564	23,456	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H	2,162	28,865	12	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,847	20,628	21	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley F,2H	4,703	27,354	13	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	16,446	10	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley w F,H	8,678	21,151	27	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury w	11,054	18,683	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon W,F,H	6,035	13,661	5	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2 F,H	8,066	16,358	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth 3W,3F,H	6,859	30,863	20	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham F,2H	2,421	20,991	14	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,239	24	23	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	15	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	34	15	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow F,H	13,309	25,523	22	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	93	26	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hendon W,F	8,982	22,450	17	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128: 1	South Mimms 2F,H	17,755	7,308	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	23	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
129: 1	Hornsey F,H	2,875	72,056	35	17	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	18	14	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	40	18	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,888	48	17	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Edmonton W,w,2F	7,491	61,892	46	18	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Enfield 2W,F,H	12,601	42,738	24	14	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,549	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138: 1	Stratford H	1,072	44,827	29	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow F,2H	1,249	90,921	73	17	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Canning Town H	1,556	70,718	50	18	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Forest Gate w	806	60,892	25	11	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	North East Ham w,H	1,333	58,676	37	24	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	South East Ham 2F	1,993	37,342	23	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,379	9,179	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	24	14	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	North Leyton 2W,w,F	1,983	48,445	27	39	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Walthamstow 2H,L	6,504	108,929	79	32	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187: 1	Chigwell 2F,3H	11,778	16,397	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	8,496	41,234	37	14	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	3,803	21,547	16	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.		-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 137: 2 are also included. Including 1 death from Epidemic Cerebro-spinal meningitis in the parish of Merton.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	March 23	2548	1483	16·3	-	29	6	12	36	6	15
CALCUTTA - -	977,822	February 23	-	505	30·9	48	1	-	1	1	157†	85†
BOMBAY - -	982,000	March 5	315	1027	54·6	3	-	-	-	-	394†	74
MADRAS - -	509,346	February 23	252	394	40·2	1	1	?	?	?	105	63†
PARIS - -	2,750,000	March 16	1023	1157	22·1	2	18	9	4	8	2	22
BRUSSELS - -	612,401	" 16	211	213	17·8	-	3	-	1	2	2	9
ANTWERP - -	297,311	" 16	148	83	14·5	-	3	2	3	-	-	8
AMSTERDAM -	564,194	" 16	276	163	15·0	-	2	1	-	4	-	3
COPENHAGEN -	427,000	" 16	249	143	17·5	-	-	-	2	4	1	3
STOCKHOLM -	324,488	" 9	150	111	17·8	-	-	-	1	1	-	4
CHRISTIANIA -	226,472	" 16	132	67	15·4	-	-	-	4	1	-	2
ST. PETERSBURG	1,482,769	" 2	816	759	26·6	1	21	24	24	4	21	71
MOSCOW - -	1,172,421	" 2	-	749	33·3	1	17	16	16	3	3	77
BERLIN - -	2,099,111	" 2	944	615	15·3	-	1	1	6	3	2	31
HAMBURG - -	824,792	" 16	-	271	17·1	-	-	2	4	1	1	13
BRESLAU - -	482,573	" 9	-	207	22·4	-	-	-	-	-	-	22
MUNICH - -	548,000	" 16	-	212	20·1	-	10	1	4	4	-	18
VIENNA - -	1,958,323	" 16	960	798	21·2	-	12	7	12	-	-	24
PRAGUE - -	466,133	" 9	222	203	22·6	-	3	-	1	1	1	14
BUDA-PESTH -	802,235	" 9	466	366	23·7	-	4	8	3	1	1	8
TRIESTE - -	199,003	" 16	116	126	32·9	-	1	-	-	-	1	2
ROME - -	531,818	January 26	307	237	23·2	-	1	-	2	2	5†	8
VENICE - -	174,298	March 9	83	75	22·4	-	-	-	-	-	1	3
BUCHAREST -	291,138	" 16	181	165	29·6	-	4	-	1	1	1	2
NEW YORK - -	4,285,435	" 9	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,107,620	" 9	-	650	16·1	-	4	27	9	6	7	29
PHILADELPHIA -	1,500,595	February 23	-	650	22·5	-	2	4	12	3	47	24
RIO DE JANEIRO	912,900	" 17	-	298	17·0	-	-	-	-	1	5†	?

* Excluding deaths from croup in the Indian Cities.

† Including 27 deaths from plague in Calcutta, 306 in Bombay, and 2 in Rio de Janeiro.

‡ Including 42 deaths from cholera in Calcutta, and 10 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd March, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	58·2	29·1	46·2	0·13	LEEDS - - -	53·0	37·0	45·6	0·64
BRIGHTON - -	56·9	32·7	45·1	0·06	YORK - - -	56·0	32·0	44·6	0·52
PORTSMOUTH - -	57·5	31·0	47·1	0·04	HULL - - -	59·0	32·0	44·6	0·35
NORWICH - -	58·4	30·6	45·5	0·32	TYNEMOUTH - -	56·0	32·0	42·6	0·06
PLYMOUTH - -	56·8	33·5	46·9	0·24	CARDIFF - - -	57·7	28·0	45·2	0·32
BRISTOL - - -	55·3	32·0	45·9	0·08	EDINBURGH - -	52·1	31·3	41·5	0·68
BIRMINGHAM - -	57·8	35·1	44·5	0·11	GLASGOW - - -	53·5	33·2	44·3	0·91
NOTTINGHAM - -	57·3	31·2	45·2	0·65	DUBLIN } Phoenix Park. Fitz- william Square.†	57·4	24·9	43·9	0·87
LIVERPOOL }	54·0	38·0	44·8	0·27		57·9	33·3	45·9	0·92
MANCHESTER }	57·8	30·6	44·0	0·89		51·0	33·0	43·6	1·70
PRESTON - -	52·8	35·2	44·1	0·36					
HUDDERSFIELD -	56·0	35·2	43·6	1·08					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·1° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 2.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 23rd March, 1907.

[Under the Superintendence of the Astronomer Royal.]


Meteorological Observations.

1907.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				WINDS deduced from Anemometers.				Rain collected in Gauge whose readings are reduced to inches above the ground.						
MONTH AND DAY	Phases of the Moon.	Of the Air.		Of the Dew point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Saturation (Station thermometer 100°).	Of Radiation.		Of the Earth's Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.							
		High-est.	Low-est.	Daily Range.	Mean value.	De- parture from mean daily value.	Mean daily value.		Great- est.	Least.	Highest in Sun's Rays.	Lowest on Grass.	°	°	A.M.	P.M.	Great- est.	Least.	Horizontal Movement of the Air on each Day.	Depart- Average of 40 years.				
MARCH.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	Miles.	Miles.					
SUNDAY - 17	..	29.518	52.3	40.5	11.8	45.3	33.5	11.8	16.9	1.8	63	97.0	33.8	42.23	SSW, W.	W. & WNW.	140	0.0	1.1	561	+239	0.07	1.2	
MONDAY - 18	..	29.534	57.5	43.4	14.1	50.4	36.7	13.7	20.5	2.2	60	100.3	37.7	42.41	WSW, W.	WSW.	180	0.0	1.9	759	+453	0.00	3.2	
TUESDAY - 19	..	29.856	53.5	38.0	15.5	45.7	33.7	12.0	18.7	7.1	63	94.8	33.3	42.81	WSW, W.	W. & W.	230	0.0	2.1	795	+485	0.00	0.8	
WEDNESDAY - 20	..	30.089	54.4	39.4	15.0	46.9	33.8	13.1	19.9	2.2	60	103.1	32.2	43.08	WSW, W.	WSW.	228	0.0	1.9	686	+385	0.00	0.0	
THURSDAY - 21	Apogee	30.314	58.2	29.1	29.1	44.9	32.8	12.1	19.8	0.0	62	102.3	19.0	43.29	WSW, W.	WSW.	1.4	0.0	0.1	219	- 94	0.00	0.0	
FRIDAY - 22	First Q. 30° Dec.N.	30.200	55.7	37.8	17.9	46.7	37.1	9.6	14.4	7.0	69	92.2	24.1	43.34	WSW, W.	WSW.	2.2	0.0	0.3	349	+ 32	0.00	0.0	
SATURDAY - 23	..	30.228	53.9	33.5	20.4	42.9	33.4	9.5	18.5	1.3	69	97.9	22.5	43.39	NNW, N.	NNW.	1.1	0.0	0.0	149	-172	0.00	0.0	
MEANS - -	-	29.964	55.1	37.4	17.7	46.1	34.4	11.7	18.4	3.1	64	97.8	28.9	42.94	W.	W.	Sum 3528	Sum +1948	0.13	0.7	
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
DATE.	MARCH.	ELECTRICITY. (For explanation of symbols, see Note.)				Registered Sun above horizon in hours.				GENERAL REMARKS.														
SUNDAY - 17	W. P. and W. N. till 3h. A.M.; W. P. till 11h. A.M.; m. P. till 8h. P.M.; loss of Register afterwards.	79	11.9	Fine generally with strong gusty wind; a little rain at night.																				
MONDAY - 18	Loss of Register till 11h. A.M.; m. P. generally afterwards.	71	11.9	Fine with little cloud; strong gusty wind until evening.																				
TUESDAY - 19	m. P. generally; v. P. and W. N. in afternoon.	79	12.0	Very fine; strong or brisk wind rising to gale.																				
WEDNESDAY - 20	W. P. till 5h. A.M.; v. P. and W. N. till 8h. A.M.; s. P. afterwards.	68	12.0	Fine generally; gale with rain squall at 6h. A.M.; wind dropping after 6h. P.M.																				
THURSDAY - 21	s. P. till 11h. A.M.; m. P. till 7h. P.M.; s. P. afterwards.	91	12.1	Nearly cloudless; hear frost in morning. Lunar halo at night.																				
FRIDAY - 22	s. P. generally.	39	12.2	Fine generally but cloudy after mid-day with a few drops of rain; hear frost in morning.																				
SATURDAY - 23	s. P. generally; a little v. P.	78	12.2	Very fine but hazy; hear frost in morning and again at night.																				
No. of Col. -	-	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843	Sum 129	Sum 505	Sum 843
No. of Col. -	-	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th March, 1907.*

BOROUGHs	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	8	6	-	1	-	-	3	-	-
Kensington - - -	181,842	-	14	4	-	-	-	-	3	-	-
Hammersmith - - -	122,337	-	8	5	-	2	-	-	3	-	-
Fulham - - -	166,749	-	10	4	-	-	-	-	1	-	-
Chelsea - - -	74,867	-	2	1	-	-	-	-	1	-	-
City of Westminster -	172,219	-	7	2	-	-	-	-	2	-	-
NORTH.											
St. Marylebone - - -	127,718	-	8	9	-	-	-	-	4	-	-
Hampstead - - -	91,137	-	5	4	-	-	-	-	1	-	-
St. Pancras - - -	238,753	-	9	11	-	3	-	-	1	-	1
Islington - - -	347,017	-	25	7	-	4	-	-	3	1	-
Stoke Newington - - -	53,613	-	3	2	-	-	-	-	-	-	-
Hackney - - -	232,993	-	21	14	1	1	-	-	4	-	1
CENTRAL.											
Holborn - - -	55,134	-	2	1	-	1	-	-	-	-	-
Finsbury - - -	96,732	-	6	5	-	-	-	-	2	-	-
City of London - - -	20,310	-	1	-	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	12	6	-	-	-	-	1	-	-
Bethnal Green - - -	130,831	-	17	7	-	-	-	-	4	-	-
Stepney - - -	308,923	-	21	9	-	2	-	-	5	1	1
Poplar - - -	171,086	-	13	6	-	-	-	-	-	-	-
SOUTH.											
Southwark - - -	209,781	-	26	8	-	1	-	-	5	-	1
Bermondsey - - -	128,263	-	7	5	-	-	-	-	1	-	-
Lambeth - - -	318,538	-	18	3	-	4	-	-	5	-	1
Battersea - - -	181,736	-	18	4	-	3	-	-	2	-	-
Wandsworth - - -	281,419	-	19	11	-	3	-	-	2	2	-
Camberwell - - -	277,059	-	19	4	-	1	-	-	13	-	-
Deptford - - -	116,510	-	8	10	-	-	-	-	4	-	-
Greenwich - - -	107,222	-	8	3	-	-	-	-	3	-	-
Lewisham - - -	152,532	-	11	6	-	2	-	-	4	-	-
Woolwich - - -	129,336	-	24	4	-	-	-	-	4	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	350	161	1	28	-	-	83	4	5
Ages											
0-1 - - -	-	-	1	5	-	-	-	-	9	-	2
" 1-5 - - -	-	-	104	67	-	1	-	-	1	-	1
" 5- - - -	-	-	139	55	-	4	-	-	3	-	1
" 10- - - -	-	-	48	12	-	3	-	-	3	-	1
" 15- - - -	-	-	25	5	1	4	-	-	3	-	-
" 20- - - -	-	-	18	7	-	4	-	-	5	1	-
" 25- - - -	-	-	13	6	-	4	-	-	7	1	-
" 35- - - -	-	-	2	2	-	6	-	-	15	2	-
" 45- - - -	-	-	-	1	-	1	-	-	12	-	-
" 55- - - -	-	-	-	1	-	1	-	-	12	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	13	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 13. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAR. 30. [Price 1½d.

*General Register Office, Somerset House,
April 2nd, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 18·2, 17·8, and 16·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 22·7 in Nottingham, 23·4 in West Bromwich, 24·6 in Swansea, 25·6 in Hanley, 26·2 in Bolton, 27·1 in St. Helens, and 29·5 in Birkenhead; from *measles*, 2·2 in Grimsby and in Nottingham, 2·6 in Sheffield, 2·8 in Portsmouth and in West Hartlepool, 3·4 in Bolton, 3·8 in East Ham, 4·5 in West Bromwich, 5·6 in St. Helens, and 8·8 in Birkenhead; from *diphtheria*, 1·2 in Wigan, 1·3 in Aston Manor and in Coventry, and 1·4 in West Hartlepool; and from *whooping-cough*, 1·4 in West Hartlepool, 1·5 in East Ham and in Middlesbrough, 1·7 in Tottenham, in Leyton, and in Walthamstow, and 3·2 in Swansea. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2236 BIRTHS and 1586 DEATHS were registered. Allowing for increase of population, the births were 296 below and the deaths 9 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·0, 18·6, and 16·3 per 1000 in the preceding three weeks, was 17·4 last week. The death-rate in the four weeks ended last Saturday averaged 17·6 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1586 deaths included 59 from measles, 8 from scarlet fever, 16 from diphtheria, 71 from whooping-cough, 1 from enteric fever, and 14 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 169 deaths were referred to these diseases in the aggregate, being 8 below the corrected average number in the thirteenth week of the preceding five years.

The deaths from *measles*, which had been 55, 57, and 29 in the preceding three weeks, rose to 59 last week, but were 7 below the corrected average; 12 deaths belonged to the Borough of Camberwell, 6 to Poplar, 4 apiece to Hackney, Shoreditch, and Lambeth, and 3 each to Islington and Greenwich. The deaths from *scarlet fever*, which had been 7, 8, and 6 in the preceding three weeks, were 8 last week, the corrected average being 7. The deaths from *diphtheria*, which had been 19, 15, and 12 in the preceding three weeks, were 16 last week, the corrected average being 17. The deaths from *whooping-cough*, which had been 40, 42, and 36 in the preceding three weeks, rose to 71 last week, and were 15 above the corrected average; 8 deaths belonged to Islington, 7 to Paddington, 6 to Southwark, 5 each to Shoreditch, Camberwell and Lewisham, and 4 each to Lambeth and Wandsworth. One death from *enteric fever* was recorded last week, the corrected average being 4; the deaths in the preceding three weeks had been 7, 0, and 6. The deaths from *diarrhoea*, which had been 12, 13, and 15 in the preceding three weeks, were 14 last week, the corrected average being 13. Of the 14 deaths from diarrhoea, 7 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 24, having been 26, 26, and 22 in the preceding three weeks.

Different forms of *violence* caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 10 were cases of suicide, while the remaining 45 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 1 to a conflagration, 8 to burns or scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2657 cases of scarlet fever, 1014 of diphtheria, 1 of typhus, and 93 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 330 cases, against 306, 327, and 312; of diphtheria, 156 cases, against 135, 125, and 129; and of enteric fever, 8 cases, against 12, 12, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 23rd, 1907.

GREATER LONDON.

In Greater London 3504 births and 2261 deaths were registered. Allowing for increase of population, these numbers are 359 below and 88 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 15 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.13 inches, and that of the Thermometer 46°.5, the latter being 3°.1 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 64 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 53.5 hours; no rainfall was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES in the Week ended Saturday, 30th March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Colls. 11-17.		Registered Deaths during the Week ended 30th Mar., 1907.		Deaths from Various Causes.										Deaths of Persons aged under 1 Year and upwards.		Deaths from Various Causes.										Inquests Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.
		Week ended				11-17.		30th Mar., 1907.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence	18.	19.	20.	21.	Colls.	Colls.															
		2nd Mar., 1907.	16th Mar., 1907.	2nd Mar., 1907.	30th Mar., 1907.	8.	7.	6.	5.															4.	3.	2.	1.											
																												1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	
76 TOWNS	16,024,458	18'2	17'8	16'8	17'7	1'8	3117	5450	1181	1510	-	233	33	61	175	71	20	37	179	409	1286	43	76 TOWNS.	76 TOWNS.														
LONDON -	4,758,218	18'0	18'6	16'3	17'4	1'9	2236	15861	311	445	-	59	8	16	71	14	1	14	55	153	621	-	LONDON.	LONDON.														
(CROYDON -	154,342	14'2	11'8	18'9	16'2	0'3	91	48	13	19	-	-	-	-	-	-	-	-	-	6	5	-	(CROYDON.	(CROYDON.														
WILLESDEN -	149,192	13'6	12'2	9'1	8'0	1'7	66	23	5	3	-	2	1	1	1	-	-	-	-	1	5	-	WILLESDEN.	WILLESDEN.														
HORNEY -	88,816	8'1	6'4	10'4	11'6	1'2	26	20	3	9	-	1	-	1	-	-	-	-	-	3	1	-	HORNEY.	HORNEY.														
(TOTTENHAM -	122,793	21'2	14'4	14'9	14'4	2'1	58	34	8	7	-	1	-	-	-	-	-	-	-	6	6	-	(TOTTENHAM.	(TOTTENHAM.														
WEST HAM -	308,284	14'5	16'9	13'2	15'6	2'5	154	92	20	19	-	6	1	3	3	4	1	1	2	6	24	-	WEST HAM.	WEST HAM.														
EAST HAM -	136,421	19'1	14'5	17'6	15'7	5'7	74	41	9	9	-	10	1	-	4	-	-	-	1	2	4	-	EAST HAM.	EAST HAM.														
LEYTON -	122,040	13'2	11'5	10'7	15'0	4'3	58	35	8	8	-	3	1	2	4	-	-	-	1	1	7	-	LEYTON.	LEYTON.														
(WALTHAMSTOW -	126,397	14'0	13'2	13'6	12'8	2'1	87	31	11	7	-	-	-	1	4	-	-	-	-	-	3	-	(WALTHAMSTOW.	(WALTHAMSTOW.														
HASTINGS -	67,477	13'1	18'5	25'5	9'3	-	21	12	2	5	-	-	-	-	-	-	-	-	-	-	-	-	HASTINGS.	HASTINGS.														
BRIGHTON -	129,023	21'4	15'8	21'8	19'4	2'0	44	48	10	15	-	-	-	1	3	-	1	-	-	2	12	-	BRIGHTON.	BRIGHTON.														
PORTSMOUTH -	208,291	19'3	23'3	17'8	18'5	4'0	115	74	22	20	-	11	-	1	4	-	-	3	5	14	-	-	PORTSMOUTH.	PORTSMOUTH.														
BOURNEMOUTH -	69,246	13'6	17'3	10'5	16'6	-	17	22	3	8	-	-	-	-	-	-	-	-	2	5	-	-	BOURNEMOUTH.	BOURNEMOUTH.														
SOUTHAMPTON -	119,745	19'6	12'2	14'4	17'4	0'9	53	40	9	12	-	-	-	1	1	-	-	2	6	9	-	-	SOUTHAMPTON.	SOUTHAMPTON.														
READING -	80,311	18'8	21'4	16'9	8'4	0'6	35	13	4	6	-	-	-	1	-	-	-	1	1	1	-	-	READING.	READING.														
NORTHAMPTON -	95,070	10'4	11'0	10'4	19'2	1'1	43	35	7	9	-	1	-	1	-	-	-	2	3	9	-	-	NORTHAMPTON.	NORTHAMPTON.														
IPSWICH -	72,825	10'7	20'8	14'3	20'8	0'7	37	29	3	8	-	-	-	1	-	-	-	-	1	6	-	-	IPSWICH.	IPSWICH.														
GREAT YARMOUTH -	52,879	8'9	15'8	15'8	13'8	1'0	22	14	-	8	-	-	-	-	-	-	1	-	1	4	-	-	GREAT YARMOUTH.	GREAT YARMOUTH.														
NORWICH -	119,181	25'8	22'3	17'5	17'5	0'4	74	40	10	12	-	-	-	-	-	-	-	2	3	8	-	-	NORWICH.	NORWICH.														
PLYMOUTH -	120,063	20'4	26'5	10'4	20'4	1'3	62	47	9	15	-	1	-	-	-	-	2	2	8	12	-	-	PLYMOUTH.	PLYMOUTH.														
DEVONPORT -	79,959	24'8	17'0	14'3	18'9	2'0	35	29	8	9	-	2	-	1	-	-	-	1	3	4	-	-	DEVONPORT.	DEVONPORT.														
BRISTOL -	307,979	17'6	16'7	14'2	15'3	0'6	165	108	18	32	-	-	1	1	1	1	1	-	-	6	23	-	BRISTOL.	BRISTOL.														
HANLEY -	67,174	24'8	21'7	21'0	25'6	1'6	49	33	12	11	-	1	-	-	-	-	-	-	2	2	-	-	HANLEY.	HANLEY.														
BURTON-ON-TRENT	53,425	13'7	8'8	9'8	13'7	1'0	26	14	2	5	-	-	-	-	-	-	-	1	1	1	-	-	BURTON-ON-TRENT.	BURTON-ON-TRENT.														
WOLVERHAMPTON -	102,016	18'4	18'9	22'5	16'4	0'5	63	32	5	13	-	-	-	-	-	-	-	-	1	1	4	-	WOLVERHAMPTON.	WOLVERHAMPTON.														
WALSALL -	96,171	16'8	15'2	19'0	11'9	0'5	55	22	5	11	-	-	-	-	-	-	-	-	-	-	2	-	WALSALL.	WALSALL.														
HANDSWORTH -	65,929	11'9	11'1	10'3	11'1	1'6	29	14	4	5	-	-	-	1	-	-	-	-	-	-	1	-	HANDSWORTH.	HANDSWORTH.														
WEST BROMWICH -	69,123	23'4	21'1	29'4	23'4	4'5	61	31	6	8	-	6	-	-	-	-	-	-	-	1	3	-	WEST BROMWICH.	WEST BROMWICH.														

TABLE 1 (cont.)—76 GALEL ended Saturday, 30th March, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS,	Cols.	The Deaths registered in the Week include																TOWNS,																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Population estimated to the middle of the Year 1907.		Deaths from all Causes.		Rate from Diseases in Cols. 11-17.		Registered during the Week ended 30th Mar., 1907.		Deaths of		Deaths from							Deaths in Public Institutions.		Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Week ended		Week ended		Week ended		Week ended		Persons under 1 Year of Age.		Persons aged 60 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		9th Mar., 1907.	16th Mar., 1907.	23rd Mar., 1907.	30th Mar., 1907.	6th Mar., 1907.	13th Mar., 1907.	20th Mar., 1907.	27th Mar., 1907.	7th Mar., 1907.	14th Mar., 1907.	21st Mar., 1907.	28th Mar., 1907.	4th Mar., 1907.	11th Mar., 1907.	18th Mar., 1907.	25th Mar., 1907.		1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.	22nd Mar., 1907.	29th Mar., 1907.	5th Mar., 1907.	12th Mar., 1907.	19th Mar., 1907.	26th Mar., 1907.	1st Mar., 1907.	8th Mar., 1907.	15th Mar., 1907.

* See note 1 on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

‡ Including 4 deaths from Cerebro-spinal meningitis or Cerebro-spinal fever in Edinburgh, 31 in Glasgow, and 21 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTEENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2533	2860	2609	2736	2634	2333	2465	2240	2619	2663	2531·8	2236
Males - - -	1320	1458	1338	1407	1349	1234	1287	1134	1330	1347	1296·0	1142
Females - - -	1213	1402	1271	1329	1285	1149	1178	1106	1289	1316	1235·8	1094
TOTAL Deaths -	1505	1883	1922	1785	1645	1614	1386	1672	1357	1675	1576·8	1536
Males - - -	778	948	936	933	846	836	763	828	706	870	819·3	800
Females - - -	727	935	986	852	799	778	623	844	651	805	757·5	736

* The numbers in this column are the average weekly numbers in the thirteenth week of the five years 1902–1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 5.	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	13 Weeks.
TOTAL Births -	2905	2593	2454	2134	2550	2356	2350	2412	2391	2391	2390	2548	2236	31710
TOTAL Deaths -	2231	1946	1678	1647	1895	1858	1819	1558	1678	1641	1696	1483	1586	22716
Deaths -														
Under 1 year -	463	363	299	324	367	353	314	275	290	290	328	293	311	4270
1–5 years -	212	193	207	153	197	179	199	165	181	189	193	167	220	2155
5–20 " -	84	68	66	72	92	73	69	87	89	68	101	73	74	1016
20–40 " -	224	231	182	178	225	194	193	171	206	196	191	181	199	2571
40–60 " -	469	368	349	363	348	410	363	318	338	353	363	279	337	4658
60 yrs. & upwds.	779	720	575	557	666	649	681	542	574	545	520	490	445	7743
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	36	28	33	17	20	30	28	38	35	55	57	29	59	465
Scarlet Fever - - -	8	9	11	11	8	6	8	6	6	7	8	6	8	104
Diphtheria - - -	28	12	18	16	21	20	20	16	18	19	15	12	16	229
Whooping-cough - - -	38	31	28	35	51	40	48	31	45	40	42	36	71	536
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	7	11	4	5	8	2	1	1	6	7	-	6	1	59
Pyrexia (origin uncertain) - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhoea, Dysentery - - -	21	18	10	16	17	17	17	18	12	12	13	15	14	200
All above Diseases -	138	109	104	100	125	115	122	112	120	140	136	104	169	1594
Dis. of Resp. System -	398	324	229	260	282	285	298	201	222	232	207	173	177	3288
Pneumonia - - -	320	296	217	224	233	241	229	178	210	173	196	180	177	2874
Phthisis - - -	184	168	146	159	184	175	187	147	151	160	157	136	161	2115
Dis. of Circ. System - - -	263	223	200	211	241	249	249	220	253	217	228	182	197	2933
Violence - - -	76	66	65	49	68	57	63	56	60	61	51	66	55	792
Inquest Cases - - -	232	185	167	133	216	159	182	153	161	152	139	157	153	2139
Deaths in Institutions -	751	695	644	605	694	689	648	609	608	625	634	552	621	8375
TEMPERATURE OF THE AIR.														
Mean - - -	39·3	42·8	40·7	30·5	36·1	33·0	39·7	39·9	40·6	40·1	42·8	46·1	46·5	39·9
Mean of Highest - - -	44·6	46·7	43·6	34·3	41·7	37·1	44·6	45·6	48·3	47·2	49·7	55·1	60·8	46·1
Mean of Lowest - - -	33·0	37·9	37·2	26·6	30·6	27·9	34·5	35·2	32·7	33·4	36·0	37·4	31·1	33·3
Mean Humidity of the Air.	83	83	81	74	77	76	85	72	81	80	74	64	71	77
Rain-fall (in inches) -	0·98	0·18	0·01	0·04	0·19	0·19	0·77	0·29	0·01	0·37	0·40	0·13	0·00	3·56
Registered Sunshine (in hours).	10·8	6·3	3·3	7·2	11·8	17·9	15·0	19·8	11·0	21·9	27·0	50·5	53·5	256·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3707	3523	3405	3292	3176	3059	3035	2938	2878	2878	2826	2734	2657	3085
Scarlet Fever - - -	988	928	934	925	928	932	926	920	922	967	983	1006	1014	952
Diphtheria - - -	2	2	2	2	3	3	3	4	4	3	4	3	1	3
Enteric Fever - - -	120	108	108	98	100	94	101	102	103	98	96	94	93	101

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D.; Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Iggo, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. B. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.A., F.R.C.S., Preston; J. Fifth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. R. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTEENTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 13th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 13th week of the 5 years 1902-1906.	1907—Deaths of Persons the Ages						
		ALL AGES.	Under 20.							ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.
ALL CAUSES	1576.8	1586	311	220	74	199	337	445	Meningitis (not tuberc.)	18.4	12	6	3	2	1	-
									Gen. Par. of Insane, Insanity	15.1	15	-	-	1	2	6
									Epilepsy	8.6	12	-	-	-	6	4
Small-pox*	13.1	-	-	-	-	-	-	-	Convulsions	22.3	14	12	2	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	0.8	2	-	-	-	1	1
Measles (Morbilli)	66.3	59	9	43	5	2	-	-	Paraplegia, Dis. of Cord	9.2	3	-	-	1	-	1
Scarlet Fever	6.8	8	-	5	2	1	-	-	Nervous Sys., Other Dis.	22.3	22	1	-	4	4	2
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis.	47.3	55	-	-	3	9	22
Plague	-	-	-	-	-	-	-	-	Cereb. Hem. Cereb. Emb.	34.2	39	-	-	-	8	28
Influenza	22.3	24	-	-	1	1	13	9	Apoplexy, Hemiplegia	19.2	9	-	-	-	1	5
Whooping-cough	56.1	71	31	38	2	-	-	-	Aneurysm	5.1	4	-	-	-	2	3
Diphtheria	17.4	16	-	15	1	-	-	-	Embolism, Thrombosis (not Cerebral)	1.4	1	-	-	-	1	-
Cerebro-spinal Fever	-	2	1	-	1	-	-	-	Heart & Blood Vess., Other Dis.	91.9	89	-	1	8	7	21
Pyæmia,† (origin uncertain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.4	2	1	1	-	-	-
Enteric Fever	4.1	1	-	-	1	-	-	-	Bronchitis	145.3	145	32	14	1	8	21
Asiatic Cholera	-	-	-	-	-	-	-	-	Emphysema, Asthma	6.1	11	-	-	-	4	3
Epidemic Diarrhoea,	2.3	5	2	2	-	1	-	-	Pleurisy	4.7	9	1	1	-	1	4
Infective Enteritis	11.1	9	3	-	1	1	2	2	Respiratory Dis., Other	12.5	10	2	1	-	1	3
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.2	1	-	-	1	-	-
Tetanus	0.2	2	-	-	2	-	-	-	Enteritis (not Epid.)	4.9	10	2	1	1	1	2
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-enteritis	3.7	6	6	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	3.7	1	-	-	-	1	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Cirrhosis of Liver	12.7	15	-	-	-	2	9
Venereal Dis.	8.0	6	6	-	-	-	-	-	Liver Dis., Other	8.0	4	-	1	-	1	2
Puerperal Septicæmia	3.1	4	-	-	3	1	-	-	Digestive Sys., Other Dis.	38.5	41	8	1	3	8	11
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Acute Nephritis	8.0	5	-	-	-	2	2
Puerperal Fever	0.2	1	-	-	1	-	-	-	Bright's Dis., Albuminuria	32.3	29	-	-	1	3	13
Infective Endocarditis	1.8	2	-	-	1	-	1	-	Urinary Sys., Other Dis.	13.5	5	-	-	-	-	2
Lobar	14.3	18	1	3	-	2	10	2	Generative Organs Dis.	4.5	4	-	-	1	-	3
Broncho-	77.0	85	34	34	5	2	3	7	Childbirth (Accid. of)	3.1	2	-	-	-	2	-
Epidemic	-	-	-	-	-	-	-	-	Old Age	61.6	54	-	-	-	-	1
Not defined	62.8	74	9	9	2	13	20	21	Other Diseases	100.5	88	59	10	1	7	3
Erysipelas	3.5	2	-	-	-	-	1	1								
Septicæmia (not Puerperal)	1.2	1	-	-	-	-	-	1	ACCIDENT.							
Pyæmia (not Puerperal)	0.6	-	-	-	-	-	-	-	By Railways	3.3	1	-	-	-	1	-
Other Infective Processes	9.8	7	1	-	-	2	4	4	By Vehicles and Horses	7.4	7	-	-	2	3	-
Tuberculous Phthisis	86.2	117	2	5	8	44	49	9	In Ships, Boats, Docks, (exclusive of Drowning)	0.6	-	-	-	-	-	-
"Phthisis"	72.3	44	-	-	2	17	21	4	In Building Operations	1.0	2	-	-	-	1	1
Tuberculous Meningitis	20.5	19	3	12	3	1	-	-	In Conflagrations	0.2	1	-	1	-	-	-
Tuberculous Peritonitis	6.3	11	2	5	-	3	1	-	By Burns, Scalds, Explosions	8.6	8	1	3	-	-	1
Tuberculosis Dis., Other	24.6	24	2	6	5	7	2	2	By Drowning	3.9	3	-	-	-	1	2
Scrophula	-	-	-	-	-	-	-	-	By Suffocation in Bed	10.4	5	5	-	-	-	-
Alcoholism	8.6	8	-	-	1	7	-	-	By Poisons or Poisonous Vapours	1.8	2	-	-	1	-	1
Pneumatic Fever	4.3	6	-	-	1	2	-	3	Other Deaths by Accident	12.7	16	1	1	2	2	3
Gout	2.3	1	-	-	-	-	-	1								
Carcinoma	46.5	67	-	-	-	3	27	37	VIOLENCE OTHER THAN ACCIDENTAL.							
Sarcoma	4.9	4	-	-	-	3	-	1	Homicide	1.4	-	-	-	-	-	-
Cancer (undefined)	35.8	33	-	-	1	4	10	18	Suicide	10.6	10	-	-	-	2	3
Diabetes Mellitus	8.4	11	-	-	1	1	3	6	Execution	-	-	-	-	-	-	-
Premature Birth	48.1	64	64	-	-	-	-	-								

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th March, 1907.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths from													
				Deaths of	Deaths from												
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid fever.	Pyæmia† Origin uncertain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4 536,420	2236	1586	311	445	-	59	8	16	71	-	1	-	14	55	153	621
WEST DISTRICTS - - -	805,311	332	301	46	95	-	4	-	3	14	-	-	-	3	16	26	130
NORTH DISTRICTS - - -	1,056,070	490	317	52	98	-	12	3	2	16	-	1	-	5	5	23	114
CENTRAL DISTRICTS - - -	208,465	83	92	19	19	-	1	-	-	4	-	-	-	-	5	10	55
EAST DISTRICTS - - -	715,739	433	244	63	56	-	14	-	2	9	-	-	-	1	7	44	108
SOUTH DISTRICTS - - -	1,749,844	898	583	131	161	-	28	3	9	28	-	-	-	5	22	50	165
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	49	-	16	-	-	2	-	-	-	-	-	-	-	-	49
WEST DISTRICTS.																	
St. Mary Paddington W,3H - -	93,178	47	37	8	12	-	-	-	-	3	-	-	-	2	2	2	11
St. John Paddington H - - -	33,617	5	13	3	3	-	-	-	-	1	-	-	-	-	1	2	7
North-West Paddington - - -	17,181	7	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - -	128,037	51	65	6	29	-	-	-	-	2	-	-	-	1	2	3	31
Brompton 2H - - -	48,591	7	10	1	3	-	-	-	-	-	-	-	-	-	2	3	2
North Hammersmith 2W,w,H	49,192	28	25	6	7	-	1	-	1	-	-	-	-	-	2	4	8
South Hammersmith w,2H - -	63,047	26	19	2	5	-	1	-	-	-	-	-	-	-	1	1	6
North-west Fulham W - - -	45,180	45	25	6	4	-	-	-	-	1	-	-	-	-	1	1	11
North-east Fulham F - - -	46,405	22	10	3	1	-	-	-	2	1	-	-	-	-	-	1	3
South Fulham W - - -	45,704	32	11	3	4	-	-	-	-	1	-	-	-	-	1	1	-
Chelsea North W,w,3H - - -	42,514	8	37	1	16	-	-	-	-	-	-	-	-	-	-	2	31
Chelsea South W,2H - - -	31,328	15	3	1	-	-	-	-	-	1	-	-	-	-	-	-	2
Mayfair and Knightsbridge - -	28,743	4	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave W,2H - - -	55,815	16	14	2	2	-	-	-	-	1	-	-	-	-	1	2	11
St. Margaret & St. John 5H - -	43,698	10	12	1	3	-	-	-	-	-	-	-	-	-	3	3	7
St. James and St. Anne W,6H - -	33,081	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - -	35,391	9	20	2	5	-	-	-	-	-	-	-	-	-	-	1	13
St. Mary Marylebone W,4H - -	37,948	52	11	1	3	-	-	-	-	-	-	-	-	-	-	1	3
Christchurch Marylebone - - -	39,536	18	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-
St. John Marylebone 2H - - -	20,426	9	6	-	5	-	-	-	-	-	-	-	-	-	-	2	-
Hampstead W,F,1H - - -	81,942	25	30	4	12	-	2	3	1	2	-	-	-	1	1	1	12
West St. Pancras 2H - - -	60,562	24	17	6	3	-	2	-	-	-	-	-	-	-	-	1	-
South St. Pancras w,11H - - -	55,707	12	20	2	6	-	-	-	-	2	-	-	-	1	2	3	15
East St. Pancras W,2H - - -	60,320	24	21	2	9	-	-	-	-	-	-	-	-	-	1	4	12
North St. Pancras 2W - - -	58,728	27	11	1	1	-	-	-	-	1	-	-	-	-	1	1	3
Tufnell W - - -	31,995	12	20	2	10	-	-	-	-	-	-	-	-	-	-	-	16
Upper Holloway 2W,u,H - - -	33,978	21	15	-	7	-	-	-	-	1	-	-	-	-	-	-	12
Tollington WH - - -	33,922	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - -	41,424	21	12	2	3	-	1	-	-	1	-	-	-	-	4	-	-
Barnsbury - - -	54,478	39	15	6	2	-	2	-	-	4	-	-	-	-	-	-	-
Islington South-east - - -	75,397	41	15	3	1	-	-	-	-	2	-	-	-	-	-	2	-
Highbury 2H - - -	63,797	18	12	2	5	-	-	-	-	-	-	-	-	-	1	1	-
Stoke Newington H - - -	51,247	17	14	2	6	-	-	-	1	-	-	-	-	-	-	-	-
North Hackney - - -	50,660	15	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - - -	50,536	22	15	5	3	-	2	-	-	2	-	-	-	-	-	2	-
South-west Hackney 3F - - -	59,921	33	21	4	-	-	1	-	-	-	-	-	-	-	1	1	10
South-east Hackney 2W,w,H - -	58,255	32	25	4	10	-	2	-	-	-	-	1	-	3	-	1	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th March, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.	Uncertified Causes of Death
					Deaths of Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Deaths from										Inquest Cases.		
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.			
SOUTH DISTRICTS.																			
Christchurch and St. Saviour		23,319	7	19	5	4	-	1	-	-	1	-	-	-	-	-	1	15	
Southwark W ² H		21,904	12	6	-	2	-	-	-	-	2	-	-	-	-	1	1	-	
Kent-road		30,094	17	10	2	-	-	-	-	-	-	-	-	-	-	-	3	3	
St. George the Martyr West		49,022	22	16	3	3	-	1	-	-	1	-	-	-	-	-	2	-	
W ² H,L		72,841	44	20	6	6	-	-	-	-	2	-	-	-	-	-	1	2	
Newington North		9,817	6	6	-	2	-	-	-	-	-	-	-	-	-	-	1	2	
Newington South W		82,483	41	15	4	5	-	3	-	-	2	-	-	-	-	-	2	2	
St. Olave 2W		38,460	25	18	6	4	-	-	-	-	-	-	-	-	-	-	2	2	
Bermondsey W		27,440	25	9	4	1	-	-	-	-	2	-	-	-	-	-	-	-	1
Rotherhithe W,F		27,440	13	23	8	4	-	-	-	2	-	-	-	-	-	-	-	-	12
Waterloo 3H-		52,518	28	30	4	8	-	2	-	-	-	-	-	-	-	-	3	3	13
Lambeth Church H		63,826	44	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 2W		73,673	27	18	4	9	-	-	-	-	1	-	-	-	-	-	3	2	1
Stockwell HF		56,998	31	16	2	9	-	2	-	-	1	-	-	-	-	-	2	1	1
Brixton H																			
Norwood WH																			
East Battersea H		72,203	47	17	4	6	-	1	-	-	1	-	-	-	-	1	1	1	-
North-west Battersea		49,856	26	12	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H-		47,048	19	34	5	13	-	-	-	-	-	-	-	-	-	3	4	27	
Clapham 2H		51,391	20	13	1	7	-	-	-	-	1	-	-	-	-	-	-	-	1
Streatham W ² w,2F,2L		88,019	47	34	6	14	-	-	-	2	1	-	-	-	-	-	2	2	15
Springfield 2W,L		27,959	14	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Southfields H		40,444	18	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney		24,139	5	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich		13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w		40,206	13	27	5	11	-	-	-	-	-	-	-	-	-	1	1	1	16
Camberwell North W,2L		65,584	27	28	4	5	-	1	-	-	2	-	-	-	-	-	-	-	9
St George		47,331	28	22	8	1	-	5	-	-	3	-	-	-	-	1	3	-	-
Peckham North		48,913	25	15	3	3	-	3	-	-	-	-	-	-	-	-	2	-	-
Peckham South 2W,w		43,946	14	12	5	1	-	3	-	1	-	-	-	-	-	1	-	2	-
Deptford North		37,613	21	14	6	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Deptford Central F		45,481	29	17	4	2	-	2	-	2	1	-	-	-	-	-	2	-	-
Deptford South		34,825	13	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West 2H		23,456	9	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H		43,859	38	30	5	8	-	3	-	-	-	-	-	-	-	1	2	14	-
Eltham w,H		7,226	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee wH-		25,490	9	5	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-
Lewisham W,w,F		58,352	43	28	2	6	-	-	3	1	2	-	-	-	-	-	1	3	16
Sydenham H		43,653	16	5	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-
Charlton F,2H		21,134	9	4	1	2	-	-	-	1	-	-	-	-	-	1	-	-	1
Woolwich 5H-		41,625	25	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West W		18,063	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H		50,264	34	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	3
Workhouses:-																			
Central London Sick Asylum																			
(Westminster, St. Giles, and																			
Strand Unions.)																			
M. A. B. Small-pox Hospitals:-																			
Joyce Green																			
Long Reach																			
M. A. B. Fever Hospitals:-																			
Gore Farm (temporary)																			
North-Eastern				2						2								2	
Northern																			
M. A. B. Imbecile Asylums:-																			
Belmont				2														2	
Caterham				5		4												5	
Darenth				3														3	
Leavesden				1														1	
London County Lunatic Asylums:-																			
Banstead				9		3												9	
Ewell (Epileptic Colony)																			
Horton				10		4												10	
Manor				1		1												1	
Cane Hill				2		1												2	
Dartford Heath				1														1	
Hanwell				3		1												3	
Colney Hatch				2														2	
Claybury				2														2	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th March, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,602	2,044,973	1268	675	152	203		32	7	15	36	1	4	23	52	130		
30: 1	Carshalton 2F,3H	12,228	32,997	19	11	8	6												
2	Epsom, part of* W,w,2F,H	10,423	15,548	10	8	2	2								2	2	1		
37: 1	Godstone, part of* W,F,L	2,754	2,892	5	2	1											1		
38: 1	Coulsdon	11,089	8,166	4	1	1													
2	South Croydon w	4,200	49,309	18	12	3	5					1							
3	West Croydon 3W,F,H	2,168	42,888	37	26	8	9								1				
4	North Croydon H	2,644	41,698	36	12	2	5									4	7		
5	Penge w,H	770	22,465	12															
6	Mitcham	11,711	30,015	26	12	4	3								2				
39: 1	Wimbledon F,3H	3,221	41,652	26	8	4	1					1							
2	Kingston 2W,H	6,224	42,068	21	20	2	10		2								9		
3	Surbiton F,H	3,046	15,017	10	2		1												
4	Esher, part of* H	5,402	13,100	4	4		1										1		
5	Hampton H,F,L	4,584	23,456	7	8	1	5					2							
40: 1	Richmond W,H	2,162	23,865	8	9	2	3		1								6		
2	Mortlake F	2,847	20,628	16	4	2						1					1		
41: 1	Bromley F,2H	4,703	27,354	15	7	1	4		1							1	2		
2	Beckenham H	7,825	28,467	18	13	2	8												
3	Orpington part of* W	10,113	9,857	6	3		1					1					4		
4	Chislehurst 2H	7,333	16,446	5	4	1									1	1	1		
42: 1	Bexley w,F,H	8,678	21,151	10	3														
2	Erith F,H	3,854	25,296	9	7	3	1					1			1	1	1		
3	Dartford W,F, part of*				1		1										1		
124: 1	Sunbury w	11,054	18,683	11	7	2	4												
2	Staines W,H	13,277	15,178	14	5	1	2										1		
125: 1	Hillingdon W,F,H	6,035	13,661	5	1														
2	Uxbridge H	12,767	8,984	4	2	1						1							
3	Hayes w,2F,H	8,066	16,358	15	8	2	1					1							
126: 1	Isleworth 3W,3F,H	8,859	30,863	22	19	3	8									3	4	7	
2	Twickenham F,2H	2,421	20,991	20	1		1												
3	Brentford 3F,2H	4,319	48,289	35	15	3	5										2		
4	Chiswick H	1,249	29,809	19	9	3	3					1				1	1		
5	Acton w,F,3H	6,132	48,914	33	19	7	3						3						
127: 1	Harrow F,H	13,806	25,523	10	7	1	2												
2	Edgware 2F,2H	6,994	4,521	3	1											1	1		
3	Willesden W,F,2H	4,384	114,311	66	23	5	3		2	1	1	1				1	5		
4	Hendon W,F	8,382	22,450	10	5	1	1		1		1	1							
128: 1	South Mimms 2F,H	17,755	7,308	3	2	1	1									1			
2	Barnet W,2H	3,324	17,970	7	4	1	2												
3	Finchley F,2H	4,688	33,692	30	11	2	5					1							
129: 1	Hornsey F,H	2,875	72,056	26	19	3	8		1		1				1	3			
2	Wood Green H	1,625	34,233	27	14	3	5		3		1			2		1			
3	West Tottenham F	996	48,853	23	8	1	3		1			2			1	3			
4	East Tottenham 2H	2,017	53,668	35	27	8	4								1	3	7		
5	Edmonton W,w,2F	7,491	61,892	48	30	5	10		1		1	1		1	1	3	11		
6	Enfield 2W,F,H	12,601	42,738	29	6	3	1												
7	Waltham Abbey F	11,017	6,549	3	3	1	1									1			
8	Cheshunt F,H	8,479	12,292	4	4		3										1		
130: 1	Hatfield, part of* W	3,305	664																
2	Bushey H	9,333	9,173	4	5	1	2					1							
3	Watford W,2F part of*																		
131: 1	Stratford H	1,072	44,827	23	11	4	2									1	1		
2	Plaistow F,2H	1,249	90,921	64	35	10	5		2	2				1	1	3	9		
3	Canning Town H	1,556	70,718	45	20	3	2								1	2			
4	Forest Gate w	806	60,892	22	12	2	5												
5	North East Ham w,H	1,333	58,676	40	25	5	6		3			3				1			
6	South East Ham 2F	1,993	37,342	34	13	4	2		2	1					1	1	1		
7	Wanstead F	1,679	9,179	4	3		2												
8	South Leyton 2W	631	50,467	29	18	5	4		1	1		1					4		
9	North Leyton 2W,w,F	1,963	48,445	29	34	4	9									2	20		
10	Walthamstow 2H,L	6,504	108,929	98	34	12	8					4							
132: 1	Chigwell 2F,3H	11,778	16,397	12	3		2					1					1		
2	Epping W,F, part of*																		
133: 1	Romford, part of* W,2F	6,556	6,091	2	7	1	3			1							4		
2	Ilford F,L	8,496	41,234	23	20	4	6									3	4		
3	Barking Town F	9,803	21,547	15	5	1	3					2				1			
	S.E. Hospital, Deptford (M.A.B.)				1						1						1		
	Middlesex County Asylum, Wandsworth.				2												2		

* 1. parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislehurst, Oudham, and Knockholt parishes; 136: 1, Northam parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	March 30	2236	1586	17·4	-	59	8	18	71	1	14
CALCUTTA - -	977,822	March 2	-	541	33·1	68	5	-	-	-	157†	81
BOMBAY - -	982,000	" 12	312	1191	63·3	1	3	-	-	2	599†	79
MADRAS - -	509,346	" 1	313	347	35·4	1	2	?	?	?	96	74
PARIS - -	2,750,000	" 23	1042	1022	19·5	-	9	11	8	13	1	21
BRUSSELS - -	612,401	" 23	235	180	14·3	-	1	3	1	1	3	5
ANTWERP - -	297,311	" 23	146	79	13·5	-	1	-	1	1	-	7
AMSTERDAM -	564,194	" 23	276	158	14·6	-	2	-	-	4	1	3
COPENHAGEN -	427,000	" 23	250	141	17·2	-	3	-	-	4	-	5
STOCKHOLM -	324,488	" 16	174	100	16·0	-	-	-	1	-	-	2
CHRISTIANIA -	226,472	" 23	119	59	13·5	-	-	-	3	1	-	-
ST. PETERSBURG	1,432,769	" 9	874	744	26·1	2	20	25	24	4	18	79
MOSCOW - -	1,172,421	" 16	-	714	31·7	1	15	16	13	7	7	62
BERLIN - -	2,098,297	" 9	954	571	14·2	-	3	2	9	6	1	26
HAMBURG - -	824,792	" 23	-	305	19·2	-	1	1	1	3	-	14
BRESLAU - -	482,573	" 16	-	215	23·2	-	-	-	2	2	-	24
MUNICH - -	548,000	" 23	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,958,323	" 23	905	813	21·6	-	17	3	17	3	-	28
PRAGUE - -	466,133	" 16	184	219	24·4	-	5	-	2	4	-	18
BUDA-PESTH -	802,235	" 16	517	333	21·6	-	6	8	3	2	-	10
TRIESTE - -	199,003	" 23	133	146	38·1	-	1	-	1	-	-	-
ROME - -	531,818	February 2	316	286	28·0	-	2	-	-	2	25	6
VENICE - -	174,288	March 16	80	93	27·8	-	-	-	1	-	1	3
BUCHAREST -	291,138	" 23	177	156	27·8	-	1	-	-	1	-	3
NEW YORK - -	4,285,435	{ " 9	2204	1647	20·0	-	14	12	29	8	4	52
CHICAGO - -	2,107,620	" 16	-	684	16·9	-	3	18	6	7	2	26
PHILADELPHIA -	1,500,595	" 2	-	625	21·6	-	3	2	15	-	46	25
RIO DE JANEIRO	912,900	February 24	-	243	13·9	-	-	-	-	-	3	?

* Excluding deaths from croup in the Indian Cities.

† Including 42 deaths from plague in Calcutta, and 497 in Bombay.

‡ Including 33 deaths from cholera in Calcutta, 2 in Bombay, and 3 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th March, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	66·6	28·0	46·0	0·00	LEEDS - - -	67·0	33·0	49·2	0·00
BRIGHTON - -	58·4	31·1	44·6	0·00	YORK - - -	67·0	29·0	48·5	0·00
PORTSMOUTH -	63·2	31·0	46·2	0·00	HULL - - -	69·0	32·0	49·9	0·00
NORWICH - -	70·0	31·0	48·8	0·00	TYNEMOUTH -	67·0	31·0	48·5	0·00
PLYMOUTH - -	62·8	32·5	47·3	0·00	CARDIFF - -	65·7	27·0	46·0	0·00
BRISTOL - -	65·8	30·0	47·5	0·01	EDINBURGH -	64·0	37·7	50·6	0·00
BIRMINGHAM -	66·6	32·4	50·4	0·00	GLASGOW - -	64·2	36·6	49·9	0·00
NOTTINGHAM -	66·8	25·2	47·3	0·00	DUBLIN { Phoenix Park.	64·4	29·8	47·2	0·09
LIVERPOOL - -	64·0	34·0	47·9	0·00	{ Fitz- william	64·1	37·8	49·2	0·08
MANCHESTER } OBSERVATORY.	65·5	28·5	46·5	0·00	{ Square.f				
PRESTON - -	60·8	32·1	47·7	0·00	BELFAST - -	61·8	30·5	47·0	0·08
HUDDERSFIELD -	64·5	31·7	48·4	0·00					


* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1903, for the corresponding period to the above was 1·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd March, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	12	2	-	1	-	-	1	1	-
Kensington - - -	181,842	-	10	-	-	3	-	-	1	-	-
Hammersmith - - -	122,337	-	7	-	-	-	-	-	3	-	-
Fulham - - -	166,749	-	10	-	-	-	-	-	1	-	-
Onelsea - - -	74,857	-	-	-	-	-	-	-	-	-	-
City of Westminster -	172,219	-	8	-	-	2	-	-	2	-	1
NORTH.											
St. Marylebone - - -	127,718	-	6	3	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	9	-	-	-	-	-	2	-	-
St. Pancras - - -	236,753	-	13	8	-	1	-	-	5	-	-
Islington - - -	347,017	-	10	9	-	-	-	-	4	-	-
Stoke Newington - - -	53,613	-	6	2	-	-	-	-	3	-	-
Hackney - - -	232,993	-	19	9	-	1	-	-	3	1	-
CENTRAL.											
Holborn - - -	55,134	-	2	-	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	8	1	-	-	-	-	3	1	-
City of London - - -	20,310	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	9	2	-	1	-	-	4	-	-
Bethnal Green - - -	130,831	-	8	6	-	1	-	-	6	1	-
Stepney - - -	308,923	-	23	16	-	6	-	-	5	-	-
Poplar - - -	171,086	-	15	7	-	1	-	-	1	1	2
SOUTH.											
Southwark - - -	209,781	-	23	8	-	2	-	-	5	-	-
Bermondsey - - -	123,283	-	15	6	-	2	-	-	2	-	-
Lambeth - - -	318,538	-	14	10	-	-	-	-	8	-	-
Battersea - - -	181,736	-	17	6	-	1	-	-	6	2	-
Wandsworth - - -	281,419	-	17	9	-	2	-	-	2	2	-
Camberwell - - -	277,059	-	27	7	-	-	-	-	9	-	-
Deptford - - -	116,510	-	8	2	-	-	-	-	1	-	-
Greenwich - - -	107,222	-	7	1	-	1	-	-	1	-	-
Lewisham - - -	152,532	-	18	7	-	-	-	-	-	-	-
Woolwich - - -	129,336	-	19	4	-	2	-	-	4	-	1
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,758,218	-	337	146	-	27	-	-	83	9	4
AGES.											
Ages 0-1 - - -	-	-	4	5	-	-	-	-	-	-	2
" 1-5 - - -	-	-	94	68	-	1	-	-	3	-	1
" 5- - - -	-	-	125	39	-	3	-	-	1	-	1
" 10- - - -	-	-	50	14	-	4	-	-	3	-	-
" 15- - - -	-	-	18	5	-	4	-	-	6	-	-
" 20- - - -	-	-	21	4	-	6	-	-	5	1	-
" 25- - - -	-	-	16	7	-	2	-	-	14	5	-
" 35- - - -	-	-	8	4	-	5	-	-	14	2	-
" 45- - - -	-	-	-	-	-	2	-	-	21	1	-
" 55- - - -	-	-	1	-	-	-	-	-	7	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	9	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 14. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, APRIL 6. [Price 1½d.

General Register Office, Somerset House,
April 8th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·9 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 17·8, 16·8, and 17·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·3 in Hanley, 23·4 in Rotherham, 23·7 in Warrington, 24·1 in Burnley, 24·4 in Grimsby, 24·5 in Portsmouth, 24·6 in Birkenhead, 26·9 in Oldham, and 27·7 in Wigan; from *measles*, 3·0 in West Bromwich and in Nottingham, 3·1 in Hanley, 4·1 in West Hartlepool, 4·3 in Portsmouth, 5·1 in St. Helens, 5·2 in Grimsby, and 7·0 in Birkenhead; from *diphtheria*, 1·2 in Gateshead and 1·3 in Sunderland; and from *whooping-cough*, 1·6 in Hanley and in Swansea, 1·7 in Walthamstow and in St. Helens, 1·8 in Salford and in Preston, 2·1 in Willesden, 2·7 in Bury, and 3·0 in Grimsby. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2387 BIRTHS and 1627 DEATHS were registered. Allowing for increase of population, the births were 170 below and the deaths 88 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 18·6, 16·3, and 17·4 per 1000 in the preceding three weeks, was 17·8 last week. The death-rate in the four weeks ended last Saturday averaged 17·5 per 1000, being 0·2 per 1000 above the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1627 deaths included 63 from measles, 13 from scarlet fever, 19 from diphtheria, 63 from whooping-cough, 4 from enteric fever, and 10 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 172 deaths were referred to these diseases in the aggregate, being 6 above the corrected average number in the fourteenth week of the preceding five years.

The deaths from *measles*, which had been 57, 29, and 59 in the preceding three weeks, rose to 63 last week, but were 2 below the corrected average; 9 deaths belonged to the Borough of Camberwell, 6 to Deptford, and 5 apiece to Hammersmith, Shoreditch, Lambeth, and Wandsworth. The deaths from *scarlet fever*, which had been 8, 6, and 8 in the preceding three weeks, rose to 13 last week, and were 5 above the corrected average. The deaths from *diphtheria*, which had been 15, 12, and 16 in the preceding three weeks, rose to 19 last week, and were 4 above the corrected average; 3 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 42, 36, and 71 in the preceding three weeks, were 63 last week, and were 16 above the corrected average; 7 deaths belonged to Camberwell, 6 to Southwark, 5 apiece to Kensington, Shoreditch, and Lambeth, and 4 to Islington. The deaths from *enteric fever*, which had been 0, 6, and 1 in the preceding three weeks, were 4 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 13, 15, and 14 in the preceding three weeks, fell to 10 last week, and were 6 below the corrected average. Of the 10 deaths from diarrhoea, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 17, having been 26, 22, and 24 in the preceding three weeks. The death of a cabman, aged 57 years, was certified as due to *glanders*.

Different forms of *violence* caused 64 deaths, concerning all of which inquests were held. Of these 64 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 52 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 8 to burns or scalds, 3 to drowning, and 10, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2666 cases of scarlet fever, 998 of diphtheria, and 82 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 352 cases, against 327, 312, and 330; of diphtheria, 120 cases, against 125, 129, and 156; and of enteric fever, 19 cases, against 12, 20, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 30th, 1907.

GREATER LONDON.

In Greater London 3715 births and 2241 deaths were registered. Allowing for increase of population, these numbers are 215 below and 96 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 2 from scarlet fever, 11 from diphtheria, 12 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.40 inches, and that of the Thermometer 49.6, the latter being 3.8 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 35 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 43.6 hours; the measured rainfall amounted to 0.17 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 6th April, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the Week ended 6th April, 1907.		The DEATHS registered in the Week include											TOWNS.
		Week ended				6th Apr., 1907.	7.	8.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		16th Mar., 1907.			30th Mar., 1907.				Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.				Violence.	
		16th Mar., 1907.	23rd Mar., 1907.	30th Mar., 1907.	Infants under 1 Year of Age.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
76 TOWNS	16,024,453	17'8	16'8	17'7	17'9	1'8	82'69	54'92	11'28	15'89	-	25'1	36	59	170	18	34	203	446	1361	44
LONDON -	4,758,218	18'6	16'3	17'4	17'8	1'9	23'87	16'27	30'3	49'6	-	63	13	19	63	4	10	64	166	628	-
CROYDON -	154,342	11'8	18'9	16'2	9'1	1'0	82	27	8	8	-	-	-	-	3	-	-	-	3	2	-
WILLESDEN -	149,192	12'2	9'1	8'0	11'9	2'8	92	34	17	4	-	1	1	-	6	-	-	2	3	5	-
HORSEY -	89,816	6'4	10'4	11'6	7'0	1'2	36	12	1	5	-	-	-	-	2	-	-	1	3	-	-
TOTTENHAM -	122,763	14'4	14'9	14'4	13'6	0'8	62	32	6	12	-	2	-	-	-	-	-	2	1	8	-
WEST HAM -	308,284	16'9	13'2	15'6	16'2	2'0	174	96	22	16	-	6	1	1	3	1	-	7	12	23	-
EAST HAM -	136,421	14'5	17'6	15'7	11'1	1'9	71	29	8	5	-	1	1	1	2	-	-	-	2	5	-
LEYTON -	122,040	11'5	10'7	15'0	12'0	1'3	55	28	5	6	-	2	-	-	1	-	-	1	3	3	-
WALTHAMSTOW -	126,387	13'2	13'6	12'8	14'9	3'3	65	36	11	12	-	2	1	1	4	-	-	-	1	9	-
HASTINGS -	67,477	18'5	25'5	9'3	17'0	0'8	19	22	1	9	-	-	-	-	1	-	-	-	1	1	-
BRIGHTON -	129,023	15'8	21'8	19'4	20'2	0'4	47	50	5	22	-	-	-	-	1	-	-	-	2	14	-
PORTSMOUTH -	208,291	23'3	17'8	18'5	24'5	5'5	110	98	25	30	-	17	-	1	4	-	-	2	7	11	2
BOURNEMOUTH -	69,246	17'3	10'5	16'6	12'8	-	23	17	1	6	-	-	-	-	-	-	-	-	1	2	-
SOUTHAMPTON -	119,745	12'2	14'4	17'4	14'8	0'9	61	34	5	9	-	-	1	-	1	-	-	-	9	-	-
READING -	80,311	21'4	16'9	8'4	13'0	1'3	45	20	7	4	-	-	-	1	1	-	-	1	2	3	2
NORTHAMPTON -	95,070	11'0	10'4	19'2	13'2	1'6	36	24	3	7	-	3	-	-	-	-	-	-	2	1	-
IPSWICH -	72,825	20'8	14'3	20'8	17'9	0'7	32	25	3	7	-	-	-	-	-	1	-	-	1	8	-
GREAT YARMOUTH -	52,879	15'8	15'8	13'8	17'7	1'0	33	18	2	10	-	-	-	1	-	-	-	-	1	3	-
NORWICH -	119,191	22'3	17'5	17'5	17'9	0'4	53	41	10	20	-	-	-	-	1	-	-	2	5	4	-
PLYMOUTH -	120,063	26'5	10'4	20'4	15'6	0'4	54	36	5	17	-	-	1	-	-	-	-	2	5	5	-
DEVONPORT -	79,959	17'0	14'3	18'9	11'7	-	36	18	3	5	-	-	-	-	-	-	-	1	1	2	-
BRISTOL -	307,979	16'7	14'2	15'3	15'7	0'4	158	111	17	40	-	1	-	2	-	-	-	5	14	23	2
HANLEY -	67,174	21'7	21'0	25'6	23'3	5'4	41	30	3	7	-	4	-	1	2	-	-	3	3	3	-
BURTON-ON-TRENT -	53,425	8'8	9'8	13'7	13'7	1'0	18	14	-	7	-	-	-	-	-	1	-	1	2	6	-
WOLVERHAMPTON -	102,016	18'9	22'5	16'4	15'8	-	54	31	7	11	-	-	-	-	-	-	-	3	4	7	-
WALSALL -	96,171	15'2	19'0	11'9	17'9	1'6	64	33	12	7	-	-	-	-	2	1	-	-	2	4	1
HANDSWORTH -	65,929	11'1	10'3	11'1	6'3	0'8	38	8	3	2	-	1	-	-	-	-	-	1	1	1	-
WEST BROMWICH -	69,123	21'1	29'4	23'4	18'1	3'0	33	24	7	7	-	4	-	-	-	-	-	1	1	1	-

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 6th April, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from: Diseases in Coll. 11-17.		Registered during the Week ended 6th April, 1907.		The DEATHS registered in the Week include										TOWNS.		
		Week ended					16th Mar., 1907.	23rd Mar., 1907.	30th Mar., 1907.	6th Apr., 1907.	Deaths of												
		Week ended									Deaths from												
		Week ended									Deaths from												
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	-	553,155	18'5	16'8	17'3	21'3	2'5	297	226	47	88	-	17	-	-	5	1	4	7	9	65	5	BIRMINGHAM.
KINGS NORTON -	-	75,600	15'9	15'9	9'0	16'6	1'4	45	24	5	5	-	1	-	1	-	-	-	-	-	2	1	KINGS NORTON.
SMETHWICK -	-	68,467	14'1	16'5	19'6	13'3	1'6	32	17	1	7	-	2	-	-	-	-	-	-	1	3	-	SMETHWICK.
ASTON MANOR -	-	83,266	15'7	15'0	15'0	18'8	0'6	40	30	3	10	-	1	-	-	-	-	-	-	9	-	-	ASTON MANOR.
COVENTRY -	-	77,626	10'7	19'5	15'4	15'4	-	47	23	3	7	-	-	-	-	-	-	1	2	1	-	-	COVENTRY.
LEICESTER -	-	236,124	11'9	13'9	13'0	13'0	0'7	100	59	14	23	-	2	-	1	-	-	2	4	10	-	-	LEICESTER.
GRIMSBY -	-	70,574	22'9	24'4	19'9	24'4	8'9	34	33	11	8	-	7	-	1	4	-	-	1	2	-	-	GRIMSBY.
NOTTINGHAM -	-	257,489	19'2	19'6	22'7	21'9	4'3	131	108	27	31	-	15	-	1	5	-	4	10	24	1	-	NOTTINGHAM.
DERBY -	-	125,774	15'8	15'8	10'8	17'8	1'2	67	43	8	16	-	-	-	-	2	1	1	4	5	-	-	DERBY.
STOCKPORT -	-	100,986	19'6	19'6	20'7	20'7	1'5	51	40	9	9	-	1	-	1	-	-	1	2	7	-	-	STOCKPORT.
BIRKENHEAD -	-	118,553	23'8	15'8	29'5	24'6	7'9	67	56	16	13	-	16	-	2	-	-	-	1	3	8	-	BIRKENHEAD.
WALLASEY -	-	66,707	11'7	10'2	12'5	12'5	0'8	30	16	3	4	-	-	1	-	-	-	2	3	1	-	-	WALLASEY.
LIVERPOOL -	-	746,144	18'2	17'4	17'3	18'7	1'5	424	267	55	69	-	9	1	2	2	5	2	23	99	8	-	LIVERPOOL.
BOOTLE -	-	67,114	14'8	13'2	18'6	12'4	0'8	52	16	4	4	-	-	-	-	-	-	1	2	3	3	-	BOOTLE.
ST. HELENS -	-	92,476	19'7	25'9	27'1	20'9	8'5	50	37	10	5	-	9	1	1	3	1	2	2	4	-	-	ST. HELENS.
WIGAN -	-	88,606	17'1	15'3	18'8	27'7	2'4	49	47	11	9	-	1	1	1	1	1	1	5	10	-	-	WIGAN.
WARRINGTON -	-	70,269	18'6	17'8	17'1	23'7	0'7	51	32	7	7	-	1	-	-	-	-	1	1	6	3	-	WARRINGTON.
BOLTON -	-	182,917	16'8	18'5	26'2	21'7	3'1	89	76	13	27	-	8	1	-	-	-	1	2	7	10	-	BOLTON.
BURY -	-	58,901	12'4	12'4	22'1	19'5	2'7	23	22	4	6	-	-	-	-	-	-	1	1	1	-	-	BURY.
MANCHESTER -	-	643,148	22'8	18'9	22'0	19'9	1'6	352	246	53	64	-	3	3	1	12	-	1	10	24	77	1	MANCHESTER.
SALFORD -	-	236,670	17'0	19'6	21'6	18'9	2'6	124	88	20	16	-	-	1	2	8	-	1	3	22	-	-	SALFORD.
OLDHAM -	-	141,790	22'1	21'7	21'3	26'9	2'9	71	73	13	20	-	4	1	-	-	-	1	4	11	-	-	OLDHAM.
ROCHDALE -	-	87,999	19'0	18'4	19'6	16'6	1'2	52	28	5	9	-	2	-	-	-	-	1	1	4	1	-	ROCHDALE.
BURNLEY -	-	103,947	21'6	21'6	21'1	24'1	0'5	51	48	11	19	-	-	-	-	-	-	1	3	4	1	-	BURNLEY.
BLACKBURN -	-	134,980	20'5	18'5	14'3	17'8	0'8	75	46	13	11	-	-	-	-	1	-	1	-	5	-	-	BLACKBURN.
PRESTON -	-	117,093	21'4	22'7	22'3	22'3	2'7	52	50	10	12	-	-	-	-	4	-	-	1	2	12	1	PRESTON.
BARROW-IN-FURNESS.	-	61,635	11'8	16'9	12'7	13'5	2'5	28	16	4	1	-	-	-	1	1	-	-	-	-	2	-	BARROW-IN-FURNESS.

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTEENTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2577	2415	2554	2580	2538	2611	2439	2539	2310	2594	2557.0	2387
Males - - -	1259	1230	1289	1239	1307	1334	1240	1304	1151	1321	1299.7	1240
Females - - -	1318	1185	1265	1291	1231	1277	1199	1235	1159	1273	1257.3	1147
TOTAL Deaths -	1501	1691	1816	1932	1573	1571	1345	1659	1419	1525	1538.9	1627
Males - - -	787	881	998	1006	836	852	710	845	730	719	789.2	850
Females - - -	714	810	908	926	737	719	635	814	689	806	749.7	777

* The numbers in this column are the average weekly numbers in the fourteenth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 12.	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	13 Weeks.
TOTAL Births -	2593	2454	2134	2550	2356	2350	2412	2391	2391	2390	2548	2236	2387	31192
TOTAL Deaths -	1946	1678	1647	1895	1853	1819	1558	1673	1641	1696	1483	1586	1627	22112
Deaths at -														
Under 1 year -	363	299	324	367	353	314	275	290	290	328	293	311	303	4110
1-5 years -	193	207	153	197	179	199	165	181	189	193	167	220	249	2492
5-20 " -	68	66	72	92	73	69	87	89	68	101	73	74	86	1018
20-40 " -	234	182	178	225	194	193	171	206	196	191	181	199	189	2539
40-80 " -	368	349	363	348	410	363	318	338	353	363	279	337	304	4493
80 yrs. & upwds. -	720	575	557	666	649	681	542	574	545	520	490	445	496	7460
Deaths from -														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	28	33	17	20	30	28	38	35	55	57	29	59	63	492
Scarlet Fever -	9	11	11	8	6	8	6	6	7	8	6	8	13	109
Diphtheria - -	12	18	16	21	20	20	16	16	19	15	12	16	19	220
Whooping-cough -	31	28	35	51	40	48	31	45	40	42	36	71	63	561
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	11	4	5	8	2	1	1	6	7	-	6	1	4	56
Pyrexia (origin un- certain) - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery	18	10	16	17	17	17	18	12	12	13	15	14	10	189
All above Diseases -	109	104	100	125	115	122	112	120	140	136	104	169	172	1628
Dis. of Resp. System	324	229	280	282	285	298	201	222	232	207	173	177	187	3077
Pneumonia - - -	296	217	224	233	241	229	178	210	173	196	180	177	225	2779
Phthisis - - -	168	146	159	184	175	187	147	151	160	157	136	181	156	2087
Dis. of Circ. System -	223	200	211	241	249	249	220	253	217	228	182	197	209	2879
Violence - - -	66	65	49	68	57	63	60	60	51	66	55	61	61	780
Inquest Cases - - -	185	167	133	216	159	182	153	161	152	139	157	153	166	2123
Deaths in Institutions	695	644	605	694	689	648	609	608	625	634	552	621	626	8250
TEMPERATURE OF THE AIR.														
Mean - - - - -	42.8	40.7	30.5	36.1	33.0	39.7	39.9	40.6	40.1	42.8	46.1	46.5	49.6	40.6
Mean of Highest -	46.7	43.6	34.3	41.7	37.1	44.6	45.6	48.3	47.2	49.7	55.1	60.8	62.0	47.4
Mean of Lowest -	37.9	37.2	26.6	30.6	27.9	34.5	35.2	32.7	33.4	36.0	37.4	31.1	37.8	33.7
Mean Humidity of the Air.	83	81	74	77	76	85	72	81	80	74	61	71	69	76
Rain-fall (in inches) -	0.18	0.01	0.04	0.19	0.19	0.77	0.29	0.01	0.37	0.40	0.13	0.00	0.17	2.75
Registered Sunshine (in hours).	6.3	3.3	7.2	11.8	17.9	15.0	19.8	11.0	21.9	27.0	50.5	53.5	43.6	288.8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3523	3405	3292	3176	3059	3035	2938	2878	2878	2826	2734	2657	2621	3002
Scarlet Fever - -	926	934	925	928	932	926	920	922	967	983	1006	1014	996	952
Diphtheria - - -	2	2	2	3	3	3	4	4	3	4	3	1	-	3
Typhus - - - - -	108	108	98	100	94	101	102	103	98	96	94	93	82	98

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.B., Ch.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FOURTEENTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 14th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 14th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.		20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.		20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.							5-20.	0-1.				1-5.	5-20.
ALL CAUSES	1538.9	1627	303	249	86	189	304	496		16.6	13	7	4	2	-	-	-
										16.2	12	-	-	-	3	5	-
Small-pox*	11.9	-	-	-	-	-	-	-		6.1	4	-	-	-	3	-	1
Whooping-cough	-	-	-	-	-	-	-	-		26.4	15	12	3	-	-	-	-
Measles (Morbilli)	64.7	63	14	46	3	-	-	-		1.2	2	-	-	-	-	-	2
Scarlet Fever	8.0	13	-	9	4	-	-	-		4.9	6	-	-	-	1	1	4
Typhus	-	-	-	-	-	-	-	-		21.5	18	1	-	2	1	4	10
Plague	-	-	-	-	-	-	-	-									
Influenza	20.7	17	-	1	-	2	5	9									
Whooping-cough	46.7	63	23	40	-	-	-	-									
Diphtheria	15.1	19	2	14	3	-	-	-									
Cerebro-spinal Fever																	
Pyæmia,† (origin un- certain)	0.2	-	-	-	-	-	-	-									
Enteric Fever	3.5	4	-	-	1	3	-	-									
Asiatic Cholera																	
Epidemic Diarrhoea, Infective Enteritis, Diarrhoea, Dysentery	4.7	5	5	-	-	-	-	-									
Tetanus	0.8	2	2	-	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Glanders	-	1	-	-	-	-	1	-									
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-									
Venereal Dis.	7.0	10	4	-	-	2	3	1									
Puerperal Septicæmia	2.5	7	-	-	1	5	1	-									
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-									
Puerperal Fever	1.0	-	-	-	-	-	-	-									
Infective Endocarditis	3.9	3	-	-	1	1	1	-									
Pneumonia { Lobar -	19.0	29	-	3	-	7	13	6									
{ Broncho- -	70.6	108	40	47	1	1	3	16									
{ Epidemic -	0.2	-	-	-	-	-	-	-									
{ Not defined	62.4	88	16	12	4	13	23	20									
Erysipelas	3.1	6	2	-	-	1	-	3									
Septicæmia (not Puer- peral)	1.4	1	-	-	1	-	-	-									
Pyæmia (not Puerperal)	0.6	-	-	-	-	-	-	-									
Other Infective Processes	6.5	1	-	-	-	-	-	1									
Tuberculous Phthisis	67.5	97	-	3	7	43	37	7									
"Phthisis"	71.6	59	-	1	8	20	22	8									
Tuberculous Meningitis	23.9	24	4	14	5	1	-	-									
Tuberculous Peritonitis	9.4	5	-	2	2	-	-	1									
Tuberculous Dis., Other	3.9	1	1	-	-	-	-	-									
Scrophula	22.3	33	5	11	5	6	5	1									
Alcoholism	1.0	-	-	-	-	-	-	-									
Rheumatic Fever	9.8	9	-	-	-	3	5	1									
Gout	3.9	13	-	1	7	3	2	-									
Carcinoma	2.5	4	-	-	-	-	-	4									
Sarcoma	53.4	54	-	-	-	5	21	28									
Cancer (undefined)	5.7	4	1	-	-	1	1	1									
Diabetes Mellitus	35.0	25	-	-	-	1	15	9									
Premature Birth	8.0	9	-	-	1	3	5										
	54.4	37	37	-	-	-	-	-									
Meningitis (not tuberc.)																	
Gen. Par. of Insane, {																	
Insanity - - - - -																	
Epilepsy - - - - -																	
Convulsions - - - - -																	
Locomotor Ataxy - - -																	
Paraplegia, Dis. of Cord																	
Nervous Sys., Other Dis.																	
Valv. Dis., Endocarditis																	
Cereb. Hæm. Cereb. Emb.																	
Apoplexy, Hemiplegia																	
Aneurysm - - - - -																	
Embolism, Thrombosis {																	
(not Cerebral) - - -																	
Heart & Blood Vess., {																	
Other Dis. - - - - -																	
Croup (not Spasm: nor																	
Memb.) - - - - -																	
Bronchitis - - - - -																	
Emphysema, Asthma - -																	
Pleurisy - - - - -																	
Respiratory Dis., Other																	
Tonsillitis, Quinsy - -																	
Enteritis (not Epid.) -																	
Gastro-enteritis - - -																	
Peritonitis (not Puerp.)																	
Cirrhosis of Liver - -																	
Liver Dis., Other - -																	
Digestive Sys., Other Dis.																	
Acute Nephritis - - -																	
Bright's Dis., Albumin- uria - - - - -																	
Urinary Sys., Other Dis.																	
Generative Organs Dis. -																	
Childbirth (Accid. of) -																	
Old Age - - - - -																	
Other Diseases - - - -																	
ACCIDENT.																	
By Railways - - - - -																	
By Vehicles and Horses -																	
In Ships, Boats, Docks, (exclusive of Drown- ing) - - - - -																	
In Building Operations -																	
In Conflagrations - -																	
By Burns, Scalds, Ex- plosions - - - - -																	
By Drowning - - - - -																	
By Suffocation in Bed -																	
By Poisons or Poisonous Vapours - - - - -																	
Other Deaths by Acci- dent - - - - -																	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide - - - - -																	
Suicide - - - - -																	
Execution - - - - -																	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th April, 1907.

		The DEATHS registered during the Week include.																		
REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions.	Un- certified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain.	Diarrhœa.	Violence.				
LONDON - - -		4,536,429	2387	1627	303	496	-	63	13	19	63	-	4	-	10	64	166	626	-	
WEST DISTRICTS - - -		805,311	344	258	52	83	-	7	3	1	12	-	1	-	3	8	14	97	-	
NORTH DISTRICTS - - -		1,056,070	496	376	55	140	-	7	-	1	10	-	-	-	2	8	35	136	-	
CENTRAL DISTRICTS - - -		209,485	103	89	19	19	-	3	-	1	6	-	-	-	1	6	15	45	-	
EAST DISTRICTS - - -		716,739	466	262	55	67	-	11	-	1	7	-	-	-	2	18	50	122	-	
SOUTH DISTRICTS - - -		1,749,844	978	606	122	173	-	35	9	15	28	-	3	-	2	24	52	200	-	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	36	-	14	-	-	1	-	-	-	-	-	-	-	-	36	-	
WEST DISTRICTS.																				
St. Mary Paddington W,3H - -		93,178	53	32	11	10	-	-	-	-	1	-	-	-	2	2	3	8	-	
St. John Paddington H - - -		33,617	6	13	3	3	-	-	-	-	-	-	-	-	-	2	2	10	-	
North-West Paddington - - -		17,181	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -		128,037	53	44	4	17	-	1	-	-	5	-	-	-	-	-	-	18	-	
Brompton 2H - - -		48,591	18	15	1	6	-	-	-	-	-	-	-	-	-	-	-	3	-	
North Hammersmith 2W,w,H - -		49,192	34	24	3	9	-	2	-	-	-	-	1	-	-	-	-	8	-	
South Hammersmith w,2H - - -		83,047	18	24	5	4	-	1	-	-	-	-	-	-	2	2	7	-	-	
North-west Fulham W - - -		45,180	29	17	6	5	-	-	-	-	-	-	-	-	1	1	3	10	-	
North-east Fulham F - - -		46,405	22	8	5	-	-	1	2	1	2	-	-	-	-	-	-	1	5	
South Fulham W - - -		45,704	21	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W,w,3H - - -		42,514	21	15	-	8	-	1	-	-	-	-	-	-	-	-	-	11	-	
Chelsea South W,2H - - -		31,328	20	8	1	4	-	-	-	-	2	-	-	-	-	-	1	1	-	
Mayfair and Knightsbridge - -		28,743	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -		56,815	21	20	3	3	-	1	1	-	-	-	-	-	-	1	2	11	-	
St. Margaret & St. John 5H - -		43,698	11	12	3	5	-	-	-	-	1	-	-	-	-	-	-	4	-	
St. James and St. Anne W,3H - -		33,081	6	4	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
NORTH DISTRICTS.																				
All Souls Marylebone 8H - - -		35,391	9	15	2	3	-	-	-	-	1	-	-	-	-	-	-	8	-	
St. Mary Marylebone W,4H - - -		37,948	55	10	3	3	-	-	-	-	-	-	-	-	-	-	2	3	-	
Christchurch Marylebone - - -		39,536	18	11	1	3	-	-	-	-	1	-	-	-	-	-	1	-	-	
St. John Marylebone 2H - - -		20,436	9	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -		81,942	26	25	3	11	-	-	-	-	1	-	-	-	-	2	3	6	-	
West St. Pancras 2H - - -		80,562	28	25	7	10	-	-	-	-	-	-	-	-	-	-	5	6	-	
South St. Pancras w,11H - - -		55,707	18	20	1	4	-	-	-	-	1	-	-	-	1	-	1	13	-	
East St. Pancras W,3H - - -		60,320	22	18	-	10	-	-	-	-	1	-	-	-	-	2	4	9	-	
North St. Pancras 2W - - -		58,738	24	22	4	9	-	-	-	-	-	-	-	-	1	1	1	11	-	
Tufnell W - - -		31,995	19	26	3	13	-	-	-	-	-	-	-	-	-	-	-	17	-	
Upper Holloway 2W,w,H - - -		33,978	25	29	1	14	-	-	-	-	-	-	-	-	-	1	2	22	-	
Tollington WH - - -		33,922	12	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -		41,424	20	7	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -		54,478	25	24	4	7	-	1	-	-	2	-	-	-	-	-	2	1	-	
Islington South-east F - - -		75,397	28	22	1	10	-	2	-	-	1	-	-	-	-	-	-	1	-	
Highbury 2H - - -		63,797	28	19	3	7	-	-	-	-	-	-	-	-	-	-	2	1	-	
Stoke Newington H - - -		51,247	29	9	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -		50,560	21	11	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - - -		50,536	24	16	3	3	-	1	-	-	1	-	-	-	-	-	2	-	-	
South-west Hackney 3H - - -		59,921	26	25	4	8	-	1	-	-	-	-	-	-	1	5	9	-	-	
South-east Hackney 2W,w,H - -		58,265	30	28	4	11	-	-	-	-	-	-	-	-	1	3	19	-	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th April, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of	Deaths from																
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury 2W,2H -	31,436	25	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	
Strand W,4H - - - - -	21,674	10	19	1	5	-	-	-	-	1	-	-	-	-	-	-	2	3	15	-	
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,6H - - - - -	29,612	6	22	9	2	-	-	-	-	-	2	-	-	-	-	-	1	3	12	-	
St. Pancras North Clerkenwell -	28,676	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Pancras North Clerkenwell H -	35,028	20	9	2	3	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	
St. Pancras 3H,L - - - - -	36,116	26	11	2	3	-	-	2	-	-	2	-	-	-	-	1	-	1	-	-	
St. Pancras Union Workhouse, } Mitreham - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Botolph H - - - - -	10,299	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Sepulchre and Allhallows W,2H	16,824	2	13	4	-	-	-	-	-	-	2	-	-	-	-	-	2	3	12	-	
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																					
St. Giles South H - - - - -	46,362	18	15	5	2	-	2	-	-	-	4	-	-	-	-	-	2	3	-	-	
St. Giles North-West W,w,H -	36,127	21	30	4	11	-	2	-	-	-	-	-	-	-	-	-	1	3	-	-	
St. Giles North-East - - - - -	34,148	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21	-	
St. Giles Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles Green North-East 2W } HLL - - - - -	65,198	30	25	3	9	-	-	-	-	-	1	-	-	-	-	-	-	2	17	-	
St. Giles Green South-West H -	64,542	46	20	9	2	-	2	-	-	-	1	-	-	-	-	-	-	3	-	-	
St. Giles Fields - - - - -	27,960	15	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
St. Giles End New Town W,H -	28,718	29	32	7	5	-	1	-	-	1	-	-	-	-	-	-	2	4	29	-	
St. Giles End New Town W,H -	22,081	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	
St. George and St. John 2W - -	49,068	41	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	-	
St. George and St. John W,H - -	25,568	15	17	1	5	-	-	-	-	-	1	-	-	-	-	-	4	6	5	-	
St. George and St. John W - - -	32,369	17	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
St. Giles End Old Town South- } Western H - - - - -	63,698	70	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Giles End Old Town North- } Eastern W,w - - - - -	49,129	26	18	-	7	-	1	-	-	-	-	-	-	-	-	-	-	2	10	-	
St. Giles End Old Town South- } Western H - - - - -	41,939	21	11	2	3	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	
St. Giles End Old Town South- } Western W,w - - - - -	68,319	42	41	4	13	-	-	-	-	-	-	-	-	-	-	1	3	8	30	-	
St. Giles End Old Town South- } Western W,w - - - - -	58,514	46	22	9	6	-	3	-	-	-	-	-	-	-	-	-	1	8	3	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th April, 1907—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.					
SOUTH DISTRICTS.																				
Christchurch and St. Saviour } Southwark W,2H - - - }	23,319	12	21	5	5	-	-	-	-	-	-	-	-	-	-	2	4	14		
Kent-road - - - - - }	21,904	14	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. George the Martyr West } W,2H,L - - - - - }	39,094	22	14	5	1	-	-	-	-	2	-	-	-	-	-	1	1	2		
Newington North - - - - - }	49,022	33	12	5	1	-	-	-	-	2	-	-	-	-	-	-	1	-		
Newington South W - - - - }	72,841	47	21	6	5	-	1	-	-	1	-	-	-	-	-	1	3	-		
St. Olave 2W - - - - -	9,817	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bermondsey W - - - - -	32,483	54	18	7	2	-	1	-	-	1	-	-	-	-	-	1	6	-		
Rotherhithe W,F - - - - -	38,460	14	26	4	6	-	1	-	-	-	-	1	-	-	-	1	1	13		
Waterloo 2H - - - - -	27,440	17	7	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1		
Lambeth Church H - - - - -	27,440	16	19	2	2	-	1	-	1	-	-	-	-	-	-	3	4	18		
Kennington 2W - - - - -	52,518	35	32	3	11	-	3	-	-	2	-	-	-	-	-	-	-	20		
Stockwell HF - - - - -	63,826	44	9	3	1	-	1	-	2	1	-	-	-	-	-	-	-	4		
Brixton H - - - - -	73,673	32	12	3	3	-	-	-	-	2	-	-	-	-	-	1	3	2		
Norwood WH - - - - -	56,998	19	17	3	10	-	-	-	-	1	-	-	-	-	-	-	1	1		
East Battersea H - - - - -	72,203	37	14	1	1	-	-	-	1	1	-	-	-	-	-	2	3	-		
North-west Battersea - - - -	49,656	20	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South-west Battersea 2W,H -	47,048	20	22	4	8	-	-	-	-	2	-	-	-	-	-	-	-	16		
Olapham 2H - - - - -	51,361	21	21	2	9	-	4	-	-	1	-	-	-	-	-	2	2	3		
Streatham W,2w,2F,2L - - -	88,019	63	35	10	14	-	-	-	1	1	1	-	1	-	-	-	1	11		
Springfield 2W,L - - - - -	27,959	19	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-		
Southfields H - - - - -	40,444	35	11	3	4	-	1	-	-	1	-	-	-	-	-	1	-	-		
Putney - - - - -	24,139	13	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dulwich - - - - -	13,359	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w - - -	40,208	15	30	4	11	-	1	-	-	-	-	-	-	-	-	-	-	21		
Camberwell North W,2L - - -	65,584	24	32	4	16	-	2	-	-	-	-	-	-	-	-	2	4	17		
St George - - - - -	47,331	20	18	2	3	-	-	-	-	-	2	-	-	-	-	-	-	-		
Peckham North - - - - -	48,913	32	13	7	2	-	4	-	-	3	-	-	-	-	-	-	-	-		
Peckham South 2W,w - - - -	43,946	24	11	1	4	-	2	-	-	2	-	-	-	-	-	-	-	-		
Deptford North - - - - -	37,613	21	13	2	3	-	5	-	-	-	-	-	-	-	-	-	1	-		
Deptford Central F - - - - -	45,481	38	21	2	2	-	1	3	6	2	-	1	-	-	-	-	-	10		
Deptford South - - - - -	34,625	11	15	3	7	-	1	-	-	-	-	-	-	-	-	-	2	-		
Greenwich West 2H - - - - -	23,456	10	8	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1		
Greenwich East 2W,H - - - -	43,859	13	16	1	5	-	1	-	-	-	-	-	-	-	-	1	2	10		
Eltham w,H - - - - -	7,226	6	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Lee wH - - - - -	25,490	13	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham W,w,F - - - - -	58,352	55	32	4	9	-	-	-	1	1	-	-	-	-	-	1	2	22		
Sydenham H - - - - -	43,653	33	10	3	4	-	-	-	-	1	-	1	-	-	-	-	-	-		
Charlton F,2H - - - - -	21,134	6	10	3	-	-	1	3	3	-	-	-	-	-	-	-	-	8		
Woolwich 5H - - - - -	41,625	30	11	4	1	-	-	-	-	-	-	-	-	-	-	1	4	-		
Plumstead West W - - - - -	18,063	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - - - -	50,264	28	13	2	5	-	-	-	-	-	-	-	-	-	-	2	3	6		
Workhouse :-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Geore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North-Eastern - - - - -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1		
Northern - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belmont - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Caterham - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
Darenth - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Leavesden - - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	4		
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Banstead - - - - -	-	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	7		
Effwell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Horton - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
Dartford Heath - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Hanwell - - - - -	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	7		
Colney Hatch - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Claybury - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th April, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of Infants under 1 Year of Age.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
							Persons aged 6 Years and upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence				
	LONDON—OUTER RING	368,302	2,044,973	1328	614	151	195	-	24	6	14	33	1	3	21	47	107	-	
30: 1	Carshalton 2F,3H	12,228	32,997	14	7	2	4	-	-	1	1	-	-	-	-	-	-	2	
2	Epsom, part of* W,2F,H	10,423	15,548	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
37: 1	Godstone, part of* W,F,L	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,089	8,166	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon W	4,200	49,309	18	6	1	1	-	-	-	1	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,188	42,888	38	12	5	4	-	-	-	-	-	-	-	-	3	2	-	
4	North Croydon H	2,644	41,698	26	9	2	3	-	-	-	1	-	-	-	-	-	-	-	
5	Penge W,H	770	22,465	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham	11,711	30,015	28	7	2	2	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	20	14	4	5	-	-	1	-	-	-	-	-	1	3	-	
2	Kingston 2W,H	6,324	42,068	17	10	1	5	-	-	-	1	-	-	-	1	2	3	-	
3	Surbiton F,H	3,046	15,017	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,594	23,456	19	7	4	2	-	-	-	-	-	-	1	-	-	-	-	
40: 1	Richmond W,H	2,182	28,865	7	9	-	6	-	-	-	-	-	-	-	-	-	1	-	
2	Mortlake F	2,647	20,628	15	10	3	5	-	-	-	-	-	-	-	2	3	-	-	
41: 1	Bromley F,2H	4,703	27,354	10	6	1	2	-	-	-	-	1	-	-	-	-	2	-	
2	Beckenham H	7,825	28,497	16	9	3	5	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	8	5	3	-	-	-	-	-	1	-	-	-	-	-	-	
4	Chislehurst 2H	7,333	16,446	7	7	-	4	-	2	-	-	-	-	-	-	-	-	-	
42: 1	Bexley W,F,H	8,678	21,151	13	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	18	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury W	11,054	18,883	8	6	1	2	-	-	-	1	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	7	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
125: 1	Hillingdon W,F,H	6,035	13,661	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	8	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
3	Hayes W,2F,H	8,068	16,358	22	7	4	1	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth 3W,3F,H	8,859	30,863	22	14	2	8	-	-	-	2	-	-	-	-	-	9	-	
2	Twickenham F,2,H	2,421	20,991	11	5	1	2	-	-	-	-	-	-	-	-	-	1	-	
3	Brentford 3F,2H	4,519	48,289	44	26	4	6	-	1	-	4	-	-	-	1	1	4	-	
4	Chiswick H	1,249	29,809	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton W,F,3H	6,132	48,914	42	20	8	5	-	2	-	-	1	-	-	-	-	-	-	
127: 1	Harrow F,H	13,809	25,523	20	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	92	34	17	4	-	1	1	-	6	-	-	2	3	5	-	
4	Hendon W,F	8,382	22,450	17	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
128: 1	South Mimms 2F,H	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	8	3	2	-	-	-	-	-	-	-	1	-	-	-	-	
3	Finchley F,2H	4,688	33,692	22	10	2	3	-	1	-	-	-	-	-	-	2	-	-	
129: 1	Hornsey F,H	2,875	72,056	36	9	1	2	-	-	-	-	2	-	-	-	1	-	-	
2	Wood Green H	1,625	34,233	21	14	4	6	-	1	-	-	2	-	1	1	2	-	-	
3	West Tottenham F	996	48,853	31	9	2	3	-	-	-	-	-	-	-	1	1	-	-	
4	East Tottenham 2H	2,017	53,688	31	19	4	5	-	-	-	-	-	-	-	1	1	4	-	
5	Edmonton W,2F	7,491	61,892	42	29	4	12	-	2	-	1	3	-	-	1	4	7	-	
6	Enfield 2W,F,H	12,601	42,738	34	15	4	5	-	-	-	2	-	-	-	1	1	5	-	
7	Waltham Abbey F	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,262	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	4	2	1	1	-	-	-	-	-	-	-	-	-	1	-	
2	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
186: 1	Stratford H	1,072	44,827	34	19	5	4	-	1	-	-	-	-	-	4	7	1	-	
2	Plaistow F,2H	1,249	90,921	68	26	6	-	-	2	1	1	2	-	-	1	2	3	-	
3	Canning Town H	1,556	70,718	54	21	7	4	-	-	-	-	-	-	-	2	3	3	-	
4	Forest Gate W	806	60,892	18	14	3	3	-	3	-	-	1	-	-	1	1	-	-	
5	North East Ham W,H	1,333	58,676	30	15	4	1	-	-	1	-	2	-	-	-	-	-	-	
6	South East Ham 2F	1,993	37,342	41	9	4	2	-	1	-	1	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	27	22	3	8	-	2	-	-	-	-	-	-	-	11	-	
9	North Leyton 2W,W,F	1,963	48,445	28	33	6	7	-	-	-	-	1	1	-	1	3	19	-	
10	Walthamstow 2H,L	6,504	108,929	73	31	7	12	-	2	-	-	4	-	-	-	1	-	-	
187: 1	Chigwell 2F,3H	11,778	16,397	6	5	-	3	-	-	1	1	-	-	-	-	-	2	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford, part of* W,2F	6,556	6,091	6	5	-	2	-	-	-	-	-	-	-	-	2	1	-	
2	Ilford F,L	8,496	41,234	33	20	4	8	-	-	-	-	2	-	-	-	-	3	-	
3	Barking Town F	9,803	21,547	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
	Middlesex County Asylum, St. Albans.	-	-	-	7	-	7	-	-	-	-	-	-	-	-	-	7	-	
	Essex County Asylum, Brentwood.	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	3	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	April 6	2387	1627	17·8	-	63	13	20	63	4	10
CALCUTTA - -	977,822	March 9	-	572	35·0	75	3	-	-	-	187†	108†
BOMBAY - -	982,000	" 19	312	1264	67·2	-	-	-	-	-	673†	72†
MADRAS - -	509,346	" 8	237	428	43·6	-	3	?	?	?	120	84†
PARIS - - -	2,750,000	" 30	1023	1099	21·0	1	10	10	2	18	4	20
BRUSSELS - -	612,401	" 30	217	192	16·0	-	-	-	4	1	-	12
ANTWERP - -	297,311	" 30	114	78	13·6	-	1	-	-	2	-	4
AMSTERDAM -	564,194	" 30	293	174	18·0	-	2	1	-	-	-	1
COPENHAGEN -	427,000	" 30	236	149	18·2	-	-	-	1	3	-	4
STOCKHOLM -	324,488	" 23	136	91	14·6	-	-	1	1	-	-	3
CHRISTIANIA -	226,472	" 30	129	66	15·1	-	1	-	-	-	-	1
ST. PETERSBURG	1,482,769	" 16	1144	722	25·3	1	25	12	11	3	20	79
MOSCOW - -	1,172,421	" 23	-	726	32·3	1	15	11	18	4	10	55
BERLIN - - -	2,097,918	" 16	999	607	15·1	-	3	2	5	6	-	28
HAMBURG - -	824,792	" 30	-	281	17·7	-	2	3	1	2	-	28
BRESLAU - -	482,573	" 23	273	187	20·2	-	-	-	-	3	-	14
MUNICH - - -	548,000	" 23	-	224	21·3	-	8	1	1	2	-	17
VIENNA - - -	1,958,323	" 30	1023	855	22·7	-	19	5	7	3	-	38
PRAGUE - - -	466,133	" 23	226	218	24·3	-	4	-	1	2	1	13
BUDA-PESTH -	802,235	" 23	449	380	24·6	-	4	12	2	-	-	9
TRIESTE - - -	199,003	" 30	124	119	31·1	-	3	1	-	2	-	3
ROME - - -	531,818	February 9	277	282	27·6	-	-	-	-	1	1	7
VENICE - - -	174,298	March 23	81	64	19·1	-	-	-	1	-	-	3
BUCHAREST -	291,138	" 30	152	152	27·1	-	2	-	-	2	-	2
NEW YORK - -	4,285,485	{ " 16 " 23	2195 2303	1670 1571	20·3 19·1	- -	13 13	25 19	37 34	9 12	4 17	48 54
CHICAGO - - -	2,107,620	" 23	-	700	17·3	1	5	24	9	7	6	24
PHILADELPHIA -	1,500,595	" 9	-	655	22·6	-	-	2	14	2	36	16
RIO DE JANEIRO	912,900	" 3	-	298	17·0	1	-	-	-	1	2†	?

* Excluding deaths from croup in the Indian Cities.
† Including 57 deaths from plague in Calcutta, 531 in Bombay, and 1 in Rio de Janeiro.
‡ Including 63 deaths from cholera in Calcutta, 2 in Bombay, and 10 in Madras.

TABLE 8.--METEOROLOGY in certain towns during the week ended Saturday, 6th April, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	69·4	35·1	49·9	0·17	LEEDS - - -	70·0	39·0	51·2	0·30
BRIGHTON - -	65·0	38·7	48·4	0·67	YORK - - -	67·8	36·0	50·2	0·56
PORTSMOUTH -	66·8	37·0	48·7	0·95	HULL - - -	68·0	36·0	48·8	0·58
NORWICH - - -	68·0	33·8	49·9	0·43	TYNEMOUTH -	58·0	33·0	44·0	0·77
PLYMOUTH - -	65·0	34·9	47·0	1·29	CARDIFF - -	66·3	29·2	46·3	0·86
BRISTOL - - -	66·8	32·0	47·6	0·23	EDINBURGH -	61·8	38·6	47·8	0·44
BIRMINGHAM -	65·7	36·9	49·0	0·24	GLASGOW - -	65·5	33·3	47·9	1·02
NOTTINGHAM -	67·3	30·0	49·8	0·42	PHOENIX Park. }	58·5	24·9	42·1	0·73
LIVERPOOL - -	65·0	39·0	49·5	0·20	DUBLIN { Fitz- william Square. }	57·0	31·8	44·2	0·90
MANCHESTER -	67·6	33·8	48·8	0·38	BELFAST - -	55·5	30·0	41·6	1·33
PRESTON - - -	62·6	37·0	49·4	0·43					
HUDDERSFIELD -	68·2	35·7	47·8	0·46					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·83 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.


[Under the Superintendence of the Astronomer Royal.]

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th March, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	13	2	-	-	-	-	5	-	-
Kensington - - -	181,842	-	5	1	-	-	-	-	3	-	-
Hammersmith - - -	122,337	-	7	5	-	-	-	-	1	-	-
Fulham - - -	166,749	-	10	7	-	2	-	-	1	-	-
Chelsea - - -	74,867	-	3	5	-	-	-	-	1	-	-
City of Westminster - -	172,219	-	15	4	-	1	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	6	-	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	10	1	-	2	-	-	-	-	-
St. Pancras - - -	236,753	-	7	4	-	5	-	-	1	-	1
Islington - - -	347,017	-	18	4	-	-	-	-	4	1	-
Stoke Newington - - -	53,613	-	2	2	-	-	-	-	-	-	-
Hackney - - -	232,993	-	18	11	-	-	-	-	5	-	-
CENTRAL.											
Holborn - - -	55,134	-	5	2	-	1	-	-	-	-	-
Finsbury - - -	96,732	-	9	6	-	-	-	-	3	-	1
City of London - - -	20,310	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,632	-	4	3	-	-	-	-	1	-	-
Bethnal Green - - -	130,831	-	13	7	-	-	-	-	4	-	2
Stepney - - -	308,923	-	22	18	-	4	-	-	5	-	1
Poplar - - -	171,986	-	13	6	-	-	-	-	7	-	-
SOUTH.											
Southwark - - -	209,781	-	24	7	-	-	-	-	4	-	-
Bermondsey - - -	128,263	-	12	5	-	-	-	-	2	-	-
Lambeth - - -	318,538	-	26	2	-	1	-	-	2	-	-
Battersea - - -	181,736	-	13	8	-	-	-	-	3	-	-
Wandsworth - - -	281,419	-	15	24	-	-	-	-	2	1	-
Camberwell - - -	277,059	-	19	7	-	1	-	-	3	1	-
Deptford - - -	116,510	-	7	2	-	-	-	-	1	-	-
Greenwich - - -	107,222	-	8	2	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	7	5	-	-	-	-	2	-	-
Woolwich - - -	129,336	-	15	5	-	-	-	-	1	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	327	155	-	17	-	-	64	3	5
Ages											
0-1 - - -	-	-	4	4	-	-	-	-	4	-	2
" 1-5 - - -	-	-	95	59	-	-	-	-	5	-	1
" 5- - - -	-	-	125	57	-	2	-	-	1	-	2
" 10- - - -	-	-	54	15	-	4	-	-	1	-	-
" 15- - - -	-	-	16	5	-	2	-	-	1	1	-
" 20- - - -	-	-	18	4	-	3	-	-	3	1	-
" 25- - - -	-	-	11	10	-	3	-	-	10	-	-
" 35- - - -	-	-	4	-	-	2	-	-	12	1	-
" 45- - - -	-	-	-	-	-	-	-	-	9	-	-
" 55- - - -	-	-	-	1	-	-	-	-	12	-	-
" 65 and upwards - - -	-	-	-	-	-	1	-	-	6	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By **DARLING & SON, LTD., 34-40, BACON STREET, E.**

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 15. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, APRIL 13. [Price 1½d.

General Register Office, Somerset House,
April 15th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·9 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 17·7, and 17·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·6 in West Bromwich, 22·9 in Grimsby, 23·1 in Salford and in Huddersfield, 24·8 in South Shields, 27·1 in Burnley, and 30·8 in Birkenhead; from *measles*, 2·5 in Portsmouth, 3·4 in Bolton, 4·1 in Newport (Mon.), 6·8 in West Bromwich, and 8·8 in Birkenhead; from *scarlet fever*, 1·5 in Grimsby; from *whooping-cough*, 2·0 in Burnley, 2·3 in East Ham, and 2·6 in Middlesbrough; and from "*fever*," 1·4 in South Shields and 2·0 in Great Yarmouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2532 BIRTHS and 1495 DEATHS were registered. Allowing for increase of population, the births were 10 above and the deaths 31 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 16·3, 17·4, and 17·8 per 1000 in the preceding three weeks, was 16·4 last week. The death-rate in the four weeks ended last Saturday averaged 17·0 per 1000, being equal to the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1495 deaths included 45 from measles, 9 from scarlet fever, 8 from diphtheria, 60 from whooping-cough, 5 from enteric fever, and 18 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 145 deaths were referred to these diseases in the aggregate, being 28 below the corrected average number in the fifteenth week of the preceding five years.

The deaths from *measles*, which had been 29, 59, and 63 in the preceding three weeks, fell to 45 last week, and were 22 below the corrected average; 5 deaths belonged to the Borough of Islington, 5 to Shoreditch, and 4 each to Fulham, Southwark, and Camberwell. The deaths from *scarlet fever*, which had been 6, 8, and 13 in the preceding three weeks, were 9 last week, the corrected average being 8. The deaths from *diphtheria*, which had been 12, 16, and 19 in the preceding three weeks, fell to 8 last week, and were 8 below the corrected average; 3 deaths belonged to Islington. The deaths from *whooping-cough*, which had been 36, 71, and 63 in the preceding three weeks, were 60 last week, and were 11 above the corrected average; 6 deaths belonged to Islington, and 4 apiece to Fulham, Holborn, Finsbury, Southwark, and Bermondsey. The deaths from *enteric fever*, which had been 6, 1, and 4 in the preceding three weeks, were 5 last week, the corrected average being 4. The deaths from *diarrhoea*, which had been 15, 14, and 10 in the preceding three weeks, rose to 18 last week, and were 4 above the corrected average. Of the 18 deaths from diarrhoea, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 24, having been 22, 24, and 17 in the preceding three weeks.

Different forms of *violence* caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 12 were cases of suicide, and 5 of homicide, while the remaining 33 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 5 to burns or scalds, 4 to drowning, 1 to a conflagration, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2637 cases of scarlet fever, 992 of diphtheria, and 75 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 296 cases, against 312, 330, and 352; of diphtheria, 123 cases, against 129, 156, and 120; and of enteric fever, 8 cases, against 20, 8, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 6th, 1907.

GREATER LONDON.

In Greater London 3912 births and 2096 deaths were registered. Allowing for increase of population, these numbers are 1 above and 37 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 3 from scarlet fever, 7 from diphtheria, 13 from whooping-cough, and 1 from "fever" were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.42 inches, and that of the Thermometer 44°.1, the latter being 1°.9 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 21 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 18.8 hours; the measured rainfall amounted to 1.42 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 13th April, 1907.		The DEATHS registered in the Week include										TOWNS.		
		Week ended					Week ended 13th April, 1907.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.
		23rd Mar., 1907.	30th Mar., 1907.	6th Apr., 1907.	13th Apr., 1907.	Persons aged 60 Years and upwards.				Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	16,024,458	16'8	17'7	17'9	16'9	1'8	8979	5196	1047	1485	-	228	28	37	171	30	50	160	367	1256	42	76 TOWNS,	
LONDON -	4,753,218	16'3	17'4	17'8	16'4	1'6	2532	1495†	264	437	-	45	9	8	60	5	13	50	133	534	4	LONDON.	
CROYDON -	154,342	18'9	16'2	9'1	12'5	0'7	75	37	9	11	-	-	-	-	2	-	-	1	3	7	-	CROYDON.	
WILLESDEN -	149,192	9'1	8'0	11'9	9'1	1'7	96	26	5	7	-	-	-	-	4	-	-	-	2	1	-	WILLESDEN.	
HORNSEY -	89,816	10'4	11'6	7'0	8'1	1'7	36	14	4	3	-	-	-	-	2	-	-	1	1	1	-	HORNSEY.	
TOTTENHAM -	122,793	14'9	14'4	13'6	15'3	3'0	80	36	6	11	-	4	1	1	2	-	-	2	6	5	-	TOTTENHAM.	
WEST HAM -	308,284	13'2	15'6	16'2	17'1	2'9	193	101	32	26	-	6	-	1	8	-	2	3	4	11	-	WEST HAM.	
EAST HAM -	136,421	17'6	15'7	11'1	13'4	2'7	67	35	12	10	-	1	-	-	6	-	2	1	3	3	-	EAST HAM.	
LEYTON -	122,040	10'7	15'0	12'0	8'5	3'4	46	20	2	9	-	3	-	1	1	1	2	-	8	-	-	LEYTON.	
WALTHAMSTOW -	126,397	13'6	12'8	14'9	11'1	0'4	74	27	5	9	-	-	-	-	1	-	-	-	-	4	-	WALTHAMSTOW.	
HASTINGS -	67,477	25'5	9'3	17'0	19'3	0'8	28	25	5	11	-	-	-	-	-	-	1	1	1	3	-	HASTINGS.	
BRIGHTON -	129,023	21'8	19'4	20'2	16'6	1'2	56	41	6	16	-	3	-	-	-	-	-	1	2	9	-	BRIGHTON.	
PORTSMOUTH -	208,291	17'8	18'5	24'5	19'5	3'5	98	78	18	27	-	10	-	-	2	1	1	3	5	16	-	PORTSMOUTH.	
BOURNEMOUTH -	69,246	10'5	16'6	12'8	19'6	-	24	26	4	9	-	-	-	-	-	-	-	2	4	6	-	BOURNEMOUTH.	
SOUTHAMPTON -	119,745	14'4	17'4	14'8	17'4	1'3	47	40	6	18	-	-	-	1	2	-	-	2	6	5	-	SOUTHAMPTON.	
READING -	80,311	16'9	8'4	13'0	13'0	-	39	20	3	6	-	-	-	-	-	-	-	-	1	3	1	-	READING.
NORTHAMPTON -	95,070	10'4	19'2	13'2	20'8	1'1	97	38	7	13	-	2	-	-	-	-	-	-	-	4	-	NORTHAMPTON.	
IPSWICH -	72,825	14'3	20'8	17'9	11'5	0'7	34	16	4	4	-	-	-	1	-	-	-	1	1	5	-	IPSWICH.	
GREAT YARMOUTH -	52,679	15'8	13'8	17'7	18'7	3'9	33	19	5	9	-	-	-	-	1	2	1	-	-	4	-	GREAT YARMOUTH.	
NORWICH -	119,191	17'5	17'5	17'9	15'3	0'4	62	35	6	15	-	-	-	-	1	-	-	-	-	5	-	NORWICH.	
PLYMOUTH -	120,063	10'4	20'4	15'6	15'2	-	52	35	4	13	-	-	-	-	-	-	-	1	4	9	-	PLYMOUTH.	
DEVONPORT -	79,059	14'3	18'9	11'7	13'0	0'7	39	20	1	8	-	-	-	1	-	-	-	-	1	2	-	DEVONPORT.	
BRISTOL -	367,679	14'2	15'3	15'7	15'6	0'6	164	110	19	42	-	-	2	-	1	-	1	4	12	13	-	BRISTOL.	
HANLEY -	67,174	21'0	25'6	23'3	21'0	3'1	40	27	9	3	-	3	1	-	-	-	-	-	-	6	-	HANLEY.	
BURTON-ON-TRENT -	53,425	9'8	13'7	13'7	9'8	-	35	10	1	4	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	102,016	22'5	16'4	15'8	16'9	2'0	58	33	11	8	-	-	-	1	2	1	-	2	3	3	-	WOLVERHAMPTON.	
WALSALL -	96,171	19'0	11'9	17'9	14'6	1'6	57	27	11	5	-	-	-	-	1	1	1	-	-	-	-	WALSALL.	
HANDSWORTH -	65,929	10'3	11'1	6'3	6'3	0'8	28	8	1	5	-	1	-	-	-	-	-	-	-	-	1	HANDSWORTH.	
WEST BROMWICH -	69,123	20'4	23'4	18'1	22'6	7'5	49	30	4	12	-	9	1	-	-	-	-	-	-	4	-	WEST BROMWICH.	

* See note † on first page of this return.
† Including † death from Epidemic Cerebro-spinal meningitis.

TOWNS	POPULATION estimated to the middle of the year 1907.*	DEATH RATES from all Causes.					Registered during the week ended 13th April, 1907.		Deaths from Causes of Death.										TOWNS.		
		Week ended					Breths.	Deaths.	Deaths of												
		1907.							Infants under 1 Year	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.
		23rd Mar., 1907.	30th Mar., 1907.	6th Apr., 1907.	13th Apr., 1907.	Week ended 13th April, 1907.															
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	94,814	26'4	16'5	20'3	23'1	0'5	45	42	4	15	-	-	-	-	1	-	-	1	9	-	HUDDESFIELD.
HALIFAX	110,138	16'1	13'7	18'0	14'2	-	36	30	1	14	-	-	-	-	-	-	-	1	6	-	HALIFAX.
BRADFORD	290,323	16'9	17'2	19'2	15'6	1'1	134	87	13	27	-	-	-	1	2	1	7	14	18	-	BRADFORD.
LEEDS	470,268	16'1	16'4	18'8	17'2	1'2	258	155	34	43	-	1	1	7	-	1	7	13	24	-	LEEDS.
SHEFFIELD	455,563	18'5	18'8	14'7	19'1	2'9	287	167	34	35	-	3	2	1	-	3	9	11	35	4	SHEFFIELD.
ROTHERHAM	62,412	16'7	15'9	23'4	11'7	0'8	43	14	7	4	-	-	-	-	-	1	-	-	1	1	ROTHERHAM.
YORK	84,730	19'1	10'5	12'9	14'8	1'2	37	24	6	8	-	1	-	-	1	-	2	3	4	-	YORK.
HULL	266,762	17'6	21'9	19'4	15'6	2'0	143	80	19	25	-	-	2	1	-	-	1	2	18	2	HULL.
MIDDLESBROUGH	101,783	27'7	21'0	20'5	16'9	4'6	82	33	9	9	-	-	-	5	-	-	-	1	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,909	19'7	18'7	21'7	17'7	2'0	37	18	2	5	-	-	-	1	1	-	-	-	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	76,473	15'2	21'4	16'6	10'4	2'1	39	15	1	5	-	-	-	-	-	1	-	-	5	-	WEST HARTLEPOOL.
SUNDERLAND	166,029	18'7	19'7	21'1	17'4	1'3	118	52	9	13	-	-	1	1	-	-	3	4	4	2	SUNDERLAND.
SOUTH SHIELDS	113,460	22'5	17'9	16'5	24'8	3'7	61	54	13	10	-	1	1	2	3	1	2	10	5	-	SOUTH SHIELDS.
GATESHEAD	125,783	16'2	16'6	14'5	15'8	1'7	88	38	10	6	-	-	1	-	-	2	1	2	6	1	GATESHEAD.
NEWCASTLE-ON-TYNE	272,969	9'9	21'0	17'2	13'6	0'2	193	71	16	22	-	-	-	-	-	1	-	3	9	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	54,688	23'8	21'9	13'3	13'3	-	40	14	2	5	-	-	-	-	-	-	-	-	2	-	TYNEMOUTH.
NEWPORT (MON.)	75,585	17'9	22'1	19'3	13'1	4'1	48	19	6	4	-	-	-	-	-	-	-	-	2	-	NEWPORT (MON.).
CARDIFF	187,620	15'6	12'8	20'6	16'7	0'3	86	60	9	17	-	-	1	-	-	-	7	11	9	-	CARDIFF.
RHONDDA	130,400	14'4	16'4	15'6	11'2	0'4	89	28	12	5	-	-	-	1	-	-	-	2	1	-	RHONDDA.
MERTHYR TYDFIL	76,085	15'1	19'9	19'9	15'8	1'4	49	23	4	9	-	-	-	-	-	1	2	3	4	-	MERTHYR TYDFIL.
SWANSEA	97,324	14'5	24'6	16'1	18'8	1'1	79	35	9	12	-	-	1	-	-	-	1	1	6	-	SWANSEA.
GREATER LONDON	7,217,941	15'1	16'3	16'2	15'1	1'7	3912	2086	397	619	-	69	13	19	99	7	22	169	677	8	GREATER LONDON.
OUTER RING	2,459,723	13'0	14'3	13'0	12'7	1'8	1380	601	133	182	-	24	4	11	39	2	4	17	36	93	OUTER RING.
8 TOWNS IN OUTER RING	1,209,285	13'7	14'0	12'7	12'8	2'2	667	286	75	80	-	14	1	4	26	1	4	8	17	41	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,250,438	12'3	14'6	13'3	12'7	1'4	713	305	58	102	-	10	3	7	13	1	-	9	19	52	REMAINDER OF OUTER RING.
EDINBURGH	345,747	17'0	19'3	18'4	15'4	1'5	147	102†	12	32	-	3	1	-	5	-	1	4	?	3	EDINBURGH.
GLASGOW	847,584	24'1	22'1	21'8	23'6	3'4	551	383†	61	77	-	4	1	4	45	1	1	10	?	8	GLASGOW.
DUBLIN†	390,681	22'3	24'3	26'3	26'6	2'5	204	194†	42	58	-	7	-	2	7	1	2	3	6	75	DUBLIN†.
BELFAST†	370,163	23'5	20'1	27'0	22'4	1'5	261	159†	33	32	-	1	-	-	2	3	5	2	4	43	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively. Including 8 deaths from Cerebro-spinal meningitis or Cerebro-spinal fever in Edinburgh, 30 in Glasgow 1 in Dublin, and 23 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTEENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2250	2623	2875	2292	2358	2624	2468	2676	2469	2087	2522·4	2532
Males - - -	1144	1336	1528	1131	1223	1322	1252	1405	1252	1081	1291·9	1284
Females - - -	1106	1287	1349	1161	1135	1302	1216	1271	1217	1006	1230·5	1248
TOTAL Deaths -	1418	1648	1624	1844	1633	1523	1422	1490	1443	1578	1528·0	1495
Males - - -	752	863	865	932	847	782	749	746	736	793	779·0	761
Females - - -	666	785	759	912	786	741	673	744	707	785	747·0	734

* The numbers in this column are the average weekly numbers in the fifteenth week of the five years 1902–1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 19.	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	13 Weeks.
TOTAL Births -	2454	2134	2550	2356	2350	2412	2391	2391	2390	2543	2236	2387	2532	31131
TOTAL Deaths -	1678	1647	1895	1858	1819	1558	1678	1641	1696	1483	1586	1627	1495	21661
Under 1 year -	299	324	367	353	314	275	290	290	328	293	311	303	264	4011
1–5 years -	207	153	197	170	199	185	181	189	193	167	220	249	237	2536
5–20 " -	66	72	92	73	69	87	89	68	101	73	74	86	75	1025
20–40 " -	182	173	225	194	193	171	206	196	191	181	199	189	202	2507
40–60 " -	349	363	348	410	363	318	338	353	363	279	337	304	280	4405
60 yrs. & upwds.	575	557	666	649	681	542	574	545	520	490	445	496	437	7177
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	33	17	20	30	28	38	35	55	57	29	59	63	45	509
Scarlet Fever -	11	11	8	6	8	8	6	7	8	6	8	13	9	109
Diphtheria - -	18	16	21	20	20	16	18	19	15	12	16	19	8	216
Whooping-cough -	28	35	51	40	48	31	45	40	42	36	71	63	60	590
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	5	8	2	1	1	6	7	-	6	1	4	5	50
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhoea, Dysentery	10	16	17	17	17	18	12	12	13	15	14	10	18	189
All above Diseases -	104	100	125	115	122	112	120	140	136	104	169	172	145	1664
Dis. of Resp. System	229	260	282	285	208	201	222	232	207	173	177	187	147	2900
Pneumonia - -	217	224	233	241	229	178	210	173	196	180	177	225	208	2692
Phthisis - - -	146	159	184	175	187	147	151	160	157	136	161	156	157	2076
Dis. of Circ. System	200	211	241	249	249	220	253	217	238	182	197	209	181	2837
Violence - - -	65	49	68	57	63	56	60	60	51	66	55	64	50	764
Inquest Cases -	167	133	216	159	182	153	161	152	139	157	153	166	133	2071
Deaths in Institutions	644	605	694	689	648	609	608	625	634	552	621	626	584	8139
TEMPERATURE OF THE AIR.														
Mean - - -	40·7	30·5	36·1	33·0	39·7	39·9	40·6	40·1	42·8	46·1	46·5	49·6	44·1	40·7
Mean of Highest -	43·6	34·3	41·7	37·1	44·6	45·6	48·3	47·2	49·7	55·1	60·8	62·0	53·7	48·0
Mean of Lowest -	37·2	26·6	30·6	27·9	34·5	35·2	32·7	33·4	36·0	37·4	31·1	37·8	37·9	33·7
Mean Humidity of the Air.	81	74	77	76	85	72	81	80	74	64	71	69	-	76
Rain-fall (in inches) -	0·01	0·04	0·19	0·19	0·77	0·29	0·01	0·37	0·40	0·13	0·00	0·17	1·42	3·99
Registered Sunshine (in hours).	3·3	7·2	11·8	17·9	15·0	19·8	11·0	21·9	27·0	50·5	53·5	43·6	18·8	301·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	3405	3292	3176	3059	3035	2933	2878	2878	2826	2734	2657	2621	2637	2934
Scarlet Fever -	934	925	928	932	926	920	922	967	983	1006	1014	996	992	957
Diphtheria - -	2	2	3	3	3	4	4	3	4	3	1	-	-	2
Typhus - - -	108	98	100	94	101	102	103	98	96	94	93	82	75	96

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.L.C.E., Plymouth; A. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and F. Scobey, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Preston; Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTEENTH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 15th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 15th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1526.0	1495	264	237	75	202	280	437	Meningitis (not tuberc.)	16.4	18	5	8	3	1	-	1
									Gen. Par. of Insane, } Insanity - - - - -	16.0	6	-	-	1	2	-	-
									Epilepsy - - - - -	7.6	7	-	1	1	2	1	2
Small-pox*	14.9	-	-	-	-	-	-	-	Convulsions - - - - -	20.5	22	18	4	-	-	-	-
Cowpox - - - - -	-	-	-	-	-	-	-	-	Locomotor Ataxy - -	1.6	4	-	-	-	1	1	2
Measles (Morbilli) - -	67.3	45	9	33	2	-	1	-	Paraplegia, Dis. of Cord	5.3	11	1	1	-	-	3	4
Scarlet Fever - - - -	7.8	9	-	7	2	-	-	-	Nervous Sys., Other Dis.	18.6	22	3	-	1	3	6	9
Gyphus - - - - -	0.4	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	39.3	51	-	1	8	8	16	18
Plague - - - - -	-	-	-	-	-	-	-	-	Cereb. Hem, Cereb. Emb.	33.6	33	-	-	-	3	4	26
Influenza - - - - -	18.6	24	-	-	1	6	7	10	Apoplexy, Hemiplegia	20.1	14	-	-	1	-	2	11
Whooping-cough - - -	48.9	60	27	29	4	-	-	-	Aneurysm - - - - -	4.5	6	-	-	-	2	4	-
Diphtheria - - - - -	16.4	8	1	6	-	-	-	1	Embolism, Thrombosis }	1.0	-	-	-	-	-	-	-
									(not Cerebral)	-	-	-	-	-	-	-	-
Cerebro-spinal Fever -	-	1	-	-	1	-	-	-	Heart & Blood Ves., }	93.9	77	-	2	5	6	14	50
Pyæmia,† (origin un- certain) - - - - -	-	-	-	-	-	-	-	-	Other Dis. - - - - -	-	-	-	-	-	-	-	-
Enteric Fever - - - -	4.1	5	-	-	-	4	1	-	Group (not Spasm: nor }	0.6	1	1	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Membr.) - - - - -	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, }	3.9	6	6	-	-	-	-	-	Bronchitis - - - - -	134.3	121	25	9	-	2	18	67
Infective Enteritis }	9.6	12	9	-	-	2	-	1	Emphysema, Asthma -	6.1	8	-	-	-	-	4	4
Diarrhoea, Dysentery }	0.2	1	-	-	1	-	-	-	Pleurisy - - - - -	3.1	6	-	1	-	2	2	1
Tetanus - - - - -	-	-	-	-	-	-	-	-	Respiratory Dis., Other-	14.3	11	2	2	1	-	1	5
Rabies, Hydrophobia -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	0.6	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	8.6	8	5	-	-	1	-	2
Anthrax (Splemic Fever)-	-	-	-	-	-	-	-	-	Gastro-enteritis - - -	4.1	5	4	1	-	-	-	-
Venerical Dis. - - - -	8.2	7	4	-	-	2	1	-	Peritonitis (not Puerp.)	2.9	3	-	-	-	2	-	-
Puerperal Septicæmia -	2.9	2	-	-	-	1	1	-	Cirrhosis of Liver - -	13.1	10	-	-	-	-	7	1
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis., Other - -	5.5	4	1	-	-	-	1	1
Puerperal Fever - - -	0.6	1	-	-	-	1	-	-	Digestive Sys., Other Dis.	35.2	24	3	1	2	5	9	4
Infective Endocarditis -	2.9	2	-	-	1	-	1	-	Acute Nephritis - - -	7.4	5	-	1	-	-	3	1
Lobar - - - - -	14.1	27	1	2	1	5	12	6	Bright's Dis., Albumin-	38.3	35	-	1	-	6	12	16
Broncho - - - - -	71.0	95	26	52	1	4	3	9	uria - - - - -	-	-	-	-	-	2	4	7
Epidemic - - - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	7.4	13	-	-	-	-	-	-
Not defined - - - -	67.5	86	8	18	4	15	19	22	Generative Organs Dis.-	3.7	3	1	-	-	-	2	-
Erysipelas - - - - -	1.6	5	2	1	-	1	-	1	Childbirth (Accid. of) -	3.5	2	-	-	-	1	1	-
Septicæmia (not Puer- peral) - - - - -	1.2	-	-	-	-	-	-	-	Old Age - - - - -	56.3	70	-	-	-	-	4	70
Pyæmia (not Puerperal)	1.6	-	-	-	-	-	-	-	Other Diseases - - -	105.0	72	37	14	2	6	4	9
Other Infective Processes	8.2	5	1	-	-	1	1	2	ACCIDENT.	-	-	-	-	-	-	-	-
Tuberculous Phthisis -	77.2	98	2	2	7	46	35	6	By Railways - - - - -	2.0	-	-	-	-	-	-	-
"Phthisis" - - - - -	77.6	59	-	-	5	26	18	10	By Vehicles and Horses-	5.5	3	-	1	2	-	-	-
Tuberculous Meningitis	20.1	24	2	16	6	-	-	-	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	7.6	13	3	7	2	1	-	-	(exclusive of Drown-	0.4	-	-	-	-	-	-	-
Tubes Mesenterica - -	3.1	3	3	-	-	-	-	-	ing) - - - - -	-	-	-	-	-	-	-	-
Tuberculous Dis., Other	21.3	28	6	8	4	6	3	1	In Building Operations-	1.2	-	-	-	-	-	-	-
Scrofula - - - - -	-	-	-	-	-	-	-	-	In Conflagrations - -	0.6	1	-	1	-	-	-	-
Alcoholism - - - - -	10.2	8	-	-	-	2	5	1	By Burns, Scalds, Ex-	6.1	5	-	4	-	-	-	1
Rheumatic Fever - - -	5.3	8	-	-	3	3	-	2	plosions - - - - -	-	-	-	-	-	-	-	-
Gout - - - - -	1.8	1	-	-	-	-	-	1	By Drowning - - - - -	3.5	4	-	-	-	2	2	-
Carcinoma - - - - -	53.2	56	-	-	-	5	27	24	By Suffocation in Bed	7.8	5	5	-	-	-	-	-
Sarcoma - - - - -	4.9	2	-	-	-	-	2	-	By Poisons or Poisonous	2.5	-	-	-	-	-	-	-
Cancer (undefined) - -	32.1	28	-	-	-	3	8	17	Vapours - - - - -	-	-	-	-	-	-	-	-
Diabetes Mellitus - - -	6.8	2	-	-	-	-	2	-	Other Deaths by Acci-	13.9	15	-	2	2	1	6	4
Premature Birth - - -	48.9	42	42	-	-	-	-	-	dent - - - - -	-	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
									ACCIDENTAL.	-	-	-	-	-	-	-	-
									Homicide - - - - -	0.8	5	1	-	1	2	-	1
									Suicide - - - - -	11.3	12	-	-	1	3	7	1
									Execution - - - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th April, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin uncertain.	Diarrhœa.	Violence.	Inquest Cases.				
LONDON - - -	4 536,429	2532	1495	264	437	-	45	9	8	60	-	5	-	18	50	133	584	4		
WEST DISTRICTS - - -	805,311	378	255	49	83	-	6	-	1	8	-	2	-	5	5	19	97	-		
NORTH DISTRICTS - - -	1,056,070	555	319	41	121	-	10	4	4	11	-	-	-	1	9	29	98	2		
CENTRAL DISTRICTS - - -	209,465	108	81	15	16	-	1	-	3	11	-	-	-	1	4	6	44	-		
EAST DISTRICTS - - -	715,739	511	278	57	60	-	11	-	2	11	-	3	-	4	7	29	131	1		
SOUTH DISTRICTS - - -	1,749,844	980	517	102	143	-	17	3	1	19	-	-	-	7	25	50	169	1		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	45	-	14	-	-	2	-	-	-	-	-	-	-	-	45	-		
WEST DISTRICTS.																				
St. Mary Paddington W,3H - -	93,178	51	30	8	6	-	-	-	-	1	-	-	-	2	-	-	13	-		
St. John Paddington H - - -	33,617	6	13	3	5	-	-	-	-	-	-	-	-	-	-	-	6	-		
North-West Paddington - - -	17,181	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	55	46	5	22	-	-	-	-	2	-	1	-	1	1	4	22	-		
Brompton 2H - - -	48,591	8	7	-	4	-	-	-	-	-	-	-	-	-	1	1	2	-		
North Hammersmith 2W,w,H - -	49,192	29	21	4	6	-	1	-	-	-	-	-	-	-	-	1	5	-		
South Hammersmith w,2H - -	63,047	37	24	7	4	-	1	-	-	1	-	1	-	-	1	6	4	-		
North-west Fulham W - - -	45,180	47	24	6	5	-	4	-	-	1	-	-	-	1	-	2	7	-		
North-east Fulham F - - -	46,405	27	14	5	3	-	-	-	1	1	-	-	-	-	1	1	2	-		
South Fulham W - - -	45,704	25	12	2	4	-	-	-	-	2	-	-	-	-	-	1	-	-		
Chelsea North W,w,3H - - -	42,514	12	19	2	12	-	-	-	-	-	-	-	-	-	-	-	14	-		
Chelsea South W,2H - - -	31,338	20	12	3	4	-	-	-	-	-	-	-	-	1	-	1	6	-		
Mayfair and Knightsbridge - -	28,743	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	55,815	10	11	-	4	-	-	-	-	-	-	-	-	-	-	-	5	-		
St. Margaret & St. John 5H - -	43,698	20	14	3	1	-	-	-	-	-	-	-	-	-	1	2	10	-		
St. James and St. Anne W,6H - -	33,081	14	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - - -	35,391	6	9	1	2	-	-	-	-	-	-	-	-	-	-	1	4	-		
St. Mary, Marylebone W,4H - -	37,948	42	6	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-		
Christchurch Marylebone - - -	39,536	16	9	2	4	-	-	-	-	-	-	-	-	-	1	3	-	-		
St. John Marylebone 2H - - -	20,426	4	6	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
Hampstead W,F,7H - - -	81,942	20	23	1	7	-	2	2	1	1	-	-	-	-	-	-	7	-		
West St. Pancras 2H - - -	60,562	30	13	4	3	-	1	-	-	-	-	-	-	-	1	2	2	-		
South St. Pancras w,11H - - -	55,707	26	23	4	8	-	-	-	1	1	-	-	-	-	-	3	14	-		
East St. Pancras W,2H - - -	60,320	39	26	2	11	-	1	-	-	-	-	-	-	-	-	-	12	-		
North St. Pancras 2W - - -	58,728	33	12	2	5	-	-	-	-	1	-	-	-	-	-	-	2	-		
Tufnell W - - -	31,995	17	22	5	11	-	1	-	-	2	-	-	-	-	-	1	14	-		
Upper Holloway 2W,w,H - - -	33,878	22	28	1	9	-	-	-	-	-	-	-	-	-	1	2	20	-		
Tollington WH - - -	33,922	18	9	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-		
Lower Holloway - - -	41,424	22	8	3	3	-	-	-	-	2	-	-	-	-	-	-	-	-		
Barnsbury - - -	54,478	48	10	-	3	-	2	-	-	-	-	-	-	-	1	1	-	-		
Islington South-east F - - -	75,397	48	20	1	10	-	-	-	2	-	-	-	-	-	-	-	-	-		
Highbury 2H - - -	63,797	19	14	2	5	-	-	-	-	2	-	-	-	-	-	2	1	-		
Stoke Newington H - - -	51,247	17	16	2	8	-	-	-	-	-	-	-	-	1	-	1	-	-		
North Hackney - - -	50,560	17	6	-	4	-	-	-	-	-	-	-	-	-	1	1	-	-		
Central Hackney 2w,F - - -	50,536	33	21	7	3	-	1	2	-	1	-	-	-	-	1	2	3	-		
South-west Hackney 3E - - -	59,921	47	18	4	8	-	-	-	-	-	-	-	-	-	2	4	7	-		
South-east Hackney 2W,w,H - -	58,255	51	20	-	7	-	1	-	-	1	-	-	-	-	1	3	10	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th April, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Un- certified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pneumonia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury 2W,2H -	31,436	22	10	3	5	-	-	-	-	-	2	-	-	-	-	-	-	3	-	
Strand W,4H - - - - -	21,674	3	11	1	3	-	-	-	-	-	-	-	-	-	-	-	2	3	10	
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn W,6H - - - - -	39,612	10	19	4	1	-	-	-	-	-	3	-	-	-	-	-	-	-	16	
South Clerkenwell - - - - -	28,676	17	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - - - -	35,028	23	9	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Finsbury 3H,L - - - - -	36,116	26	8	3	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	
Holborn Union Workhouse, } Micklem - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Botolph H - - - - -	10,299	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows W,2H	16,824	3	16	2	1	-	-	-	-	-	2	-	-	-	-	-	2	2	13	
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
Shoreditch South H - - - - -	46,362	24	11	1	2	-	-	-	-	-	1	-	-	-	-	1	1	2	-	
Shoreditch North-West W,w,H -	36,127	25	31	7	12	-	4	-	-	-	1	-	-	-	-	-	-	20	-	
Shoreditch North-East - - - - -	34,148	20	10	2	2	-	1	-	-	-	1	-	-	-	-	-	1	-	-	
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2W } 2HL - - - - -	65,133	40	35	8	8	-	1	-	-	-	-	-	-	-	-	-	2	22	-	
Bethnal Green South-West H - -	64,542	44	17	5	1	-	-	-	-	-	-	-	-	-	1	1	3	2	-	
Spitalfields - - - - -	27,969	23	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town W,H - - -	28,718	43	34	3	4	-	-	-	-	-	-	-	-	-	-	1	5	29	1	
Goodman's Fields - - - - -	22,081	20	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George and St. John 2W - -	49,068	52	20	1	5	-	1	-	-	2	-	-	-	-	-	-	3	9	-	
Shadwell and Ratcliff W,H - -	25,568	11	19	6	-	-	1	-	2	3	-	-	-	-	-	-	2	14	-	
Limehouse W - - - - -	32,369	20	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End Old Town South- } Western H - - - - -	63,698	57	11	3	3	-	-	-	-	-	-	-	-	-	1	-	1	2	-	
Mile End Old Town North- } Eastern W,w - - - - -	49,129	23	16	1	7	-	-	-	-	-	-	-	-	-	-	1	2	12	-	
Bow L - - - - -	41,939	27	8	3	1	-	-	-	-	1	-	-	-	-	-	2	3	-	-	
Bromley 3W,H - - - - -	63,319	40	38	9	9	-	2	-	-	2	-	-	-	-	-	1	5	18	-	
Poplar W,w - - - - -	58,514	42	16	4	4	-	1	-	-	-	-	-	-	-	-	1	1	1	-	

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th April, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of	Deaths from														
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea	Violence.	Inquest Cases.			
SOUTH DISTRICTS.																				
Christchurch and St. Saviour		23,319	15	16	1	1	-	-	-	-	-	-	-	-	-	3	4	15		
Southwark W,2H		21,904	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Kent-road		39,094	25	11	5	-	-	-	-	1	2	-	-	-	-	-	1	4	1	
St. George the Martyr West		49,022	33	16	5	1	-	4	-	-	1	-	-	-	1	2	4	1	-	
W,2H,L		72,341	41	19	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington North		9,817	9	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
Newington South W		82,483	42	18	8	4	-	1	-	-	2	-	-	-	-	2	5	1	9	
St. Olave 2W		38,480	26	19	4	4	-	1	-	-	-	-	-	-	-	1	1	9	-	
Bermondsey W																				
Rotherhithe W,F																				
Waterloo 2H		27,440	30	10	2	1	-	-	-	-	-	-	-	-	2	2	3	3	-	
Lambeth Church H		27,440	20	25	4	1	-	-	-	-	1	-	-	-	2	1	2	19	-	
Kennington 2W		52,518	31	23	3	7	-	-	-	-	-	-	-	-	-	1	1	10	-	
Stockwell HF		63,826	37	12	5	4	-	-	-	-	1	-	-	-	-	1	2	4	-	
Brixton H		73,673	35	18	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	
Norwood WH		56,998	25	13	2	7	-	1	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H		72,203	43	19	6	4	-	-	-	-	-	-	-	-	1	3	8	-	-	
North-west Battersea		49,656	26	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea 2W,H		47,048	17	31	3	12	-	-	-	1	-	-	-	-	-	1	2	23	-	
Clapham 2H		51,381	23	15	3	6	-	-	-	-	-	-	-	-	-	1	1	1	-	
Streatham W,2w,2F,2L		88,019	55	21	3	9	-	-	1	-	1	-	-	-	-	2	2	6	-	
Springfield 2W,L		27,959	17	10	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H		40,444	28	6	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
Putney		34,139	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich		13,359	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w		40,206	18	30	2	16	-	1	-	-	-	-	-	-	-	-	-	20	-	
Camberwell North W,2L		65,584	33	26	1	6	-	1	-	-	1	-	-	-	-	2	3	14	-	
St George		47,331	27	7	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Peckham North		48,913	34	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham South 2W,w		43,946	22	7	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	
Deptford North		37,813	25	13	2	1	-	1	-	-	2	-	2	-	-	-	-	-	-	
Deptford Central F		45,481	26	9	1	1	-	1	1	-	-	-	2	-	-	-	-	3	-	
Deptford South		34,625	10	5	3	1	-	1	-	-	1	-	-	-	-	1	-	-	-	
Greenwich West 2H		23,456	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W,H		43,859	22	25	3	12	-	2	-	-	-	-	-	-	-	1	2	17	-	
Eltham w,H		7,228	7	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Lee w,H		25,490	5	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-	
Lewisham W,w,F		68,352	32	18	1	8	-	1	1	-	-	-	-	-	1	2	3	10	-	
Sydenham H		43,853	27	9	2	4	-	-	-	-	1	-	-	-	-	1	1	1	-	
Charlton F,2H		21,134	9	4	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	
Woolwich 5H		41,825	23	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead West W		18,063	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H		50,261	31	11	1	5	-	-	-	-	-	-	-	-	1	-	-	4	-	
Workhouse:-																				
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)				1	-	-												1		
M. A. B. Small-pox Hospitals:-																				
Joyce Green																				
Long Reach																				
M. A. B. Fever Hospitals:-																				
Gore Farm (temporary)																		2		
North-Eastern																				
Northern																				
M. A. B. Imbecile Asylums:-																				
Belmont				2														2		
Caterham				6														6		
Darenth				2														2		
Leavesden				5														5		
London County Lunatic Asylums:-																				
Banstead				5														5		
Ewell (Epileptic Colony)																				
Horton				3														3		
Manor				1														1		
Cane Hill																				
Dartford Heath				3														3		
Hanwell				4														4		
Colney Hatch				3														3		
Claybury				3														3		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th April, 1907.

REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
LONDON—OUTER RING		368,302	2,044,973	1380	601	133	182	-	24	4	11	39	2	4	17	36	93	4		
1	Carshalton 2F,3H	12,228	32,997	19	11	2	3	-	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	8	4	1	2	-	-	-	-	-	-	-	-	-	-	2		
3	Godstone, part of* W,F,L	2,754	2,892	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Coulsdon	11,089	8,166	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
5	South Croydon w	4,200	49,309	27	8	1	2	-	-	-	-	-	-	-	-	-	-	-		
6	West Croydon 3W,F,H	2,168	42,888	35	25	6	6	-	-	-	1	-	-	-	1	3	10	1		
7	North Croydon H	2,644	41,698	13	8	2	4	-	-	-	1	-	-	-	-	-	-	-		
8	Penge w,H	770	22,466	6	8	2	2	-	-	-	1	1	-	-	-	1	2	1		
9	Mitcham	11,711	30,015	26	13	2	5	-	-	-	-	-	-	-	-	-	-	-		
10	Wimbledon F,3H	3,221	41,652	25	9	3	4	-	-	-	3	-	-	-	1	2	-	-		
11	Kingston 2W,H	6,224	42,068	24	21	4	9	-	1	-	1	-	-	-	1	1	10	-		
12	Surbiton F,H	3,046	15,017	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
13	Esher, part of* H	6,402	13,100	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
14	Hampton H,F,L	4,584	23,456	8	10	2	6	-	-	-	3	-	-	-	-	-	-	-		
15	Richmond W,H	2,162	28,865	5	5	1	2	-	-	-	-	-	-	-	-	-	-	-		
16	Mortlake F	2,847	20,628	13	7	2	3	-	-	-	-	-	-	-	-	-	-	-		
17	Bromley F,2H	4,703	27,354	14	7	2	-	-	-	2	-	-	-	-	-	-	3	-		
18	Beckenham H	7,825	28,497	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
19	Orpington part of* W	10,113	9,857	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-		
20	Chislehurst 2H	7,333	16,446	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
21	Bexley w,F,H	8,678	21,151	15	7	1	1	-	-	-	-	-	-	-	-	-	-	-		
22	Erith F,H	3,854	25,296	22	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
23	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
24	Sunbury w	11,054	18,683	16	6	-	3	-	-	-	1	-	-	-	-	-	-	-		
25	Staines W,H	13,277	15,178	10	4	-	1	-	-	-	-	-	-	-	-	-	1	-		
26	Hillingdon W,F,H	6,035	13,661	17	6	-	5	-	-	-	-	-	-	-	-	-	-	1		
27	Uxbridge H	12,757	8,984	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
28	Hayes w2F,H	8,066	16,356	15	4	1	2	-	-	-	-	-	-	-	-	-	2	-		
29	Isleworth 3W,3F,H	6,859	30,863	20	20	2	10	-	-	-	-	-	-	-	-	1	11	-		
30	Twickenham F,2H	2,421	20,991	28	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
31	Brentford 3F,2H	4,319	48,289	43	17	6	-	-	1	1	1	-	-	-	1	2	2	-		
32	Chiswick H	1,249	29,809	19	5	1	1	-	1	-	-	-	-	-	-	-	-	-		
33	Acton w,F,3H	6,132	48,914	42	21	5	8	-	-	-	2	-	-	-	1	1	1	-		
34	Harrow F,H	13,809	25,523	17	3	1	1	-	-	-	-	1	-	-	-	-	-	-		
35	Edgware 2F,2H	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
36	Willesden W,F,2H	4,384	114,811	96	26	5	7	-	-	-	1	4	-	-	-	-	2	1		
37	Hendon W,F	8,582	22,450	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
38	South Mimms 2F,H	17,755	7,308	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
39	Barnet W,2H	3,324	17,970	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
40	Finchley F,2H	4,688	33,692	25	9	2	3	-	2	-	-	2	-	-	-	-	-	-		
41	Hornsey F,H	2,875	72,056	36	14	4	3	-	-	-	1	2	-	-	1	1	1	-		
42	Wood Green H	1,625	34,233	22	9	1	2	-	4	-	-	-	-	-	-	-	-	-		
43	West Tottenham F	996	48,853	41	11	2	4	-	1	-	-	1	-	-	2	3	2	-		
44	East Tottenham 2H	2,017	53,688	39	22	4	5	-	3	-	-	1	-	-	-	3	7	-		
45	Edmonton W,w,2F	7,491	61,892	54	24	4	7	-	-	-	1	-	-	-	1	2	7	2		
46	Enfield 2W,F,H	12,601	42,738	28	8	1	3	-	-	-	-	-	-	-	2	3	2	-		
47	Waltham Abbey F	11,017	6,549	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
48	Cheshunt F,H	8,479	12,292	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
49	Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
50	Bushey H	9,393	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
51	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
52	Stratford H	1,072	44,827	31	17	6	5	-	1	-	-	-	-	-	1	1	1	-		
53	Plaistow F,2H	1,249	90,921	83	30	10	4	-	3	-	-	5	-	-	1	1	2	-		
54	Canning Town H	1,558	70,718	52	22	10	3	-	1	-	-	1	-	-	-	-	-	-		
55	Forest Gate w	806	60,892	27	22	6	10	-	1	-	-	2	-	-	-	-	-	-		
56	North East Ham w,H	1,333	58,676	38	20	8	6	-	-	-	-	5	-	-	-	-	-	-		
57	South East Ham 2F	1,993	57,342	29	13	4	3	-	1	-	-	1	-	-	-	2	1	-		
58	Wanstead F	1,879	9,179	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
59	South Leyton 2W	631	50,467	17	9	1	7	-	-	-	-	-	-	-	-	-	-	7		
60	North Leyton 2W,w,F	1,963	48,445	29	26	1	2	-	3	-	1	1	1	2	-	-	16	-		
61	Walthamstow 2H,L	6,504	108,929	82	24	6	8	-	-	-	-	1	-	-	-	-	-	-		
62	Chigwell 2F,3H	11,778	16,397	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
63	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1		
64	Romford, part of* W,2F	6,556	6,091	5	2	-	-	-	-	-	1	-	-	-	-	-	-	2		
65	Ilford F,L	38,496	41,234	32	10	2	2	-	-	-	-	-	-	-	-	-	-	-		
66	Barking Town F	3,803	21,547	18	7	2	1	-	-	-	1	1	-	-	1	2	1	-		
North-Eastern Hosp., Tot- tenham.		-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1		
Essex County Lunatic Asylum.		-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Asstead parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	April 13	2532	1495	16·4	-	45	9	9	60	5	18
CALCUTTA - -	977,822	March 16	-	631	38·7	66	4	-	2	-	181	121
BOMBAY - -	982,000	" 26	331	1323	70·3	6	1	-	-	-	743	61
MADRAS - -	509,346	" 15	288	382	38·9	4	9	?	?	?	94	83
PARIS - -	2,750,000	April 6	1074	1162	22·2	-	14	10	6	2	3	30
BRUSSELS - -	612,401	" 6	233	167	13·9	-	2	-	5	-	-	3
ANTWERP - -	297,311	" 6	141	83	13·9	-	-	-	1	3	-	2
AMSTERDAM - -	564,194	" 6	313	156	14·4	-	2	1	1	2	-	9
COPENHAGEN - -	427,000	" 6	289	168	20·5	-	-	1	-	2	-	1
STOCKHOLM - -	324,488	March 30	158	97	15·2	-	-	-	-	-	-	3
CHRISTIANIA - -	226,472	April 6	77	62	14·2	-	2	-	-	-	-	-
ST. PETERSBURG - -	1,482,769	March 23	466	865	30·3	-	33	24	35	3	24	88
MOSCOW - -	1,172,421	" 30	-	657	29·2	1	27	9	9	2	9	68
BERLIN - -	2,097,005	" 23	914	672	16·7	-	4	4	11	3	1	33
HAMBURG - -	824,792	April 6	-	274	17·3	-	1	-	4	-	1	13
BRESLAU - -	482,573	March 30	-	214	23·1	-	1	1	1	4	1	14
MUNICH - -	548,000	" 30	297	191	18·1	-	10	-	7	2	-	10
		April 6	-	221	21·0	-	9	-	6	1	-	18
VIENNA - -	1,958,323	" 6	1081	802	20·9	-	28	7	6	4	1	36
PRAGUE - -	466,133	March 30	164	225	25·1	-	6	1	1	-	1	18
BUDA-PESTH - -	802,235	" 30	466	335	21·7	-	2	8	4	1	-	12
TRIESTE - -	199,003	April 6	113	159	41·1	1	2	-	-	2	-	2
ROME - -	531,818	February 16	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,288	March 30	98	81	24·2	-	-	1	-	1	-	2
BUCHAREST - -	291,138	April 6	186	158	28·2	-	1	1	-	2	-	1
NEW YORK - -	4,235,435	March 30	2265	1631	19·9	-	5	17	41	9	15	65
CHICAGO - -	2,107,620	" 30	-	744	18·4	-	3	16	8	8	5	30
PHILADELPHIA - -	1,500,595	" 16	-	688	23·8	-	-	2	9	4	38	20
RIO DE JANEIRO - -	912,900	" 10	-	301	17·2	1	-	-	2	1	3	?

* Excluding deaths from croup in the Indian Cities.

† Including 95 deaths from plague in Calcutta, 653 in Bombay, and 3 in Rio de Janeiro.

‡ Including 50 deaths from cholera in Calcutta, 5 in Bombay, and 10 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th April, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	58·3	32·3	45·8	1·42	LEEDS - - -	53·0	37·0	44·3	0·56
BRIGHTON - -	58·1	33·9	44·5	0·87	YORK - - -	55·0	37·0	44·8	0·06
PORTSMOUTH - -	54·2	34·0	45·1	0·95	HULL - - -	53·0	35·0	44·5	0·07
NORWICH - -	?	?	?	?	TYNEMOUTH - -	48·0	35·0	41·7	0·38
PLYMOUTH - -	57·0	37·5	46·3	1·35	CARDIFF - - -	53·9	32·0	44·4	1·55
BRISTOL - -	55·1	34·2	45·2	1·21	EDINBURGH - -	48·1	35·9	41·8	0·33
BIRMINGHAM - -	51·8	34·2	42·9	1·02	GLASGOW - - -	54·8	35·5	43·6	0·53
NOTTINGHAM - -	53·2	32·2	43·9	0·70	DUBLIN { Phoenix Park, Fitz- william Square.†	55·8	32·1	42·7	1·09
LIVERPOOL - -	53·0	37·0	44·0	0·22		54·8	34·9	44·7	1·09
OBSERVATORY. }	52·7	33·8	43·1	0·25					
MANCHESTER - -	51·5	37·5	44·1	0·07	BELFAST - - -	54·5	35·0	43·5	0·10
PRESTON - -	50·2	34·5	41·6	1·07					
HUDDERSFIELD - -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

The results apply to the civil day, or from midnight to midnight. The height of the stem of the barometer is 159 feet above the sea level of the sea, and no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 65 years ending 1868, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates *higher*, and - *lower*, than the average. The values given in column 7 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—F, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 28.19 in. at the beginning of the week to 28.11 in. by 6h. A.M. on the 7th; increased to 29.67 in. by 10h. A.M. on the 10th; decreased to 28.22 in. by 6h. A.M. on the 13th; and increased to 28.49 in. by midnight on the same day.

Overcast in morning with rain and snow between 2h. 30m. and 9h. A.M.; fine and variably cloudy with occasional slight rain afterwards; gloomy at times in forenoon.

Generally overcast; continuous rain between 4h. and 8h. A.M., and occasional slight rain afterwards.

Generally overcast; a few drops of rain at times.

Generally cloudy till evening; fine at night; fog prevalent in morning and again in evening; lightning and thunder with heavy rain and hail at and about 3h. P.M.; slight rain continuing till 5h. 30m. P.M.

Generally cloudy; slight fog in early morning.

Overcast; frequent rain after 1h. P.M.; brisk wind prevalent after 10h. A.M.

Overcast with rain in early morning; very fine generally after 6h. A.M.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th April, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	13	3	-	-	-	-	1	-	-
Kensington - - -	181,842	-	9	3	-	1	1	-	1	-	-
Hammer-smith - -	122,337	-	8	5	-	2	-	-	-	1	-
Fulham - - -	166,749	-	13	7	-	1	-	-	2	-	-
Chelsea - - -	74,857	-	3	1	-	-	-	-	-	-	-
City of Westminster -	172,219	-	8	8	-	2	-	-	2	-	-
NORTH.											
St. Marylebone - -	127,718	1	12	2	-	-	-	-	3	-	-
Hampstead - - -	91,137	-	4	3	-	-	-	-	1	-	-
St. Pancras - - -	236,753	-	12	7	-	-	-	-	3	-	-
Islington - - -	347,017	-	19	8	-	5	-	-	4	-	-
Stoke Newington - -	53,613	-	4	2	-	-	-	-	1	-	-
Hackney - - -	232,993	-	27	7	-	-	-	-	5	1	-
CENTRAL.											
Holborn - - -	55,134	-	1	3	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	4	1	-	1	-	-	-	-	-
City of London - -	20,310	-	1	3	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	15	6	-	-	-	-	2	-	1
Bethnal Green - -	130,831	-	17	5	-	1	-	-	6	-	1
Stepney - - -	308,923	-	31	13	-	1	-	-	6	-	-
Poplar - - -	171,086	-	15	6	-	2	-	-	4	-	1
SOUTH.											
Southwark - - -	209,731	-	25	6	-	2	-	-	4	-	-
Bermondsey - - -	128,263	-	12	11	-	1	-	-	3	-	-
Lambeth - - -	318,538	-	24	11	-	2	-	-	3	1	1
Battersea - - -	181,736	-	25	9	-	3	-	-	1	-	1
Wandsworth - - -	281,419	-	20	11	-	1	-	-	8	-	-
Camberwell - - -	277,059	-	24	4	-	2	-	-	4	-	-
Deptford - - -	116,510	-	14	6	-	1	-	-	4	-	-
Greenwich - - -	107,222	-	11	6	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	13	5	-	-	-	-	3	1	-
Woolwich - - -	129,336	-	17	6	-	1	-	-	-	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,213											
		1	401	168	-	29	1	-	70	5	5
Ages											
0-1 - - -	-	-	3	8	-	-	-	-	5	-	-
" 1-5 - - -	-	1	115	75	-	3	-	-	5	-	1
" 5- - - -	-	-	140	50	-	2	-	-	3	-	2
" 10- - - -	-	-	72	10	-	4	-	-	1	-	-
" 15- - - -	-	-	28	11	-	5	-	-	3	-	1
" 20- - - -	-	-	29	4	-	4	-	-	1	-	1
" 25- - - -	-	-	10	4	-	6	-	-	7	4	-
" 35- - - -	-	-	3	3	-	3	-	-	12	1	-
" 45- - - -	-	-	-	2	-	1	1	-	14	-	-
" 55- - - -	-	-	1	1	-	1	-	-	7	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	12	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING TO THE COUNTY OF LONDON AND THE METROPOLITAN BOROUGH, REGISTERED IN THE 13 WEEKS ENDED 30th MARCH, 1907.

BOROUGH.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia* (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON -	21,968	-	461	104	222	534	-	56	1	193	2,056	4,195	132
West.													
PADDINGTON - - -	645	-	2	5	4	25	-	2	-	4	51	100	126
KENSINGTON - - -	826	-	2	3	3	27	-	2	-	5	53	149	169
HAMMERSMITH - - -	559	-	10	3	7	8	-	1	-	2	49	111	139
FULHAM - - -	698	-	13	1	15	28	-	1	-	13	59	176	147
CHELSEA - - -	325	-	-	-	2	2	-	1	-	4	34	51	129
CITY OF WESTMINSTER -	760	-	2	5	9	4	-	2	-	7	72	103	141
North.													
ST. MARYLEBONE - - -	632	-	-	3	4	6	-	1	-	2	60	92	92
HAMPSTEAD - - -	276	-	2	2	3	5	-	2	-	2	23	35	99
ST. PANCRAS - - -	1,134	-	2	5	4	21	-	-	-	4	139	158	109
ISLINGTON - - -	1,640	-	4	5	5	48	-	3	-	13	132	321	148
STOKE NEWINGTON - - -	190	-	-	1	2	5	-	-	-	2	12	30	124
HACKNEY - - -	1,044	-	19	4	12	35	-	6	-	14	92	210	140
Central.													
HOLBORN - - -	301	-	-	-	3	7	-	1	-	4	40	38	100
FINSBURY - - -	567	-	2	1	4	17	-	-	-	4	69	118	140
CITY OF LONDON - - -	99	-	-	-	-	-	-	1	-	-	12	9	132
East.													
SHOREDITCH - - -	734	-	40	5	9	26	-	3	-	4	72	163	179
BETHNAL GREEN - - -	715	-	31	6	7	19	-	-	-	4	90	147	131
STEPNEY - - -	1,460	-	86	4	22	12	-	8	-	17	144	331	122
POPLAR - - -	802	-	23	4	14	8	-	3	-	7	70	139	105
South.													
SOUTHWARK - - -	1,144	-	6	9	10	51	-	4	-	13	137	241	148
BERMONDSEY - - -	768	-	22	11	5	20	-	3	-	5	76	162	154
LAMBETH - - -	1,485	-	9	6	13	40	-	2	-	15	144	288	128
BATTERSEA - - -	732	-	4	2	12	12	-	1	-	7	86	148	129
WANDSWORTH - - -	1,025	-	11	2	14	22	-	1	-	13	76	193	111
CAMBERWELL - - -	1,282	-	55	10	8	44	-	2	-	11	102	259	154
DEPTFORD - - -	536	-	20	3	14	8	-	2	1	4	41	110	129
GREENWICH - - -	432	-	29	-	5	3	-	1	-	3	35	73	107
LEWISHAM - - -	588	-	3	1	8	29	-	1	-	6	45	108	117
WOOLWICH - - -	579	-	64	3	4	2	-	2	-	4	41	132	150

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 733 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 748 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MARCH, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th April, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of March.

Twelve samples were collected in each of the eight districts, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	March 18th. Cab Rank, Victoria Street, near Christ Church.	6·5	31·10	·210	·021	0	·281	·207	1·9	21·5
West Middlesex - -	March 18th. Cab Rank, Albert Road, N.W.	6·5	29·58	·201	·017	0	·247	·264	1·8	20·3
Southwark - - - -	March 18th. Cab Rank, St. George's Church, Borough.	8·0	31·14	·185	·021	0	·261	·282	1·9	21·2
Grand Junction - -	March 18th. Cab Rank, Pickering Place, Westbourne Grove.	6·8	29·30	·200	·019	0	·223	·242	1·7	20·4
Lambeth - - - -	March 18th. Cab Rank, St. George's Church, Southwark.	7·0	31·42	·206	·020	0	·284	·304	1·9	22·1
LEA, WELLS, & C.										
New River - - - -	March 18th. Cab Rank by Canonbury Station.	7·1	30·98	·075	·010	0	·280	·290	1·8	21·3
Eastern - - - -	March 18th. Poplar Police Station.	7·0	36·80	·180	·017	0	·315	·332	2·15	25·1
DEEP WELLS.										
Kent - - - -	March 18th. Cab Rank by Woolwich Arsenal Station.	10·0	48·68	·060	·005	0	·613	·618	4·05	31·3
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to read thus:—the water collected in the Chelsea district at the Water Board, at the cab-rank in Victoria Street on the 18th March, had a temperature of 6·5° C.; 100,000 lbs. of it contained 31·10 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·210 lb. of carbon and ·021 lb. of nitrogen. The above quantity of water also contained ·281 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·302 lb. The above weight of water also contained 1·9 lbs. of chlorine and 21·5 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples taken on the 18th March were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was:—Kent, 1·1; New River, 1·4; Eastern, 3·3; Southwark, 3·5; West Middlesex and Grand Junction, 3·7; Lambeth, 3·8; and Chelsea, 3·9.

The average amount of organic impurity found in the five filtered supplies obtained from the Thames was only slightly higher than was observed in the corresponding February examination, and all the samples were clear and of good quality.

The New River district water, sampled on the 18th March, contained only a small proportion of organic matter, and was of very good quality. The Eastern district filtered water, obtained chiefly from the River Lea, was clear, and with regard to organic matter was of the same quality as the best of the Thames-derived waters.

The Kent district deep-well water, collected near the Plumstead pumping station, was of high organic purity, but as usual of a somewhat greater degree of hardness than the supplies obtained from other wells in the Kent area.

Seen through a stratum two feet deep the Kent district water was colourless, and that from the New River area nearly colourless; the six remaining district supplies had a very pale yellow tint.

In addition to the above analytical examination the 96 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	“Oxygen consumed.”						“Albuminoid Ammonia.”		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·122	·082	·107	·135	·095	·118	·011	·009	·010
West Middlesex	·104	·080	·092	·113	·086	·100	·0085	·0075	·008
Southwark	·116	·080	·091	·121	·086	·098	·010	·0065	·008
Grand Junction	·106	·082	·093	·131	·090	·105	·0105	·008	·0095
Lambeth	·129	·090	·103	·137	·098	·110	·0095	·0075	·009
LEA, WELLS, THAMES, ETC.									
New River	·069	·026	·043	·076	·026	·047	·0045	·0025	·0035
Eastern	·122	·068	·089	·137	·071	·097	·008	·0065	·007
DEEP WELLS.									
Kent	·011	·008	·010	·013	·009	·011	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The above results show that the average organic purity of the five filtered Thames supplies was practically identical with that found in February, and all the samples tested were of good quality.

The mean amount of organic matter found in the New River district water was less than in February, and the supply was of good quality throughout the month. The Eastern district water was, on the average, of the same quality as the best of the Thames waters.

All the samples of deep-well water collected in the Kent district were of high organic purity and very good quality.

The whole of the 96 samples examined during March were clear, with the exception of one of the Grand Junction samples which was very slightly opalescent.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.O.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of March, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 196 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	MARCH, 1906.	MARCH, 1907.	MARCH, 1906.	MARCH, 1907.
TOTAL SUPPLY - - - -	1,043,293	1,061,428	203,285,721	207,735,440
New River - - - - -	207,371	210,428	38,962,833	40,590,000
Eastern - - - - -	235,506	238,966	37,756,484	39,151,064
Western .. { Chelsea - - - - -	39,940	39,987	11,659,677	11,720,968
{ Grand Junction - - -	81,776	84,697	16,220,319	16,749,426
{ West Middlesex - - -	92,552	93,059	22,347,308	22,775,225
Southern.. { Lambeth - - - - -	139,945	143,944	23,508,498	23,720,675
{ Southwark and Vauxhall	132,044	133,962	29,061,000	28,874,211
Kent - - - - -	114,159	116,385	17,805,602	19,153,871

Note.—The Return for March, 1907, as compared with that for the corresponding month of 1906, shows an increase of 18,135 services, and of 4,449,719 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 16. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, APRIL 20. [Price 1½d.

*General Register Office, Somerset House,
April 22nd, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 17·7, 17·9, and 16·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·0 in Middlesbrough, 22·1 in Newport (Mon.), 23·1 in Salford, 23·4 in Sunderland, 24·3 in Ipswich, 24·7 in Wigan, 24·8 in St. Helens, and 27·2 in Hanley; from *measles*, 2·7 in Northampton, 3·1 in Middlesbrough, 3·6 in Nottingham, 3·7 in Bolton, and 4·0 in Birkenhead; from *diphtheria*, 1·1 in Swansea, 1·2 in Rochdale, and 1·3 in Reading; from *whooping-cough*, 1·3 in Leyton and in Preston, 1·4 in West Hartlepool, 1·8 in Nottingham and in Salford, and 2·1 in Tottenham; and from "*fever*," 1·2 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2577 BIRTHS and 1469 DEATHS were registered. Allowing for increase of population, the births were 42 above and the deaths 83 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 17·4, 17·8, and 16·4 per 1000 in the preceding three weeks, was 16·1 last week. The death-rate in the four weeks ended last Saturday averaged 16·9 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1469 deaths included 40 from measles, 9 from scarlet fever, 10 from diphtheria, 50 from whooping-cough, 6 from enteric fever, and 13 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 128 deaths were referred to these diseases in the aggregate, being 39 below the corrected average number in the sixteenth week of the preceding five years.

The deaths from *measles*, which had been 59, 63, and 45 in the preceding three weeks, fell to 40 last week, and were 32 below the corrected average; 5 deaths belonged to the Borough of Islington, 4 each to Poplar and Greenwich, and 3 apiece to Hammersmith, Chelsea, and Wandsworth. The deaths from *scarlet fever*, which had been 8, 13, and 9 in the preceding three weeks, were 9 last week, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 16, 19, and 8 in the preceding three weeks, were 10 last week, and were 5 below the corrected average. The deaths from *whooping-cough*, which had been 71, 63, and 60 in the preceding three weeks, further fell to 50 last week, but were 8 above the corrected average; 5 deaths belonged to Kensington, 4 apiece to Islington, Shoreditch, Stepney, Wandsworth, and Camberwell, and 3 apiece to Paddington, Hackney, and Bethnal Green. The deaths from *enteric fever*, which had been 1, 4, and 5 in the preceding three weeks, were 6 last week, and were 4 above the corrected average. The deaths from *diarrhoea*, which had been 14, 11, and 18 in the preceding three weeks, were 13 last week, and were 2 below the corrected average; 3 deaths belonged to St. Pancras. Of the 13 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 16, having been 24, 17, and 24 in the preceding three weeks.

Different forms of *violence* caused 52 deaths, concerning all of which inquests were held. Of these 52 deaths, 14 were cases of suicide, and 2 of homicide, while the remaining 36 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 2 to drowning, and 5, including 4 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2628 cases of scarlet fever, 997 of diphtheria, and 69 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 361 cases, against 330, 352, and 296; of diphtheria, 125 cases, against 156, 120, and 123; and of enteric fever, 12 cases, against 8, 19, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 13th, 1907.

GREATER LONDON.

In Greater London 4054 births and 2062 deaths were registered. Allowing for increase of population, these numbers are 150 above and 70 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 8 from whooping-cough, and 5 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·65 inches, and that of the Thermometer 43°·7, the latter being 3°·8 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 27·7 hours; the measured rainfall amounted to 0·63 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 20th April, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Registered during the Week ended 20th April, 1907.		The DEATHS registered in the Week include											TOWNS.			
			Week ended					BIRTHS.	DEATHS.	Deaths of						Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
			30th Mar., 1907.	6th Apr., 1907.	13th Apr., 1907.	20th Apr., 1907.	27th Apr., 1907.			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
76 TOWNS		16,024,458	177	179	169	168	16	9206	5149	1043	4530		216	33	44	155	23	35	164	389	1313	47	76 TOWNS.	
LONDON -	-	4,758,218	174	178	164	161	14	2577	1469	275	463	-	40	9	10	50	6	13	52	148	591	2	LONDON.	
CROYDON -	-	154,342	162	91	125	139	17	92	41	6	18	-	1	2	-	1	3	1	1	4	14	-	CROYDON.	
WILLESDEN -	-	149,192	80	119	91	108	10	99	31	8	9	-	-	-	-	-	-	-	-	2	2	-	WILLESDEN.	
HORNSEY -	-	89,816	116	70	81	46	29	88	31	4	-	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.	
TOTTENHAM -	-	122,793	144	136	153	161	34	80	38	10	9	-	2	-	-	5	-	1	1	1	2	-	TOTTENHAM.	
WEST HAM -	-	508,284	156	162	171	129	20	208	76	23	12	-	8	1	2	2	-	1	1	5	20	-	WEST HAM.	
EAST HAM -	-	136,421	157	111	134	122	27	81	32	6	4	-	3	-	2	2	-	-	2	4	8	-	EAST HAM.	
LEYTON -	-	122,040	150	120	85	132	30	76	31	7	11	-	2	1	1	3	-	-	-	-	7	-	LEYTON.	
WALTHAMSTOW -	-	126,397	128	149	111	120	21	72	29	11	2	-	1	1	-	3	-	-	1	2	10	-	WALTHAMSTOW.	
HASTINGS -	-	67,477	93	170	193	100	-	18	13	2	5	-	-	-	-	-	-	-	-	2	-	-	HASTINGS.	
BRIGHTON -	-	129,023	194	202	166	117	08	62	23	4	15	-	1	-	-	1	-	-	1	2	6	-	BRIGHTON.	
PORTSMOUTH -	-	208,291	185	215	195	170	28	138	68	10	24	-	7	-	1	2	1	-	4	7	16	1	PORTSMOUTH.	
BOURNEMOUTH -	-	69,246	166	128	196	136	-	30	18	3	10	-	-	-	-	-	-	-	1	-	3	-	BOURNEMOUTH.	
SOUTHAMPTON -	-	119,745	174	148	174	126	-	58	29	1	10	-	-	-	-	-	-	-	1	2	9	-	SOUTHAMPTON.	
READING -	-	80,311	84	130	130	110	13	38	17	1	7	-	-	-	2	-	-	-	1	1	6	-	READING.	
NORTHAMPTON -	-	95,070	192	132	208	176	33	35	32	4	9	-	5	-	-	-	-	1	-	-	3	-	NORTHAMPTON.	
IPSWICH -	-	72,825	208	179	115	243	07	50	34	6	16	-	-	-	1	-	-	-	-	2	2	-	IPSWICH.	
GREAT YARMOUTH -	-	52,879	138	177	187	158	20	28	16	1	8	-	-	-	1	-	-	1	1	1	4	-	GREAT YARMOUTH.	
NORWICH -	-	119,191	175	179	153	122	04	74	28	11	11	-	-	-	-	-	1	-	-	1	3	1	NORWICH.	
PLYMOUTH -	-	120,063	204	156	152	117	-	55	27	4	14	-	-	-	-	-	-	-	2	3	1	-	PLYMOUTH.	
DEVONPORT -	-	70,959	189	117	130	163	20	45	25	8	7	-	3	-	-	-	-	-	4	4	4	-	DEVONPORT.	
BRISTOL -	-	367,679	153	167	156	137	06	211	97	15	44	-	1	-	2	1	-	-	4	7	24	-	BRISTOL.	
HANLEY -	-	67,174	256	233	210	272	31	39	35	10	10	-	-	1	1	-	-	-	1	4	8	-	HANLEY.	
BURTON-ON-TRENT -	-	53,425	137	137	98	146	-	29	15	1	4	-	-	-	-	-	-	-	1	4	4	1	BURTON-ON-TRENT.	
WOLVERHAMPTON -	-	102,016	164	158	169	169	05	63	33	5	12	-	-	-	-	1	-	-	2	5	9	-	WOLVERHAMPTON.	
WALSALL -	-	96,171	119	179	146	108	05	66	20	4	3	-	-	-	-	-	-	1	1	1	4	1	WALSALL.	
HANDSWORTH -	-	65,929	111	63	63	95	08	37	12	2	6	-	1	-	-	-	-	-	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	-	69,123	234	181	226	143	23	33	19	6	5	-	3	-	-	-	-	-	-	-	1	-	WEST BROMWICH.	

† These towns are included within the area of Greater London.

* See note 1 on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 20th April, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Registered during the week ended 20th April, 1907.		The DEATHS registered in the Week include											TOWNS.		
		Week ended					BIRTHS.	DEATHS.	Deaths of													
		1907.							Persons aged													
		30th Mar., 1907.	6th Apr., 1907.	13th Apr., 1907.	20th Apr., 1907.	20th Apr., 1907.			under 1 Year.	60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Causes of Death.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
BIRMINGHAM -	553,155	17.3	21.3	17.8	19.0	2.0	371	202	58	-	13	1	3	4	-	-	4	10	44	11	BIRMINGHAM.	
KINGS NORTON -	75,600	9.0	16.6	12.4	12.4	-	51	18	2	10	-	-	-	-	-	-	2	-	-	-	KINGS NORTON.	
SMETHWICK -	66,467	19.6	13.3	11.0	10.2	1.6	44	13	1	4	-	1	-	-	1	-	-	-	2	-	SMETHWICK.	
ASTON MANOR -	83,266	15.0	18.8	13.2	11.9	2.5	48	19	2	5	-	3	1	-	-	-	-	-	2	-	ASTON MANOR.	
COVENTRY -	77,626	15.4	15.4	21.5	9.4	-	50	14	3	7	-	-	-	-	-	-	-	1	1	-	COVENTRY.	
LEICESTER -	236,124	13.0	13.0	11.5	15.5	0.7	132	70	22	-	-	2	-	-	-	1	2	5	14	1	LEICESTER.	
GRIMSBY -	70,574	19.9	24.4	22.9	16.3	0.7	41	22	4	5	-	-	-	1	-	-	-	-	4	-	GRIMSBY.	
NOTTINGHAM -	257,489	22.7	21.9	19.8	21.5	5.9	138	106	17	30	-	18	-	9	2	-	1	5	19	-	NOTTINGHAM.	
DERBY -	125,774	10.8	17.8	14.1	21.6	0.8	78	52	10	17	-	-	-	1	-	-	1	7	7	1	DERBY.	
STOCKPORT -	100,986	20.7	20.7	21.7	19.1	0.5	47	37	9	11	-	-	-	1	-	-	-	4	3	-	STOCKPORT.	
BIRKENHEAD -	118,553	29.5	24.6	30.8	17.2	4.0	71	39	3	13	-	9	-	-	-	-	1	2	7	1	BIRKENHEAD.	
WALLASEY -	66,707	12.5	12.5	18.0	13.3	1.6	37	17	4	3	-	1	-	1	-	-	1	2	4	-	WALLASEY.	
LIVERPOOL -	746,144	17.3	18.6	19.6	20.6	1.3	503	295	50	77	-	5	3	2	8	-	1	9	16	104	8	LIVERPOOL.
BOOTLE -	67,114	18.6	12.4	18.6	19.4	0.8	45	25	5	5	-	-	-	-	-	-	-	3	3	4	-	BOOTLE.
ST. HELENS -	82,476	27.1	20.9	18.0	24.8	3.9	69	44	12	9	1	-	1	1	-	1	1	1	6	1	ST. HELENS.	
WIGAN -	88,606	18.8	27.7	17.1	24.7	3.5	60	42	12	8	-	2	-	2	2	-	-	1	3	-	WIGAN.	
WARRINGTON -	70,269	17.1	23.7	16.3	13.4	0.7	53	18	3	2	-	1	-	-	-	-	1	1	3	-	WARRINGTON.	
BOLTON -	182,917	26.2	21.7	21.7	20.5	5.1	89	72	17	17	-	13	1	1	1	-	1	6	11	-	BOLTON.	
BURY -	58,901	22.1	19.5	20.4	15.0	0.9	21	17	1	7	-	-	-	1	-	-	2	2	3	-	BURY.	
MANCHESTER -	643,148	22.0	19.9	18.8	21.7	2.9	394	268	64	83	-	11	4	3	13	3	6	24	69	3	MANCHESTER.	
SALFORD -	236,670	21.6	18.9	23.1	23.1	2.9	146	105	19	22	-	2	1	1	8	-	3	4	26	-	SALFORD.	
OLDHAM -	141,730	21.3	26.9	19.9	20.6	1.5	75	56	9	19	-	1	-	1	-	2	2	4	5	-	OLDHAM.	
ROCHDALE -	87,999	19.6	16.6	21.3	21.3	1.8	35	36	4	17	-	-	2	-	1	-	-	2	4	3	ROCHDALE.	
BURNLEY -	103,947	21.1	24.1	27.1	18.1	0.5	58	38	4	11	-	-	1	-	-	-	2	3	3	1	BURNLEY.	
BLACKBURN -	134,980	14.3	17.8	21.2	18.5	1.2	75	48	10	11	-	-	-	3	-	-	2	3	3	-	BLACKBURN.	
PRESTON -	117,093	22.3	22.3	22.3	21.8	1.3	80	49	9	21	-	-	-	-	3	-	1	2	9	-	PRESTON.	
BARROW-IN-FURNESS.	61,635	12.7	13.5	10.2	15.2	0.8	45	18	4	-	-	-	-	1	-	-	-	-	3	-	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 20th April, 1907.		The DEATHS registered in the Week include										TOWNS.		
		Week ended				11-17.		20th April, 1907.														
		30th Mar., 1907.				6th Apr., 1907.		13th Apr., 1907.														
		30th Mar., 1907.				6th Apr., 1907.		13th Apr., 1907.														
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	94,814	16'5	20'3†	23'1	18'1	1'1	41	33	3	14	-	1	-	-	-	1	-	-	7	-	-	HUDDESFIELD.
HALIFAX	110,138	13'7	18'0	14'2	13'3	0'5	43	28	5	17	-	-	-	-	1	-	1	4	2	4	-	HALIFAX.
BRADFORD	200,323	17'2	19'2	15'6	17'1	0'7	108	85	14	34	-	2	-	-	1	2	2	6	9	24	-	BRADFORD.
LEEDS	470,268	16'4	18'8	17'2	12'5	0'8	221	113	22	31	-	1	-	-	2	2	2	6	17	17	-	LEEDS.
SHEFFIELD	455,553	18'8	14'7	16'1	19'1	3'3	280	167	39	34	-	15	6	1	5	1	1	9	15	36	3	SHEFFIELD.
ROTHERHAM	62,412	15'9	23'4	11'7	12'5	-	39	15	6	5	-	-	-	-	-	-	-	-	1	2	-	ROTHERHAM.
YORK	84,730	10'5	12'9	14'8	11'1	-	41	18	8	4	-	-	-	-	-	-	-	2	3	5	-	YORK.
HULL	266,762	21'9	19'4	15'6	15'4	2'3	165	79	18	26	-	7	-	2	3	-	2	4	10	-	-	HULL.
MIDDLESBROUGH	101,783	21'0	20'5	16'9	22'0	4'6	74	43	10	5	-	6	-	-	-	1	2	-	1	4	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,909	18'7	21'7	17'7	15'8	-	48	16	4	3	-	-	-	-	-	-	-	-	-	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	75,473	21'4	16'6	10'4	21'4	3'5	36	31	8	5	-	2	-	1	2	-	-	1	2	7	-	WEST HARTLEPOOL.
SUNDERLAND	156,029	19'7	21'1	17'4	23'4	2'7	104	70	19	14	-	7	-	1	-	-	-	2	4	13	5	SUNDERLAND.
SOUTH SHIELDS	113,400	17'9	16'5	24'8	21'1	0'9	78	46	10	11	-	2	-	-	-	-	1	1	1	5	2	SOUTH SHIELDS.
GATESHEAD	125,783	16'6	14'5	15'8	17'8	0'8	76	43	15	13	-	2	-	-	-	-	-	2	2	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE	272,969	21'0	17'2	13'6	16'2	1'0	152	85	15	23	-	1	-	1	3	-	-	2	7	16	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	54,688	21'9	13'3	13'3	20'0	-	43	21	6	6	-	-	-	-	-	-	-	1	1	5	-	TYNEMOUTH.
NEWPORT (MON.)	75,585	22'1	19'3	13'1	22'1	2'1	52	32	13	8	-	2	-	-	1	-	-	2	3	6	-	NEWPORT (MON.).
CARDIFF	187,620	12'8	20'6	16'7	13'9	0'3	115	50	13	14	-	-	-	-	1	-	-	1	4	8	-	CARDIFF.
RHONDDA	130,400	16'4	15'6	11'2	18'0	1'6	110	46	13	11	-	3	-	-	1	-	-	4	4	2	-	RHONDDA.
MERTHYR TYDFIL	76,085	19'9	19'9	15'8	17'1	1'4	56	25	5	7	-	-	-	-	-	-	2	2	4	4	-	MERTHYR TYDFIL.
SWANSEA	97,324	24'6	16'1	18'8	18'2	1'1	57	34	10	8	-	-	-	2	-	-	-	-	2	9	-	SWANSEA.
GREATER LONDON	7,217,941	16'3	16'2	15'1	14'9	1'4	4054	2062	395	652	-	62	16	17	77	6	21	72	192	711	7	GREATER LONDON.
OUTER RING	2,459,723	14'3	13'0	12'7	12'6	1'5	1477	593	120	187	-	22	7	7	27	-	8	20	44	120	5	OUTER RING.
8 TOWNS IN OUTER RING	1,209,285	14'0	12'7	12'8	12'3	2'0	737	286	71	69	-	17	5	3	19	-	3	6	18	63	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,250,438	14'6	13'3	12'7	12'8	1'0	740	307	49	118	-	-	2	4	8	-	5	14	26	57	5	REMAINDER OF OUTER RING.
EDINBURGH	345,747	19'3	18'4	15'4	17'9	2'0	137	119†	18	35	-	-	-	-	6	-	3	2	?	48	10	EDINBURGH.
GLASGOW	847,564	22'1	21'8	23'6	22'2	4'1	534	361†	72	68	-	8	1	1	41	3	12	17	?	101	10	GLASGOW.
DUBLIN (Registration Area)†	390,691	24'3	28'3	26'6	27'1	2'4	220	203†	34	48	-	-	10	-	7	-	1	2	4	84	3	DUBLIN (Registration Area)†.
BELFAST†	570,163	20'1	27'0	22'4	23'9	0'8	207	170†	39	24	-	3	-	-	1	1	1	4	5	40	6	BELFAST†.

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTEENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2499	2769	2759	2610	2835	2557	2753	2489	2129	2459	2535.3	2577
Males - - -	1255	1425	1388	1298	1415	1277	1425	1229	1027	1284	1277.6	1296
Females - - -	1244	1344	1371	1312	1420	1280	1328	1260	1102	1175	1257.7	1281
TOTAL Deaths -	1500	1546	1499	1811	1584	1587	1483	1429	1342	1743	1552.2	1469
Males - - -	790	805	789	965	812	841	766	752	697	895	808.6	743
Females - - -	710	741	710	826	752	746	717	677	645	848	743.6	726

* The numbers in this column are the average weekly numbers in the sixteenth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 26.	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	13 Weeks.
TOTAL Births -	2134	2550	2356	2350	2412	2391	2391	2390	2548	2236	2387	2532	2577	31254
TOTAL Deaths -	1647	1895	1858	1819	1558	1678	1641	1686	1483	1586	1627	1495	1469	21452
Agas at Death														
Under 1 year -	324	367	353	314	275	290	290	328	293	311	303	264	275	3987
1–5 years -	153	167	170	199	165	181	189	193	167	220	249	237	174	2503
5–20 " -	72	92	73	69	87	89	68	101	73	74	86	75	75	1034
20–40 " -	178	225	194	193	171	206	196	191	181	199	189	202	179	2504
40–60 " -	363	343	410	363	318	338	353	363	279	337	304	280	301	4357
60 yrs. & upwds.	557	666	649	681	542	574	545	520	490	445	496	437	465	7067
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	17	20	30	28	38	35	55	57	29	59	63	45	40	516
Scarlet Fever -	11	8	6	8	8	6	8	8	6	8	13	9	9	107
Diphtheria - -	16	21	20	20	16	16	19	15	12	16	19	8	10	208
Whooping-cough	35	51	40	48	31	45	40	42	36	71	63	60	50	612
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	8	2	1	1	6	7	-	6	1	4	5	6	52
Pyrexia (origin uncertain)	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhoea, Dysentery	16	17	17	17	18	12	12	13	15	14	11	18	13	193
All above Diseases -	100	125	115	122	112	120	140	136	104	169	173	145	128	1689
Dis. of Resp. System														
Pneumonia - -	260	282	285	208	201	222	232	207	173	177	187	147	133	2804
Phthisis - - -	224	233	241	229	178	210	173	196	180	177	225	208	193	2697
Dis. of Circ. System	159	184	175	187	147	151	160	157	136	161	156	157	135	2065
Violence - - -	211	241	249	249	220	253	217	223	182	197	209	181	212	2849
Inquest Cases -	49	68	57	63	56	60	60	51	66	55	64	50	52	751
Deaths in Institutions	133	216	159	182	153	161	152	139	157	153	166	133	148	2052
TEMPERATURE OF THE AIR.														
Mean - - -	30.5	36.1	33.0	39.7	39.9	40.6	40.1	42.8	46.1	46.5	49.6	44.1	43.7	41.0
Mean of Highest	34.3	41.7	37.1	44.6	45.6	48.3	47.2	49.7	55.1	60.8	62.0	53.7	53.1	48.7
Mean of Lowest	26.6	30.6	27.9	34.5	35.2	32.7	33.4	36.0	37.4	31.1	37.8	37.9	36.0	33.6
Mean Humidity of the Air	74	77	76	85	72	81	80	74	61	71	69	86	76	76
Rain-fall (in inches)	0.04	0.19	0.19	0.77	0.29	0.01	0.37	0.40	0.13	0.00	0.17	1.42	0.63	4.61
Registered Sunshine (in hours)	7.2	11.8	17.9	15.0	19.8	11.0	21.9	27.0	50.5	53.5	43.6	18.8	27.7	325.7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	2874
Scarlet Fever -	3292	3176	3059	3085	2938	2878	2878	2826	2734	2657	2621	2637	2628	962
Diphtheria - -	925	928	932	926	920	922	967	983	1006	1014	996	992	997	962
Typhus - - -	2	3	3	3	4	4	3	4	3	1	82	75	60	93
Enteric Fever -	98	100	94	101	102	103	98	96	94	93	-	-	-	-

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.L.C.E., Plymouth; A. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Greenwell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Frestwich, Manchester; H. O. Pilkington, Esq., M.B.E.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SIXTEENTH Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 16th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 16th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.							ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.
ALL CAUSES	1552.2	1469	275	174	75	179	301	465	Meningitis (not tuberc.)	16.8	8	3	4	1	-	-
									Gen. Par. of Insane, Insanity	15.8	17	-	-	7	4	-
Small-pox*	8.8	-	-	-	-	-	-	-	Epilepsy	10.2	6	-	-	1	3	1
Whooping-cough	-	-	-	-	-	-	-	-	Convulsions	24.8	15	15	-	-	-	-
Measles (Morbilli)	71.8	40	9	30	1	-	-	-	Locomotor Ataxy	0.6	3	-	-	-	1	2
Scarlet Fever	11.7	9	1	5	3	-	-	-	Paraplegia, Dis. of Cord	5.5	8	-	-	-	2	1
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	20.1	12	1	1	-	-	5
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	38.1	50	-	-	5	7	16
Influenza	22.1	16	1	-	2	3	2	8	Cereb. Hem. Cereb. Emb.	35.0	43	-	-	5	6	22
Whooping-cough	42.0	50	26	24	-	-	-	-	Apoplexy, Hemiplegia	18.6	16	-	-	-	4	12
Diphtheria	15.4	10	-	9	-	1	-	-	Aneurysm	6.1	7	-	-	-	3	4
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.0	1	-	-	-	1	-
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	81.9	95	-	1	5	13	53
Enteric Fever	1.8	6	1	-	-	4	1	-	Croup (not Spasm: nor Memb.)	0.2	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	128.5	110	18	5	1	20	65
Epidemic Diarrhoea, Infective Enteritis	3.1	5	4	1	-	-	-	-	Emphysema, Asthma	5.5	7	-	-	-	1	6
Diarrhoea, Dysentery	12.1	8	5	-	-	-	3	-	Pleurisy	5.3	5	2	-	-	1	2
Tetanus	0.8	-	-	-	-	-	-	-	Respiratory Dis., Other	12.1	11	2	2	-	3	4
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.2	5	1	3	-	1	-
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	8.2	4	4	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-enteritis	4.9	8	2	1	2	1	2
Venereal Dis.	8.2	6	5	-	1	-	-	-	Peritonitis (not Puerp.)	3.5	4	1	-	-	1	1
Puerperal Septicæmia	1.8	2	-	-	1	1	-	-	Cirrhosis of Liver	13.9	12	-	-	-	8	4
Puerperal Pyæmia	0.2	1	-	-	1	-	-	-	Liver Dis., Other	4.1	9	-	-	2	-	7
Puerperal Fever	0.4	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	39.1	41	9	3	8	9	12
Infective Endocarditis	3.3	4	-	-	1	-	1	2	Acute Nephritis	7.8	2	-	-	-	1	1
Pneumonia { Lobar	19.4	22	-	2	1	4	11	4	Bright's Dis., Albuminuria	41.1	28	-	-	3	9	16
{ Broncho-	65.3	83	32	33	1	2	4	11	Urinary Sys., Other Dis.	9.2	15	-	-	1	4	10
{ Epidemic	-	-	-	-	-	-	-	-	Generative Organs Dis.	4.9	6	-	-	2	4	-
{ Not defined	74.5	88	6	15	4	13	26	24	Childbirth (Accid. of)	3.7	6	-	-	6	-	-
Erysipelas	4.3	7	2	-	-	3	2	-	Old Age	56.1	57	-	-	-	-	57
Septicæmia (not Puerperal)	1.2	1	-	-	-	1	-	-	Other Diseases	104.4	85	59	10	6	6	3
Pyæmia (not Puerperal)	0.8	1	1	-	-	-	-	-								
Other Infective Processes	6.1	2	-	-	-	-	2	-	ACCIDENT.							
Tuberculous Phthisis	84.1	93	2	2	11	40	31	7	By Railways	2.3	-	-	-	-	-	-
"Phthisis"	75.3	42	-	1	4	18	14	5	By Vehicles and Horses	5.9	9	-	-	3	4	2
Tuberculous Meningitis	29.9	22	2	13	7	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.8	2	-	-	-	1	1
Tuberculous Peritonitis	8.0	9	2	3	2	1	1	-	In Building Operations	2.0	1	-	-	1	-	-
Tub. Mesenterica	2.3	3	3	-	-	-	-	-	In Conflagrations	0.6	-	-	-	-	-	-
Tuberculous Dis., Other	18.4	11	3	4	2	1	1	-	By Burns, Scalds, Explosions	4.7	1	1	-	-	-	-
Scrofula	-	-	-	-	-	-	-	-	By Drowning	5.5	2	-	-	1	-	1
Alcoholism	12.7	10	-	-	-	1	8	1	By Suffocation in Bed	7.4	5	4	1	-	-	-
Rheumatic Fever	5.1	10	1	-	6	2	1	-	By Poisons or Poisonous Vapours	2.0	-	-	-	-	-	-
Gout	3.1	3	-	-	-	1	2	-	Other Deaths by Accident	16.4	16	2	2	1	2	1
Carcinoma	54.0	59	-	-	-	2	29	28								
Sarcoma	5.7	5	1	-	1	1	2	-	VIOLENCE OTHER THAN ACCIDENTAL.							
Cancer (undefined)	34.0	41	-	-	-	3	16	22	Homicide	1.4	2	1	-	1	-	-
Diabetes Mellitus	8.8	7	-	-	-	2	3	2	Suicide	10.6	14	-	-	3	7	4
Premature Birth	47.7	45	45	-	-	-	-	-	Execution	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th April, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include,															Deaths in Public Institutions.	Deaths from Violence.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæzæ† Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON - - -	4 538,429	2577	1489	275	465	-	40	9	10	50	-	6	-	13	52	148	501	-		
WEST DISTRICTS	805,311	406	246	45	83	-	11	-	2	12	-	1	-	3	6	17	89	-		
NORTH DISTRICTS	1,058,070	544	315	48	108	-	8	1	2	8	-	1	-	3	11	34	115	-		
CENTRAL DISTRICTS	209,465	94	79	18	18	-	1	-	1	4	-	1	-	1	5	8	40	-		
EAST DISTRICTS	715,739	541	274	65	66	-	9	-	1	12	-	2	-	2	10	37	138	-		
SOUTH DISTRICTS	1,749,844	992	508	98	179	-	11	6	5	14	-	2	-	2	20	52	152	-		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	47	1	11	-	-	2	-	-	-	-	-	1	-	-	47	-		
WEST DISTRICTS.																				
St. Mary Paddington W,3H - -	93,178	50	32	11	11	-	-	-	-	3	-	1	-	2	1	4	8	-		
St. John Paddington H - - -	33,617	10	9	1	2	-	2	-	-	-	-	-	-	-	-	1	5	-		
North-West Paddington - - -	17,181	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	67	46	3	14	-	2	-	1	5	-	-	-	-	1	5	21	-		
Brompton 2H - - -	48,591	11	11	1	4	-	-	-	-	-	-	-	-	-	2	2	1	-		
North Hammersmith 2W,w,H - -	49,192	26	19	7	7	-	1	-	-	1	-	-	-	-	-	1	3	-		
South Hammersmith w,3H - -	63,047	28	17	3	3	-	1	-	-	-	-	-	-	-	1	2	8	-		
North-west Fulham W - - -	45,180	44	15	1	5	-	1	-	-	-	-	-	-	-	-	-	9	-		
North-east Fulham F - - -	48,405	34	14	4	2	-	1	-	1	1	-	-	-	-	-	-	4	-		
South Fulham W - - -	45,704	26	5	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
Chelsea North W,w,3H - - -	42,514	23	32	2	21	-	3	-	-	-	-	-	-	-	-	-	23	-		
Chelsea South W,2H - - -	31,323	16	9	1	3	-	-	-	-	-	-	-	-	-	-	-	2	-		
Mayfair and Knightsbridge - -	23,743	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	56,816	25	14	5	4	-	-	-	-	1	-	-	-	1	1	1	8	-		
St. Margaret & St. John 5H - -	43,698	26	11	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
St. James and St. Anne W,6H - -	33,081	9	8	-	4	-	-	-	-	-	-	-	-	-	-	1	4	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - - -	35,391	1	19	1	6	-	-	-	-	-	-	-	-	-	1	2	12	-		
St. Mary, Marylebone W,4H - -	37,943	49	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-		
Christchurch Marylebone - - -	39,536	25	9	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-		
St. John Marylebone 2H - - -	20,426	12	8	-	2	-	-	-	-	1	-	-	-	-	1	1	2	-		
Hampstead W,F,7H - - -	81,942	28	20	3	11	-	1	1	-	-	-	-	-	1	-	1	6	-		
West St. Pancras 2H - - -	60,562	28	11	1	4	-	1	-	1	-	-	-	-	-	1	1	5	-		
South St. Pancras w,11H - - -	55,707	18	28	6	6	-	-	-	-	-	-	-	-	1	2	6	19	-		
East St. Pancras W,3H - - -	60,320	36	15	2	8	-	-	-	-	-	-	-	-	-	-	-	7	-		
North St. Pancras 2W - - -	56,728	39	22	5	7	-	-	-	-	-	-	-	-	-	-	1	10	-		
Tufnell W - - -	31,995	11	21	1	10	-	-	-	-	-	-	-	-	-	-	-	18	-		
Upper Holloway 2W,u H - - -	33,978	26	19	-	5	-	1	-	-	-	-	-	-	-	-	1	14	-		
Tollington WH - - -	33,923	19	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - -	41,424	29	10	2	5	-	1	-	-	-	-	-	-	-	-	2	-	-		
Barnsbury - - -	54,478	30	16	7	3	-	2	-	-	1	-	-	-	-	-	-	-	-		
Islington South-east F - - -	75,397	46	18	5	3	-	-	-	-	2	-	-	-	-	3	7	-	-		
Highbury 2H - - -	63,797	20	13	2	6	-	-	-	-	1	-	-	-	-	-	-	1	-		
Stoke Newington H - - -	51,247	19	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - -	50,560	12	11	2	6	-	-	-	-	-	-	-	-	-	-	2	-	-		
Central Hackney 2w,F - - -	50,536	23	7	1	2	-	-	-	1	1	-	-	-	-	-	1	2	-		
South-west Hackney 3F - - -	59,921	35	22	2	4	-	-	-	-	1	-	-	-	1	2	3	9	-		
South-east Hackney 2W,w,H - -	58,255	38	20	4	8	-	1	-	-	1	-	-	-	-	1	3	8	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th April, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W,2H -	31,436	20	7	2	2	-	-	-	-	-	-	-	-	-	2	2	1	-
Strand W,4H - - - - -	21,874	1	10	3	1	-	-	-	-	-	-	-	-	-	-	-	7	-
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn W,6H - - - - -	29,612	19	20	7	3	-	-	-	-	2	-	-	-	1	-	1	14	-
South Clerkenwell - - - - -	28,676	12	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - - -	35,028	14	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Finsbury 3H,1 - - - - -	36,110	24	8	3	2	-	-	-	-	2	-	-	-	1	-	-	2	-
Holborn Union Workhouse, } Mitcham - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Botolph H - - - - -	10,299	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,824	-	17	-	2	-	-	-	-	-	-	1	-	-	3	4	12	-
City of London Asylum, Stone	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
EAST DISTRICTS.																		
Shoreditch South H - - - - -	43,362	30	9	3	2	-	-	-	-	1	-	-	-	-	-	4	-	-
Shoreditch North-West W,w,H	36,127	30	26	5	7	-	-	-	-	3	-	-	-	1	-	1	17	-
Shoreditch North-East - - - - -	36,148	25	6	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W } 2HL	65,138	42	40	9	12	-	-	-	-	1	-	-	-	-	1	3	25	-
Bethnal Green South-West H -	64,542	45	19	6	5	-	2	-	-	2	-	-	-	-	2	6	-	-
Spitalfields - - - - -	27,969	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End New Town W,H - - -	28,718	34	45	10	4	-	-	-	-	-	-	2	-	-	2	4	42	-
Goodman's Fields - - - - -	22,081	8	5	1	1	-	-	-	-	-	-	-	-	-	2	4	-	-
St. George and St. John 2W - - -	49,068	55	14	4	5	-	-	-	-	1	-	-	-	-	-	2	5	-
Shadwell and Ratcliff W,H - - -	25,568	13	14	7	-	-	2	-	-	1	-	-	-	-	1	2	10	-
Whitehouse W - - - - -	32,869	23	4	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-
Mile End Old Town South- } Western H - - - - -	63,698	74	6	4	1	-	-	-	-	1	-	-	-	-	-	-	3	-
Mile End Old Town North- } Eastern W,w - - - - -	49,129	42	27	5	10	-	-	-	-	-	-	-	-	-	-	3	13	-
Bow L - - - - -	41,049	28	5	1	-	-	1	-	-	1	-	-	-	-	1	2	-	-
Bromley 3w,H - - - - -	68,319	38	34	4	12	-	2	-	-	1	-	-	-	-	-	4	21	-
Poplar W,w - - - - -	58,514	43	16	4	5	-	-	-	-	-	-	-	-	-	-	1	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th April, 1907—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W2H - - - - -	23,319	14	14	4	2	-	1	-	-	-	-	-	-	-	-	2	2	12	
Kent-road - - - - -	21,904	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr West } W2H,L - - - - -	39,094	20	14	5	3	-	-	-	-	-	-	-	-	-	-	-	1	4	
Newington North - - - - -	49,022	32	16	5	2	-	1	-	-	2	-	-	-	-	-	-	-	-	
Newington South W - - - - -	72,841	49	14	4	4	-	-	-	-	-	-	-	-	-	-	2	3	-	
St. Olave 2W - - - - -	9,817	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - - -	82,483	54	25	7	7	-	-	-	-	2	-	-	-	-	-	4	3	6	
Rotherhithe W,F - - - - -	38,460	19	10	-	6	-	-	-	-	-	-	-	-	-	-	2	-	-	
Waterloo 2H - - - - -	27,440	30	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	
Lambeth Church H - - - - -	27,440	16	19	2	-	-	-	-	-	-	-	-	-	-	-	-	1	12	
Kennington 2W - - - - -	52,518	31	21	5	11	-	-	-	-	-	-	-	-	-	-	1	2	11	
Stockwell HF - - - - -	63,828	46	15	2	4	-	-	-	1	1	-	2	-	-	-	-	2	4	
Brixton H - - - - -	73,673	32	13	4	3	-	-	-	-	-	-	-	-	-	-	-	1	1	
Norwood WH - - - - -	56,998	27	14	1	8	-	-	-	-	1	-	-	-	-	-	-	-	1	
East Battersea H - - - - -	72,203	51	10	2	4	-	-	-	-	-	-	-	-	-	-	1	2	-	
North-west Battersea - - - - -	49,556	25	9	4	3	-	-	-	-	-	-	-	-	-	-	3	4	-	
South-west Battersea 2W,H - - - - -	47,048	17	23	2	13	-	-	-	-	-	-	-	-	-	-	2	2	18	
Clapham 2H - - - - -	51,361	32	12	2	4	-	-	-	-	-	-	-	-	-	-	-	1	1	
Streatham W,2w,2F,2L - - - - -	88,019	38	33	4	18	-	1	1	2	3	-	-	-	-	-	2	3	11	
Springfield 2W,L - - - - -	27,959	29	11	6	4	-	-	-	-	1	-	-	-	-	-	-	1	-	
Southfields H - - - - -	40,444	29	8	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
Putney - - - - -	24,139	9	6	2	2	-	2	-	-	-	-	-	-	-	-	1	1	-	
Dulwich - - - - -	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - - - - -	40,206	22	28	3	14	-	-	-	-	-	-	-	-	-	-	-	1	16	
Camberwell North W,2L - - - - -	65,584	27	35	4	17	-	-	-	-	1	-	-	-	-	-	1	4	15	
St George - - - - -	47,331	21	10	3	3	-	-	-	-	2	-	-	-	-	-	-	2	-	
Peckham North - - - - -	48,913	27	16	5	7	-	1	-	-	1	-	-	-	-	-	-	1	-	
Peckham South 2W,w - - - - -	43,946	16	6	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	
Deptford North - - - - -	37,613	23	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central F - - - - -	45,481	26	10	4	2	-	-	1	-	-	-	-	-	-	-	-	2	2	
Deptford South - - - - -	34,625	16	11	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - - - -	23,456	16	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	
Greenwich East 2W,H - - - - -	43,859	23	22	3	4	-	2	-	1	-	-	-	-	-	-	3	4	10	
Eltham w,H - - - - -	7,226	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	
Lee w,H - - - - -	25,490	6	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1	
Lewisham W,w,F - - - - -	58,352	37	21	3	8	-	-	4	-	-	-	-	-	-	-	1	1	14	
Sydenham H - - - - -	43,653	31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Charlton F,2H - - - - -	21,134	10	6	1	2	-	1	-	-	-	-	-	-	-	-	-	1	2	
Woolwich 5H - - - - -	41,625	27	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1	
Plumstead West W - - - - -	18,063	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - - - - -	50,264	21	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	
Workhouse:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern - - - - -	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	2	-	
Northern - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belmont - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Caterham - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Darenth - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	
Leavesden - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylums:—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Banstead - - - - -	-	-	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	10	
Ewell (Epileptic Colony) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	7	
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Dartford Heath - - - - -	-	-	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	10	
Hanwell - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
Colney Hatch - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Claybury - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	4	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 20th April, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of			Deaths from									
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions. Uncertified Causes of Death.
	LONDON—OUTER RING	368,302	2,044,973	1477	593	120	187	-	22	7	7	27	-	8	20	44	120	5
30: 1	Carshalton 2F,3H	12,228	32,997	24	11	1	5	-	-	-	-	-	-	-	-	1	1	3
2	Epsom, part of* W,w2F,H	10,423	15,548	7	6	-	3	-	-	-	-	-	-	-	-	-	3	-
37: 1	Godstone, part of* W,F,L	2,754	2,692	2	4	1	1	-	-	-	-	-	-	-	-	-	3	-
38: 1	Coulsdon	11,089	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	26	9	13	4	-	-	-	-	-	1	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	43	22	1	9	-	1	2	-	-	-	-	1	1	3	14
4	North Croydon H	2,844	41,898	23	11	3	5	-	-	-	-	-	-	-	-	-	1	1
5	Penge w,H	770	22,465	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham	11,711	30,015	23	9	1	2	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	20	9	2	1	-	-	-	-	-	1	-	-	-	2	-
2	Kingston 2W,H	6,224	42,068	28	16	3	8	-	-	-	-	-	-	-	2	1	3	4
3	Surbiton F,H	3,046	15,017	5	7	1	4	-	-	-	-	-	-	-	-	-	1	-
4	Esher, part of* H	5,402	13,100	9	6	2	2	-	-	-	-	-	-	-	-	-	1	-
5	Hampton H,F,L	4,594	23,456	8	4	-	2	-	-	-	-	-	-	-	-	-	2	-
40: 1	Richmond W,H	2,162	28,865	10	5	-	4	-	-	-	-	-	-	-	-	-	1	1
2	Mortlake F	2,847	20,628	18	5	-	3	-	-	-	-	-	-	-	1	-	1	-
41: 1	Bromley F,2H	4,703	27,354	12	7	1	3	-	-	-	-	1	-	-	-	2	3	2
2	Beckenham H	7,825	28,497	13	8	1	4	-	-	-	-	-	-	-	-	-	1	1
3	Orpington part of* W	10,113	9,857	10	2	-	1	-	-	-	-	-	-	-	-	-	1	2
4	Chislehurst 2H	7,333	16,446	11	4	1	2	-	1	-	-	-	-	-	-	1	1	-
42: 1	Bexley w,F,H	8,678	21,151	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	24	5	3	-	-	-	-	-	-	-	-	1	1	1	1
3	Dartford W,F, part of*	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-
124: 1	Sunbury w	11,054	18,683	14	4	2	2	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	8	4	-	1	-	-	-	-	-	-	-	-	-	1	1
125: 1	Hillingdon W,F,H	6,035	13,661	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,934	4	3	-	2	-	-	-	-	-	-	-	-	-	1	-
3	Hayes w2F,H	8,066	16,358	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth 3W,3F,H	6,859	30,863	35	9	-	7	-	-	-	-	-	-	-	-	-	-	5
2	Twickenham F,2H	2,421	20,991	20	5	-	1	-	-	-	-	-	-	-	1	-	1	-
3	Brentford 3F,2H	4,319	48,289	34	13	3	6	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	1,249	29,809	17	8	2	3	-	-	-	-	-	-	-	-	-	-	1
5	Acton w,F,3H	6,132	48,914	54	14	2	2	-	-	-	-	-	2	-	-	1	-	-
127: 1	Harrow F,H	13,809	25,523	15	5	1	3	-	-	-	-	-	-	-	-	-	-	1
2	Edgware 2F,2H	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	99	31	8	9	-	-	-	-	-	3	-	-	2	2	1
4	Hendon W,F	8,382	22,450	9	11	3	2	-	1	-	-	-	-	-	1	4	-	-
128: 1	South Mimms 2F,H	17,755	7,308	3	4	-	2	-	-	-	-	-	-	-	-	1	1	-
2	Barnet W,2H	3,324	17,970	11	8	1	5	-	-	-	-	-	-	-	-	-	2	-
3	Finchley F,2H	4,688	33,692	25	11	5	2	-	3	-	-	-	-	-	-	-	-	-
129: 1	Hornsey F,H	2,875	72,056	29	8	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	1,825	34,233	29	9	2	4	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham F	996	48,853	39	17	4	3	-	-	1	-	1	2	-	-	-	1	-
4	East Tottenham 2H	2,017	53,688	41	22	5	6	-	-	-	-	-	-	-	-	-	-	3
5	Edmonton W,w2F	7,491	61,892	62	26	6	9	-	1	-	-	-	3	-	-	1	1	3
6	Enfield 2W,F,H	12,601	42,738	21	5	-	3	-	-	-	-	-	-	2	-	1	1	9
7	Waltham Abbey F	11,017	6,549	2	3	-	1	-	-	-	-	-	-	-	-	1	2	1
8	Cheshunt F,H	8,479	12,292	10	1	-	1	-	-	-	-	-	-	-	-	1	1	-
135: 1	Hatfield, part of* W	3,305	684	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	4	7	-	3	-	-	-	-	-	-	-	-	-	-	1
2	Watford W,2F part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
180: 1	Stratford H	1,072	44,827	31	6	4	-	-	1	-	-	-	-	-	-	-	-	1
2	Plaistow F,2H	1,249	90,921	72	30	12	2	-	1	-	1	-	-	-	-	-	4	3
3	Canning Town H	1,556	70,718	71	19	5	2	-	2	-	-	-	1	-	-	1	1	1
4	Forest Gate w	806	60,892	34	6	1	2	-	3	-	-	-	-	-	1	-	-	-
5	North East Ham w,H	1,333	58,676	45	14	3	3	-	-	-	-	-	-	-	-	2	3	1
6	South East Ham 2F	1,993	37,342	36	13	3	-	-	1	-	-	2	2	-	-	1	2	-
7	Wanstead F	1,679	9,179	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	32	20	5	13	-	-	-	-	-	-	-	-	-	-	12
9	North Leyton 2W,w,F	1,963	48,445	44	28	3	5	-	3	1	1	3	-	-	-	-	-	12
10	Walthamstow 2H,L	6,504	108,929	83	22	10	1	-	1	-	-	-	3	-	-	1	2	3
187: 1	Chigwell 2F,3H	11,778	16,397	9	1	1	-	-	-	-	1	-	-	-	-	-	-	1
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	5	3	-	1	-	-	-	1	-	-	-	-	-	-	2
2	Hford F,L	8,496	41,234	32	22	3	4	-	-	-	1	1	1	-	-	1	1	2
3	Barking Town F	9,808	21,547	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Western Hosp., Fulham	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1
	Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	Essex County Lunatic Asylum.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	April 20	2577	1469	16'1	-	40	9	10	50	6	13
CALCUTTA - -	977,822	March 23	-	665	40'7	88	4	-	1	-	209†	100†
BOMBAY - -	982,000	April 2	286	1340	71'3	3	1	-	-	-	740†	66†
MADRAS - -	548,974	March 22	334	369	37'6	3	6	?	?	?	96	66†
PARIS - -	2,722,731	April 13	915	1092	20'8	-	12	8	7	10	10	24
BRUSSELS - -	623,077	" 13	237	167	13'9	-	1	-	-	1	1	7
ANTWERP - -	297,311	" 13	138	84	14'7	-	1	1	-	-	1	7
AMSTERDAM -	565,368	" 13	280	154	14'2	-	2	2	-	6	2	7
COPENHAGEN -	433,000	" 13	222	162	19'5	-	4	-	1	4	-	2
STOCKHOLM -	324,488	" 6	188	91	14'2	-	-	-	2	-	-	2
CHRISTIANIA -	226,774	" 13	101	76	17'4	-	1	-	4	1	-	3
ST. PETERSBURG	1,482,769	March 30	777	755	26'5	-	30	18	13	3	21	96
MOSCOW - -	1,296,000	April 6	-	685	27'6	1	24	13	10	5	7	65
BERLIN - -	2,094,456	March 30	936	638	15'9	-	1	3	7	7	-	26
HAMBURG - -	840,790	April 13	-	268	16'9	-	-	1	1	1	-	23
BRESLAU - -	484,355	" 6	-	210	22'7	-	-	-	-	5	1	20
MUNICH - -	548,000	" 13	-	224	21'3	-	4	-	6	1	-	22
VIENNA - -	1,979,093	" 13	944	802	20'9	-	25	5	2	5	3	48
PRAGUE - -	466,133	" 6	220	201	22'4	-	4	-	3	1	-	19
BUDA-PESTH -	802,235	" 6	416	332	20'7	-	2	5	2	1	-	11
TRIESTE - -	200,962	" 13	489	358	23'2	-	3	8	1	-	2	12
ROME - -	540,150	" 13	113	130	33'6	-	3	-	1	3	-	-
VENICE - -	174,398	February 16	294	294	28'4	-	-	-	3	2	-	8
		" 23	288	246	23'7	-	-	-	2	2	2	5
BUCHAREST -	292,395	April 6	101	82	24'5	-	1	-	-	1	-	2
NEW YORK - -	4,285,435	" 13	154	172	30'7	-	4	-	1	1	-	5
CHICAGO - -	2,107,620	" 6	2632	1540	18'7	-	21	16	38	12	18	62
PHILADELPHIA -	1,500,595	" 6	-	686	17'0	-	10	13	8	10	4	39
RIO DE JANEIRO	912,900	March 23	-	615	21'3	-	4	4	11	4	33	22
		" 24	-	256	21'2	1	-	-	1	-	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 94 deaths from plague in Calcutta, 655 in Bombay, and 1 in Rio de Janeiro.

‡ Including 49 deaths from cholera in Calcutta, 1 in Bombay, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th April, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) {	57'0	29'1	44'5	0'63	LEEDS - - -	57'0	31'0	44'9	0'01
BRIGHTON - -	58'8	32'9	45'0	0'17	YORK - - -	57'0	28'5	42'9	0'10
PORTSMOUTH - -	56'0	34'0	45'2	0'33	HULL - - -	58'0	28'0	42'7	0'06
NORWICH - -	56'0	29'4	43'9	0'20	TYNEMOUTH - -	57'0	29'0	40'8	0'20
PLYMOUTH - -	56'0	36'0	46'3	0'04	CARDIFF - - -	55'2	29'0	44'1	0'78
BRISTOL - -	56'4	27'0	44'5	0'31	EDINBURGH - -	51'9	28'4	41'3	0'07
BIRMINGHAM - -	53'0	29'5	42'7	0'16	GLASGOW - - -	51'8	31'6	42'9	0'12
NOTTINGHAM - -	54'8	32'2	43'4	0'49	DUBLIN { Phoenix Park. Fitz- william Square.†	59'1	33'2	45'5	0'06
LIVERPOOL - -	55'0	34'0	44'7	0'69	BELFAST - - -	53'0	31'5	44'1	0'16
OBSERVATORY. }	53'4	22'7	42'4	0'28					
MANCHESTER - -	53'6	32'0	44'8	0'20					
PRESTON - -	53'4	29'0	41'8	0'09					
HUDDERSFIELD -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°5 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Supervision of the Astronomer Royal.]

1907. MONTH AND DAY	Phases of the Moon.	BARO- METER.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				WINDS deduced from Anemometers.				Rain collected in a Gauge whose receiving surface finishes above the ground.					
		Mean daily reading	Mean of the cor- re- spond- ing 3 ^d Fahren- heit).	Of the Air.		Of the Dew point		Difference between the Air and Dew Point Temperature.		Of Radiation.		Of the Earth 3 feet below the Surface.		Oster's.		Robinson's.									
				High- est.	Low- est.	Daily Range.	Mean value.	De- crease from Average of 65 years.	Mean daily value.	Great est.	Least.	Highest in Sun's Grass.	Lowest on the Grass.	General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Average of 40 years.						
														A.M.	P.M.	Great- est.	Least.				Mean of 40 years obs.				
APRIL.		in.	°	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	lbs.	Miles.	Miles	in.						
SUNDAY - 14	..	29.499	51.4	40.5	10.9	45.6	- 0.8	41.1	4.5	6.6	1.4	8.4	79.2	33.5	45.42	°	ENE. & NE.	ENE. & NE.	1.9	0.6	0.1	228	- 55	0.02	0.0
MONDAY - 15	..	29.408	55.5	40.1	15.4	47.3	+ 0.5	39.9	7.4	17.1	1.3	7.5	118.9	33.0	45.67	°	NNE. & N.	NNE.	1.1	0.0	0.1	224	- 53	0.00	0.0
TUESDAY - 16	..	29.357	57.0	40.8	16.2	45.5	- 1.7	42.7	2.8	12.0	0.0	9.0	92.0	39.0	45.79	°	N. & NNE.	N. & NNE.	2.0	0.0	0.1	223	- 60	0.22	2.0
WEDNESDAY 17	..	29.538	56.2	37.8	18.4	44.5	- 3.1	33.9	5.6	15.4	1.4	8.1	93.0	34.0	45.92	°	N. & NNW.	N. & NNE.	4.0	0.0	0.3	267	- 17	0.03	0.0
THURSDAY - 18	Apogee	29.852	48.1	31.0	17.1	33.8	- 9.2	28.5	10.3	18.1	1.1	6.6	114.3	21.7	46.01	°	N. Calm & variable	N. variable.	2.0	0.0	0.2	233	- 52	0.00	0.0
FRIDAY - 19	Greatest Dec. N.	29.945	49.0	29.1	19.9	39.7	- 8.6	31.2	8.5	15.5	3.6	7.2	93.0	20.3	45.89	°	SSW. & S.	SSW.	0.3	0.0	0.0	123	- 183	3.00	0.0
SATURDAY - 20	Quarter.	29.974	54.4	32.5	21.9	44.6	- 3.9	33.3	11.3	17.4	2.9	6.4	113.9	25.3	45.57	°	SSW. & SSW.	SSW.	3.6	0.0	0.4	343	+ 56	0.36	1.8
MEANS - -	-	29.653	53.1	38.0	17.1	43.7	- 3.8	36.5	7.2	14.6	1.8	7.6	101.3	29.5	45.75	°	NNE. & variable	NNE. & variable	Sum 1646	- 345	Sum 0.63	0.5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	28

DATE.		EXPLANATION OF SYMBOLS, see Note.		REGISTERED SUNSHINE, in hours.		SUNSHINE, in hours.	GENERAL REMARKS.		
APRIL.									
SUNDAY - 14		w. P. generally.		00	137		Generally overcast; fine interval between 7h. and 10h. P.M.; slight showers in afternoon.		
MONDAY - 15		w. P. till 6h. A.M.; m. P. generally afterwards.		59	137		Generally overcast in morning; fine with variable amounts of cloud till 8h. P.M., then overcast.		
TUESDAY - 16		m. P. generally till 4h. A.M.; w. P. and s. till 6h. P.M.; m. P. afterwards.		19	138		Generally overcast; rain between 4h. 30m. and 6h. P.M.		
WEDNESDAY - 17		p. till 8h. A.M.; s. till 2h. P.M.; s. and v. N. till 8h. P.M.; m. P. afterwards.		31	139		Generally overcast; fine interval in forenoon and cloudless after 1h. P.M.; light showers in afternoon and evening.		
THURSDAY - 18		p. till 8h. A.M.; s. till 2h. P.M.; w. P. generally afterwards.		73	139		Very fine generally but partially cloudy; a cold day; hoar frost at night.		
FRIDAY - 19		w. P. generally.		06	140		Very fine with hoar frost in morning; overcast with slight exceptions between 6h. A.M. and 8h. P.M.; very fine afterwards; cold.		
SATURDAY - 20		w. P. till 2h. P.M.; loss of Register till 8h. P.M.; m. P. afterwards.		89	140		Very fine till 5h. P.M.; overcast afterwards with slight rain after 6h. 30m. P.M.; hoar frost in morning.		
No. of Col. -	-			28	277	28			

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer, the combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23 derived from the Campbell-Spokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.

The reading of the barometer increased from 29.49 in. at the beginning of the week to 29.61 in. by 10h. P.M. on the 14th; decreased to 29.32 in. by 3h. P.M. on the 16th; increased to 30.04 in. by 9h. A.M. on the 20th; and decreased to 29.88 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th April, 1907.*

BOROUGHES.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	1	-	-	-	-	-	-	-
Kensington - - -	181,842	-	8	1	-	1	-	-	1	-	-
Hammersmith - - -	122,337	-	10	7	-	2	-	-	2	-	-
Fulham - - -	166,749	-	8	12	-	1	-	-	5	-	-
Chelsea - - -	74,857	-	1	2	-	1	-	-	1	-	-
City of Westminster - -	172,219	-	8	1	-	2	-	-	5	1	-
NORTH.											
St. Marylebone - - -	127,718	-	3	3	-	2	-	-	5	-	-
Hampstead - - -	91,137	-	2	5	-	-	-	-	3	-	-
St. Pancras - - -	236,753	-	11	5	-	1	-	-	4	-	-
Islington - - -	347,017	-	22	7	-	2	-	-	7	1	-
Stoke Newington - - -	53,613	-	6	1	-	-	-	-	-	-	-
Hackney - - -	232,993	-	12	14	-	1	-	-	4	-	-
CENTRAL.											
Holborn - - -	55,134	-	3	2	-	-	-	-	-	-	1
Finsbury - - -	96,732	-	6	3	-	2	-	-	3	-	-
City of London - - -	20,310	-	-	-	-	1	-	-	-	-	-
EAST.											
Shoreditch - - -	115,692	-	13	5	-	-	-	-	1	-	1
Bethnal Green - - -	130,831	-	12	4	1	-	-	-	3	-	1
Stepney - - -	308,923	-	18	5	-	2	-	-	11	-	-
Poplar - - -	171,086	-	13	10	-	1	-	-	5	-	-
SOUTH.											
Southwark - - -	209,781	-	17	9	-	3	-	-	6	1	1
Bermondsey - - -	128,263	-	11	10	-	-	-	-	2	-	-
Lambeth - - -	318,538	-	17	4	-	-	-	-	3	-	-
Battersea - - -	181,736	-	20	9	-	-	-	-	3	-	-
Wandsworth - - -	281,419	-	18	8	-	-	-	-	5	-	-
Camberwell - - -	277,059	-	20	6	-	-	-	-	2	-	-
Deptford - - -	116,510	-	10	3	-	-	-	-	2	-	-
Greenwich - - -	107,222	-	11	4	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	11	8	-	-	-	-	4	-	-
Woolwich - - -	129,336	-	13	4	-	-	-	-	4	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	313	153	1	21	-	-	92	3	4
Ages											
0-1 - - -	-	-	2	6	-	-	-	-	5	-	1
" 1-5 - - -	-	-	79	63	-	1	-	-	6	-	1
" 5- - - -	-	-	135	44	-	3	-	-	1	-	1
" 10- - - -	-	-	49	18	-	1	-	-	4	-	1
" 15- - - -	-	-	17	8	1	-	-	-	4	-	-
" 20- - - -	-	-	18	5	-	5	-	-	4	-	-
" 25- - - -	-	-	12	8	-	8	-	-	13	2	-
" 35- - - -	-	-	1	-	-	3	-	-	18	1	-
" 45- - - -	-	-	-	1	-	-	-	-	18	-	-
" 55- - - -	-	-	-	-	-	-	-	-	8	-	-
" 65 and upwards - -	-	-	-	-	-	-	-	-	11	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By **DARLING & SON, LTD., 34-40, BACON STREET, E.**

1907

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 17. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, APRIL 27. [Price 1½d.

General Register Office, Somerset House,
April 29th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·0 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 17·9, 16·9, and 16·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·9 in Nottingham, 21·4 in Preston, 22·1 in Bury, 23·0 in Wigan and in Swansea, 23·2 in Stockport, 25·6 in Middlesbrough, and 27·3 in Birkenhead; from *measles*, 3·0 in West Bromwich, 3·1 in Birkenhead, 3·2 in Nottingham, and 4·0 in Portsmouth and in Sheffield; from *scarlet fever*, 1·2 in Wigan; from *whooping-cough*, 1·6 in Brighton, 1·7 in Tottenham, 2·0 in Stockton on Tees, and 2·2 in Salford; from "*fever*," 1·8 in Wigan; and from *diarrhœa*, 1·2 in Rhondda and 1·9 in Tynemouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.†

In LONDON 2452 BIRTHS and 1423 DEATHS were registered. Allowing for increase of population, the births were 223 and the deaths 100 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 17·8, 16·4, and 16·1 per 1000 in the preceding three weeks, further fell last week to 15·6. The death-rate in the four weeks ended last Saturday averaged 16·5 per 1000, being 0·3 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1423 deaths included 47 from measles, 8 from scarlet fever, 16 from diphtheria, 67 from whooping-cough, 3 from enteric fever, and 14 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 155 deaths were referred to these diseases in the aggregate, being 11 below the corrected average number in the seventeenth week of the preceding five years.

The deaths from *measles*, which had been 63, 45, and 40 in the preceding three weeks, were 47 last week, and were 14 below the corrected average; 5 deaths belonged to the Borough of Hammersmith, and 4 apiece to St. Pancras, Islington, and Greenwich. The deaths from *scarlet fever*, which had been 13, 9, and 9 in the preceding three weeks, were 8 last week, and were 1 below the corrected average. The deaths from *diphtheria*, which had been 19, 8, and 10 in the preceding three weeks, were 16 last week, and were equal to the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 63, 60, and 50 in the preceding three weeks, rose to 67 last week, and were 18 above the corrected average; 8 deaths belonged to Camberwell, 7 to Wandsworth, and 5 apiece to Kensington, Shoreditch, and Southwark. The deaths from *enteric fever*, which had been 4, 5, and 6 in the preceding three weeks, were 3 last week, the corrected average being 4. The deaths from *diarrhoea*, which had been 11, 18, and 13 in the preceding three weeks, were 14 last week, and were 3 below the corrected average; 3 deaths belonged to Stepney. Of the 14 deaths from diarrhoea, 8 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 15, having been 17, 24, and 16 in the preceding three weeks.

Different forms of *violence* caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 9 were cases of suicide, while the remaining 54 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 5 to burns or scalds, 4 to drowning, 1 to a conflagration, 2 to the effects of anæsthetics administered for surgical purposes, and 14, including 13 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2649 cases of scarlet fever, 949 of diphtheria, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 0; of scarlet fever, 360 cases, against 352, 296, and 361; of diphtheria, 109 cases, against 120, 123, and 125; and of enteric fever, 10 cases, against 19, 8, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 20th, 1907.

GREATER LONDON.

In Greater London 3793 births and 2000 deaths were registered. Allowing for increase of population, these numbers are 307 and 130 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 5 from scarlet fever, 1 from diphtheria, 9 from whooping-cough, 1 from "fever," and 5 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·96 inches, and that of the Thermometer 49·4, the latter being 0·8 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being slightly above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 31·4 hours; the measured rainfall amounted to 0·90 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1. — 76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS. — BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 27th April, 1907, and DEATH-RATES in each of the preceding three Weeks.

Births, Deaths, and Rates of Mortality.

267

TOWNS.	Cols.	The DEATHS registered in the Week include										TOWNS.															
		Deaths from																									
		Deaths in Public																									
		Causes of Death.																									
POPULATION estimated to the end of the Year 1907.*	1.	DEATH-RATES from all Causes.					Rate from Diseases during the Week ended 27th April, 1907.					Deaths of Persons aged under 1 Year					Deaths from					TOWNS.					
		Week ended					11-17.					Infants under 1 Year					Deaths from										
		6th	13th	20th	27th	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from															
Apr., 1907.	Apr., 1907.	Apr., 1907.	Apr., 1907.	Apr., 1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						TOWNS.
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.						
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year					Deaths from					Deaths in Public					Causes of Death.					TOWNS.	
1907.	1907.	1907.	1907.	1907.	Week ended 27th April, 1907.	Deaths of Persons aged under 1 Year																					

TOWNS,	POPULATION estimated middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in 1907.		Registered during the week ended 27th April, 1907.		Deaths of		Deaths from										TOWNS.															
		Week ended				11-17.		27th April, 1907.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.	Cols.														
		6th, 13th, 20th, 27th Apr., 1907.				11-17.		27th April, 1907.																													
		2.	3.	4.	5.	6.	7.	8.	9.															10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.		
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																
HUDDESFIELD	-	20.3	23.1	18.1	18.1	-	40	33	6	7	-	-	-	-	-	-	-	-	1	4	-	HUDDESFIELD.															
HALIFAX	-	18.0	14.2	13.3	16.6	0.9	40	35	7	15	1	-	-	1	1	-	-	-	7	-	-	HALIFAX.															
BRADFORD	-	19.2	15.6	17.1	18.7	0.7	128	104	15	43	1	-	1	1	1	1	-	13	22	-	BRADFORD.																
LEEDS	-	18.8	17.2	12.5	15.2	0.4	236	137	28	51	1	-	1	2	-	-	-	15	27	-	LEEDS.																
SHEFFIELD	-	14.7	19.1	19.1	19.9	4.5	238	174	48	37	1	-	35	3	1	-	6	8	35	5	SHEFFIELD.																
ROTHERHAM	-	23.4	11.7	12.5	15.0	0.8	35	18	5	6	-	-	1	-	-	-	3	3	3	1	ROTHERHAM.																
YORK	-	12.9	14.8	11.1	8.0	-	53	13	3	6	-	-	-	-	-	-	2	2	2	1	YORK.																
HULL	-	19.4	15.6	15.4	16.2	1.6	150	83	17	25	-	-	6	1	1	2	7	12	23	-	HULL.																
MIDDLESBROUGH	-	20.5	16.9	22.0	25.6	2.0	72	50	18	8	-	-	2	-	-	-	-	1	9	-	MIDDLESBROUGH.																
STOCKTON-ON-TEES	-	21.7	17.7	15.8	18.7	2.0	37	19	2	5	-	-	-	-	2	-	-	-	2	-	STOCKTON-ON-TEES.																
WEST HARTLEPOOL	-	16.6	10.4	21.4	14.5	1.4	44	21	8	1	-	-	-	-	2	-	1	1	1	1	WEST HARTLEPOOL.																
SUNDERLAND	-	21.1	17.4	23.4	20.1	2.7	107	60	18	11	-	-	5	1	2	-	3	4	6	1	SUNDERLAND.																
SOUTH SHIELDS	-	16.5	24.8	21.1	18.8	0.5	62	41	8	11	-	-	-	-	1	-	5	7	6	2	SOUTH SHIELDS.																
GATESHEAD	-	14.5	15.8	17.8	15.8	2.1	72	38	7	8	-	-	2	1	1	-	2	2	2	2	GATESHEAD.																
NEWCASTLE-ON-TYNE	-	17.2	13.6	16.2	15.5	1.3	162	81	28	21	-	-	4	-	2	1	1	3	15	-	NEWCASTLE-ON-TYNE.																
TYNEMOUTH	-	13.3	13.3	20.0	17.2	1.9	40	18	4	3	-	-	-	-	-	-	2	-	5	-	TYNEMOUTH.																
NEWPORT (MON.)	-	19.3	13.1	22.1	17.2	2.1	33	25	4	4	-	-	1	-	-	-	1	2	5	-	NEWPORT (MON.).																
CARDIFF	-	20.6	16.7	13.9	11.1	0.6	88	40	8	14	-	-	-	-	1	-	1	2	8	-	CARDIFF.																
RHONDDA	-	15.6	11.2	18.0	16.0	2.4	82	40	9	11	-	-	1	-	-	-	3	2	3	9	RHONDDA.																
MERTHYR TYDFIL	-	19.9	15.8	17.1	16.4	-	61	24	5	8	-	-	-	-	-	-	2	1	3	-	MERTHYR TYDFIL.																
SWANSEA	-	16.1	18.8	18.2	23.0	-	60	43	6	11	-	-	-	-	-	-	-	3	4	-	SWANSEA.																
GREATER LONDON	-	16.2	15.1	14.9	14.4	1.5	3793	2000	398	595	-	-	61	17	20	92	4	87	178	672	3	GREATER LONDON.															
OUTER RING	-	13.0	12.7	12.6	12.2	1.3	1341	577	133	175	-	-	14	9	4	25	1	6	42	107	2	OUTER RING.															
8 TOWNS IN OUTER RING	-	12.7	12.8	12.3	12.0	1.4	630	279	69	81	-	-	8	4	3	16	-	1	18	48	-	8 TOWNS IN OUTER RING.															
REMAINDER OF OUTER RING	-	13.3	12.7	12.8	12.4	1.1	661	293	64	94	-	-	6	5	1	9	1	5	24	59	2	REMAINDER OF OUTER RING.															
EDINBURGH	-	18.4	15.4	17.9	18.7	1.2	173	124	17	41	-	-	4	-	-	2	1	?	?	42	2	EDINBURGH.															
GLASGOW	-	21.8	23.6	22.2	22.4	3.6	469	364	71	65	-	-	5	-	3	43	1	?	?	116	16	GLASGOW.															
DUBLIN (Registration Area).†	-	28.3	26.6	27.1	33.5	3.9	214	251	53	71	-	-	10	-	1	15	2	1	7	89	6	DUBLIN (Registration Area).†															
BELFAST	-	27.0	22.4	23.9	23.9	0.1	260	170	33	25	-	-	-	-	-	1	-	4	4	36	3	BELFAST.															

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

‡ Including 8 deaths from Cerebro-spinal meningitis or Cerebro-spinal fever in Edinburgh, 26 in Glasgow, 2 in Dublin, and 27 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTEENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2750	2522	2693	2697	2585	2443	2611	2733	2568	2717	2675.4	2452
Males - - -	1379	1280	1402	1361	1320	1273	1312	1341	1320	1391	1358.4	1268
Females - - -	1371	1262	1291	1336	1265	1170	1299	1392	1248	1326	1317.0	1184
TOTAL Deaths -	1442	1485	1478	1721	1552	1528	1533	1392	1426	1563	1523.2	1423
Males - - -	766	778	733	927	788	809	807	754	749	807	803.6	688
Females - - -	676	707	745	794	764	719	726	638	677	756	719.6	735

* The numbers in this column are the average weekly numbers in the seventeenth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 2.	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	13 Weeks.
TOTAL Births -	2550	2356	2350	2412	2391	2391	2390	2548	2236	2387	2532	2577	2452	31572
TOTAL Deaths -	1895	1858	1819	1558	1678	1641	1696	1483	1586	1627	1495	1469	1423	21228
Ages at Death {														
Under 1 year -	367	353	314	275	290	290	328	293	311	303	264	278	265	3929
1–5 years -	197	179	199	165	181	189	193	167	220	249	237	173	212	2561
5–20 " -	92	73	69	87	89	68	101	73	74	86	75	75	80	1042
20–40 " -	225	194	193	171	206	196	191	181	199	189	202	179	186	2512
40–60 " -	348	410	363	318	338	353	363	279	337	304	280	301	280	4254
60 yrs. & upwds.	666	649	681	542	574	545	520	490	445	496	437	465	420	6930
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	20	30	28	38	35	55	57	29	59	63	45	40	47	546
Scarlet Fever -	8	6	8	8	6	7	8	6	8	13	9	9	8	104
Diphtheria - -	21	20	20	16	16	19	15	12	16	19	8	10	16	208
Whooping-cough	51	40	48	31	45	40	42	36	71	63	80	50	67	644
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	8	2	1	1	6	7	-	6	1	4	5	6	3	50
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhoea, Dysentery	17	17	17	18	12	12	13	15	14	11	18	13	14	191
All above Diseases -	125	115	122	112	120	140	136	104	169	173	145	128	155	1744
Dis. of Resp. System														
Pneumonia - -	282	285	298	201	222	232	207	173	177	187	147	133	138	2672
Phthisis - - -	233	241	229	178	210	173	196	180	177	225	208	193	167	2610
Dis. of Circ. System	184	175	187	147	151	160	157	136	161	156	157	135	133	2039
Violence - - -	241	249	249	220	253	217	228	182	197	209	181	212	191	2829
Inquest Cases -	68	57	63	56	60	60	51	66	55	64	50	52	63	766
Deaths in Institutions	216	159	182	153	161	152	139	157	153	166	133	148	136	2055
TEMPERATURE OF THE AIR.														
Mean - - -	36.1	33.0	39.7	39.9	40.6	40.1	42.8	46.1	46.5	49.6	44.1	43.7	49.4	42.4
Mean of Highest	41.7	37.1	44.6	45.6	48.3	47.2	49.7	55.1	60.8	62.0	53.7	53.1	58.0	50.5
Mean of Lowest	30.6	27.9	34.5	35.2	32.7	33.4	36.0	37.4	31.1	37.8	37.9	36.0	43.2	34.9
Mean Humidity of the Air.	77	76	85	72	81	80	74	64	71	69	86	76	79	76
Rain-fall (in inches) -	0.19	0.19	0.77	0.29	0.01	0.37	0.40	0.13	0.00	0.17	1.42	0.63	0.90	5.47
Registered Sunshine (in hours)	11.8	17.9	15.0	19.8	11.0	21.9	27.0	50.5	53.5	43.6	18.8	27.7	31.4	349.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet Fever -	3176	3059	3035	2938	2878	2878	2826	2734	2657	2621	2637	2628	2649	2624
Diphtheria - -	928	932	926	920	922	967	983	1006	1014	996	992	997	949	964
Typhus - - -	3	3	3	4	4	3	4	3	1	-	-	-	-	2
Enteric Fever -	100	94	101	102	103	98	96	94	93	82	75	69	66	90

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Trigg, Esq., A.M.I.C.E., Plymouth; A. O. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. E. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTEENTH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 17th week of the year 1907-1908.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 17th week of the year 1907-1908.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.								ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1523.2	1423	265	212	80	186	260	420	Meningitis (not tuberc.)	18.8	15	2	8	3	1	1	-
									Gen. Par. of Insane, Insanity	18.8	17	-	-	1	4	5	7
									Epilepsy	10.4	7	-	1	1	3	1	-
									Convulsions	23.7	23	20	3	-	-	-	-
Small-pox*	9.4	-	-	-	-	-	-	-	Locomotor Ataxy	1.0	3	-	-	-	-	3	-
Cowpox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	4.3	5	-	-	-	1	2	2
Measles (Morbilli)	61.4	47	4	43	-	-	-	-	Nervous Sys., Other Dis.	19.0	19	1	1	-	1	6	10
Scarlet Fever	9.0	8	-	5	1	2	-	-	Valv. Dis., Endocarditis	44.0	47	-	-	5	4	14	24
Typhus	-	-	-	-	-	-	-	-	Cereb. Hem. Cereb. Emb.	35.2	38	-	-	-	1	9	28
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	20.9	18	-	-	-	-	3	15
Influenza	18.2	15	-	1	-	3	4	7	Aneurysm	4.9	3	-	-	-	-	2	1
Whooping-cough	48.5	67	27	35	5	-	-	-	Embolism, Thrombosis (not Cerebral)	1.8	-	-	-	-	-	-	-
Diphtheria	16.4	16	5	8	3	-	-	-	Heart & Blood Ves., Other Dis.	88.2	85	-	-	4	8	18	55
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Croup (not Spasm; nor Memb.)	1.2	2	-	2	-	-	-	-
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-	Bronchitis	123.6	111	20	14	1	3	14	59
Enteric Fever	4.1	3	-	1	-	2	-	-	Emphysema, Asthma	4.7	2	-	-	-	-	1	1
Asiatic Cholera	-	-	-	-	-	-	-	-	Pleurisy	4.7	7	-	2	-	1	3	1
Epidemic Diarrhoea, Infective Enteritis	2.5	5	2	1	-	2	-	2	Respiratory Dis., Other	14.5	6	2	1	-	-	1	2
Diarrhoea, Dysentery	14.5	9	4	2	-	2	-	1	Tonsillitis, Quinsy	-	1	-	-	1	-	-	-
Tetanus	0.6	-	-	-	-	-	-	-	Enteritis (not Epid.)	8.0	9	3	-	-	1	2	3
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-enteritis	4.9	8	7	-	-	-	-	1
Glanders	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.9	2	-	-	-	1	1	-
Anthrax (Splenic Fever)	0.2	-	-	-	-	-	-	-	Cirrhosis of Liver	12.1	8	-	-	-	-	7	1
Venereal Dis.	5.9	4	2	-	1	1	-	-	Liver Dis., Other	5.9	3	-	-	-	-	-	3
Puerperal Septicæmia	2.0	1	-	-	-	1	-	-	Digestive Sys., Other Dis.	39.1	34	4	1	3	9	8	9
Puerperal Pyæmia	0.4	-	-	-	-	-	-	-	Acute Nephritis	5.9	3	-	-	-	1	-	2
Puerperal Fever	0.8	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	32.3	39	-	-	-	1	5	16
Infective Endocarditis	2.5	4	-	-	-	3	1	-	Urinary Sys., Other Dis.	11.9	10	-	-	2	1	3	4
Lobar	21.5	15	1	-	-	4	6	4	Generative Organs Dis.	3.7	2	-	-	-	1	1	-
Broncho-	64.3	75	23	33	2	2	5	10	Childbirth (Accid. of)	2.0	6	-	-	-	5	1	-
Epidemic	-	-	-	-	-	-	-	-	Old Age	51.4	51	-	-	-	-	-	51
Not defined	70.4	77	5	15	3	14	18	22	Other Diseases	104.3	88	61	6	6	3	5	7
Erysipelas	2.9	2	-	-	-	-	1	1	ACCIDENT.								
Septicæmia (not Puerperal)	1.2	-	-	-	-	-	-	-	By Railways	1.6	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	0.6	-	-	-	-	-	-	-	By Vehicles and Horses	7.4	7	-	-	-	3	1	3
Other Infective Processes	6.5	4	1	-	1	2	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.4	-	-	-	-	-	-	-
Tuberculous Phthisis	79.0	84	-	5	10	40	21	8	In Building Operations	1.4	1	-	-	-	-	1	-
"Phthisis"	69.0	49	-	-	3	26	19	1	In Conflagrations	2.3	1	-	-	-	-	-	-
Tuberculous Meningitis	24.2	26	3	14	8	-	1	-	By Burns, Scalds, Explosions	5.3	5	-	2	-	1	2	-
Tuberculous Peritonitis	8.6	6	1	2	2	-	1	-	By Drowning	3.1	4	-	-	-	2	2	-
Tabes Mesenterica	4.3	-	-	-	-	-	-	-	By Suffocation in Bed	10.4	14	13	1	-	-	-	-
Tuberculous Dis., Other	18.6	19	6	5	4	1	3	-	By Poisons or Poisonous Vapours	2.5	2	-	-	1	1	-	-
Scarlatina	0.2	-	-	-	-	-	-	-	Other Deaths by Accident	11.1	20	-	1	2	4	2	11
Alcoholism	10.0	12	-	-	-	5	6	1	VIOLENCE OTHER THAN ACCIDENTAL.								
Rheumatic Fever	5.1	8	-	-	3	5	-	-	Homicide	1.2	-	-	-	-	-	-	-
Gout	1.8	1	-	-	-	-	-	1	Suicide	14.3	9	-	-	-	1	3	4
Carcinoma	55.1	49	-	-	-	5	19	25	Execution	0.2	-	-	-	-	-	-	-
Sarcoma	5.1	4	-	-	2	-	1	1									
Cancer (undefined)	36.2	21	-	-	-	9	12	-									
Diabetes Mellitus	9.0	9	-	-	1	1	2	5									
Premature Birth	47.7	48	48	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th April, 1907.

The DEATHS registered during the Week include.																		
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 15 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyrexia of uncertain origin.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,538,429	2452	1423	265	420	-	47	8	16	67	-	3	-	14	63	136	565	
WEST DISTRICTS - - -	805,311	332	257	44	92	-	9	1	1	9	-	-	-	2	11	21	85	
NORTH DISTRICTS - - -	1,056,070	497	290	46	100	-	10	4	1	13	-	-	-	2	9	19	117	
CENTRAL DISTRICTS - - -	209,465	114	74	18	13	-	2	-	3	5	-	-	-	1	4	7	41	
EAST DISTRICTS - - -	715,739	517	257	61	66	-	10	-	1	8	-	1	-	5	16	42	115	
SOUTH DISTRICTS - - -	1,749,844	992	508	96	141	-	16	2	10	32	-	2	-	3	23	46	170	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	37	-	8	-	-	1	-	-	-	-	-	1	-	1	37	
WEST DISTRICTS.																		
St. Mary Paddington W,3H - -	93,178	43	26	5	8	-	-	-	1	3	-	-	-	-	-	1	6	
St. John Paddington H - - -	33,617	11	9	-	3	-	-	-	-	-	-	-	-	-	-	1	5	
North-West Paddington - - -	17,181	5	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -	128,037	36	51	9	27	-	-	-	-	5	-	-	-	-	1	1	21	
Brompton 2H - - -	48,591	6	9	1	3	-	-	-	-	-	-	-	-	-	2	2	3	
North Hammersmith 2W,w,H -	49,192	41	22	5	6	-	4	-	-	-	-	-	-	-	-	-	9	
South Hammersmith w,2H - -	63,047	35	16	2	5	-	1	-	-	-	-	-	-	-	2	3	5	
North-west Fulham W - - -	45,180	32	21	8	4	-	1	-	-	-	-	-	-	-	-	-	8	
North-east Fulham F - - -	46,405	18	10	1	4	-	-	1	-	-	-	-	-	-	-	1	1	
South Fulham W - - -	45,704	30	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W,w,3H - - -	42,514	13	25	2	12	-	3	-	-	-	-	-	-	-	1	2	10	
Chelsea South W,2H - - -	31,328	9	13	3	4	-	-	-	-	1	-	-	-	1	1	2	2	
Mayfair and Knightsbridge - -	28,743	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -	55,815	20	17	2	5	-	-	-	-	-	-	-	-	-	2	3	9	
St. Margaret & St. John 5H - -	43,698	17	13	3	3	-	-	-	-	-	-	-	-	1	-	1	4	
St. James and St. Anne W,6H -	33,081	7	11	-	3	-	-	-	-	-	-	-	-	-	2	4	2	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	7	14	1	1	-	-	-	-	2	-	-	-	-	-	-	8	
St. Mary Marylebone W,4H - -	37,948	53	3	1	1	-	-	-	-	1	-	-	-	-	-	-	1	
Christchurch Marylebone - - -	39,636	13	7	2	2	-	-	-	-	1	-	-	-	-	-	1	-	
St. John Marylebone 2H - - -	20,426	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -	81,942	39	29	1	13	-	-	2	-	-	-	-	-	-	1	1	9	
West St. Pancras 2H - - -	60,562	22	10	2	2	-	2	-	-	1	-	-	-	-	-	2	2	
South St. Pancras w,11H - - -	55,707	15	20	3	4	-	-	-	-	1	-	-	-	-	1	2	13	
East St. Pancras W,2H - - -	60,320	30	26	4	10	-	1	-	-	-	-	-	-	-	-	1	9	
North St. Pancras 2W - - -	58,728	26	15	2	7	-	1	-	-	2	-	-	-	-	-	-	-	
Tufnell W - - -	31,995	18	27	3	12	-	1	-	-	1	-	-	-	-	-	1	22	
Upper Holloway 2W,w,H - - -	33,978	24	17	1	3	-	-	-	-	1	-	-	-	-	-	1	14	
Tollington WH - - -	33,922	12	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	24	7	-	5	-	1	-	-	-	-	-	-	-	-	1	-	
Barnsbury - - -	54,478	43	13	2	3	-	2	-	-	1	-	-	-	-	1	2	-	
Islington South-east F - - -	75,397	26	12	4	4	-	-	-	-	-	-	-	-	-	1	1	-	
Highbury 2H - - -	63,797	20	6	1	4	-	-	-	-	-	-	-	-	-	1	-	-	
Stoke Newington H - - -	51,247	15	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -	50,560	20	14	3	3	-	-	-	-	-	-	-	-	-	2	-	-	
Central Hackney 2w,F - - -	50,536	26	14	3	3	-	2	2	1	-	-	-	-	-	1	2	-	
South-west Hackney 3E - - -	59,921	23	18	9	2	-	-	-	-	-	-	-	-	-	1	1	6	
South-east Hackney 2W,w,H -	58,255	34	23	3	12	-	-	-	-	1	-	-	-	2	1	2	10	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution* of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th April, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																		
				Deaths of		Deaths from														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarthra.	Violence.							
CENTRAL DISTRICTS.																						
Giles and Bloomsbury 2W,2H -	31,436	22	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-			
and W,4H - - - - -	21,874	3	7	-	3	-	-	-	-	-	-	-	-	-	-	-	1	6	-			
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Ibourn W,6H - - - - -	28,612	14	19	7	-	-	-	-	1	-	-	-	-	-	-	-	-	11	-			
ath Clerkenwell - - - - -	28,676	9	7	2	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-			
rth Clerkenwell H - - - - -	35,028	30	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
sbury 3H,L - - - - -	36,116	31	11	5	1	-	2	-	-	1	-	-	-	-	1	1	1	2	-			
Ibourn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Botolph H - - - - -	10,209	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-			
Sepulchre and Allhallows W,2H	16,624	4	22	3	4	-	-	-	-	2	1	-	-	-	-	2	-	21	-			
y of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
EAST DISTRICTS.																						
reditch South H - - - - -	46,362	33	15	2	2	-	2	-	-	-	1	-	-	-	1	-	1	-	-			
reditch North-West W,w,H	36,127	28	27	4	7	-	-	-	-	-	1	-	-	-	-	2	3	16	-			
reditch North-East - - - - -	36,148	24	6	3	1	-	-	-	-	-	2	-	-	-	-	-	1	-	-			
reditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
chnal Green North-East 2W } LL - - - - - }	65,138	38	35	6	14	-	1	-	-	2	-	-	-	-	-	-	2	23	-			
chnal Green South-West H -	64,542	34	10	7	1	-	1	-	-	2	-	-	-	-	1	1	3	-	-			
talfields - - - - -	27,969	34	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
e End New Town W,H - - -	28,718	24	41	7	3	-	12	-	-	-	-	1	-	-	1	2	3	36	-			
odman's Fields - - - - -	22,081	16	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-			
George and St. John 2W - -	49,068	53	12	6	2	-	1	-	-	-	-	-	-	-	1	2	5	2	-			
adwell and Ratcliff W,H - -	25,568	14	13	4	2	-	-	-	1	-	-	-	-	-	-	4	7	6	-			
ehouse W - - - - -	32,360	27	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
e End Old Town South- } Western H - - - - - }	63,698	63	10	6	2	-	-	-	-	-	-	-	-	-	-	1	3	-	-			
e End Old Town North- } Eastern W,w - - - - - }	49,120	30	15	4	6	-	-	-	-	-	-	-	-	-	1	1	3	8	-			
w L - - - - -	41,989	26	18	3	5	-	2	-	-	-	-	-	-	-	-	-	3	-	-			
ymley 3w,H - - - - -	68,319	40	34	3	17	-	1	-	-	-	-	-	-	-	-	2	4	23	-			
olar W,w - - - - -	58,514	33	9	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-			

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th April, 1907—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths from														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.					
SOUTH DISTRICTS.																				
Christchurch and St. Saviour } Southwark W,2H - - - }	23,319	12	16	1	3	-	-	-	-	2	-	-	-	-	1	1	10			
Kent-road - - - - -	21,904	19	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-			
St. George the Martyr West } W,2H,L - - - - - }	39,094	21	9	2	2	-	-	-	-	-	-	-	-	-	-	2	6			
Newington North - - - -	49,022	26	16	2	5	-	-	-	-	3	-	-	-	-	1	1	-			
Newington South W - - -	72,841	30	17	1	5	-	1	-	-	1	-	-	-	-	1	1	-			
St. Olave 2W - - - - -	9,817	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2			
Bermondsey W - - - - -	82,483	55	17	4	3	-	3	-	-	1	-	-	-	-	-	1	-			
Rotherhithe W,F - - - -	38,460	18	20	6	3	-	-	-	-	-	-	-	-	-	-	-	8			
Waterloo 2H - - - - -	27,440	30	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2			
Lambeth Church H - - - -	27,440	16	21	5	3	-	-	-	-	-	-	1	-	-	3	3	13			
Kennington 2W - - - - -	52,518	38	30	1	16	-	1	-	-	-	-	-	-	1	3	1	17			
Stockwell HF - - - - -	63,826	53	9	2	2	-	-	-	1	-	-	-	-	-	-	1	1			
Brixton H - - - - -	73,673	38	15	4	5	-	-	-	-	1	-	-	-	-	-	-	3			
Norwood WH - - - - -	56,998	19	19	5	4	-	1	-	-	2	-	-	-	-	1	1	1			
East Battersea H - - - -	72,203	41	13	3	3	-	-	-	-	2	-	-	-	-	-	1	-			
North-west Battersea - - -	49,656	51	11	5	1	-	-	-	-	1	-	-	-	-	-	2	-			
South-west Battersea 2W,H -	47,048	12	19	4	6	-	-	-	-	1	-	-	-	-	3	6	11			
Clapham 2H - - - - -	51,331	31	14	2	5	-	-	-	-	2	-	-	-	-	-	-	7			
Streatham W,2w,3F,2L - -	83,019	39	35	8	12	-	1	-	4	2	-	-	-	-	-	-	15			
Springfield 2W,L - - - -	27,959	24	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-			
Southfields H - - - - -	40,444	14	8	4	1	-	-	-	-	2	-	-	-	-	1	1	-			
Putney - - - - -	24,139	10	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
Dulwich - - - - -	13,359	5	3	-	3	-	-	-	-	2	-	-	-	-	-	-	-			
Camberwell South W,w - -	40,206	16	22	1	13	-	-	-	-	-	-	-	-	-	1	1	15			
Camberwell North W,2L -	65,584	32	26	4	9	-	-	-	-	1	-	-	-	-	-	3	16			
St. George - - - - -	47,331	31	10	3	2	-	1	-	-	2	-	-	-	-	1	3	-			
Peckham North - - - - -	48,913	27	6	1	1	-	-	-	-	1	-	-	-	-	-	2	-			
Peckham South 2W,w - - -	43,946	16	11	-	3	-	-	-	-	2	-	-	-	-	-	-	-			
Deptford North - - - - -	37,613	21	9	-	4	-	-	-	-	-	-	-	-	-	1	1	-			
Deptford Central F - - - -	45,481	32	14	3	1	-	1	-	3	-	-	1	-	-	2	2	5			
Deptford South - - - - -	34,826	12	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-			
Greenwich West 2H - - - -	23,456	15	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
Greenwich East 2W,H - - -	43,859	25	19	2	7	-	3	-	-	2	-	-	-	-	2	2	11			
Eltham w,H - - - - -	7,226	4	3	-	1	-	1	-	-	-	-	-	-	-	1	1	-			
Lee wH - - - - -	25,490	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
Lewisham W w,F - - - - -	53,352	40	28	6	7	-	-	2	1	2	-	-	-	-	2	3	19			
Sydenham H - - - - -	43,653	28	12	3	1	-	-	-	-	-	-	-	-	-	1	2	-			
Charlton F,2H - - - - -	21,134	16	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1			
Woolwich 5H - - - - -	41,625	24	5	1	1	-	2	-	-	-	-	-	-	-	1	1	-			
Plumstead West W - - - -	18,063	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Plumstead East 2W,H - - -	50,264	30	14	3	3	-	-	-	-	-	-	-	-	-	-	-	7			
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Central London Sick Asylum	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
North-Eastern - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1			
Northern - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1			
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Belmont - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Caterham - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Darenth - - - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4			
Leavesden - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6			
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Banstead - - - - -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4			
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Horton - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cane Hill - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Dartford Heath - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6			
Hanwell - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Colney Hatch - - - - -	-	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	7			
Claybury - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	3			

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 27th April, 1907.

BIRTHS AND DEATHS REGISTERED DURING THE WEEK ENDING					The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 5 Years and upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence							
LONDON—OUTER RING		368,302	2,044,973	1341	577	133	175	-	14	9	4	25	1	6	24	42	107	2				
30: 1	Carshalton 2F,3H	12,228	32,997	19	6	1	3	-	-	-	-	-	-	-	1	1	-	-				
2	Epsom, part of* W,w,2F,H	10,423	15,548	11	2	1	-	-	-	-	-	-	-	1	-	-	-	-				
37: 1	Godstone, part of* W,F,L	2,754	2,692	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-				
38: 1	Coulsdon	11,069	8,166	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
2	South Croydon w	4,200	49,309	28	10	1	7	-	-	-	-	-	-	-	3	4	11	-				
3	West Croydon 3W,F,H	2,168	42,888	37	26	5	12	-	-	1	-	1	-	-	2	-	-	-				
4	North Croydon H	2,644	41,698	26	13	4	5	-	-	-	-	-	-	-	-	1	-	-				
5	Penge w,H	770	22,465	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-				
6	Mitcham	11,711	30,015	23	13	-	11	-	-	-	-	-	-	-	-	-	-	-				
39: 1	Wimbledon F,3H	3,221	41,652	28	6	2	1	-	-	-	-	1	-	-	-	2	-	-				
2	Kingston 2W,H	6,224	42,068	21	10	3	3	-	-	-	-	-	-	-	-	-	2	-				
3	Surbiton F,H	3,046	15,017	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-				
4	Esher, part of* H	5,402	13,100	2	2	1	-	-	-	-	-	-	1	-	-	1	1	-				
5	Hampton H,F,L	4,564	23,456	6	9	-	4	-	-	-	-	-	-	-	-	-	-	-				
40: 1	Richmond W,H	2,162	28,865	9	6	-	5	-	-	-	-	-	-	-	-	-	1	-				
2	Mortlake F	2,847	20,628	17	5	2	2	-	-	-	-	-	-	-	1	1	-	-				
41: 1	Bromley F,2H	4,703	27,354	5	6	1	2	-	-	-	-	1	-	-	1	1	1	-				
2	Beckenham H	7,825	28,497	15	5	2	2	-	-	-	-	-	-	1	-	-	-	-				
3	Orpington part of* W	10,113	9,857	5	1	-	1	-	1	-	-	-	-	-	-	-	1	-				
4	Chislehurst 2H	7,393	16,446	5	4	1	1	-	-	-	-	-	-	-	1	1	-	-				
42: 1	Bexley w,F,H	8,678	21,151	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-				
2	Briith F,H	3,854	25,296	18	5	2	1	-	-	-	-	-	-	-	-	-	1	-				
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-				
24: 1	Sunbury w	11,054	18,683	14	4	1	2	-	-	-	-	-	-	-	-	-	-	-				
2	Staines W,H	13,277	15,178	5	7	2	2	-	-	1	-	-	-	-	-	-	4	-				
25: 1	Hillingdon W,F,H	6,035	13,661	3	6	-	3	-	-	-	-	-	-	-	-	-	-	-				
2	Uxbridge H	12,757	8,984	4	3	-	-	-	-	-	-	-	-	-	1	1	1	1				
3	Hayes w,2F,H	8,066	16,358	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-				
26: 1	Isleworth 3W,3F,H	6,859	30,863	28	15	2	5	-	-	-	-	-	-	-	1	1	9	-				
2	Twickenham F,2H	2,421	20,991	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-				
3	Brentford 3F,2H	4,319	48,289	33	13	4	5	-	1	-	-	1	-	-	1	1	-	-				
4	Chiswick H	1,249	29,609	20	7	3	2	-	-	-	-	-	-	-	-	-	-	-				
5	Acton w,F,3H	6,132	48,914	43	20	8	4	-	-	-	-	-	-	1	1	2	2	-				
27: 1	Harrow F,H	13,809	25,523	24	7	4	-	-	-	-	-	-	-	1	-	-	-	-				
2	Edgware 2F,2H	6,994	4,521	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-				
3	Willesden W,F,2H	4,384	114,811	83	29	7	7	-	1	-	-	1	-	-	1	1	3	-				
4	Hendon W,F	8,382	22,450	20	6	1	3	-	-	-	-	-	-	-	-	-	-	-				
128: 1	South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
2	Barnet W,2H	3,324	17,970	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-				
3	Finchley F,2H	4,688	33,692	27	10	2	2	-	-	-	-	3	-	-	-	1	-	-				
129: 1	Hornsey F,H	2,875	72,056	32	11	3	3	-	1	1	1	-	-	-	1	1	3	-				
2	Wood Green H	1,625	34,233	16	12	1	2	-	3	-	-	-	-	-	-	-	2	-				
3	West Tottenham F	996	48,853	36	8	1	2	-	-	-	-	2	-	-	2	2	6	-				
4	East Tottenham 2H	2,017	53,888	51	19	7	3	-	-	-	-	-	-	1	-	-	-	-				
5	Edmonton W,w,2F	7,491	61,892	46	19	3	6	-	-	-	-	1	-	-	2	3	4	-				
6	Enfield 2W,F,H	12,601	42,798	26	13	2	2	-	-	2	-	-	-	-	-	-	-	-				
7	Waltham Abbey F	11,017	6,549	4	2	-	-	-	-	1	-	-	-	-	-	-	-	1				
8	Cheshunt F,H	8,479	12,292	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-				
135: 1	Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
137: 1	Bushey H	9,333	9,173	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-				
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
186: 1	Stratford H	1,072	44,827	35	16	4	2	-	-	-	-	1	3	-	1	2	1	-				
2	Plaistow F,2H	1,249	90,921	70	27	8	6	-	-	-	-	1	1	-	-	2	1	-				
3	Canning Town H	1,556	70,718	39	18	3	3	-	2	-	-	-	-	-	-	-	-	-				
4	Forest Gate w	806	60,892	28	9	2	2	-	1	-	-	-	-	-	-	-	-	-				
5	North East Ham w,H	1,333	58,676	45	14	5	3	-	-	-	-	1	-	-	-	-	-	-				
6	South East Ham 2F	1,993	37,342	34	15	6	1	-	-	1	-	-	-	-	-	-	-	-				
7	Wanstead F	1,679	9,179	5	2	-	2	-	-	-	-	-	-	-	-	-	6	-				
8	South Leyton 2W	631	50,467	35	17	5	6	-	-	-	-	-	-	-	-	-	21	-				
9	North Leyton 2W,w,F	1,963	48,445	36	31	3	13	-	1	1	1	1	2	-	-	2	-	-				
10	Walthamstow 2H,L	6,504	108,929	75	25	7	9	-	1	-	-	-	-	-	-	-	-	-				
187: 1	Chigwell 2F,3H	11,778	16,397	8	5	1	2	-	-	-	-	1	-	-	-	-	-	-				
2	Epping W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-				
189: 1	Romford, part of* W,2F	6,556	6,091	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-				
2	Ilford F,L	8,496	41,234	28	12	1	6	-	-	1	-	1	-	-	1	1	-	-				
3	Barking Town F	3,803	21,547	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-				
N.E. Hospital, Tottenham		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5				
Middlesex County Asylum, Wandsworth.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1				
Middlesex County Asylum, Napsbury.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Essex County Asylum		-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2				

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases
LONDON - -	4,758,218	April	27	2452	1423	15·6	-	47	8	18	67	3	14
CALCUTTA - -	977,822	March	30	-	694	42·5	81	3	-	-	-	271†	101
BOMBAY - -	982,000	April	9	339	1253	66·6	5	3	-	-	-	674†	75
MADRAS - -	548,974	March	29	303	382	38·9	1	9	?	?	?	99	69
PARIS - -	2,722,731	April	20	996	1085	20·7	1	13	12	3	5	12	18
BRUSSELS - -	623,077	"	20	211	164	13·7	-	3	-	-	1	2	5
ANTWERP - -	297,311	"	20	138	77	13·5	-	1	-	1	-	-	5
AMSTERDAM -	565,368	"	20	307	178	16·4	-	-	2	1	2	1	3
COPENHAGEN -	433,000	"	20	237	143	17·2	-	3	-	1	1	-	5
STOCKHOLM -	324,488	"	13	148	78	12·2	-	-	-	-	-	-	4
CHRISTIANIA -	226,774	"	20	128	63	14·4	-	1	-	1	1	-	1
ST. PETERSBURG	1,482,769	"	6	803	747	26·2	-	29	15	18	3	22	105
MOSCOW - -	1,296,000	"	13	-	679	27·3	-	24	8	13	7	5	85
BERLIN - -	2,090,504	"	6	856	634	15·8	-	3	4	7	9	-	38
HAMBURG - -	840,790	"	20	-	266	16·8	-	1	1	3	-	-	15
BRESLAU - -	484,855	"	13	-	206	22·3	-	-	-	3	3	1	11
MUNICH - -	548,000	"	20	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,979,093	"	20	994	734	19·1	-	21	-	9	-	-	32
PRAGUE - -	466,133	"	13	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	802,235	"	20	-	-	-	-	-	-	-	-	-	-
TRIESTE - -	200,962	"	20	107	118	30·5	-	-	-	-	-	-	2
ROME - -	540,150	March	2	299	232	22·4	1	-	-	6	3	3§	2
VENICE - -	174,368	April	13	75	72	21·5	-	-	-	-	1	-	2
BUCHAREST -	292,895	"	20	185	180	32·1	-	4	-	-	3	-	7
NEW YORK - -	4,285,435	"	13	2201	1517	18·5	1	6	14	30	7	8	55
CHICAGO - -	2,107,620	"	13	-	717	17·7	-	8	9	8	6	5	41
PHILADELPHIA -	1,500,595	March	30	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	"	31	-	277	23·0	-	-	-	2	1	2	?

* Excluding deaths from croup in the Indian Cities.

† Including 186 deaths from plague in Calcutta, and 607 in Bombay.

‡ Including 57 deaths from cholera in Calcutta, and 1 in Bombay.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th April, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	72·0	35·1	50·6	0·90	LEEDS - - -	63·0	37·0	50·5	0·28
BRIGHTON - -	61·6	36·3	49·3	1·40	YORK - - -	63·8	34·0	48·7	0·32
PORTSMOUTH -	70·2	37·0	50·7	1·02	HULL - - -	63·0	36·0	49·5	0·42
NORWICH - -	67·4	30·2	48·4	1·04	TYNEMOUTH -	63·0	35·0	47·3	0·09
PLYMOUTH - -	64·0	38·2	50·8	0·78	CARDIFF - -	64·3	37·0	49·2	0·68
BRISTOL - -	64·3	33·2	49·0	0·91	EDINBURGH -	58·7	34·8	47·2	0·10
BIRMINGHAM -	66·0	34·3	49·0	0·35	GLASGOW - -	55·8	34·0	46·9	0·24
NOTTINGHAM -	66·4	33·0	48·9	0·42	DUBLIN } Phoenix Park, Fitz- william Square.†	64·0	33·3	49·8	0·29
LIVERPOOL	60·0	38·0	48·5	0·21		67·0	39·8	51·7	0·30
MANCHESTER -	60·0	34·8	47·9	0·22					
PRESTON - -	56·3	38·2	48·2	0·32	BELFAST - -	60·5	33·0	49·3	0·65
HUDDERSFIELD -	57·3	35·8	47·9	0·57					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907.		FAMO- METER.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.		Rain collected in a glass whose receiving surface is exposed to the ground.	
MONTH AND DAY	Phases of the Moon.	Of the Air.		Of the Dew point		Difference between the Air-Temperature and Dew Point Temperature.		Of Radiation.		Oster's.		Robinson's.	
		High- est.	Low- est.	Daily Range.	Mean value.	De- parture from Average of 5 years.	Mean daily value.	Mean daily value.	Least. est.	Mean of 24 hours.	Least. est.	Mean of 24 hours on each day.	Horizontal Depos- it of the Air Average of 40 years.
APRIL.		in.	°	°	°	°	°	°	°	lbs.	lbs.	Miles.	Miles
SUNDAY - 21	..	29.771	50.7	5.6	48.1	- 0.6	46.4	1.7	3.7	1.5	94	79.2	45.88
MONDAY - 22	..	30.125	60.1	18.0	50.3	+ 1.6	37.4	12.9	20.1	1.3	61	103.2	30.1
TUESDAY - 23	..	30.140	64.7	20.8	53.4	+ 4.8	48.2	5.2	13.0	1.0	83	112.0	35.0
WEDNESDAY - 24	..	30.133	72.0	19.0	61.1	+ 12.5	48.4	12.7	20.7	1.0	63	122.0	40.0
THURSDAY - 24	..	30.057	61.6	15.7	50.7	+ 2.2	46.8	3.9	10.8	1.3	87	94.0	36.9
FRIDAY - 26	In Equator	29.786	45.5	38.0	7.5	- 8.2	38.1	2.3	4.2	1.2	92	56.3	33.4
SATURDAY - 27	..	29.687	51.9	16.8	42.1	- 6.6	33.4	8.7	16.3	0.0	71	114.5	31.0
MEANS -	-	29.957	58.0	43.2	14.8	49.4	42.7	6.8	12.8	1.0	79	97.3	35.5
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15
DATE.		ELECTRICITY. (For explanation of symbols, see Note.)		Registered Sunshine in hours.		Sun above Horizon, in hours.		GENERAL REMARKS.		Variable		Sum	
SUNDAY - 21	W. P. till 8h. P.M.; v. N. and w. P. after- wards.	0.0	14.1	0.0	14.1	0.0	14.1	Generally overcast; frequent rain till 10h. 30m. P.M.	16	17	18	19	20
MONDAY - 22	m. P. generally.	9.6	14.2	9.6	14.2	9.6	14.2	Very fine generally; the amount of cloud was usually small. Solar halo observed at 2h. P.M.	16	17	18	19	20
TUESDAY - 23	w. P. generally.	2.4	14.3	2.4	14.3	2.4	14.3	Fine; variably cloudy; a little thin rain occasionally in afternoon.	16	17	18	19	20
WEDNESDAY - 24	w. P. till 5h. P.M.; m. P. afterwards.	10.4	14.3	10.4	14.3	10.4	14.3	Generally overcast till 7h. 30m. A.M.; very fine with small amounts of cloud generally afterwards; a warm day.	16	17	18	19	20
THURSDAY - 25	w. P. generally; m. P. in afternoon.	1.6	14.4	1.6	14.4	1.6	14.4	Generally overcast; occasional light showers.	16	17	18	19	20
FRIDAY - 26	w. P. till 3h. A.M.; v. P. and s. N. till 6h. P.M.; m. P. after- wards.	0.0	14.4	0.0	14.4	0.0	14.4	Overcast till 8h. P.M.; cloudy afterwards; continuous rain between 4h. A.M. and 5h. 30m. P.M.	16	17	18	19	20
SATURDAY - 27	w. P. till 8h. A.M.; m. P. generally after- wards with v. P. and s. N. between 5 h. and 9h. P.M.	7.4	14.5	7.4	14.5	7.4	14.5	Very cloudy till 7h. 30m. A.M.; fine and sunny till 3h. P.M.; generally overcast with occasional light showers afterwards.	16	17	18	19	20
No. of Col. -	-	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum	Sum
		3.4	10.2	3.4	10.2	3.4	10.2	3.4	10.2	3.4	10.2	3.4	10.2


The results apply to the civil day, or from midnight to midnight.													
The height of the column of the barometer is 159 feet above the mean level of the sea;													
no correction has been applied to the readings to reduce to sea level.													
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of													
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb													
thermometer, are converted into mean daily values by the application of corrections													
deduced from a discussion of the photographic records made during the fifty years													
ending 1903. With the corrected mean readings of the dry bulb thermometer is													
combined the corrected mean of the readings of the maximum and minimum													
thermometers, forming the mean daily value of temperature of the air (column 8). The													
mean daily dew point temperature and degree of humidity are deduced from the mean													
daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.													
The average temperature of the air is that derived from a discussion of the observations													
made at Greenwich during the 65 years ending 1867, and that of horizontal movement													
of the air from a discussion of the anemometric records for the 40 years ending 1906.													
In reading columns 8 and 24 it will be borne in mind that + indicates "higher", and													
- "lower", than the average.													
The values given in column 17 are not corrected for the index error of the thermometer													
which cannot be determined.													
The record of Electricity is derived from Thomson's self-registering Electrometer.													
The symbols employed are:—P. positive; N. negative; w. weak; m. moderate;													
s. strong; and v. variable.													
The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument													
show the aggregate duration of bright sunshine on each day.													
The reading of the barometer decreased from 29.88 in. at the beginning of the week to													
29.76 in. by 3h. P.M. on the 21st; increased to 30.19 in. by 10h. P.M. on the 22nd; decreased													
to 29.64 in. by 4h. A.M. on the 27th; and was 29.69 in. at midnight on the same day.													

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 150 feet above the mean level of the sea;
no correction has been applied to the readings to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb
thermometer are converted into mean daily values by the application of corrections
deduced from a discussion of the photographic records made during the fifty years
ending 1903. With the corrected mean readings of the dry bulb thermometer is
combined the corrected mean of the readings of the maximum and minimum
thermometers, forming the mean daily value of temperature of the air (column 8). The
mean daily dew point temperature and degree of humidity are deduced from the mean
daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 65 years ending 1903, and that of horizontal movement
of the air from a discussion of the anemometric records for the 40 years ending 1906.
In reading columns 9 and 34 it will be borne in mind that + indicates "higher" and
- "lower" than the average.
The values given in column 17 are not corrected for the index error of the thermometer
which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer.
The symbols employed are: -P. positive; N. negative; w. weak; m. moderate;
s. strong; and v. variable.
The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument
show the aggregated duration of bright sunshine on each day.
The reading of the barometer decreased from 29.88 in. at the beginning of the week to
29.76 in. by 3h. P.M. on the 21st; increased to 30.19 in. by 10h. P.M. on the 22nd; decreased
to 29.62 in. by 4h. A.M. on the 27th; and was 29.69 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 20th April, 1907.*

BOROUGHES.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	1	-	1	-	-	1	-	-
Kensington - - -	181,842	-	11	2	-	1	-	-	2	-	-
Hammersmith - -	122,337	-	8	3	-	1	-	-	4	-	-
Fulham - - - -	166,749	-	8	7	-	1	-	-	4	-	-
Chelsea - - - -	74,857	-	6	3	-	-	-	-	-	-	-
City of Westminster -	172,219	-	6	-	-	-	-	-	3	-	-
NORTH.											
St. Marylebone - -	127,718	-	2	2	-	-	-	-	-	1	1
Hampstead - - -	91,137	-	3	2	-	-	-	-	2	-	-
St. Pancras - - -	236,753	-	11	10	-	1	-	-	4	-	-
Islington - - - -	347,017	-	25	6	-	1	-	-	1	-	-
Stoke Newington - -	53,613	-	5	2	-	-	-	-	2	-	-
Hackney - - - -	232,993	-	16	5	-	1	-	-	3	-	-
CENTRAL.											
Holborn - - - -	55,134	-	3	-	-	-	-	-	1	-	-
Finsbury - - - -	98,732	-	3	1	-	1	-	-	2	-	-
City of London - -	20,310	-	1	1	-	2	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	11	3	-	2	-	-	3	-	-
Bethnal Green - -	130,831	-	10	5	-	2	-	-	2	1	-
Stepney - - - -	308,923	-	38	10	-	-	-	-	15	1	-
Poplar - - - -	171,086	-	11	11	-	-	-	-	4	-	1
SOUTH.											
Southwark - - -	209,781	-	24	4	-	-	-	-	8	-	-
Bermondsey - - -	128,263	-	15	6	-	-	-	-	3	-	-
Lambeth - - - -	318,538	-	26	4	-	-	-	-	4	1	1
Battersea - - - -	181,736	-	26	6	-	-	-	-	3	-	-
Wandsworth - - -	281,419	-	30	20	-	2	-	-	6	-	-
Camberwell - - -	277,059	-	15	8	-	1	-	-	5	-	-
Deptford - - - -	116,510	-	13	3	-	1	-	-	-	-	-
Greenwich - - - -	107,222	-	8	3	-	1	-	-	2	-	-
Lewisham - - - -	152,532	-	11	7	-	-	-	-	1	-	-
Woolwich - - - -	129,336	-	16	5	-	3	-	-	1	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	371	142	-	22	-	-	86	4	3
Ages											
0-1 - - - -	-	-	5	2	-	-	-	-	4	-	-
" 1-5 - - - -	-	-	122	60	-	1	-	-	8	-	1
" 5- - - - -	-	-	141	41	-	5	-	-	4	-	1
" 10- - - - -	-	-	53	15	-	2	-	-	4	-	1
" 15- - - - -	-	-	17	5	-	2	-	-	5	-	-
" 20- - - - -	-	-	17	2	-	1	-	-	5	1	-
" 25- - - - -	-	-	13	13	-	5	-	-	11	3	-
" 35- - - - -	-	-	3	3	-	4	-	-	14	-	-
" 45- - - - -	-	-	-	1	-	-	-	-	15	-	-
" 55- - - - -	-	-	-	-	-	2	-	-	6	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	10	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 18. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAY 4. [Price 1½d.]

*General Register Office, Somerset House,
May 6th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 16·9, 16·8, and 16·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·3 in Hanley, 23·6 in Burnley and in Preston, 23·9 in Bury, 24·6 in Middlesbrough, 25·0 in Oldham, 27·3 in Rochdale, and 30·5 in Tynemouth; from *measles*, 2·0 in Sunderland, 2·2 in Nottingham, 2·3 in West Bromwich and in Sheffield, 2·6 in Birkenhead, in Bolton, and in Middlesbrough, 3·8 in Portsmouth, and 3·9 in Hanley; from *scarlet fever*, 2·3 in Bootle; from *diphtheria*, 1·2 in Walthamstow and in Rochdale, and 1·3 in Leyton and in Reading; and from *whooping-cough*, 2·1 in Tottenham, 2·2 in Grimsby, 2·3 in Hornsey, and 3·7 in Salford. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2352 BIRTHS and 1364 DEATHS were registered. Allowing for increase of population, the births were 244 and the deaths 37 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 16·4, 16·1, and 15·6 per 1000 in the preceding three weeks, further fell last week to 14·9. The death-rate in the four weeks ended last Saturday averaged 15·8 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1364 deaths included 40 from measles, 8 from scarlet fever, 13 from diphtheria, 69 from whooping-cough, 2 from enteric fever, and 18 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 150 deaths were referred to these diseases in the aggregate, being 8 below the corrected average number in the eighteenth week of the preceding five years.

The deaths from *measles*, which had been 45, 40, and 47 in the preceding three weeks, numbered 40 last week, and were 15 below the corrected average; 5 deaths belonged to the Borough of Lambeth, and 4 apiece to Poplar, Wandsworth, and Deptford. The deaths from *scarlet fever*, which had been 9, 9, and 8 in the preceding three weeks, were 8 last week, and were 2 below the corrected average. The deaths from *diphtheria*, which had been 8, 10, and 16 in the preceding three weeks, were 13 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 60, 50, and 67 in the preceding three weeks, rose to 69 last week, and were 22 above the corrected average; 7 deaths belonged to Kensington, 6 to Camberwell, and 5 apiece to Islington, Shoreditch, and Southwark. The deaths from *enteric fever*, which had been 5, 6, and 3 in the preceding three weeks, fell to 2 last week, and were 2 below the corrected average. The deaths from *diarrhoea*, which had been 18, 13, and 14 in the preceding three weeks, were 18 last week, and were 2 above the corrected average; 4 deaths belonged to Islington. Of the 18 deaths from diarrhoea, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 24, 16, and 15 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all of which inquests were held. Of these 61 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 49 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 9 to burns or scalds, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 7, including 6 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2671 cases of scarlet fever, 916 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 346 cases, against 296, 361, and 360; of diphtheria, 103 cases, against 123, 125, and 109; and of enteric fever, 6 cases, against 8, 12, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 27th, 1907.

GREATER LONDON.

In Greater London 3657 births and 1885 deaths were registered. Allowing for increase of population, these numbers are 330 and 65 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 9 from whooping-cough, 2 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.50 inches, and that of the Thermometer 46°.4, the latter being 3°.0 below the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 66 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 41.6 hours; the measured rainfall amounted to 0.59 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 4th May, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Colls.		Registered during the week ended 4th May, 1907.		The DEATHS registered in the Week include											TOWNS.
		Week ended					11-17.		Week ended 4th May, 1907.		Deaths of											
		13th, 15th, 16th, 1907.					30th, 1st, 2nd, 1907.		4th May, 1907.		Persons aged under 1 Year of Age.											
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	
76 TOWNS	16,024,458	16'9	16'8	16'0	15'9	1'7	8379	4885	1019	1433	-	197	34	59	176	18	46	170	383	1256	50	
LONDON -	4,758,218	16'4	16'1	15'6	14'9	1'6	2362	1364†	257	417	-	40	8	13	69	2	18	61	141	538	1	
CROYDON -	154,342	12'5	13'9	15'5	10'5	0'7	76	31	3	15	-	-	-	1	-	-	-	1	6	7	-	
WILLESDEN -	149,192	9'1	10'8	10'1	7'7	0'3	86	22	7	4	-	1	-	-	-	-	-	1	2	3	-	
HORNSEY -	89,816	8'1	4'6	5'8	6'4	2'9	47	11	4	3	-	-	-	-	4	1	-	-	3	-	-	
TOTTENHAM -	122,793	15'3	16'1	10'6	11'9	2'5	71	28	7	4	-	-	1	-	5	-	2	-	3	8	-	
WEST HAM -	306,284	17'1	12'9	14'4	15'7	2'5	156	93	27	23	-	5	-	3	7	-	1	3	6	20	-	
EAST HAM -	136,421	13'4	12'2	11'1	8'4	0'4	63	22	6	6	-	-	-	-	-	-	3	3	5	-	-	
LEYTON -	122,040	8'5	13'2	11'5	12'0	3'0	70	28	7	4	-	1	-	3	3	-	-	2	9	-	-	
WALTHAMSTOW -	126,397	11'1	12'0	11'6	10'7	3'3	64	26	11	3	-	-	1	3	3	-	1	2	4	4	-	
HASTINGS -	67,477	19'3	10'0	17'8	17'8	0'8	22	23	4	12	-	-	-	-	1	-	1	1	2	4	1	
BRIGHTON -	129,023	16'6	11'7	12'5	16'6	1'2	41	41	4	17	-	-	-	-	2	1	-	-	2	15	-	
PORTSMOUTH -	208,291	19'5	17'0	18'3	22'0	4'5	112	88	19	24	-	15	-	-	1	1	3	1	7	16	3	
BOURNEMOUTH -	68,246	19'6	13'6	14'3	6'8	-	20	9	-	5	-	-	-	-	-	-	1	1	1	1	-	
SOUTHAMPTON -	119,745	17'4	12'6	10'9	11'3	0'4	55	26	6	9	-	-	-	-	-	-	1	1	2	6	-	
READING -	80,311	13'0	11'0	12'3	8'4	1'3	35	13	-	7	-	-	-	2	-	-	1	1	1	3	-	
NORTHAMPTON -	86,070	20'8	17'6	18'1	11'5	1'6	37	21	5	6	-	3	-	-	-	-	1	1	1	3	1	
IPSWICH -	72,825	11'5	24'3	12'2	18'6	-	33	26	4	13	-	-	-	-	-	-	2	-	4	7	-	
GREAT YARMOUTH -	52,879	18'7	15'8	15'8	11'8	-	27	12	3	4	-	-	-	-	-	-	-	-	-	3	-	
NORWICH -	119,191	15'3	12'2	11'4	9'2	0'9	67	21	2	8	-	-	1	1	-	-	-	1	1	7	-	
PLYMOUTH -	120,063	15'2	11'7	14'8	15'2	2'2	49	35	8	17	-	-	-	1	3	-	1	-	3	3	-	
DEVONPORT -	79,959	13'0	16'3	13'7	14'3	1'3	47	22	2	10	-	1	-	1	-	-	-	-	1	1	-	
BRISTOL -	307,979	15'6	13'7	13'5	12'5	0'7	142	88	18	30	-	2	-	2	1	-	4	-	9	26	-	
HANLEY -	67,174	21'0	27'2	14'0	23'3	5'4	34	30	5	5	-	5	-	1	-	-	1	2	3	4	-	
BURTON-ON-TRENT -	53,425	9'8	14'6	11'7	11'7	-	26	12	-	6	-	-	-	-	-	-	-	-	3	-	-	
WOLVERHAMPTON -	102,016	16'9	16'9	14'8	15'3	2'0	50	30	4	7	-	1	-	1	-	-	-	-	1	7	-	
WALSALL -	86,171	14'6	10'8	13'0	15'7	1'6	64	29	11	7	-	1	1	-	-	-	2	-	-	-	-	
HANDSWORTH -	65,929	6'3	9'5	11'9	9'5	1'6	33	12	3	3	-	-	-	-	1	-	1	-	-	1	1	
WEST BROMWICH -	68,123	22'6	14'3	18'9	15'8	3'0	46	21	8	3	-	3	-	1	-	-	-	2	3	-	-	

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ Including 1 death from Cerebro-spinal fever.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 4th May, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases In Cols. 11-17.		Registered during the Week ended 4th May, 1907.		The DEATHS registered in the Week include												TOWNS.			
		Week ended				8.	7.	8.	9.	10.	Deaths of														
		13th Apr. 1907.	20th Apr. 1907.	27th Apr. 1907.	4th May. 1907.						Week ended 4th May, 1907.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
BIRMINGHAM -	553,155	17'8	19'0	15'1	16'7	2'9	309	177	39	49	-	18	1	5	4	3	-	1	3	52	4	BIRMINGHAM.			
KINGS NORTON -	75,600	12'4	12'4	6'9	9'7	0'7	40	14	5	2	-	1	-	-	-	-	-	1	2	-	-	KINGS NORTON.			
SMETHWICK -	66,467	11'0	10'2	13'3	17'3	1'6	39	22	4	6	-	2	-	-	-	-	-	-	3	3	1	SMETHWICK.			
ASTON MANOR -	83,286	13'2	11'9	11'3	13'2	1'9	31	21	7	8	-	3	-	-	-	-	-	-	-	4	-	ASTON MANOR.			
COVENTRY -	77,923	21'5	9'4	11'4	18'1	1'3	54	27	6	10	-	-	-	-	1	-	1	1	3	4	-	COVENTRY.			
LEICESTER -	236,124	11'5	15'5	10'4	11'9	1'1	101	54	9	14	-	-	3	1	-	-	1	-	2	17	1	LEICESTER.			
GRIMSBY -	70,574	22'9	16'3	13'3	17'0	3'0	41	23	3	8	-	-	-	-	3	1	-	-	2	4	-	GRIMSBY.			
NOTTINGHAM -	257,489	19'8	21'5	20'9	19'8	3'0	124	98	19	35	-	11	-	1	1	1	1	5	8	19	1	NOTTINGHAM.			
DERBY -	125,774	14'1	21'6	13'7	12'9	1'2	47	31	4	10	-	2	-	1	-	-	-	1	1	4	-	DERBY.			
STOCKPORT -	100,986	21'7	19'1	23'2	19'1	1'0	55	37	8	11	-	-	-	1	1	-	-	2	4	5	-	STOCKPORT.			
BIRKENHEAD -	113,553	30'8	17'2	27'3	15'8	3'1	83	36	9	9	-	6	1	-	-	-	-	1	3	9	-	BIRKENHEAD.			
WALLASEY -	66,707	18'0	13'3	18'0	8'6	-	31	11	4	-	-	-	-	-	-	-	-	1	2	2	-	WALLASEY.			
LIVERPOOL -	743,144	19'6	20'6	19'8	20'1	1'0	463	288	65	73	-	4	1	3	3	2	2	16	26	68	10	LIVERPOOL.			
BOOTLE -	67,114	18'6	19'4	12'4	14'0	3'1	32	18	2	4	-	-	3	1	-	-	-	-	5	1	1	BOOTLE.			
ST. HELENS -	92,476	18'0	24'8	14'7	22'0	3'4	67	39	11	12	-	3	-	-	1	2	2	-	12	1	1	ST. HELENS.			
WIGAN -	88,606	17'1	24'7	23'0	17'1	0'6	67	29	12	5	-	-	-	-	1	-	-	2	3	3	-	WIGAN.			
WARRINGTON -	70,269	16'3	13'4	14'1	14'8	1'5	54	20	2	3	-	-	1	1	-	-	-	-	3	1	1	WARRINGTON.			
BOLTON -	182,917	21'7	20'5	20'5	18'5	2'6	79	65	10	14	-	9	-	-	-	-	-	-	3	8	-	BOLTON.			
BURY -	58,601	20'4	15'0	22'1	23'9	0'9	31	27	5	9	-	-	-	-	1	-	-	-	1	3	1	BURY.			
MANCHESTER -	643,143	18'8	21'7	18'6	18'6	1'5	378	229	49	66	-	2	3	-	-	11	-	2	14	64	1	MANCHESTER.			
SALFORD -	236,670	23'1	23'1	18'3	22'9	5'1	132	104	20	22	-	3	2	-	-	17	-	1	8	26	-	SALFORD.			
OLDHAM -	141,730	19'9	20'6	20'2	25'0	2'6	82	68	13	12	-	2	1	-	3	-	1	2	5	5	-	OLDHAM.			
ROCHDALE -	87,999	21'3	21'3	16'6	27'3	3'0	37	46	7	14	-	-	-	2	3	-	1	3	7	2	2	ROCHDALE.			
BURNLEY -	103,947	27'1	18'1	13'5	23'6	1'0	53	47	13	16	-	-	-	1	-	-	1	-	1	10	1	BURNLEY.			
BLACKBURN -	134,980	21'2	18'5	16'2	20'9	2'3	66	54	12	14	-	3	-	-	2	-	1	4	6	8	1	BLACKBURN.			
PRESTON -	117,093	22'3	21'8	21'4	23'6	1'3	49	53	8	17	-	-	-	-	-	3	-	1	3	6	1	PRESTON.			
BARROW-IN-FURNESS.	61,635	10'2	15'2	7'6	18'6	0'8	33	22	5	6	-	-	-	-	-	1	-	-	-	2	-	BARROW-IN-FURNESS.			

ended Saturday, 4th May, 1907, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Registered Deaths during the Week ended 4th May, 1907.		The DEATHS registered in the Week include											TOWNS.			
		Week ended					7.	8.	9.	10.	Deaths from						19.	20.	21.				
		13th Apr., 1907.	20th Apr., 1907.	27th Apr., 1907.	4th May, 1907.	Week ended 4th May, 1907.					Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.					Fever.	Diarrhoea.	Violence.
COLS.	1.	2.	3.	4.	5.	6.	BIRTHS.		Deaths of Infants under 1 Year of Age.		11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.	
HUDDESFIELD	94,814	23.1	18.1	18.1	18.7	-	39	34	4	14	-	-	-	-	-	-	-	2	4	5	-	HUDDESFIELD.	
HALIFAX	110,138	14.2	13.3	16.6	17.0	-	97	36	-	22	-	-	-	-	-	-	-	-	2	9	-	HALIFAX.	
BRADFORD	290,323	15.6	17.1	18.7	16.3	0.9	117	91	20	38	-	3	-	-	1	-	1	3	8	15	1	BRADFORD.	
LEEDS	470,268	17.2	12.5	15.2	14.1	1.1	220	127	31	40	-	2	1	-	6	-	1	5	14	16	1	LEEDS.	
SHEFFIELD	455,563	19.1	19.1	19.9	17.4	3.2	302	152	44	31	-	20	2	1	3	2	-	3	5	31	3	SHEFFIELD.	
ROTHERHAM	62,412	11.7	12.5	15.0	10.9	1.7	34	13	1	5	-	-	-	1	1	-	-	-	4	-	-	ROTHERHAM.	
YORK	84,730	14.8	11.1	8.0	16.6	-	54	27	7	12	-	-	-	-	-	-	-	-	1	4	-	YORK.	
HULL	266,762	15.6	15.4	16.2	12.9	1.4	150	66	14	17	-	6	-	-	1	-	-	1	6	14	1	HULL.	
MIDDLESBROUGH	101,783	16.9	22.0	25.6	24.6	3.6	61	48	11	7	-	5	-	-	-	-	2	2	3	4	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES	52,909	17.7	15.8	18.7	17.7	1.0	38	18	3	6	-	-	-	-	1	-	-	-	-	3	1	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	75,473	10.4	21.4	14.5	13.1	0.7	37	19	8	3	-	1	-	-	-	-	-	1	1	1	-	WEST HARTLEPOOL.	
SUNDERLAND	156,029	17.4	23.4	20.1	19.7	2.3	110	59	9	15	-	6	-	1	-	-	2	2	14	3	3	SUNDERLAND.	
SOUTH SHIELDS	113,460	24.8	21.1	18.8	14.2	1.8	61	31	7	6	-	1	-	-	1	1	1	1	1	3	1	SOUTH SHIELDS.	
GATESHEAD	125,783	15.8	17.8	15.8	17.0	1.7	66	41	11	12	-	2	-	1	-	-	1	-	-	4	5	GATESHEAD.	
NEWCASTLE-ON- TYNE	272,969	13.6	16.2	15.5	17.8	1.1	137	93	14	30	-	1	1	1	2	1	-	1	5	15	-	NEWCASTLE-ON- TYNE.	
TYNEMOUTH	54,688	13.3	20.0	17.2	30.5	1.9	39	32	4	11	-	-	-	1	1	-	-	-	1	7	-	TYNEMOUTH.	
NEWPORT (MON.)	75,585	13.1	22.1	17.2	15.9	0.7	50	23	5	8	-	1	-	-	-	-	-	1	4	5	-	NEWPORT (MON.).	
CARDIFF	187,620	16.7	13.9	11.1	13.1	0.6	101	47	11	17	-	-	-	-	-	2	-	3	4	11	-	CARDIFF.	
RHONDDA	130,400	11.2	18.0	16.0	14.0	1.6	108	35	17	5	-	2	-	1	-	-	1	1	1	2	-	RHONDDA.	
MERTHYR TYDFIL	76,085	15.8	17.1	16.4	14.4	1.4	58	21	6	8	-	-	-	1	-	-	-	1	1	2	-	MERTHYR TYDFIL.	
SWANSEA	97,324	18.8	18.2	23.0	15.0	1.1	57	28	6	5	-	-	-	-	2	-	-	3	6	10	-	SWANSEA.	
GREATER LONDON	7,217,941	15.1	14.9	14.4	13.6	1.6	3657	1885	379	533	-	51	12	28	100	5	22	76	181	681	2	GREATER LONDON.	
OUTER RING	2,456,723	12.7	12.6	12.2	11.0	1.4	1305	521	122	146	-	11	4	15	31	3	4	15	40	103	1	OUTER RING.	
8 TOWNS IN OUTER RING	1,208,285	12.8	12.3	12.0	11.3	1.9	633	261	72	62	-	7	3	11	22	1	1	10	26	56	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	1,250,438	12.7	12.8	12.4	10.8	1.0	672	280	50	84	-	4	1	4	9	2	3	5	14	47	1	REMAINDER OF OUTER RING.	
EDINBURGH	345,747	15.4	17.9	18.7	20.8	0.8	151	138†	18	40	-	-	2	-	3	-	-	4	?	44	6	EDINBURGH.	
GLASGOW	847,584	23.6	22.2	22.4	21.5	2.8	493	350†	66	69	-	4	1	1	36	1	3	11	?	101	6	GLASGOW.	
DUBLIN (Registra- tion Area)†	360,691	26.6	27.1	33.5	26.4	1.9	303	198	36	45	-	3	-	-	10	-	1	5	11	87	4	DUBLIN (Registra- tion Area)†.	
BELFAST†	370,163	22.4	23.9	23.9	23.8	0.8	276	169†	37	28	-	1	-	-	1	2	2	1	4	48	1	BELFAST†.	

* See note † on first page of this return.
† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.
‡ Including 7 deaths from Cerebro-spinal meningitis or Cerebro-spinal fever in Edinburgh, 30 in Glasgow, and 25 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTEENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2638	2449	2623	2737	2562	2474	2537	2403	2722	2547	2595.9	2352
Males - - -	1365	1232	1314	1364	1278	1271	1332	1175	1362	1334	1325.1	1182
Females - - -	1273	1217	1309	1373	1284	1203	1205	1228	1360	1213	1270.8	1170
TOTAL Deaths -	1323	1464	1397	1675	1454	1381	1387	1325	1304	1446	1400.6	1361
Males - - -	720	761	705	889	777	738	708	681	683	735	725.6	720
Females - - -	603	703	692	786	677	643	679	644	621	711	675.0	644

* The numbers in this column are the average weekly numbers in the eighteenth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 9.	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	13 Weeks.
TOTAL Births -	2356	2350	2412	2391	2391	2390	2548	2236	2387	2532	2577	2452	2352	31374
TOTAL Deaths -	1858	1819	1558	1678	1641	1696	1483	1586	1627	1495	1469	1423	1364	20697
Ages at Death														
Under 1 year -	353	314	275	290	290	328	293	311	303	264	276	265	257	3819
1–5 years -	179	199	165	181	189	193	167	220	249	237	173	212	168	2532
5–20 " -	73	69	87	89	68	101	73	74	86	75	75	80	78	1028
20–40 " -	194	193	171	206	196	191	181	199	202	179	186	171	2458	
40–60 " -	410	363	318	338	353	363	279	337	304	280	301	260	273	4179
60 yrs. & upwds.	649	681	542	574	545	520	490	445	496	437	465	420	417	6681
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	30	28	38	35	55	57	29	59	63	45	40	47	40	566
Scarlet Fever - - -	6	8	8	6	7	8	6	8	13	9	9	8	8	104
Diphtheria - - -	20	20	16	16	19	15	12	16	19	8	10	16	13	200
Whooping-cough - - -	40	48	31	45	40	42	36	71	63	60	50	67	69	662
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	2	1	1	6	7	-	6	1	4	5	6	3	2	44
Pyrexia (origin uncertain). - - -	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery - - -	17	17	18	12	12	13	15	14	11	18	13	14	18	102
All above Diseases -	115	122	112	120	140	136	104	169	173	145	128	155	150	1769
Dis. of Resp. System														
Pneumonia - - -	285	298	201	222	232	207	173	177	187	147	133	128	121	2511
Phtisis - - -	241	229	178	210	173	196	180	177	225	208	193	167	161	2538
Phtisis - - -	175	187	147	151	160	157	136	161	156	157	135	133	127	1982
Dis. of Circ. System - - -	249	249	220	253	217	238	182	197	209	181	212	191	194	2782
Violence - - -	57	63	56	60	60	51	66	55	64	50	52	63	61	758
Inquest Cases - - -	159	182	153	161	152	139	157	153	166	133	148	136	141	1980
Deaths in Institutions	689	648	609	608	625	634	552	622	626	584	591	565	558	7911
TEMPERATURE OF THE AIR.														
Mean - - -	33.0	39.7	39.9	40.6	40.1	42.8	46.1	46.5	49.6	44.1	43.7	49.4	46.4	43.2
Mean of Highest - - -	37.1	44.6	45.6	48.3	47.2	49.7	55.1	60.8	62.0	53.7	53.1	58.0	54.9	51.5
Mean of Lowest - - -	27.9	34.5	35.2	32.7	33.4	36.0	37.4	31.1	37.8	37.9	36.0	43.2	40.3	35.6
Mean Humidity of the Air.	76	85	72	81	80	74	64	71	69	86	76	79	69	76
Rain-fall (in inches) -	0.19	0.77	0.29	0.01	0.37	0.40	0.13	0.00	0.17	1.42	0.63	0.90	0.59	5.87
Registered Sunshine (in hours).	17.9	15.0	19.8	11.0	21.9	27.0	50.5	53.5	43.6	18.8	27.7	31.4	41.8	379.7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Scarlet Fever - - -	3059	3035	2938	2878	2878	2826	2734	2657	2621	2637	2628	2649	2671	2785
Diphtheria - - -	932	926	920	922	967	983	1006	1014	996	992	997	999	916	963
Typhus - - -	3	3	4	4	3	4	3	1	-	-	-	-	-	2
Enteric Fever - - -	94	101	102	103	98	96	94	93	82	75	69	66	60	87

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prieg, Esq., A.M.I.C.E., Plymouth; A. J. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. R. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Frestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTEENTH Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 18th week of the year 1902-1906.	1907--Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 18th week of the year 1902-1906.	1907--Deaths of Persons of the Ages						
		ALL AGES.								ALL AGES.						
		Under 20.	20 and under 40.	40 and under 60.	60 years and upwards.	Under 20.	20 and under 40.			40 and under 60.	60 years and upwards.					
ALL CAUSES	1400.6	1364	257	168	78	171	273	417	Menin- Gen. Par. of Insane, } Insanity	17.4	16	5	8	2	1	-
Small-pox*	9.2	-	-	-	-	-	-	-	Epilepsy	14.7	9	-	-	-	1	7
Scarlet Fever	55.1	40	11	28	1	-	-	-	Convulsions	7.8	8	-	-	-	6	1
Measles (Morbilli)	9.6	8	-	4	4	-	-	-	Locomotor Ataxy	20.9	13	13	-	-	-	-
Whooping-cough	14.5	9	-	1	-	-	5	3	Paraplegia, Dis. of Cord	1.8	1	-	-	-	-	-
Diphtheria	47.3	69	37	30	2	-	-	-	Nervous Sys., Other Dis.	4.7	3	-	1	-	2	1
Cerebro-spinal Fever	15.8	13	-	7	4	1	1	-	Valv. Dis., Endocarditis	17.2	25	2	2	1	2	8
Pyæmia,† (origin un- certain)	-	1	-	1	-	-	-	-	Cereb. Hem. Cereb. Emb.	42.2	45	-	-	4	5	16
Enteric Fever	4.3	2	-	-	-	2	-	-	Apoplexy, Hemiplegia	31.5	34	-	-	1	3	6
Asiatic Cholera	-	-	-	-	-	-	-	-	Aneurysm	17.8	12	1	-	-	-	8
Epidemic Diarrhœa, } Infective Enteritis }	4.7	8	6	1	-	1	-	-	Embolism, Thrombosis } (not Cerebral)	5.1	5	-	-	-	-	3
Diarrhœa, Dysentery	11.3	10	7	3	-	-	-	-	Heart & Blood Ves., }	1.0	3	-	-	-	-	2
Tetanus	0.2	1	-	-	-	1	-	-	Other Dis. -	84.1	95	-	-	8	10	24
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Croup (not Spasm: nor } Memb.)	0.2	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	Bronchitis	100.1	105	21	8	-	2	11
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Emphysema, Asthma	6.3	4	-	-	-	-	4
Veneral Dis.	8.4	10	7	-	-	3	-	-	Pleurisy	3.9	2	-	-	-	-	2
Puerperal Septicæmia	0.8	1	-	-	1	-	-	-	Respiratory Dis., Other-	11.5	10	1	1	-	-	8
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	0.6	1	-	1	-	-	-
Puerperal Fever	0.6	1	-	-	1	-	-	-	Enteritis (not Epid.)	8.8	9	5	-	-	1	2
Infective Endocarditis	2.0	3	-	2	-	1	-	-	Gastro-enteritis	5.1	4	3	1	-	-	-
Lobar -	18.2	18	-	-	5	8	5	-	Peritonitis (not Puerp.)	1.6	3	-	1	1	-	1
Broncho -	53.2	70	20	35	3	2	3	7	Cirrhosis of Liver	13.1	15	-	1	-	1	8
Epidemic	-	-	-	-	-	-	-	-	Liver Dis., Other	7.6	2	-	-	-	1	1
Not defined	64.5	73	9	5	2	14	20	23	Digestive Sys., Other Dis.	34.6	34	7	1	3	10	4
Erysipelas	4.1	2	1	-	-	-	-	1	Acute Nephritis	5.3	6	-	-	1	2	1
Septicæmia (not Puer- peral)	0.8	2	1	-	-	-	-	1	Bright's Dis., Albumin- uria	34.6	24	-	-	-	2	11
Pyæmia (not Puerperal),	0.4	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	8.8	10	-	-	-	-	8
Other Infective Processes	7.2	2	-	-	-	-	2	-	Generative Organs Dis.-	4.3	4	-	-	-	1	2
Tuberculous Phthisis	79.4	84	2	1	7	36	31	7	Childbirth (Accid. of)	2.9	4	-	-	-	3	1
"Phthisis"	63.0	43	-	-	6	23	10	4	Old Age	53.6	45	-	-	-	-	45
Tuberculous Meningitis	22.7	20	7	7	6	-	-	-	Other Diseases	85.0	69	43	7	2	5	5
Tuberculous Peritonitis	9.2	11	3	2	3	-	3	-	ACCIDENT.							
Tabes Mesenterica	4.5	1	-	1	-	-	-	-	By Railways	1.6	2	-	-	-	-	2
Tuberculous Dis., Other	16.8	16	2	2	7	3	2	-	By Vehicles and Horses	4.5	7	-	1	2	1	2
Scrofula	0.2	-	-	-	-	-	-	-	In Ships, Boats, Docks, (exclusive of Drown- ing)	0.2	-	-	-	-	-	-
Alcoholism	8.6	7	-	-	-	6	1	-	In Building Operations	0.4	1	-	-	-	1	-
Rheumatic Fever	4.7	3	-	-	3	-	-	-	In Conflagrations	0.8	-	-	-	-	-	-
Gout	2.9	1	-	-	-	-	1	-	By Burns Scalds, Ex- plosion	5.1	9	-	5	-	1	3
Carcinoma	52.8	70	-	-	5	28	37	-	By Drowning	5.5	3	-	-	-	1	2
Sarcoma	6.8	2	-	1	-	1	-	-	By Suffocation in Bed	7.0	7	6	1	-	-	-
Cancer (undefined)	31.9	40	-	-	2	20	18	-	By Poisons or Poisonous Vapours	2.9	3	1	-	1	-	1
Diabetes Mellitus	9.2	6	-	-	1	2	3	-	Other Deaths by Acci- dent	14.7	17	1	1	-	5	4
Premature Birth	43.2	36	36	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.							
									Homicide	1.6	2	-	-	-	2	-
									Suicide	13.5	10	-	-	1	3	5
									Execution	0.2	-	-	-	-	-	1

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th May, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include.														Deaths in Public Institutions.	
				Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4 538,429	2352	1364	257	417	-	40	8	13	69	-	2	-	18	61	141	558		
WEST DISTRICTS	805,311	334	253	41	85	-	6	-	5	14	-	1	-	3	15	25	105		
NORTH DISTRICTS	1,056,070	523	285	60	87	-	7	2	1	17	-	-	-	7	9	30	94		
CENTRAL DISTRICTS	209,465	86	76	16	13	-	1	-	-	5	-	1	-	3	5	10	48		
EAST DISTRICTS	715,739	445	224	48	60	-	7	-	1	8	-	-	-	2	12	32	106		
SOUTH DISTRICTS	1,749,844	964	489	92	157	-	19	5	6	25	-	-	-	3	20	44	168		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	37	-	15	-	-	1	-	-	-	-	-	-	-	-	37		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -	93,178	37	24	2	13	-	-	-	-	1	-	-	-	-	2	2	6		
St. John Paddington H - - -	33,617	6	7	-	2	-	-	-	-	1	-	-	-	-	-	-	5		
North-West Paddington - - -	17,181	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	61	60	12	17	-	-	-	-	7	-	-	-	1	4	7	28		
Brompton 2H - - -	48,591	7	11	-	5	-	-	-	-	-	-	1	-	-	-	-	1		
North Hammersmith 2W,w,H - -	49,192	27	18	2	6	-	1	-	-	1	-	-	-	-	1	4	5		
South Hammersmith w,2H - -	63,047	27	15	5	6	-	-	-	-	-	-	-	-	2	2	2	2		
North-west Fulham W - - -	45,180	50	20	5	6	-	1	-	-	-	-	-	-	1	1	2	12		
North-east Fulham F - - -	48,405	20	8	1	2	-	1	-	2	-	-	-	-	-	-	1	3		
South Fulham W - - -	45,704	19	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-		
Chelsea North W,w,3H - - -	42,514	20	29	3	9	-	1	-	-	-	-	-	-	-	-	-	24		
Chelsea South W,2H - - -	31,328	14	14	3	5	-	-	-	-	-	-	-	-	-	-	-	5		
Mayfair and Knightsbridge - -	28,743	4	3	1	1	-	-	-	-	1	-	-	-	-	1	1	-		
Belgrave W,2H - - -	55,815	15	17	3	3	-	1	-	1	3	-	-	-	-	3	4	7		
St. Margaret & St. John 5H - -	43,698	10	14	4	4	-	-	-	1	3	-	-	-	1	1	2	6		
St. James and St. Anne W,3H - -	33,081	9	6	-	4	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	13	13	1	5	-	-	-	-	-	2	-	-	-	-	2	5		
St. Mary Marylebone W,4H - -	37,948	43	11	4	3	-	-	-	-	-	-	-	-	-	-	-	2		
Christchurch Marylebone - - -	39,536	19	9	2	6	-	-	-	-	1	-	-	-	1	-	1	-		
St. John Marylebone 2H - - -	20,426	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,7H - - -	81,942	27	24	5	6	-	1	2	1	3	-	-	-	-	-	1	11		
West St. Pancras 2H - - -	60,562	30	24	7	5	-	2	-	-	1	-	-	-	-	-	1	5		
South St. Pancras w,11H - - -	55,707	16	12	-	3	-	-	-	-	-	-	-	-	-	1	2	8		
East St. Pancras W,3H - - -	60,320	21	19	1	6	-	-	-	-	1	-	-	-	-	3	4	14		
North St. Pancras 2W - - -	58,728	21	12	3	4	-	1	-	-	2	-	-	-	-	1	4	4		
Tufnell W - - -	31,995	14	16	1	5	-	-	-	-	-	-	-	-	-	-	-	10		
Upper Holloway 2W,w,H - - -	33,978	20	21	6	7	-	-	-	-	1	-	-	-	1	1	2	11		
Tollington WH - - -	33,922	19	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - -	41,424	15	8	1	4	-	-	-	-	-	-	-	-	-	-	2	-		
Barnsbury - - -	54,478	35	16	7	3	-	-	-	-	2	-	-	-	1	-	-	-		
Islington South-east F - - -	75,397	34	12	2	5	-	-	-	-	2	-	-	-	-	1	4	-		
Highbury 2H - - -	63,797	31	9	2	2	-	-	-	-	-	-	-	-	1	-	-	-		
Stoke Newington H - - -	51,247	34	16	2	9	-	-	-	-	1	-	-	-	-	-	1	-		
North Hackney - - -	60,560	17	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-		
Central Hackney 2w,F - - -	60,536	44	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1		
South-west Hackney 3H - - -	59,921	37	20	5	3	-	-	-	-	1	-	-	-	-	2	2	8		
South-east Hackney 2W,w,H - -	58,255	29	27	7	6	-	1	-	-	-	-	-	-	1	-	6	15		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th May, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																
			Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury 2W,2H -	31,436	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand W,4H - - - - -	21,674	4	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	10	-
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn W,6H - - - - -	29,612	8	24	6	3	-	-	-	-	-	-	-	-	-	2	-	1	17	-
South Clerkenwell - - - - -	28,876	15	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
North Clerkenwell H - - - - -	35,028	19	4	1	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-
Finsbury 3H,L - - - - -	36,116	26	7	4	-	-	-	-	-	-	2	-	-	-	-	1	2	1	-
Holborn Union Workhouse, } Mitcham - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-
St. Botolph H - - - - -	10,299	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,624	2	18	1	3	-	-	-	-	-	1	-	1	-	1	4	4	14	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																			
Shoreditch South H - - - - -	46,362	28	9	2	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Shoreditch North-West W,w,H -	36,127	23	21	6	5	-	-	-	-	-	3	-	-	-	-	1	2	13	-
Shoreditch North-East - - - - -	36,148	22	7	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W } 2HL - - - - -	65,138	44	20	5	6	-	-	-	-	-	1	-	-	-	-	3	3	14	-
Bethnal Green South-West H - -	64,542	43	14	5	2	-	1	-	-	-	-	-	-	-	1	1	3	-	-
Hopitalfields - - - - -	27,969	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Mile End New Town W,H - - -	28,718	23	40	5	6	-	-	-	-	-	-	-	-	-	-	2	4	37	-
Foodman's Fields - - - - -	22,081	10	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1
St. George and St. John 2W - - -	49,068	42	10	4	3	-	-	-	-	-	-	-	-	-	-	-	1	4	-
Shadwell and Ratcliff W,H - - -	25,568	11	7	1	-	-	2	-	1	-	-	-	-	-	-	1	2	4	-
Limhouse W - - - - -	32,389	23	5	2	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-
Mile End Old Town South- } Western H - - - - -	63,698	43	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Mile End Old Town North- } Eastern W,w - - - - -	49,129	33	21	-	8	-	-	-	-	-	-	-	-	-	-	-	3	9	-
Row L - - - - -	41,939	20	9	2	2	-	1	-	-	-	1	-	-	-	-	1	2	-	-
Bromley 3w,H - - - - -	68,319	39	31	3	13	-	1	-	-	-	-	-	-	-	-	1	4	21	-
Poplar W,w - - - - -	58,514	34	17	4	6	-	1	-	-	-	-	-	-	-	-	2	4	4	-

MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th May, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	The Deaths registered during the Week include													Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
					Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 4th May, 1907.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
						Deaths of	Deaths from											
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING		368,302	2,044,973	1305	521	122	146	-	11	4	15	31	3	4	15	40	103	1
0:1	Carshalton 2F,3H	12,238	32,997	19	11	3	3	-	-	-	-	-	-	-	-	-	1	1
2	Epsom, part of* W,w,2F,H-	10,423	15,548	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Godstone, part of* W,F,L-	2,754	2,692	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-
8:1	Coulsdon - - -	11,069	8,166	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	21	8	1	6	-	-	-	-	-	-	-	1	1	-	-
3	West Croydon 3W,F,H	2,168	42,888	32	19	2	5	-	-	1	1	-	-	-	1	6	8	-
4	North Croydon H - -	2,644	41,698	23	5	1	3	-	-	-	-	-	-	-	-	-	-	-
5	Penge w,H - - -	770	22,465	7	2	2	2	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham - - -	11,711	30,015	28	10	5	2	-	-	-	-	2	-	-	-	1	-	-
9:1	Wimbledon F,3H - -	3,221	41,652	36	9	3	4	-	-	-	-	-	-	-	-	-	1	5
2	Kingston 2W,H - - -	6,324	42,068	18	17	1	8	-	-	-	-	1	-	-	-	-	-	-
3	Surbiton F,H - - -	3,046	15,017	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H - -	5,402	13,100	8	8	1	2	-	-	-	-	-	-	-	-	-	1	-
5	Hampton H,F,L - - -	4,634	23,456	17	6	1	1	-	-	-	-	1	-	-	-	2	-	-
0:1	Richmond W,H - - -	2,182	28,865	8	6	-	4	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F - - -	2,547	20,628	17	4	1	-	-	-	-	-	-	-	-	-	-	4	-
1:1	Bromley F,2H - - -	4,703	27,354	15	4	-	1	-	1	-	-	-	-	-	-	-	1	-
2	Beckenham H - - -	7,325	28,497	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,867	6	2	-	1	-	-	-	-	-	-	-	-	-	1	-
4	Chislehurst 2H - - -	7,333	18,446	11	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2:1	Bexley w,F,H - - -	8,878	21,151	19	5	2	-	-	-	-	1	-	-	-	-	-	-	-
2	Erith F,H - - -	3,854	25,296	17	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
4:1	Sunbury w - - -	11,054	18,683	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H - - -	13,277	15,178	6	6	-	2	-	-	-	1	-	-	-	-	-	2	-
5:1	Hillingdon W,F,H - -	6,035	13,661	6	2	1	1	-	-	-	-	-	-	-	-	-	1	-
2	Uxbridge H - - -	12,757	8,984	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H - - -	8,066	16,368	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-
6:1	Isleworth 3W,3F,H - -	6,859	30,863	27	18	-	10	-	-	1	-	-	-	-	-	-	10	1
2	Twickenham F,2H - -	2,421	20,991	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - -	4,319	48,289	38	7	1	3	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H - - -	1,249	29,809	15	4	1	1	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	40	15	4	4	-	-	-	-	-	-	-	-	1	-	-
7:1	Harrow F,H - - -	13,809	25,523	15	7	1	2	-	-	-	-	-	-	-	2	2	-	-
2	Edgware 2F,2H - - -	6,994	4,521	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	86	23	7	4	-	-	1	-	-	-	-	1	2	4	-
4	Hendon W,F - - -	8,382	22,460	15	6	-	2	-	-	-	-	-	1	-	-	1	-	-
9:1	South Mimms 2F,H - -	17,755	7,308	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H - - -	4,688	53,692	14	9	3	-	-	1	-	-	2	1	-	-	-	-	-
1:1	Hornsey F,H - - -	2,375	72,066	47	11	4	3	-	-	-	-	4	1	-	-	-	-	-
2	Wood Green H - - -	1,825	34,233	28	8	1	1	-	1	-	-	-	-	-	-	-	-	-
3	West Tottenham F - -	996	48,863	39	8	3	1	-	-	-	-	-	-	-	1	2	-	-
4	East Tottenham 2H - -	2,017	53,688	32	14	4	3	-	-	-	-	-	-	-	1	1	2	6
5	Edmonton W,w,2F - -	7,491	61,892	47	21	5	3	-	-	-	-	3	-	-	-	2	-	-
6	Enfield 2W,F,H - - -	12,601	42,738	31	10	1	4	-	-	-	-	-	-	-	1	1	1	-
7	Waltham Abbey F - -	11,017	6,549	2	3	1	1	-	-	-	-	-	-	-	1	1	-	-
8	Cheshunt F,H - - -	8,470	12,292	3	2	2	-	-	-	-	-	-	1	-	-	-	-	-
9:1	Hatfield, part of* W -	3,305	664	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Bushey H - - -	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1:1	Stratford H - - -	1,072	44,827	27	6	4	1	-	1	-	-	-	-	-	-	-	-	-
2	Plaistow F,2H - - -	1,249	90,921	58	31	14	6	-	1	-	2	2	-	-	2	3	-	-
3	Canning Town H - -	1,556	70,718	50	22	4	3	-	1	-	-	4	-	-	1	2	-	-
4	Forest Gate w - - -	806	60,892	21	17	3	8	-	-	1	-	-	-	-	-	-	-	-
5	North East Ham w,H -	1,333	68,676	28	11	4	2	-	-	-	-	-	-	-	1	1	1	-
6	South East Ham 2F - -	1,993	37,342	35	8	2	3	-	-	1	-	-	-	-	1	1	1	-
7	Wanstead F - - -	1,679	9,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - - -	631	50,467	34	12	5	3	-	2	-	-	2	2	-	-	1	5	-
9	North Leyton 2W,w,F -	1,963	48,445	36	37	4	9	-	-	-	3	-	-	-	2	4	25	-
10	Walthamstow 2H,L - -	6,504	108,929	69	23	11	2	-	-	-	2	3	-	1	-	2	-	-
2:1	Chigwell 2F,3H - - -	11,778	16,397	6	4	-	1	-	-	1	1	-	-	-	-	-	2	-
3	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Romford, part of* W,2F	6,556	6,091	6	3	-	1	-	-	-	-	-	-	-	-	-	2	-
2	Ilford F,L - - -	8,496	41,234	39	10	2	3	-	-	-	-	1	-	-	-	-	2	-
3	Barking Town F - - -	3,803	21,547	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Western Hosp., Fulham -		-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
N.E. Hospital, Tottenham -		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Kent County Lunatic Asylum, Maidstone.		-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.		-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	May 4	2352	1384	14·9	-	40	8	13	69	2	18
CALCUTTA - -	977,822	April 6	-	817	50·1	87	6	-	-	3	387†	1
BOMBAY - -	982,000	" 16	308	1140	60·6	4	3	-	-	-	540†	62
MADRAS - -	548,974	" 5	384	944	35·1	6	5	?	?	?	90	63
PARIS - -	2,722,731	" 27	963	1022	19·5	1	10	9	4	13	11	25
BRUSSELS - -	623,077	" 27	220	168	14·0	-	-	3	2	-	-	10
ANTWERP - -	297,311	" 27	140	82	14·3	-	1	2	-	-	1	6
AMSTERDAM -	565,368	" 27	280	142	12·9	-	2	1	3	-	1	5
COPENHAGEN -	433,000	" 27	225	155	18·7	-	-	-	1	2	1	9
STOCKHOLM -	324,488	" 20	156	96	15·0	-	-	-	1	4	-	3
CHRISTIANIA -	226,774	" 27	114	61	14·0	-	3	-	1	2	-	3
ST. PETERSBURG	1,482,769	" 13	932	794	27·9	-	44	13	16	2	12	108
MOSCOW - -	1,296,000	" 20	-	659	26·5	1	19	5	11	5	6	70
BERLIN - -	2,086,004	" 13	887	642	16·0	-	4	2	7	6	1	23
HAMBURG - -	840,790	" 27	-	249	15·7	-	-	3	4	4	-	16
BRESLAU - -	484,355	" 20	-	197	21·3	-	-	-	2	-	-	16
MUNICH - -	548,000	" 20	303	217	20·6	-	5	1	4	-	2	20
		" 27	-	199	18·9	-	6	-	-	2	-	19
VIENNA - -	1,979,093	" 27	889	800	20·8	-	18	4	8	3	-	47
PRAGUE - -	466,133	" 13	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	802,235	" 20	387	318	20·6	-	7	8	3	-	2	11
TRIESTE - -	200,962	" 27	114	104	26·9	-	3	-	-	1	-	-
ROME - -	540,150	March 9	274	236	22·8	-	-	-	-	1	1	6
VENICE - -	174,368	April 20	86	63	18·8	-	-	-	1	-	-	2
BUCHAREST -	292,395	" 27	186	190	33·9	-	9	1	-	2	1	4
NEW YORK - -	4,285,435	" 20	2027	1557	18·9	-	8	27	40	11	13	58
CHICAGO - -	2,107,620	" 20	-	617	15·3	-	7	11	12	11	4	42
PHILADELPHIA -	1,500,595	March 30	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	April 7	-	222	18·4	1	-	-	-	-	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 290 deaths from plague in Calcutta, 481 in Bombay, and 1 in Rio de Janeiro.

‡ Including 56 deaths from cholera in Calcutta, 2 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th May, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	60·4	35·0	47·6	0·59	LEEDS - - -	56·0	35·0	46·7	0·53
BRIGHTON - -	55·7	35·1	47·7	0·66	YORK - - -	55·0	33·0	46·4	0·36
PORTSMOUTH -	55·0	36·2	48·4	0·82	HULL - - -	56·0	33·0	46·2	0·80
NORWICH - -	58·0	35·6	46·8	1·47	TYNEMOUTH -	55·0	31·0	44·3	0·39
PLYMOUTH - -	55·2	37·5	47·5	0·94	CARDIFF - -	53·7	33·0	46·7	1·02
BRISTOL - -	55·9	31·8	47·0	0·64	EDINBURGH -	52·9	32·9	42·8	0·92
BIRMINGHAM -	55·8	34·4	45·1	0·49	GLASGOW - -	55·2	34·0	45·0	1·65
NOTTINGHAM -	55·2	34·2	45·6	0·61	DUBLIN } Phoenix Park, Fitz- william Square.†	54·3	31·1	44·1	0·56
LIVERPOOL - -	55·0	36·0	45·1	0·45		56·8	34·4	46·3	0·51
MANCHESTER -	53·7	28·8	43·0	1·03					
PRESTON - -	-	-	-	-	BELFAST - -	53·0	35·0	44·7	0·88
HUDDERSFIELD -	52·0	32·8	44·0	1·64					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1907.

MONTH AND

DATE.	EXPLANATION OF SYMBOLS, <i>see Note.</i>	Registered Sunshine in hours.	Unregistered Sunshine in hours.	GENERAL REMARKS.
SUNDAY - 28	m. P. generally till 8h. P.M.; s. P. afterwards.	102	146	Very fine till evening; generally overcast after 5h. P.M.; hoar frost in early morning.
MONDAY - 29	P. and v. N. till 6h. A.M.; s. P. afterwards.	36	146	Generally overcast till afternoon; fine after 5h. P.M.; rain between 1h. and 5h. A.M.
TUESDAY - 30	P. till 5h. A.M.; s. P. till 11h. A.M.; v. P. and s. N. till 4h. P.M.; s. P. afterwards.	04	147	Generally overcast; frequent rain after 8h. 45m. A.M.; gloomy intervals in afternoon.
WEDNESDAY - 1	m. P. till 5h. A.M.; s. P. generally afterwards.	15	147	Generally overcast; fine interval between 4h. and 9h. P.M.; brisk wind in morning.
THURSDAY - 2	w. P. generally; occasional v. N. till 1h. P.M.	87	148	Overcast with rain in morning; fine and variably cloudy till evening with sharp shower at 6h. 15m. P.M.; cloudless with slight exceptions at night; strong gusty wind prevalent throughout the day.
FRIDAY - 3	w. P. throughout.	54	148	Cloudless till 3h. A.M.; fine but cloudy till afternoon; generally overcast after 3h. P.M. with rain between 4h. 30m. and 9h. P.M.; strong wind after 8h. P.M. rising to a gale by midnight.
SATURDAY - 4	w. P. generally till 7h. P.M.; m. P. afterwards.	118	149	Cloudy early with gale till 3h. A.M. and slight shower at 3h. 30m. A.M.; very fine after 5h. A.M. with brisk wind between 7h. A.M. and 4h. P.M.
No of Col. -	27	38	29	

The reading of the barometer increased from 28.69 in. at the beginning of the week to 28.75 in. by 11 h. A.M. on April 26th; decreased to 28.46 in. by 3 h. P.M. on April 30th; increased to 28.68 in. by 4 h. P.M. on May 1st; decreased to 28.22 in. by noon on May 2nd; decreased to 28.32 in. by 11 h. A.M. on May 3rd; decreased to 28.13 in. by 11 h. P.M. on the same day; and increased to 28.68 in. by midnight on the 4th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 27th April, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	16	3	-	1	-	-	1	-	-
Kensington - - -	181,842	-	13	3	-	1	-	-	1	-	-
Hammersmith - - -	122,337	-	4	1	-	1	-	-	1	-	-
Fulham - - -	166,749	-	12	6	-	1	-	-	1	-	-
Chelsea - - -	74,857	-	5	1	-	1	-	-	1	-	-
City of Westminster - -	172,219	-	6	2	-	3	-	-	3	-	-
NORTH.											
St. Marylebone - - -	127,718	-	7	1	-	1	-	-	2	-	-
Hampstead - - -	91,137	1	8	2	-	1	-	-	2	-	-
St. Pancras - - -	236,753	-	16	2	-	1	-	-	2	-	-
Islington - - -	347,017	-	27	4	-	1	-	-	4	-	1
Stoke Newington - - -	53,613	-	6	2	-	2	-	-	4	-	1
Hackney - - -	232,993	-	17	8	-	2	-	-	8	1	-
CENTRAL.											
Holborn - - -	55,134	-	2	-	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	8	-	-	-	-	-	4	-	-
City of London - - -	20,310	1	2	-	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	14	3	-	-	-	-	2	-	-
Bethnal Green - - -	130,831	-	13	5	-	-	-	-	4	-	-
Stepney - - -	308,923	-	37	13	-	2	-	-	4	-	-
Poplar - - -	171,066	-	14	9	-	-	-	-	4	1	-
SOUTH.											
Southwark - - -	209,781	-	24	4	-	1	-	-	4	-	-
Bermondsey - - -	128,263	-	13	5	-	-	-	-	1	-	1
Lambeth - - -	318,538	-	14	1	-	2	-	-	3	-	-
Battersea - - -	181,736	-	20	5	-	1	-	-	3	-	-
Wandsworth - - -	281,419	-	22	11	-	-	-	-	4	-	-
Camberwell - - -	277,059	-	24	6	-	-	-	-	5	2	-
Deptford - - -	116,510	-	10	5	-	-	-	-	1	-	-
Greenwich - - -	107,222	-	15	4	-	-	1	-	1	-	-
Lewisham - - -	152,532	-	7	4	-	1	-	-	1	-	-
Woolwich - - -	129,936	-	18	8	-	1	-	-	1	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,758,218		2	394	123	-	23	1	-	69	4	4
AGES.											
Ages 0-1 - - -	-	-	5	6	-	-	-	-	-	-	-
" 1-5 - - -	-	-	118	45	-	2	1	-	1	-	-
" 5- - - -	-	-	157	44	-	1	-	-	2	-	1
" 10- - - -	-	-	57	13	-	2	-	-	3	-	1
" 15- - - -	-	-	19	3	-	5	-	-	1	-	1
" 20- - - -	-	1	19	4	-	3	-	-	7	2	-
" 25- - - -	-	-	15	6	-	5	-	-	11	2	1
" 35- - - -	-	1	4	2	-	3	-	-	15	-	-
" 45- - - -	-	-	-	-	-	2	-	-	8	-	-
" 55- - - -	-	-	-	-	-	-	-	-	12	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	9	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

THE UNIVERSITY OF CHICAGO
LIBRARY
46

LONDON:]
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 19. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAY 11. [Price 1½d.

*General Register Office, Somerset House,
May 13th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 16·8, 16·0, and 15·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·6 in Wigan, 20·7 in Derby, 20·8 in Manchester, 20·9 in Preston, 21·5 in Coventry, 21·9 in West Bromwich, 22·4 in Sunderland, and 23·8 in Salford; from *measles*, 4·0 in Birkenhead, 4·1 in Sheffield, 4·7 in Hanley, and 5·4 in Bolton; from *diphtheria*, 1·9 in Reading; from *whooping-cough*, 1·5 in Salford, in Oldham, and in Middlesbrough, and 2·0 in Stockton on Tees; from "*fever*," 1·7 in Barrow in Furness; and from *diarrhœa*, 1·5 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2537 BIRTHS and 1431 DEATHS were registered. Allowing for increase of population, the births were 97 below and the deaths 12 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 16·1, 15·6, and 14·9 per 1000 in the preceding three weeks, was 15·7 last week. The death-rate in the four weeks ended last Saturday averaged 15·6 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1431 deaths included 39 from measles, 9 from scarlet fever, 15 from diphtheria, 63 from whooping-cough, 4 from enteric fever, and 9 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 139 deaths were referred to these diseases in the aggregate, being 16 below the corrected average number in the nineteenth week of the preceding five years.

The deaths from *measles*, which had been 40, 47, and 40 in the preceding three weeks, numbered 39 last week, and were 23 below the corrected average; 4 deaths belonged to the Borough of St. Pancras, and 4 each to Shoreditch, Stepney, and Poplar. The deaths from *scarlet fever*, which had been 9, 8, and 8 in the preceding three weeks, were 9 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 10, 16, and 13 in the preceding three weeks, were 15 last week, the corrected average being 16. The deaths from *whooping-cough*, which had been 50, 67, and 69 in the preceding three weeks, numbered 63 last week, and were 25 above the corrected average; 7 deaths belonged to Lambeth, 7 to Camberwell, 6 to Wandsworth, 5 to Bethnal Green, and 4 each to St. Marylebone and Islington. The deaths from *enteric fever*, which had been 6, 3, and 2 in the preceding three weeks, were 4 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 13, 14, and 18 in the preceding three weeks, fell to 9 last week, and were 7 below the corrected average. Of the 9 deaths from diarrhoea, 6 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 16, 15, and 9 in the preceding three weeks.

Different forms of *violence* caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 5 to burns, scalds, or explosions, 5 to drowning, 1 to a conflagration, and 8, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2658 cases of scarlet fever, 911 of diphtheria, and 54 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 349 cases, against 361, 360, and 346; of diphtheria, 129 cases, against 125, 109, and 103; and of enteric fever, 11 cases, against 12, 10, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 4th, 1907.

GREATER LONDON.

In Greater London 3854 births and 1966 deaths were registered. Allowing for increase of population, these numbers are 165 and 3 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 12 from whooping-cough, and 6 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.63 inches, and that of the Thermometer 56°0, the latter being 5°0 above the week's average in the 65 years ending 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 2 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 50.2 hours; the measured rainfall amounted to 0.36 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Col. 11-17.		Registered Deaths during the Week ended 11th May, 1907.		The DEATHS registered in the Week include												TOWNS.		
		Week ended				Week ended 11th May, 1907.		BIRTHS.	DEATHS.	Deaths of		Deaths from						Unsettled Causes of Death.						
		20th ADT., 1907.				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.			Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
		20th ADT., 1907.	27th ADT., 1907.	4th May, 1907.	11th May, 1907.																			
76 TOWNS	16,024,458	16.8	16.0	15.9	15.7	1.6	1009	4316	9039	2537	1431+	1397	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colts.
LONDON -	4,755,218	18.1	15.6	14.9	15.7	1.5	275	439	39	6	15	63	187	362	1309	46	76 TOWNS.	LONDON.						
(CROYDON.	154,342	13.9	15.5	10.5	13.2	1.4	88	39	1.4	94	32	7	9	1	2	1	4	9	1	1	3	4	9	
WILLESDEN -	149,182	10.8	10.1	7.7	11.2	0.6	43	14	6	4	6	2	9	3	1	2	5	9	17	1	1	4	9	
HORNSEY -	88,816	4.6	5.8	6.4	8.1	0.6	63	26	2	9	3	1	2	2	2	2	5	9	17	1	1	4	9	
TOTTENHAM -	125,788	16.1	10.6	11.9	11.0	3.0	166	89	29	17	6	4	1	1	1	1	1	1	1	1	1	1	1	
WEST HAM -	308,284	12.9	14.4	15.7	16.7	2.5	61	20	6	4	1	6	1	1	1	1	1	1	1	1	1	1	1	
EAST HAM -	136,421	12.2	11.1	8.4	7.6	1.3	58	21	1	6	1	3	2	2	2	2	2	2	2	2	2	2	2	
LEYTON -	122,040	13.2	11.5	12.0	9.0	1.3	74	22	7	6	1	6	1	1	1	1	1	1	1	1	1	1	1	
(WALTHAMSTOW -	126,397	12.0	11.6	10.7	9.1	1.2	28	22	1	11	1	11	1	1	1	1	1	1	1	1	1	1	1	
HASTINGS -	67,477	10.0	17.8	17.8	17.0	-	73	28	4	9	2	2	2	2	2	2	2	2	2	2	2	2	2	
BRIGHTON -	129,023	11.7	12.5	16.6	11.3	0.8	119	70	17	16	1	7	1	1	1	1	1	1	1	1	1	1	1	
PORTSMOUTH -	208,291	17.0	18.3	22.0	17.5	2.5	34	14	1	7	1	8	1	1	1	1	1	1	1	1	1	1	1	
BOURNEMOUTH -	68,246	13.6	14.3	6.8	10.5	-	68	23	9	8	1	10	1	1	1	1	1	1	1	1	1	1	1	
SOUTHAMPTON -	119,745	12.6	10.9	11.3	12.2	0.9	47	22	1	10	1	10	1	1	1	1	1	1	1	1	1	1	1	
READING -	80,311	11.0	12.3	8.4	14.3	1.9	31	10	4	3	1	3	1	1	1	1	1	1	1	1	1	1	1	
NORTHAMPTON -	95,070	17.6	18.1	11.5	5.5	0.5	44	21	7	5	1	5	1	1	1	1	1	1	1	1	1	1	1	
IPSWICH -	72,825	24.3	12.2	18.6	15.0	1.4	27	9	1	5	1	5	1	1	1	1	1	1	1	1	1	1	1	
GREAT YARMOUTH -	52,879	15.8	15.8	11.8	8.9	-	68	35	4	11	1	11	1	1	1	1	1	1	1	1	1	1	1	
NORWICH -	119,191	12.2	11.4	9.2	15.3	0.4	68	39	8	17	1	17	1	1	1	1	1	1	1	1	1	1	1	
PLYMOUTH -	120,063	11.7	14.8	15.2	16.9	0.4	68	39	8	17	1	17	1	1	1	1	1	1	1	1	1	1	1	
DEVONPORT -	79,959	16.3	13.7	14.3	8.5	-	44	13	4	4	1	4	1	1	1	1	1	1	1	1	1	1	1	
BRISTOL -	367,979	13.7	13.5	12.5	10.6	0.7	203	75	11	27	1	27	1	1	1	1	1	1	1	1	1	1	1	
HANLEY -	67,174	27.2	14.0	23.3	16.3	5.4	46	21	6	5	4	5	1	1	1	1	1	1	1	1	1	1	1	
BURTON-ON-TRENT -	53,425	14.6	11.7	11.7	10.7	-	28	11	2	4	1	2	1	1	1	1	1	1	1	1	1	1	1	
WOLVERHAMPTON -	102,016	16.9	14.8	15.3	16.4	1.0	47	32	3	13	1	13	1	1	1	1	1	1	1	1	1	1	1	
WALSALL -	98,171	10.8	13.0	15.7	14.6	1.1	49	27	10	6	1	6	1	1	1	1	1	1	1	1	1	1	1	
HANDSWORTH -	65,829	9.5	11.9	9.5	8.7	1.6	35	11	2	3	1	3	1	1	1	1	1	1	1	1	1	1	1	
WEST BROMWICH -	69,123	14.3	13.9	15.8	21.9	0.8	47	29	11	6	1	6	1	1	1	1	1	1	1	1	1	1	1	

See note 1 on first page of this return.
 † Including 1 death from Epidemic Cerebro-spinal meningitis, and 1 death from Cerebro-spinal fever.

^a See note 1 on first page of this return.

‡ These towns are included within the area of G epidemic Cerebro-spinal meningitis, and 1 death from Cerebro-spinal fever.

TOWNS.	Cols.	POPULATION estimated at the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from: 11-17.		Registered during the week ended 11th May, 1907.		The DEATHS registered in the week include										TOWNS.	
			Week ended				11-17.		during the week ended 11th May, 1907.		Deaths from											
			Week ended				11-17.		during the week ended 11th May, 1907.		Deaths from											
			29th Apr. 1907.	27th May. 1907.	4th May. 1907.	11th May. 1907.	Week ended 11th May, 1907.	11-17.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.		19.
BIRMINGHAM -	-	553,155	19'0	15'1	16'7	17'1	1'8	315	181	34	44	-	5	-	3	6	3	2	10	11	63	3
KINGS NORTON -	-	75,600	12'4	6'9	9'7	9'7	0'7	30	14	2	5	-	1	-	-	-	-	-	-	-	3	-
SMETHWICK -	-	66,467	10'2	13'3	17'3	7'8	-	41	10	2	5	-	-	-	-	-	-	-	-	1	-	-
ASTON MANOR -	-	83,266	11'9	11'3	13'2	9'4	0'6	43	15	4	3	-	-	-	1	-	-	-	-	4	4	-
COVENTRY -	-	77,626	9'4	11'4	18'1	21'5	2'0	60	32	4	14	-	-	1	1	-	-	1	-	2	8	1
LEICESTER -	-	236,124	15'5	10'4	11'9	10'6	-	119	48	8	18	-	-	-	-	-	-	1	2	2	12	-
GRIMSEY -	-	70,574	16'3	13'3	17'0	16'3	0'7	48	22	9	6	-	-	-	1	-	-	-	-	2	2	-
NOTTINGHAM -	-	257,489	21'5	20'9	19'8	17'2	3'4	149	85	21	25	-	10	3	-	4	-	-	1	19	1	-
DERBY -	-	125,774	21'6	13'7	12'9	20'7	2'1	75	60	13	10	-	2	2	-	1	-	-	2	11	-	-
STOCKPORT -	-	100,986	19'1	23'2	19'1	15'0	0'5	42	29	5	10	-	-	-	-	1	-	-	-	10	-	-
BIRKENHEAD -	-	118,553	17'2	27'3	15'8	19'8	4'0	76	45	8	11	-	9	-	-	-	-	-	1	7	-	-
WALLASEY -	-	66,707	13'3	18'0	8'6	12'5	0'8	35	16	3	7	-	-	-	1	-	1	1	4	-	-	-
LIVERPOOL -	-	746,144	20'6	19'8	20'1	18'3	1'9	507	282†	60	75	-	-	4	2	5	3	3	9	16	92	11
BOOTLE -	-	67,114	19'4	12'4	14'0	13'2	0'8	37	17	3	3	-	-	1	-	-	-	1	1	4	-	-
ST. HELENS -	-	92,476	24'8	14'7	22'0	16'4	3'4	62	29	4	6	-	4	1	-	1	-	2	2	2	6	1
WIGAN -	-	88,608	24'7	23'0	17'1	20'6	-	59	35	11	10	-	-	-	-	-	-	-	4	1	-	-
WARRINGTON -	-	70,269	13'4	14'1	14'8	12'6	1'5	35	17	7	7	-	2	-	-	-	-	-	-	3	1	-
BOLTON -	-	182,917	20'5	20'5	18'5	20'0	6'6	68	70	11	12	-	19	1	-	3	-	3	3	11	1	-
BURY -	-	58,901	15'0	18'6	23'9	15'0	-	23	17	4	7	-	-	-	-	-	-	-	4	-	-	-
MANCHESTER -	-	643,143	21'7	18'6	18'6	20'8	1'8	400	266	55	53	-	4	2	2	13	-	1	12	23	66	1
SALFORD -	-	236,670	23'1	18'3	22'9	23'8	2'6	146	108	25	33	-	2	1	1	7	1	1	6	7	29	2
OLDHAM -	-	141,730	20'6	20'2	26'0	16'9	2'6	74	46	10	10	-	-	1	2	4	1	1	4	4	7	-
ROCHDALE -	-	87,999	21'3																			

N-
FURNES

TOWNS.	COLS.	POPULATION estimated to the end of the Year 1907.*	DEATH-RATES from all Diseases.				Registered during the Week ended 11th May, 1907.		The DEATHS registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Week ended				BIRTHS.	DEATHS.	Deaths of 60 Years and upwards.	Deaths from							Inquest Cases.	Deaths in Public Institutions.		Unidentified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			20th April, 1907.	27th May, 1907.	4th May, 1907.	11th May, 1907.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.					Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32.	33.	34.	35.	36.	37.	38.	39.	40.	41.	42.	43.	44.	45.	46.	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.	57.	58.	59.	60.	61.	62.	63.	64.	65.	66.	67.	68.	69.	70.	71.	72.	73.	74.	75.	76.	77.	78.	79.	80.	81.	82.	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.	96.	97.	98.	99.	100.	101.	102.	103.	104.	105.	106.	107.	108.	109.	110.	111.	112.	113.	114.	115.	116.	117.	118.	119.	120.	121.	122.	123.	124.	125.	126.	127.	128.	129.	130.	131.	132.	133.	134.	135.	136.	137.	138.	139.	140.	141.	142.	143.	144.	145.	146.	147.	148.	149.	150.	151.	152.	153.	154.	155.	156.	157.	158.	159.	160.	161.	162.	163.	164.	165.	166.	167.	168.	169.	170.	171.	172.	173.	174.	175.	176.	177.	178.	179.	180.	181.	182.	183.	184.	185.	186.	187.	188.	189.	190.	191.	192.	193.	194.	195.	196.	197.	198.	199.	200.	201.	202.	203.	204.	205.	206.	207.	208.	209.	210.	211.	212.	213.	214.	215.	216.	217.	218.	219.	220.	221.	222.	223.	224.	225.	226.	227.	228.	229.	230.	231.	232.	233.	234.	235.	236.	237.	238.	239.	240.	241.	242.	243.	244.	245.	246.	247.	248.	249.	250.	251.	252.	253.	254.	255.	256.	257.	258.	259.	260.	261.	262.	263.	264.	265.	266.	267.	268.	269.	270.	271.	272.	273.	274.	275.	276.	277.	278.	279.	280.	281.	282.	283.	284.	285.	286.	287.	288.	289.	290.	291.	292.	293.	294.	295.	296.	297.	298.	299.	300.	301.	302.	303.	304.	305.	306.	307.	308.	309.	310.	311.	312.	313.	314.	315.	316.	317.	318.	319.	320.	321.	322.	323.	324.	325.	326.	327.	328.	329.	330.	331.	332.	333.	334.	335.	336.	337.	338.	339.	340.	341.	342.	343.	344.	345.	346.	347.	348.	349.	350.	351.	352.	353.	354.	355.	356.	357.	358.	359.	360.	361.	362.	363.	364.	365.	366.	367.	368.	369.	370.	371.	372.	373.	374.	375.	376.	377.	378.	379.	380.	381.	382.	383.	384.	385.	386.	387.	388.	389.	390.	391.	392.	393.	394.	395.	396.	397.	398.	399.	400.	401.	402.	403.	404.	405.	406.	407.	408.	409.	410.	411.	412.	413.	414.	415.	416.	417.	418.	419.	420.	421.	422.	423.	424.	425.	426.	427.	428.	429.	430.	431.	432.	433.	434.	435.	436.	437.	438.	439.	440.	441.	442.	443.	444.	445.	446.	447.	448.	449.	450.	451.	452.	453.	454.	455.	456.	457.	458.	459.	460.	461.	462.	463.	464.	465.	466.	467.	468.	469.	470.	471.	472.	473.	474.	475.	476.	477.	478.	479.	480.	481.	482.	483.	484.	485.	486.	487.	488.	489.	490.	491.	492.	493.	494.	495.	496.	497.	498.	499.	500.	501.	502.	503.	504.	505.	506.	507.	508.	509.	510.	511.	512.	513.	514.	515.	516.	517.	518.	519.	520.	521.	522.	523.	524.	525.	526.	527.	528.	529.	530.	531.	532.	533.	534.	535.	536.	537.	538.	539.	540.	541.	542.	543.	544.	545.	546.	547.	548.	549.	550.	551.	552.	553.	554.	555.	556.	557.	558.	559.	560.	561.	562.	563.	564.	565.	566.	567.	568.	569.	570.	571.	572.	573.	574.	575.	576.	577.	578.	579.	580.	581.	582.	583.	584.	585.	586.	587.	588.	589.	590.	591.	592.	593.	594.	595.	596.	597.	598.	599.	600.	601.	602.	603.	604.	605.	606.	607.	608.	609.	610.	611.	612.	613.	614.	615.	616.	617.	618.	619.	620.	621.	622.	623.	624.	625.	626.	627.	628.	629.	630.	631.	632.	633.	634.	635.	636.	637.	638.	639.	640.	641.	642.	643.	644.	645.	646.	647.	648.	649.	650.	651.	652.	653.	654.	655.	656.	657.	658.	659.	660.	661.	662.	663.	664.	665.	666.	667.	668.	669.	670.	671.	672.	673.	674.	675.	676.	677.	678.	679.	680.	681.	682.	683.	684.	685.	686.	687.	688.	689.	690.	691.	692.	693.	694.	695.	696.	697.	698.	699.	700.	701.	702.	703.	704.	705.	706.	707.	708.	709.	710.	711.	712.	713.	714.	715.	716.	717.	718.	719.	720.	721.	722.	723.	724.	725.	726.	727.	728.	729.	730.	731.	732.	733.	734.	735.	736.	737.	738.	739.	740.	741.	742.	743.	744.	745.	746.	747.	748.	749.	750.	751.	752.	753.	754.	755.	756.	757.	758.	759.	760.	761.	762.	763.	764.	765.	766.	767.	768.	769.	770.	771.	772.	773.	774.	775.	776.	777.	778.	779.	780.	781.	782.	783.	784.	785.	786.	787.	788.	789.	790.	791.	792.	793.	794.	795.	796.	797.	798.	799.	800.	801.	802.	803.	804.	805.	806.	807.	808.	809.	810.	811.	812.	813.	814.	815.	816.	817.	818.	819.	820.	821.	822.	823.	824.	825.	826.	827.	828.	829.	830.	831.	832.	833.	834.	835.	836.	837.	838.	839.	840.	841.	842.	843.	844.	845.	846.	847.	848.	849.	850.	851.	852.	853.	854.	855.	856.	857.	858.	859.	860.	861.	862.	863.	864.	865.	866.	867.	868.	869.	870.	871.	872.	873.	874.	875.	876.	877.	878.	879.	880.	881.	882.	883.	884.	885.	886.	887.	888.	889.	890.	891.	892.	893.	894.	895.	896.	897.	898.	899.	900.	901.	902.	903.	904.	905.	906.	907.	908.	909.	910.	911.	912.	913.	914.	915.	916.	917.	918.	919.	920.	921.	922.	923.	924.	925.	926.	927.	928.	929.	930.	931.	932.	933.	934.	935.	936.	937.	938.	939.	940.	941.	942.	943.	944.	945.	946.	947.	948.	949.	950.	951.	952.	953.	954.	955.	956.	957.	958.	959.	960.	961.	962.	963.	964.	965.	966.	967.	968.	969.	970.	971.	972.	973.	974.	975.	976.	977.	978.	979.	980.	981.	982.	983.	984.	985.	986.	987.	988.	989.	990.	991.	992.	993.	994.	995.	996.	997.	998.	999.	1000.

See note † on first page of this return.

excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and the County of Dublin.

Belfast: respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the NINETEENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2430	2425	2574	2581	2510	2560	2615	2551	2645	2497	2633·7	2537
Males -	1235	1252	1320	1318	1284	1308	1316	1288	1367	1294	1345·3	1335
Females -	1195	1173	1254	1263	1226	1252	1299	1263	1278	1203	1288·4	1202
TOTAL Deaths -	1334	1356	1423	1446	1386	1456	1278	1454	1324	1423	1419·4	1431
Males -	709	730	772	767	715	785	663	762	704	731	746·0	726
Females -	625	626	651	679	671	671	615	692	620	692	673·4	705

* The numbers in this column are the average weekly numbers in the nineteenth week of the five years 1902–1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 16.	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	13 Weeks.
TOTAL Births -	2350	2412	2391	2391	2390	2548	2236	2387	2532	2577	2452	2352	2537	31555
TOTAL Deaths -	1819	1558	1678	1641	1696	1483	1586	1627	1495	1469	1423	1364	1431	20270
Under 1 year -	314	275	290	290	328	293	311	303	264	276	265	257	275	3741
1–5 years -	199	165	181	189	193	167	220	249	237	173	212	168	176	2529
5–20 " -	69	87	89	68	101	73	74	86	75	75	80	78	96	1051
20–40 " -	193	171	206	196	191	181	199	189	202	179	186	171	162	2426
40–60 " -	363	318	338	353	363	279	337	304	280	301	260	273	283	4052
60 yrs. & upwds.	681	542	574	545	520	490	445	496	437	465	420	417	439	6471
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	28	38	35	55	57	29	59	63	45	40	47	40	39	575
Scarlet Fever -	8	8	6	7	8	6	8	13	9	9	8	8	9	107
Diphtheria -	20	16	16	19	15	12	16	19	8	10	16	13	15	195
Whooping-cough -	48	31	45	40	42	36	71	63	60	50	67	69	63	685
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	1	6	7	-	6	1	4	5	6	3	2	4	46
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	17	18	12	12	13	15	14	11	18	13	14	18	9	184
All above Diseases -	122	112	120	140	136	104	169	173	145	128	155	150	139	1793
Dis. of Resp. System	298	201	222	232	207	173	177	187	147	133	128	121	107	2333
Pneumonia -	229	178	210	173	196	180	177	225	208	193	167	161	155	2452
Phthisis -	187	147	151	160	157	136	161	156	157	135	133	127	147	1954
Dis. of Circ. System	249	220	253	217	228	132	197	209	181	212	191	194	207	2740
Violence -	63	56	60	60	51	66	55	64	50	52	63	61	54	755
Inquest Cases -	182	153	161	152	139	157	153	166	133	143	136	141	136	1957
Deaths in Institutions	648	609	608	625	634	552	622	626	584	591	565	558	550	7772
TEMPERATURE OF THE AIR.														
Mean -	39·7	39·9	40·6	40·1	42·8	46·1	46·5	49·6	44·1	43·7	49·4	46·4	56·0	45·0
Mean of Highest -	44·6	45·6	48·3	47·2	49·7	55·1	60·8	62·0	53·7	53·1	58·0	54·9	66·6	53·8
Mean of Lowest -	34·5	35·2	32·7	33·4	36·0	37·4	31·1	37·8	37·9	36·0	43·2	40·3	45·8	37·0
Mean Humidity of the Air.	85	72	81	80	74	64	71	69	86	76	79	69	72	75
Rain-fall (in inches) -	0·77	0·29	0·01	0·37	0·40	0·13	0·00	0·17	1·42	0·63	0·90	0·59	0·36	6·04
Registered Sunshine (in hours)	15·0	19·8	11·0	21·9	27·0	50·5	53·5	43·6	18·8	27·7	31·4	41·6	50·2	412·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Scarlet Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria -	3035	2938	2878	2878	2826	2734	2657	2621	2637	2628	2649	2672	2658	2755
Typhus -	926	920	922	967	933	1006	1014	996	992	997	949	915	911	961
Enteric Fever -	101	102	103	98	96	94	93	82	75	69	66	60	54	84

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Means Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; Esq., 3, Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Preston; Manchester: H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the NINETEENTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 19th week of the years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 19th week of the years 1902-1906.	1907—Deaths of Persons the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1419.4	1431	275	176	96	162	283	439	Meningitis (not tubera.)	18.4	17	5	4	1	3	-	
									Gen. Par. of Insane, Insanity	14.5	9	-	-	3	3	-	
									Epilepsy	8.6	2	1	-	1	-	-	
Small-pox*	9.0	-	-	-	-	-	-	-	Convulsions	15.4	20	19	-	1	-	-	
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	0.8	3	-	-	-	1	1	
Measles (Morbilli)	62.0	39	9	28	2	-	-	-	Paraplegia, Dis. of Cord	6.5	6	-	-	1	-	-	
Scarlet Fever	9.6	9	1	5	3	-	-	-	Nervous Sys., Other Dis.	18.8	13	-	-	3	5	5	
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	45.4	57	-	-	6	8	17	
Plague	-	-	-	-	-	-	-	-	Cereb. Hem. Cereb. Emb.	34.2	30	-	-	-	1	10	
Influenza	16.0	11	-	-	2	2	3	4	Apoplexy, Hemiplegia	16.6	13	-	-	-	3	10	
Whooping-cough	37.9	63	28	32	3	-	-	-	Aneurysm	5.7	5	-	-	1	-	2	
Diphtheria	16.2	15	2	9	4	-	-	-	Embolism, Thrombosis (not Cerebral)	1.2	2	-	-	-	1	1	
Cerebro-spinal Fever	0.2	2	-	2	-	-	-	-	Heart & Blood Vess., Other Dis.	80.2	100	-	1	3	10	26	
Pyæmia† (origin uncertain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.6	-	-	-	-	-	-	
Enteric Fever	3.7	4	-	-	1	2	1	-	Bronchitis	98.2	96	15	6	-	12	63	
Asiatic Cholera	-	-	-	-	-	-	-	-	Emphysema, Asthma	3.1	-	-	-	-	-	-	
Epidemic Diarrhœa, Infective Enteritis	4.9	4	4	-	-	-	-	-	Pleurisy	4.5	2	-	-	1	1	-	
Diarrhœa, Dysentery	11.3	5	2	-	-	-	1	2	Respiratory Dis., Other	8.6	9	2	3	-	-	4	
Tetanus	1.0	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.2	-	-	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	6.8	14	6	1	-	3	4	
Glanders	0.2	-	-	-	-	-	-	-	Gastro-enteritis	4.5	4	2	-	-	1	1	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.5	4	-	1	1	1	1	
Veneræal Dis.	6.1	9	5	-	-	1	2	1	Cirrhosis of Liver	13.9	12	-	-	-	-	9	
Puerperal Septicæmia	2.0	2	-	-	-	2	-	-	Liver Dis., Other	4.9	5	-	-	-	3	2	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	34.4	37	6	2	4	5	8	
Puerperal Fever	0.4	-	-	-	-	-	-	-	Acute Nephritis	8.8	8	-	-	3	1	3	
Infective Endocarditis	1.2	3	-	-	-	2	1	-	Bright's Dis., Albuminuria	39.1	42	-	-	1	10	13	
Lobar	16.8	24	3	3	-	1	10	7	Urinary Sys., Other Dis.	11.3	8	-	-	1	-	1	
Pneumonia	53.8	66	22	30	4	-	4	6	Generative Organs Dis.	4.1	4	-	1	-	1	1	
Broncho	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	2.3	3	-	-	-	2	1	
Epidemic	-	-	-	-	-	-	-	-	Old Age	51.8	56	-	-	-	-	56	
Not defined	62.6	65	4	13	6	10	13	19	Other Diseases	91.1	83	55	7	5	4	8	
Erysipelas	4.3	4	1	1	-	-	-	2	ACCIDENT.								
Septicæmia (not Puerperal)	1.2	1	1	-	-	-	-	-	By Railways	2.0	2	-	-	-	2	-	
Pyæmia (not Puerperal)	1.8	1	-	-	1	-	-	-	By Vehicles and Horses	7.4	6	-	-	2	3	1	
Other Infective Processes	7.0	4	2	-	2	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.6	-	-	-	-	-	-	
Tuberculous Phthisis	75.7	102	2	4	11	40	30	15	In Building Operations	1.0	3	-	-	-	1	2	
"Phthisis"	67.1	45	1	1	4	16	17	6	In Conflagrations	0.8	1	-	-	-	-	1	
Tuberculous Meningitis	25.6	24	7	8	7	2	-	-	By Burns, Scalds, Explosions	4.1	5	-	2	1	1	1	
Tuberculous Peritonitis	7.6	7	1	3	2	-	1	-	By Drowning	3.9	5	1	-	1	3	-	
Tabs Mesenterica	3.9	3	1	2	-	-	-	-	By Suffocation in Bed	8.0	8	8	-	-	-	-	
Tuberculous Dis., Other	16.4	24	3	7	8	1	3	2	By Poisons or Poisonous Vapours	1.8	-	-	-	-	-	-	
Scrofula	-	-	-	-	-	-	-	-	Other Deaths by Accident	20.1	13	2	-	-	2	1	
Alcoholism	13.1	6	-	-	-	4	1	1	VIOLENCE OTHER THAN ACCIDENTAL.								
Rheumatic Fever	4.7	4	-	-	3	-	1	-	Homicide	0.6	1	1	-	-	-	-	
Gout	3.1	2	-	-	-	-	-	2	Suicide	14.3	10	-	-	1	4	3	
Carcinoma	56.9	68	-	-	-	5	29	34	Execution	0.2	-	-	-	-	-	-	
Sarcoma	5.7	-	-	-	-	-	-	-									
Cancer (undefined)	33.8	35	-	-	-	-	16	19									
Diabetes Mellitus	6.3	10	-	-	-	1	5	4									
Premature Birth	48.5	53	53	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th May, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age, Persons aged 60 Years and upwards.	Deaths from														
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric or Typhoid Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON	4,536,429	2537	1431	275	439	-	39	9	15	63	-	4	-	9	54	136	550	-	-
WEST DISTRICTS	805,311	357	223	45	63	-	4	-	2	8	-	2	-	3	10	17	91	-	-
NORTH DISTRICTS	1,063,070	543	331	52	129	-	6	4	2	15	-	1	-	1	11	27	104	-	-
CENTRAL DISTRICTS	209,465	120	72	14	15	-	2	-	1	3	-	-	-	1	8	16	41	-	-
EAST DISTRICTS	715,739	488	262	60	65	-	15	-	1	11	-	1	-	2	6	38	111	-	-
SOUTH DISTRICTS	1,749,844	1029	506	104	153	-	12	3	9	26	-	-	-	1	19	38	166	-	-
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	37	-	14	-	-	2	-	-	-	-	-	1	-	-	37	-	-
WEST DISTRICTS.																			
St. Mary Paddington W,3H	93,178	54	31	4	10	-	1	-	1	1	-	-	-	-	-	2	6	-	-
St. John Paddington H	33,617	12	15	3	1	-	-	-	-	-	-	-	-	-	4	4	11	-	-
North-West Paddington	17,181	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H	128,037	57	45	4	22	-	2	-	-	3	-	-	-	-	-	-	21	-	-
Brompton 2H-	48,591	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hammersmith 2W,w,H	49,192	22	18	7	3	-	-	-	-	1	-	-	-	-	-	2	5	4	-
South Hammersmith w,2H	69,047	32	19	5	4	-	-	-	-	-	-	1	-	-	2	2	4	-	-
North-west Fulham W	45,180	34	13	3	3	-	-	-	-	-	-	-	-	-	1	-	3	-	-
North-east Fulham F	46,405	22	8	4	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-
South Fulham W	45,704	26	7	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H	42,514	15	14	3	4	-	-	-	-	-	-	-	-	-	1	2	9	-	-
Chelsea South W,2H	31,328	9	8	2	2	-	-	-	-	-	-	-	-	-	1	1	4	-	-
Mayfair and Knightsbridge	28,743	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H	55,815	19	15	2	5	-	-	-	-	2	-	1	-	2	-	-	5	-	-
St. Margaret & St. John 5H	43,698	20	14	2	1	-	-	-	-	-	-	-	-	1	1	10	-	-	-
St. James and St. Anne W,6H	33,081	9	8	1	2	-	-	-	-	-	-	-	-	-	1	2	4	-	-
NORTH DISTRICTS.																			
All Souls Marylebone 8H	35,391	11	11	-	1	-	-	-	-	1	-	-	-	-	-	-	6	-	-
St. Mary Marylebone W,4H	37,048	48	7	2	1	-	-	-	-	-	-	-	-	-	-	3	1	-	-
Christchurch Marylebone	39,536	22	10	3	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
St. John Marylebone 2H	20,426	6	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hampstead W,F,7H	81,942	24	15	1	5	-	1	1	1	1	-	-	-	-	-	-	5	-	-
West St. Pancras 2H	60,562	29	18	5	2	-	2	-	-	2	-	-	-	-	1	3	2	-	-
South St. Pancras w,11H	55,707	20	29	5	13	-	-	-	-	1	-	-	-	-	1	3	13	-	-
East St. Pancras W,2H	60,320	44	26	5	11	-	2	-	-	-	-	-	-	-	2	4	12	-	-
North St. Pancras 2W	58,728	27	21	2	8	-	-	-	-	-	-	-	-	-	-	-	9	-	-
Tufnell W	31,995	18	26	1	16	-	-	-	-	2	-	-	-	-	-	-	14	-	-
Upper Holloway 2W,w,H	33,078	13	23	3	11	-	-	-	-	1	-	-	-	-	-	4	16	-	-
Tollington WH	33,922	10	9	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
Lower Holloway	41,424	21	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury	44,478	29	12	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Islington South-east F	75,397	36	14	2	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Highbury 2H	63,797	26	13	2	8	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Stoke Newington H	51,247	30	19	2	7	-	-	-	-	-	-	-	-	-	1	1	-	-	-
North Hackney	50,560	20	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F	50,536	35	19	4	4	-	-	3	1	-	-	1	-	-	1	2	5	-	-
South-west Hackney 3E	59,921	33	14	2	6	-	-	-	-	1	-	-	-	-	-	1	5	-	-
South-east Hackney 2W,w,H	58,255	41	23	4	11	-	-	-	-	1	-	-	-	-	2	4	15	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th May, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																	Deaths in Public Institutions.	Uncertified Causes of Death.
			Total DEATHS.	Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
St. Giles and Bloomsbury 2W,2H -	31,436	22	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	
Strand W,4H - - - - -	21,674	2	12	1	-	-	-	-	-	-	-	-	-	-	-	4	4	12	1	-	
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury W,6H - - - - -	29,612	14	16	4	3	-	-	-	1	1	-	-	-	-	1	-	2	10	-	-	
South Clerkenwell - - - - -	28,678	13	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - - - -	35,028	27	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	
Finsbury 3H,L - - - - -	36,116	34	7	3	1	-	1	-	-	-	-	-	-	-	-	3	3	1	-	-	
Finsbury Union Workhouse, } Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - - -	10,299	3	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows W,2H	16,624	5	20	3	3	-	-	-	-	-	-	-	-	-	-	3	6	13	-	-	
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																					
Shoreditch South H - - - - -	46,362	35	10	6	-	-	3	-	-	2	-	-	-	-	-	-	1	-	-	-	
Shoreditch North-West W,w,H - -	36,127	30	21	4	10	-	1	-	-	1	-	-	-	-	-	1	4	13	-	-	
Shoreditch North-East - - - - -	34,148	16	10	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2W } 2HL - - - - -	65,138	29	36	7	9	-	2	-	-	1	-	-	-	-	-	-	3	21	-	-	
Bethnal Green South-West H - - -	64,542	41	22	7	2	-	1	-	-	4	-	-	-	-	-	1	3	1	-	-	
Spitalfields - - - - -	27,869	25	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town W,H - - - -	28,718	25	45	8	2	-	1	-	1	-	-	-	-	-	1	-	4	40	-	-	
Goodman's Fields - - - - -	22,081	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
St. George and St. John 2W - - -	40,068	46	17	2	6	-	2	-	-	-	-	-	-	-	-	-	2	7	-	-	
Shadwell and Ratcliff W,H - - -	25,568	16	9	2	2	-	1	-	-	1	-	-	-	-	-	-	1	4	-	-	
Limehouse W - - - - -	32,369	26	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End Old Town South- } Western H - - - - -	63,698	55	9	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
Mile End Old Town North- } Eastern W,w - - - - -	49,129	28	17	1	8	-	-	-	-	-	-	-	-	-	-	1	4	11	-	-	
Bow L - - - - -	41,939	27	9	3	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	
Bromley 3w,H - - - - -	68,316	43	31	6	12	-	3	-	-	2	-	-	1	-	-	1	7	12	-	-	
Poplar W,w - - - - -	58,514	33	14	2	4	-	1	-	-	-	-	-	-	-	-	1	3	2	-	-	

						The DEATHS registered during the Week include													
REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.		
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).				Diarrhoea.	Violence.
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W,2H - - - - -	23,319	19	17	2	4	-	-	-	-	-	-	-	-	-	-	14			
Kent-road - - - - -	21,904	8	6	3	1	-	-	-	-	-	-	-	-	-	-	-			
St. George the Martyr West } W,2H,L - - - - -	39,094	19	11	2	1	-	1	-	-	-	-	-	-	-	1	3			
Newington North - - - - -	49,022	29	8	4	-	-	-	-	-	2	-	-	-	-	-	3			
Newington South W - - - - -	72,841	46	11	4	3	-	1	-	-	-	-	-	-	-	-	-			
St. Olave 2W - - - - -	9,817	9	2	-	-	-	-	-	-	-	-	-	-	1	1	1			
Bermondsey W - - - - -	82,483	66	15	4	6	-	-	-	-	-	-	-	-	1	1	1			
Rotherhithe W,F - - - - -	38,460	15	23	4	3	-	-	-	-	-	-	-	-	1	2	13			
Waterloo 2H - - - - -	27,440	32	6	2	1	-	-	-	-	1	-	-	-	-	-	1			
Lambeth Church H - - - - -	27,440	13	20	3	6	-	-	-	1	-	-	-	-	3	4	17			
Kennington 2W - - - - -	52,518	31	31	-	18	-	-	-	-	1	-	-	-	-	2	22			
Stockwell HF - - - - -	83,826	35	10	2	3	-	1	1	-	-	-	-	-	-	1	1			
Brixton H - - - - -	73,673	32	16	3	4	-	-	-	-	3	-	-	-	1	2	1			
Norwood WH - - - - -	56,998	12	14	3	8	-	-	-	-	2	-	-	-	1	1	-			
East Battersea H - - - - -	72,203	39	8	2	3	-	-	-	-	-	-	-	-	-	-	1			
North-west Battersea - - - - -	49,656	37	7	3	3	-	-	-	-	-	-	-	-	-	-	-			
South-west Battersea 2W,H - Clapham 2H - - - - -	47,048	22	16	2	5	-	-	-	-	1	-	-	-	1	2	13			
Streatham W,2w,2F,2L - - - - -	51,391	34	11	4	3	-	-	-	-	-	-	-	-	-	-	-			
Springfield 2W,L - - - - -	88,019	59	38	3	20	-	1	1	4	4	-	-	-	1	4	10			
Southfields H - - - - -	27,959	13	5	2	1	-	-	-	-	2	-	-	-	-	-	-			
Putney - - - - -	40,444	32	12	4	5	-	-	-	-	-	-	-	-	-	-	-			
Dulwich - - - - -	24,139	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-			
Camberwell South W,w - - - - -	13,359	2	3	-	1	-	-	1	-	1	-	-	-	-	-	-			
Camberwell North W,2L - - - - -	40,206	21	37	5	16	-	-	-	-	-	-	-	-	-	2	24			
St George - - - - -	65,584	27	26	4	5	-	1	-	-	2	-	-	-	1	2	13			
Peckham North - - - - -	47,331	32	14	5	3	-	-	-	-	2	-	-	-	-	-	-			
Peckham South 2W,w - - - - -	48,913	33	13	3	2	-	2	-	-	1	-	-	-	2	2	-			
Deptford North - - - - -	43,946	27	8	4	-	-	-	-	-	1	-	-	-	-	2	-			
Deptford Central F - - - - -	37,613	31	8	2	1	-	-	-	-	2	-	-	-	1	1	-			
Deptford South - - - - -	45,481	25	12	4	2	-	-	-	2	1	-	-	-	-	-	1			
Greenwich West 2H - - - - -	34,625	16	6	2	2	-	-	-	-	-	-	-	-	-	-	-			
Greenwich East 2W,H - - - - -	23,456	10	8	1	2	-	1	-	1	-	-	-	-	-	-	1			
Eltham w,H - - - - -	43,859	22	27	8															

LE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 11th May, 1907.

					The DEATHS registered in the Week include															
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING		368,302	2,044,973	1317	535	120	162	-	11	5	3	32	-	10	24	45	99	-		
1	Carshalton 2F,3H	12,228	32,997	14	7	1	3	1	-	-	-	-	-	1	-	1	-	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	9	6	3	1	-	-	-	-	1	-	-	-	-	1	-		
3	Godstone, part of* W,F,L	2,764	2,692	1	4	1	2	-	-	-	-	-	-	-	-	2	3	-		
4	Coulsdon	11,069	8,166	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
5	South Croydon w	4,200	49,309	25	14	1	5	-	-	-	-	-	-	-	-	2	-	-		
6	West Croydon 3W,F,H	2,168	42,888	33	20	4	5	-	-	-	1	2	-	-	2	3	12	-		
7	North Croydon H	2,644	41,698	28	8	1	5	-	-	-	-	-	-	1	-	-	-	-		
8	Penge w,H	770	22,465	10	4	-	1	-	-	-	-	1	-	-	1	1	-	-		
9	Mitcham	11,711	30,015	25	7	2	2	-	-	-	-	-	-	1	-	-	-	-		
10	Wimbledon F,3H	3,221	41,652	24	6	-	4	-	-	-	-	-	-	-	2	2	2	-		
11	Kingston 2W,H	6,224	42,068	21	11	2	3	-	-	-	-	1	-	-	1	2	4	-		
12	Surbiton F,H	3,046	16,017	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
13	Esher, part of* H	5,402	13,100	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
14	Hampton H,F,L	4,564	23,466	10	4	1	1	-	-	-	-	-	-	-	-	-	1	-		
15	Richmond W,H	2,162	28,865	13	6	-	3	-	-	-	-	-	-	-	-	1	4	-		
16	Mortlake F	2,847	20,628	11	9	-	3	-	-	-	-	-	-	-	-	-	-	-		
17	Bromley F,2H	4,703	27,354	10	7	1	4	-	-	-	-	-	-	-	-	-	1	-		
18	Beckenham H	7,825	28,497	13	9	3	1	-	-	-	-	1	-	-	-	-	-	-		
19	Orpington part of* W	10,113	9,857	3	4	-	3	-	-	-	-	-	-	1	-	-	3	-		
20	Chislehurst 2H	7,333	16,446	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
21	Bexley w,F,H	8,678	21,151	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
22	Erith F,H	3,854	25,296	24	6	2	2	-	-	-	-	-	-	-	-	-	-	-		
23	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24	Sunbury w	11,054	18,683	15	3	1	2	-	-	-	-	-	-	-	1	2	-	-		
25	Staines W,H	13,277	15,178	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
26	Hillingdon W,F,H	6,035	13,661	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
27	Uxbridge H	12,767	8,984	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
28	Hayes w,2F,H	8,066	16,368	18	2	1	-	-	-	-	-	-	-	-	1	1	-	-		
29	Isleworth 3W,3F,H	6,859	30,863	21	13	2	6	-	-	-	-	-	-	-	-	-	9	-		
30	Twickenham F,2H	2,421	20,991	16	4	2	2	-	-	-	-	-	-	-	-	-	-	-		
31	Brentford 3F,2H	4,319	48,289	32	18	3	10	-	-	-	-	1	-	-	-	-	-	-		
32	Chiswick H	1,249	29,809	19	5	4	-	-	-	-	-	-	-	-	-	-	-	-		
33	Acton w,F,3H	6,132	48,914	49	16	6	5	-	-	-	-	1	-	2	1	2	-	-		
34	Harrow F,H	13,809	25,523	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
35	Edgware 2F,2H	6,994	4,521	3	3	-	1	-	-	-	-	-	-	-	-	-	1	-		
36	Willesden W,F,2H	4,384	114,811	94	32	7	9	-	1	-	-	1	-	1	1	3	4	-		
37	Hendon W,F	8,362	22,450	14	4	-	1	-	-	-	-	-	-	-	1	1	-	-		
38	South Mimms 3F,H	17,755	7,308	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
39	Barnet W,2H	3,324	17,970	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
40	Finchley F,2H	4,688	33,692	24	8	5	2	-	1	-	-	-	-	-	1	1	-	-		
41	Hornsey F,H	2,875	72,056	43	13	6	3	-	-	-	-	1	2	-	-	-	-	-		
42	Wood Green H	1,825	34,233	23	12	1	3	-	1	-	-	-	-	-	-	-	1	-		
43	West Tottenham F	996	48,853	29	9	1	3	-	-	-	-	1	-	-	-	-	-	-		
44	East Tottenham 2H	2,017	53,688	34	16	1	4	-	3	-	-	-	-	-	-	1	3	-		
45	Edmonton W,w,2F	7,491	61,892	48	25	7	11	-	-	-	-	5	-	-	1	1	10	-		
46	Enfield 2W,F,H	12,601	42,738	26	5	-	1	-	-	-	-	-	-	-	-	1	1	-		
47	Waltham Abbey F	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
48	Cheshunt F,H	8,479	12,292	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
49	Hatfield, part of* W	3,305	664	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
50	Bushey H	9,333	9,173	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
51	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
52	Stratford H	1,072	44,827	22	13	5	4	-	-	-	-	-	-	-	-	-	-	-		
53	Plaistow F,2H	1,249	90,921	70	28	9	2	-	2	-	2	3	-	1	-	2	5	-		
54	Canning Town H	1,556	70,718	50	36	11	4	-	-	-	1	-	-	-	5	7	1	-		
55	Forest Gate w	806	60,892	24	11	3	4	-	-	-	1	-	2	-	-	-	-	-		
56	North East Ham w,H	1,333	58,676	33	7	3	-	-	-	-	-	-	2	-	-	-	-	-		
57	South East Ham 2F	1,993	37,342	28	10	3	2	-	-	-	-	-	-	-	-	-	1	-		
58	Wanstead F	1,679	9,179	2	1	1	-	-	-	-	1	-	1	-	-	-	-	-		
59	South Leyton 2W	631	50,467	31	5	-	2	-	-	-	-	-	-	-	-	-	1	-		
60	North Leyton 2W,w,F	1,963	48,445	27	32	2	11	-	1	-	-	2	-	2	2	23	1	-		
61	Walthamstow 2H,L	6,504	108,929	85	21	8	5	-	-	-	-	3	-	1	2	-	-	-		
62	Chigwell 2F,3H	11,778	16,397	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
63	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
64	Romford, part of* W,2F	6,566	6,091	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-		
65	Ilford F,L	8,496	41,234	33	17	-	6	-	-	-	-	-	-	-	-	1	3	-		
66	Barking Town F	3,803	21,547	16	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
67	N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-		
68	Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
69	Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases
LONDON - -	4,758,218	May	11	2537	1431	15·7	-	39	9	15	63	4	9
CALCUTTA - -	977,822	April	13	-	895	54·8	94	2	-	-	-	455†	118
BOMBAY - -	982,000	"	23	346	965	51·3	3	2	-	-	-	445†	57
MADRAS - -	548,974	"	12	328	337	34·4	1	4	?	?	?	92	62
PARIS - - -	2,722,731	May	4	970	1122	21·4	2	15	11	10	7	11	25
BRUSSELS - -	623,077	"	4	223	153	12·8	-	-	-	1	1	-	8
ANTWERP - -	304,032	"	4	150	93	15·9	-	1	1	1	1	-	13
AMSTERDAM -	585,368	"	4	313	167	15·4	-	2	-	-	2	1	6
COPENHAGEN -	433,000	"	4	211	168	20·2	-	2	-	1	1	-	9
STOCKHOLM -	324,488	April	27	145	103	16·1	-	-	1	-	2	-	3
CHRISTIANIA -	226,774	May	4	114	82	18·8	-	1	-	3	-	-	2
ST. PETERSBURG	1,482,769	April	20	790	833	29·2	-	40	21	20	5	20	106
MOSCOW - -	1,296,000	"	27	-	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,089,037	"	20	913	630	15·7	-	3	3	7	8	2	33
HAMBURG - -	840,790	May	4	-	267	16·8	-	-	3	5	4	-	17
BRESLAU - -	464,355	April	27	-	195	21·1	-	1	-	2	-	-	21
MUNICH - - -	548,600	May	4	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,093	"	4	949	800	20·8	-	28	6	6	6	1	42
PRAGUE - - -	466,133	April	13	189	195	21·7	-	4	-	2	-	-	10
BUDA-PESTH -	802,235	"	27	391	338	21·9	-	2	7	4	-	1	11
TRIESTE - - -	200,962	May	4	122	96	24·8	-	1	-	-	4	-	3
ROME - - - -	540,150	March	16	260	212	20·5	-	1	-	2	1	3§	8
VENICE - - -	174,368	April	27	53	60	17·9	-	2	-	-	-	-	1
BUCHAREST - -	292,395	May	4	193	199	35·5	-	12	-	2	1	-	3
NEW YORK - -	4,285,435	April	27	-	-	-	-	-	-	-	-	-	-
CHICAGO - - -	2,107,820	"	27	-	678	16·8	-	-	5	17	13	6	30
PHILADELPHIA -	1,500,595	March	30	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	April	14	-	238	19·7	-	-	-	-	1	-	?
		"	21	-	233	19·3	3	1	-	-	3	2	?

* Excluding deaths from croup in the Indian Cities.

† Including 333 deaths from plague in Calcutta and 376 in Bombay.

‡ Including 61 deaths from cholera in Calcutta and 2 in Bombay.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th May, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	78·0	37·3	56·2	0·36	LEEDS - - -	73·0	40·0	56·3	0·46
BRIGHTON - -	66·6	42·3	54·8	0·60	YORK - - -	73·0	40·0	55·5	0·66
PORTSMOUTH -	68·0	42·5	55·4	0·34	HULL - - -	80·0	40·0	55·7	0·80
NORWICH - - -	80·0	35·6	58·0	0·10	TYNEMOUTH -	67·0	41·0	50·9	0·46
PLYMOUTH - -	58·1	42·2	51·0	1·05	CARDIFF - -	66·3	36·5	53·8	0·48
BRISTOL - - -	70·0	38·1	54·5	0·67	EDINBURGH -	60·8	40·8	49·8	0·18
BIRMINGHAM -	71·0	38·3	54·3	0·57	GLASGOW - -	61·2	43·4	51·9	0·73
NOTTINGHAM -	74·1	38·1	56·0	0·38	DUBLIN {	61·3	31·1	50·3	1·77
LIVERPOOL - -	68·0	41·0	53·7	0·81		62·7	40·0	53·7	2·22
OBSERVATORY.									
MANCHESTER -	65·4	32·8	51·6	0·59	BELFAST - -	58·5	35·0	48·5	1·41
PRESTON - - -	64·8	40·2	54·2	0·62					
HUDDERSFIELD -	68·5	36·5	53·3	0·35					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the, corresponding period to the above was 1°·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907.		Phases of the Moon.		BAROMETER.		TEMPERATURE.		TEMPERATURE.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation 100).		Of Radiation.		Wind as deduced from Anemometers.		Rain collected in a Gauge whose receiving surface is situated above the Ground.							
MONTH AND DAY	MAY.	Mean daily reading reduced to 32° (Fahrheit).	High-est.	Low-est.	Of the Air.		Mean daily value.	Dew Point.	Mean daily value.	Mean Great est.	Least.	Equal to 100.	Highest in Sun's Rays.	Lowest on the Grass.	Of the Earth 3 feet below the Surface.	Ozier's.		Robinson's.		Ozone.					
					High-est.	Low-est.										General Direction.	P.M.	A.M.	Great-est.		Least.	Mean hourly obs.	Horizontal on the Air of the Day.	Vertical on the Air of the Day.	
SUNDAY - 5	..	29.588	58.8	37.3	21.5	49.5	- 0.8	40.8	87	14.3	0.0	72	120.6	29.7	47.50	Variable E. & ESE.	E.	lbs. 109	lbs. 0.4	in. 0.01	0.0				
MONDAY - 6	..	29.485	69.3	46.1	23.2	58.6	+ 8.1	51.0	7.6	15.7	0.0	73	129.0	35.0	47.46	E. ESE. & SE.	E. ESE.	2.5	0.0	0.1	187	- 73	0.00	1.2	
TUESDAY - 7	..	29.617	55.8	45.2	10.6	49.1	- 1.6	44.5	4.6	10.4	1.9	81	99.7	37.0	47.30	SE. & SSW. & SSE.	SW. SSW. & SSE.	5.5	0.0	0.2	254	- 3	0.21	8.6	
WEDNESDAY - 8	..	29.721	66.9	44.2	22.7	53.8	+ 2.8	46.1	7.7	18.4	2.4	75	127.2	35.8	48.45	SSE. & S.	SSW. & S.	4.9	0.0	0.3	293	+ 45	0.13	3.4	
THURSDAY - 9	In Equator	29.726	63.0	44.5	18.5	52.7	+ 1.5	45.7	7.0	16.9	2.2	77	117.1	37.4	48.05	SSE. & S.	SSW. & S.	4.3	0.0	0.4	330	+ 80	0.01	11.3	
FRIDAY - 10	..	29.633	74.1	51.0	23.1	62.2	+ 10.7	49.0	13.2	20.2	1.0	62	135.3	42.4	48.95	SSE. & S.	SSW. & S.	3.2	0.0	0.3	237	+ 18	0.00	4.5	
SATURDAY - 11	..	29.633	78.0	52.1	25.9	66.0	+ 14.2	49.3	16.7	26.4	3.4	55	142.0	41.5	49.50	S. & SSE. & variable	S. SW. & variable	5.3	0.0	0.2	215	- 35	0.00	5.0	
MEANS -	-	29.629	66.6	45.8	20.8	56.0	+ 5.0	46.6	9.4	17.5	1.6	72	124.4	37.0	48.36	SE. & SSW.	SE. & SSW.	Sum 1820	+ 37	0.36	4.9	
No. of Column -	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26
DATE.		ELEVELOCITY.		Registered Sunshin		Sunshin		Sunshin		Sunshin		Sunshin		Sunshin		Sunshin		Sunshin		Sunshin		Sunshin		Sunshin	
MAY.		(For explanation of symbols, see Note.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.		Horizon.	
SUNDAY - 5		P. and w. N. alter-wards.	13	150	13	150	13	150	13	150	13	150	13	150	13	150	13	150	13	150	13	150	13	150	13
MONDAY - 6		w. P. throughout.	88	150	88	150	88	150	88	150	88	150	88	150	88	150	88	150	88	150	88	150	88	150	88
TUESDAY - 7		w. P. till 9h. A.M.; v. P. and v. N. till 4h. P.M.; w. P. afterwards.	41	151	41	151	41	151	41	151	41	151	41	151	41	151	41	151	41	151	41	151	41	151	41
WEDNESDAY - 8		w. P. till 1h. P.M.; v. P. and s. N. till 6h. P.M.; w. P. afterwards.	81	151	81	151	81	151	81	151	81	151	81	151	81	151	81	151	81	151	81	151	81	151	81
THURSDAY - 9		w. P. till 6h. A.M.; w. P. and v. N. till noon; w. P. afterwards.	69	152	69	152	69	152	69	152	69	152	69	152	69	152	69	152	69	152	69	152	69	152	69
FRIDAY - 10		w. P. throughout.	92	152	92	152	92	152	92	152	92	152	92	152	92	152	92	152	92	152	92	152	92	152	92
SATURDAY - 11		w. P. till 10h. P.M.; w. P. and w. N. alter-wards.	113	153	113	153	113	153	113	153	113	153	113	153	113	153	113	153	113	153	113	153	113	153	113
No of Col. -	-		Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502	Sum 1059	Sum 502

The results apply to the civil day, or from midnight to midnight.	
The height of the column of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.	
Observations are usually taken at 8h. A.M.; noon; 3h. P.M. and 8h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1906. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's symmetrical tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 60 years ending 1906, and that of 40 years ending 1906 of the air from a discussion of the anemometric records for the 40 years ending 1906.	
In reading columns 9 and 24 it will be borne in mind that "+" indicates "higher", and "-" "lower", than the average.	
The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.	
The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.	
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.	
The reading of the barometer decreased from 29.68 in. at the beginning of the week to 29.46 in. by 2h. A.M. on the 7th; increased to 29.77 in. by midnight on the same day; decreased to 29.62 in. by 4h. P.M. on the 10th; increased to 29.71 in. by 1h. P.M. on the 11th; and was 29.69 in. at midnight on the same day.	

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 159 feet above the mean level of the sea;
no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9 A.M.; noon; 3 P.M. and 9 P.M. The means of
the eye-readings of the barometer, the wind, the thermometer, and the wet bulb
thermometer, are converted into mean daily values by the application of corrections
deduced from a discussion of the meteorological records made during the fifty years
ending 1903. With the corrected mean readings of the dry bulb thermometer is
combined the corrected mean readings of the maximum and minimum
thermometers, forming the mean daily value of temperature of the air (column 8). The
mean daily dew point temperature and degree of humidity are deduced from 18, mean
daily values of the dry and wet bulb thermometers, by Glaisher's psychrometric tables.
The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 65 years ending 1905, and that of horizontal movement
of the air from a discussion of the anemometric records for the 40 years ending 1908.
In reading columns 9 and 24 it will be borne in mind that a negative "higher", and
"lower", than the average.
The values given in column 17 are not corrected for the index error of the thermometer
which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer.
The symbols employed are:—P, positive; N, negative; w, weak; m, moderate;
s, strong; and v, variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument
show the aggregated duration of bright sunshine on each day, at the beginning of the week to
29.45 in. by 29.45 in. on 7th; increased to 29.77 in. by midnight on the same day;
decreased to 29.62 in. by 4th. P.M. on the 10th; increased to 29.71 in. by 11h. P.M. on
the 11th; and was 29.69 in. at midnight on the same day.

Generally cloudy; occasional fine intervals;
Gusty wind, prevalent between 2h. and 4h.
P.M.; light showers in evening.
Very fine with small amounts of cloud till
afternoon; generally overcast after 3h. 30m.
P.M.
Generally overcast till 4h. P.M. with frequent
rain between 9h. A.M. and 3h. P.M. and great
gloom at intervals in forenoon; fine and par-
tially cloudy afterwards.
Cloudless in early morning; very fine gene-
rally with variable amounts of cloud after-
wards; occasional showers in afternoon,
and solar halo observed at 3h. P.M.
Very fine till 3h. A.M.; generally overcast
with light showers till noon; very fine after-
wards and nearly cloudless at night. Solar
halo seen at 1h. P.M.
Very cloudy in morning with light variable
amounts of light cloud prevalent afterwards.
Solar halo at 9h. A.M.; very warm.
Variably cloudy in early morning; very fine
till evening; partially cloudy with frequent
lightening at night; very warm; squall at
10h. 35m. P.M.

DATE.	REGISTERED SUNSHINE In hours.	SUNSHINE HORIZON. In hours.	ELECTRICITY. (For explanation of symbols, see Note.)
MAY.			
SUNDAY - 5	1.8	15.0	w. P. generally; w. P. and w. N. after- wards.
MONDAY - 6	8.8	15.0	w. P. throughout.
TUESDAY - 7	4.1	15.1	w. P. till 9h. A.M.; v. P. and v. N. till 4h. P.M.; w. P. afterwards.
WEDNESDAY - 8	8.1	15.1	w. P. till 1h. P.M.; v. P. and s. N. till 6h. P.M.; w. P. afterwards.
THURSDAY - 9	6.9	15.2	w. P. till 6h. A.M.; w. P. and v. N. till noon; w. P. afterwards.
FRIDAY - 10	9.2	15.2	w. P. throughout.
SATURDAY - 11	11.3	15.3	w. P. till 10h. P.M.; w. P. and w. N. after- wards.
Sum	50.2	105.9	
No. of Col. -	28	29	27

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 4th May, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,809	-	6	-	-	1	-	-	3	-	-
Kensington - - -	181,842	-	3	7	-	-	-	-	1	-	-
Hammersmith - - -	122,337	-	4	2	-	-	-	-	-	-	-
Fulham - - -	166,749	-	10	3	-	-	-	-	2	1	-
Chelsea - - -	74,857	-	8	2	-	1	-	-	-	-	-
City of Westminster - -	172,219	-	4	-	-	-	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	5	2	-	-	-	-	-	-	-
Hampstead - - -	91,137	-	7	4	-	-	-	-	2	-	-
St. Pancras - - -	236,753	-	14	3	-	-	-	-	3	-	-
Islington - - -	347,017	-	12	2	-	1	-	-	5	-	-
Stoke Newington - - -	53,613	-	7	1	-	-	-	-	-	-	-
Hackney - - -	232,993	-	15	5	-	2	-	-	1	-	-
CENTRAL.											
Holborn - - -	55,134	-	1	2	-	1	-	-	3	-	-
Finsbury - - -	96,732	-	7	5	-	-	-	-	3	-	-
City of London - - -	20,310	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,882	-	14	5	-	-	-	-	2	-	-
Bethnal Green - - -	130,831	-	14	3	-	-	-	-	3	1	-
Stepney - - -	308,923	-	36	10	-	-	-	-	4	-	-
Poplar - - -	171,086	-	18	10	-	-	-	-	5	-	-
SOUTH.											
Southwark - - -	209,781	-	16	6	-	-	-	-	2	-	-
Bermondsey - - -	128,263	-	15	1	-	-	-	-	5	-	1
Lambeth - - -	318,538	-	14	2	-	-	-	-	2	-	2
Battersea - - -	181,736	-	21	10	-	-	-	-	1	-	-
Wandsworth - - -	281,419	-	25	13	-	-	-	-	2	1	1
Camberwell - - -	277,059	-	21	7	-	-	-	-	5	-	-
Deptford - - -	116,510	-	7	8	-	1	-	-	3	-	-
Greenwich - - -	107,222	-	18	7	-	1	-	-	-	1	-
Lewisham - - -	152,532	-	17	4	-	-	-	-	-	1	-
Woolwich - - -	129,336	-	26	9	-	-	-	-	3	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
	4,758,218	-	366	138	-	8	-	-	61	5	4
Ages											
0-1 - - -	-	-	4	2	-	-	-	-	4	-	1
" 1-5 - - -	-	-	101	55	-	1	-	-	3	-	2
" 5- - - -	-	-	166	51	-	1	-	-	1	-	-
" 10- - - -	-	-	53	5	-	1	-	-	1	-	1
" 15- - - -	-	-	18	3	-	2	-	-	4	-	-
" 20- - - -	-	-	13	11	-	-	-	-	5	1	-
" 25- - - -	-	-	18	5	-	1	-	-	6	4	-
" 35- - - -	-	-	2	3	-	1	-	-	12	-	-
" 45- - - -	-	-	-	2	-	-	-	-	14	-	-
" 55- - - -	-	-	-	1	-	1	-	-	3	-	-
" 65 and upwards - - -	-	-	1	-	-	-	-	-	8	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING APRIL, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
3rd May, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of April.

Twelve samples were taken in each of the eight districts, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ April 15th. Drinking Fountain, Effie Road, Walham Green. }	9·4	28·56	·169	·017	0	·220	·237	1·75	20·1
West Middlesex - -	{ April 15th. Cab Rank, High Street, Kensington, near Wright's Lane. }	9·8	28·24	·168	·019	0	·214	·233	1·8	19·9
Southwark - - - -	{ April 15th. Cab Rank, Bond Street, Vauxhall. }	9·4	31·64	·195	·021	0	·266	·287	1·85	21·2
Grand Junction - -	{ April 15th. Cab Rank, Shepherd's Bush Green. }	9·3	28·36	·166	·017	0	·205	·222	1·7	19·9
Lambeth - - - -	{ April 15th. Cab Rank, Westminster Bridge Road. }	9·5	29·76	·204	·019	·001	·252	·272	1·85	20·7
LEA, WELLS, & C.										
New River - - - -	{ April 15th. Cab Rank, Tottenham Court Road. }	10·0	31·20	·065	·006	0	·256	·262	1·8	21·6
Eastern - - - -	{ April 15th. Tap on main at Lea Bridge Works. }	9·5	31·66	·130	·015	0	·222	·237	2·0	21·9
DEEP WELLS.										
Kent- - - -	{ April 15th. Police Station, Blackheath Road. }	12·0	40·62	·048	·004	0	·506	·510	2·3	28·1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, from the drinking fountain in Effie Road, Walham Green, on the 15th April, had a temperature of 9·4° C.; 100,000 lbs. of it contained 28·56 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·169 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained ·220 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·237 lb. The above weight of water also contained 1·75 lbs. of chlorine and 20·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples taken on the 15th April were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was:—Kent, 0·9; New River, 1·2; Eastern, 2·5; Grand Junction, 3·1; Chelsea and West Middlesex, 3·2; Southwark, 3·7; and Lambeth, 3·8.

The five Thames-derived supplies contained, on the average, slightly less organic matter than was found in the corresponding examination in the previous month, and all the samples were clear and of good quality.

The New River district water again contained only a small amount of organic impurity, and was clear and of good quality. The Eastern district supply, consisting chiefly of stored and filtered Lea water, was also clear, and contained slightly less organic matter than the Thames-derived waters collected on the same date.

The Kent district water, drawn exclusively from deep wells, was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district supply was colourless, and that from the New River area nearly colourless: the six remaining district supplies had a very pale yellow colour.

In addition to the above analytical examination the 96 samples, collected during the month at various places in the Water Board's districts have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."			
	4 hours at 26·7° C. (60° F.)			1 hour at 50° C. (122° F.)			Max.	Min.	Mean.	Max.	Min.	Mean.	
	Max.	Min.	Mean.	Max.	Min.	Mean.							
THAMES.													
Chelsea	·113	·069	·082	·121	·081	·091	·0015	0	0	·0095	·006	·0075	
West Middlesex	·096	·069	·080	·105	·075	·087	0	0	0	·0085	·0065	·0075	
Southwark	·162	·065	·099	·172	·071	·107	0	0	0	·013	·006	·008	
Grand Junction	·089	·073	·081	·104	·079	·090	0	0	0	·009	·006	·008	
Lambeth	·137	·072	·099	·146	·082	·108	·0015	0	·001	·0095	·007	·008	
LEA, WELLS, THAMES, ETC.													
New River	·085	·022	·036	·095	·026	·041	0	0	0	·005	·002	·003	
Eastern	·112	·052	·069	·117	·058	·075	0	0	0	·0135	·005	·0075	
DEEP WELLS.													
Kent	·011	·006	·009	·012	·008	·010	0	0	0	·0015	·001	·001	

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

Comparison of the above results with those found in the previous month shows that although the organic matter in the five filtered Thames supplies was, on the average, slightly smaller in April, some of the waters, nevertheless, exhibited higher maximum amounts. The condition of the river Thames was unfavourably affected by rain, but the supplies furnished by the Chelsea, West Middlesex and Grand Junction works maintained a nearly uniform good quality throughout the month; the Southwark and Lambeth district waters were also of good quality for the greater part of the month, but towards the end they contained somewhat more organic matter than the other Thames-derived supplies, evidently because stored water had not been so regularly used.

The New River district water, consisting chiefly of filtered Lea and deep-well water, was of good quality throughout the month. The Eastern district supply contained less organic impurity than in the previous month, and its quality was equal to that of the best of the filtered supplies obtained from the Thames.

All the samples of deep-well water collected in the Kent district were, as usual, of high organic purity and very good quality.

All samples taken in the Chelsea, Grand Junction, and New River districts were clear, but in the cases of the other supplies, on a few occasions, minute amounts of rust-stained suspended matter were observed.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of April, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 197 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	APRIL, 1906.	APRIL, 1907.	APRIL, 1906.	APRIL, 1907.
TOTAL SUPPLY - - -	1,045,184	1,062,938	211,532,249	209,032,330
NEW RIVER - - - - -	207,677	210,925	40,167,000	41,197,000
EASTERN - - - - -	236,089	239,181	39,189,700	39,302,333
WESTERN { Chelsea Grand Junction } - -	214,571	217,990	52,314,343	52,091,040
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	272,532	278,329	60,527,536	57,351,592
{ Southwark and Vauxhall }				
KENT - - - - -	114,315	116,513	19,333,670	19,090,365

Note.—The Return for April, 1907, as compared with that for the corresponding month of 1906, shows an increase of 17,754 services, and a decrease of 2,499,919 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 20. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAY 18. [Price 1½d.

*General Register Office, Somerset House,
May 21st, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·1 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 16·0, 15·9, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·2 in Grimsby, 22·9 in Tynemouth, 23·4 in Bolton, 23·6 in Gateshead, 23·7 in Rochdale, 24·0 in Merthyr Tydfil, and 24·1 in Middlesbrough; from *measles*, 2·1 in Sheffield, 2·2 in Warrington, 2·7 in Sunderland, 3·0 in Nottingham, 3·1 in Middlesbrough, 6·0 in Bolton, and 7·0 in Hanley; from *whooping-cough*, 1·2 in West Ham and in Rochdale, and 2·4 in Wigan; from "*fever*," 1·2 in Rochdale; and from *diarrhæa*, 1·0 in Wolverhampton and in Sunderland and 1·1 in Swansea. One death from *small-pox* was registered in Southampton, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2499 BIRTHS and 1383 DEATHS were registered. Allowing for increase of population, the births were 39 below and the deaths 27 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·6, 14·9, and 15·7 per 1000 in the preceding three weeks, was 15·2 last week. The death-rate in the four weeks ended last Saturday averaged 15·4 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1383 deaths included 51 from measles, 12 from scarlet fever, 11 from diphtheria, 59 from whooping-cough, 1 from enteric fever, and 21 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 155 deaths were referred to these diseases in the aggregate, being 9 above the corrected average number in the twentieth week of the preceding five years.

The deaths from *measles*, which had been 47, 40, and 39 in the preceding three weeks, rose to 51 last week, but were 6 below the corrected average; 5 deaths belonged to the Borough of Poplar, 5 to Lambeth, and 4 each to Islington and Hackney. The deaths from *scarlet fever*, which had been 8, 8, and 9 in the preceding three weeks, rose to 12 last week, and were 3 above the corrected average. The deaths from *diphtheria*, which had been 16, 13, and 15 in the preceding three weeks, fell to 11 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 67, 69, and 63 in the preceding three weeks, fell to 59 last week, but were 22 above the corrected average; 7 deaths belonged to Kensington, 5 apiece to Shoreditch, Stepney, and Bermondsey, and 4 each to Islington and Battersea. One death from *enteric fever* was recorded during the week, the corrected average being 4; the deaths in the preceding three weeks had been 3, 2, and 4. The deaths from *diarrhoea*, which had been 14, 18, and 9 in the preceding three weeks, rose to 21 last week, and were 3 above the corrected average; 3 deaths belonged to Fulham. Of the 21 deaths from diarrhoea, 18 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 13, having been 15, 9, and 11 in the preceding three weeks.

Different forms of *violence* caused 69 deaths, concerning all but 1 of which inquests were held. Of these 69 deaths, 18 were cases of suicide, and 1 of homicide, while the remaining 50 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 11 to burns or scalds, 5 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2678 cases of scarlet fever, 922 of diphtheria, and 53 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 363 cases, against 360, 346, and 349; of diphtheria, 123 cases, against 109, 103, and 129; and of enteric fever, 10 cases, against 10, 6, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 11th, 1907.

GREATER LONDON.

In Greater London 3849 births and 1908 deaths were registered. Allow- ing for increase of population, these numbers are 76 below and 20 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 3 from scarlet fever, 15 from whooping-cough, 1 from "fever," and 6 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.80 inches, and that of the Thermometer 53.2, the latter being 0.5 above the week's average in the 65 years ending 1905. The general direction of the wind was Northerly, the horizontal movement of the air being 13 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 39.5 hours; the measured rainfall amounted to 0.35 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 18th May, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1907.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths in the Week ended 18th May, 1907.		The DEATHS registered in the Week include										TOWNS.	
		Week ended				18th May, 1907.	Week ended 11-17.	BIRTHS.	DEATHS.	Deaths of		Deaths from						Deaths in Public Institutions.	Uncertified Causes of Death.		
		Week ended								Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from									
		27th Apr., 1907.	4th May, 1907.	11th May, 1907.	18th May, 1907.							Small-pox.	Meningitis.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Diarrhoea.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
76 TOWNS	16,024,458	16'0	15'9	15'7	15'1	1'6	8871	4650	991	1242	1	212	41	41	144	17	51	194	411	1176	42
LONDON -	4,758,218	15'6	14'9	15'7	15'2	1'7	2499	1388†	274	383	-	51	12	11	59	1	21	89	173	565	1
(CROYDON -	154,342	15'5	10'5	13'2	10'8	0'7	84	32	13	6	-	-	-	-	-	-	1	-	1	9	-
WILLESDEN -	149,192	10'1	7'7	11'2	10'5	1'0	77	30	11	7	-	1	-	2	-	-	2	1	4	-	-
HORNSEY -	89,816	5'8	8'4	8'1	9'9	1'2	37	17	3	7	-	-	1	-	-	-	-	1	3	-	-
TOTTENHAM -	122,793	10'6	11'9	11'0	9'8	1'3	72	23	9	2	-	3	-	1	-	-	2	5	4	-	-
WEST HAM -	308,284	14'4	15'7	16'7	14'7	3'0	161	87	29	18	-	5	1	1	7	1	3	3	8	20	-
EAST HAM -	136,421	11'1	8'4	7'6	8'4	1'5	65	22	5	7	-	2	-	1	1	-	1	1	1	5	-
LEYTON -	122,040	11'5	12'0	9'0	9'0	1'7	55	21	5	6	-	-	-	2	-	-	-	1	3	-	-
(WALTHAMSTOW -	126,397	11'6	10'7	9'1	9'1	0'8	69	22	6	2	-	1	-	1	-	-	1	1	3	6	-
HASTINGS -	67,477	17'8	17'8	17'0	11'6	0'8	25	15	1	8	-	-	-	1	-	-	-	-	-	2	-
BRIGHTON -	129,023	12'5	16'6	11'3	10'1	-	53	25	1	14	-	-	-	-	-	-	-	1	1	10	-
PORTSMOUTH -	208,291	18'3	22'0	17'5	14'8	2'5	141	59	13	16	-	7	-	-	1	2	2	6	10	1	-
BOURNEMOUTH -	69,246	14'3	8'8	10'5	10'5	-	33	14	-	8	-	-	-	-	-	-	-	-	5	-	-
SOUTHAMPTON -	119,745	10'9	11'3	12'2	12'2	0'9	65	28	5	12	1	-	-	-	-	-	1	2	5	4	-
READING -	80,311	12'3	8'4	14'3	11'7	1'3	30	18	2	7	-	1	-	-	-	1	-	-	-	5	-
NORTHAMPTON -	95,070	18'1	11'5	5'5	10'4	-	39	19	2	7	-	-	-	-	-	-	-	1	1	3	1
IPSWICH -	72,825	12'2	18'6	15'0	15'8	0'7	40	22	4	12	-	-	-	-	1	-	1	1	2	3	-
GREAT YARMOUTH -	52,879	15'8	11'8	8'9	10'8	-	28	11	5	1	-	-	-	-	-	-	-	1	1	2	-
NORWICH -	119,191	11'4	9'2	15'3	8'7	-	55	20	4	9	-	-	-	-	-	-	1	1	1	2	-
PLYMOUTH -	120,063	14'8	15'2	16'9	16'1	0'4	70	37	7	12	-	-	-	-	-	-	1	1	1	2	-
DEVONPORT -	79,959	13'7	14'3	8'5	11'1	0'7	37	17	2	8	-	1	-	-	-	-	-	1	1	3	-
BRISTOL -	367,979	13'5	12'5	10'6	13'5	0'4	186	95	16	24	-	-	2	1	-	-	-	6	11	20	1
HANLEY -	67,174	14'0	23'3	16'3	21'0	7'8	50	27	9	3	-	9	-	1	-	-	1	1	1	3	-
BURTON-ON-TRENT -	53,425	11'7	11'7	10'7	14'6	1'0	25	15	1	6	-	-	-	-	-	1	-	-	2	1	-
WOLVERHAMPTON -	102,016	14'8	15'3	16'4	10'7	2'6	62	21	1	7	-	2	-	1	-	-	2	1	3	1	-
WALSALL -	96,171	13'0	15'7	14'6	12'5	1'6	56	23	5	5	-	2	-	1	-	-	1	1	3	3	-
HANDSWORTH -	65,929	11'9	9'5	8'7	10'3	-	33	13	3	6	-	-	-	-	1	-	-	2	2	-	1
WEST BROMWICH -	69,123	18'9	15'8	21'9	9'1	1'5	98	12	2	5	-	1	1	-	-	-	-	1	1	3	-

† These towns are included within the area of Greater London.

Births, Deaths, and Rates of Mortality.

TABLE 1 (*cont.*).—70 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 18th May, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the end of the Year 1907.*	DEATH-RATES from all Causes.					Rate from: Diseases during the Week ended 18th May, 1907.		The DEATHS registered in the Week include											TOWNS.		
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from							Inquest Causes.	Deaths in Public Institutions.		Unrecorded Causes of Death.	
		Week ended							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diphtheria.					Violence.
		27th April, 1907.	4th May, 1907.	11th May, 1907.	18th May, 1907.	Week ended 18th May, 1907.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	553,155	15.1	16.7	17.1	15.5	2.4	235	164	37	48	-	14	-	1	8	-	2	6	7	39	4	BIRMINGHAM.
KINGS NORTON -	75,600	6.9	9.7	9.7	13.1	1.4	91	19	3	8	-	-	1	1	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK -	66,467	13.3	17.3	7.8	11.0	-	41	14	7	1	-	-	-	-	-	-	-	-	-	-	1	SMETHWICK.
ASTON MANOR -	83,266	11.3	13.2	9.4	9.4	0.6	46	15	3	2	-	-	-	-	1	-	-	-	1	3	-	ASTON MANOR.
COVENTRY -	77,626	11.4	18.1	21.5	14.1	2.0	61	21	6	6	-	2	-	-	-	-	1	-	2	4	2	COVENTRY.
LEICESTER -	236,124	10.4	11.9	10.6	8.4	0.9	105	38	6	9	-	-	3	1	-	-	1	-	4	10	-	LEICESTER.
GRIMSBY -	70,574	13.3	17.0	16.3	22.2	0.7	41	30	9	8	-	-	1	-	-	-	-	5	2	1	-	GRIMSBY.
NOTTINGHAM -	257,489	20.9	19.8	17.2	19.6	3.4	133	97	18	30	-	15	-	1	1	-	-	-	8	19	-	NOTTINGHAM.
DERBY -	126,774	13.7	12.9	20.7	15.3	2.1	74	37	8	11	-	2	1	1	1	-	-	3	6	4	-	DERBY.
STOCKPORT -	100,986	23.2	19.1	15.0	14.5	-	53	28	3	9	-	-	-	-	-	-	-	1	3	4	-	STOCKPORT.
BIRKENHEAD -	118,553	27.3	15.8	19.8	11.9	1.3	80	27	3	6	-	2	-	-	-	-	1	1	3	5	-	BIRKENHEAD.
WALLASEY -	66,707	18.0	8.6	12.5	12.5	1.6	38	16	3	6	-	-	-	1	1	-	-	-	-	1	-	WALLASEY.
LIVERPOOL -	746,144	19.8	20.1	18.3	18.4	2.2	514	264	61	57	-	9	6	3	12	1	-	8	21	86	4	LIVERPOOL.
BOOTLE -	67,114	12.4	14.0	13.2	10.9	-	52	14	3	3	-	-	-	-	-	-	-	1	1	3	-	BOOTLE.
ST. HELENS -	92,476	14.7	22.0	16.4	15.8	2.8	63	23	7	6	-	3	-	-	1	1	-	1	1	6	-	ST. HELENS.
WIGAN -	88,606	23.0	17.1	20.6	18.2	3.5	52	31	8	8	-	-	-	-	4	1	1	1	2	2	-	WIGAN.
WARRINGTON -	70,269	14.1	14.8	12.6	18.6	2.2	54	25	2	5	-	3	-	-	-	-	-	3	3	8	1	WARRINGTON.
BOLTON -	182,917	20.5	18.5	20.0	23.4	6.3	97	82	17	17	-	21	-	-	-	1	-	4	7	7	-	BOLTON.
BURY -	58,901	18.6	23.9	15.0	13.4	1.8	20	14	4	2	-	-	-	1	1	-	-	7	-	3	-	BURY.
MANCHESTER -	643,148	18.6	18.6	20.8	16.9	1.5	350	209	40	63	-	3	1	1	12	-	1	1	17	46	-	MANCHESTER.
SALFORD -	236,670	18.3	22.9	23.8	18.3	2.0	160	83	20	26	-	3	1	-	4	-	1	1	4	19	-	SALFORD.
OLDHAM -	141,730	20.2	25.0	16.9	20.2	0.7	63	55	9	12	-	-	1	-	-	-	1	2	2	10	-	OLDHAM.
ROCHDALE -	87,999	16.6	27.3	16.6	23.7	3.6	39	40	8	10	-	1	-	1	2	2	1	1	1	8	2	ROCHDALE.
BURNLEY -	103,947	13.5	23.6	18.1	19.1	1.0	63	38	9	8	-	-	-	-	1	1	-	1	1	8	-	BURNLEY.
BLACKBURN -	134,980	16.2	20.9	20.1	19.7	1.9	62	51	13	15	-	2	-	1	1	1	2	1	1	6	2	BLACKBURN.
PRESTON -	117,093	21.4	23.6	20.9	17.4	0.9	65	39	6	8	-	-	-	-	2	-	-	1	1	7	-	PRESTON.
BARROW-IN-FURNESS.	61,635	7.6	18.6	13.5	16.1	-	32	19	4	8	-	-	-	-	-	-	-	-	-	2	2	BARROW-IN-FURNESS.

* See note † on first page of this return.
† Including 5 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 23 in Glasgow, 2 in Dublin, and 21 in Belfast.
‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

+

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTIETH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2444	2285	2598	2512	2602	2495	2625	2376	2426	2480	2538.4	2499
Males - - -	1260	1155	1318	1282	1285	1198	1345	1194	1237	1263	1276.8	1252
Females - - -	1184	1130	1280	1230	1317	1297	1280	1182	1189	1217	1261.6	1247
TOTAL Deaths -	1321	1360	1419	1437	1375	1423	1313	1349	1268	1270	1355.6	1383
Males - - -	693	705	730	781	704	712	684	730	673	643	704.5	704
Females - - -	628	655	689	656	671	711	629	619	595	627	651.1	679

* The numbers in this column are the average weekly numbers in the twentieth week of the five years 1902-1906, raised by 2.37 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 23.	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	13 Weeks.
TOTAL Births -	2412	2391	2391	2390	2548	2236	2387	2532	2577	2452	2352	2537	2409	31704
TOTAL Deaths -	1558	1678	1641	1696	1483	1586	1627	1495	1469	1423	1364	1431	1383	19834
Deaths -														
Under 1 year -	275	290	290	328	293	311	303	264	276	265	257	275	274	3701
1-5 years -	165	181	189	193	167	220	249	237	173	212	168	176	192	2522
5-20 " -	87	89	68	101	73	74	86	75	75	80	78	96	69	1051
20-40 " -	171	206	196	191	181	199	189	202	179	186	171	162	191	2424
40-60 " -	318	338	353	363	279	337	304	280	301	260	273	283	274	3963
60 yrs. & upwds.	542	574	545	520	490	445	496	437	465	420	417	439	383	6173
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	38	35	55	57	29	59	63	45	40	47	40	39	51	598
Scarlet Fever -	8	6	7	8	6	8	13	9	8	8	8	9	12	111
Diphtheria - -	16	16	19	15	12	16	19	8	10	16	13	15	11	186
Whooping-cough -	31	45	40	42	36	71	63	60	50	67	69	63	59	696
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	6	7	-	6	1	4	5	6	3	2	4	1	46
Pyæmia (origin uncertain) -	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	18	12	12	13	15	14	11	18	13	14	18	9	21	188
All above Diseases -	112	120	140	136	104	169	173	145	128	155	150	139	155	1826
Dis. of Resp. System -	201	222	232	207	173	177	187	147	133	128	121	107	86	2121
Pneumonia - - -	178	210	173	196	180	177	225	208	193	167	161	155	149	2372
Phthisis - - -	147	151	160	157	136	161	156	157	135	133	127	147	147	1914
Dis. of Circ. System -	220	263	217	228	182	197	209	181	212	191	194	207	185	2676
Violence - - -	56	60	60	51	66	55	64	50	52	63	61	54	69	761
Inquest Cases - -	153	181	152	139	157	153	166	133	148	136	141	136	173	1948
Deaths in Institutions	609	608	625	634	552	622	626	584	591	565	558	550	565	7689
TEMPERATURE OF THE AIR.														
Mean - - -	39.9	40.6	40.1	42.8	46.1	46.5	49.6	44.1	43.7	49.4	46.4	56.0	53.2	46.0
Mean of Highest -	45.6	48.3	47.2	49.7	55.1	60.8	62.0	53.7	53.1	58.0	54.9	66.6	62.1	55.1
Mean of Lowest -	35.2	32.7	33.4	36.0	37.4	31.1	37.8	37.9	36.0	43.2	40.3	45.8	47.0	38.0
Mean Humidity of the Air.	72	81	80	74	64	71	69	86	76	79	69	72	72	74
Rain-fall (in inches) -	0.29	0.01	0.37	0.40	0.13	0.00	0.17	1.42	0.63	0.90	0.59	0.36	0.35	5.62
Registered Sunshine (in hours)	19.8	11.0	21.9	27.0	50.5	53.5	43.6	18.8	27.7	31.4	41.8	50.2	39.5	436.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	2938	2878	2878	2826	2734	2657	2621	2637	2628	2649	2672	2658	2678	2727
Diphtheria - - -	920	922	967	983	1006	1014	996	992	997	949	915	911	922	961
Typhus - - -	4	4	3	4	3	1	-	-	-	-	-	-	-	1
Enteric Fever - -	102	103	98	96	94	93	82	75	69	66	60	54	53	80

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; A. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTIETH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 20th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 20th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1355·6	1383	274	192	69	101	274	383	Meningitis (not tuberc.)	18·4	10	1	4	2	2	-	1
									Gen. Par. of Insane, } Insanity	16·8	15	-	-	-	2	6	-
Small-pox*	7·8	-	-	-	-	-	-	-	Epilepsy	5·5	5	-	-	1	2	2	-
Cowpox	0·4	-	-	-	-	-	-	-	Convulsions	21·3	15	14	1	-	-	-	-
Measles (Morbilli)	56·9	51	12	36	3	-	-	-	Locomotor Ataxy	2·7	1	-	-	-	-	1	-
Scarlet Fever	9·2	12	1	7	3	1	-	-	Paraplegia, Dis. of Cord	4·3	6	-	-	-	1	4	1
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	23·7	23	1	-	2	3	5	12
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	41·0	52	-	-	7	7	18	20
Influenza	13·7	13	1	-	-	6	1	5	Cereb. Hem. Cereb. Emb.	32·5	37	-	-	-	-	1	10
Whooping-cough	36·8	59	27	30	2	-	-	-	Apoplexy, Hemiplegia	13·7	17	-	-	-	1	5	11
Diphtheria	13·5	11	-	7	3	1	-	-	Aneurysm	4·7	3	-	-	-	-	3	-
Cerebro-spinal Fever	0·2	2	-	2	-	-	-	-	Embolism, Thrombosis (not Cerebral)	0·8	1	-	-	-	1	-	-
Pyrexia,† (origin un- certain)	-	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	81·3	75	-	-	5	5	20	45
Enteric Fever	4·1	1	-	-	-	1	-	-	Croup (not Spasm: nor Memb.)	0·4	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	87·8	70	13	6	1	3	5	42
Epidemic Diarrhoea, } Infective Enteritis	4·5	9	8	1	-	-	-	-	Emphysema, Asthma	3·3	2	-	-	-	-	-	2
Diarrhoea, Dysentery	13·5	12	8	1	-	1	1	1	Pleurisy	3·3	3	-	1	-	-	-	2
Tetanus	0·4	-	-	-	-	-	-	-	Respiratory Dis., Other-	9·4	11	1	4	1	-	-	5
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0·4	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	12·1	5	4	1	-	-	-	-
Anthrax (Splenic Fever)	0·2	-	-	-	-	-	-	-	Gastro-enteritis	5·1	3	2	-	-	-	1	-
Venereal Dis.	7·4	8	5	1	-	1	-	1	Peritonitis (not Puerp.)	3·3	4	1	1	1	-	-	1
Puerperal Septicæmia	4·3	5	-	-	-	5	-	-	Cirrhosis of Liver	14·5	15	-	-	-	3	8	4
Puerperal Pyæmia	0·2	-	-	-	-	-	-	-	Liver Dis., Other	5·3	4	-	-	-	-	-	4
Puerperal Fever	-	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	39·3	34	4	4	4	6	7	9
Infective Endocarditis	2·5	5	-	-	-	4	1	-	Acute Nephritis	7·2	8	-	-	-	1	4	3
Lobar	17·6	19	-	2	-	4	10	3	Bright's Dis., Albumin- uria	32·5	35	-	-	1	7	14	13
Pneumonia	46·5	68	31	26	2	-	5	4	Urinary Sys., Other Dis.	10·8	13	-	-	-	-	1	12
Broncho	-	-	-	-	-	-	-	-	Generative Organs Dis.	5·3	3	-	-	-	3	-	-
Epidemic	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	3·7	4	-	-	-	4	-	-
Not defined	52·8	62	13	10	2	11	13	13	Old Age	49·5	51	-	-	-	-	-	51
Erysipelas	3·5	-	-	-	-	-	-	-	Other Diseases	91·6	90	64	9	3	4	2	8
Septicæmia (not Puer- peral)	0·4	1	1	-	-	-	-	-	ACCIDENT.								
Pyæmia (not Puerperal)	0·2	-	-	-	-	-	-	-	By Railways	1·0	4	-	-	-	2	2	-
Other Infective Processes	7·6	5	1	-	-	1	1	2	By Vehicles and Horses	6·3	9	-	3	2	1	2	1
Tuberculous Phthisis	71·6	97	3	1	7	39	43	4	In Ships, Boats, Docks, (exclusive of Drown- ing)	0·2	-	-	-	-	-	-	-
"Phthisis"	54·7	50	-	-	2	23	22	3	In Building Operations	1·6	-	-	-	-	-	-	-
Tuberculous Meningitis	24·4	23	6	14	3	-	-	-	In Conflagrations	0·6	-	-	-	-	-	-	-
Tuberculous Peritonitis	8·2	13	4	2	2	3	1	1	By Burns, Scalds, Ex- plosions	2·3	11	2	6	1	2	-	-
Tabes Mesenterica	2·7	1	-	1	-	-	-	-	By Drowning	6·1	5	-	-	-	2	2	1
Tuberculous Dis., Other	17·4	21	1	11	3	2	2	2	By Suffocation in Bed	7·8	5	5	-	-	-	-	-
Scrofula	0·2	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1·8	4	1	-	1	-	2	-
Alcoholism	11·3	10	-	-	-	2	3	5	Other Deaths by Acci- dent	16·2	12	2	-	1	-	3	6
Rheumatic Fever	4·7	4	-	-	1	3	-	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Gout	2·0	-	-	-	-	-	-	-	Homicide	1·2	1	-	-	-	1	-	-
Carcinoma	45·0	56	-	-	8	23	25	-	Suicide	13·9	18	-	-	-	9	5	4
Sarcoma	5·3	4	-	1	1	-	2	-	Execution	-	-	-	-	-	-	-	-
Cancer (undefined)	34·2	35	-	-	1	2	14	18									
Diabetes Mellitus	7·2	5	-	-	-	1	4	-									
Premature Birth	51·8	37	37	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th May, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2499	1383	274	383	-	51	12	11	59	-	1	-	21	69	173	565	
WEST DISTRICTS - - -	805,311	358	259	53	70	-	6	-	4	14	-	1	-	6	12	29	106	
NORTH DISTRICTS - - -	1,056,070	536	291	56	85	-	12	3	2	10	-	-	-	2	16	42	99	
CENTRAL DISTRICTS - - -	209,465	109	61	17	12	-	1	-	-	3	-	-	-	3	1	4	31	
EAST DISTRICTS - - -	715,739	465	241	45	64	-	13	-	1	10	-	-	-	2	17	49	120	
SOUTH DISTRICTS - - -	1,749,844	1031	485	103	135	-	19	8	4	22	-	-	-	8	23	49	163	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*)	-	-	46	-	17	-	-	1	-	-	-	-	-	-	-	-	46	
WEST DISTRICTS.																		
St. Mary Paddington W,3H - - -	93,178	48	39	10	13	-	1	-	-	-	-	-	-	1	1	4	16	
St. John Paddington H - - -	33,617	8	22	-	9	-	-	-	1	-	-	-	-	-	3	4	13	
North-West Paddington - - -	17,181	8	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
Kensington Town 2W,w,2H - - -	128,037	37	41	12	15	-	-	-	-	7	-	-	-	-	1	3	16	
Brompton 2H - - -	48,591	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith 2W,w,H - - -	49,192	31	19	4	4	-	2	-	-	1	-	-	-	-	-	2	4	
South Hammersmith w,2H - - -	63,047	45	18	5	-	-	-	-	-	2	-	-	-	-	2	2	7	
North-west Fulham W - - -	45,180	40	25	8	4	-	2	-	-	2	-	-	-	3	2	3	8	
North-east Fulham F - - -	46,405	23	7	1	1	-	-	-	3	-	-	1	-	-	-	-	4	
South Fulham W - - -	45,704	33	11	1	3	-	1	-	-	-	-	-	-	-	-	1	-	
Chelsea North W,w,3H - - -	42,514	7	25	1	11	-	-	-	-	-	-	-	-	-	-	3	18	
Chelsea South W,2H - - -	31,328	13	10	3	1	-	-	-	-	-	-	-	-	1	-	1	5	
Mayfair and Knightsbridge - - -	28,743	2	3	-	1	-	-	-	-	-	-	-	-	-	2	3	-	
Belgrave W,2H - - -	56,815	25	18	3	1	-	-	-	-	-	-	-	-	1	1	1	8	
St. Margaret & St. John 5H - - -	43,698	12	13	3	3	-	-	-	-	1	-	-	-	-	1	1	6	
St. James and St. Anne W,6H - - -	33,081	14	3	1	1	-	-	-	-	1	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	17	13	1	2	-	-	-	-	-	-	-	-	-	-	2	6	
St. Mary Marylebone W,4H - - -	37,948	46	6	-	2	-	1	-	-	-	-	-	-	-	-	1	2	
Christchurch Marylebone - - -	39,536	17	5	2	-	-	-	-	-	1	-	-	-	-	-	-	-	
St. John Marylebone 2H - - -	20,426	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -	81,942	28	21	3	6	-	-	1	-	-	-	-	-	1	-	2	10	
West St. Pancras 2H - - -	60,562	29	10	-	1	-	2	-	-	-	-	-	-	-	-	-	2	
South St. Pancras w,11H - - -	55,707	20	13	2	3	-	-	-	-	-	-	-	-	-	1	1	6	
East St. Pancras W,2H - - -	60,320	28	21	3	5	-	-	-	1	-	-	-	-	3	5	5	11	
North St. Pancras 2W - - -	58,728	25	17	2	5	-	1	-	-	-	-	-	-	1	2	2	5	
Tufnell W - - -	31,995	11	21	2	8	-	-	-	-	1	-	-	-	-	-	-	14	
Upper Holloway 2W,w,H - - -	33,978	17	15	2	6	-	-	-	-	1	-	-	-	-	1	3	9	
Tollington W,w,H - - -	33,922	21	9	2	2	-	2	-	-	-	-	-	-	-	1	4	-	
Lower Holloway - - -	41,424	19	8	2	1	-	1	-	-	1	-	-	-	-	1	1	-	
Barnsbury - - -	54,478	34	12	7	1	-	-	-	-	-	-	-	-	-	1	2	-	
Islington South-east F - - -	75,397	37	13	5	5	-	1	-	-	1	-	-	-	-	-	-	-	
Highbury 2H - - -	63,797	22	14	4	4	-	-	-	-	-	-	-	-	-	1	1	-	
Stoke Newington H - - -	51,247	21	10	4	5	-	-	-	-	2	-	-	-	-	-	1	-	
North Hackney - - -	50,660	26	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - - -	50,536	37	21	3	2	-	3	2	1	-	-	-	-	-	1	4	3	
South-west Hackney 3H - - -	59,921	38	19	3	7	-	-	-	-	-	-	-	-	-	2	3	7	
South-east Hackney 2W,w,H - - -	58,255	38	38	8	18	-	1	-	-	1	-	-	-	1	4	7	23	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th May, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total Deaths.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).				Diarrhoea.	Violence.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W,2H -	31,436	11	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-	
Strand W,4H - - - - -	21,674	4	10	1	1	-	-	-	-	-	-	-	-	-	1	1	8	
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Holborn W,6H - - - - -	29,612	9	13	5	1	-	1	-	-	2	-	-	-	-	-	-	-	
South Clerkenwell - - - - -	28,676	26	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - - - -	35,028	22	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury 3H,L - - - - -	36,116	33	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn Union Workhouse, } Mitcam - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - - -	10,299	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows W,2H	16,624	3	13	1	2	-	-	-	-	1	-	-	-	-	-	1	-	
City of London Asylum, Stone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	12	-	
EAST DISTRICTS.																		
Shoreditch South H - - - - -	46,362	17	11	4	-	-	1	-	-	2	-	-	-	-	-	3	-	
Shoreditch North-West W,w,H -	36,127	32	30	2	14	-	1	-	-	1	-	-	-	-	2	8	1	
Shoreditch North-East - - - - -	34,148	17	6	3	-	-	-	-	-	1	-	-	-	-	-	20	-	
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2W } 2HL - - - - -	65,138	42	25	5	7	-	1	-	-	1	-	-	-	-	1	3	19	
Bethnal Green South-West H - -	64,542	44	11	4	2	-	2	-	-	-	-	-	-	-	1	4	-	
Spitalfields - - - - -	27,969	20	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
File End New Town W,H - - -	28,718	25	42	7	6	-	1	-	-	-	-	-	-	-	7	11	38	
Woodman's Fields - - - - -	22,081	15	4	-	3	-	-	-	-	1	-	-	-	-	-	-	-	
St. George and St. John 2W - -	49,068	32	18	4	3	-	1	-	-	-	-	-	-	1	2	4	8	
Shadwell and Ratcliff W,H - -	25,568	15	3	2	-	-	-	-	-	-	-	-	-	-	1	1	2	
Shedhouse W - - - - -	32,369	15	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
File End Old Town South- } Western H - - - - -	63,698	60	11	3	2	-	-	-	-	1	-	-	-	-	-	-	-	
File End Old Town North- } Eastern W,w - - - - -	49,120	31	22	3	8	-	1	-	-	3	-	-	-	-	1	2	12	
Row L - - - - -	41,939	20	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Bromley 3w,H - - - - -	68,316	42	27	2	11	-	3	-	-	-	-	-	-	-	2	6	17	
Poplar W,w - - - - -	58,514	38	15	3	6	-	2	-	1	-	-	-	-	-	4	3	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th May, 1907—continued.

		The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 18th May, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
						Deaths of		Deaths from										Inquest Cases, Deaths in Public Institutions, Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 5 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence			
	LONDON—OUTER RING	368,302	2,044,973	1,350	525	131	150	-	17	6	3	29	2	11	18	35	101	1
30: 1	Carshalton 2F,3H	12,228	32,997	18	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	10	8	3	4	-	-	-	-	-	-	-	-	-	5	2
37: 1	Godstone, part of* W,F,L	2,754	2,892	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	1	3	1	-	-	-	-	-	1	-	-	-	-	3	-
2	South Croydon w	4,200	49,309	22	6	3	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	34	16	5	4	-	-	-	1	-	-	-	-	-	8	-
4	North Croydon H	2,644	41,698	23	10	5	2	-	-	-	-	-	-	-	-	-	1	-
5	Penge w,H	770	22,465	8	5	1	4	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham	11,711	30,015	39	8	3	3	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	25	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	6,224	42,938	33	14	4	6	-	-	-	-	-	-	-	-	-	1	-
3	Surbiton F,H	3,646	15,017	13	6	2	3	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,684	23,456	14	2	-	-	-	-	-	-	1	-	-	-	-	-	-
40: 1	Richmond W,H	2,162	28,865	11	13	-	3	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	2,847	20,628	24	5	1	1	-	-	-	-	1	-	-	-	-	3	5
41: 1	Bromley F,2H	4,703	27,354	24	5	1	-	-	-	1	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W	10,113	9,857	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	7,333	18,446	7	5	1	2	-	-	-	-	-	-	-	-	-	1	-
42: 1	Bexley w,F,H	8,678	21,151	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,396	14	6	1	3	-	1	-	-	1	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
124: 1	Sunbury w	11,054	18,883	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-
125: 1	Hillingdon W,F,H	6,035	13,661	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	5	4	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Hayes w 2 F,H	8,066	16,358	17	6	1	1	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth 3W,3F,H	6,859	30,863	29	9	2	4	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham F,2,H	2,421	20,991	14	8	-	7	-	-	-	-	-	-	-	-	-	4	1
3	Brentford 3F,2H	4,310	48,239	37	15	3	6	-	2	1	-	-	-	-	-	-	1	-
4	Chiswick H	1,249	29,809	14	5	1	2	-	-	-	-	1	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	43	12	2	4	-	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow F,H	13,809	25,523	19	7	1	2	-	-	-	-	-	1	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	77	29	11	7	-	1	-	-	2	-	-	-	-	3	-
4	Hendon W,F	8,382	22,450	15	9	1	4	-	-	-	-	1	-	-	-	-	2	-
128: 1	South Mimms 2F,H	17,755	7,308	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,070	16	4	1	3	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	18	8	4	1	-	1	-	-	3	-	-	-	-	-	-
129: 1	Hornsey F,H	2,875	72,056	37	15	3	6	-	-	1	-	-	-	-	-	-	-	-
2	Wood Green H	1,625	34,233	16	6	1	2	-	-	-	-	1	-	-	-	-	1	-
3	West Tottenham	996	48,853	37	4	4	-	-	1	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,683	35	19	5	1	-	2	-	-	-	-	-	-	-	-	-
5	Edmonton W,w,2F	7,491	61,892	54	20	5	7	-	-	-	-	2	-	-	-	-	4	-
6	Enfield 2W,F,H	12,601	42,738	33	13	4	3	-	-	-	-	-	-	-	-	-	2	-
7	Waltham Abbey F	11,017	6,549	4	1	1	-	-	-	1	-	-	-	-	-	-	5	-
8	Cheshunt F,H	8,479	12,292	4	1	-	1	-	-	-	-	-	-	-	-	-	3	-
135: 1	Hatfield, part of* W	3,305	684	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
138: 1	Stratford H	1,072	44,827	28	6	2	-	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow F,3H	1,249	90,921	60	32	14	7	-	1	1	1	3	-	1	-	-	3	2
3	Canning Town H	1,556	70,718	49	25	12	4	-	4	-	-	-	-	-	-	-	1	-
4	Forest Gate w	806	60,892	24	8	1	2	-	-	-	-	2	1	-	-	-	3	-
5	North East Ham w H	1,333	58,676	37	10	1	4	-	-	-	-	-	-	-	-	-	1	-
6	South East Ham 2F	1,993	37,342	28	9	2	-	-	-	1	1	1	-	-	-	-	2	-
7	Wanstead F	1,579	9,179	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 3W	631	50,467	28	8	1	3	-	1	-	-	-	-	-	-	-	2	-
9	North Leyton 3W,w,F	1,963	48,445	27	33	6	9	-	-	-	-	2	-	-	-	-	1	-
10	Walthamstow 2H,L	6,504	108,929	75	18	6	2	-	2	-	-	1	-	-	-	-	22	-
187: 1	Chigwell 2F,3H	11,778	16,397	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	3	5	1	1	-	-	-	-	-	-	-	-	-	3	-
2	Ilford F,L	8,496	41,234	43	13	2	7	-	-	-	-	-	-	-	-	-	1	-
3	Barking Town F	3,893	21,547	12	4	2	-	-	-	-	-	1	-	-	-	-	-	-
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
	Belmont Asylum, Carshalton	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Cane Hill	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	London County Asylum, Colney Hatch.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
	Middlesex County Asylum, St. Albans.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
	Essex County Asylum, Brentwood.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	May 18	2499	1383	15·2	-	51	12	11	59	1	21
CALCUTTA - -	977,822	April 20	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	982,000	" 30	321	900	47·9	1	2	-	-	-	407†	61‡
MADRAS - -	548,974	" 19	339	339	34·6	2	5	?	?	?	100	60‡
PARIS - - -	2,722,731	May 11	932	1037	19·8	5	15	9	10	9	8	25
BRUSSELS - -	623,077	" 11	222	156	13·0	-	-	3	2	1	-	4
ANTWERP - -	304,032	" 11	131	84	14·4	-	-	-	-	2	-	8
AMSTERDAM -	585,368	" 11	300	156	14·4	-	1	-	1	-	1	6
COPENHAGEN -	433,000	" 11	241	149	17·9	-	1	-	2	4	-	6
STOCKHOLM -	324,488	" 4	148	94	14·7	-	-	3	-	-	-	4
CHRISTIANIA -	226,774	" 11	110	61	14·0	-	2	-	1	-	-	2
ST. PETERSBURG	1,482,769	April 27	688	801	28·1	-	49	25	13	3	19	85
MOSCOW - -	1,296,000	" 27	-	707	23·4	1	27	7	4	8	5	74
BERLIN - - -	2,090,359	" 27	913	603	15·0	-	4	1	10	7	2	34
HAMBURG - -	840,790	May 11	-	294	18·5	-	1	2	1	1	-	12
BRESLAU - -	484,355	" 4	276	220	23·8	-	1	-	-	1	-	21
MUNICH - - -	548,000	" 4	329	203	19·3	-	2	2	-	1	-	18
		" 11	-	219	20·8	-	7	-	2	-	-	25
VIENNA - - -	1,979,003	" 11	-	-	-	-	-	-	-	-	-	-
PRAGUE - - -	466,133	April 20	198	221	24·6	-	3	1	1	1	-	24
BUDA-PESTH -	802,235	May 4	-	-	-	-	-	-	-	-	-	-
TRIESTE - - -	200,962	" 11	116	114	29·5	-	5	-	2	1	-	-
ROME - - - -	540,150	March 23	282	221	21·3	-	1	-	2	2	-	8
VENICE - - -	174,388	May 4	77	70	20·9	-	-	-	-	-	1	2
BUCHAREST -	292,395	" 11	128	129	23·0	-	10	-	-	2	-	5
NEW YORK - -	4,285,435	April 27	2486	1671	20·3	1	17	26	39	11	13	53
		May 4	2269	1509	18·4	-	12	19	38	9	23	53
CHICAGO - - -	2,107,620	" 4	-	764	18·9	-	9	16	11	8	-	38
PHILADELPHIA -	1,500,595	March 30	-	655	22·6	-	2	2	13	6	19	28
		April 6	-	617	21·3	-	4	3	12	3	13	33
		" 13	-	603	20·8	-	1	3	11	2	19	31
RIO DE JANEIRO	912,900	" 28	-	243	20·1	-	-	-	-	2	1†	?

* Excluding deaths from croup in the Indian Cities.

† Including 343 deaths from plague in Bombay and 1 in Rio de Janeiro.

‡ Including 2 deaths from cholera in Bombay and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th May, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	81·5	38·1	54·6	0·25	LEEDS - - -	80·0	40·0	53·5	0·35
BRIGHTON - -	68·8	38·7	55·5	0·06	YORK - - -	76·0	37·5	51·7	0·40
PORTSMOUTH -	68·2	41·5	53·8	0·56	HULL - - -	71·0	38·0	51·7	0·72
NORWICH - - -	79·0	38·0	53·0	0·39	TYNEMOUTH -	82·0	36·0	47·6	1·37
PLYMOUTH - -	65·0	42·5	53·1	0·08	CARDIFF - -	71·3	37·5	52·3	0·01
BRISTOL - - -	75·9	37·0	52·6	0·18	EDINBURGH -	64·5	36·7	48·4	0·00
BIRMINGHAM -	76·8	37·7	51·7	2·04	GLASGOW - -	65·5	36·2	50·2	0·24
NOTTINGHAM -	76·4	39·0	52·3	1·08	DUBLIN { Phoenix Park, Fitz- william Square.†	61·2	29·1	47·3	0·04
LIVERPOOL	72·0	40·0	50·7	0·35		63·1	37·8	51·0	0·06
MANCHESTER -	76·0	32·8	51·5	0·84					
PRESTON - - -	73·0	39·0	52·0	0·76	BELFAST - -	64·0	40·0	52·0	0·29
HUDDERSFIELD -	73·7	37·5	50·9	0·42					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.


on May, 1901.

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 11th May, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.	
WEST.												
Paddington - - -	149,909	-	4	2	-	-	-	-	2	-	-	
Kensington - - -	181,842	-	14	1	-	3	-	-	3	-	-	
Hammersmith - - -	122,337	-	4	4	-	-	-	-	3	-	-	
Fulham - - -	166,749	-	7	7	-	1	-	-	5	-	-	
Chelsea - - -	74,857	-	4	4	-	-	-	-	1	-	-	
City of Westminster -	172,219	-	8	2	-	3	-	-	2	-	-	
NORTH.												
St. Marylebone - - -	127,718	-	5	1	-	-	-	-	2	-	-	
Hampstead - - -	91,137	-	4	2	-	1	-	-	1	-	-	
St. Pancras - - -	236,753	-	19	6	-	1	-	-	1	-	-	
Islington - - -	347,017	-	20	11	-	3	-	-	5	-	-	
Stoke Newington - - -	53,613	-	10	-	-	-	-	-	-	-	1	
Hackney - - -	232,993	-	30	4	-	-	-	-	11	-	-	
CENTRAL.												
Holborn - - -	55,134	-	3	2	-	-	-	-	-	-	-	
Finsbury - - -	96,732	-	6	3	-	-	-	-	3	-	-	
City of London - - -	20,310	-	-	-	-	-	-	-	-	-	-	
EAST.												
Shoreditch - - -	115,062	-	14	7	-	2	-	-	2	-	-	
Bethnal Green - - -	130,831	-	12	2	-	2	-	-	4	-	-	
Stepney - - -	308,923	-	47	9	-	-	-	-	7	1	-	
Poplar - - -	171,086	-	12	13	-	1	-	-	4	-	-	
SOUTH.												
Southwark - - -	209,781	-	11	7	-	-	-	-	9	-	-	
Bermondsey - - -	128,263	-	11	10	-	-	-	-	1	-	-	
Lambeth - - -	318,538	-	11	7	-	1	-	-	6	-	2	
Battersea - - -	181,736	-	19	8	-	-	-	-	3	1	-	
Wandsworth - - -	281,419	-	13	8	-	1	-	-	5	-	1	
Camberwell - - -	277,059	-	28	10	-	-	-	-	3	1	-	
Deptford - - -	116,510	-	9	9	-	-	-	-	1	-	-	
Greenwich - - -	107,222	-	16	7	-	-	-	-	1	-	-	
Lewisham - - -	152,532	-	12	1	-	-	-	-	-	-	-	
Woolwich - - -	129,336	-	25	4	-	-	-	-	1	-	-	
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,758,218	-	383	151	-	19	-	-	84	3	6
Ages												
0-1 - - -	-	-	1	5	-	-	-	-	5	-	-	
" 1-5 - - -	-	-	106	60	-	2	-	-	8	-	3	
" 5- - - -	-	-	160	53	-	4	-	-	1	-	1	
" 10- - - -	-	-	65	15	-	1	-	-	2	-	-	
" 15- - - -	-	-	18	7	-	2	-	-	2	-	-	
" 20- - - -	-	-	18	5	-	1	-	-	3	1	-	
" 25- - - -	-	-	12	5	-	3	-	-	12	2	1	
" 35- - - -	-	-	2	1	-	4	-	-	12	-	-	
" 45- - - -	-	-	-	-	-	2	-	-	14	-	-	
" 55- - - -	-	-	-	-	-	-	-	-	11	-	-	
" 65 and upwards -	-	-	-	-	-	-	-	-	14	-	-	
Age not stated - - -	-	-	1	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 21. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, MAY 25. [Price 1½d.

*General Register Office, Somerset House,
May 27th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·9, 15·7, and 15·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·0 in Sheffield, 19·2 in Merthyr Tydfil, 19·8 in Salford, 20·0 in Bolton, 20·1 in Stockport, 22·7 in Sunderland, 23·9 in Oldham, and 24·8 in Hanley; from *measles*, 1·8 in Portsmouth, 2·1 in Derby, 2·6 in Middlesbrough, 2·7 in Bury, 2·8 in Nottingham, 5·1 in Bolton, and 7·0 in Hanley; from *diphtheria*, 2·1 in Derby; from *whooping-cough*, 1·1 in St. Helens and in Swansea, 1·2 in Hornsey, 1·3 in Norwich, and 1·8 in Preston. One death from *small-pox* was registered in Cardiff, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2258 BIRTHS and 1316 DEATHS were registered. Allowing for increase of population, the births were 172 below and the deaths 3 above the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·9, 15·7, and 15·2 per 1000 in the preceding three weeks, fell last week to 14·4. The death-rate in the four weeks ended last Saturday averaged 15·1 per 1000, being 0·1 per 1000 above the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1316 deaths included 53 from measles, 13 from scarlet fever, 12 from diphtheria, 36 from whooping-cough, 3 from enteric fever, and 14 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 131 deaths were referred to these diseases in the aggregate, being 10 below the corrected average number in the twenty-first week of the preceding five years.

The deaths from *measles*, which had been 40, 39, and 51 in the preceding three weeks, rose to 53 last week, but were 6 below the corrected average; 6 deaths belonged to the Borough of Stepney, and 6 to Southwark, 5 to St. Pancras, and 4 to Lambeth. The deaths from *scarlet fever*, which had been 8, 9, and 12 in the preceding three weeks, were 13 last week, and were 6 above the corrected average; 5 deaths belonged to Hackney. The deaths from *diphtheria*, which had been 13, 15, and 11 in the preceding three weeks, were 12 last week, the corrected average being 13. The deaths from *whooping-cough*, which had been 69, 63, and 59 in the preceding three weeks, further fell to 36 last week, the corrected average being 37; 4 deaths belonged to Bethnal Green, 4 to Bermondsey, and 3 apiece to Paddington, Kensington, Lambeth, and Camberwell. The deaths from *enteric fever*, which had been 2, 4, and 1 in the preceding three weeks, were 3 last week, the corrected average being 5. The deaths from *diarrhoea*, which had been 18, 9, and 21 in the preceding three weeks, were 14 last week, and were equal to the corrected average; 3 deaths belonged to Paddington and 3 to Camberwell. Of the 14 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 13, having been 9, 11, and 13 in the preceding three weeks. The death of a lead worker, aged 50 years, was certified as due to *plumbism*.

Different forms of *violence* caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 6 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 3 to burns or scalds, 6 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 10, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2732 cases of scarlet fever, 927 of diphtheria, and 52 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 382 cases, against 346, 349, and 363; of diphtheria, 125 cases, against 103, 129, and 123; and of enteric fever, 11 cases, against 6, 11, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 18th, 1907.

GREATER LONDON.

In Greater London 3459 births and 1809 deaths were registered. Allowing for increase of population, these numbers are 258 and 12 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 5 from diphtheria, and 7 from whooping-cough were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.70 inches, and that of the Thermometer 50°.6, the latter being 3°.9 below the week's average in the 65 years ending 1905. The direction of the wind was variable the horizontal movement of the air being 39 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 28.2 hours; the measured rainfall amounted to 0.35 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 25th May, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases during the week ended 25th May, 1907.		The DEATHS registered in the Week include													TOWNS.	
			Week ended				Deaths during the week ended 25th May, 1907.	Deaths during the week ended 25th May, 1907.	Deaths from						Deaths in Public Institutions.	Unidentified Causes of Death.							
			Week ended						Deaths from														
			4th May, 1907.	11th May, 1907.	18th May, 1907.	25th May, 1907.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.			Diarrhoea.	Violence.					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM	-	553,155	16.7	17.1	15.5	15.7	2.1	283	167	8	7	8	9	38	42	-	3	7	8	35	8	BIRMINGHAM.	
KINGS NORTON	-	75,600	9.7	9.7	13.1	10.3	1.4	31	15	3	5	5	5	3	5	-	1	1	1	-	-	KINGS NORTON.	
SMETHWICK	-	68,467	17.3	7.8	11.0	7.8	0.8	24	10	1	3	1	-	-	-	-	1	2	1	-	-	SMETHWICK.	
ASTON MANOR	-	83,266	13.2	9.4	9.4	15.0	0.6	39	24	1	3	-	-	-	-	-	-	-	1	1	-	ASTON MANOR.	
COVENTRY	-	77,826	18.1	21.5	14.1	14.1	0.7	50	21	3	7	-	-	-	-	1	2	4	3	-	-	COVENTRY.	
LEICESTER	-	236,124	11.9	10.6	8.4	9.1	0.7	99	41	9	8	-	-	-	-	-	-	2	7	1	1	LEICESTER.	
GRIMSBY	-	70,574	17.0	16.3	22.2	13.3	0.7	40	18	4	6	-	1	-	-	-	-	-	1	-	-	GRIMSBY.	
NOTTINGHAM	-	257,489	19.8	17.2	19.6	15.4	3.0	120	76	16	18	-	1	-	-	-	2	2	13	-	-	NOTTINGHAM.	
DERBY	-	125,774	12.9	20.7	15.3	17.8	5.0	59	43	5	9	-	5	2	-	-	1	1	6	-	-	DERBY.	
STOCKPORT	-	100,986	19.1	15.0	14.5	20.1	-	43	39	11	8	-	-	-	-	-	2	3	8	-	-	STOCKPORT.	
BIRKENHEAD	-	118,553	15.8	19.8	11.9	15.4	0.9	68	35	7	6	-	-	-	1	-	2	5	11	-	-	BIRKENHEAD.	
WALLASEY	-	66,707	8.6	12.5	12.5	14.1	2.3	34	18	3	7	-	1	1	-	-	1	2	1	1	1	WALLASEY.	
LIVERPOOL	-	746,144	20.1	18.3	18.4	17.0	2.4	400	243	49	53	-	5	5	5	4	11	20	88	6	6	LIVERPOOL.	
BOOTLE	-	67,114	14.0	13.2	10.9	16.3	0.8	37	21	8	2	-	2	2	2	-	1	1	3	4	2	2	BOOTLE.
ST. HELENS	-	92,476	22.0	16.4	15.8	17.5	2.8	49	31	7	2	-	2	2	1	-	1	2	4	2	-	2	ST. HELENS.
WIGAN	-	88,606	17.1	20.6	18.2	18.8	1.2	35	32	4	7	-	-	1	-	-	-	1	2	-	-	WIGAN.	
WARRINGTON	-	70,269	14.8	12.6	18.6	16.3	0.7	39	22	2	6	-	-	-	-	-	-	1	4	-	-	WARRINGTON.	
BOLTON	-	182,917	18.5	20.0	23.4	20.0	6.8	79	70	15	12	-	1	3	-	-	1	7	10	-	-	BOLTON.	
BURY	-	58,901	23.9	15.0	12.4	17.7	2.7	21	20	1	7	-	3	-	-	-	1	1	4	-	-	BURY.	
MANCHESTER	-	643,148	18.6	20.8	16.9	16.2	1.3	201	200	45	43	-	1	6	-	2	6	14	51	2	2	MANCHESTER.	
SALFORD	-	236,670	22.9	23.8	18.3	19.8	1.8	91	90	17	20	-	4	1	-	2	3	9	18	-	-	SALFORD.	
OLDHAM	-	141,730	25.0	16.9	20.2	23.9	1.5	55	65	14	22	-	1	2	-	1	1	3	11	-	-	OLDHAM.	
ROCHDALE	-	87,999	27.3	16.6	23.7	15.4	0.6	31	26	5	9	-	-	1	-	-	-	5	5	-	-	ROCHDALE.	
BURNLEY	-	103,947	23.6	18.1	19.1	17.1	1.5	50	34	5	8	-	1	1	-	2	3	3	11	-	-	BURNLEY.	
BLACKBURN	-	134,980	20.9	20.1	19.7	14.3	0.4	62	37	6	10	-	-	-	-	-	-	2	1	1	1	BLACKBURN.	
PRESTON	-	117,083	23.6	20.9	17.4	15.1	1.8	51	34	8	15	-	-	-	-	-	-	-	7	1	1	PRESTON.	
BARROW-IN-FURNESS	-	61,635	18.6	13.5	16.1	14.4	-	27	17	5	2	-	-	4	-	-	-	-	9	9	9	BARROW-IN-FURNESS.	

TOWNS.	Cols.	The DEATHS registered in the Week include										TOWNS.																			
		Deaths of																													
		Registered Deaths in Week ended 22nd May, 1907.		Deaths of		Deaths from																									
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.		Diphtheria.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.														
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.		
HUDDERSFIELD.	-	18.7	18.1	20.9	17.0	1.1	31	31	4	13	-	1	-	-	-	-	-	-	3	5	21.										
HALEFAX.	-	17.0	15.1	14.2	14.2	-	46	30	3	12	-	-	-	-	-	-	-	-	2	6	2										
BRADFORD.	-	16.3	16.5	12.8	14.0	0.7	92	78	16	32	-	-	-	-	3	-	1	4	8	11											
LEEDS.	-	14.1	15.4	13.7	14.4	0.6	202	130	23	39	-	-	-	1	3	-	1	1	11	30	1										
SHEFFIELD.	-	17.4	18.9	15.6	19.0	2.6	258	168	41	31	-	15	-	-	3	2	3	7	12	28	2										
ROTHERHAM.	-	10.9	14.2	9.2	15.0	1.7	41	18	5	9	-	-	-	-	1	-	1	2	2	4	-										
YORK.	-	16.6	12.9	10.5	11.7	0.6	26	19	2	9	-	-	-	1	-	-	-	-	1	1	-										
HULL.	-	12.9	14.5	13.7	18.2	1.8	139	93	15	32	-	6	-	-	3	-	-	7	10	17	-										
MIDDLESBROUGH.	-	24.6	18.4	24.1	17.4	4.1	41	34	7	3	-	5	-	2	1	-	-	-	3	5	-										
STOCKTON-ON-TEES.	-	17.7	19.7	18.7	18.7	3.0	27	19	2	5	-	1	-	1	1	-	-	1	1	5	1										
WEST HARTLEPOOL.	-	13.1	10.4	15.2	13.1	-	17	19	7	3	-	-	-	-	-	-	-	1	1	2	1										
SUNDERLAND.	-	19.7	22.4	19.7	22.7	2.0	93	68	21	18	-	5	-	-	1	-	-	4	4	10	6										
SOUTH SHIELDS.	-	14.2	17.5	16.5	15.2	0.9	49	33	12	11	-	-	-	-	1	-	-	-	4	3	-										
GATESHEAD.	-	17.0	10.8	23.6	17.8	1.7	77	43	15	10	-	3	-	1	-	-	1	1	3	-											
NEWCASTLE-ON-TYNE.	-	17.8	13.6	14.3	15.9	1.1	156	83	26	19	-	2	1	-	2	-	1	5	8	20	-										
TYNEMOUTH.	-	30.5	12.4	22.9	12.4	-	21	13	4	3	-	-	-	-	-	-	-	-	-	-	1										
NEWPORT (MON.).	-	15.9	12.4	13.1	16.6	0.7	43	24	6	5	-	1	-	-	-	-	-	-	1	4	-										
CARDIFF.	-	13.1	15.3	12.0	14.2	0.6	93	51	9	13	-	-	-	-	-	-	-	1	3	10	-										
RHONDDA.	-	14.0	14.4	16.8	14.8	0.4	80	37	9	10	-	-	-	-	-	-	2	3	3	-											
MERTHYR TYDFIL.	-	14.4	14.4	24.0	19.2	0.7	46	28	7	6	-	-	-	-	1	-	-	1	3	5	1										
SWANSEA.	-	15.0	12.3	15.5	18.2	1.1	41	34	6	11	-	-	-	-	2	-	-	1	4	6	-										
GREATER LONDON.	-	13.6	14.2	13.8	13.1	1.4	3459	1809	363	529	-	65	20	21	59	5	17	69	153	578	7										
OUTER RING.	-	11.0	11.3	11.1	10.5	1.2	1201	493	112	140	-	12	7	9	23	2	3	20	36	84	5										
8 TOWNS IN OUTER RING	-	11.3	11.8	11.0	10.8	1.6	587	250	60	59	-	6	5	4	16	2	3	14	23	51	-										
REMAINDER OF OUTER RING	-	10.8	10.9	11.3	10.1	0.8	614	243	52	81	-	6	2	5	7	-	-	6	13	33	5										
EDINBURGH.	-	20.8	17.5	16.3	16.4	1.7	133	109†	16	39	-	4	1	4	2	-	-	3	?	43	4										
GLASGOW.	-	21.5	20.4	21.8	18.7	2.6	489	304†	67	51	-	4	2	-	33	-	3	14	?	115	7										
DUBLIN (Registration Area).†	-	28.4	24.0	26.7	25.8	2.3	200	193†	23	45	-	6	-	-	10	1	-	4	6	98	3										
BELFAST.†	-	23.8	24.5	22.3	23.1	1.3	239	164†	22	26	-	2	-	-	2	2	3	5	9	40	5										

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

‡ Including 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 19 in Glasgow, 2 in Dublin, and 20 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2437	2569	2306	2435	2559	2174	2514	2122	2544	2518	2429.9	2258
Males - - -	1264	1327	1185	1270	1313	1122	1294	1073	1278	1283	1238.3	1198
Females - - -	1173	1242	1121	1165	1246	1052	1220	1049	1266	1235	1191.6	1060
TOTAL Deaths -	1275	1385	1366	1440	1363	1439	1232	1274	1311	1159	1313.0	1316
Males - - -	662	697	736	764	714	815	642	687	688	638	710.2	684
Females - - -	613	688	630	676	649	624	590	587	623	521	602.8	632

* The numbers in this column are the average weekly numbers in the twenty-first week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 2.	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	13 Weeks
TOTAL Births -	2391	2391	2390	2548	2236	2387	2532	2577	2452	2352	2537	2499	2258	31550
TOTAL Deaths -	1678	1641	1696	1483	1586	1627	1495	1469	1423	1364	1431	1383	1316	19592
Under 1 year -	290	290	328	293	311	303	264	278	265	275	275	274	251	3677
1–5 years -	181	189	193	167	220	249	237	173	212	168	176	182	180	2517
5–20 " -	89	68	101	73	74	86	75	80	78	96	69	90	90	1054
20–40 " -	206	196	191	181	199	189	202	179	186	171	162	191	152	2405
40–60 " -	338	353	363	279	337	304	280	301	280	273	283	274	274	3919
60 yrs. & upwds	574	545	520	490	445	496	437	465	420	417	439	383	389	6020
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	613
Measles - - -	35	55	57	29	59	63	45	40	47	40	39	51	53	116
Scarlet Fever -	6	7	8	6	8	13	9	9	8	8	9	12	13	182
Diphtheria -	16	19	15	12	16	19	8	10	16	13	15	11	12	701
Whooping-cough -	45	40	42	36	71	63	60	50	67	69	63	59	36	48
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever -	6	7	-	6	1	4	5	6	3	2	4	1	3	48
Purpura (origin uncertain) -	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	12	12	13	15	14	11	18	13	14	18	9	21	14	184
All above Diseases -	120	140	136	104	169	173	145	128	155	150	139	155	131	1845
Dis. of Resp. System	222	232	207	173	177	187	147	193	128	121	107	86	93	2013
Pneumonia - - -	210	173	196	180	177	225	208	193	167	161	155	149	137	2331
Phthisis - - -	151	160	157	136	161	156	157	135	133	127	147	147	139	1906
Dis. of Circ. System	253	217	228	182	197	209	181	212	191	194	207	185	180	2636
Violence - - -	60	60	51	66	55	64	50	52	63	61	54	69	49	754
Inquest Cases -	161	152	139	157	153	166	133	148	136	141	136	173	117	1912
Deaths in Institutions	608	625	634	552	622	626	584	591	565	558	550	565	494	7574
TEMPERATURE OF THE AIR.														
Mean - - -	40.6	40.1	42.8	46.1	46.5	49.6	44.1	43.7	49.4	46.4	56.0	53.2	50.6	46.9
Mean of Highest -	48.3	47.2	49.7	55.1	60.8	62.0	53.7	53.1	58.0	54.9	66.6	62.1	62.2	56.4
Mean of Lowest -	32.7	33.4	36.0	37.4	31.1	37.8	37.9	36.0	43.2	40.3	45.8	47.0	41.1	38.4
Mean Humidity of the Air.	81	80	74	64	71	69	86	76	79	69	72	72	78	75
Rain-fall (in inches) -	0.01	0.37	0.40	0.13	0.00	0.17	1.42	0.63	0.90	0.59	0.36	0.35	0.35	5.68
Registered Sunshine (in hours).	11.0	21.9	27.0	50.5	53.5	43.6	18.8	27.7	31.4	41.6	50.2	39.5	23.2	444.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK														
Small-pox - - -	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Scarlet Fever -	2878	2878	2826	2734	2657	2621	2637	2628	2649	2672	2658	2679	2732	2711
Diphtheria - - -	922	967	983	1006	1014	996	992	997	949	915	911	921	927	962
Typhus - - -	4	3	4	3	1	-	-	-	-	-	-	-	-	1
Enteric Fever -	103	98	96	94	93	82	75	69	63	60	54	53	52	77

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; A. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.O.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIRST Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 21st week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 21st week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1313'0	1316	251	160	90	152	274	389									
									Meningitis (not tubero.)	17'4	13	4	5	3	1	-	
									Gen. Par. of Insane, Insanity	12'3	10	-	-	-	2	4	
									Epilepsy	5'3	2	-	-	-	1	1	
									Convulsions	22'5	12	11	1	-	-	-	
									Locomotor Ataxy	2'0	2	-	-	-	-	-	
									Paraplegia, Dis. of Cord	3'9	7	-	1	-	1	2	
									Nervous Sys., Other Dis.	19'9	17	1	1	-	4	10	
									Valv. Dis., Endocarditis	37'3	35	-	-	4	15	12	
									Cereb. Ham. Cereb. Emb.	31'5	29	-	-	-	2	4	
									Apoplexy, Hemiplegia	19'4	15	-	-	-	5	12	
									Aneurysm	3'9	9	-	-	4	-	2	
									Embolism, Thrombosis (not Cerebral)	0'8	1	-	-	-	1	-	
									Heart & Blood Vess., Other Dis.	72'7	91	-	1	5	9	21	
									Croup (not Spasm: nor Memb.)	0'2	-	-	-	-	-	-	
									Bronchitis	80'2	82	16	7	-	2	11	
									Emphysema, Asthma	1'6	4	-	1	-	-	3	
									Pleurisy	4'5	1	-	-	-	-	1	
									Respiratory Dis., Other	9'4	6	1	1	-	-	1	
									Tonsillitis, Quinsy	0'6	2	-	-	2	-	-	
									Enteritis (not Epid.)	7'4	6	3	1	-	-	1	
									Gastro-enteritis	4'9	3	2	-	1	-	-	
									Peritonitis (not Puerp.)	2'9	1	-	-	-	1	-	
									Cirrhosis of Liver	13'5	13	-	-	-	10	5	
									Liver Dis., Other	5'3	1	-	-	-	-	1	
									Digestive Sys., Other Dis.	38'3	34	6	2	3	5	9	
									Acute Nephritis	6'3	11	-	1	1	2	4	
									Bright's Dis., Albuminuria	32'7	39	-	-	1	1	19	
									Urinary Sys., Other Dis.	7'8	11	-	-	-	1	4	
									Generative Organs Dis.	3'7	7	-	-	-	3	3	
									Childbirth (Accid. of)	3'7	6	-	-	-	5	1	
									Old Age	45'4	55	-	-	-	-	55	
									Other Diseases	84'6	78	50	6	6	3	7	
									ACCIDENT.								
									By Railways	1'4	1	-	-	-	1	-	
									By Vehicles and Horses	5'9	4	-	2	-	-	1	
									In Ships, Boats, Docks, (exclusive of Drowning)	0'6	-	-	-	-	-	-	
									In Building Operations	1'2	2	-	-	-	1	1	
									In Conflagrations	0'6	-	-	-	-	-	-	
									By Burns, Scalds, Explosions	3'5	3	-	1	2	-	-	
									By Drowning	6'1	6	-	-	2	2	2	
									By Suffocation in Bed	8'6	10	10	-	-	-	-	
									By Poisons or Poisonous Vapours	2'3	1	-	-	-	-	1	
									Other Deaths by Accident	16'8	16	2	4	3	-	3	
									VIOLENCE OTHER THAN ACCIDENTAL.								
									Homicide	0'6	-	-	-	-	-	-	
									Suicide	10'2	6	-	-	-	-	3	
									Execution	0'4	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th May, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include.														Deaths in Public Institutions.	Uncertified Causes of Death.		
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from															
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.					
LONDON - - -	4,536,429	2258	1316	251	389	-	53	13	12	36	-	3	-	14	49	117	494	2			
WEST DISTRICTS - - -	805,311	304	215	43	65	-	4	-	4	9	-	-	-	5	5	12	84	1			
NORTH DISTRICTS - - -	1,056,070	510	298	55	98	-	13	7	3	5	-	3	-	1	7	20	115	-			
CENTRAL DISTRICTS - - -	209,465	92	77	13	19	-	1	-	3	1	-	-	-	-	9	14	42	-			
EAST DISTRICTS - - -	715,739	428	234	45	65	-	12	-	-	6	-	-	-	2	13	37	82	-			
SOUTH DISTRICTS - - -	1,749,844	924	463	95	130	-	22	4	2	15	-	-	-	4	15	34	142	1			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	29	-	12	-	1	2	-	-	-	-	-	2	-	-	29	-			
WEST DISTRICTS.																					
St. Mary Paddington W,3H - -	93,178	40	24	8	8	-	-	-	1	2	-	-	-	3	-	-	4	-			
St. John Paddington H - - -	53,617	-	6	1	1	-	-	-	1	-	-	-	-	-	1	-	5	-			
North-West Paddington - - -	17,181	7	2	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-			
Kensington Town 2W,w,2H - -	128,037	52	48	11	16	-	-	-	-	3	-	-	-	-	1	3	20	1			
Brompton 2H - - -	48,591	4	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
North Hammersmith 2W,w,H - -	49,192	22	15	1	6	-	-	-	-	1	-	-	-	-	-	-	7	-			
South Hammersmith w,2H - -	63,047	24	19	5	5	-	-	-	-	-	-	-	-	-	2	3	10	-			
North-west Fulham W - - -	45,180	33	13	2	2	-	2	-	-	-	-	-	-	1	-	1	7	-			
North-east Fulham F - - -	46,405	24	6	1	3	-	-	-	2	-	-	-	-	-	-	-	2	-			
South Fulham W - - -	46,704	24	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Chelsea North W,w,3H - - -	42,514	20	19	1	7	-	1	-	-	-	-	-	-	-	-	1	10	-			
Chelsea South W,2H - - -	51,328	14	9	3	3	-	-	-	2	-	-	-	-	-	-	-	-	-			
Mayfair and Knightsbridge - -	28,743	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Belgrave W,2H - - -	56,815	21	20	3	7	-	1	-	-	-	-	-	-	1	-	1	7	-			
St. Margaret & St. John 5H - -	43,698	6	16	4	3	-	-	-	-	-	-	-	-	-	-	-	8	-			
St. James and St. Anne W,6H -	33,081	11	7	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-			
NORTH DISTRICTS.																					
All Souls Marylebone 8H - - -	35,391	6	13	-	8	-	-	-	-	-	-	-	-	-	1	1	7	-			
St. Mary Marylebone W,4H - -	37,048	61	10	3	2	-	1	-	-	-	-	-	-	-	-	-	6	-			
Christchurch Marylebone - - -	39,536	13	11	3	4	-	-	-	-	-	-	-	-	-	-	1	-	-			
St. John Marylebone 2H - - -	20,426	8	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
Hampstead W,F,7H - - -	81,942	28	18	3	6	-	1	1	2	-	-	-	-	-	1	1	7	-			
West St. Pancras 2H - - -	60,562	31	15	3	3	-	4	-	-	-	-	-	-	-	1	2	3	-			
South St. Pancras w,11H - - -	55,707	18	23	6	5	-	-	-	-	1	-	-	-	-	1	4	11	-			
East St. Pancras W,2H - - -	60,320	37	21	2	12	-	2	-	-	-	-	-	-	-	-	-	8	-			
North St. Pancras 2W - - -	56,728	30	14	1	4	-	-	-	-	-	-	-	-	-	-	-	10	-			
Tufnell W - - -	31,995	12	21	1	10	-	2	-	-	-	-	-	-	-	-	1	17	-			
Upper Holloway 2W,u,H - - -	33,978	21	23	6	7	-	1	-	-	-	-	-	-	-	-	1	16	-			
Tollington W,w,H - - -	33,922	9	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Lower Holloway - - -	41,424	23	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Barnsbury - - -	54,478	36	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Islington South-east F - - -	75,397	34	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Highbury 2H - - -	63,797	20	11	-	3	-	-	-	-	-	-	-	-	-	1	2	-	-			
Stoke Newington H - - -	51,247	23	12	2	4	-	-	-	-	1	-	1	-	-	-	-	-	-			
North Hackney - - -	60,560	28	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-			
Central Hackney 2w,F - - -	60,536	26	22	2	-	-	1	6	1	2	-	2	-	-	-	-	9	-			
South-west Hackney 3E - - -	60,921	23	14	6	5	-	-	-	-	-	-	-	-	-	-	-	3	-			
South-east Hackney 2W,w,H - -	58,255	23	24	2	11	-	1	-	-	-	-	-	-	-	1	4	1	16			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th May, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
			Total Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
St Giles and Bloomsbury 2W,3H -	31,436	17	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Paul W,4H - - - - -	21,674	5	12	-	4	-	-	-	-	-	-	-	-	-	-	2	4	9	-	
St Paul Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Martin W,6H - - - - -	29,612	9	18	6	-	-	-	-	-	1	1	-	-	-	-	-	-	13	-	
St Martin Clerkenwell - - - - -	28,676	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Martin Clerkenwell H - - - - -	35,028	23	6	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St Martinbury 3H,L - - - - -	36,116	29	10	3	2	-	-	1	-	-	-	-	-	-	-	1	3	-	-	
St Martin Union Workhouse, } St Martinham - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
St Giles Clerkenwell H - - - - -	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles Clerkenwell and Allhallows W,2H	16,624	1	16	1	3	-	-	-	-	2	-	-	-	-	-	5	6	14	-	
St Giles Clerkenwell of London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
EAST DISTRICTS.																				
St Giles Clerkenwell South H - - - - -	46,362	16	7	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
St Giles Clerkenwell North-West W,w,H -	36,127	21	14	1	4	-	-	-	-	-	-	-	-	-	-	1	2	6	-	
St Giles Clerkenwell North-East - - - - -	34,148	17	17	3	5	-	2	-	-	-	-	-	-	-	-	1	1	2	-	
St Giles Clerkenwell Union Workhouse, Wood } St Giles Clerkenwell - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles Clerkenwell Green North-East 2W }	65,138	33	25	5	7	-	-	-	-	2	-	-	-	-	-	-	2	13	-	
St Giles Clerkenwell Green South-West H -	64,542	36	17	7	4	-	1	-	-	2	-	-	-	-	-	1	4	-	-	
St Giles Clerkenwell Fields - - - - -	27,969	25	4	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	
St Giles Clerkenwell End New Town W,H - - - - -	28,718	32	36	6	7	-	1	-	-	-	-	-	-	-	-	1	5	30	-	
St Giles Clerkenwell End New Town W,w - - - - -	22,081	8	4	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	
St Giles Clerkenwell George and St. John 2W - - - - -	49,068	41	13	6	3	-	2	-	-	1	-	-	-	-	-	2	4	5	-	
St Giles Clerkenwell Welland Ratcliff W,H - - - - -	25,568	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St Giles Clerkenwell Welland Ratcliff W - - - - -	32,869	23	6	1	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	
St Giles Clerkenwell End Old Town South- }	63,698	51	11	2	2	-	-	-	-	-	-	-	-	-	-	2	2	-	-	
St Giles Clerkenwell End Old Town North- }	49,129	30	16	2	7	-	2	-	-	-	-	-	-	-	-	-	3	8	-	
St Giles Clerkenwell End Old Town W,w -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Giles Clerkenwell Ley 3w,H - - - - -	41,939	18	11	3	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St Giles Clerkenwell Ley 3w,H - - - - -	68,319	35	35	5	13	-	2	-	-	1	-	-	-	-	-	-	3	14	-	
St Giles Clerkenwell Ley W,w - - - - -	58,514	29	15	1	4	-	-	-	-	-	-	-	-	-	-	3	3	3	-	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 25th May, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from										Inquest Cases, Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence				
	LONDON—OUTER RING	368,802	2,044,973	1201	493	112	140	-	12	7	9	23	2	3	20	36	84	5	
30: 1	Carshalton 2F,3H	12,228	32,997	13	8	2	2	-	-	2	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	6	2	1	1	-	-	-	-	-	-	-	-	-	2	-	
37: 1	Godstone, part of* W,F,L	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,089	8,166	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	26	9	3	2	-	-	-	-	1	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	24	21	4	6	-	-	1	-	-	-	-	1	3	12	-	
4	North Croydon H	2,644	41,698	31	12	2	5	-	-	-	-	1	-	-	1	1	-	-	
5	Penge w,H	770	22,465	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham	11,711	30,015	32	10	1	3	-	-	-	-	-	-	-	-	2	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	17	6	3	1	-	-	-	-	1	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	25	12	4	4	-	-	-	-	-	-	-	2	3	6	-	
3	Surbiton F,H	3,048	15,017	11	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,684	23,456	11	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,182	28,885	8	6	-	3	-	1	-	1	-	-	-	-	-	-	-	
2	Mortlake F	2,847	20,928	16	5	2	2	-	-	-	-	-	-	-	1	2	1	-	
41: 1	Bromley F,2H	4,703	27,354	11	5	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	13	4	1	1	-	-	-	-	-	-	-	-	-	2	-	
3	Orpington part of* W	10,113	9,857	4	4	-	4	-	-	-	-	-	-	-	-	1	-	-	
4	Chislehurst 2H	7,333	16,446	11	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
42: 1	Bexley w F,H	8,678	21,151	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
124: 1	Sunbury w	11,054	18,683	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	6	2	1	1	-	-	-	-	-	-	-	-	-	-	1	
125: 1	Hillingdon W,F,H	6,035	13,661	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,934	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,2F,H	8,066	16,358	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth 3W,3F,H	6,859	30,863	24	18	3	6	-	-	-	2	-	-	-	1	1	8	-	
2	Twickenham F,2,H	2,421	20,991	16	7	2	3	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	33	10	1	2	-	-	-	-	-	-	-	-	-	1	-	
4	Chiswick H	1,249	29,309	15	11	-	4	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	39	11	2	3	-	1	1	-	-	-	-	1	2	-	-	
127: 1	Harrow F,H	13,809	25,523	16	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	66	25	10	6	-	-	-	2	-	1	-	2	3	2	-	
4	Hendon W,F	8,382	22,450	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
128: 1	South Mimms 2F,H	17,755	7,308	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	25	7	2	3	-	2	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey F,H	2,875	72,056	20	12	4	2	-	-	-	-	2	-	-	1	1	-	-	
2	Wood Green H	1,625	34,233	17	9	1	5	-	-	-	-	1	-	-	-	-	-	-	
3	West Tottenham	996	48,853	22	8	1	1	-	1	-	1	-	-	-	1	1	-	-	
4	East Tottenham 2H	2,017	53,688	38	10	2	3	-	-	-	-	-	-	-	3	4	-	-	
5	Edmonton W,w,2F	7,491	61,892	33	19	5	4	-	-	-	-	-	-	-	-	-	1	-	
6	Enfield 2W,F,H	12,601	42,738	25	9	3	1	-	-	-	1	-	-	-	1	1	2	-	
7	Waltham Abbey F	11,017	6,549	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Stratford H	1,072	44,827	26	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Plaistow F,2H	1,249	90,921	55	23	8	2	-	1	2	-	2	-	-	4	4	3	-	
3	Canning Town H	1,558	70,718	61	20	6	3	-	3	-	-	-	-	-	-	-	2	-	
4	Forest Gate w	808	60,892	22	13	2	6	-	1	-	-	1	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	36	11	4	1	-	-	-	-	1	-	-	-	-	-	-	
6	South East Ham 2F	1,993	37,542	29	9	-	4	-	-	-	-	1	-	-	-	-	-	-	
7	Wanstead F	1,379	9,179	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	22	16	4	4	-	1	-	-	1	1	1	-	1	8	-	
9	North Leyton 2W,w,F	1,963	48,445	41	35	4	8	-	-	-	2	1	-	-	-	2	21	-	
10	Walthamstow 2H,L	6,504	108,929	74	24	6	5	-	-	-	-	-	-	-	1	1	3	1	
187: 1	Chigwell 2F,3H	11,778	16,397	5	5	1	2	-	-	1	-	-	-	-	-	-	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford, part of* W,2F	6,556	8,091	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,498	41,234	31	8	2	5	-	-	-	-	-	-	-	-	-	1	1	
3	Barking Town F	9,803	21,547	15	6	4	-	-	-	-	-	-	-	-	-	-	-	-	
	Eastern Hospital, Hackney	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
	N.E. Hospital, Tottenham	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	2	
	Middlesex County Asylum, Napsbury.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	May 25	2258	1316	14'4	-	53	13	12	36	3	14
CALCUTTA - -	977,822	April 20	-	907	55'6	67	4	-	-	-	476†	83†
BOMBAY - -	982,000	May 7	329	785	41'7	1	5	-	-	-	310†	51†
MADRAS - -	543,974	April 26	356	338	34'5	2	8	?	?	?	82	47
PARIS - - -	2,722,731	May 18	967	978	18'6	1	10	9	3	7	6	23
BRUSSELS - -	623,077	" 18	230	154	12'9	-	-	2	2	-	-	8
ANTWERP - -	304,032	" 18	150	62	10'6	-	2	-	-	1	1	2
AMSTERDAM -	565,368	" 18	265	155	14'3	-	6	-	3	3	1	12
COPENHAGEN -	433,000	" 18	226	161	19'4	-	2	1	-	1	-	3
STOCKHOLM -	324,489	" 11	141	97	15'2	-	-	1	1	-	-	2
CHRISTIANIA -	226,774	" 18	123	54	12'4	-	1	-	2	1	-	1
ST. PETERSBURG	1,482,769	" 4	622	757	26'5	-	43	14	23	4	20	83
MOSCOW - -	1,296,000	" 4	-	652	26'2	4	26	7	10	5	4	84
BERLIN - - -	2,091,398	" 4	941	571	14'2	-	1	2	9	3	3	28
HAMBURG - -	840,790	" 18	-	323	20'4	-	-	-	1	3	-	41
BRESLAU - -	484,355	" 11	256	236	25'5	-	1	-	1	3	-	14
MUNICH - - -	548,000	" 18	-	197	18'7	-	6	-	1	-	-	32
VIENNA - - -	1,979,003	" 18	916	778	20'4	1	25	2	5	2	3	57
PRAGUE - - -	466,133	April 27	204	191	21'3	-	4	-	1	1	1	28
BUDA-PESTH -	802,235	May 11	392	351	22'8	-	7	7	1	1	-	14
TRIESTE - - -	200,962	" 18	125	79	20'4	-	2	-	-	-	-	1
ROME - - - -	540,150	March 30	230	222	21'4	-	-	-	1	1	-	8
VENICE - - -	174,368	May 11	75	78	23'3	-	-	-	-	-	-	5
BUCHAREST -	292,395	" 18	144	169	30'1	-	6	-	-	1	1	6
NEW YORK - -	4,285,435	" 11	2233	1558	19'0	1	16	20	48	6	9	63
CHICAGO - - -	2,107,620	" 11	-	717	17'7	-	11	10	10	8	6	32
PHILADELPHIA -	1,500,595	{ April 20 " 27 May 4	{ - - -	{ 605 608 566	{ 20'8 21'0 19'6	{ - - -	{ 4 4 -	{ - 1 1	{ 14 12 13	{ 6 6 2	{ 21 30 16	{ 32 22 16
RIO DE JANEIRO	912,900	" 4	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 423 deaths from plague in Calcutta and 230 in Bombay.

‡ Including 33 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th May, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	72'2	33'5	51'6	0'35	LEEDS - - -	68'0	36'0	48'8	1'19
BRIGHTON - -	69'2	35'9	50'3	0'38	YORK - - -	69'0	34'0	47'8	0'90
PORTSMOUTH -	68'5	38'0	51'0	0'77	HULL - - -	67'0	35'0	47'6	0'66
NORWICH - - -	70'0	33'8	49'9	0'89	TYNEMOUTH -	58'0	35'0	44'4	1'03
PLYMOUTH - -	64'0	37'0	49'2	0'75	CARDIFF - -	67'4	31'0	48'3	0'91
BRISTOL - - -	68'4	34'9	50'0	0'76	EDINBURGH -	49'1	36'1	43'2	1'14
BIRMINGHAM -	65'9	33'0	48'0	0'46	GLASGOW - -	57'8	33'8	47'0	0'94
NOTTINGHAM -	62'9	32'2	48'0	0'65	DUBLIN { Phoenix Park. Fitz- william Square.†	63'3	29'9	45'0	0'19
LIVERPOOL }	67'0	36'0	48'5	0'32		64'2	36'9	48'7	0'15
OBSERVATORY. }	66'3	31'8	46'8	0'23	BELFAST - -	56'0	31'0	45'3	0'49
MANCHESTER }	64'1	37'0	49'3	0'84					
PRESTON - - -	64'6	33'8	46'0	0'90					
HUDDERSFIELD -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS TAKEN AT THE ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 25th May, 1907.

[Under the Superintendence of the Astronomer Royal.]

Meteorological Observations.

34

1907. MONTH AND DAY		Phases of the Moon.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Winds deduced from Anemometers.				Rain collected in a Gauge whose surfaces 5 inches above the Ground.				
				BARO- METER. Mean daily reading (cor- rected to 32° Fahr- heit).		Of the Air.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Hu- midity (Sat- uration ratio, 100).		Of Radiation.		Of the Earth Surface, the Surface.		Oiler's.		Robinson's.						
MAY.		SUNDAY - 19		MONDAY - 20		TUESDAY - 21		WEDNESDAY 22		THURSDAY- 23		FRIDAY - 24		SATURDAY- 25		MEANS - -		No. of Column - -						
in.	29.827	52.6	36.9	57.7	42.2	- 11.3	37.5	0	4.7	0	103.2	27.7	51.64	N. & NNE.	N. ESE. & ENE.	lbs. 24 0.0	lbs. 0.1	Miles. 220	in. 0.01	2.0				
..	29.806	54.6	33.5	57.1	41.9	- 11.9	38.1	1.2	5.8	80	109.3	22.2	51.19	NNE. & N. E.	N. & E.	0.7	0.0	147	0.08	0.0				
..	29.636	54.0	37.3	56.7	45.4	- 8.8	37.2	1.0	8.2	73	123.0	29.2	50.90	NE. & E.	SSW. & S.	1.7	0.0	155	0.00	7.0				
..	29.577	62.0	41.6	57.4	51.0	- 3.6	43.5	3.2	7.5	76	102.0	35.5	50.62	SE. NE. & S.	Variable, S. & E.	0.6	0.0	101	0.14	2.7				
In Equator	29.493	72.2	49.9	52.3	59.5	+ 4.6	54.2	3.2	5.3	83	136.7	40.1	50.60	ENE. E. & ESE.	SE. ESE. & ESE.	1.2	0.0	165	0.07	11.3				
..	29.647	69.0	47.4	57.6	57.0	+ 1.7	51.6	1.0	5.4	82	123.3	36.6	51.10	E. ESE. & SSW.	SSW. & SW.	4.5	0.0	212	0.03	6.0				
..	29.841	71.0	40.9	57.5	57.5	+ 2.9	46.4	1.8	11.1	67	131.0	29.4	51.65	SW. calm & ENE.	E. & ESE.	1.5	0.0	169	0.02	2.0				
	29.704	62.2	41.1	56.6	50.6	- 3.9	43.8	1.9	6.9	78	118.4	31.5	51.10	NE. & ESE.		Sum 1169	Sum 0.35	4.4				
	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

GENERAL REMARKS.


DATE.	ELUCIDATION. (For explanation of symbols, see Note.)	Registered Sun above Horizon, in hours.	Registered Sun above Sunshine in hours.	GENERAL REMARKS.
SUNDAY - 19	m. P. till 10h. A.M.; v. P. and w. N. till 9h. P.M.; m. P. afterwards.	0.9	15.7	Generally cloudy till evening; fine with little cloud at night; shower in afternoon; very cold.
MONDAY - 20	3h. P.M.; s. P. and s. N. till 7h. P.M.; w. P. till 10h. P.M.; m. P. after- wards.	1.8	15.7	Generally overcast; frequent showers in afternoon; heavy mist in early morning; very cold.
TUESDAY - 21	m. P. till 9h. A.M.; w. P. till 7h. P.M.; v. P. afterwards.	6.7	15.8	Fine generally; variably cloudy; occa- sional slight rain; cold.
WEDNESDAY - 22	w. P. generally till 2h. P.M.; w. P. till 9h. P.M.; w. P. and v. N. afterwards.	1.6	15.8	Generally overcast; occasional rain.
THURSDAY - 23	w. P. generally; oc- casional v. N.	3.6	15.9	Overcast with rain at intervals in morn- ing; fine and partially cloudy afterwards with light showers in early evening.
FRIDAY - 24	w. P. till 8h. P.M.; m. P. afterwards.	6.6	15.9	Generally overcast till 1h. P.M.; very fine afterwards; shower at 8h. 15m. A.M. with dis- tant thunder at intervals till 9h. A.M.
SATURDAY - 25	m. P. generally till 9h. A.M.; w. P. till 8h. P.M.; s. P. and s. N. afterwards.	7.0	16.0	Very fine generally till 6h. P.M.; overcast afterwards; lightning and distant thunder between 8h. 45m. and 11h. P.M., with light shower at and about 9h. P.M.
No. of Col. -	-	28	29	

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 139 feet above the mean level of the sea;
no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of
the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb
thermometer, are converted into mean daily values by the application of corrections
deduced from the discussion of the photographic records made during the fifty years
ending 1896. With the corrected mean readings of the dry bulb thermometer is
combined the corrected mean of the readings of the maximum and minimum
thermometers, forming the mean daily value of temperature of the air (column 8). The
mean daily dew point temperature and degree of humidity are deduced from the mean
daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.
The average temperature of the air is that derived from a discussion of the observations
made at Greenwich during the 40 years ending 1896, and that of horizontal movement
of the air from a discussion of the anemometric records for the 40 years ending 1896.
In reading columns 9 and 24 it will be borne in mind that + indicates "light", and
- "low", both in a vague
The values given in column 17 are not corrected for the index error of the thermometer
which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer.
The symbols employed are: - P. positive; N. negative; w. weak; m. moderate;
s. strong; and v. variable.
The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument
show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 30.01 in. at the beginning of the week to
29.47 in. by 5h. P.M. on the 23rd; increased to 29.83 in. by 7h. A.M. on the 25th; decreased
to 29.80 in. by 7h. P.M.; and was 29.83 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th May, 1907.*

BOROUGHs	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	5	8	-	-	-	-	3	-	-
Kensington - - -	181,842	-	8	2	-	-	-	-	2	-	-
Hammersmith - -	122,387	-	6	1	-	-	-	-	1	-	-
Fulham - - -	166,749	-	14	12	-	-	-	-	-	-	-
Onelsea - - -	74,857	-	7	4	-	-	-	-	-	-	-
City of Westminster -	172,219	-	4	1	-	1	-	-	1	-	-
NORTH.											
St. Marylebone - -	127,718	-	5	1	-	-	-	-	2	-	-
Hampstead - - -	91,137	-	8	3	-	-	-	-	1	-	-
St. Pancras - - -	236,753	-	14	3	-	-	-	-	12	-	1
Islington - - -	347,017	-	16	7	-	2	-	-	2	-	-
Stoke Newington -	53,613	-	4	-	-	1	-	-	-	-	-
Hackney - - -	232,993	-	24	13	-	4	-	-	2	2	-
CENTRAL.											
Holborn - - -	55,134	-	5	2	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	9	-	-	-	-	-	-	-	-
City of London - -	20,310	-	1	2	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	12	1	-	1	-	-	1	-	-
Bethnal Green - -	130,831	-	11	4	-	-	-	-	6	-	-
Stepney - - -	308,923	-	37	9	-	1	-	-	3	-	-
Poplar - - -	171,086	-	14	11	-	-	-	-	1	-	1
SOUTH.											
Southwark - - -	209,781	-	17	5	-	-	-	-	3	-	1
Bermondsey - - -	128,263	-	6	7	-	-	-	-	2	-	1
Lambeth - - -	318,538	-	18	6	-	2	-	-	2	-	-
Battersea - - -	181,736	-	19	7	-	-	-	-	2	-	1
Wandsworth - - -	281,419	-	15	10	-	4	-	-	4	-	-
Camberwell - - -	277,059	-	13	3	-	1	-	-	4	-	-
Deptford - - -	116,510	-	9	8	-	-	-	-	1	-	2
Greenwich - - -	107,222	-	10	6	-	-	-	-	2	-	-
Lewisham - - -	152,532	-	10	3	-	1	-	-	2	-	-
Woolwich - - -	129,336	-	16	6	-	-	-	-	1	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,753,218											
		-	337	145	-	18	-	-	52	2	7
Ages											
0-1 - - -	-	-	1	2	-	-	-	-	5	-	1
" 1-5 - - -	-	-	98	58	-	2	-	-	2	-	3
" 5- - - -	-	-	148	53	-	4	-	-	3	-	2
" 10- - - -	-	-	40	22	-	1	-	-	2	-	1
" 15- - - -	-	-	12	4	-	-	-	-	3	-	-
" 20- - - -	-	-	19	4	-	2	-	-	2	1	-
" 25- - - -	-	-	16	1	-	8	-	-	5	1	-
" 35- - - -	-	-	3	1	-	-	-	-	5	-	-
" 45- - - -	-	-	-	-	-	-	-	-	13	-	-
" 55- - - -	-	-	-	-	-	1	-	-	4	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	8	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 22. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JUNE 1. [Price 1½d.

*General Register Office, Somerset House,
June 3rd, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 15·1, and 14·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·2 in Oldham, 20·4 in Sunderland, 22·0 in St. Helens, 25·7 in Bolton, and 35·3 in Middlesbrough; from *measles*, 2·7 in Sunderland, 3·0 in Portsmouth, 3·1 in Hanley, 7·7 in Bolton and in Middlesbrough; from *whooping-cough*, 1·2 in West Ham, in Walthamstow, and in Wigan, 1·3 in Salford, and 2·2 in Grimsby; from "*fever*," 1·5 in Grimsby. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2464 BIRTHS and 1190 DEATHS were registered. Allowing for increase of population, the births were 4 and the deaths 122 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·7, 15·2, and 14·4 per 1000 in the preceding three weeks, further fell last week to 13·0. The death-rate in the four weeks ended last Saturday averaged 14·6 per 1000, being 0·2 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1190 deaths included 52 from measles, 13 from scarlet fever, 14 from diphtheria, 30 from whooping-cough, and 20 from diarrhoea, but not one death from small-pox, from enteric fever, from typhus, or from ill-defined pyrexia; thus, 129 deaths were referred to these diseases in the aggregate, being 24 below the corrected average number in the twenty-second week of the preceding five years.

The deaths from *measles*, which had been 39, 51, and 53 in the preceding three weeks, numbered 52 last week, and were 13 below the corrected average; 10 deaths belonged to the Borough of Islington, 5 to Poplar, and 3 to Lambeth. The deaths from *scarlet fever*, which had been 9, 12, and 13 in the preceding three weeks, were 13 last week, and were 4 above the corrected average; 3 deaths belonged to Camberwell. The deaths from *diphtheria*, which had been 15, 11, and 12 in the preceding three weeks, were 14 last week, and were 4 above the corrected average. The deaths from *whooping-cough*, which had been 63, 59, and 36 in the preceding three weeks, further fell to 30 last week, and were 7 below the corrected average; 5 deaths belonged to Islington, 4 each to Hammersmith and Stepney, and 3 each to Shoreditch, Lambeth, and Camberwell. No death from *enteric fever* was registered last week; the deaths in the preceding three weeks had been 4, 1, and 3. The deaths from *diarrhoea*, which had been 9, 21, and 14 in the preceding three weeks, were 20 last week, and were 1 above the corrected average; 4 deaths belonged to Lambeth. Of the 20 deaths from diarrhoea, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 other death at this age. The deaths attributed directly to *influenza* numbered 10, having been 11, 13, and 13 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 13 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 3 to building operations, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 6, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2824 cases of scarlet fever, 935 of diphtheria, and 47 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 437 cases, against 349, 363, and 382; of diphtheria, 129 cases, against 129, 123, and 125; and of enteric fever, 6 cases, against 11, 10, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 25th, 1907.

GREATER LONDON.

In Greater London 3883 births and 1642 deaths were registered. Allowing for increase of population, these numbers are 89 above and 157 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 3 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, 1 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.78 inches, and that of the Thermometer 53°.4, the latter being 3°.2 below the week's average in the 65 years ending 1905. The direction of the wind was variable the horizontal movement of the air being 23 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 15.3 hours; the measured rainfall amounted to 0.67 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 1st June, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 1st June, 1907.		The DEATHS registered in the Week include										Deaths of		Deaths from										Deaths in Public Institutions.		Unrecorded Causes of Death.		TOWNS.
		Week ended				1st June, 1907.	11-17.	BIRTHS.	DEATHS.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.													
		11th May, 1907.	18th May, 1907.	25th May, 1907.	Week ended 1st June, 1907.																															
76 TOWNS	16,024,458	157	151	149	145	175	8940	4442	888	1288	-	201	45	48	111	22	47	179	371	1139	37	76 TOWNS.														
LONDON -	4,758,218	157	152	144	130	14	2464	1190†	203	373	-	52	13	14	30	-	20	51	118	490	1	LONDON.														
CROYDON -	154,342	132	108	135	78	03	100	23	1	10	-	-	-	-	-	-	1	-	-	-	-	CROYDON.														
WILLESDEN -	149,192	112	105	87	91	07	92	26	6	9	-	-	-	-	-	-	-	3	3	5	-	WILLESDEN.														
HORSEY -	89,816	81	99	75	35	06	22	6	1	1	-	-	-	-	-	-	-	1	2	1	-	HORSEY.														
TOTTENHAM -	122,793	110	98	81	144	30	72	34	8	5	-	2	1	1	2	-	1	4	7	5	-	TOTTENHAM.														
WEST HAM -	908,284	167	147	132	107	24	164	63	14	18	-	2	2	1	7	1	1	5	8	19	-	WEST HAM.														
EAST HAM -	136,421	76	84	88	76	11	74	20	6	4	-	-	-	-	-	-	-	1	3	1	-	EAST HAM.														
LEYTON -	122,040	90	90	115	103	09	63	24	9	8	-	-	-	-	-	-	-	2	2	7	-	LEYTON.														
WALTHAMSTOW -	126,397	91	91	103	83	21	80	20	5	4	-	-	-	-	3	-	-	1	1	3	1	WALTHAMSTOW.														
HASTINGS -	67,477	170	116	147	155	08	22	20	2	9	-	-	-	-	-	-	1	2	3	5	-	HASTINGS.														
BRIGHTON -	129,023	113	101	129	113	08	48	23	3	9	-	1	-	-	1	-	-	4	6	12	-	BRIGHTON.														
PORTSMOUTH -	208,291	175	148	150	138	33	117	55	13	11	-	12	-	-	-	-	-	3	4	8	-	PORTSMOUTH.														
BOURNEMOUTH -	69,246	105	105	166	83	-	27	11	2	7	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.														
SOUTHAMPTON -	119,745	122	122	91	152	-	66	35	6	11	-	-	-	-	-	-	-	5	7	8	-	SOUTHAMPTON.														
READING -	80,311	143	117	91	156	19	28	24	3	8	-	1	-	1	-	-	1	1	2	4	-	READING.														
NORTHAMPTON -	95,070	55	104	121	132	11	41	24	5	9	-	2	-	-	-	-	-	-	-	3	1	NORTHAMPTON.														
IPSWICH -	72,825	150	158	136	150	-	55	21	8	10	-	-	-	-	-	-	-	1	1	4	-	IPSWICH.														
GREAT YARMOUTH -	52,879	89	108	168	128	-	17	13	1	8	-	-	-	-	-	-	-	-	3	-	-	GREAT YARMOUTH.														
NORWICH -	110,191	153	87	175	122	-	48	28	1	16	-	-	-	-	-	-	-	-	1	4	-	NORWICH.														
PLYMOUTH -	120,063	169	161	135	139	04	48	32	3	12	-	-	-	-	-	-	-	2	4	7	-	PLYMOUTH.														
DEVONPORT -	79,959	85	111	130	143	-	45	22	7	4	-	-	-	-	-	-	-	2	2	3	-	DEVONPORT.														
BRISTOL -	367,979	106	135	95	145	09	221	102	23	38	-	-	-	-	-	-	-	3	9	19	-	BRISTOL.														
HANLEY -	67,174	163	210	248	186	39	57	24	10	5	-	4	-	1	-	-	-	-	1	3	1	HANLEY.														
BURTON-ON-TRENT -	53,425	107	146	137	88	10	22	9	-	6	-	-	-	-	-	-	-	-	1	2	-	BURTON-ON-TRENT.														
WOLVERHAMPTON -	102,016	164	107	118	112	-	49	22	4	11	-	-	-	-	-	-	-	1	1	11	-	WOLVERHAMPTON.														
WALSALL -	96,171	152	125	152	157	22	55	29	6	8	-	-	-	-	-	-	-	1	2	2	-	WALSALL.														
HANDSWORTH -	65,929	87	103	103	71	-	29	9	3	2	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.														
WEST BROMWICH -	69,123	219	91	136	151	08	55	20	7	4	-	1	-	-	-	-	-	-	-	2	-	WEST BROMWICH.														

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 1st June, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 1st June, 1907.		The Deaths registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			Week ended				Week ended		Deaths of Persons aged 60 Years and upwards.	Deaths from								Deaths in Public Institutions.	Unidentified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			11th May, 1907.	18th May, 1907.	25th June, 1907.	1st June, 1907.	1st June, 1907.	Deaths.		Deaths.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.			Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																						9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			2.	3.	4.	5.	6.	7.	8.	9.	10.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</

TOWNS,	Colts,	DEATH-RATES from all Causes.										Rate from Diseases in 1906, 11-17.		Registered Deaths in Week ended 1st June, 1907.		Deaths of		Deaths from								Deaths in Public Institutions.		Causes of Death.		TOWNS,
		Week ended				Week ended		BIRTHS, DEATHS.		Infants under 1 year of age.		Scarlet Fever.	Diphtheria.	Whooping-cough.	Peyer.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.			Colts,							
		11th May, 1907.				1st June, 1907.		7.		9.																				
		11th May, 1907.	18th May, 1907.	25th May, 1907.	1st June, 1907.	5th June, 1907.	11th June, 1907.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.								
HUDDESFIELD -	-	94,814	18'1	20'9	17'0	17'0	44	31	5	8	-	-	-	1	2	1	-	2	3	4	-	Colts,								
HALIFAX -	-	110,138	15'1	14'2	14'2	17'5	17'5	53	37	5	13	-	-	1	-	-	-	2	4	3	-	HUDDESFIELD.								
BRADFORD -	-	290,323	16'5	12'8	14'0	16'3	137	91	18	25	-	-	-	1	4	-	-	3	7	14	-	HALIFAX.								
LEEDS -	-	470,268	15'4	13'7	14'4	14'5	259	131	30	34	-	-	-	1	4	-	-	4	12	21	1	BRADFORD.								
SHEFFIELD -	-	455,553	18'9	15'6	19'0	17'9	316	156	38	40	-	12	3	1	-	-	-	4	7	37	3	LEEDS.								
ROTHERHAM -	-	62,412	14'2	9'2	15'0	5'8	30	7	1	3	-	-	-	-	-	-	-	-	-	-	-	SHEFFIELD.								
YORK -	-	84,730	12'9	10'5	11'7	16'6	47	27	9	9	-	-	-	-	-	-	-	-	2	5	-	ROTHERHAM.								
HULL -	-	286,762	14'5	13'7	18'2	12'7	163	65	12	22	-	1	1	2	1	-	1	6	13	16	2	YORK.								
MIDDLESBROUGH -	-	101,783	18'4	24'1	17'4	35'3	74	69	12	15	-	15	1	-	-	-	2	5	8	-	-	HULL.								
STOCKTON-ON-TEES	-	52,909	19'7	18'7	18'7	14'8	35	15	1	4	-	-	-	-	-	-	-	1	4	-	-	MIDDLESBROUGH.								
WEST HARTLEPOOL	-	75,473	10'4	15'2	13'1	12'4	32	18	1	5	-	-	-	-	1	-	-	-	2	-	-	STOCKTON-ON-TEES.								
SUNDERLAND -	-	156,029	22'4	19'7	22'7	20'4	94	61	17	12	-	8	-	3	1	-	-	2	8	2	2	WEST HARTLEPOOL.								
SOUTH SHIELDS -	-	113,460	17'5	16'5	15'2	17'5	82	38	8	14	-	-	1	-	-	-	-	1	1	11	-	SUNDERLAND.								
GATESHEAD -	-	125,783	10'8	23'6	17'8	17'8	77	43	8	11	-	2	-	-	-	-	-	1	1	6	1	SOUTH SHIELDS.								
NEWCASTLE-ON-TYNE	-	272,969	13'6	14'3	15'9	14'5	162	76	16	19	-	-	-	1	-	-	-	7	13	-	-	GATESHEAD.								
TYNEMOUTH -	-	54,688	12'4	22'9	12'4	12'4	40	13	3	6	-	2	-	-	1	-	-	2	-	2	-	NEWCASTLE-ON-TYNE.								
NEWPORT (MON.) -	-	75,585	12'4	13'1	16'6	12'4	59	18	4	7	-	2	1	-	-	-	-	2	2	5	-	TYNEMOUTH.								
CARDIFF -	-	187,620	15'3	12'0	14'2	15'6	85	56	10	14	-	-	1	1	1	-	-	1	1	9	-	NEWPORT (MON.).								
RHONDDA -	-	130,400	14'4	16'8	14'8	10'0	112	25	13	3	-	-	1	-	-	-	-	1	1	-	-	CARDIFF.								
MERTHYR TYDFIL -	-	76,085	14'4	24'0	19'2	13'7	67	20	4	7	-	-	-	-	-	2	-	-	-	-	1	RHONDDA.								
SWANSEA -	-	97,324	12'3	15'5	18'2	15'5	55	29	5	6	-	-	-	-	-	-	-	1	2	4	-	MERTHYR TYDFIL.								
GREATER LONDON -	-	7,217,941	14'2	13'8	13'1	11'9	3883	1642	302	511	-	62	21	22	53	2	25	80	166	572	5	SWANSEA.								
OUTER RING -	-	2,459,723	11'3	11'1	10'5	9'6	1419	452	99	138	-	10	8	8	23	2	5	29	48	82	4	GREATER LONDON.								
8 TOWNS IN OUTER RING	-	1,209,285	11'8	11'0	10'8	9'3	687	216	50	59	-	4	5	4	17	1	4	16	24	47	2	OUTER RING.								
REMAINDER OF OUTER RING	-	1,250,438	10'9	11'3	10'1	9'8	752	236	49	79	-	6	3	4	6	1	1	13	24	35	2	8 TOWNS IN OUTER RING.								
EDINBURGH -	-	345,747	17'5	16'3	16'4	17'8	155	118†	18	35	-	4	-	2	7	-	2	5	7	40	8	REMAINDER OF OUTER RING.								
GLASGOW -	-	847,584	20'4	21'8	18'7	18'6	433	302†	56	51	-	2	2	3	26	3	7	16	7	104	11	EDINBURGH.								
DUBLIN (Registration Area).†	-	390,691	24'0	26'7	25'8	23'1	288	173†	25	55	-	4	-	-	8	1	-	6	5	76	4	GLASGOW.								
BELFAST -	-	370,163	24'5	22'3	23'1	22'0	198	156†	32	33	-	2	-	-	3	-	-	3	7	31	4	DUBLIN (Registration Area).†								

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.
‡ Including 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 17 in Glasgow, 3 in Dublin, and 14 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2596	2199	2678	2579	2148	2501	2416	2507	2249	2384	2467.7	2464
Males - - -	1341	1140	1346	1298	1082	1309	1203	1292	1150	1204	1260.3	1237
Females - - -	1255	1059	1332	1281	1066	1192	1213	1215	1099	1180	1207.4	1227
TOTAL Deaths -	1320	1392	1483	1497	1345	1454	1220	1179	1319	1240	1312.4	1190
Males - - -	722	756	781	793	720	775	619	649	694	663	695.9	595
Females - - -	598	636	702	704	625	679	601	530	625	577	616.5	595

* The numbers in this column are the average weekly numbers in the twenty-second week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 9.	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	13 Weeks.
TOTAL Births -	2391	2390	2548	2236	2387	2532	2577	2452	2352	2537	2499	2258	2464	31623
TOTAL Deaths -	1641	1696	1483	1586	1627	1495	1469	1423	1364	1431	1383	1316	1190	19104
Ages at Death -														
Under 1 year -	290	328	293	311	303	264	276	265	257	275	274	251	203	3590
1–5 years -	189	193	167	220	249	237	173	212	168	176	192	180	164	2500
5–20 " -	68	101	73	74	86	75	75	80	78	96	69	90	73	1038
20–40 " -	196	191	181	199	189	202	179	186	171	162	191	152	137	2336
40–60 " -	353	363	279	337	304	280	301	280	273	283	274	274	240	3821
60 yrs. & upwds	545	520	490	445	496	437	485	420	417	439	383	389	373	5819
Deaths from—														
Small-pox†	-	-	-	59	-	-	-	-	-	-	-	51	53	-
Measles - - -	55	57	29	59	63	45	40	47	40	39	51	12	13	630
Scarlet Fever -	7	8	6	8	13	9	9	8	8	9	12	13	13	123
Diphtheria - -	19	15	12	16	19	8	10	16	13	15	11	12	14	180
Whooping-cough	40	42	36	71	63	60	50	67	69	63	59	36	30	686
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	7	-	6	1	4	5	6	3	2	4	1	3	-	42
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	12	13	15	14	11	18	13	14	18	9	21	14	20	192
All above Diseases -	140	136	104	169	173	145	128	155	150	139	155	131	129	1854
Dis. of Resp. System	232	207	173	177	187	147	133	128	121	107	86	93	81	1872
Pneumonia - - -	173	196	180	177	225	208	193	167	161	155	149	137	111	2332
Phthisis - - -	160	157	136	161	156	157	135	133	127	147	147	139	120	1875
Dis. of Circ. System	217	228	182	197	209	181	212	191	194	207	185	180	170	2553
Violence - - -	60	51	66	55	64	50	52	63	61	54	69	49	51	745
Inquest Cases - -	152	139	157	153	166	133	148	136	141	136	173	117	118	1869
Deaths in Institutions	625	634	552	622	626	584	591	565	558	550	565	494	490	7456
TEMPERATURE OF THE AIR.														
Mean - - - - -	40.1	42.8	46.1	46.5	49.6	44.1	43.7	49.4	46.4	56.0	53.2	50.6	53.4	47.8
Mean of Highest -	47.2	49.7	55.1	60.8	62.0	53.7	53.1	58.0	54.9	66.6	62.1	62.2	62.8	57.6
Mean of Lowest -	33.4	36.0	37.4	31.1	37.8	37.9	36.0	43.2	40.3	45.8	47.0	41.1	47.1	39.5
Mean Humidity of the Air.	80	74	64	71	69	86	76	79	69	72	72	78	83	75
Rain-fall (in inches) -	0.37	0.40	0.13	0.00	0.17	1.42	0.63	0.90	0.59	0.36	0.35	0.35	0.67	6.34
Registered Sunshine (in hours).	21.9	27.0	50.5	53.5	43.6	18.8	27.7	31.4	41.6	50.2	39.5	28.2	15.3	440.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK														Means.
Small-pox - - -	-	-	-	-	-	-	-	1	1	1	-	-	-	-
Scarlet Fever -	2878	2826	2734	2657	2621	2637	2628	2649	2672	2658	2679	2732	2824	2707
Diphtheria - -	967	983	1006	1014	996	992	997	949	911	911	921	927	935	963
Typhus - - -	3	4	3	1	-	-	-	-	-	-	-	-	-	1
Enteric Fever -	98	96	94	93	82	75	69	66	60	54	53	52	47	72

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; A. J. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; B. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witte, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the TWENTY-SECOND Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 22nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 22nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.								ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	
ALL CAUSES	1312.4	1190	203	164	73	137	240	373	Meningitis (not tuberc.)	17.2	15	1	10	4	-	-
									Gen. Par. of Insane, } Insanity	13.3	13	-	-	-	7	6
Small-pox*	9.8	-	-	-	-	-	-	-	Epilepsy	5.5	5	-	-	2	1	1
Dowpox	-	-	-	-	-	-	-	-	Convulsions	21.1	12	10	2	-	-	-
Measles (Morbilli)	64.7	52	11	40	1	-	-	-	Locomotor Ataxy	1.6	-	-	-	-	-	-
Scarlet Fever	9.2	13	-	6	7	-	-	-	Paraplegia, Dis. of Cord	4.3	4	-	-	1	1	2
									Nervous Sys., Other Dis.	22.3	8	-	-	1	2	5
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	39.5	43	-	-	6	10	7
Plague	-	-	-	-	-	-	-	-	Cereb. Hem. Cereb. Emb.	31.1	34	-	-	1	12	21
Influenza	8.2	10	-	-	-	2	2	6	Apoplexy, Hemiplegia	19.6	11	-	-	1	2	3
Whooping-cough	37.0	30	13	16	1	-	-	-	Aneurysm	4.3	6	-	-	-	3	3
Diphtheria	10.0	14	1	11	2	-	-	-	Embolism, Thrombosis	2.0	-	-	-	-	-	-
									(not Cerebral)	-	-	-	-	-	-	-
Cerebro-spinal Fever	-	1	-	-	1	-	-	-	Heart & Blood Vess.	71.6	76	-	-	3	4	20
Purpura,† (origin un- certain)	-	-	-	-	-	-	-	-	Other Dis.	-	-	-	-	-	-	-
Enteric Fever	2.9	-	-	-	-	-	-	-	Croup (not Spasm: nor Membr.)	0.4	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	69.6	70	9	7	-	6	48
Epidemic Diarrhœa, } Infective Enteritis }	7.0	5	3	1	1	-	-	-	Emphysema, Asthma	2.7	2	-	-	-	-	2
Diarrhœa, Dysentery }	11.9	15	10	3	-	-	-	2	Pleurisy	5.1	4	-	2	-	-	2
Tetanus	0.6	3	-	1	1	1	-	-	Respiratory Dis., Other-	11.5	5	-	1	1	1	2
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	-	-	-	-	-	-
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	7.2	9	3	1	-	2	1
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-enteritis	4.7	2	1	-	-	-	1
Venereal Dis.	7.6	5	4	-	1	-	-	-	Peritonitis (not Puerp.)	2.0	2	-	-	1	1	-
Puerperal Septicæmia	3.1	3	-	-	3	-	-	-	Cirrhosis of Liver -	11.3	13	-	-	1	9	3
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Liver Dis., Other -	5.1	6	-	-	-	2	4
Puerperal Fever	0.2	1	-	-	1	-	-	-	Digestive Sys., Other Dis.	36.0	38	2	-	4	11	10
Infective Endocarditis	2.3	5	-	-	1	2	1	1	Acute Nephritis	5.1	6	-	2	-	1	3
Lobar -	15.6	17	1	-	1	3	4	8	Bright's Dis., Albumin-	31.3	34	-	-	2	11	21
Broncho-	50.1	44	15	17	1	1	2	8	uria	9.0	11	-	-	1	4	6
Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-
Not defined	56.9	50	7	9	3	12	10	9	Generative Organs Dis.-	4.5	4	-	-	2	2	-
Erysipelas	1.8	2	1	1	-	-	-	-	Childbirth (Accid. of)	3.1	3	-	-	3	-	-
Septicæmia (not Puer- peral)	1.8	1	-	-	-	-	-	1	Old Age	46.7	48	-	-	-	-	48
Pyæmia (not Puerperal)	1.2	-	-	-	-	-	-	-	Other Diseases	78.2	73	53	6	2	5	2
Other Infective Processes	6.1	2	-	-	1	-	1	-	ACCIDENT.							
Tuberculous Phthisis	71.8	84	1	5	5	33	35	5	By Railways	0.6	2	-	-	-	1	1
"Phthisis"	66.7	36	-	-	5	12	14	5	By Vehicles and Horses	7.2	5	-	1	3	1	-
Tuberculous Meningitis	21.7	22	4	13	4	1	-	-	In Ships, Boats, Docks,	0.2	-	-	-	-	-	-
Tuberculous Peritonitis	7.2	2	1	1	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-
Tabes Mesenterica	1.6	-	-	-	-	-	-	-	ing)	1.3	3	-	-	-	1	2
Tuberculous Dis., Other	23.5	18	2	4	5	1	5	1	In Building Operations	0.2	-	-	-	-	-	-
Scrophula	0.2	-	-	-	-	-	-	-	In Conflagrations	2.7	1	-	-	1	-	-
Alcoholism	11.5	9	-	-	2	5	2	2	By Burns, Scalds, Ex-	4.9	3	-	-	1	1	1
Rheumatic Fever	4.9	3	-	-	1	-	2	-	plosions	7.6	6	6	-	-	-	-
Gout	1.4	2	-	-	-	-	2	-	By Drowning	1.0	3	-	1	-	1	1
Carcinoma	55.3	49	-	-	3	19	27	-	By Suffocation in Bed	17.4	15	2	3	3	1	3
Sarcoma	7.6	3	-	-	1	1	1	-	By Poisons or Poisonous	-	-	-	-	-	-	-
Cancer (undefined)	36.6	31	-	-	1	15	15	-	Vapours	-	-	-	-	-	-	-
Diabetes Mellitus	6.1	8	-	-	2	2	4	-	Other Deaths by Acci-	-	-	-	-	-	-	-
Premature Birth	45.0	42	42	-	-	-	-	-	dent	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN ACCIDENTAL.							
									Homicide	0.8	-	-	-	-	-	-
									Suicide	12.5	13	-	-	-	5	6
									Execution	-	-	-	-	-	-	2

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; AND DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st June, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include.															Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2464	1190	203	373	-	52	13	14	30	-	-	-	20	51	118	490		
WEST DISTRICTS - - -	805,311	352	209	32	70	-	9	-	3	5	-	-	-	3	7	15	95		
NORTH DISTRICTS - - -	1,056,070	477	288	32	95	-	17	1	3	7	-	-	-	9	9	26	104		
CENTRAL DISTRICTS - - -	209,465	140	68	15	17	-	2	-	-	3	-	-	-	2	7	14	39		
EAST DISTRICTS - - -	175,739	491	205	50	48	-	9	1	1	8	-	-	-	8	10	25	95		
SOUTH DISTRICTS - - -	1,749,844	1004	408	74	134	-	15	9	6	7	-	-	-	8	18	33	125		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	32	-	9	-	-	2	1	-	-	-	-	2	-	-	32		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - - -	93,178	47	14	2	6	-	1	-	-	-	-	-	-	-	-	-	4		
St. John Paddington H - - -	33,617	6	8	-	6	-	-	-	-	-	-	-	-	-	-	-	2		
North-West Paddington - - -	17,181	7	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
Kensington Town 2W,w,2H - - -	128,037	44	45	7	14	-	1	-	-	-	-	-	-	-	1	3	25		
Brompton 2H - - -	48,591	15	8	1	5	-	-	-	-	-	-	-	-	-	-	-	2		
North Hammersmith 2W,w,H - - -	49,192	34	24	5	6	-	2	-	-	3	-	-	-	-	2	4	8		
South Hammersmith w,2H - - -	63,047	28	14	3	3	-	-	-	-	1	-	-	-	-	-	-	6		
North-west Fulham W - - -	45,180	36	17	2	5	-	1	-	-	-	-	-	-	-	-	2	6		
North-east Fulham F - - -	48,405	31	8	2	1	-	1	-	3	-	-	-	-	-	1	1	4		
South Fulham W - - -	45,704	28	10	3	3	-	1	-	-	-	-	-	-	-	2	1	-		
Chelsea North W,w,3H - - -	42,514	16	22	-	8	-	-	-	-	-	-	-	-	1	-	-	20		
Chelsea South W,2H - - -	31,328	13	11	3	3	-	1	-	-	1	-	-	-	1	-	1	6		
Mayfair and Knightsbridge - - -	28,743	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Belgrave W,2H - - -	56,815	18	10	1	3	-	-	-	-	-	-	-	-	-	-	-	6		
St. Margaret & St. John 5H - - -	43,698	17	10	1	5	-	1	-	-	-	-	-	-	1	-	-	5		
St. James and St. Anne W,6H - - -	33,081	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	7	14	1	6	-	-	-	-	-	-	-	-	1	-	2	8		
St. Mary Marylebone W,4H - - -	37,948	34	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1		
Christchurch Marylebone - - -	39,536	25	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
St. John Marylebone 2H - - -	20,426	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,7H - - -	81,942	24	25	1	6	-	1	1	2	-	-	-	-	-	2	4	10		
West St. Pancras 2H - - -	60,562	31	8	-	-	-	1	-	-	-	-	-	-	-	1	1	4		
South St. Pancras w,11H - - -	55,707	12	26	1	9	-	-	-	-	-	-	-	-	-	1	1	18		
East St. Pancras W,2H - - -	60,320	22	15	1	7	-	1	-	-	-	-	-	-	-	1	2	3		
North St. Pancras 2W - - -	58,728	25	15	-	5	-	-	-	-	-	-	-	-	-	-	1	9		
Tufnell W - - -	31,995	18	35	6	11	-	9	-	-	1	-	-	-	1	-	2	27		
Upper Holloway 2W,w,H - - -	33,978	23	14	2	6	-	1	-	-	1	-	-	-	-	2	2	10		
Tollington W,w,H - - -	33,922	16	3	-	3	-	-	-	-	-	-	-	-	-	-	1	-		
Lower Holloway - - -	41,424	22	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - -	54,478	37	13	5	3	-	1	-	-	2	-	-	-	1	-	3	-		
Islington South-east F - - -	75,397	26	14	2	5	-	1	-	-	-	-	-	-	-	1	2	-		
Highbury 2H - - -	63,797	18	10	-	3	-	-	-	-	1	-	-	-	-	-	-	1		
Stoke Newington H - - -	51,247	19	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-		
North Hackney - - -	50,560	19	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w,F - - -	50,536	18	8	3	2	-	2	-	1	-	-	-	-	-	-	1	-		
South-west Hackney 3E - - -	59,921	52	15	2	5	-	-	-	-	-	-	-	-	-	-	2	6		
South-east Hackney 2W,w,H - - -	58,255	25	17	1	9	-	-	-	-	-	-	-	-	-	1	1	6		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st June, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total DEATHS.	The DEATHS registered during the Week include														
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W,2H -	31,436	33	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Strand W,4H - - - - -	21,674	2	9	1	-	-	-	-	-	-	-	-	-	-	-	2	7	-
Strand Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
Finsbury W,6H - - - - -	29,612	11	16	7	1	-	1	-	-	-	-	-	-	-	2	1	13	-
South Clerkenwell - - - - -	28,676	19	4	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-
North Clerkenwell H - - - - -	35,028	35	4	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Finsbury 3H,L - - - - -	36,116	33	10	3	2	-	-	-	-	2	-	-	-	-	-	2	2	-
Finsbury Union Workhouse, } Mitcham - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	1	3	-
St. Botolph H - - - - -	10,299	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,824	2	15	-	6	-	-	-	-	1	-	-	-	-	2	4	11	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South H - - - - -	46,362	20	5	1	2	-	2	-	-	-	-	-	-	-	1	2	-	-
Shoreditch North-West W,w,H -	36,127	23	21	2	6	-	-	-	-	-	-	-	-	-	1	2	15	-
Shoreditch North-East - - - - -	36,148	25	9	2	3	-	-	-	-	2	-	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W } H.L. - - - - -	65,138	46	22	5	9	-	-	-	-	-	-	-	-	-	1	2	18	-
Bethnal Green South-West H - -	64,542	45	13	4	1	-	-	-	-	1	-	-	-	-	-	3	2	-
Whitefields - - - - -	27,969	18	5	2	2	-	-	-	-	-	-	-	-	-	1	2	-	-
White End New Town W,H - - -	28,718	24	29	8	5	-	1	-	-	1	-	-	-	-	-	1	25	-
Woodman's Fields - - - - -	22,081	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W - - -	49,068	41	16	7	2	-	1	-	-	-	-	-	-	-	-	4	5	-
Spalding and Ratcliff W,H - - -	25,568	14	11	4	2	-	1	-	1	1	-	-	-	-	-	2	8	-
Spalding Union Workhouse W - -	32,369	19	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White End Old Town South- } Western H - - - - -	63,698	74	12	1	3	-	-	-	-	1	-	-	-	-	1	1	-	-
White End Old Town North- } Eastern W,w - - - - -	49,129	25	9	2	1	-	-	-	-	1	-	-	-	-	1	1	4	-
White End L - - - - -	41,989	20	6	3	-	-	1	-	-	-	-	-	-	-	1	1	-	-
White End 3w,H - - - - -	68,319	47	31	5	10	-	1	1	-	1	-	-	-	2	1	1	16	-
White End W,w - - - - -	58,514	35	11	1	2	-	2	-	-	-	-	-	-	-	2	3	2	-

TABLE G. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA ; POPULATION ; BIRTHS and DEATHS registered during the Week ended Saturday 1st June, 1907.

The DEATHS registered in the Week include																						
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from																	
					Deaths of Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.					
LONDON—OUTER RING					368,302	2,044,973	1419	452	99	138	-	10	8	8	23	2	5	29	48	82	4	
30 : 1	Carshalton 2F,3H	12,228	32,997	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
37 : 1	Godstone, part of* W,F,L	2,754	2,802	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
38 : 1	Conlsdon	11,069	8,166	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	29	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	42	12	1	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-	
4	North Croydon H	2,644	41,698	29	6	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
5	Penge w,H	770	22,465	5	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham	11,711	30,015	27	10	4	3	-	-	-	-	1	-	-	-	-	-	1	-	-	-	
39 : 1	Wimbledon F,3H	3,221	41,652	34	7	2	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	
2	Kingston 2W,H	6,224	42,968	36	7	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
3	Surbiton F,H	3,046	15,017	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,554	23,456	11	5	-	1	-	-	-	-	1	-	-	-	-	2	3	-	-	-	
40 : 1	Richmond W,H	2,162	28,865	10	9	1	3	-	-	-	-	-	-	-	-	-	1	1	1	1	-	
2	Mortlake F	2,847	20,628	26	5	2	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	
41 : 1	Bromley F,2H	4,703	27,354	8	6	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	12	11	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
3	Orpington part of* W	10,113	9,857	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
4	Chislehurst 2H	7,333	16,446	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42 : 1	Bexley w,F,H	8,678	21,151	20	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	26	3	-	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
24 : 1	Sunbury w	11,054	18,683	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	15	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25 : 1	Hillingdon W,F,H	6,035	13,661	9	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
2	Uxbridge H	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w2 F,H	8,086	16,358	19	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
26 : 1	Isleworth 3W,3F,H	6,859	30,863	28	10	-	3	-	1	-	-	-	-	-	-	-	-	-	-	5	-	
2	Twickenham F,2,H	2,421	20,991	17	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	37	18	2	3	-	2	-	1	1	-	-	1	2	-	2	-	-	-	
4	Chiswick H	1,249	29,809	17	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	43	9	2	3	-	1	1	-	1	-	-	-	1	-	-	-	-	-	
27 : 1	Harrow F,H	13,809	25,523	16	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	92	25	6	9	-	-	-	-	-	2	-	-	3	3	4	-	-	-	
4	Hendon W,F	8,382	22,450	13	7	2	3	-	-	-	-	-	-	-	-	1	1	2	-	-	-	
28 : 1	South Mimms 2F,H	17,755	7,308	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	21	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
3	Finchley F,2H	4,688	33,892	27	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
29 : 1	Hornsey F,H	2,875	72,056	22	6	1	1	-	-	1	-	-	-	-	-	-	1	2	1	-	-	
2	Wood Green H	1,825	34,233	24	9	3	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	
3	West Tottenham	996	48,853	38	14	6	1	-	-	1	-	-	-	-	-	1	-	2	-	-	-	
4	East Tottenham 2H	2,017	53,688	34	19	2	2	-	1	-	1	1	-	-	-	5	6	4	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	50	11	2	6	-	-	-	-	-	-	-	-	-	2	5	-	-	-	
6	Enfield 2W,F,H	12,601	42,738	23	11	2	4	-	-	-	1	-	-	1	-	-	-	2	-	-	-	
7	Waltham Abbey F	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
8	Cheshunt F,H	8,479	12,292	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
135 : 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137 : 1	Bushey H	9,333	9,173	4	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
186 : 1	Stratford H	1,072	44,827	29	5	1	1	-	-	-	-	1	1	5	1	-	1	2	1	-	-	
2	Plaistow F,2H	1,249	90,921	65	22	5	4	-	-	-	-	1	1	2	-	-	3	4	6	-	-	
3	Canning Town H	1,556	70,718	49	12	4	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	
4	Forest Gate w	806	60,892	21	12	3	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	38	10	2	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
6	South East Ham 2F	1,993	37,342	36	8	4	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	
7	Wanstead F	1,579	9,179	6	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
8	South Leyton 2W	631	50,467	33	10	2	4	-	-	-	-	1	-	-	-	1	1	1	4	-	-	
9	North Leyton 2W,w,F	1,963	48,445	30	28	8	11	-	-	-	-	-	-	-	-	1	3	3	17	-	-	
10	Walthamstow 2H,L	6,504	108,929	92	19	7	4	-	-	-	-	1	3	-	-	-	1	1	1	-	-	
187 : 1	Chigwell 2F,3H	11,778	16,397	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189 : 1	Romford, part of* W,2F	8,556	6,091	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
2	Ilford F,L	8,496	41,234	30	11	2	3	-	-	1	-	-	-	-	-	-	-	1	2	-	-	
3	Barking Town F	3,803	21,547	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N.E. Hospital, Tottenham					-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	2	-	-
Middlesex County Asylum, Wandsworth.					-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belmont Asylum, Carshalton					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
London County Asylum, Claybury.					-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Kent County Asylum, Maidstone.					-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
Essex County Asylum, Brentwood.					-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30 : 2, excepting Ashted parish; 37 : 1, Warringham and Farley parishes; 39 : 4 excepting Esher parish; 41 : 3, excepting Chislefield, Cudham, and Knockholt parishes; 135 : 1, Northaw parish; 189 : 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42 : 3, 137 : 2 and 187 : 2 and in the Croydon Mental Hospital in 37 : 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS. Disseases.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	June 1	2464	1190	13'0	-	52	13	14	30	-	20
CALCUTTA - -	977,822	May 4	-	735	45'0	47	4	-	-	2	388†	87
BOMBAY - -	982,000	" 14	284	687	36'5	3	-	-	-	-	255†	55
MADRAS - -	548,974	" 3	328	329	33'5	1	2	?	?	?	106	55
PARIS - - -	2,722,731	" 25	971	1021	19'5	1	17	6	10	10	4	28
BRUSSELS - -	623,077	" 25	196	166	13'8	-	-	1	2	-	1	13
ANTWERP - -	304,032	" 25	130	82	14'0	-	1	-	-	3	-	10
AMSTERDAM -	565,368	" 25	298	170	15'7	-	12	-	1	1	-	11
COPENHAGEN -	433,000	" 25	223	138	15'4	-	1	1	-	4	-	8
STOCKHOLM -	324,488	" 18	148	108	16'9	-	-	1	-	-	1	5
CHRISTIANIA -	226,774	" 25	124	45	10'3	-	-	-	3	-	-	2
ST. PETERSBURG	1,482,769	" 11*	1140	856	30'0	-	48	20	19	8	25	122
MOSCOW - -	1,296,000	" 11	-	778	31'3	3	43	5	10	3	6	114
BERLIN - - -	2,090,750	" 11	973	674	16'8	-	4	1	7	5	1	39
HAMBURG - -	840,790	" 25	-	244	15'4	-	-	2	1	3	-	12
BRESLAU - -	484,955	" 18	273	247	26'7	-	2	-	1	3	-	28
MUNICH - - -	548,000	" 25	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,093	" 25	961	704	18'5	-	27	9	6	6	-	45
PRAGUE - - -	466,133	" 4	230	232	25'9	-	5	-	1	-	2	23
BUDA-PESTH -	802,235	" 11	190	243	27'1	-	2	-	1	-	-	23
TRIESTE - - -	200,962	" 18	-	-	-	-	-	-	-	-	-	-
TRIESTE - - -	200,962	" 25	145	85	22'0	1	3	-	1	1	-	3
ROME - - -	540,150	April 6	270	211	20'4	-	-	-	1	-	-	3
VENICE - - -	174,398	May 18	68	41	12'3	-	-	-	-	-	-	4
BUCHAREST -	292,395	" 25	170	145	25'9	-	4	-	1	3	-	8
NEW YORK - -	4,285,435	" 18	-	-	-	-	-	-	-	-	-	-
CHICAGO - - -	2,107,620	" 18	-	707	17'5	-	6	12	10	4	6	25
PHILADELPHIA -	1,500,595	" 11	-	560	19'4	-	1	7	7	3	18	15
RIO DE JANEIRO	912,900	" 5	-	241	20'0	1	-	-	-	-	1†	?

* Excluding deaths from croup in the Indian Cities.

† Including 344 deaths from plague in Calcutta, 188 in Bombay, and 1 in Rio de Janeiro.

‡ Including 35 deaths from cholera in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday 1st June, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	69'8	41'1	54'9	0'67	LEEDS - - -	62'0	41'0	51'0	1'36
BRIGHTON - -	65'4	45'2	55'6	0'30	YORK - - -	62'0	38'0	51'4	1'59
PORTSMOUTH -	67'0	45'5	56'8	0'46	HULL - - -	60'0	39'0	50'5	1'63
NORWICH - - -	64'0	36'2	51'8	1'11	TYNEMOUTH -	61'0	41'0	47'5	1'64
PLYMOUTH - -	64'0	46'0	54'4	0'49	CARDIFF - -	70'8	43'2	54'8	0'75
BRISTOL - - -	68'4	42'0	54'6	0'52	EDINBURGH -	56'3	36'4	45'5	1'09
BIRMINGHAM -	68'7	41'1	53'2	0'92	GLASGOW - -	70'0	37'8	50'0	1'14
NOTTINGHAM -	67'3	40'2	51'7	0'83	DUBLIN { Phoenix Park, Fitz- william Square.†	65'8	40'1	52'9	0'49
LIVERPOOL OBSERVATORY. }	65'0	43'0	52'5	0'84		67'5	47'3	55'3	0'66
MANCHESTER -	64'8	36'8	51'5	1'60		63'8	37'5	51'4	1'31
PRESTON - - -	61'8	40'0	52'5	1'15					
HUDDERSFIELD	64'0	39'0	50'2	1'20					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1° F. Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1907.

MONTH AND
DAY

DATE.	TEMPERATURE (For explanation of symbols, see Note.	Registered Sunshine in hours.	GENERAL REMARKS.
SUNDAY - 26	v. P. and w. N. till 1h. A.M.; w. P. after- wards.	00	Generally overcast.
MONDAY - 27	w. P. throughout.	26	Generally overcast till 2h. P.M.; fine but cloudy afterwards.
TUESDAY - 28	w. P. till 10h. P.M.; m. P. afterwards.	00	Generally overcast.
WEDNESDAY 29	m. P. till 7h. A.M.; w. P. afterwards.	38	Nearly overcast in morning; very fine and variably cloudy after 10h. A.M.
THURSDAY - 30	w. P. generally.	23	Generally overcast; fine interval between 5h. and 8h. A.M.; continuous slight rain after 5h. P.M.
FRIDAY - 31	w. P. generally.	01	Generally overcast; frequent slight rain; occasional lightning at night.
JUNE.			
SATURDAY - 1	v. P. and s. N. till 7h. A.M.; w. P. till noon; v. P. and v. N. till 8h. P.M.; w. P. and w. N. afterwards.	15 Sum 153	Generally overcast; frequent rain; gloomy in forenoon; occasional lightning and fre- quent thunder in afternoon.
No of Cool -	27	28	29

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 159 feet above the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1905. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 8 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.82 in. at the beginning of the week to 30.05 in. by 9h. P.M. on May 28th; it decreased to 29.27 in. by 3h. A.M. on June 1st; and increased to 29.37 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 25th May, 1907.*

BOROUGHs	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	8	2	-	-	-	-	4	-	-
Kensington - - -	181,842	-	13	5	-	2	-	-	2	1	-
Hammersmith - - -	122,337	-	10	-	-	-	-	-	5	-	-
Fulham - - -	166,749	-	4	9	-	3	-	-	5	-	1
Chelsea - - -	74,867	-	9	4	-	5	-	-	5	-	-
City of Westminster - -	172,219	-	13	4	-	2	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	4	4	-	-	-	-	3	-	-
Hampstead - - -	91,137	-	5	2	-	-	-	-	1	1	-
St. Pancras - - -	236,763	-	12	9	-	3	-	-	1	-	-
Islington - - -	347,017	-	30	4	-	3	-	-	6	-	-
Stoke Newington - - -	53,613	-	6	1	-	-	-	-	-	-	1
Hackney - - -	232,993	-	22	5	-	1	-	-	7	-	-
CENTRAL.											
Holborn - - -	55,134	-	5	2	-	1	-	-	1	-	-
Finsbury - - -	96,732	-	17	2	-	-	-	-	3	-	-
City of London - - -	20,310	-	1	-	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	15	7	-	-	-	-	2	-	-
Bethnal Green - - -	130,331	-	25	-	-	-	-	-	8	-	-
Stepney - - -	308,923	-	49	6	-	-	-	-	7	-	-
Poplar - - -	171,086	-	29	12	-	1	-	-	3	-	1
SOUTH.											
Southwark - - -	209,781	-	23	7	-	-	-	-	6	1	-
Bermondsey - - -	128,263	-	15	4	-	1	-	-	2	-	-
Lambeth - - -	318,538	-	21	3	-	-	-	-	6	-	-
Battersea - - -	181,736	-	15	12	-	-	-	-	5	-	1
Wandsworth - - -	281,419	-	22	9	-	1	-	-	1	-	-
Camberwell - - -	277,059	-	22	10	-	2	-	-	9	1	-
Deptford - - -	116,510	-	9	9	-	-	-	-	3	-	-
Greenwich - - -	107,222	-	8	6	-	-	-	-	4	-	-
Lewisham - - -	152,532	-	8	3	-	-	-	-	2	-	-
Woolwich - - -	129,336	-	31	2	-	-	-	-	1	1	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,758,218		-	451	143	-	25	-	-	100	6	4
AGES.											
Ages 0-1 - - -	-	-	7	3	-	-	-	-	5	-	2
" 1-5 - - -	-	-	130	61	-	-	-	-	6	-	1
" 5- - - -	-	-	181	49	-	4	-	-	1	-	1
" 10- - - -	-	-	68	11	-	1	-	-	3	-	-
" 15- - - -	-	-	31	7	-	4	-	-	10	-	-
" 20- - - -	-	-	19	5	-	8	-	-	5	4	-
" 25- - - -	-	-	11	4	-	3	-	-	10	1	-
" 35- - - -	-	-	4	-	-	4	-	-	16	1	-
" 45- - - -	-	-	-	1	-	1	-	-	19	-	-
" 55- - - -	-	-	-	2	-	-	-	-	15	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	10	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 23. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JUNE 8. [Price 1½d.

General Register Office, Somerset House,
June 10th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in **SEVENTY-SIX GREAT TOWNS** of England and Wales corresponded to an annual rate of 13·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·1, 14·9, and 14·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 17·9 in Hanley, 18·8 in Wigan, 19·2 in Merthyr Tydfil, 20·5 in Middlesbrough, 21·1 in Sunderland, 23·1 in St. Helens, 23·6 in Huddersfield, and 23·8 in Tynemouth; from *measles*, 1·9 in Blackburn, 2·1 in Gateshead, 3·1 in Hanley and in Bolton, and 5·1 in Middlesbrough; from *diphtheria*, 1·3 in Portsmouth, in Reading and in Norwich; from *whooping-cough*, 1·3 in Tottenham and Newcastle on Tyne, 1·4 in South Shields, 1·6 in Walsall and in Wallasey, and 1·9 in Tynemouth; and from *diarrhæa*, 1·1 in St. Helens and in Huddersfield. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In **LONDON** 2474 **BIRTHS** and 1209 **DEATHS** were registered. Allowing for increase of population, the births were 49 above and the deaths 14 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·2, 14·4, and 13·0 per 1000 in the preceding three weeks, was 13·2 last week. The death-rate in the four weeks ended last Saturday averaged 14·0 per 1000, being 0·3 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1209 deaths included 61 from measles, 11 from scarlet fever, 10 from diphtheria, 46 from whooping-cough, 2 from enteric fever, 1 from ill-defined pyrexia, and 14 from diarrhoea, but not one death from small-pox, or from typhus; thus, 145 deaths were referred to these diseases in the aggregate, being 6 above the corrected average number in the twenty-third week of the preceding five years.

The deaths from *measles*, which had been 51, 53, and 52 in the preceding three weeks, rose to 61 last week, and were 9 above the corrected average; 12 deaths belonged to the Borough of Lambeth, 7 to Islington, and 5 each to St. Pancras, and Southwark. The deaths from *scarlet fever*, which had been 12, 13, and 13 in the preceding three weeks, were 11 last week, and were 2 above the corrected average. The deaths from *diphtheria*, which had been 11, 12, and 14 in the preceding three weeks, were 10 last week, and were equal to the corrected average. The deaths from *whooping-cough*, which had been 59, 36, and 30 in the preceding three weeks, rose to 46 last week, and were 12 above the corrected average; 6 deaths belonged to Shoreditch, 4 each to Islington and Wandsworth, and 3 each to St. Pancras, Finsbury, Poplar, and Battersea. The deaths from *enteric fever*, which had been 1, 3, and 0 in the preceding three weeks, were 2 last week, and were 3 below the corrected average. The deaths from *diarrhoea*, which had been 21, 14, and 20 in the preceding three weeks, were 14 last week, and were 8 below the corrected average. Of the 14 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 13, 13, and 10 in the preceding three weeks.

Different forms of *violence* caused 36 deaths, concerning all but 1 of which inquests were held. Of these 36 deaths, 7 were cases of suicide, while the remaining 29 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, 2 to the effects of an anæsthetic administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2861 cases of scarlet fever, 918 diphtheria, and of 45 enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 368 cases, against 363, 382, and 437; of diphtheria, 112 cases, against 123, 125, and 129; and of enteric fever, 11 cases, against 10, 11, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 1st, 1907.

GREATER LONDON.

In Greater London 3833 births and 1703 deaths were registered. Allowing for increase of population, these numbers are 103 and 11 above the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 3 from scarlet fever, 4 from diphtheria, 8 from whooping-cough, and 5 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·65 inches, and that of the Thermometer 54°·7, the latter being 3°·5 below the week's average in the 65 years ending 1905. The direction of the wind was South-westerly the horizontal movement of the air being 34 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 25·1 hours; the measured rainfall amounted to 0·42 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	The DEATHS registered in the Week include										Deaths of		Deaths from								Deaths in Public Institutions.		Causes of Death.		TOWNS.																		
	Rate from all causes in 1907. Week ended 8th June, 1907.										Persons aged under 1 year and upwards.										Inquest Cases.		Deaths in Public Institutions.																				
	DEATH-RATES from all causes.										Infants under 1 year of age.										Small-pox.		Measles.								Scarlet fever.		Diphtheria.		Whooping-cough.		Typhoid.		Diarrhoea.		Violence		
	Week ended										1st June, 1907.		8th June, 1907.																														
POPULATION estimated to the middle of the year 1907.*										18th May, 1907.	28th May, 1907.	1st June, 1907.	8th June, 1907.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		76 TOWNS.											
16,024,458										15'1	14'9	14'5	13'7	1'5	8846	4213	860	1150	-	193	30	48	130	13	49	136	230	1074	41	76 TOWNS.		76 TOWNS.											
4,758,218										15'2	14'4	13'0	13'2	1'6	2474	1209	224	343	-	61	11	10	46	3	14	39	100	492	1	LONDON.		LONDON.											
154,342										10'8	13'5	7'8	10'1	1'0	75	30	8	11	-	-	-	-	2	-	1	5	6	8	-	CROYDON.		CROYDON.											
149,182										10'5	8'7	9'1	8'0	0'6	79	23	4	7	-	3	-	-	-	-	-	-	-	1	1	-	WILLESDEN.		WILLESDEN.										
89,816										9'8	7'5	3'5	7'5	0'6	24	13	3	5	-	1	-	-	-	-	-	-	-	1	1	-	HORNSEY.		HORNSEY.										
122,793										9'8	8'1	14'4	14'4	4'2	87	34	10	10	-	4	-	1	3	-	2	1	6	5	-	TOTTENHAM.		TOTTENHAM.											
908,284										14'7	13'2	10'7	11'7	2'2	175	69	21	18	-	3	1	2	3	-	4	4	4	6	19	-	WEST HAM.		WEST HAM.										
136,421										8'4	8'8	7'6	8'8	1'5	60	23	7	3	-	-	1	-	2	-	1	-	1	1	2	-	EAST HAM.		EAST HAM.										
122,040										9'0	11'5	10'3	11'5	2'6	67	27	1	12	-	1	-	1	2	1	1	1	1	1	5	-	LEYTON.		LEYTON.										
126,397										9'1	10'3	8'3	7'0	1'7	66	17	1	6	-	1	-	1	1	-	-	-	-	-	2	-	WALTHAMSTOW.		WALTHAMSTOW.										
67,477										11'6	14'7	15'5	9'3	-	28	12	-	8	-	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.		HASTINGS.										
129,023										10'1	12'9	11'3	7'7	0'8	42	19	5	6	-	2	-	-	-	-	-	-	-	1	4	-	BRIGHTON.		BRIGHTON.										
208,291										14'8	15'0	13'8	16'5	3'0	104	66	15	13	-	5	-	5	2	-	-	-	8	9	11	-	PORTSMOUTH.		PORTSMOUTH.										
69,246										10'5	16'6	8'3	15'8	0'8	32	21	3	6	-	-	-	-	-	-	-	-	-	2	2	6	-	BOURNEMOUTH.		BOURNEMOUTH.									
119,745										12'2	9'1	15'2	10'5	1'3	48	24	6	5	-	-	-	-	1	1	-	1	1	2	4	-	SOUTHAMPTON.		SOUTHAMPTON.										
80,311										11'7	9'1	15'6	9'1	1'3	33	14	2	7	-	-	-	-	-	-	-	-	-	-	4	-	READING.		READING.										
95,070										10'4	12'1	13'2	9'3	0'5	37	17	2	8	-	-	-	-	-	-	-	1	2	2	2	-	NORTHAMPTON.		NORTHAMPTON.										
72,825										15'8	13'6	15'0	13'6	0'7	34	19	3	7	-	-	-	-	-	-	-	-	-	1	4	-	IPSWICH.		IPSWICH.										
52,879										10'8	16'8	12'8	12'8	1'0	28	13	2	3	-	-	-	-	1	-	-	-	-	2	2	2	-	GREAT YARMOUTH.		GREAT YARMOUTH.									
119,191										8'7	17'5	12'2	14'4	1'3	58	33	5	11	-	-	-	-	-	-	-	-	-	-	4	11	-	NORWICH.		NORWICH.									
120,063										16'1	13'5	13'9	10'0	-	59	23	2	8	-	-	-	-	-	-	-	-	-	1	2	5	-	PLYMOUTH.		PLYMOUTH.									
79,959										11'1	13'0	14'3	7'8	-	42	12	1	3	-	-	-	-	-	-	-	-	-	-	2	5	-	DEVONPORT.		DEVONPORT.									
367,979										13'5	9'5	14'5	10'8	0'4	174	76	15	31	-	-	-	-	1	1	-	-	-	-	7	15	-	BRISTOL.		BRISTOL.									
67,174										21'0	24'8	18'6	17'9	3'1	29	23	3	2	-	4	-	-	-	-	-	-	-	1	3	1	2	HANLEY.		HANLEY.									
53,425										14'6	13'7	8'8	4'9	1'0	31	5	2	2	-	-	-	-	-	-	-	-	-	1	1	1	-	BURTON-ON-TRENT.		BURTON-ON-TRENT.									
102,016										10'7	11'8	11'2	11'2	2'0	66	22	6	8	-	-	-	1	2	1	-	-	-	-	4	-	WOLVERHAMPTON.		WOLVERHAMPTON.										
96,171										12'5	15'2	15'7	11'9	2'2	52	22	4	6	-	1	-	-	3	-	-	-	-	-	3	-	WALSALL.		WALSALL.										
65,929										10'3	10'3	7'1	10'3	1'6	33	13	1	5	-	1	-	-	-	-	-	-	-	-	-	3	-	HANDSWORTH.		HANDSWORTH.									
69,123										9'1	13'6	15'1	13'6	1'5	61	18	2	4	-	-	-	-	-	-	-	-	-	-	-	4	-	WEST BROMWICH.		WEST BROMWICH.									

See note t on first page of this

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TOWNS.	Population estimated to the middle of this year 1907.*	Week ended 11-17.				Deaths of 1907.				Deaths from										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Week ended 8th June, 1907.				Week ended 8th June, 1907.				Infants under 1 year of age.	Persons aged 1 year and upwards.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		BIRTHS. DEATHS.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.			Whooping-cough.	Typhoid.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		1st Mo. 1907.	2nd Mo. 1907.	3rd Mo. 1907.	4th Mo. 1907.					1.	2.								3.		4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
COLS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively. ‡ Including 5 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 15 in Glasgow, and 10 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2314	2646	2445	2276	2624	2308	2584	2578	2233	2145	2425.0	2474
Males -	1208	1385	1206	1185	1376	1176	1319	1313	1198	1108	1239.1	1279
Females -	1106	1261	1239	1091	1248	1132	1265	1265	1095	1037	1185.9	1195
TOTAL Deaths -	1177	1411	1365	1398	1236	1305	1095	1187	1236	1150	1222.5	1209
Males -	649	732	710	769	651	719	609	637	653	620	662.7	618
Females -	528	679	655	629	585	586	486	550	583	530	559.8	591

* The numbers in this column are the average weekly numbers in the twenty-third week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 16.	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	13 Weeks
TOTAL Births -	2390	2548	2236	2387	2532	2577	2452	2352	2537	2499	2258	2464	2474	31706
TOTAL Deaths -	1696	1483	1586	1627	1495	1469	1423	1364	1431	1383	1316	1190	1209	18672
Under 1 year -	328	293	311	303	264	276	265	257	275	274	251	203	224	3524
1-5 years -	193	167	220	249	237	173	212	188	176	192	160	164	170	2481
5-20 " -	101	73	74	86	75	75	80	78	96	69	90	73	63	1038
20-40 " -	191	181	199	189	202	179	186	171	162	191	152	137	143	2283
40-80 " -	363	279	337	304	280	301	260	273	283	274	274	240	261	3729
80 yrs. & upwds	520	490	445	496	437	465	420	417	439	383	389	373	343	5617
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	636
Measles	57	29	59	63	45	40	47	40	39	51	53	52	61	127
Scarlet Fever	8	6	8	13	9	9	8	8	9	12	13	13	11	171
Diphtheria	15	12	16	19	8	10	16	13	15	11	12	14	10	692
Whooping-cough	42	36	71	63	60	50	67	69	63	59	36	30	46	37
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Enteric Fever	-	6	1	4	5	6	3	2	4	1	3	-	-	1
Pyrexia (origin uncertain)	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Diarrhoea, Dysentery	13	15	14	11	18	13	14	18	9	21	14	20	14	194
All above Diseases -	136	104	169	173	145	128	155	150	139	155	131	129	145	1859
Dis. of Resp. System	207	173	177	187	147	133	128	121	107	86	93	81	74	1614
Pneumonia	196	180	177	225	208	193	167	161	155	149	137	111	112	2171
Phthisis	157	136	161	151	157	135	133	127	147	147	139	120	138	1851
Dis. of Circ. System	228	182	197	209	181	212	191	194	207	185	180	170	188	2524
Violence	51	66	64	64	50	52	63	61	54	69	49	51	36	721
Inquest Cases	139	157	153	168	133	148	136	141	136	173	117	118	100	1817
Deaths in Institutions	634	552	622	626	584	591	565	558	550	565	494	490	492	7323
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean -	42.3	46.1	46.5	49.6	44.1	43.7	49.4	46.4	56.0	53.2	50.6	53.4	54.7	49.0
Mean of Highest	49.7	55.1	60.3	62.0	53.7	53.1	58.0	54.9	66.8	62.1	62.2	62.3	63.6	58.8
Mean of Lowest	36.0	37.4	31.1	37.8	37.9	36.0	43.2	40.3	45.8	47.0	41.1	47.1	48.7	40.7
Mean Humidity of the Air	74	64	71	69	88	76	79	69	72	72	78	83	75	74
Rain-fall (in inches)	0.40	0.13	0.00	0.17	1.42	0.63	0.90	0.59	0.36	0.35	0.35	0.67	0.42	6.39
Registered Sunshine (in hours)	27.0	50.5	53.5	43.6	18.8	27.7	31.4	41.6	50.2	39.5	28.2	15.3	25.1	452.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK														Means.
Small-pox	-	-	-	-	-	-	1	1	1	-	-	-	-	-
Scarlet Fever	2826	2734	2657	2621	2637	2628	2649	2672	2658	2679	2732	2824	2861	2706
Diphtheria	983	1006	1014	996	992	997	949	915	911	921	927	935	918	959
Typhus	4	3	1	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever	96	94	93	82	75	69	66	60	54	53	52	47	45	68

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; A. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Gunn, Esq., M.D., Preston; Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-THIRD Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 23rd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 23rd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.						
ALL CAUSES	1222.5	1200	224	170	68	143	261	343	Meningitis (not tubero.)	14.5	14	6	3	5	-	-	-	-	-	-
									Gen. Par. of Insane, Insanity	11.5	15	-	-	1	1	8	-	-	-	
Small-pox*	5.9	-	-	-	-	-	-	-	Epilepsy	5.7	5	-	-	-	3	2	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	17.4	12	12	-	-	-	-	-	-	-	
Measles (Morbilli)	51.6	61	13	46	2	-	-	-	Locomotor Ataxy	1.4	1	-	-	-	1	-	-	-	-	
Scarlet Fever	9.4	11	1	6	4	-	-	-	Paraplegia, Dis. of Cord	5.3	3	-	-	-	1	-	-	-	2	
									Nervous Sys., Other Dis.	17.8	14	-	-	1	1	3	9	-	-	
									Valv. Dis., Endocarditis	37.9	43	-	-	5	9	7	22	-	-	
Typhus	-	-	-	-	-	-	-	-	Cereb. Hem. Cereb. Emb.	33.6	39	-	-	-	1	15	23	-	-	
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	15.1	5	-	-	-	-	2	3	-	-	
Influenza	8.6	9	-	-	-	1	5	3	Aneurysm	5.3	4	-	-	-	-	3	1	-	-	
Whooping-cough	34.0	46	22	24	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.2	5	-	-	-	-	4	1	-	-	
Diphtheria	10.2	10	-	7	3	-	-	-	Heart & Blood Vess., Other Dis.	76.5	92	-	-	5	8	19	60	-	-	
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.4	-	-	-	-	-	-	-	-	-	
Pyæmia† (origin uncertain)	-	1	1	-	-	-	-	-	Bronchitis	55.7	58	9	11	-	2	7	29	-	-	
Enteric Fever	5.1	2	-	-	2	-	-	-	Emphysema, Asthma	3.1	-	-	-	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Pleurisy	4.3	11	-	2	1	2	6	-	-	-	
Epidemic Diarrhoea, Infective Enteritis	8.8	5	4	1	-	-	-	-	Respiratory Dis., Other	6.8	5	-	1	1	-	2	1	-	-	
Diarrhoea, Dysentery	13.5	9	5	-	-	2	1	1	Tonsillitis, Quinsy	0.4	1	-	1	-	-	-	-	-	-	
Cetanus	1.0	-	-	-	-	-	-	-	Enteritis (not Epid.)	6.3	9	5	2	-	-	-	2	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-enteritis	3.1	5	4	-	-	1	-	-	-	-	
Handers	0.2	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	3.1	-	-	-	-	-	-	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Cirrhosis of Liver	12.1	8	-	-	1	-	3	4	-	-	
Veneral Dis.	7.6	3	3	-	-	-	-	-	Liver Dis., Other	5.3	4	-	-	-	-	1	3	-	-	
Puerperal Septicæmia	2.5	2	-	-	2	-	-	-	Digestive Sys., Other Dis.	33.8	23	1	-	4	4	6	8	-	-	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Acute Nephritis	4.3	8	-	2	1	1	1	3	-	-	
Puerperal Fever	-	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	33.8	34	-	-	-	5	16	13	-	-	
Infective Endocarditis	3.9	5	-	-	1	3	1	-	Urinary Sys., Other Dis.	9.2	7	-	-	-	-	2	5	-	-	
Lobar	12.7	24	2	5	1	4	11	1	Generative Organs Dis.	3.5	4	-	-	-	2	2	-	-	-	
Broncho-	39.3	37	16	15	-	1	2	3	Childbirth (Accid. of)	3.3	2	-	-	-	1	1	-	-	-	
Epidemic	-	-	-	-	-	-	-	-	Old Age	40.9	47	-	-	-	-	-	-	47	-	
Not defined	49.9	51	6	8	2	8	17	10	Other Diseases	75.8	66	43	4	4	4	4	7	-	-	
Erysipelas	3.3	4	-	-	-	1	-	3	ACCIDENT.											
Septicæmia (not Puerperal)	1.2	3	-	1	1	-	-	1	By Railways	1.8	-	-	-	-	-	-	-	-	-	
Pyæmia (not Puerperal)	0.4	-	-	-	-	-	-	-	By Vehicles and Horses	9.0	6	-	1	3	1	1	-	-	-	
Other Infective Processes	5.3	2	-	-	1	-	-	1	In Ships, Boats, Docks, (exclusive of Drowning)	0.4	-	-	-	-	-	-	-	-	-	
Tuberculous Phthisis	72.0	86	2	2	9	36	28	9	In Building Operations	1.2	1	-	-	-	1	-	-	-	-	
Phthisis	56.1	50	1	1	3	16	22	7	In Conflagrations	0.4	-	-	-	-	-	-	-	-	-	
Tuberculous Meningitis	26.2	19	6	11	1	1	-	-	By Burns, Scalds, Explosions	4.7	2	-	2	-	-	-	-	-	-	
Tuberculous Peritonitis	7.0	9	3	4	1	1	-	-	By Drowning	5.3	2	-	-	-	1	1	-	-	-	
Tabs Mesenterica	3.1	-	-	-	-	-	-	-	By Suffocation in Bed	7.6	5	5	-	-	-	-	-	-	-	
Tuberculous Dis., Other	17.4	15	2	7	-	2	4	-	By Poisons or Poisonous Vapours	1.6	4	-	1	-	2	1	-	-	-	
Scrophula	0.2	-	-	-	-	-	-	-	Other Deaths by Accident	15.1	9	-	-	-	1	2	6	-	-	
Alcoholism	11.3	11	-	-	-	2	8	1	VIOLENCE OTHER THAN ACCIDENTAL.											
Rheumatic Fever	3.5	6	-	1	3	2	-	-	Homicide	2.0	-	-	-	-	-	-	-	-	-	
Gout	2.3	1	-	-	-	-	-	1	Suicide	14.7	7	-	-	-	-	3	3	1	-	
Sarcoma	47.5	49	-	-	-	4	22	23	Execution	-	-	-	-	-	-	-	-	-	-	
Sarcoma	7.2	8	-	1	2	1	2	2												
Cancer (undefined)	31.7	34	-	-	-	-	15	19												
Diabetes Mellitus	7.6	4	-	-	-	1	3	-												
Premature Birth	42.8	52	52	-	-	-	-	-												

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th June, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include,															Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,586,429	2474	1209	224	343	-	61	11	10	46	-	2	1	14	36	100	492		
WEST DISTRICTS - - -	805,311	367	206	33	68	-	7	-	-	4	-	-	-	2	5	14	83		
NORTH DISTRICTS - - -	1,056,070	471	259	48	76	-	16	4	-	10	-	1	-	4	14	32	96		
CENTRAL DISTRICTS - - -	209,465	133	77	22	17	-	1	-	-	4	-	-	-	1	1	4	41		
EAST DISTRICTS - - -	715,739	461	203	42	58	-	4	1	2	13	-	-	-	1	7	23	92		
SOUTH DISTRICTS - - -	1,749,844	1042	425	79	107	-	33	6	8	15	-	1	1	3	9	27	141		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	39	-	17	-	-	-	-	-	-	-	-	3	-	-	39		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -	93,178	52	17	7	5	-	-	-	-	-	-	-	-	-	1	2	8		
St. John Paddington H - - -	33,617	7	9	1	3	-	-	-	-	-	-	-	-	-	-	-	3		
North-West Paddington - - -	17,181	17	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H -	128,037	48	25	3	9	-	1	-	-	-	-	-	-	-	-	-	8		
Brompton 2H- - -	48,591	13	7	1	2	-	1	-	-	-	-	-	-	-	-	1	1		
North Hammersmith 2W,w,H -	49,192	30	17	1	9	-	-	-	-	-	-	-	-	-	-	1	7		
South Hammersmith w,2H -	63,047	31	25	1	10	-	-	-	-	-	-	-	-	-	1	2	11		
North-west Fulham W - - -	45,180	29	12	3	2	-	2	-	-	1	-	-	-	1	-	-	7		
North-east Fulham F - - -	46,406	23	7	3	1	-	1	-	-	-	-	-	-	-	1	1	-		
South Fulham W - - -	45,704	34	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W,w,3H - - -	42,514	20	29	4	9	-	1	-	-	1	-	-	-	-	-	2	23		
Chelsea South W,2H - - -	31,328	19	11	2	3	-	-	-	-	1	-	-	-	-	1	3	2		
Mayfair and Knightsbridge -	28,743	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	55,815	19	23	3	7	-	1	-	-	1	-	-	-	1	1	2	9		
St. Margaret & St. John 5H -	43,698	14	10	2	3	-	-	-	-	-	-	-	-	-	-	-	4		
St. James and St. Anne W,6H -	33,081	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - -	35,991	14	17	2	3	-	-	-	-	-	-	-	-	1	2	1	9		
St. Mary Marylebone W,4H -	37,948	49	9	3	4	-	-	-	-	-	-	-	-	-	1	1	2		
Christchurch Marylebone -	39,536	20	6	1	1	-	-	1	-	1	-	-	-	-	1	1	-		
St. John Marylebone 2H - -	20,426	3	3	-	1	-	-	-	-	1	-	-	-	-	-	1	1		
Hampstead W,F,7H - - -	81,942	27	17	4	4	-	2	1	-	-	-	-	-	-	-	-	7		
West St. Pancras 2H - - -	60,562	26	14	4	3	-	2	-	-	-	-	-	-	-	2	3	1		
South St. Pancras w,11H -	55,707	19	18	3	7	-	-	-	-	2	-	-	-	-	2	3	13		
East St. Pancras W,2H - -	60,320	22	15	2	3	-	1	-	-	-	-	-	-	-	2	2	5		
North St. Pancras 2W - - -	58,728	23	16	3	3	-	1	-	-	-	-	-	-	1	-	-	7		
Tufnell W - - -	31,995	10	16	1	7	-	3	-	-	2	-	-	-	-	-	-	15		
Upper Holloway 2W,u,H -	33,978	20	15	2	5	-	1	-	-	-	-	-	-	1	1	2	14		
Tollington W,w,H - - -	33,922	17	10	3	4	-	-	-	-	-	-	-	-	-	1	3	-		
Lower Holloway - - -	41,424	18	10	1	-	-	2	-	-	-	-	-	-	-	-	2	-		
Barnsbury - - -	54,478	35	12	2	3	-	-	-	-	2	-	-	-	-	-	1	-		
Islington South-east F - -	75,397	28	7	1	2	-	1	-	-	-	-	-	-	-	-	-	-		
Highbury 2H - - -	63,797	22	7	1	2	-	-	-	-	-	-	-	-	-	1	-	-		
Stoke Newington H - - -	51,247	15	5	1	4	-	-	-	-	1	-	-	-	-	-	-	-		
North Hackney - - -	50,560	16	7	-	3	-	-	-	-	-	-	-	-	-	1	1	-		
Central Hackney 2w,F - -	50,538	22	13	3	4	-	1	2	-	-	-	1	-	1	-	1	3		
South-west Hackney 3H - -	58,821	31	18	6	4	-	-	-	-	-	-	-	-	-	2	4	6		
South-east Hackney 2W,w,H -	58,255	34	26	5	9	-	1	-	-	1	-	-	-	-	2	3	13		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th June, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death.
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W,2H -	31,436	10	6	3	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Strand W,4H - - - - -	21,674	5	11	4	3	-	-	-	-	-	-	-	-	-	-	1	1	7
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Holborn W,6H - - - - -	29,612	19	19	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South Clerkenwell - - - - -	28,676	22	5	-	2	-	-	-	-	-	1	-	-	-	-	-	-	13
North Clerkenwell H - - - - -	35,028	30	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury 3H,L - - - - -	38,116	37	10	2	5	-	1	-	-	-	1	-	-	-	-	-	1	-
Holborn Union Workhouse, } Mitcham - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph H - - - - -	10,299	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W,2H	16,824	3	16	4	-	-	-	-	-	-	2	-	-	-	-	1	14	-
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																		
Shoreditch South H - - - - -	46,362	26	8	-	1	-	-	-	-	-	2	-	-	-	-	-	1	-
Shoreditch North-West W,w,H -	36,127	24	19	6	7	-	-	-	-	-	2	-	-	-	-	1	4	13
Shoreditch North-East - - - - -	34,148	11	8	5	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North-East 2W } 2HL - - - - -	65,138	30	25	7	4	-	-	-	-	1	-	-	-	-	1	-	-	15
Bethnal Green South-West H - - -	61,542	40	11	-	6	-	1	-	-	-	-	-	-	-	-	1	2	-
Spitalfields - - - - -	27,969	16	6	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-
Mile End New Town W,H - - - -	28,718	24	31	6	6	-	-	-	1	1	-	-	-	-	-	2	2	26
Goodman's Fields - - - - -	22,081	8	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W - - -	40,068	54	11	4	2	-	1	-	1	-	-	-	-	-	-	-	1	6
Shadwell and Ratcliff W,H - - -	25,568	10	8	2	1	-	-	-	-	-	2	-	-	-	-	1	1	4
Limehouse W - - - - -	32,360	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mile End Old Town South- } Western H - - - - -	63,698	58	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Mile End Old Town North- } Eastern W,w - - - - -	49,129	26	13	1	8	-	-	-	-	-	-	-	-	-	-	-	1	6
Bow L - - - - -	41,969	27	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Bromley 3w,H - - - - -	68,319	46	34	2	15	-	1	-	1	-	-	-	-	-	-	1	4	22
Poplar W,w - - - - -	58,514	45	11	2	1	-	1	-	-	1	-	-	-	-	-	-	3	-

REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	Total Deaths.	The DEATHS registered during the Week include												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death	
				Total Deaths.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Etiaria (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhea				Violence.
SOUTH DISTRICTS.																			
Christchurch and St. Saviour	23,319	8	26	2	4		4	-	1	1					2	2	17		
Southwark W,2H	21,904	16	6	4	1														
Kent-road	39,094	26	11	4	2											1	4		
St. George the Martyr West	49,022	30	7	1	2		1			1									
W,2H,L	72,841	51	10	5	3											1	1		
Newington North																			
Newington South W																			
St. Olave 2W	9,817	8	2	1												1			
Bermondsey W	32,483	57	15	6	2		1			1					1	1			
Rotherhithe W,F	38,480	24	15	-	5		2								1	1	11		
Waterloo 2H	27,440	26	7	1	1		3										2		
Lambeth Church H	27,440	14	25	2	3		1			1					1	2	14		
Kennington 2W	52,518	39	14	1	5		3										8		
Stockwell HF	63,826	47	12	3	-		4	2	1								4		
Brixton H	73,673	27	13	4	7												1		
Norwood WH	56,998	23	7	2	2		1									1			
East Battersea H	72,203	50	14	6	2		2			2					1	2			
North-west Battersea	49,656	23	4	1	1											1			
South-west Battersea 2W,H	47,048	15	18	3	7					1						1	11		
Clapham 2H	51,361	40	7	4	2					1									
Streatham W,2w,F,2L	88,019	52	21	4	4		12			1					2	4	3		
Springfield 2W,L	27,959	16	9	2	5											3			
Southfields H	40,444	34	10	2	3					1									
Putney -	24,139	6	6	1	1														
Dulwich	13,359	3	-	-	-														
Camberwell South W,w	40,206	21	22	-	8												19		
Camberwell North W,2L	85,584	30	24	3	6		2			1							12		
St. George	47,331	32	5	2	1														
Peckham North	48,913	29	12	1	2		1		1										
Peckham South 2W,w	43,946	24	5	1	2					1									

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS AND DEATHS registered during the Week ended Saturday 8th June, 1907.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of	Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence			
LONDON—OUTER RING	368 302	2,044,973	1,359	494	120	157			22	5	9	21	2	14	22	41	78	3
Carshalton 2F,3H	12,228	32,997	25	3	1	1												
Epsom, part of* W, w, 2F, H	10,423	15,548	4	2	1	1												
Godstone, part of* W, F, L	2,764	2,692	3	1													1	
Coulsdon	11,069	8,166	5	3														
South Croydon w	4,200	49,309	26	10	4	2						1						
West Croydon 3W, F, H	2,168	42,888	25	11		6								2	3	3		
North Croydon H	2,644	41,698	24	9	4	2						1		1	1	1	8	
Penge w, H	770	22,465	8	3		3												
Mitcham	11,711	30,015	35	13	4	4						1			1	2		
Wimbledon F, 3H	3,221	41,652	17	6	3	2		1										
Kingston 2W, H	6,224	42,068	25	8	4	2								1	4	6	5	
Surbiton F, H	3,046	15,017	13	1		1												
Esher, part of* H	5,402	13,100	10	3	1	1												
Hampton H, F, L	4,584	23,456	12	3		2						1						
Richmond W, H	2,162	28,865	11	15	3	6											2	
Mortlake F	2,847	20,828	10	8	2	3			1							2	1	
Bromley F, 2H	4,703	27,354	13	2	1	1												
Beckenham H	7,825	28,497	15	2		1												
Orpington part of* W	10,113	9,857	7	2		1											1	
Chislehurst 2H	7,333	16,446	6	2														
Bexley w, F, H	8,678	21,151	13	4				1										
Erith F, H	3,854	25,296	16	4	3	1						1		1				
Dartford W, F, part of*																		
Sunbury w	11,054	18,683	24	1											1	1		
Staines W, H	13,277	15,178	11	1	1													
Hillingdon W, F, H	6,035	13,661	11	4														
Uxbridge H	12,757	8,984	8	3							1							
Hayes w, 2F, H	8,066	16,358	17	6		4												
Isleworth 3W, 3F, H	6,869	30,863	23	12	4	2		1						1			5	
Twickenham F, 2H	2,421	20,991	18	4	4													
Brentford 3F, 2H	4,319	45,289	42	14	2	6												1
Chiswick H	1,249	29,809	15	8	2	1		2	1							1		
Acton w, F, 3H	6,132	48,914	49	11	3	3			1					1	1	1		
Harrow F, H	13,809	25,523	16	6	4							1						1
Edgware 2F, 2H	6,984	4,521	2	1														1
Willesden W, F, 2H	4,384	114,811	79	23	4	7		3							1	1		
Hendon W, F	8,382	22,450	16	2							1							
South Mimms 2F, H	17,755	7,308	4	1		1												
Barnet W, 2H	3,324	17,970	10	9	4	4												
Finchley F, 2H	4,688	35,692	19	8	1	1		2								1		
Hornsey F, H	2,875	72,056	24	12	3	5		1										
Wood Green H	1,825	34,233	26	6	1			1							1	1	1	
West Tottenham	996	48,853	31	9	3	2								1				
East Tottenham 2H	2,017	53,688	56	27	7	5		4				3		1	2	6	7	
Edmonton W, w, 2F	7,491	61,882	55	20	4	8					1	2			1		2	
Enfield 2W, F, H	12,601	42,738	24	14	2	9					1						7	
Waltham Abbey F	11,017	6,549	4	3		3												
Cheshunt F, H	8,479	12,292	6	5	4	1								1				
Hatfield, part of* W	3,305	864		1														
Bushey H	9,333	9,173	5	1	1													
Watford W, 2F part of*																		
Stratford H	1,072	44,827	25	4	1										1	2	3	
Plaistow F, 3H	1,249	90,921	65	27	11	6		1	1	2		2		2	2	2	3	
Canning Town H	1,556	70,718	59	12	5			2				1		1	1	2		
Forest Gate w	806	80,882	26	13	3	5												
North East Ham w, H	1,333	58,676	34	12	5	1						1						
South East Ham 2F	1,993	37,342	26	10	2	2			1			1		1		1	1	
Wanstead F	1,379	9,179	3	3		2								1				
South Leyton 2W	631	50,467	32	16	1	10		1							1	1	7	
North Leyton 2W, w, F	1,963	48,445	35	25	1	8					1	2	1	2			12	
Walthamstow 2H, L	6,504	108,929	71	15	1	6		1				1	1					
Chigwell 2F, 3H	11,778	16,397	8	4		1					1						2	
Bppling W, F, part of*																		
Romford, part of* W, 2F	6,556	6,091	8	5	1	3									1	1	3	
Ilford F, L	8,496	41,234	32	15	4	6						2				1	2	
Barking Town F	3,803	21,547	17	3		1												
N.E. Hospital, Tottenham	—	—	—	1							1						1	
Middlesex County Lunatic Asylum, Napsbury.	—	—	—	1													1	
Essex County Lunatic Asylum, Brentwood.	—	—	—	1		1											1	

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Earley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	June	8	2474	1209	13·2	-	61	11	10	46	3	14
CALCUTTA - -	977,822	May	11	-	749	45·9	44	1	-	1	1	369†	100†
BOMBAY - -	982,000	"	21	324	681	36·2	1	2	-	-	-	190†	50
MADRAS - -	548,974	"	10	878	18	32·4	1	4	?	?	?	82	50†
PARIS - -	2,722,731	June	1	955	886	16·9	2	10	5	8	4	6	21
BRUSSELS - -	623,077	"	1	192	140	11·7	-	-	2	-	-	3	5
ANTWERP - -	304,032	"	1	139	71	12·1	-	1	-	1	-	-	7
AMSTERDAM -	565,368	"	1	287	138	12·7	-	7	2	-	2	-	8
COPENHAGEN -	433,000	"	1	205	140	16·9	-	2	-	1	4	-	5
STOCKHOLM -	324,488	May	25	150	85	13·3	-	-	-	-	-	-	4
CHRISTIANIA -	226,774	June	1	92	65	14·9	-	-	-	3	-	-	2
ST. PETERSBURG	1,482,769	May	18	706	777	27·3	-	59	16	20	3	18	92
MOSCOW - -	1,296,000	{	18	-	757	30·5	2	23	7	7	6	5	102
		{	25	-	602	24·2	3	15	7	5	4	2	88
BERLIN - -	2,092,507	"	18	950	724	18·0	-	4	5	9	7	-	71
HAMBURG - -	840,790	June	1	-	210	13·2	-	-	1	1	1	-	14
BRESLAU - -	464,355	May	25	-	204	22·1	-	-	-	-	-	-	31
MUNICH - -	548,000	{	25	284	191	18·1	-	6	1	2	2	-	19
		{	1	-	188	17·8	-	4	-	3	1	2	33
VIENNA - -	1,979,003	"	1	949	657	17·3	-	27	3	6	3	1	35
PRAGUE - -	466,133	May	18	219	223	25·7	-	2	-	3	1	1	31
BUDA-PESTH -	802,235	"	18	-	-	-	-	-	-	-	-	-	-
TRIESTE - -	200,962	June	1	124	92	23·8	-	-	-	-	3	1	2
ROME - -	540,150	April	13	279	214	20·7	-	1	-	6	4	2‡	1
VENICE - -	174,398	May	25	60	61	18·2	-	-	-	2	-	-	9
BUCHAREST -	292,395	June	1	177	182	32·4	-	6	-	-	2	2	12
NEW YORK - -	4,285,435	{	18	2017	1471	17·9	-	19	21	32	7	18	57
		{	25	1988	1447	17·6	-	19	15	27	14	8	64
CHICAGO - -	2,107,620	"	25	-	641	15·9	-	15	11	8	3	2	30
PHILADELPHIA -	1,500,595	"	18	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	912,900	"	12	-	229	19·0	1	-	-	1	2	1	?

* Excluding deaths from croup in the Indian Cities.

† Including 294 deaths from plague in Calcutta, and 121 in Bombay.

‡ Including 55 deaths from cholera in Calcutta, and 1 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th June, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	69·5	45·2	56·1	0·42	LEEDS - - -	70·0	43·0	51·3	0·73
BRIGHTON - -	60·4	45·1	54·5	0·24	YORK - - -	67·7	41·2	53·3	0·59
PORTSMOUTH -	62·7	47·8	55·5	0·08	HULL - - -	69·0	40·0	51·8	0·31
NORWICH - -	68·4	44·0	54·1	0·64	TYNEMOUTH -	61·0	33·0	50·1	0·61
PLYMOUTH - -	60·2	48·0	53·8	0·24	CARDIFF - -	65·1	43·8	53·9	0·81
BRISTOL - -	67·0	45·3	54·4	0·46	EDINBURGH -	69·4	39·7	49·4	0·51
BIRMINGHAM -	64·8	42·4	52·3	0·18	GLASGOW - -	60·6	43·0	50·5	1·17
NOTTINGHAM -	71·1	43·0	53·8	0·39	DUBLIN { Phoenix Park. Fitz- william Square.†	61·7	39·6	52·7	1·54
LIVERPOOL -	62·0	44·0	52·8	1·29		61·9	45·1	51·2	1·18
OBSERVATORY. }	64·8	40·6	51·7	2·13					
MANCHESTER -	64·5	44·0	52·8	2·08	BELFAST - -	63·0	40·5	50·6	1·31
PRESTON - -	64·0	39·8	51·9	0·89					
HUDDERSFIELD -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the, corresponding period to the above was 1°·8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 8th June, 1907.
[Under the Superintendence of the Astronomer Royal.]

1907.		Phases of the Moon.	TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge, surface 5 inches above the Air of Ground.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
MONTH AND DAY	BAROMETER.		Of the Air.		De- pature from Average value, 65 years.	Of the Dew point.		Difference between the Air Temperature and Dew Point Temperature.		Degree of Humidity (Saturation, 100°).	Of Radiation.		Of the Earth 3 feet below surface.		General Direction.		Pressure on the Square Foot.				Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			High- est.	Low- est.		Daily Range.	Mean daily value.	Great est.	Least.		Highest in Sun's Rays.	Lowest in Grass.	A.M.	P.M.	Great- est.	Mean of 24 hourly obs.	Horizontal Movement of air on each Day.	Vertical Movement of air on each Day.			Miles.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
JUNE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										</

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.37 in. at the beginning of the week to 29.64 in. by 1h. A.M. on the 3rd; decreased to 29.57 in. by noon on the same day; increased to 29.84 in. by 9h. A.M. on the 4th; decreased to 29.50 in. by 5h. A.M. on the 6th; increased to 29.80 in. by 9h. A.M. on the 8th; and decreased to 29.72 in. by midnight on the same day.

ERRATA.—Report for week ending 1907, May 11th. Col. 17, May 5th, for 47.59, read 47.08. Col. 17, mean for week, for 45.36, read 45.29.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st June, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - - -	149,909	-	8	6	-	-	-	-	6	1	-
Kensington - - - -	181,842	-	15	4	-	1	-	-	1	-	-
Hammer-smith - - -	122,337	-	10	4	-	-	-	-	-	-	-
Fulham - - - - -	168,749	-	3	10	-	-	-	-	1	-	-
Chelsea - - - - -	74,857	-	3	5	-	-	-	-	1	-	-
City of Westminster -	172,219	-	10	2	-	-	-	-	6	-	-
NORTH.											
St. Marylebone - - -	127,718	-	4	-	-	-	-	-	1	-	-
Hampstead - - - -	91,137	-	5	2	-	-	-	-	1	-	-
St. Pancras - - - -	236,753	-	16	6	-	-	-	-	2	-	-
Islington - - - - -	347,017	-	28	12	-	-	-	-	5	-	-
Stoke Newington - - -	53,613	-	2	-	-	1	-	-	5	-	-
Hackney - - - - -	232,993	-	23	5	-	-	-	-	5	-	-
CENTRAL.											
Holborn - - - - -	55,134	-	3	4	-	-	-	-	2	-	-
Finsbury - - - - -	96,732	-	20	1	-	-	-	-	1	-	-
City of London - - -	20,310	-	2	-	-	-	-	-	1	-	-
EAST.											
Shoreditch - - - - -	115,662	-	18	4	-	-	-	-	1	1	-
Bethnal Green - - -	130,831	-	17	4	-	1	-	-	7	-	1
Stepney - - - - -	308,923	-	45	11	-	-	-	-	9	-	-
Poplar - - - - -	171,086	-	26	6	-	1	-	-	1	-	-
SOUTH.											
Southwark - - - - -	209,781	-	19	6	-	2	-	-	8	-	-
Bermondsey - - - -	128,263	-	14	5	-	-	-	-	4	-	-
Lambeth - - - - -	318,538	-	26	4	-	2	-	-	5	2	-
Battersea - - - - -	181,736	-	30	7	-	-	-	-	2	-	-
Wandsworth - - - -	281,419	-	37	15	-	-	-	-	5	2	-
Camberwell - - - -	277,069	-	23	11	-	2	-	-	1	1	-
Deptford - - - - -	116,510	-	8	8	-	1	-	-	2	1	-
Greenwich - - - - -	107,222	-	15	9	-	1	-	-	4	-	-
Lewisham - - - - -	162,532	-	11	4	-	-	-	-	2	-	-
Woolwich - - - - -	129,336	-	16	8	-	-	-	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	457	160	-	12	-	-	86	8	1
Ages											
0-1 - - - - -	-	-	5	4	-	-	-	-	2	-	1
" 1-5 - - - - -	-	-	145	59	-	-	-	-	2	-	-
" 5- - - - -	-	-	161	64	-	4	-	-	5	-	-
" 10- - - - -	-	-	76	21	-	-	-	-	1	-	-
" 15- - - - -	-	-	26	5	-	1	-	-	6	-	-
" 20- - - - -	-	-	15	2	-	-	-	-	7	3	-
" 25- - - - -	-	-	21	4	-	3	-	-	9	5	-
" 35- - - - -	-	-	6	-	-	2	-	-	18	-	-
" 45- - - - -	-	-	1	1	-	1	-	-	15	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	15	-	-
" 65 and upwards -	-	-	-	-	-	1	-	-	6	-	-
Age not stated - - -	-	-	1	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MAY, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th June, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of May.

Fourteen samples were taken in the Kent area and thirteen in each of the remaining seven districts, making a total of 105 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	May 6th. Cab Rank, Horse Guards, Whitehall.	10·4	28·10	·252	·024	0	·205	·229	1·75	19·1
West Middlesex - -	May 6th. Cab Rank, Riding House Street.	10·2	27·70	·215	·021	0	·191	·212	1·75	18·9
Southwark - - - -	May 6th. Cab Rank, High Street, Peckham.	11·0	29·48	·218	·019	0	·236	·255	1·8	19·1
Grand Junction - -	May 6th. Cab Rank, Portman Street, Oxford Street.	10·4	28·20	·188	·020	0	·202	·222	1·7	18·9
Lambeth - - - -	May 6th. Cab Rank, Station Road, Brixton.	10·6	29·32	·241	·022	0	·240	·262	1·85	19·4
LEA, THAMES & WELLS.										
New River - - - -	May 6th. Cab Rank, by St. Clement Danes Church.	11·0	30·74	·145	·014	0	·249	·263	1·85	20·9
Eastern - - - -	May 6th. Cab Rank, High Street, Shoreditch.	11·0	27·38	·223	·023	0	·177	·200	1·7	18·1
DEEP WELLS.										
Kent - - - -	May 6th. Cab Rank, Jerningham Road, near New Cross Station.	12·0	41·96	·045	·005	0	·535	·540	2·4	28·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the Horse Guards cab rank on the 6th May, had a temperature of 9·4° C.; 100,000 lbs. of it contained 28·10 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·252 lb. of carbon and ·024 lb. of nitrogen. The above quantity of water also contained ·205 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·229 lb. The above weight of water also contained 1·75 lbs. of chlorine and 19·1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 6th May were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December 1876 as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was:—Kent, 0·8; New River, 2·7; Grand Junction, 3·5; West Middlesex and Southwark, 4·0; Eastern, 4·2; Lambeth, 4·5; and Chelsea, 4·7.

The supplies of the five district works which deliver filtered Thames water all contained slightly more organic impurity than was found in the April examination, but all the samples taken on the 6th May were clear and of good quality.

The New River district water, sampled on the 6th May, contained more organic matter than had been found in the corresponding analyses in the three previous months, but the actual amount was decidedly less than in any of the supplies drawn exclusively from the Thames. The water was clear and of good quality.

The Eastern district supply was sampled in the area now being furnished with Staines stored water; it was clear and of good quality.

The deep well water from the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent district water was colourless, whilst that from the seven districts supplied with filtered river water had a very pale yellow tint.

In addition to the above analytical examination the 105 samples, collected during the month at various places in the Water Board's districts have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·135	·098	·117	·146	·106	·130	0	0	0	·0105	·008	·009
West Middlesex	·106	·084	·096	·116	·097	·106	0	0	0	·0085	·008	·008
Southwark	·120	·075	·099	·142	·081	·111	·001	0	0	·0095	·008	·009
Grand Junction	·105	·081	·086	·119	·087	·095	0	0	0	·0085	·0075	·008
Lambeth	·126	·095	·111	·140	·110	·125	·001	0	0	·010	·0075	·008
LEA, WELLS, THAMES, ETC.												
New River	·083	·032	·060	·096	·036	·067	0	0	0	·006	·0035	·005
Eastern	·104	·063	·086	·116	·069	·095	·001	0	0	·0135	·0075	·009
DEEP WELLS.												
Kent	·009	·008	·009	·012	·009	·010	0	0	0	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five Thames-derived waters the above results, compared with those obtained in April, show that the mean proportions of organic matter had in all cases risen slightly. The increments were least in the supplies of the West Middlesex and Grand Junction works, but in the cases of the other supplies no unsatisfactory samples were noted, and the filtered Thames water generally was of good quality throughout the month.

The New River district supply, obtained chiefly from the river Lea, contained somewhat more organic matter than in the three previous months. The maximum proportion was recorded on the 10th May but even then the amount was less than the average for the five Thames waters. The supply was of good quality during the whole month. The Eastern district water contained, on the average, less organic matter than the Thames-derived supplies, but more than that distributed from the New River works; all the samples tested were of good quality.

The deep-well water delivered in the Kent area was of uniform high organic purity and good quality.

All the samples collected in the West Middlesex, Grand Junction, Lambeth and New River districts were clear, but in the cases of the remaining district supplies on a few occasions minute amounts of rust stained suspended matters were observed.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of May, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 206 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	MAY, 1906.	MAY, 1907.	MAY, 1906.	MAY, 1907.
TOTAL SUPPLY - - -	1,046,988	1,064,513	219,192,128	218,770,322
NEW RIVER - - - - -	207,910	211,091	42,781,000	43,062,000
EASTERN - - - - -	236,470	239,445	40,495,419	41,089,581
WESTERN { Chelsea Grand Junction } - -	214,933	218,338	54,291,035	55,190,003
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	273,140	278,925	61,823,500	59,602,664
{ Southwark and Vauxhall }				
KENT - - - - -	114,535	116,714	19,801,174	19,826,074

Note.—The Return for May, 1907, as compared with that for the corresponding month of 1906, shows an increase of 17,525 services, and a decrease of 421,806 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 24. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JUNE 15. [Price 1½d.]

General Register Office, Somerset House,
June 17th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·1 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 14·5, and 13·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 18·0 in Liverpool, 18·7 in Stockton on Tees, 18·8 in Wigan, 19·6 in West Bromwich, 20·0 in Tynemouth, 20·4 in Sunderland, 22·0 in Middlesbrough, and 22·3 in Preston; from *measles*, 2·1 in Derby, 2·2 in Walsall, 2·3 in Bolton, 2·5 in Walthamstow, 2·6 in Middlesbrough, 3·3 in Gateshead, and 3·9 in Hanley; from *diphtheria*, 1·3 in Leyton; from *whooping-cough*, 1·3 in Leyton, 1·5 in Grimsby, 1·7 in St. Helens, and 2·0 in Stockton on Tees; from "*fever*," 1·0 in Stockport; and from *diarrhœa*, 1·1 in Oldham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2356 BIRTHS and 1172 DEATHS were registered. Allowing for increase of population, the births were 136 and the deaths 25 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·4, 13·0, and 13·2 per 1000 in the preceding three weeks, fell last week to 12·8. The death-rate in the four weeks ended last Saturday averaged 13·4 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1172 deaths included 56 from measles, 13 from scarlet fever, 8 from diphtheria, 53 from whooping-cough, 2 from enteric fever, and 19 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 151 deaths were referred to these diseases in the aggregate, being 24 above the corrected average number in the twenty-fourth week of the preceding five years.

The deaths from *measles*, which had been 53, 52, and 61 in the preceding three weeks, numbered 56 last week, and were 4 above the corrected average; 10 deaths belonged to the Borough of Southwark, 6 to Battersea, 5 each to Islington and Bermondsey, and 4 each to Finsbury and Camberwell. The deaths from *scarlet fever*, which had been 13, 13, and 11 in the preceding three weeks, were 13 last week, and were 4 above the corrected average; 3 deaths belonged to St. Marylebone and 3 to Stepney. The deaths from *diphtheria*, which had been 12, 14, and 10 in the preceding three weeks, fell to 8 last week, and were 2 below the corrected average. The deaths from *whooping-cough*, which had been 36, 30, and 46 in the preceding three weeks, rose to 53 last week, and were 25 above the corrected average; 7 deaths belonged to Islington, 6 each to Stepney and Camberwell, 5 to Shoreditch, and 4 to Kensington. The deaths from *enteric fever*, which had been 3, 0, and 2 in the preceding three weeks, were 2 last week, and were 2 below the corrected average. The deaths from *diarrhoea*, which had been 14, 20, and 14 in the preceding three weeks, were 19 last week, the corrected average being 20; 3 deaths belonged to Stepney. Of the 19 deaths from diarrhoea, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 13, 10, and 9 in the preceding three weeks.

Different forms of *violence* caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 9 were cases of suicide, while the remaining 39 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 2 to burns or scalds, 2 to drowning, and 9, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2937 cases of scarlet fever, 945 of diphtheria, and 59 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 389 cases, against 382, 437, and 368; of diphtheria, 123 cases, against 125, 129, and 112; and of enteric fever, 18 cases, against 11, 6, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 8th, 1907.

GREATER LONDON.

In Greater London 3686 births and 1630 deaths were registered. Allowing for increase of population, these numbers are 154 and 40 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 5 from whooping-cough, 3 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.69 inches, and that of the Thermometer 58.7, the latter being 0.3 above the week's average in the 65 years ending 1905. The direction of the wind was South-westerly the horizontal movement of the air being 42 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 48.5 hours; the measured rainfall amounted to 0.41 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH TOWNS,—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 15th June, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Year ended 15th June, 1907.		The DEATHS registered in the Week include												TOWNS.		
		Week ended					11-17.		15th June, 1907.																
		1st June, 1907.					11-17.		15th June, 1907.																
		25th May, 1907.	1st June, 1907.	8th June, 1907.	15th June, 1907.	15th June, 1907.	11-17.		15th June, 1907.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
76 TOWNS	16,024,458	14'9	14'5	13'7	13'1	1'4	8771	4026	837	1120	-	172	37	36	124	11	50	163	337	1039	46	76 TOWNS.			
LONDON -	4,753,218	14'4	13'0	13'2	12'8	1'7	2356	1172	218	347	-	56	13	8	53	2	19	48	113	490	4	LONDON.			
(CROYDON -	154,342	13'5	7'8	10'1	9'5	0'7	76	28	4	10	-	-	-	-	1	-	1	1	2	10	-	(CROYDON.			
WILLESDEN -	149,192	8'7	9'1	8'0	10'1	1'4	73	29	6	11	-	3	-	-	-	-	1	1	3	2	-	WILLESDEN.			
HORNSEY -	89,816	7'5	3'5	7'5	7'5	1'2	38	13	2	6	-	1	-	-	1	-	-	-	1	3	-	HORNSEY.			
TOTTENHAM -	122,793	8'1	14'4	14'4	12'7	-	74	30	6	7	-	-	-	-	-	-	-	2	6	3	-	TOTTENHAM.			
WEST HAM -	308,284	13'2	10'7	11'7	10'3	0'5	176	61	11	15	-	1	1	-	1	-	-	4	5	16	-	WEST HAM.			
EAST HAM -	136,421	8'8	7'6	8'8	7'3	0'8	78	19	3	2	-	-	-	1	1	1	-	2	3	3	-	EAST HAM.			
LEYTON -	122,040	11'5	10'3	11'5	8'5	3'0	52	20	5	6	-	-	1	3	3	-	-	-	5	-	-	LEYTON.			
(WALTHAMSTOW -	126,397	10'3	8'3	7'0	10'7	3'7	69	26	4	6	-	6	1	1	1	-	-	-	2	3	-	(WALTHAMSTOW.			
HASTINGS -	67,477	14'7	15'5	9'3	7'0	0'8	17	9	2	5	-	-	-	-	-	-	1	-	-	1	-	HASTINGS.			
BRIGHTON -	129,023	12'9	11'3	7'7	8'9	-	53	22	5	7	-	-	-	-	-	-	-	1	1	4	-	BRIGHTON.			
PORTSMOUTH -	208,291	15'0	13'8	16'5	9'5	2'0	106	38	11	14	-	2	1	2	3	-	-	1	3	8	1	PORTSMOUTH.			
BOURNEMOUTH -	69,246	16'6	8'3	15'8	5'3	-	28	7	1	2	-	-	-	-	-	-	-	1	1	3	-	BOURNEMOUTH.			
SOUTHAMPTON -	119,745	9'1	15'2	10'5	8'3	-	74	19	3	7	-	-	-	-	-	-	-	-	2	6	-	SOUTHAMPTON.			
READING -	80,311	9'1	15'6	9'1	9'1	0'6	27	14	3	6	-	-	-	-	-	-	1	1	1	3	-	READING.			
NORTHAMPTON -	95,070	12'1	13'2	9'3	9'3	0'5	46	17	4	5	-	1	-	-	-	-	-	-	-	2	3	NORTHAMPTON.			
IPSWICH -	72,825	13'6	15'0	13'6	7'9	-	43	11	1	2	-	-	-	-	-	-	-	-	1	1	-	IPSWICH.			
GREAT YARMOUTH -	52,879	16'8	12'8	12'8	7'9	1'0	25	8	-	3	-	-	1	-	-	-	-	-	-	2	-	GREAT YARMOUTH.			
NORWICH -	119,191	17'5	12'2	14'4	12'2	0'4	58	28	7	13	-	-	-	-	1	-	-	-	2	5	-	NORWICH.			
PLYMOUTH -	120,063	13'5	13'9	10'0	8'3	1'3	54	19	3	4	-	-	-	-	-	-	1	-	1	1	-	PLYMOUTH.			
DEVONPORT -	79,959	13'0	14'3	7'8	9'8	-	44	15	2	5	-	-	-	-	-	-	-	-	-	1	-	DEVONPORT.			
BRISTOL -	307,979	9'5	14'5	10'8	11'8	0'3	194	83	9	34	-	-	2	-	-	-	-	6	14	23	-	BRISTOL.			
HANLEY -	67,174	24'8	18'6	17'9	13'2	4'7	41	17	3	3	-	5	-	1	-	-	-	-	-	3	-	HANLEY.			
BURTON-ON-TRENT -	53,425	13'7	8'8	4'9	11'7	-	25	12	2	6	-	-	-	-	-	-	-	1	1	6	-	BURTON-ON-TRENT.			
WOLVERHAMPTON -	102,016	11'8	11'2	11'2	14'3	2'0	51	23	5	10	-	1	1	1	1	-	-	-	2	9	-	WOLVERHAMPTON.			
WALSALL -	96,171	15'2	15'7	11'9	8'7	2'2	62	16	3	5	-	-	-	-	-	-	-	-	-	-	-	WALSALL.			
HANDSWORTH -	65,929	10'3	7'1	10'3	9'5	1'6	32	12	4	2	-	1	-	1	-	-	-	-	-	-	-	HANDSWORTH.			
WEST BROMWICH -	69,123	13'6	15'1	13'6	19'6	-	47	26	7	8	-	-	-	-	-	-	-	-	-	4	1	WEST BROMWICH.			

* These towns are included within the area of Greater London.

* See note † on first page of this return.

The DEATHS registered in the Week include																							
Deaths of		Deaths from						Inquest Cases.		Deaths in Public Institutions.		Unrecorded Causes of Death.											
Persons aged under 1 Year of Age.		Small-pox.						Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Fever.		Dysentery.		Violence.			
10.		11.		12.		13.		14.		15.		16.		17.		18.		19.		20.		21.	
6		-		2		-		-		2		-		1		2		2		2		-	
4		-		-		-		-		-		-		-		-		-		-		-	
25		51		25		7		8.		6		2		-		-		2		6		1	
8		42		26		122		77		8		2		-		-		11		15		-	
26		257		124		283		144		29		1		5		-		12		25		1	
144		283		144		38		39		12		1		3		2		32		32		5	
16		43		16		57		15		2		-		-		1		2		3		-	
15		57		15		61		12		14		-		-		1		5		7		3	
61		161		61		74		43		7		5		1		-		3		5		1	
43		74		43		33		19		6		1		-		-		1		2		-	
19		39		15		108		61		10		5		-		7		7		11		2	
61		61		27		84		41		10		8		-		-		4		4		2	
17		164		61		31		21		7		1		-		-		6		6		-	
21		31		21		44		17		4		4		-		-		-		4		1	
17		96		39		91		36		8		8		-		-		6		4		1	
9		48		22		63		30		5		8		-		-		5		2		-	
30		63		30		3686		1630		301		473		71		18		151		580		4	
1630		1330		458		636		226		41		63		11		3		38		90		-	
458		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2		22		45		-	
232		694		232		694		232		42		63		4		2							

* See note † on first page of this return.

† Including 7 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 14 in Glasgow, 5 in Dublin, and 15 in Belfast.

‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2546	2532	2571	2646	2406	2521	2351	2583	2271	2447	2491.5	2356
Males - - -	1310	1261	1311	1302	1223	1266	1206	1307	1127	1235	1256.9	1227
Females - - -	1236	1271	1260	1344	1183	1255	1145	1276	1144	1212	1234.6	1129
TOTAL Deaths -	1248	1193	1316	1533	1191	1243	1161	1142	1191	1112	1197.1	1172
Males - - -	637	629	707	796	643	693	555	627	642	558	629.3	607
Females - - -	611	564	609	737	548	550	606	515	549	554	567.8	565

* The numbers in this column are the average weekly numbers in the twenty-fourth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 23.	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	13 Weeks.
TOTAL Births -	2548	2236	2387	2532	2577	2452	2352	2537	2499	2258	2464	2474	2356	31672
TOTAL Deaths -	1483	1586	1627	1495	1469	1423	1364	1431	1383	1316	1190	1209	1172	18148
Deaths from—														
Under 1 year -	293	311	303	264	276	265	257	275	274	251	203	224	218	3414
1-5 years -	187	220	249	237	173	212	168	176	192	180	164	170	174	2462
5-20 " -	73	74	86	75	75	80	78	96	69	90	73	63	70	1007
20-40 " -	181	199	189	202	179	186	171	162	191	152	137	143	122	2214
40-60 " -	279	337	304	280	301	260	273	283	274	240	281	241	241	3607
60 yrs. & upwds	490	445	496	437	485	420	417	439	383	389	373	343	347	5444
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	29	59	63	45	40	47	40	39	51	53	52	61	56	635
Scarlet Fever -	6	8	13	9	9	8	8	9	12	13	13	11	13	132
Diphtheria - -	12	16	19	8	10	16	13	15	11	12	14	10	8	164
Whooping-cough	36	71	63	60	50	67	69	63	59	36	30	46	53	703
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	1	4	5	6	3	2	4	1	3	-	2	2	39
Pyæmia (origin uncertain)	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea, Dysentery	15	14	11	18	13	14	18	9	21	14	20	14	19	200
All above Diseases -	104	169	173	145	128	155	150	139	155	131	129	145	151	1874
Dis. of Resp. System	173	177	187	147	133	123	121	107	86	93	81	74	60	1467
Pneumonia - -	180	177	225	208	193	167	161	155	149	137	111	112	89	2064
Phthisis - - -	136	161	156	157	135	133	127	147	147	139	120	136	118	1812
Dis. of Circ. System	182	197	209	181	212	191	194	207	185	180	170	188	152	2448
Violence - - -	66	55	64	50	52	63	61	54	69	49	51	36	48	718
Inquest Cases -	157	153	166	133	148	136	141	136	173	117	118	100	113	1791
Deaths in Institutions	552	622	626	584	591	565	558	550	565	494	490	492	490	7179
TEMPERATURE OF THE AIR.														
Mean - - -	46.1	46.5	49.6	44.1	43.7	49.4	46.4	56.0	53.2	50.8	53.4	54.7	58.7	50.2
Mean of Highest	55.1	60.8	62.0	53.7	53.1	58.0	54.9	66.6	62.1	62.2	62.8	63.6	68.0	60.2
Mean of Lowest	37.4	31.1	37.8	37.9	36.0	43.2	40.3	45.8	47.0	41.1	47.1	48.7	50.8	41.9
Mean Humidity of the Air	64	71	69	88	76	79	69	72	72	78	83	75	75	75
Rain-fall (in inches) -	0.13	0.00	0.17	1.42	0.63	6.90	0.59	0.36	0.35	0.35	0.67	0.42	0.41	6.40
Registered Sunshine (in hours)	50.5	53.5	43.6	18.8	27.7	31.4	41.6	50.2	39.5	28.2	15.3	25.1	48.5	473.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	1	1	1	-	-	-	-	-	-
Scarlet Fever -	2734	2657	2621	2637	2628	2649	2672	2658	2679	2732	2824	2862	2937	2715
Diphtheria - -	1006	1014	996	992	997	949	915	911	921	927	935	917	945	956
Typhus - - -	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	94	93	82	75	69	66	60	54	53	52	47	45	59	65

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; A. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunne, Esq., M.D., Prestwich; Manchester: H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 1. LONDON.—DEATHS Registered in the TWENTY-FOURTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 24th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 24th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1197.1	1172	218	174	70	122	241	347	Meningitis (not tuberc.)	14.3	14	5	7	1	-	1	
									Gen. Par. of Insane, Insanity	14.9	9	-	-	-	2	4	
Small-pox*	5.9	-	-	-	-	-	-	-	Epilepsy	6.3	6	-	-	-	1	3	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	18.8	19	9	1	-	-	-	
Measles (Morbilli)	51.6	56	13	43	-	-	-	-	Locomotor Ataxy	0.8	1	-	-	-	-	1	
Scarlet Fever	8.6	13	1	8	4	-	-	-	Paraplegia, Dis. of Cord	3.5	8	-	-	1	2	6	
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	20.1	16	-	2	1	2	4	
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis.	37.5	44	-	-	3	5	13	
Influenza	5.5	9	1	-	-	1	2	5	Cereb. Hæm. Cereb. Emb.	28.9	31	-	-	-	3	7	
Whooping-cough	27.6	53	22	30	1	-	-	-	Apoplexy, Hemiplegia	14.1	14	-	-	-	3	1	
Diphtheria	9.6	8	1	4	3	-	-	-	Aneurysm	3.7	2	-	-	-	1	1	
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.2	-	-	-	-	-	-	
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	74.3	61	-	-	2	5	21	
Enteric Fever	4.3	2	-	-	1	1	-	-	Croup (not Spasm: nor Memb.)	0.8	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	51.0	46	7	7	-	2	4	
Epidemic Diarrhoea, Infective Enteritis	8.8	11	9	1	-	-	-	1	Emphysema, Asthma	2.7	-	-	-	-	-	-	
Diarrhoea, Dysentery	10.8	8	6	-	-	-	-	2	Pleurisy	3.5	6	-	1	1	2	1	
Tetanus	0.2	1	-	-	-	1	-	-	Respiratory Dis., Other	6.5	8	2	1	-	3	2	
Rabies, Hydrophobia	0.2	-	-	-	-	-	-	-	Tonsillitis, Quinsy	1.0	3	-	-	2	-	1	
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	6.3	8	5	1	-	1	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-enteritis	3.9	3	2	-	1	-	-	
Veneræal Dis.	6.3	2	1	-	-	1	-	-	Peritonitis (not Puerp.)	1.8	1	-	-	-	-	1	
Puerperal Septicæmia	2.7	1	-	-	-	1	-	-	Cirrhosis of Liver	15.6	14	-	-	1	4	4	
Puerperal Pyæmia	0.4	-	-	-	-	-	-	-	Liver Dis., Other	5.3	4	-	-	-	1	1	
Puerperal Fever	-	1	-	-	-	-	1	-	Digestive Sys., Other Dis.	35.8	32	2	1	7	3	8	
Infective Endocarditis	2.9	3	1	-	2	-	-	-	Acute Nephritis	5.1	8	-	1	-	1	4	
Pneumonia { Lobar -	12.7	9	2	3	-	1	1	2	Enteritis (not Epid.)	29.7	44	-	-	1	6	13	
Broncho -	34.6	45	15	20	1	-	2	7	Bright's Dis., Albuminuria	11.5	13	-	-	-	1	1	
Epidemic -	0.2	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	3.9	6	1	-	-	3	1	
Not defined	46.7	35	2	8	4	6	4	11	Generative Organs Dis.	3.9	6	1	-	-	3	1	
Erysipelas	4.1	1	-	-	-	-	-	1	Childbirth (Accid. of)	3.7	2	-	-	-	2	-	
Septicæmia (not Puerperal)	1.8	-	-	-	-	-	-	-	Old Age	37.3	42	-	-	-	-	4	
Pyæmia (not Puerperal)	0.6	1	-	-	1	-	-	-	Other Diseases	82.1	92	53	11	2	5	11	
Other Infective Processes	4.5	5	-	1	1	1	-	2	ACCIDENT.								
Tuberculous Phthisis	67.1	77	3	1	8	28	29	8	By Railways	1.0	1	-	-	-	1	-	
"Phthisis"	64.9	41	-	-	6	15	18	2	By Vehicles and Horses	7.8	7	-	1	2	-	2	
Tuberculous Meningitis	27.0	19	4	8	7	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.6	1	-	-	-	1	-	
Tuberculous Peritonitis	8.4	10	4	4	1	-	1	-	In Building Operations	1.0	1	-	-	-	1	-	
Tuberculous Dis., Other	21.1	9	2	4	2	-	1	-	In Conflagrations	0.2	-	-	-	-	-	-	
Scrophula	0.4	-	-	-	-	-	-	-	By Burns, Scalds, Explosions	4.7	2	-	2	-	-	-	
Alcoholism	11.1	9	-	-	-	1	7	1	By Drowning	4.5	2	-	-	-	2	-	
Rheumatic Fever	4.1	6	-	-	1	1	4	-	By Suffocation in Bed	7.8	9	9	-	-	-	-	
Gout	1.6	2	-	-	-	-	1	1	By Poisons or Poisonous Vapours	2.0	-	-	-	-	-	-	
Carcinoma	45.6	58	-	-	1	3	30	24	Other Deaths by Accident	12.5	16	3	2	1	-	5	
Sarcoma	5.7	5	1	-	1	1	-	2	VIOLENCE OTHER THAN ACCIDENTAL.								
Cancer (undefined)	29.9	40	-	-	-	1	19	20	Homicide	0.8	-	-	-	-	-	-	
Diabetes Mellitus	6.8	3	-	1	1	1	-	-	Suicide	13.5	9	-	-	-	1	5	
Premature Birth	48.1	32	32	-	-	-	-	-	Execution	-	-	-	-	-	-	3	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th June, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON	-	-	4,536,429	2356	1172	218	347	-	56	13	8	53	-	2	-	19	48	113	490	
WEST DISTRICTS	-	-	805,311	341	209	33	70	-	7	-	1	10	-	-	-	2	7	19	96	
NORTH DISTRICTS	-	-	1,056,070	527	223	37	70	-	9	3	2	14	-	1	-	1	5	11	94	
CENTRAL DISTRICTS	-	-	209,465	96	67	14	8	-	4	-	-	3	-	-	-	2	6	11	40	
EAST DISTRICTS	-	-	716,739	457	201	47	47	-	4	-	-	12	-	-	-	6	13	30	94	
SOUTH DISTRICTS	-	-	1,749,844	935	438	87	137	-	32	9	5	14	-	1	-	7	16	41	132	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	}		-	-	34	-	15	-	-	1	-	-	-	-	-	1	1	1	34	
WEST DISTRICTS.																				
St. Mary Paddington W,3H	-	-	93,178	28	23	4	7	-	1	-	-	1	-	-	-	-	2	2	8	
St. John Paddington H	-	-	33,617	7	8	1	4	-	-	-	-	-	-	-	-	-	-	-	5	
North-West Paddington	-	-	17,181	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H	-	-	128,037	69	41	6	17	-	1	-	-	5	-	-	-	-	-	2	27	
Brompton 2H	-	-	48,591	11	8	-	6	-	-	-	-	-	-	-	-	1	2	1	-	
North Hammersmith 2W,w,H	-	-	49,192	30	22	4	6	-	2	-	-	1	-	-	-	1	-	3	10	
South Hammersmith w,2H	-	-	63,047	29	11	3	3	-	-	-	-	-	-	-	-	1	1	1	3	
North-west Fulham W	-	-	45,180	28	18	6	1	-	1	-	-	1	-	-	-	1	-	-	12	
North-east Fulham F	-	-	48,405	22	6	1	1	-	1	-	1	-	-	-	-	-	1	1	-	
South Fulham W	-	-	45,704	29	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W,w,3H	-	-	42,514	10	19	-	11	-	-	-	-	-	-	-	-	-	3	11	-	
Chelsea South W,2H	-	-	31,328	10	9	4	2	-	1	-	-	-	-	-	-	-	2	2	3	
Mayfair and Knightsbridge	-	-	28,743	8	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
Belgrave W,2H	-	-	55,815	20	18	1	5	-	-	-	-	1	-	-	-	-	-	-	8	
St. Margaret & St. John 5H	-	-	43,698	23	14	1	4	-	-	-	-	-	-	-	-	1	1	6	-	
St. James and St. Anne W,6H	-	-	33,081	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																				
All Souls Marylebone 8H	-	-	35,391	7	14	-	4	-	-	-	-	-	-	-	-	-	-	-	7	
St. Mary Marylebone W,4H	-	-	37,948	37	9	4	2	-	-	-	-	-	-	-	-	-	2	-	3	
Christchurch Marylebone	-	-	39,536	19	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
St. John Marylebone 2H	-	-	20,426	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H	-	-	81,942	39	12	3	4	-	-	1	-	-	-	-	-	-	-	-	5	
West St. Pancras 2H	-	-	60,562	17	7	2	2	-	1	-	-	-	-	-	-	-	-	-	1	
South St. Pancras w,11H	-	-	55,707	15	21	3	5	-	-	-	-	2	-	1	-	-	-	-	14	
East St. Pancras W,2H	-	-	60,320	29	17	3	11	-	1	-	-	1	-	-	-	-	-	1	8	
North St. Pancras 2W	-	-	58,728	38	13	4	1	-	1	-	-	-	-	-	-	1	2	6	-	
Tufnell W	-	-	31,995	12	21	5	7	-	4	-	-	3	-	-	-	-	-	-	18	
Upper Holloway 2W,w,H	-	-	33,978	20	19	3	5	-	-	-	-	-	-	-	-	1	1	18	-	
Tollington W,w,H	-	-	33,922	20	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Lower Holloway	-	-	41,424	24	4	1	-	-	-	-	-	2	-	-	-	-	-	-	-	
Barnsbury	-	-	54,478	32	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	
Islington South-east F	-	-	75,397	37	12	1	5	-	1	1	-	-	-	-	-	-	-	1	-	
Highbury 2H	-	-	63,797	21	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H	-	-	51,247	34	10	2	3	-	-	-	-	2	-	-	-	-	-	-	-	
North Hackney	-	-	50,560	25	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w,F	-	-	50,536	34	11	-	5	-	1	-	1	-	-	-	-	1	1	1	-	
South-west Hackney 3H	-	-	59,921	27	13	2	5	-	-	-	-	-	-	-	-	2	2	4	-	
South-east Hackney 2W,w,H	-	-	58,255	34	16	3	3	-	-	-	1	1	-	-	-	1	2	8	4	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th June, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																
			Total Deaths.	Deaths from														Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhea.	Violence.	Inquest Cases.			
CENTRAL DISTRICTS.																			
Giles and Bloomsbury 2W,2H -	31,436	20	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
Grand W,4H -	21,674	2	12	1	3	-	-	-	-	-	-	-	-	-	2	2	9	1	
Grand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Colborn W,6H -	29,612	5	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Clerkenwell	28,676	15	1	1	-	-	1	-	-	-	-	-	-	-	-	1	8	-	
North Clerkenwell H	35,028	24	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Pancras 3H,L -	36,116	24	13	3	1	-	3	-	-	2	-	-	-	-	1	2	1	-	
Colborn Union Workhouse, } Mitreham -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botolph H -	10,299	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows W,2H	16,824	-	19	5	2	-	-	-	-	1	-	-	-	-	2	4	17	-	
City of London Asylum, Stone	-	-	2	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	
EAST DISTRICTS.																			
Redditch South H	46,362	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Redditch North-West W,w,H	36,127	20	12	-	5	-	1	-	-	1	-	-	-	-	2	3	8	-	
Redditch North-East	36,148	22	10	2	3	-	-	-	-	3	-	-	-	-	-	-	-	-	
Redditch Union Workhouse, Wood } Green -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Green North-East 2W } St. John Green South-West H	65,138 64,542	38 35	29 7	6 4	9 1	- -	1 -	- -	- -	- -	- -	- -	- -	1 1	3 1	5 2	15 1	- -	
St. John's Fields	27,969	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John's End New Town W,H	28,718	30	36	9	4	-	-	-	-	3	-	-	-	-	3	6	33	-	
St. John's End New Town North- } St. John's End Old Town South- } St. John's End Old Town North- }	22,081 27,969 28,718	10 19 30	5 2 36	1 - 9	2 - 4	- - -	- - -	- - -	- - -	1 - 3	- - -	- - -	- - -	- - -	1 - 1	2 - 2	- - -	- - -	
George and St. John 2W -	49,068	38	9	3	1	-	-	-	-	-	-	-	-	1	2	2	-	-	
St. John's End Old Town South- } St. John's End Old Town North- }	25,568 32,366	10 16	11 3	2 2	2 -	- -	- -	- -	- -	1 -	- -	- -	- -	- 1	- -	- -	8 -	- -	
St. John's End Old Town South- } St. John's End Old Town North- }	63,698 49,129	65 27	4 18	3 7	- 3	- -	- -	- -	- -	- 1	- -	- -	- -	1 -	- 1	- 7	- -	- -	
St. John's End Old Town South- } St. John's End Old Town North- }	41,939 68,318 58,514	27 44 32	3 39 9	1 5 2	- 11 3	- -	- 1 -	- -	- -	- 2	- -	- -	- -	- 1 1	1 7 1	- 20 -	- -	- -	

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th June, 1907.—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Specified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																		
Christchurch and St. Saviour } Southwark W,2H - - - - }	23,319	7	22	5	7	-	3	-	-	-	-	-	-	-	1	14		
Kent-road - - - - -	21,904	20	3	1	1	-	1	-	-	-	-	-	-	-	1	-		
St. George the Martyr West } W,2H,L - - - - - }	30,094	21	13	6	3	-	2	-	-	1	-	-	-	-	1	6		
Newington North - - - -	49,022	28	7	2	2	-	2	-	-	1	-	-	-	-	-	-		
Newington South W - - -	72,841	45	9	2	1	-	2	-	-	-	-	-	-	-	-	-		
St. Olave 2W - - - - -	9,817	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-		
Bermondsey W - - - - -	82,483	49	14	3	7	-	-	-	1	-	-	-	-	-	3	-		
Rotherhithe W,F - - - -	38,480	29	13	2	3	-	5	-	-	-	-	-	1	1	1	9		
Waterloo 2H - - - - -	27,440	30	7	3	1	-	3	-	-	-	-	-	-	-	-	2		
Lambeth Church H - - - -	27,440	15	13	3	2	-	-	-	-	-	-	-	-	-	2	3		
Kennington 2W - - - - -	52,518	23	15	2	7	-	-	-	-	-	-	-	-	-	1	10		
Stockwell HF - - - - -	63,826	38	11	2	3	-	-	-	2	-	-	-	-	-	-	2		
Brixton H - - - - -	73,673	32	12	3	6	-	-	-	-	2	-	-	-	-	-	-		
Norwood WH - - - - -	56,998	28	9	2	2	-	-	-	-	1	-	-	-	-	-	-		
East Battersea H - - - -	72,203	53	15	-	6	-	3	-	-	-	-	-	-	-	2	-		
North-west Battersea - - -	49,656	29	6	2	2	-	1	-	-	-	-	-	-	-	-	-		
South-west Battersea 2W,H -	47,048	17	14	2	5	-	2	-	-	1	-	-	-	-	1	9		
Clapham 2H - - - - -	51,381	27	14	2	7	-	-	-	-	-	-	-	-	-	-	2		
Streatham W,2w,F,2L - - -	88,019	53	26	4	8	-	2	2	2	1	-	-	-	-	1	11		
Springfield 2W,L - - - -	27,959	14	7	-	3	-	-	-	-	1	-	-	-	-	1	2		
Southfields H - - - - -	40,444	20	6	1	1	-	-	-	-	-	-	-	-	-	1	-		
Putney - - - - -	24,139	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-		
Dulwich - - - - -	13,359	5	5	1	1	-	-	-	-	2	-	-	-	-	1	-		
Camberwell South W,w - -	40,206	20	25	6	9	-	-	-	-	1	-	-	-	-	2	17		
Camberwell North W,2L -	65,584	24	29	4	8	-	2	-	-	1	-	-	2	2	3	16		
St. George - - - - -	47,331	30	4	2	-	-	-	-	-	-	-	-	-	-	1	-		
Peckham North - - - - -	48,913	13	11	2	1	-	-	-	-	1	-	-	-	-	2	-		
Peckham South 2W,w - - -	43,946	18	10	3	3	-	2	-	-	1	-	-	-	-	3	-		
Deptford North - - - - -	37,613	23	6	3	2	-	-	-	-	-	-	-	-	-	1	-		
Deptford Central F - - - -	45,481	30	20	7	4	-	2	4	2	-	-	-	-	-	1	6		
Deptford South - - - - -	34,625	20	6	-	1	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - - -	23,456	15	9	1	2	-	-	-	-	-	-	-	-	-	1	-		
Greenwich East 2W,H - - -	43,859	33	16	1	8	-	-	-	-	-	-	-	1	1	4	6		
Eltham w,H - - - - -	7,226	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Lee w,H - - - - -	25,490	12	5	1	1	-	-	-	-	-	-	-	1	-	2	-		
Lewisham W,w,F - - - -	58,352	34	21	2	10	-	-	1	-	-	-	-	1	-	1	8		
Sydenham H - - - - -	43,653	16	1	-	-	-	-	-	-	-	-	-	1	1	1	-		
Charlton F,2H - - - - -	21,134	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Woolwich 5H - - - - -	41,625	19	11	2	1	-	-	-	-	1	-	-	1	-	1	2		
Plumstead West W - - - -	18,063	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - - -	50,264	21	11	4	3	-	-	-	-	-	-	-	-	1	1	4		
Workhouse:-																		
Central London Sick Asylum	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North-Eastern - - - - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1		
Northern - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:-																		
Belmont - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2		
Caterham - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	2		
Darenth - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2		
Leavesden - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	1	1	2		
London County Lunatic Asylums:-																		
Banstead - - - - -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3		
Ewell (Epileptic Colony)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Horton - - - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	8		
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Dartford Heath - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2		
Hanwell - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2		
Colney Hatch - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3		
Claybury - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	1	-	-	3		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 15th June, 1907.

Regi- stration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
	LONDON—OUTER RING	368,302	2,044,973	1330	458	83	126	-	15	5	9	13	3	3	23	38	90	-		
30: 1	Carshalton 2F,3H	12,228	32,997	23	8	2	3	-	-	-	-	-	-	-	-	-	2	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	14	5	1	1	-	-	-	-	-	-	-	1	1	-	-		
37: 1	Godstone, part of* W,F,L	2,754	2,892	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-		
38: 1	Coulsdon	11,069	8,166	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon w	4,200	49,309	26	7	1	5	-	-	-	-	-	1	-	-	-	-	-		
3	West Croydon 3W,F,H	2,168	42,888	25	19	2	3	-	-	-	-	-	-	-	-	-	-	-		
4	North Croydon H	2,644	41,698	25	5	1	2	-	-	-	-	1	-	1	1	2	12	-		
5	Penge w,H	770	22,465	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
6	Mitcham	11,711	30,015	23	5	-	1	-	-	-	-	-	-	-	1	1	-	-		
39: 1	Wimbledon F,3H	3,221	41,652	14	6	1	-	-	-	-	-	-	-	-	-	1	1	-		
2	Kingston 2W,H	6,224	42,068	31	9	-	5	-	-	-	-	-	-	-	-	-	-	-		
3	Surbiton F,H	3,046	15,017	11	2	1	-	-	-	-	-	-	1	-	2	2	3	-		
4	Esher, part of* H	5,402	18,100	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
5	Hampton H,F,L	4,684	23,456	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond W,H	2,162	28,865	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-		
2	Mortlake F	2,847	20,628	6	3	-	1	-	-	-	-	-	-	-	1	1	1	-		
41: 1	Bromley F,2H	4,703	27,354	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	7,825	28,497	15	6	-	3	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W	10,113	9,857	4	4	2	2	-	-	-	-	-	-	-	-	-	1	-		
4	Chislehurst 2H	7,333	16,446	6	4	2	1	-	-	-	-	-	-	-	-	-	1	-		
42: 1	Bexley w F,H	8,878	21,151	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Erith F,H	3,854	25,296	18	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124: 1	Sunbury w	11,054	18,683	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines W,H	13,277	15,178	8	5	2	1	-	-	-	-	-	-	-	-	1	1	-		
125: 1	Hillingdon W,F,H	6,035	13,661	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge H	12,757	8,984	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes w2 F,H	6,066	16,358	17	7	-	2	-	-	-	-	1	-	-	-	1	1	-		
126: 1	Isleworth 3W,3F,H	6,859	30,663	21	14	1	5	-	-	-	-	-	-	-	-	-	-	-		
2	Twickenham F,2H	2,421	20,991	19	8	2	2	-	-	-	-	-	-	-	-	-	2	9		
3	Brentford 3F,2H	4,319	48,289	33	12	2	2	-	-	-	-	-	-	-	-	-	-	-		
4	Chiswick H	1,249	29,809	22	5	1	1	-	1	1	-	-	-	-	-	-	-	3		
5	Acton w,F,3H	6,132	48,914	39	15	6	1	-	2	-	-	-	-	-	-	-	-	-		
127: 1	Harrow F,H	13,809	25,523	25	8	2	4	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware 2F,2H	6,994	4,621	-	5	-	2	-	-	-	-	-	-	-	-	2	2	2		
3	Willesden W,F,2H	4,384	114,811	73	28	6	10	-	3	-	-	-	-	-	-	-	-	-		
4	Hendon W,F	8,382	22,450	12	5	1	1	-	-	-	-	-	-	-	1	1	3	1		
128: 1	South Mimms 2F,H	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	3,324	17,970	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley F,2H	4,688	33,692	24	6	-	4	-	-	-	-	-	-	-	-	-	-	-		
129: 1	Hornsey F,H	2,875	72,056	38	10	2	5	-	1	-	-	1	-	-	-	1	1	-		
2	Wood Green H	1,625	34,233	29	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	West Tottenham	996	48,353	35	11	2	5	-	-	-	-	-	-	-	-	-	1	-		
4	East Tottenham 2H	2,017	53,688	39	17	5	2	-	-	-	-	-	-	-	-	2	4	1		
5	Edmonton W,w,2F	7,491	61,892	46	14	3	2	-	-	-	1	3	-	-	-	-	3	-		
6	Enfield 2W,F,H	12,601	42,738	18	7	-	4	-	-	1	-	-	-	-	-	-	-	-		
7	Waltham Abbey F	11,017	6,549	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey H	9,333	9,173	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
138: 1	Stratford H	1,072	44,827	34	14	3	4	-	-	-	-	-	-	-	-	-	-	-		
2	Plaistow F,2H	1,249	90,921	61	17	3	3	-	-	-	-	-	-	-	1	1	-	-		
3	Canning Town H	1,558	70,718	53	9	2	3	-	1	1	-	-	-	-	-	-	1	3		
4	Forest Gate w	808	60,892	28	8	3	3	-	-	-	-	-	1	-	-	-	2	-		
5	North East Ham w H	1,333	58,676	39	9	1	-	-	-	-	-	-	-	-	-	-	-	-		
6	South East Ham 2F	1,993	37,342	39	8	2	1	-	-	-	1	-	-	-	-	2	-	-		
7	Wanstead F	1,379	9,179	3	2	-	-	-	-	-	1	-	-	-	-	-	1	1		
8	South Leyton 2W	631	50,467	20	9	3	4	-	-	-	-	-	-	-	-	-	-	-		
9	North Leyton 2W,w,F	1,963	48,445	32	27	2	9	-	-	-	-	-	-	-	-	-	-	3		
10	Walthamstow 2H,L	6,504	108,929	86	25	4	5	-	6	1	3	2	-	-	-	-	18	-		
137: 1	Chigwell 2F,3H	11,778	16,397	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of* W,2F	6,556	6,091	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Uford F,L	8,496	41,234	33	9	1	2	-	-	-	1	-	-	-	-	-	-	-		
3	Barking Town F	3,803	21,547	21	7	3	-	-	-	-	-	-	-	-	-	-	-	-		
	Central London Sick Asylum, Hendon.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	City of London Lunatic Asylum, Stone.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Essex County Lunatic Asylum, Brentwood.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 and in the Croydon Mental Hospital in 27: 1.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	June 15	2356	1172	12·8	-	56	13	8	53	2	10
CALCUTTA - -	977,822	May 18	-	621	38·0	34	4	-	-	-	289†	105
BOMBAY - -	982,000	" 28	321	609	32·4	1	2	-	-	1	166†	30
MADRAS - -	548,974	" 17	365	304	31·0	1	5	?	?	?	77	51
PARIS - - -	2,722,731	June 8	933	925	17·6	4	16	10	8	7	3	28
BRUSSELS - -	623,077	" 8	195	164	13·7	-	-	1	3	-	3	12
ANTWERP - -	304,032	" 8	130	81	13·8	-	-	1	-	2	1	11
AMSTERDAM -	565,368	" 8	262	120	11·1	-	3	1	-	-	-	8
COPENHAGEN -	433,000	" 8	262	136	16·4	-	-	-	-	5	-	8
STOCKHOLM -	324,488	" 1	168	107	16·7	-	-	1	-	2	-	1
CHRISTIANIA -	226,774	" 8	146	60	13·7	-	1	-	2	-	-	1
ST. PETERSBURG	1,482,769	May 25	-	724	25·4	1	48	15	15	5	26	76
MOSCOW - - -	1,296,000	June 1	-	673	27·1	1	25	6	12	2	5	126
BERLIN - - -	2,092,473	May 25	921	624	15·5	-	8	3	4	3	2	62
HAMBURG - - -	840,790	June 8	-	211	13·3	-	-	-	1	2	-	13
BRESLAU - - -	484,355	" 1	-	191	20·7	-	-	-	1	1	1	18
MUNICH - - -	548,000	" 8	-	188	17·8	-	5	1	3	-	1	32
VIENNA - - -	1,979,093	" 8	856	646	17·0	-	31	2	12	3	-	47
PRAGUE - - -	466,133	May 25	208	210	23·2	-	3	-	1	1	-	23
BUDA-PESTH -	802,235	" 18	457	334	21·6	-	9	7	5	1	2	15
		" 25	446	331	21·5	-	4	2	1	2	1	14
TRIESTE - - -	200,962	June 8	138	69	17·9	-	3	-	1	1	1	2
ROME - - -	540,150	April 20	257	170	16·4	-	-	-	-	2	2	4
VENICE - - -	174,388	June 1	87	46	13·8	-	-	1	-	-	1	5
BUCHAREST -	292,595	" 8	127	143	-	-	9	-	-	1	1	7
NEW YORK - -	4,285,435	" 1	2087	1344	16·4	-	21	29	31	9	5	55
CHICAGO - - -	2,707,620	" 1	-	643	15·9	-	11	20	12	3	1	37
PHILADELPHIA -	1,500,595	May 18	-	465	16·8	-	1	2	12	2	18	21
RIO DE JANEIRO	912,900	" 19	-	227	18·8	-	-	-	-	2	1	?

* Excluding deaths from croup in the Indian Cities.

† Including 203 deaths from plague in Calcutta, and 95 in Bombay.

‡ Including 56 deaths from cholera in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th June, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	75·7	47·1	59·4	0·41	LEEDS - - -	77·0	50·0	61·0	0·92
BRIGHTON - -	71·4	52·8	57·8	0·75	YORK - - -	74·4	49·0	60·2	1·09
PORTSMOUTH -	70·2	50·0	58·2	0·94	HULL - - -	71·0	50·0	60·2	1·40
NORWICH - - -	73·8	48·6	59·5	1·05	TYNEMOUTH -	69·0	43·0	57·1	0·79
PLYMOUTH - -	62·5	51·0	55·3	1·90	CARDIFF - -	72·1	49·0	57·4	1·49
BRISTOL - - -	73·0	44·3	57·0	1·46	EDINBURGH -	67·0	46·7	55·7	0·06
BIRMINGHAM -	72·9	46·3	56·7	1·16	GLASGOW - -	72·8	46·0	56·4	1·60
NOTTINGHAM -	73·0	48·2	58·3	1·09					
LIVERPOOL - -	75·0	48·0	58·0	1·04	DUBLIN { Phoenix Park. Fitz- william Square.†	64·0	44·9	51·6	0·33
MANCHESTER -	73·3	46·7	57·1	2·20		65·2	50·2	56·7	0·50
PRESTON - - -	72·5	49·5	58·4	2·69					
HUDDERSFIELD -	72·3	48·0	57·5	1·30	BELFAST - -	63·0	45·0	54·3	0·74

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote 1 to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907. MONTH AND DAY		Phases of the Moon.	TEMPERATURE.				Difference between the Air, Dew Point Temperature.			TEMPERATURE.		Winds deduced from Anemometers.					Rain collected in a Gauge receiving surface 5 inches above the Ground.	Ozone								
			Baro- meter.	Of the Air.			Of the Dew Point		Degree of saturation (Sat- uration 100).	Of Radiation.		General Direction.	Oiler's.		Robinson's.											
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture Average of 65 years.					Mean of 24 hours.	Greatest.					Least.							
JUNE.																										
SUNDAY	- 9	..	in.	75.7	49.5	26.2	63.8	°	53.0	10.8	19.7	1.0	68	°	142.3	38.0	54.00	Variable, SSE. & S. SW. & S.	SE. & SW.	lbs. 22	lbs. 0.0	Miles 234	- 22	12.7		
MONDAY	- 10	New	28.624	68.1	51.8	16.3	59.5	°	49.7	9.8	15.1	2.4	70	°	134.7	45.5	54.48	SSW. & S.	SSW. & S.	9.2	0.0	0.8	+215	8.3		
TUESDAY	- 11	..	28.733	68.0	50.2	17.8	58.8	°	47.3	11.5	17.9	2.1	66	°	133.3	43.0	55.03	SSW. & S. & ESE.	SSW. & S.	3.0	0.0	0.2	+ 35	11.7		
WEDNESDAY	12	Apogee Gr. Dec. N	28.529	66.8	52.6	14.2	59.0	°	47.3	11.7	17.3	4.0	65	°	139.8	49.3	55.44	ESE. & S. & SSW.	ESE. & S.	7.2	0.0	0.6	+162	19.5		
THURSDAY	- 13	..	28.758	68.0	51.7	16.3	57.7	°	50.4	7.3	14.4	1.6	77	°	128.2	48.0	55.72	SSW. & S.	SW. & WSW.	6.4	0.0	0.4	+134	10.6		
FRIDAY	- 14	..	28.683	67.7	47.1	20.6	56.1	°	52.8	3.3	11.5	1.9	89	°	104.5	41.6	56.00	SSW. & SSW. & S.	SSW. & S.	1.9	0.0	0.2	+ 43	8.2		
SATURDAY	- 15	..	28.784	61.9	52.6	9.3	55.8	°	52.5	3.3	8.0	0.6	89	°	86.0	46.5	55.05	SSW. & S.	SSW. & WSW.	6.4	0.0	0.5	+155	10.8		
MEANS	-		28.684	68.0	50.8	17.2	58.7	+ 0.3	50.4	8.2	14.8	1.9	75	°	124.1	44.6	55.25	SSW.		Sum 2442	Sum +722	11.7		
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14		15	16	17	18	19	20	21	22	23	24	25	26

GENERAL REMARKS.

DATE.	JUNE	Electrometers.		Registered Sunshine		Sun above Horizon		Sun above Horizon		Remarks.	
		(For explanation of symbols, see Note.)	(See Note.)	in hours.	in hours.	in hours.	in hours.	in hours.	in hours.		
SUNDAY - 9		w. P. till 4h. P.M.; w. P. with occasional s.N. till 8h. P.M.; w. P. afterwards.		8.6	16.4					Very fine generally; cloudy with occasional rain between 1h. and 7h. P.M.; lightning at night.	
MONDAY - 10		w. P. generally; w. P. and w. N. between noon and 3h. P.M.		13.2	16.4					Very fine generally; cloudy intervals; brisk wind prevalent between 8h. A.M. and 7h. P.M.	
TUESDAY - 11		w. P. throughout.		9.9	16.5					Very fine generally but partially cloudy till evening; cloudy at night with thin rain shortly after 11h. P.M. Solar halo observed at 4h. 30m. P.M.	
WEDNESDAY 12		w. P. generally; occasional w. N.		9.7	16.5					Overcast in morning with rain till 2h. 30m. A.M.; very fine till 5h. P.M.; generally overcast with light showers afterwards; gusty wind prevalent after 10h. A.M.	
THURSDAY - 13		w. P. till 11h. A.M.; v. P. and v. N. till 4h. P.M.; w. P. afterwards.		5.4	16.5					Generally cloudy; occasional showers till afternoon; distant thunder at 3h. 39m. P.M.; gusty wind between 2h. and 3h. P.M.	
FRIDAY - 14		w. P. throughout.		1.7	16.5					Generally overcast; occasional light showers	
SATURDAY - 15		w. P. till 10h. A.M.; w. P. and occasional w. N. afterwards.		0.0	16.5					Overcast with frequent showers till evening; fine and variably cloudy after 7h. P.M.	
No. of Col -	-			Sum 48.5	Sum 115.3						

The results apply to the civil day, or from midnight to midnight. The height of the eastern of the barometer is 155 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. The means of the observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the observations of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into meteorological records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometrical tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movements of the air from a discussion of the anemometrical records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.73 in. at the beginning of the week to 29.48 in. by 7h. P.M. on the 9th; increased to 29.77 in. by 11h. A.M. on the 11th; decreased to 29.50 in. by 5h. A.M. on the 12th; increased to 29.89 in. by 9h. P.M. on the 14th; decreased to 29.74 in. by 5h. P.M. on the 15th; and increased to 29.81 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 8th June, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	3	1	-	-	-	-	3	1	-
Kensington - - -	181,842	-	11	4	-	2	-	-	2	-	-
Hammersmith - - -	122,337	-	7	3	-	-	-	-	1	-	-
Fulham - - -	166,749	-	6	7	-	-	-	-	3	-	1
Chelsea - - -	74,857	-	2	5	-	-	-	-	-	1	-
City of Westminster -	172,219	-	7	4	-	-	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	13	5	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	4	-	-	1	-	-	1	-	-
St. Pancras - - -	236,753	-	16	2	-	-	-	-	1	-	-
Islington - - -	347,017	-	17	10	-	-	-	-	3	-	1
Stoke Newington - - -	53,613	-	2	2	-	-	-	-	4	-	-
Hackney - - -	232,993	-	31	5	-	1	-	-	1	-	-
CENTRAL.											
Holborn - - -	55,134	-	3	-	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	7	2	-	-	-	-	1	-	-
City of London - - -	20,310	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	12	4	-	-	-	-	2	-	-
Bethnal Green - - -	130,331	-	18	8	-	1	-	-	3	-	-
Stepney - - -	308,823	-	42	9	-	1	-	-	4	-	2
Poplar - - -	171,086	-	23	6	-	-	-	-	2	-	1
SOUTH.											
Southwark - - -	209,781	-	17	3	-	2	-	-	4	-	-
Bermondsey - - -	128,263	-	18	2	-	1	-	-	-	-	-
Lambeth - - -	318,538	-	16	2	-	1	-	-	2	-	-
Battersea - - -	181,736	-	18	6	-	-	-	-	2	-	-
Wandsworth - - -	281,419	-	22	10	-	-	-	-	3	-	1
Camberwell - - -	277,059	-	18	8	-	3	-	-	3	-	-
Deptford - - -	116,510	-	5	2	-	-	-	-	2	-	-
Greenwich - - -	107,222	-	16	4	-	1	-	-	-	-	-
Lewisham - - -	152,532	-	13	3	-	-	-	-	1	-	1
Woolwich - - -	129,336	-	26	2	-	3	-	-	6	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	393	120	-	18	-	-	61	2	7
Ages											
0-1 - - -	-	-	1	2	-	-	-	-	3	-	4
" 1-5 - - -	-	-	124	47	-	-	-	-	2	-	1
" 5- - - -	-	-	156	47	-	2	-	-	1	-	1
" 10- - - -	-	-	68	12	-	5	-	-	6	-	1
" 15- - - -	-	-	13	4	-	2	-	-	5	-	-
" 20- - - -	-	-	15	5	-	1	-	-	3	-	-
" 25- - - -	-	-	14	3	-	4	-	-	7	1	-
" 35- - - -	-	-	1	-	-	3	-	-	10	1	-
" 45- - - -	-	-	1	-	-	-	-	-	10	-	-
" 55- - - -	-	-	-	-	-	1	-	-	5	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	9	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 25. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JUNE 22. [Price 1½d

General Register Office, Somerset House,
June 24th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 13·7, and 13·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 17·1 in Bolton and in Merthyr Tydfil, 18·5 in Grimsby, 20·5 in Middlesbrough, 20·6 in Oldham, 20·9 in Huddersfield, and 24·1 in Wigan; from *measles*, 2·5 in Derby, 2·9 in Bolton, 4·1 in Middlesbrough, and 4·7 in Wigan; from *scarlet fever*, 1·4 in Newport (Mon.); and from *whooping-cough*, 1·1 in St. Helens, 1·2 in Wigan, and 1·4 in Bolton. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2506 BIRTHS and 1161 DEATHS were registered. Allowing for increase of population, the births were 114 and the deaths 38 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 13·0, 13·2, and 12·8 per 1000 in the preceding three weeks, fell last week to 12·7. The death-rate in the four weeks ended last Saturday averaged 12·9 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1161 deaths included 48 from measles, 10 from scarlet fever, 10 from diphtheria, 36 from whooping-cough, 1 from enteric fever, and 13 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 118 deaths were referred to these diseases in the aggregate, being 10 below the corrected average number in the twenty-fifth week of the preceding five years.

The deaths from *measles*, which had been 52, 61, and 56 in the preceding three weeks, fell to 48 last week, and were 4 below the corrected average; 13 deaths belonged to the Borough of Lambeth, 6 to Southwark, 4 to St. Pancras, and 3 apiece to Fulham, Islington and Bethnal Green. The deaths from *scarlet fever*, which had been 13, 11, and 13 in the preceding three weeks, fell to 10 last week, but were 2 above the corrected average. The deaths from *diphtheria*, which had been 14, 10, and 8 in the preceding three weeks, were 10 last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 30, 46, and 53 in the preceding three weeks, fell to 36 last week, but were 10 above the corrected average; 7 deaths belonged to Poplar, 4 each to Islington and Southwark, and 3 to Camberwell. One death from *enteric fever* was recorded during the week, the corrected average being 4; the deaths in the preceding three weeks had been 0, 2, and 2. The deaths from *diarrhoea*, which had been 20, 14, and 19 in the preceding three weeks, fell to 13 last week, and were 7 below the corrected average. Of the 13 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 7, having been 10, 9, and 9 in the preceding three weeks. The death of a painter, aged 39 years, was certified as due to *lead paralysis*.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 18 were cases of suicide, and 1 of homicide, while the remaining 37 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns or scalds, 3 to drowning, and 8, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2986 cases of scarlet fever, 889 of diphtheria, and 54 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 414 cases, against 437, 368, and 389; of diphtheria, 107 cases, against 129, 112, and 123; and of enteric fever, 9 cases, against 6, 11, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 15th, 1907.

GREATER LONDON.

In Greater London 3863 births and 1618 deaths were registered. Allowing for increase of population, these numbers are 209 and 43 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 9 from whooping-cough, and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 56°·7, the latter being 2°·9 below the week's average in the 65 years ending 1905. The general direction of the wind was South-westerly, the horizontal movement of the air being 53 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 62·6 hours; the measured rainfall amounted to 0·01 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

causes, 1897, 1900, 1901, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	DEATH-RATES from all Causes.				Rate from Diseases in 1907.		Registered Deaths during the Week ended 22nd June, 1907.		The DEATHS registered in the Week include										TOWNS			
	Week ended				11-17.		Week ended 22nd June, 1907.		Deaths of													
	1st June, 1907.	8th June, 1907.	15th June, 1907.	22nd June, 1907.	1st June, 1907.	8th June, 1907.	15th June, 1907.	22nd June, 1907.	Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	16,024,458	14.5	13.7	13.1	12.7	1.2	8753	3915	824	1083	139	32	27	104	10	53	166	332	1059	33	76 TOWNS.	
LONDON -	4,758,218	13.0	13.2	12.8	12.7	1.3	2506	1161	222	333	48	10	10	36	1	13	56	118	499	1	LONDON.	
OXFORD -	154,342	7.8	10.1	9.5	5.7	0.3	87	17	4	6	-	-	-	1	-	-	1	3	4	-	OXFORD.	
WILMINGTON -	149,192	9.1	8.0	10.1	9.8	1.4	88	28	4	13	-	-	-	1	-	-	-	2	5	-	WILMINGTON.	
HORNEY -	89,816	3.5	7.5	7.5	7.5	-	28	13	1	7	-	-	-	-	-	-	-	2	-	-	HORNEY.	
TOTTENHAM -	122,768	14.4	14.4	12.7	11.0	1.7	59	26	3	6	-	1	-	1	-	-	1	2	7	-	TOTTENHAM.	
WEST HAM -	308,284	10.7	11.7	10.3	10.0	1.4	171	59	18	15	-	1	-	3	-	3	4	5	16	-	WEST HAM.	
EAST HAM -	136,421	7.6	8.8	7.3	7.6	0.4	81	20	5	4	-	-	-	-	-	-	-	1	2	-	EAST HAM.	
LEYTON -	122,040	10.3	11.5	8.5	8.5	0.9	63	20	6	3	-	-	-	-	-	-	2	4	6	-	LEYTON.	
WALTHAMSTOW -	126,397	8.3	7.0	10.7	8.3	1.7	58	20	2	6	-	-	-	1	-	1	-	1	5	-	WALTHAMSTOW.	
HASTINGS -	67,477	15.5	9.3	7.0	7.0	0.8	27	9	2	5	-	-	-	-	-	1	-	-	2	-	HASTINGS.	
BRIGHTON -	129,023	11.3	7.7	8.9	11.3	0.4	35	28	5	9	-	-	-	-	-	1	-	2	8	-	BRIGHTON.	
PORTSMOUTH -	208,291	13.8	16.5	9.5	16.5	1.8	125	66	10	19	-	3	-	2	-	-	3	5	15	-	PORTSMOUTH.	
BOURNEMOUTH -	69,246	8.3	15.8	5.3	8.3	-	26	11	-	6	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	119,745	15.2	10.5	8.3	7.8	-	56	18	3	7	-	-	-	-	-	-	-	3	5	-	SOUTHAMPTON.	
READING -	80,311	15.6	9.1	9.1	12.3	1.9	32	19	1	7	-	1	-	-	-	1	-	-	3	-	READING.	
NORTHAMPTON -	85,070	13.2	9.3	9.3	8.2	0.5	40	15	2	5	-	-	-	-	-	-	-	-	5	-	NORTHAMPTON.	
IPSWICH -	72,825	15.0	13.6	7.9	10.7	-	36	15	1	5	-	-	-	-	-	-	-	2	-	-	IPSWICH.	
GREAT YARMOUTH -	52,879	12.8	12.8	7.9	15.8	-	24	16	4	6	-	-	-	-	-	-	-	1	3	-	GREAT YARMOUTH.	
NORWICH -	119,191	12.2	14.4	12.2	12.2	0.4	75	28	7	11	-	-	-	-	-	-	-	1	7	1	NORWICH.	
PLYMOUTH -	120,063	13.9	10.0	8.3	9.6	0.4	50	22	7	4	-	-	-	-	-	-	-	2	3	-	PLYMOUTH.	
DEVONPORT -	79,959	14.3	7.8	9.8	8.5	-	48	13	2	7	-	-	-	-	-	-	-	1	1	-	DEVONPORT.	
BRISTOL -	367,979	14.5	10.8	11.8	9.6	0.7	181	68	15	15	-	-	-	-	-	-	-	14	16	-	BRISTOL.	
HANLEY -	67,174	18.6	17.9	13.2	13.2	2.3	40	17	4	4	-	-	-	-	-	-	-	2	5	-	HANLEY.	
BURTON-ON-TRENT -	53,425	8.8	4.9	11.7	11.7	-	24	12	1	5	-	-	-	-	-	-	-	2	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	102,016	11.2	11.2	14.3	12.3	1.5	49	24	6	6	-	-	-	-	-	-	-	1	6	-	WOLVERHAMPTON.	
WALSALL -	96,171	15.7	11.9	8.7	14.1	2.2	58	26	14	5	-	1	-	1	-	-	-	1	2	1	WALSALL.	
HANDSWORTH -	65,929	7.1	10.3	9.5	11.1	0.8	32	14	2	4	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.	
WEST BROMWICH -	69,123	15.1	13.6	19.6	12.8	0.8	39	17	2	4	-	-	-	-	-	-	-	-	2	3	-	WEST BROMWICH.

See note at first page of this

* See note † on first page of this return.

† These towns are included within the area of Greater London

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 22nd June, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 22nd June, 1907.		The DEATHS registered in the Week include												TOWNS.
		Week ended				11-17.		22nd June, 1907.														
		1st June, 1907.	8th June, 1907.	15th June, 1907.	22nd June, 1907.	Week ended June, 1907.	Week ended June, 1907.	1st June, 1907.	22nd June, 1907.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthra.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	553,155	14.5	15.8	13.6	12.7	1.0	319	135	41	32	-	7	-	1	1	-	2	8	9	30	6	BIRMINGHAM.
KINGS NORTON -	75,600	10.3	8.3	9.0	7.6	0.7	51	11	4	3	-	1	-	-	-	-	-	2	2	2	-	KINGS NORTON.
SMETHWICK -	66,467	13.3	9.4	3.9	8.6	0.8	40	11	4	2	-	-	-	-	1	-	-	2	2	-	-	SMETHWICK.
ASTON MANOR -	83,266	9.4	10.0	4.4	9.4	-	44	15	4	3	-	-	-	-	-	-	-	-	-	3	-	ASTON MANOR.
COVENTRY -	77,626	14.1	17.5	13.4	16.8	-	62	25	6	8	-	-	-	-	-	-	-	1	3	4	1	COVENTRY.
LEICESTER -	236,124	11.7	7.9	10.6	8.4	0.4	110	38	5	13	-	-	1	-	-	-	1	1	2	7	-	LEICESTER.
GRIMSBY -	70,574	17.0	17.0	15.5	18.5	0.7	45	25	3	10	-	-	1	-	-	-	-	3	7	6	-	GRIMSBY.
NOTTINGHAM -	257,489	18.6	16.2	12.8	13.4	0.4	150	66	13	20	-	1	1	-	-	-	2	7	16	-	-	NOTTINGHAM.
DERBY -	125,774	12.0	11.6	14.5	13.7	2.5	74	33	8	9	-	6	-	-	-	-	-	-	1	4	-	DERBY.
STOCKPORT -	100,986	15.5	13.4	15.5	16.5	-	56	32	7	7	-	-	-	-	-	-	-	1	3	8	-	STOCKPORT.
BIRKENHEAD -	118,553	13.6	15.0	14.1	10.6	-	91	24	8	8	-	-	-	-	-	-	-	-	-	5	-	BIRKENHEAD.
WALLASEY -	66,707	14.9	10.9	12.5	10.2	-	31	13	2	4	-	-	-	-	-	-	-	3	3	3	-	WALLASEY.
LIVERPOOL -	746,144	18.7	16.7	18.0	13.3	1.3	463	191	54	35	-	2	3	-	9	2	2	5	11	63	2	LIVERPOOL.
BOOTLE -	67,114	14.0	12.4	15.5	14.0	0.8	38	18	4	2	-	-	-	-	1	-	-	-	-	2	3	BOOTLE.
ST. HELENS -	92,476	22.0	23.1	16.9	15.2	1.1	67	27	7	8	-	-	-	-	2	-	-	1	1	6	2	ST. HELENS.
WIGAN -	88,606	18.8	18.8	18.8	24.1	5.9	59	41	10	8	-	8	-	-	2	-	-	2	2	3	-	WIGAN.
WARRINGTON -	70,269	11.1	13.4	11.9	11.1	0.7	39	15	2	4	-	-	1	-	-	-	-	1	2	3	-	WARRINGTON.
BOLTON -	182,917	25.7	15.7	14.3	17.1	4.8	80	60	13	17	-	-	-	1	5	-	-	1	3	6	-	BOLTON.
BURY -	58,901	13.3	9.7	16.8	15.0	-	23	17	2	7	-	-	-	-	-	-	-	1	1	1	-	BURY.
MANCHESTER -	643,143	17.7	17.3	15.0	15.5	1.5	356	191	38	56	-	4	3	-	10	1	1	13	19	48	1	MANCHESTER.
SALFORD -	236,670	16.7	15.2	13.9	15.0	1.8	154	68	20	15	-	2	-	1	3	1	1	-	5	14	-	SALFORD.
OLDHAM -	141,730	20.2	16.2	14.0	20.6	0.7	80	56	17	13	-	-	-	-	1	-	-	1	2	5	-	OLDHAM.
ROCHDALE -	87,999	17.2	14.2	17.2	13.0	0.6	36	22	4	7	-	-	-	-	-	-	-	-	1	5	-	ROCHDALE.
BURNLEY -	103,947	16.6	17.6	16.6	14.0	2.0	53	28	5	3	-	-	1	-	2	-	1	3	3	6	-	BURNLEY.
BLACKBURN -	134,980	17.4	14.3	13.1	13.9	1.2	63	36	4	13	-	-	1	-	-	-	2	1	2	5	1	BLACKBURN.
PRESTON -	117,093	18.3	16.9	22.3	16.0	1.3	57	36	6	11	-	-	1	-	1	1	-	-	1	6	1	PRESTON.
BARROW-IN-FORTH -	61,635	8.5	5.9	13.5	13.5	-	45	16	2	7	-	-	-	-	-	-	-	-	-	3	-	BARROW-IN-FORTH.

TOWNS.	POPULATION estimated during the week ending middle of the year 1907.*	DEATHS FROM all Causes.					RATES FROM Diseases in Cols. 11-17.		Registered during the week ending 22nd June, 1907.		The DEATHS registered in the week include											TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Week ended					Week ended		BIRTHS.	DEATHS.	Deaths of 60 Years and upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.		Unofficial Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		1st June, 1907.	8th June, 1907.	15th June, 1907.	22nd June, 1907.	5th June, 1907.	6th June, 1907.	Small-pox.				Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																			1.					2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
COLLS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

* See note † on first page of this return.

† Including 5 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 5 in Glasgow, 2 in Dublin, and 20 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2110	2385	2422	2464	2451	2422	2886	2465	2527	2499	2619.6	2506
Males - - -	1083	1247	1223	1221	1254	1249	1426	1211	1302	1252	1318.1	1274
Females - - -	1027	1138	1199	1243	1197	1173	1460	1254	1225	1247	1301.5	1232
TOTAL Deaths -	1246	1257	1355	1171	1204	1266	1197	1143	1047	1205	1199.0	1161
Males - - -	624	654	739	644	649	672	588	625	533	639	625.7	660
Females - - -	622	603	616	527	555	594	609	518	514	566	573.3	501

* The numbers in this column are the average weekly numbers in the twenty-fifth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 30.	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	13 Weeks.
TOTAL Births -	2236	2387	2532	2577	2452	2352	2537	2499	2258	2464	2474	2356	2506	31630
TOTAL Deaths -	1586	1627	1495	1469	1423	1364	1431	1333	1316	1190	1209	1172	1161	17826
Ages at Death {														
Under 1 year -	311	303	264	276	265	257	275	274	251	203	224	218	222	3343
1–5 years -	220	249	237	173	212	168	176	192	180	164	170	174	159	2454
5–20 " -	74	86	75	75	80	78	96	69	90	73	63	70	47	981
20–40 " -	169	189	202	179	188	171	162	191	152	137	143	122	136	2171
40–60 " -	337	304	280	301	280	273	283	274	274	240	261	241	262	3590
60 yrs. & upwds	445	496	437	465	420	417	439	383	389	373	343	347	333	5287
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	59	63	45	40	47	40	39	51	53	52	61	56	48	654
Scarlet Fever - - -	8	13	9	9	8	8	9	12	13	13	11	13	10	136
Diphtheria - - -	16	19	8	10	16	13	15	11	12	14	10	8	10	162
Whooping-cough - - -	71	63	60	50	67	69	63	59	36	30	46	53	36	703
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	1	4	5	6	3	2	4	1	3	-	2	2	1	34
Pyæmia (Origin uncertain) - - -	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhoea, Dysentery - - -	14	11	18	13	14	18	9	21	14	20	14	19	13	198
All above Diseases -	169	173	145	128	155	150	139	155	131	129	145	151	118	1888
Dis. of Resp. System - - -	177	187	147	133	128	121	107	86	93	81	74	60	63	1457
Pneumonia - - -	177	225	208	193	167	161	155	149	137	111	112	89	93	1977
Phthisis - - -	161	156	157	135	133	127	147	147	139	120	136	118	107	1783
Dis. of Circ. System - - -	197	209	181	212	191	194	207	185	180	170	188	152	160	2426
Violence - - -	55	64	50	52	63	61	54	69	49	51	36	48	56	708
Inquest Cases - - -	253	166	133	148	136	141	136	173	117	118	100	113	118	1752
Deaths in Institutions - - -	622	626	584	591	565	558	550	565	494	490	492	490	499	7126
TEMPERATURE OF THE AIR.														
Mean - - -	46.5	49.6	44.1	43.7	49.4	46.4	56.0	53.2	50.6	53.4	54.7	58.7	56.7	51.0
Mean of Highest - - -	60.8	62.0	53.7	53.1	58.0	54.9	66.6	62.1	62.2	62.8	63.6	68.0	67.4	61.2
Mean of Lowest - - -	31.1	37.8	37.9	36.0	43.2	40.3	45.8	47.0	41.1	47.1	48.7	50.8	48.3	42.7
Mean Humidity of the Air.	71	69	86	76	79	69	72	72	78	83	75	75	65	75
Rain-fall (in inches) -	0.00	0.17	1.42	0.63	0.90	0.59	0.36	0.35	0.35	0.67	0.42	0.41	0.01	6.28
Registered Sunshine (in hours),	53.5	43.6	18.8	27.7	31.4	41.6	50.2	39.5	28.2	15.3	25.1	48.5	62.6	486.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	1	1	1	-	-	-	-	-	-	27.34
Scarlet Fever - - -	2657	2621	2637	2628	2649	2672	2658	2679	2732	2824	2862	2936	2986	947
Diphtheria - - -	1014	996	992	997	949	915	911	921	927	935	917	944	889	947
Typhus - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	93	82	75	69	66	60	54	53	52	47	45	59	54	62

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; J. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Preston; Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIFTH Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 25th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 25th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1199.0	1161	222	159	47	138	262	333	Meningitis (not tubero.)	15.4	14	7	5	2	-	-	-
									Gen. Par. of Insane,	11.9	16	-	-	1	2	10	3
									Insanity	5.5	3	-	-	-	-	-	-
Small-pox*	5.3	-	-	-	-	-	-	-	Epilepsy	20.7	10	10	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions	1.0	-	-	-	-	-	-	-
Measles (Morbilli)	51.6	48	9	38	1	-	-	-	Locomotor Ataxy	5.5	2	-	-	-	-	-	-
Scarlet Fever	8.2	10	-	9	1	-	-	-	Paraplegia, Dis. of Cord	17.4	7	-	1	-	2	2	2
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	38.5	45	-	-	7	10	11	17
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	31.1	31	-	-	-	-	10	21
Influenza	4.7	7	-	1	-	2	2	2	Cereb. Hem. Cereb. Emb.	17.8	12	-	-	-	-	3	9
Whooping-cough	26.2	36	16	20	-	-	-	-	Apoplexy, Hemiplegia	5.1	9	-	-	-	2	6	1
Diphtheria	13.3	10	2	7	1	-	-	-	Aneurysm	0.6	2	-	-	-	-	1	1
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-	Embolism, Thrombosis	75.9	61	-	-	-	3	17	41
Pyæmia,† (origin un- certain)	-	-	-	-	-	-	-	-	(not Cerebral)	-	-	-	-	-	-	-	-
Enteric Fever	4.3	1	-	-	-	1	-	-	Heart & Blood Ves.,	-	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Other Dis.	-	-	-	-	-	-	-	-
Epidemic Diarrhœa,	7.4	8	7	1	-	-	-	-	Croup (not Spasm; nor	-	-	-	-	-	-	-	-
Infective Enteritis	12.1	5	3	1	-	-	-	1	Memb.)	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery	0.4	-	-	-	-	-	-	-	Bronchitis	55.9	48	11	8	-	-	6	23
Tetanus	-	-	-	-	-	-	-	-	Emphysema, Asthma	2.0	2	-	-	-	1	1	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Pleurisy	2.0	5	-	1	1	-	-	1
Glanders	-	-	-	-	-	-	-	-	Respiratory Dis., Other-	7.2	8	2	-	-	2	1	3
Anthrax (Splenic Fever)	0.2	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.4	-	-	-	-	-	-	-
Venereal Dis.	7.4	3	2	-	-	-	1	-	Enteritis (not Epid.)	9.2	17	8	1	-	3	2	3
Puerperal Septicæmia	2.7	2	-	-	-	2	-	-	Gastro-enteritis	4.5	6	3	-	-	1	1	1
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.7	4	-	1	1	-	1	1
Puerperal Fever	0.6	1	-	-	-	1	-	-	Cirrhosis of Liver	11.3	13	-	-	-	2	7	4
Infective Endocarditis	3.1	6	-	-	2	1	3	-	Liver Dis., Other	6.3	4	-	-	-	1	-	3
Lobar	9.0	17	2	1	-	4	5	5	Digestive Sys., Other Dis.	35.2	37	9	4	1	7	9	7
Pneumonia	37.7	36	14	16	1	1	3	1	Acute Nephritis	6.5	4	-	1	1	1	1	-
Epidemic	0.2	-	-	-	-	-	-	-	Bright's Dis., Albumin-	34.0	45	-	-	3	4	22	16
Not defined	38.7	40	5	6	1	2	6	20	uria	9.4	11	-	-	-	-	1	10
Erysipelas	2.5	4	1	-	-	-	-	-	Urinary Sys., Other Dis.	3.5	5	-	-	-	2	2	1
Septicæmia (not Puer-	1.2	3	1	1	-	1	-	-	Generative Organs Dis.	5.3	1	-	-	-	-	-	-
peral)	0.4	1	-	-	-	-	-	-	Childbirth (Accid. of)	43.4	50	-	-	-	-	1	49
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	Old Age	81.4	78	52	3	3	7	4	9
Other Infective Processes	4.3	-	-	-	-	-	-	-	Other Diseases	-	-	-	-	-	-	-	-
Tuberculous Phthisis	66.5	73	1	2	7	32	25	6	ACCIDENT.								
"Phthisis"	54.9	34	-	-	1	13	16	4	By Railways	2.0	1	-	-	-	-	1	-
Tuberculous Meningitis	22.1	21	2	16	3	-	-	-	By Vehicles and Horses	6.1	5	-	-	-	1	3	1
Tuberculous Peritonitis	6.3	6	1	3	-	1	1	-	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
Tubes Mesenterica	1.4	1	1	-	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Dis., Other	23.3	12	1	5	3	-	1	2	ing)	0.6	1	-	-	-	-	1	-
Serpylla	-	-	-	-	-	-	-	-	In Building Operations	-	-	-	-	-	-	-	-
Alcoholism	10.0	6	-	-	-	1	3	2	In Conflagrations	2.9	7	1	4	1	-	-	1
Rheumatic Fever	6.1	4	-	-	1	3	-	-	By Burns, Scalds, Ex-	4.5	3	-	-	1	2	-	-
Gout	1.4	2	-	-	-	-	-	-	plosions	8.0	8	8	-	-	-	-	-
Carcinoma	54.0	63	-	-	-	6	28	29	By Drowning	1.2	1	-	-	-	-	1	-
Sarcoma	8.2	7	-	1	-	3	3	-	By Suffocation in Bed	16.6	11	1	2	2	-	3	3
Cancer (undefined)	33.6	36	-	-	1	1	18	16	By Poisons or Poisonous	-	-	-	-	-	-	-	-
Diabetes Mellitus	8.2	11	-	-	-	6	5	-	Vapours	-	-	-	-	-	-	-	-
Premature Birth	42.0	41	41	-	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
									dent	-	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide	0.8	1	1	-	-	-	-	-
									Suicide	9.8	18	-	-	-	5	11	2
									Execution	0.2	-	-	-	-	-	-	-

* In tables 3 and 1 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd June, 1907.

		The DEATHS registered during the Week include																
		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths of		Deaths from											Deaths in Public Institutions
					Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† Origin uncertain.	Diarrhoea.	Violence.	Inquest Cases.	
REGISTRATION SUB-DISTRICTS.																		
LONDON - - -		4,538,429	2506	1161	222	333	-	48	10	10	36	-	1	-	13	56	113	499
WEST DISTRICTS - - -		805,311	395	195	23	69	-	8	1	4	5	-	1	-	2	10	21	86
NORTH DISTRICTS - - -		1,056,070	496	245	39	73	-	9	3	2	3	-	-	-	2	13	24	100
CENTRAL DISTRICTS - - -		209,465	117	76	19	7	-	1	-	-	3	-	-	-	7	7	14	45
EAST DISTRICTS - - -		715,739	470	208	51	50	-	7	-	2	9	-	-	-	5	13	26	110
SOUTH DISTRICTS - - -		1,749,844	1028	409	90	126	-	23	4	2	11	-	-	-	3	13	32	130
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	28	-	8	-	-	2	-	-	-	-	-	1	-	1	28
WEST DISTRICTS.																		
St. Mary Paddington W,3H - -		93,178	34	22	3	10	-	1	-	-	2	-	-	-	1	-	1	6
St. John Paddington H - - -		33,617	4	8	-	2	-	-	-	-	-	-	-	-	-	2	2	5
North-West Paddington - - -		17,181	9	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Kensington Town 2W,w,2H - -		128,037	75	30	3	17	-	1	-	-	-	-	-	-	-	1	2	16
Brompton 2H - - -		48,591	10	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith 2W,w,H - -		49,192	35	14	2	2	-	-	-	-	1	-	-	-	-	-	1	9
South Hammersmith w,2H - -		83,047	30	12	1	3	-	-	-	1	-	-	-	-	-	2	2	8
North-west Fulham W - - -		45,180	44	11	3	2	-	2	-	-	1	-	-	-	1	-	-	6
North-east Fulham F - - -		46,405	31	12	4	1	-	1	1	3	1	-	1	-	-	1	1	5
South Fulham W - - -		45,704	34	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - -		42,514	11	20	1	9	-	1	-	-	-	-	-	-	-	2	6	15
Chelsea South W,2H - - -		31,328	15	8	1	-	-	1	-	-	-	-	-	-	-	-	6	3
Mayfair and Knightsbridge - -		28,743	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -		56,815	32	19	3	5	-	1	-	-	-	-	-	-	-	1	2	6
St. Margaret & St. John 5H - -		43,698	16	16	-	7	-	-	-	-	-	-	-	-	-	1	3	7
St. James and St. Anne W,6H -		33,081	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -		35,391	13	13	2	3	-	-	-	-	-	-	-	-	1	1	1	6
St. Mary Marylebone W,4H - -		37,948	40	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-
Christchurch Marylebone - - -		39,536	15	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 2H - - -		20,426	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,7H - - -		81,942	20	23	1	8	-	-	2	-	-	-	-	-	-	1	1	9
West St. Pancras 2H - - -		60,562	24	7	3	1	-	-	-	-	1	-	-	-	-	-	-	4
South St. Pancras w,11H - - -		55,707	25	15	5	2	-	-	-	1	-	-	-	-	-	2	2	8
East St. Pancras W,2H - - -		60,320	30	16	3	5	-	1	-	-	-	-	-	-	-	-	1	9
North St. Pancras 2W - - -		58,728	30	22	1	9	-	3	-	-	-	-	-	-	-	-	-	14
Tufnell W - - -		31,995	11	16	3	5	-	2	-	-	-	-	-	-	-	-	1	8
Upper Holloway 2W,w,H - - -		33,978	22	19	1	6	-	1	-	-	-	-	-	-	-	1	1	14
Tollington W,w,H - - -		33,922	21	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Lower Holloway - - -		41,424	17	4	1	1	-	-	-	-	-	-	-	-	-	-	2	-
Barnsbury - - -		54,478	27	11	1	5	-	-	-	-	2	-	-	-	-	-	1	-
Islington South-east F - - -		75,397	35	16	4	5	-	1	-	-	2	-	-	-	-	1	1	-
Highbury 2H - - -		63,797	25	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-
Stoke Newington H - - -		51,247	17	6	1	2	-	-	-	-	1	-	-	-	-	-	-	-
North Hackney - - -		50,560	24	12	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - - -		50,536	26	5	-	1	-	1	1	1	-	-	-	-	-	1	2	-
South-west Hackney 3H - - -		59,921	33	25	4	4	-	-	-	-	2	-	-	-	-	4	5	14
South-east Hackney 2W,w,H -		58,255	33	16	2	5	-	-	-	-	-	-	-	-	-	3	11	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd June, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhea.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
CENTRAL DISTRICTS,																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

BLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 22nd June, 1907.

Registration District and Sub-district numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enumerated Population, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
	LONDON—OUTER RING	368,302	2,044,973	1357	457	95	139	-	12	4	2	17	1	11	17	33	95	3		
0: 1	Carshalton 2F,3H	12,228	32,997	12	10	-	3	-	-	-	-	-	-	-	1	2	1	-		
2	Epsom, part of* W,w,2F,H	10,423	15,546	10	6	2	2	-	-	-	-	-	-	-	-	-	2	-		
07: 1	Godstone, part of* W,F,L	2,754	2,692	2	3	1	1	-	-	-	-	-	-	-	-	-	2	-		
08: 1	Coulsdon	11,069	8,166	2	2	1	-	-	-	-	-	-	-	-	-	1	-	-		
2	South Croydon w	4,200	49,309	22	5	-	3	-	-	-	-	-	-	-	-	-	-	-		
3	West Croydon 3W,F,H	2,163	42,888	29	8	3	2	-	-	-	1	-	-	-	-	-	4	-		
4	North Croydon H	2,644	41,698	36	4	1	2	-	-	-	-	-	-	-	1	2	-	-		
6	Penge w,H	770	22,465	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-		
6	Mitcham	11,711	30,015	32	8	5	1	-	-	-	-	-	-	-	-	-	-	-		
39: 1	Wimbledon F,3H	3,221	41,652	23	11	1	3	-	-	1	-	1	-	1	-	-	3	-		
2	Kingston 2W,H	6,224	42,068	27	6	1	3	-	-	-	-	-	-	-	2	2	2	-		
3	Surbiton F,H	3,046	15,017	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-		
4	Esher, part of* H	5,402	13,100	7	5	1	3	-	-	-	-	-	-	-	-	-	1	-		
5	Hampton H,F,L	4,564	23,456	7	6	2	2	-	-	-	-	-	-	-	1	1	-	1		
40: 1	Richmond W,H	2,162	28,865	13	9	3	2	-	-	-	-	-	-	1	1	1	2	-		
2	Mortlake F	2,847	20,628	20	4	-	3	-	-	-	-	-	-	-	-	-	-	-		
41: 1	Bromley F,3H	4,703	27,354	19	3	1	-	-	-	-	-	-	-	-	-	-	1	-		
2	Beckenham H	7,825	28,497	22	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W	10,113	9,857	9	10	1	8	-	-	-	-	-	-	-	-	-	7	-		
4	Chislehurst 2H	7,333	16,446	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
42: 1	Bexley w,F,H	8,678	21,151	16	3	-	-	-	-	-	-	-	-	-	1	1	-	-		
2	Erith F,H	3,854	25,296	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
24: 1	Sunbury w	11,054	18,683	17	5	1	1	-	-	-	1	-	-	-	1	1	-	1		
2	Staines W,H	13,277	15,178	8	4	2	-	-	-	-	-	1	-	-	-	-	-	-		
25: 1	Hillingdon W,F,H	6,035	13,661	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge H	12,757	8,984	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes w2F,H	8,066	16,356	19	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
26: 1	Isleworth 3W,3F,H	6,859	30,863	18	19	2	7	-	2	-	-	1	-	-	-	-	9	-		
2	Twickenham F,2,H	2,421	20,991	19	4	-	3	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford 3F,2H	4,319	48,289	36	17	5	7	-	-	-	-	-	-	-	-	-	2	-		
4	Chiswick H	1,249	29,809	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
5	Acton w,F,3H	6,132	48,014	43	10	3	2	-	1	-	-	-	-	-	1	1	-	-		
27: 1	Harrow F,H	13,809	25,523	21	6	2	1	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware 2F,2H	6,994	4,521	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,F,2H	4,384	114,811	88	28	4	13	-	1	-	1	1	1	-	-	2	5	1		
4	Hendon W,F	8,382	22,460	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-		
28: 1	South Mimms 2F,H	17,755	7,308	3	3	-	2	-	1	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	3,324	17,070	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley F,2H	4,688	33,692	23	5	2	1	-	1	-	-	-	-	-	-	-	-	-		
29: 1	Hornsey F,H	2,675	72,056	28	13	1	7	-	-	-	-	-	-	-	-	-	-	-		
2	Wood Green H	1,625	34,233	23	6	1	-	-	-	-	-	1	-	1	-	-	-	-		
3	West Tottenham	996	48,853	29	6	1	2	-	-	-	-	-	-	-	-	-	-	-		
4	East Tottenham 2H	2,017	53,688	30	15	2	2	-	2	-	-	-	-	-	1	1	2	-		
5	Edmonton W,w,2F	7,491	61,892	55	23	3	9	-	-	-	-	-	-	-	-	3	7	-		
6	Enfield 2W,F,H	12,601	42,738	25	8	2	2	-	-	1	-	-	-	1	-	-	2	-		
7	Waltham Abbey F	11,017	6,549	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, part of* W	3,305	604	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
137: 1	Bushey H	9,333	9,173	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
186: 1	Stratford H	1,072	44,827	30	5	1	1	-	-	-	-	-	-	-	2	2	1	-		
2	Plaistow F,2H	1,249	90,921	70	24	8	3	-	1	1	-	1	-	-	-	1	3	-		
3	Canning Town H	1,558	70,718	44	10	5	2	-	-	-	-	-	-	2	1	1	1	-		
4	Forest Gate w	806	60,892	27	9	2	3	-	-	-	-	1	-	-	-	-	-	-		
5	North East Ham w,H	1,333	58,676	42	10	1	3	-	-	-	-	-	-	-	-	1	1	-		
6	South East Ham 2F	1,993	37,342	39	9	3	1	-	-	-	1	-	-	-	-	-	-	-		
7	Wanstead F	1,679	9,179	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
8	South Leyton 2W	631	50,467	26	9	3	2	-	-	-	-	-	-	-	1	2	2	-		
9	North Leyton 2W,w,F	1,963	48,445	37	28	6	8	-	-	-	1	-	3	2	3	21	-	-		
10	Walthamstow 2H,L	6,504	108,929	65	16	2	5	-	2	-	-	-	-	1	-	-	-	-		
187: 1	Chigwell 2F,3H	11,778	16,397	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
189: 1	Romford, part of* W,2F	6,556	6,091	4	3	-	1	-	-	-	-	-	-	-	-	-	2	-		
2	Ilford F,L	8,496	41,234	33	8	4	1	-	-	-	-	2	-	-	-	-	1	-		
3	Barking Town F	3,803	21,547	25	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
	N.E. Hospital, Tottenham	-	-	-	3	-	-	-	-	1	-	1	-	-	-	1	3	-		
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-		
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
	Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	June	22	2506	1161	12·7	-	48	10	10	36	1	1
CALCUTTA - -	977,822	May	25	-	559	34·2	32	4	-	1	2	217†	80
BOMBAY - -	982,000	June	4	313	569	30·2	1	1	-	-	-	103†	47
MADRAS - -	548,974	May	24	379	353	36·0	1	5	?	?	?	87	69
PARIS - - -	2,722,731	June	15	1001	887	16·9	1	16	6	3	8	6	19
BRUSSELS - -	623,077	"	15	207	155	12·8	-	-	-	-	1	-	8
ANTWERP - -	304,032	"	15	113	69	11·8	-	-	-	-	2	1	7
AMSTERDAM -	565,368	"	15	268	136	12·6	-	3	1	1	2	1	9
COPENHAGEN -	433,000	"	15	250	130	15·7	-	-	-	-	3	-	3
STOCKHOLM -	324,488	"	8	158	93	14·5	-	1	-	2	1	-	2
CHRISTIANIA -	226,774	"	15	98	58	13·3	-	-	-	2	1	-	-
ST. PETERSBURG	1,482,769	"	1	-	707	-	1	25	11	19	5	20	62
MOSCOW - -	1,296,000	"	8	-	697	28·0	3	28	6	12	2	3	115
BERLIN - - -	2,092,236	"	1	916	564	14·1	-	10	2	6	3	1	50
HAMBURG - -	840,790	"	15	-	202	12·7	-	-	2	3	1	-	6
BRESLAU - -	464,355	"	8	-	178	19·2	-	1	-	-	2	1	13
MUNICH - - -	548,000	"	15	-	193	18·3	-	10	1	3	2	-	24
VIENNA - - -	1,979,003	"	15	940	653	17·2	-	20	4	5	2	-	52
PRAGUE - - -	466,133	"	1	214	222	24·5	-	1	-	1	-	2	15
BUDA-PESTH -	802,235	"	8	214	188	20·8	-	-	-	-	2	1	20
BUDA-PESTH -	802,235	"	1	403	298	19·3	-	11	5	2	1	1	10
TRIESTE - - -	200,962	"	15	154	74	19·2	1	1	-	1	1	2	1
ROME - - - -	540,150	April	27	-	-	-	-	-	-	-	-	-	-
VENICE - - -	174,388	June	8	74	40	12·0	-	-	2	-	-	-	4
BUCHAREST -	292,395	"	15	162	148	26·4	-	6	1	1	1	1	11
NEW YORK - -	4,285,435	"	8	2402	1434	17·5	1	21	24	37	12	7	58
CHICAGO - - -	2,107,620	"	8	-	574	14·2	-	3	6	8	3	4	17
PHILADELPHIA -	1,500,595	May	25	-	499	17·2	-	2	-	10	1	9	7
RIO DE JANEIRO	912,900	"	26	-	232	19·2	1	-	-	-	-	1	?

* Excluding deaths from croup in the Indian Cities.

† Including 131 deaths from plague in Calcutta, and 49 in Bombay.

‡ Including 46 deaths from cholera in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday 22nd June, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	70·3	43·1	57·9	0·01	LEEDS - - -	67·0	46·0	53·1	0·50
BRIGHTON - -	62·0	47·0	55·4	0·00	YORK - - -	66·4	44·0	55·5	0·32
PORTSMOUTH -	63·7	47·4	56·6	0·02	HULL - - -	68·0	45·0	55·5	0·39
NORWICH - - -	67·4	45·0	56·3	0·07	TYNEMOUTH -	61·0	44·0	53·6	0·53
PLYMOUTH - -	60·3	46·2	54·0	0·06	CARDIFF - -	64·6	41·5	53·5	0·30
BRISTOL - - -	64·0	45·4	55·0	0·28	EDINBURGH -	-	-	-	-
BIRMINGHAM -	63·6	43·3	53·5	0·23	GLASGOW - -	63·2	43·2	52·7	0·66
NOTTINGHAM -	62·1	43·3	54·1	0·25	DUBLIN } Phoenix Park. Fitz- william Square.†	63·2	39·4	52·7	0·54
LIVERPOOL } OBSERVATORY.	62·0	48·0	54·1	0·61		61·9	45·1	55·1	0·51
MANCHESTER -	61·5	43·8	52·7	1·49		-	-	-	-
PRESTON - - -	60·5	48·0	54·3	1·81	BELFAST - -	63·5	42·5	53·3	1·22
HUDDERSFIELD -	64·8	45·0	53·5	0·86					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The above was 19°8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1907.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		WINDS deduced from Anemometers.		Rain collected in a Gauge receiving surfaces.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
MONTH AND DAY	Phases of the Moon.	BARO-METER.	Of the Air.			Of the Dew point		Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.		Of the Earth Surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Ozone																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			High-est.	Low-est.	Daily Range.	Mean from Average of 65 years.	De-pature from Average of 65 years.	Mean daily value.	Mean daily value.	Great- est.	Least.	Highest Sun's Rays.	Lowest on the Grass.	P.M.	A.M.	General Direction.	Greatest.	Least.	Mean hourly observations.		Horizontal Motion of the Air.	Depar-ture from Average of 40 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

DATE.		ELECTRICITY. (See explanation of symbols, see Note.	REGISTERED SUNSHINE HORIZON. In hours.		GENERAL REMARKS.	
JUNE.			Registered Sunshine In hours.	Horizon, in hours.		
SUNDAY	- 16	w. P. till 8h. P.M.; m. P. afterwards.	13 ⁵	16 ⁵	Very fine. Cloudless in early morning and at night.	
MONDAY	- 17	m. P. and w. P.	12 ⁰	16 ⁵	Very fine; the amount of cloud was usually small.	
TUESDAY	- 18	w. P. generally	10	16 ⁶	Generally cloudy. Partial solar halo ob- served at 8h. A.M. Occasional thin rain after 11-40m. P.M.	
WEDNESDAY	- 19	w. P. till 7h. A.M.; m. P. generally after- wards.	11 ⁸	16 ⁶	Very fine generally; partially cloudy.	
THURSDAY	- 20	w. P. generally	7 ⁸	16 ⁶	Generally cloudless in early morning; fine and variably cloudy till evening; generally overcast at night Solar halo at intervals in afternoon	
FRIDAY	- 21	w. P. till 5h. A.M.; m. P. generally after- wards.	8 ²	16 ⁶	Overcast till 5h. A.M.; very fine till even- ing; generally overcast at night.	
SATURDAY	- 22	w. P. generally	8 ³	16 ⁶	Generally overcast with occasional light showers till 10h. A.M.; very fine afterwards. Brisk wind between 5h. and 7h. P.M.	
			Sum 62 ⁶	Sum 116 ⁰		
No. of Col.	-	27	23	39		

The results apply to the civil day, or from midnight to midnight.
 The height of the column of the barometer is 159 feet above the mean level of the sea;
 no correction has been applied to the readings to reduce to sea level.
 Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.
 In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.
 The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.
 The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
 The reading of the barometer increased from 29.81 in. at the beginning of the week to 29.03 in. by 6h. A.M. on the 17th; decreased to 29.73 in. by 8h. P.M. on the 18th; increased to 29.89 in. by 1h. P.M. on the 19th; decreased to 29.50 in. by 2h. A.M. on the 21st; increased to 29.80 in. by 9h. P.M. on the same day; and decreased to 29.08 in. by midnight on the 22nd.


JUNE.		GENERAL REMARKS.
SUNDAY	16	Very fine. Cloudless in early morning and at night.
MONDAY	17	Very fine; the amount of cloud was usually small.
TUESDAY	18	Generally cloudy. Partial solar halo observed at 9h. A.M. Occasional thin rain after 1h. 45m. P.M.
WEDNESDAY	19	Very fine generally; partially cloudy.
THURSDAY	20	Generally cloudless in early morning; fine and variably cloudy till evening; generally overcast at night Solar halo at intervals in afternoon.
FRIDAY	21	Overcast till 5h. A.M.; very fine till evening; generally overcast at night.
SATURDAY	22	Generally overcast with occasional light showers till 10h. A.M.; very fine afterwards. Brisk wind between 5h. and 7h. P.M.
No. of Col.	-	

GENERAL REMARKS.
 Very fine. Cloudless in early morning and at night.
 Very fine; the amount of cloud was usually small.
 Generally cloudy. Partial solar halo observed at 9h. A.M. Occasional thin rain after 1h. 45m. P.M.
 Very fine generally; partially cloudy.
 Generally cloudless in early morning; fine and variably cloudy till evening; generally overcast at night. Solar halo at intervals in afternoon.
 Overcast till 5h. A.M.; very fine till evening; generally overcast at night.
 Generally overcast with occasional light showers till 10h. A.M.; very fine afterwards. Brisk wind between 5h. and 7h. P.M.
 Sum 116.0
 Sum 62.6
 Sum 116.0
 Sum 28
 Sum 27

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 15th June, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	2	-	1	-	-	1	-	-
Kensington - - -	181,842	-	17	7	-	1	1	-	2	-	-
Hammersmith - - -	122,337	-	10	6	-	-	-	-	-	-	-
Fulham - - -	166,749	-	9	11	-	4	-	-	1	-	-
Chelsea - - -	74,857	-	1	1	-	-	-	-	1	-	1
City of Westminster -	172,219	-	3	1	-	1	-	-	1	-	1
NORTH.											
St. Marylebone - - -	127,718	-	7	1	-	1	-	-	-	-	-
Hampstead - - -	91,137	-	4	1	-	1	-	-	-	-	-
St. Pancras - - -	236,753	-	18	4	-	1	-	-	5	-	-
Islington - - -	347,017	-	20	4	-	-	-	-	4	-	1
Stoke Newington - - -	53,613	-	3	-	-	-	-	-	-	1	-
Hackney - - -	232,993	-	29	5	-	-	-	-	6	1	-
CENTRAL.											
Holborn - - -	55,134	-	-	3	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	3	6	-	-	-	-	1	-	-
City of London - - -	20,310	-	2	2	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,962	-	11	8	-	-	-	-	2	-	-
Bethnal Green - - -	130,831	-	21	4	-	-	-	-	5	-	-
Stepney - - -	308,823	-	53	12	-	1	-	-	1	-	-
Poplar - - -	171,086	-	16	4	-	1	-	-	2	-	-
SOUTH.											
Southwark - - -	209,781	-	27	5	-	4	-	-	5	-	-
Bermondsey - - -	128,263	-	17	6	-	-	-	-	3	-	-
Lambeth - - -	318,538	-	19	8	-	1	-	-	-	-	-
Battersea - - -	181,736	-	20	5	-	1	-	-	2	-	1
Wandsworth - - -	231,419	-	27	8	-	2	-	-	6	-	-
Camberwell - - -	277,059	-	30	9	-	1	-	-	5	1	-
Deptford - - -	116,510	-	16	5	-	-	-	-	3	-	-
Greenwich - - -	107,222	-	7	10	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	11	5	-	-	-	-	1	-	-
Woolwich - - -	129,336	-	19	6	-	1	-	-	1	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,758,218	429	149	-	22	1	-	60	3	4
AGES.											
Ages 0-1 - - -	-	-	3	9	-	-	-	-	4	-	3
" 1-5 - - -	-	-	149	58	-	1	-	-	5	-	-
" 5- - - -	-	-	167	40	-	5	-	-	6	-	-
" 10- - - -	-	-	72	16	-	2	-	-	3	-	-
" 15- - - -	-	-	20	11	-	5	-	-	2	-	-
" 20- - - -	-	-	9	9	-	1	-	-	3	1	1
" 25- - - -	-	-	6	4	-	4	-	-	8	1	-
" 35- - - -	-	-	2	2	-	2	1	-	10	1	-
" 45- - - -	-	-	1	-	-	1	-	-	13	-	-
" 55- - - -	-	-	-	-	-	-	-	-	5	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	1	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 26. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JUNE 29. [Price 1½d.

General Register Office, Somerset House,
July 1st, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 13·7, 13·1, and 12·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 16·3 in Salford, 16·4 in St. Helens, 16·8 in Bury, 17·4 in Middlesbrough, 17·7 in Sunderland, 19·2 in Huddersfield, and 19·4 in Bolton; from *measles*, 1·7 in Derby, 2·2 in Warrington, 2·7 in Walsall, and 2·9 in Wigan; from *diphtheria*, 1·2 in Rochdale; from *whooping-cough*, 1·1 in East Ham, in St. Helens, and in Manchester, 1·4 in West Ham, 1·5 in Stockport, and 2·1 in Ipswich; and from *diarrhœa*, 1·2 in Rhondda. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2251 BIRTHS and 1138 DEATHS were registered. Allowing for increase of population, the births were 184 and the deaths 44 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 13·2, 12·8, and 12·7 per 1000 in the preceding three weeks, further fell last week to 12·5. The death-rate in the four weeks ended last Saturday averaged 12·8 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1138 deaths included 66 from measles, 13 from scarlet fever, 13 from diphtheria, 45 from whooping-cough, 2 from enteric fever, and 15 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 154 deaths were referred to these diseases in the aggregate, being 34 above the corrected average number in the twenty-sixth week of the preceding five years.

The deaths from *measles*, which had been 61, 56, and 48 in the preceding three weeks, rose to 66 last week, and were 21 above the corrected average; 9 deaths belonged to the Borough of St. Pancras, 8 to Southwark, 7 to Fulham, and 4 apiece to Islington, Shoreditch, and Lambeth. The deaths from *scarlet fever*, which had been 11, 13, and 10 in the preceding three weeks, were 13 last week, and were 6 above the corrected average; 3 deaths belonged to Lambeth. The deaths from *diphtheria*, which had been 10, 8, and 10 in the preceding three weeks, rose to 13 last week, and were 3 above the corrected average. The deaths from *whooping-cough*, which had been 46, 53, and 36 in the preceding three weeks, were 45 last week, and were 19 above the corrected average; 6 deaths belonged to Shoreditch, 6 to Wandsworth, 5 to Islington, and 4 to Poplar. The deaths from *enteric fever*, which had been 2, 2, and 1 in the preceding three weeks, were 2 last week, the corrected average being 5. The deaths from *diarrhœa*, which had been 14, 19, and 13 in the preceding three weeks, were 15 last week, and were 8 below the corrected average. Of the 15 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 9, 9, and 7 in the preceding three weeks.

Different forms of *violence* caused 69 deaths, concerning all of which inquests were held. Of these 69 deaths, 17 were cases of suicide, and 2 of homicide, while the remaining 50 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 4 to burns or scalds, 5 to drowning, 1 to a conflagration, 4 to the effects of anæsthetics administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3022 cases of scarlet fever, 807 of diphtheria, and 57 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 422 cases, against 368, 389, and 414; of diphtheria, 87 cases, against 112, 123, and 107; and of enteric fever, 15 cases, against 11, 18, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 22nd, 1907.

GREATER LONDON.

In Greater London 3509 births and 1584 deaths were registered. Allowing for increase of population, these numbers are 211 and 49 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 3 from scarlet fever, 6 from diphtheria, 11 from whooping-cough, and 4 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.72 inches, and that of the Thermometer 56°.4, the latter being 5°.0 below the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 66 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 24.8 hours; the measured rainfall amounted to 1.30 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in 1907.		Registered during the week ended 29th June, 1907.		Deaths from										Deaths of		TOWNS.
		Week ended					11-17.		29th June, 1907.		Deaths from										Deaths of		
		8th June, 1907.	15th June, 1907.	22nd June, 1907.	29th June, 1907.	6th July, 1907.	11-17.		29th June, 1907.		Deaths from										Deaths of		
		Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	
76 TOWNS	16,024,458	13.7	13.1	12.7	12.5	1.4	8063	3847	820	1026	-	153	40	30	136	12	51	187	330	1019	34	76 TOWNS.	
LONDON -	4,758,218	13.2	12.8	12.7	12.5	1.7	2251	1138	225	239	-	66	13	13	45	2	15	69	129	459	1	LONDON.	
CROYDON -	154,342	10.1	9.5	9.7	9.8	0.3	78	29	5	14	-	-	-	-	-	-	-	1	2	13	-	CROYDON.	
WILLESDEN -	149,182	8.0	10.1	9.8	6.3	-	80	18	2	7	-	-	-	-	-	-	-	2	1	7	-	WILLESDEN.	
HORNSEY -	89,816	7.5	7.5	7.5	4.1	0.6	35	7	1	3	-	-	-	-	-	1	-	-	1	1	-	HORNSEY.	
TOTTENHAM -	122,793	14.4	12.7	11.0	14.0	3.4	63	33	8	9	-	3	-	1	2	1	1	2	6	8	-	TOTTENHAM.	
WEST HAM -	508,284	11.7	10.3	10.0	9.5	2.7	155	56	11	12	-	3	3	1	8	-	1	2	2	15	-	WEST HAM.	
EAST HAM -	136,421	8.8	7.3	7.6	13.0	1.5	69	34	15	7	-	1	-	-	2	-	-	4	6	4	-	EAST HAM.	
LEYTON -	122,040	11.5	8.5	8.5	6.0	1.3	58	14	4	5	-	1	-	-	3	-	-	-	-	3	-	LEYTON.	
WALTHAMSTOW -	126,397	7.0	10.7	8.3	7.8	0.4	71	19	8	6	-	-	-	-	1	-	-	-	3	6	-	WALTHAMSTOW.	
HASTINGS -	67,477	9.3	7.0	7.0	11.6	-	17	15	-	9	-	-	-	-	-	-	-	-	-	4	-	HASTINGS.	
BRIGHTON -	129,023	7.7	8.9	11.3	10.9	-	60	27	3	8	-	-	-	-	-	-	-	-	3	7	-	BRIGHTON.	
PORTSMOUTH -	238,291	16.5	9.5	16.5	12.5	0.8	87	50	14	14	-	-	1	1	1	1	-	5	5	8	-	PORTSMOUTH.	
BOURNEMOUTH -	69,246	15.8	5.3	8.3	9.0	-	23	12	1	5	-	-	-	-	-	-	-	-	2	-	-	BOURNEMOUTH.	
SOUTHAMPTON -	119,745	10.5	8.3	7.8	12.6	-	60	29	7	8	-	-	-	-	-	-	-	2	6	6	-	SOUTHAMPTON.	
READING -	80,311	9.1	9.1	12.3	11.0	-	30	17	4	7	-	-	-	-	-	-	-	-	1	3	-	READING.	
NORTHAMPTON -	95,070	9.3	9.3	8.2	7.7	-	40	14	2	7	-	-	-	-	-	-	-	-	2	3	1	NORTHAMPTON.	
IPSWICH -	72,825	13.6	7.9	10.7	13.6	2.1	30	19	5	4	-	-	-	-	-	-	2	2	2	-	-	IPSWICH.	
GREAT YARMOUTH -	52,879	12.8	7.9	15.8	10.8	-	18	11	-	7	-	-	-	-	3	-	-	2	2	-	-	GREAT YARMOUTH.	
NORWICH -	119,191	14.4	12.2	12.2	7.9	1.3	52	18	4	7	-	-	-	-	2	-	1	1	2	5	-	NORWICH.	
PLYMOUTH -	120,063	10.0	8.3	9.6	10.4	-	65	24	2	15	-	-	-	-	-	-	-	2	2	5	-	PLYMOUTH.	
DEVONPORT -	79,959	7.8	9.8	8.5	7.8	-	35	12	2	4	-	-	-	-	-	-	-	-	-	1	-	DEVONPORT.	
BRISTOL -	307,979	10.8	11.8	9.6	11.6	0.4	177	82	12	26	-	-	-	1	-	-	2	2	4	24	1	BRISTOL.	
HANLEY -	67,174	17.9	13.2	13.2	11.6	0.8	42	15	5	1	-	-	-	-	-	1	-	-	1	3	-	HANLEY.	
BURTON-ON-TRENT -	53,425	4.9	11.7	11.7	3.9	-	21	4	-	1	-	-	-	-	-	-	-	1	1	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	102,016	11.2	14.3	12.3	13.3	1.5	40	26	7	7	-	-	-	-	-	-	2	1	4	8	-	WOLVERHAMPTON.	
WALSALL -	96,171	11.9	8.7	14.1	15.7	3.3	64	29	6	7	-	1	-	-	-	-	-	3	1	2	-	WALSALL.	
HANDSWORTH -	65,929	10.3	9.5	11.1	11.9	0.8	33	15	4	4	-	1	-	-	-	-	-	1	1	2	6	-	HANDSWORTH.
WEST BROMWICH -	69,123	13.6	19.6	12.8	9.8	0.8	38	13	3	3	-	-	1	-	-	-	-	-	-	-	1	-	WEST BROMWICH.

TOWNS,	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 29th June, 1907.		The DEATHS registered in the Week include										TOWNS.		
	Week ended				Week ended		BIRTHS.	DEATHS.	Deaths of												
	8th June, 1907.	15th June, 1907.	22nd June, 1907.	29th June, 1907.	8th June, 1907.	15th June, 1907.			Persons aged and upwards.												
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.		19.	20.
HUDDESFIELD.	94,814	23.6	13.7	20.9	19.2	0.5	41	35	4	11	-	-	-	-	-	1	-	2	6	-	HUDDESFIELD.
HALIFAX.	110,138	15.1	12.3	11.4	10.4	-	38	22	-	10	-	-	-	-	-	-	-	1	7	-	HALIFAX.
BRADFORD.	290,323	12.6	13.8	14.0	11.7	0.7	116	65	8	21	-	2	-	2	-	-	3	4	19	-	BRADFORD.
LEEDS.	470,288	12.4	13.7	11.4	10.1	0.6	229	91	17	22	-	-	1	-	2	-	4	8	15	-	LEEDS.
SHEFFIELD.	455,563	16.7	16.5	14.0	14.3	2.3	268	125	24	27	-	7	4	-	7	1	6	7	21	4	SHEFFIELD.
ROTHERHAM.	62,412	11.7	13.4	16.7	13.4	-	50	16	3	6	-	-	-	-	-	-	-	2	-	-	ROTHERHAM.
YORK.	84,730	10.5	9.2	12.9	9.8	-	41	16	5	4	-	-	-	-	-	-	-	1	1	1	YORK.
HULL.	266,762	16.4	11.9	10.8	13.1	1.4	160	67	15	16	-	2	1	1	3	-	5	7	8	-	HULL.
MIDDLESBROUGH.	101,783	20.5	22.0	20.5	17.4	2.0	57	34	8	9	-	2	-	-	2	-	3	4	9	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,909	14.8	18.7	9.9	12.8	2.0	22	13	2	5	-	1	-	-	1	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	75,473	9.0	10.4	15.2	13.8	1.4	51	20	8	4	-	-	-	-	1	-	1	1	2	-	WEST HARTLEPOOL.
SUNDERLAND.	156,029	21.1	20.4	13.7	17.7	2.0	112	53	10	9	-	4	1	-	-	1	2	3	9	4	SUNDERLAND.
SOUTH SHIELDS.	113,460	14.2	12.4	13.8	15.2	0.9	47	33	9	8	-	-	1	-	1	-	-	3	3	1	SOUTH SHIELDS.
GATESHEAD.	125,783	14.5	17.0	16.6	12.0	2.1	61	29	9	5	-	2	-	-	1	-	2	2	-	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	272,969	15.1	11.7	12.6	13.6	1.1	127	71	13	17	-	1	2	-	2	-	3	6	7	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	54,688	23.8	20.0	15.3	12.4	-	32	13	2	4	-	-	-	-	-	-	-	-	2	1	TYNEMOUTH.
NEWPORT (MON.).	75,585	10.3	11.7	13.8	9.0	-	46	13	2	4	-	-	-	-	-	-	1	1	4	-	NEWPORT (MON.).
CARDIFF.	187,620	8.9	10.8	10.6	10.8	1.4	77	39	8	9	-	2	-	1	2	-	-	2	8	-	CARDIFF.
RHONDDA.	130,400	16.8	14.4	10.8	13.2	2.8	91	33	8	8	-	-	-	-	-	1	3	4	-	-	RHONDDA.
MERTHYR TYDFIL.	76,085	19.2	15.1	17.1	14.4	-	41	21	6	5	-	-	-	-	-	-	2	3	3	-	MERTHYR TYDFIL.
SWANSEA.	97,224	13.9	16.1	14.5	14.5	0.5	67	27	6	8	-	-	-	-	1	-	1	1	-	-	SWANSEA.
GREATER LONDON.	7,217,941	12.3	11.8	11.7	11.4	1.6	3509	1584	326	431	-	78	20	21	72	4	21	98	180	557	GREATER LONDON.
OUTER RING.	2,459,723	10.5	9.7	9.7	9.5	1.3	1258	446	101	132	-	12	7	8	27	2	6	29	51	98	OUTER RING.
8 TOWNS IN OUTER RING.	1,209,285	10.2	9.7	8.8	9.1	1.5	609	210	54	63	-	8	4	2	16	2	2	11	20	57	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,250,438	10.8	9.7	10.6	9.8	1.2	649	236	47	69	-	4	3	6	11	-	4	18	31	41	REMAINDER OF OUTER RING.
EDINBURGH.	345,747	17.2	16.4	15.5	14.3	1.1	158	95†	19	29	-	2	-	-	3	-	2	4	?	11	EDINBURGH.
GLASGOW.	847,584	18.4	18.5	17.8	15.9	1.8	468	259†	43	58	-	2	-	2	20	1	5	20	?	89	GLASGOW.
DUBLIN (Registration Area).†	390,691	23.9	24.3	20.8	19.5	1.5	279	146†	24	30	-	1	-	-	8	-	2	5	5	59	DUBLIN (Registration Area).†
BELFAST.	370,163	22.7	19.7	18.5	19.0	0.7	208	135†	26	28	-	-	1	1	-	-	3	-	4	31	BELFAST.

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. ‡ Including 3 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 16 in Glasgow, 2 in Dublin, and 6 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SIXTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2821	2475	2441	2483	2478	1980	2528	2514	2490	2386	2435.2	2251
Males - - -	1442	1200	1260	1257	1283	1007	1284	1274	1269	1242	1243.6	1121
Females - - -	1379	1275	1181	1226	1195	973	1244	1240	1221	1144	1191.6	1130
TOTAL Deaths -	1156	1256	1297	1273	1210	1251	1234	1148	1080	1060	1181.6	1138
Males - - -	624	661	692	699	643	657	659	604	592	562	629.2	593
Females - - -	532	595	605	574	567	594	575	544	488	498	552.4	545

* The numbers in this column are the average weekly numbers in the twenty-sixth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 6.	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	13 Weeks.
TOTAL Births -	2387	2532	2577	2452	2352	2537	2499	2258	2464	2474	2356	2506	2251	31645
TOTAL Deaths -	1627	1495	1469	1423	1364	1431	1383	1316	1190	1209	1172	1161	1138	17378
Under 1 year -	303	264	276	265	257	275	274	251	203	224	218	222	225	3257
1–5 years -	249	237	173	212	163	176	192	160	164	170	174	159	162	2396
Ages at 5–20 -	86	75	75	80	73	96	69	90	73	68	70	47	70	977
Death 20–40 -	189	202	179	188	171	162	191	152	137	143	132	138	144	2116
40–60 -	304	280	301	260	273	283	274	274	240	261	241	262	238	3491
60 yrs. & upwds.	496	437	465	420	417	439	383	389	373	343	347	333	299	6141
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	63	45	40	47	40	39	51	53	52	61	56	48	66	661
Scarlet Fever -	13	9	9	8	8	9	12	13	13	11	13	10	13	141
Diphtheria - -	19	8	10	16	13	15	11	12	14	10	8	10	13	159
Whooping-cough	63	60	50	67	69	63	59	36	30	46	53	36	45	677
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	5	6	3	2	4	1	3	-	2	2	1	2	35
Pyrexia (origin un- certain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery	11	18	13	14	18	9	21	14	20	14	19	13	15	199
All above Diseases -	173	145	128	155	150	139	155	131	129	145	151	118	154	1873
Dis. of Resp. System	187	147	133	128	121	107	86	93	81	74	60	63	58	1338
Pneumonia - - -	225	208	193	167	161	155	149	137	111	112	89	93	98	1898
Phthisis - - -	156	157	135	133	127	147	147	139	120	136	118	107	109	1731
Dis. of Circ. System	209	181	212	191	194	207	185	180	170	188	152	160	161	2399
Violence - - -	64	50	52	63	61	54	69	49	51	36	48	56	69	722
Inquest Cases - -	166	133	148	136	141	136	173	117	118	100	113	118	129	1738
Deaths in Institutions	626	584	591	565	558	550	565	494	490	492	490	499	459	6963
TEMPERATURE OF THE AIR.														
Mean - - - - -	49.6	44.1	43.7	49.4	46.4	56.0	53.2	50.6	53.4	54.7	58.7	56.7	56.4	51.8
Mean of Highest	62.0	53.7	53.1	58.0	54.9	66.6	62.1	62.2	62.8	63.6	68.0	67.4	66.1	61.6
Mean of Lowest	37.8	37.9	36.0	43.2	40.3	45.8	47.0	41.1	47.1	48.7	50.8	48.3	49.3	44.1
Mean Humidity of the Air.	69	88	76	79	69	72	72	78	83	75	75	65	77	75
Rain-fall (in inches) -	0.17	1.42	0.63	0.90	0.59	0.36	0.35	0.35	0.67	0.42	0.41	0.01	1.30	7.58
Registered Sunshine (in hours)	43.6	18.8	27.7	31.4	41.6	50.2	39.5	38.2	15.3	25.1	48.5	62.6	24.8	457.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Scarlet Fever - -	2821	2637	2628	2649	2672	2658	2679	2732	2821	2862	2936	2985	3022	2762
Diphtheria - - -	996	992	997	949	915	911	921	927	935	917	944	890	807	931
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	82	75	69	66	60	54	53	52	47	45	59	54	57	59

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. R. Witry, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the TWENTY-SIXTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH	Corrected Average for the 26th week of the 5 years 1903-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 26th week of the 5 years 1903-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.								ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1181.6	1138	225	162	70	144	238	299									
Small-pox*	3.9	-	-	-	-	-	-	-		16.0	6	-	3	2	1	-	
Cowpox	0.2	-	-	-	-	-	-	-		10.6	14	-	-	-	2	8	
Measles (Morbilli)	44.6	66	18	48	-	-	-	-		5.9	3	-	-	1	1	-	
Scarlet Fever	7.4	13	-	8	5	-	-	-		18.4	10	9	1	-	-	-	
Typhus	-	-	-	-	-	-	-	-		2.0	1	-	-	-	-	1	
Plague	-	-	-	-	-	-	-	-		5.3	4	-	-	-	-	2	
Influenza	3.9	8	-	-	-	1	1	6		18.4	15	1	1	1	3	2	
Whooping-cough	25.8	45	20	23	2	-	-	-		18.4	15	1	1	1	3	2	
Diphtheria	10.0	13	2	9	2	-	-	-		38.7	41	-	-	3	9	14	
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-		26.0	31	-	-	1	2	9	
Pyæmia,† (origin un- certain)	-	-	-	-	-	-	-	-		14.7	14	-	-	-	-	19	
Enteric Fever	5.3	2	-	-	-	-	2	-		5.9	2	-	-	-	1	1	
Asiatic Cholera	-	-	-	-	-	-	-	-		1.8	-	-	-	-	-	-	
Epidemic Diarrhoea, } Infective Enteritis }	9.6	11	9	-	1	-	1	-		71.6	71	-	-	4	8	21	
Diarrhoea, Dysentery }	13.1	4	1	-	-	-	1	2		0.6	-	-	-	-	-	-	
Tetanus	0.8	-	-	-	-	-	-	-		49.7	46	8	8	-	-	24	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-		2.3	1	-	-	-	-	6	
Glanders	-	-	-	-	-	-	-	-		3.3	6	1	-	1	4	1	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-		9.0	5	-	1	-	-	3	
Venereal Dis.	8.0	5	2	1	-	2	-	-		0.6	1	-	-	1	-	-	
Puerperal Septicæmia	1.8	4	-	-	-	4	-	-		7.4	5	3	-	-	-	2	
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-		3.3	6	5	1	-	-	-	
Puerperal Fever	0.6	-	-	-	-	-	-	-		2.5	1	-	1	-	-	-	
Infective Endocarditis	1.2	-	-	-	-	-	-	-		12.7	9	-	-	-	-	4	
Lobar -	11.1	14	1	-	1	1	7	4		5.3	5	-	-	-	-	1	
Pneumonia { Broncho- Epidemic	35.6	44	18	21	1	-	2	2		40.1	32	4	-	4	4	10	
Not defined	47.9	40	5	4	4	4	12	11		6.3	4	-	-	2	1	1	
Erysipelas	3.9	6	1	1	1	-	2	1		35.2	27	-	-	1	4	9	
Septicæmia (not Puer- peral)	2.3	-	-	-	-	-	-	-		8.0	13	-	1	-	-	5	
Pyæmia (not Puerperal)	1.0	2	1	-	1	-	-	-		4.9	1	-	-	-	-	1	
Other Infective Processes	4.3	3	-	-	-	1	1	1		3.5	3	-	-	-	3	-	
Tuberculous Phthisis	64.5	58	-	4	6	21	23	4		41.8	39	-	-	-	-	39	
"Phthisis"	52.6	51	-	2	5	27	16	1		73.9	77	60	7	-	4	4	
Tuberculous Meningitis	24.2	12	1	8	1	2	-	-									
Tuberculous Peritonitis	5.7	8	-	4	3	1	-	-									
Tuberculous Dis., Other	16.0	12	2	2	5	2	1	-									
Tuberculous	0.2	-	-	-	-	-	-	-									
Alcoholism	8.8	8	-	-	-	3	5	-									
Rheumatic Fever	5.7	4	-	1	3	-	-	-									
Gout	2.0	1	-	-	-	-	1	-									
Carcinoma	50.6	58	-	-	-	2	27	29									
Sarcoma	6.3	6	-	-	2	2	1	1									
Cancer (undefined)	35.8	19	-	-	-	1	8	10									
Diabetes Mellitus	7.2	12	-	-	-	3	9	-									
Premature Birth	46.7	43	43	-	-	-	-	-									
Meningitis (not tuberc.)										16.0	6	-	3	2	1	-	
Gen. Par. of Insane, } Insanity										10.6	14	-	-	-	2	8	
Epilepsy										5.9	3	-	-	1	1	-	
Convulsions										18.4	10	9	1	-	-	-	
Locomotor Ataxy										2.0	1	-	-	-	-	1	
Paraplegia, Dis. of Cord										5.3	4	-	-	-	-	2	
Nervous Sys., Other Dis.										18.4	15	1	1	1	3	2	
Valv. Dis., Endocarditis										38.7	41	-	-	3	9	14	
Cereb. Hæm., Cereb. Emb.										26.0	31	-	-	1	2	9	
Apoplexy, Hemiplegia										14.7	14	-	-	-	-	19	
Aneurysm										5.9	2	-	-	-	1	1	
Embolism, Thrombosis } (not Cerebral)										1.8	-	-	-	-	-	-	
Heart & Blood Vess., } Other Dis.										71.6	71	-	-	4	8	21	
Croup (not Spasm; nor } Memb.)										0.6	-	-	-	-	-	-	
Bronchitis										49.7	46	8	8	-	-	24	
Emphysema, Asthma										2.3	1	-	-	-	-	6	
Pleurisy										3.3	6	1	-	1	4	1	
Respiratory Dis., Other										9.0	5	-	1	-	-	3	
Tonsillitis, Quinsy										0.6	1	-	-	1	-	-	
Enteritis (not Epid.)										7.4	5	3	-	-	-	2	
Gastro-enteritis										3.3	6	5	1	-	-	-	
Peritonitis (not Puerp.)										2.5	1	-	1	-	-	-	
Cirrhosis of Liver										12.7	9	-	-	-	-	4	
Liver Dis., Other										5.3	5	-	-	-	-	1	
Digestive Sys., Other Dis.										40.1	32	4	-	4	4	10	
Acute Nephritis										6.3	4	-	-	2	1	1	
Bright's Dis., Albumin- uria										35.2	27	-	-	1	4	9	
Urinary Sys., Other Dis.										8.0	13	-	1	-	-	5	
Generative Organs Dis.										4.9	1	-	-	-	-	1	
Childbirth (Accid. of)										3.5	3	-	-	-	3	-	
Old Age										41.8	39	-	-	-	-	39	
Other Diseases										73.9	77	60	7	-	4	4	
ACCIDENT.																	
By Railways										1.6	-	-	-	-	-	-	
By Vehicles and Horses										6.8	7	-	1	3	2	1	
In Ships, Boats, Docks, (exclusive of Drown- ing)										-	2	-	-	-	-	1	
In Building Operations										1.0	2	-	-	-	2	-	
In Conflagrations										0.6	1	-	-	-	1	-	
By Burns, Scalds, Ex- plosions										7.0	4	-	1	1	1	-	
By Drowning										7.4	5	1	-	-	3	1	
By Suffocation in Bed										7.0	5	5	-	-	-	-	
By Poisons or Poisonous Vapours										2.9	5	-	-	2	2	-	
Other Deaths by Acci- dent										17.2	19	2	-	1	5	4	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide										1.6	2	1	-	-	-	1	
Suicide										10.8	17	-	-	-	8	7	
Execution										-	-	-	-	-	-	2	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th June, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2251	1138	225	299	-	66	13	13	45	-	2	-	15	69	129	459	
WEST DISTRICTS - - -	805,311	278	171	27	53	-	16	-	2	6	-	1	-	4	11	19	68	
NORTH DISTRICTS - - -	1,056,070	544	257	42	75	-	18	2	4	10	-	-	-	2	20	34	95	
CENTRAL DISTRICTS - - -	209,465	92	71	19	10	-	2	-	1	-	-	-	-	-	8	16	35	
EAST DISTRICTS - - -	715,739	428	187	46	34	-	5	9	6	11	-	1	-	1	11	25	80	
SOUTH DISTRICTS - - -	1,749,844	909	415	91	114	-	25	-	-	18	-	-	-	6	17	33	146	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	37	-	13	-	-	2	-	-	-	-	-	2	2	2	37	
WEST DISTRICTS.																		
St. Mary Paddington W,3H - -	93,178	45	14	2	6	-	2	-	-	-	-	-	-	-	1	3	2	
St. John Paddington H - - -	33,617	2	13	1	1	-	-	-	1	-	-	-	-	-	1	1	10	
North-West Paddington - - -	17,181	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -	128,037	17	24	4	8	-	2	-	-	1	-	-	-	-	-	2	9	
Brompton 2H- - -	48,591	7	10	1	5	-	1	-	-	-	-	-	-	-	1	2	-	
North Hammersmith 2W,w,H	49,192	25	11	2	6	-	-	-	-	-	-	1	-	-	-	1	5	
South Hammersmith w,2H - -	63,047	30	9	2	3	-	1	-	-	1	-	-	-	-	-	-	2	
North-west Fulham W - - -	45,180	44	15	3	3	-	4	-	-	1	-	-	-	1	3	3	4	
North-east Fulham F - - -	48,405	21	11	2	3	-	3	-	1	1	-	-	-	1	-	2	1	
South Fulham W - - -	45,704	12	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	
Chelsea North W,w,3H - - -	42,514	12	17	1	9	-	2	-	-	-	-	-	-	-	-	-	14	
Chelsea South W,2H - - -	31,328	11	10	3	2	-	1	-	-	1	-	-	-	-	1	1	4	
Mayfair and Knightsbridge - -	28,743	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -	55,815	19	10	1	1	-	-	-	-	-	-	-	-	-	1	1	0	
St. Margaret & St. John 5H - -	43,698	17	14	4	3	-	-	-	-	-	-	-	-	2	1	1	8	
St. James and St. Anne W,6H -	33,081	10	3	-	-	-	-	-	-	-	-	-	-	-	2	2	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	9	10	-	4	-	-	-	-	-	-	-	-	-	1	1	7	
St. Mary Marylebone W,4H - -	37,948	52	8	2	2	-	-	-	-	-	-	-	-	-	-	1	5	
Christchurch Marylebone - - -	39,536	23	10	2	2	-	-	-	-	1	-	-	-	-	3	-	-	
St. John Marylebone 2H - - -	20,426	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Hampstead W,F,7H - - -	81,942	35	18	2	8	-	1	1	1	1	-	-	-	-	1	1	6	
West St. Pancras 2H - - -	60,562	23	12	3	1	-	4	-	-	1	-	-	-	-	1	2	-	
South St. Pancras w,11H - - -	55,707	19	17	2	4	-	-	-	-	-	-	-	-	-	2	3	12	
East St. Pancras W,2H - - -	60,320	29	20	4	5	-	-	-	-	1	-	-	-	-	1	3	8	
North St. Pancras 2W - - -	58,728	33	21	7	5	-	4	-	-	1	-	-	-	-	-	1	9	
Tufnell W - - -	31,985	13	17	2	3	-	1	-	-	2	-	-	-	-	3	3	9	
Upper Holloway 2W,u,H - - -	33,978	22	24	5	5	-	3	-	-	1	-	-	-	-	1	3	12	
Tollington W,w,H - - -	33,922	15	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	18	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -	54,478	29	15	4	3	-	-	-	-	2	-	-	-	1	2	3	-	
Islington South-east F - - -	75,397	34	8	1	2	-	1	-	-	-	-	-	-	-	2	2	-	
Highbury 2H - - -	63,797	28	14	-	7	-	-	-	-	-	-	-	-	-	1	2	1	
Stoke Newington H - - -	51,247	19	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -	50,560	23	5	-	3	-	-	-	-	-	-	-	-	-	3	3	-	
Central Hackney 2w,F - - -	50,536	32	10	1	1	-	2	1	3	-	-	-	-	-	1	1	6	
South-west Hackney 3F - - -	59,921	48	13	2	3	-	1	-	-	-	-	-	-	-	1	2	8	
South-east Hackney 2W,w,H -	58,255	30	22	4	10	-	-	-	-	-	-	-	-	1	1	1	11	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

REGISTRATION SUB-DISTRICTS,

CENTRAL DISTRICTS.

EAST DISTRICTS.																	
Choreditch South <i>H</i>	-	-	-	46,362	25	11	3	1	-	-	-	1	-	-	1	4	-
Choreditch North-West <i>W, w, H</i>	-	-	-	36,127	23	13	2	5	-	1	-	1	-	-	1	1	10
Choreditch North-East	-	-	-	36,148	17	7	3	-	-	-	-	4	-	-	-	1	-
Choreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ethnal Green North-East <i>2W</i>	-	-	-	65,138	28	24	3	5	-	-	-	-	-	-	-	-	12
<i>2HL</i>	-	-	-	-	45	4	2	-	-	2	-	-	-	-	-	1	-
Ethnal Green South-West <i>H</i>	-	-	-	64,542	-	-	-	-	-	-	-	-	-	-	-	-	-
Hillfields	-	-	-	27,969	14	-	-	-	-	-	-	-	-	-	-	-	-
Hill End New Town <i>W, H</i>	-	-	-	28,718	18	32	4	5	-	-	-	-	-	-	1	1	29
Woodman's Fields	-	-	-	22,081	12	4	1	1	-	-	-	-	-	-	-	-	-
St. George and St. John <i>2W</i>	-	-	-	49,068	45	7	1	1	-	-	-	-	-	-	-	2	3
Hadwell and Ratcliff <i>W, H</i>	-	-	-	25,568	10	13	7	-	-	-	-	2	-	-	-	3	7
Timehouse <i>W</i>	-	-	-	32,369	27	7	2	1	-	-	-	-	-	-	1	1	-
Hill End Old Town South-	-	-	-	63,898	61	11	7	-	-	-	-	-	-	-	-	1	1
Western <i>H</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hill End Old Town North-	-	-	-	49,129	19	9	2	2	-	-	-	-	-	-	1	1	2
Eastern <i>W, w</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Low <i>L</i>	-	-	-	41,939	18	6	1	2	-	-	-	-	-	-	-	-	-
Romley <i>3w, H</i>	-	-	-	68,319	31	25	6	7	-	2	-	2	-	-	2	7	15
Poplar <i>W, w</i>	-	-	-	58,514	35	14	2	4	-	-	-	1	-	-	-	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 29th June, 1907—continued.

REGISTRATION SUB-DISTRICTS	Enu- me- rated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Deaths from														
					Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W,2H - - - - -	23,319	14	20	3	6	-	-	-	1	1	-	-	-	-	3	4	18		
Kent-road - - - - -	21,904	11	8	4	1	-	2	-	-	-	-	-	-	1	-	-	-		
St. George the Martyr West } W,2H,L - - - - -	39,094	18	12	7	1	-	2	-	-	-	-	-	-	-	1	2	8		
Newington North - - - - -	49,022	21	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-		
Newington South W - - - - -	72,841	31	12	2	2	-	1	-	-	2	-	-	-	-	-	-	-		
St. Olave 2W - - - - -	9,817	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-		
Bermondsey W - - - - -	82,483	34	13	3	3	-	-	-	-	-	-	-	-	1	-	1	-		
Rotherhithe W,F - - - - -	38,460	23	9	-	5	-	1	-	-	-	-	-	-	-	-	-	7		
Waterloo 2H - - - - -	27,440	32	6	4	-	-	-	-	-	-	-	-	-	-	1	2	3		
Lambeth Church H - - - - -	27,440	20	23	4	3	-	1	-	1	-	-	-	-	1	4	4	14		
Kennington 2W - - - - -	52,518	28	25	3	6	-	1	-	-	-	1	-	-	-	-	-	18		
Stockwell HF - - - - -	63,826	33	16	6	-	-	2	4	1	-	-	-	-	-	1	1	7		
Brixton H - - - - -	73,673	31	18	7	6	-	-	-	1	-	-	-	-	-	1	1	-		
Norwood WH - - - - -	56,998	29	9	1	4	-	-	-	-	-	-	-	-	1	1	-	-		
East Battersea H - - - - -	72,203	42	5	1	1	-	1	-	-	-	-	-	-	-	-	1	-		
North-west Battersea - - - - -	49,856	33	8	4	1	-	1	-	-	-	-	-	-	1	-	1	-		
South-west Battersea 2W,H - - - - -	47,048	16	19	1	7	-	1	-	-	-	-	-	-	-	1	7	-		
Clapham 2H - - - - -	51,381	21	12	3	5	-	1	-	-	2	-	-	-	-	-	-	-		
Streatham W,2w,F,2L - - - - -	88,019	61	36	7	15	-	-	-	1	3	-	-	-	-	1	2	9		
Springfield 2W,L - - - - -	27,959	35	4	2	1	-	-	-	-	-	-	-	-	-	1	1	1		
Southfields H - - - - -	40,444	22	7	2	3	-	-	-	-	1	-	-	-	-	-	-	-		
Putney - - - - -	24,139	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dulwich - - - - -	13,359	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-		
Camberwell South W,w - - - - -	40,208	11	26	6	9	-	3	-	-	-	-	-	-	-	-	-	13		
Camberwell North W,3L - - - - -	85,584	33	19	1	5	-	2	-	-	-	-	-	-	-	-	-	10		
St. George - - - - -	47,331	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham North - - - - -	48,913	17	7	2	1	-	1	-	-	-	-	-	-	1	-	-	-		
Peckham South 2W,w - - - - -	43,946	16	5	1	1	-	1	-	1	-	-	-	-	-	1	1	-		
Deptford North - - - - -	37,613	19	5	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
Deptford Central F - - - - -	45,481	26	13	1	-	-	1	2	1	-	-	-	-	-	-	-	5		
Deptford South - - - - -	34,625	17	5	1	1	-	1	-	-	-	-	-	-	1	-	-	-		
Greenwich West 2H - - - - -	23,456	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
Greenwich East 2W,H - - - - -	43,859	29	13	3	4	-	-	-	-	2	-	-	-	-	-	2	8		
Eltham w,H - - - - -	7,226	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lee w,H - - - - -	25,490	11	4	-	3	-	-	-	-	-	-	-	-	-	-	1	1		
Lewisham W w,F - - - - -	58,352	43	12	-	6	-	-	2	-	-	-	-	-	-	1	2	6		
Sydenham H - - - - -	43,653	17	7	2	4	-	-	-	-	-	-	-	-	-	-	1	-		
Charlton F,2H - - - - -	21,134	9	4	-	-	-	1	1	-	-	-	-	-	-	1	2	2		
Woolwich 5H - - - - -	41,625	23	3	1	-	-	-	-	1	-	1	-	-	-	-	1	1		
Plumstead West W - - - - -	18,063	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - - - - -	50,264	20	8	2	5	-	-	-	-	2	-	-	-	-	-	-	2		
Workhouse:—																			
Central London Sick Asylum - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:—																			
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:—																			
Gore Farm (temporary) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North-Eastern - - - - -	-	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2		
Northern - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:—																			
Belmont - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Caterham - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Darenth - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Leavesden - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	1	2		
London County Lunatic Asylums:—																			
Banstead - - - - -	-	-	8	-	4	-	-	-	-	-	-	-	-	-	1	1	8		
Ewell (Epileptic Colony) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Horton - - - - -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7		
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Dartford Heath - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hanwell - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5		
Colney Hatch - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Claybury - - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	1	-	4		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 29th June, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Deaths from											
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,302	2,044,973	1258	446	101	132	-	12	7	8	27	2	6	29	51	98	-	
30: 1	Carshalton 2F,3H	12,238	32,997	15	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H-	10,423	15,548	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F,L-	2,754	2,692	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon -	11,089	8,166	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	16	11	1	6	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	26	16	3	6	-	-	1	-	-	-	-	1	1	-	-	
4	North Croydon H	2,644	41,698	36	2	1	1	-	-	-	-	-	-	-	-	-	13	-	
5	Penge w,H-	770	22,465	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham -	11,711	30,015	23	5	1	3	-	1	-	-	1	-	-	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	26	7	1	3	-	-	-	-	-	-	-	-	1	1	-	
2	Kingston 2W,H-	6,224	42,068	27	14	3	5	-	-	-	-	-	-	-	2	5	2	-	
3	Surbiton F,H	3,046	15,017	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L-	4,584	23,466	12	3	1	1	-	1	-	-	-	-	-	1	1	-	-	
40: 1	Richmond W,H-	2,182	28,865	9	6	1	2	-	-	-	-	1	-	-	-	-	2	-	
2	Mortlake F	2,847	20,628	18	4	-	-	-	-	-	-	-	-	1	-	-	-	-	
41: 1	Bromley F,2H	4,703	27,354	9	3	1	2	-	-	-	-	-	-	-	2	3	-	-	
2	Beckenham H	7,525	28,497	24	6	1	2	-	-	-	-	-	-	-	-	-	2	-	
3	Orpington part of* W	10,113	9,867	5	4	-	1	-	-	-	1	-	-	-	1	1	1	-	
4	Chislehurst 2H	7,333	16,440	8	6	-	2	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley w,F,H	8,678	21,151	19	3	1	-	-	1	-	-	1	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	11	2	1	-	-	1	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury w	11,054	18,683	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	9	5	-	2	-	-	-	-	-	-	-	-	1	2	-	
125: 1	Hillingdon W,F,H	6,035	13,661	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	
3	Hayes w,2F,H	8,068	16,358	15	5	2	-	-	-	-	-	-	-	-	1	1	-	-	
126: 1	Isleworth 3W,3F,H	6,859	30,863	15	10	2	2	-	-	-	-	-	-	-	-	-	5	-	
2	Twickenham F,2H	2,421	20,991	13	2	1	-	-	-	-	-	-	-	-	1	-	-	-	
3	Brentford 3F,2H-	4,319	48,289	34	19	5	5	-	1	1	1	-	-	-	-	-	2	-	
4	Chiswick H-	1,249	29,809	16	6	3	3	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	44	12	2	3	-	-	1	-	-	-	-	1	-	-	-	
127: 1	Harrow F,H	13,809	25,523	10	2	-	1	-	-	-	-	-	-	-	-	1	-	-	
2	Edgware 2F,2H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
3	Willesden W,F,2H	4,384	114,811	80	18	2	7	-	-	-	-	-	-	-	2	1	7	-	
4	Hendon W,F	8,382	22,450	14	3	1	1	-	-	-	-	-	-	-	1	1	-	-	
128: 1	South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	9	5	1	2	-	-	-	-	-	-	-	-	1	1	-	
3	Finchley F,2H	4,888	33,692	25	8	1	3	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey F,H	2,875	72,056	35	8	1	3	-	-	-	1	-	1	-	-	-	2	-	
2	Wood Green H	1,625	34,233	22	9	3	-	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham	998	48,853	27	9	2	1	-	-	-	-	-	-	-	1	3	2	-	
4	East Tottenham 2H	2,017	53,688	36	20	5	7	-	2	-	-	-	-	-	-	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	40	16	2	9	-	-	-	-	2	-	1	2	4	4	-	
6	Enfield 2W,F,H	12,601	42,738	24	9	3	2	-	-	-	-	-	-	-	-	-	2	-	
7	Waltham Abbey F	11,017	6,549	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138: 1	Stratford H	1,072	44,827	29	4	2	2	-	1	-	-	-	-	-	-	-	-	-	
2	Plaistow F,2H	1,249	90,921	66	15	4	2	-	-	-	-	-	-	-	-	-	-	-	
3	Canning Town H	1,556	70,718	38	16	1	3	-	3	1	5	-	-	1	1	1	4	-	
4	Forest Gate w	806	60,892	22	10	2	1	-	-	-	-	-	-	-	-	-	-	-	
5	North East Ham w,H	1,333	58,676	41	21	10	4	-	1	-	-	1	-	-	2	4	1	-	
6	South East Ham 2F	1,993	37,342	23	10	5	-	-	-	-	-	1	-	-	-	1	-	-	
7	Wanstead F	1,379	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	26	10	2	5	-	-	-	-	-	-	-	-	-	-	-	
9	North Leyton 2W,w,F	1,963	48,445	32	22	5	9	-	1	-	3	-	-	-	1	1	5	-	
10	Walthamstow 2H,L	6,504	108,929	86	16	7	5	-	-	-	-	-	-	-	-	3	16	-	
137: 1	Chigwell 2F,3H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	11,778	16,397	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* W,2F	6,556	6,091	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,234	43	9	3	1	-	-	1	-	-	-	-	-	-	2	-	
3	Barking Town F	3,803	21,547	16	6	2	-	-	-	-	1	1	-	-	1	2	-	-	
	Northern Fever Hospital, Winchmore Hill.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-	
	London County Asylum, Colney Hatch.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Kent County Lunatic Asylum, Maidstone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
	Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 137: 2 and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	June 29	2251	1138	12·5	-	66	13	13	45	2	15
CALCUTTA - -	977,822	June 1	-	465	28·5	26	2	-	-	-	163†	60
BOMBAY - -	982,000	" 11	339	616	32·7	2	4	-	-	-	115†	60
MADRAS - -	548,974	May 31	385	313	31·9	-	4	?	?	?	79	51
PARIS - - -	2,722,731	June 22	982	888	16·9	1	15	9	11	7	2	23
BRUSSELS - -	623,077	" 22	202	152	12·7	-	1	-	-	-	2	7
ANTWERP - -	304,032	" 22	133	69	11·8	-	-	-	-	2	-	10
AMSTERDAM -	565,368	" 22	227	113	10·4	-	1	-	-	4	1	4
COPENHAGEN -	433,000	" 22	201	121	14·6	-	-	1	-	4	-	3
STOCKHOLM -	324,488	" 15	173	76	11·9	-	-	-	-	-	-	1
CHRISTIANIA -	226,774	" 22	106	54	12·4	-	-	-	4	1	-	1
ST. PETERSBURG	1,482,769	" 8	717	717	25·1	2	46	20	11	7	18	89
MOSCOW - -	1,296,000	" 15	-	712	28·6	2	23	5	10	2	6	140
BERLIN - - -	2,091,383	" 8	903	537	14·6	-	7	5	9	5	2	45
HAMBURG - -	840,790	" 22	-	222	14·0	-	-	1	2	2	-	0
BRESLAU - -	484,355	" 15	-	207	22·4	-	2	2	-	1	-	23
MUNICH - - -	548,000	" 22	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,093	" 22	916	616	16·2	-	18	5	6	3	2	47
PRAGUE - - -	466,133	" 15	241	202	22·3	-	-	1	2	2	2	18
BUDA-PESTH -	802,235	" 8	367	310	20·1	-	9	5	-	2	1	13
TRIESTE - - -	200,962	" 22	126	84	21·7	-	2	-	-	4	-	5
ROME - - - -	540,150	April 27	-	-	-	-	-	-	-	-	-	-
VENICE - - -	174,368	June 15	80	58	17·3	-	-	-	-	-	2	5
BUCHAREST -	292,595	" 22	176	137	24·4	-	2	1	-	2	-	14
NEW YORK - -	4,285,435	" 15	-	-	-	-	-	-	-	-	-	-
CHICAGO - - -	2,107,620	" 15	-	571	14·1	-	10	7	14	7	2	39
PHILADELPHIA -	1,500,595	June 1	-	470	16·2	-	1	-	9	2	9	27
RIO DE JANEIRO	912,900	" 2	-	241	20·0	-	-	-	-	3	-	?

* Excluding deaths from croup in the Indian Cities.

† Including 100 deaths from plague in Calcutta and 39 in Bombay.

‡ Including 32 deaths from cholera in Calcutta and 3 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday 29th June, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich) }	71° 0	44° 3	57° 9	1·30	LEEDS - - -	87° 0	42° 0	55° 4	0·40
BRIGHTON - -	63° 6	49° 4	56° 2	0·68	YORK - - -	65° 0	43° 0	54° 4	1·34
PORTSMOUTH -	65° 0	48° 0	57° 3	0·54	HULL - - -	68° 0	43° 0	55° 0	0·69
NORWICH - - -	68° 0	44° 8	56° 7	0·71	TYNEMOUTH -	67° 0	39° 0	53° 1	0·10
PLYMOUTH - -	62° 1	45° 1	54° 8	0·40	CARDIFF - -	63° 8	33° 0	53° 3	1·91
BRISTOL - - -	62° 0	41° 0	54° 0	1·27	EDINBURGH -	-	-	-	-
BIRMINGHAM -	64° 8	44° 0	53° 6	0·47	GLASGOW - -	65° 0	40° 8	52° 2	0·51
NOTTINGHAM -	66° 1	40° 2	54° 3	0·63	Phoenix Park.	83° 1	40° 4	51° 8	0·53
LIVERPOOL }	64° 0	45° 0	53° 1	0·59	DUBLIN } Fitz- william Square.†	65° 1	43° 0	53° 5	0·53
MANCHESTER -	63° 4	38° 8	51° 4	1·49	BELFAST - -	60° 5	42° 0	52° 3	1·26
PRESTON - - -	62° 4	42° 0	53° 1	1·39					
HUDDERSFIELD	64° 0	40° 0	52° 1	0·75					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1° 8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd June, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	13	1	-	-	-	-	2	-	-
Kensington - - -	181,842	-	11	1	-	1	-	-	3	-	-
Hammersmith - - -	122,337	-	8	3	-	1	1	-	-	-	-
Fulham - - -	166,749	-	5	6	-	-	-	-	4	-	-
Chelsea - - -	74,857	-	4	2	-	-	-	-	1	-	-
City of Westminster - -	172,219	-	14	4	-	-	-	-	3	-	-
NORTH.											
St. Marylebone - - -	127,718	-	8	1	-	1	-	-	1	-	-
Hampstead - - -	91,137	-	4	2	-	2	-	-	2	-	-
St. Pancras - - -	236,753	-	10	5	-	-	-	-	2	-	-
Islington - - -	347,017	-	21	12	-	1	-	-	4	2	-
Stoke Newington - - -	53,613	-	5	-	-	-	-	-	-	-	-
Hackney - - -	232,993	-	33	11	-	2	-	-	4	-	-
CENTRAL.											
Holborn - - -	55,134	-	5	1	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	12	-	-	-	-	-	1	-	1
City of London - - -	20,310	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	18	7	-	-	-	-	6	-	-
Bethnal Green - - -	130,831	-	23	6	-	2	-	-	6	-	-
Stepney - - -	308,923	-	34	5	-	2	-	-	6	-	-
Poplar - - -	171,086	-	13	9	-	1	-	-	3	-	2
SOUTH.											
Southwark - - -	209,781	-	15	8	-	-	-	-	7	-	1
Bermondsey - - -	128,263	-	14	9	-	1	-	-	2	-	-
Lambeth - - -	313,538	-	18	6	1	2	-	-	3	1	-
Battersea - - -	181,736	-	15	2	-	-	-	-	1	-	-
Wandsworth - - -	281,419	-	25	6	-	-	-	-	4	-	-
Camberwell - - -	277,059	-	41	9	-	2	-	-	3	1	-
Deptford - - -	116,510	-	8	9	-	1	-	-	2	-	-
Greenwich - - -	107,222	-	10	4	-	-	-	-	-	-	-
Lewisham - - -	152,532	-	9	5	-	-	-	-	3	-	-
Woolwich - - -	129,336	-	13	4	-	-	-	-	2	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	410	138	1	19	1	-	75	4	4
Agos											
0-1 - - -	-	-	3	5	-	-	-	-	2	-	1
" 1-5 - - -	-	-	118	52	-	2	-	-	3	-	2
" 5- - - -	-	-	185	44	-	2	1	-	3	-	-
" 10- - - -	-	-	58	14	-	1	-	-	5	-	-
" 15- - - -	-	-	23	6	1	2	-	-	4	-	1
" 20- - - -	-	-	10	7	-	3	-	-	-	-	-
" 25- - - -	-	-	6	7	-	5	-	-	7	2	-
" 35- - - -	-	-	4	1	-	1	-	-	14	2	-
" 45- - - -	-	-	3	1	-	1	-	-	18	-	-
" 55- - - -	-	-	-	-	-	2	-	-	7	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	12	-	-
Age not stated - - -	-	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 27. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JULY 6. [Price 1½d.

General Register Office, Somerset House,
July 8th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 13·1, 12·7, and 12·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 17·7 in Oldham, 17·8 in Portsmouth, 17·9 in Hanley, 18·4 in Sunderland, 18·5 in Bolton, 18·6 in Bury, 18·9 in Blackburn, 19·6 in Burnley, and 20·0 in Middlesbrough; from *measles*, 1·3 in Sunderland, 1·5 in Wolverhampton, 1·8 in Hull, 2·3 in Bolton, 2·5 in Derby, 3·5 in Wigan, and 4·9 in Walsall; from *diphtheria*, 1·1 in Huddersfield; from *whooping-cough*, 1·0 in Leeds, 1·1 in Bolton, 1·4 in Merthyr Tydfil, 1·8 in Wigan and in Bury, and 1·9 in Tynemouth; and from "*fever*," 1·0 in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2309 BIRTHS and 1089 DEATHS were registered. Allowing for in-rease of population, the births were 309 and the deaths 93 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·8, 12·7, and 12·5 per 1000 in the preceding three weeks, further fell last week to 11·9. The death-rate in the four weeks ended last Saturday averaged 12·5 per 1000, being 0·6 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.
† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1089 deaths included 41 from measles, 13 from scarlet fever, 8 from diphtheria, 32 from whooping-cough, 1 from enteric fever, and 8 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 103 deaths were referred to these diseases in the aggregate, being 28 below the corrected average number in the twenty-seventh week of the preceding five years.

The deaths from *measles*, which had been 56, 48, and 66 in the preceding three weeks, fell to 41 last week, but were 3 above the corrected average; 6 deaths belonged to the Borough of Southwark, 5 to Islington, and 4 to Poplar. The deaths from *scarlet fever*, which had been 13, 10, and 13 in the preceding three weeks, were again 13 last week, and were 1 above the corrected average; 3 deaths belonged to Hackney. The deaths from *diphtheria*, which had been 8, 10, and 13 in the preceding three weeks, fell to 8 last week, and were 2 below the corrected average. The deaths from *whooping-cough*, which had been 53, 36, and 45 in the preceding three weeks, fell to 32 last week, but were 7 above the corrected average; 5 deaths belonged to Lambeth. One death from *enteric fever* was recorded during the week, the corrected average being 8; the deaths in the preceding three weeks had been 2, 1, and 2. The deaths from *diarrhoea*, which had been 19, 13, and 15 in the preceding three weeks, fell to 8 last week, and were 26 below the corrected average. Of the 8 deaths from diarrhoea, 5 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 9, 7, and 8 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all but 1 of which inquests were held. Of these 51 deaths, 10 were cases of suicide, while the remaining 41 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 5 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 8, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3193 cases of scarlet fever, 809 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 504 cases, against 389, 414, and 422; of diphtheria, 132 cases, against 123, 107, and 87; and of enteric fever, 15 cases, against 18, 9, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 29th, 1907.

GREATER LONDON.

In Greater London 3565 births and 1522 deaths were registered. Allowing for increase of population, these numbers are 491 and 116 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 2 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·68 inches, and that of the Thermometer 54°·7, the latter being 7°·2 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 44·7 hours; the measured rainfall amounted to 0·16 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

431

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 6th July, 1907.	The DEATHS registered in the Week include										TOWNS.			
		Week ended				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.		Deaths from						Inquest Causes.	Deaths in Public Institutions.	Uncertified Causes of Death.					
		15th June, 1907.	22nd June, 1907.	29th June, 1907.	6th July, 1907.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Dysentery.		Violence.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	16,024,458	131	127	125	125	125	8255	3853	842	1016	-	130	32	41	109	7	47	162	311	950	31	76 TOWNS.
LONDON -	4,758,218	128	127	125	119	119	2309	1089	215	310	-	41	13	8	32	1	8	51	100	451	1	LONDON.
(CROYDON.	154,342	95	57	98	111	03	76	33	6	12	-	-	-	-	1	-	-	1	2	9	-	(CROYDON.
WILLESDEN -	149,182	101	98	63	98	-	79	28	5	9	-	-	-	-	1	-	-	2	2	4	-	WILLESDEN.
HORNEY -	88,816	75	75	41	52	06	22	9	2	4	-	-	-	-	1	-	-	-	2	-	-	HORNEY.
TOTTENHAM -	122,793	127	110	140	68	08	73	16	6	1	-	1	-	-	1	-	-	-	1	4	-	TOTTENHAM.
WEST HAM -	308,284	103	100	95	115	14	168	68	16	16	-	-	1	2	5	-	3	8	11	-	-	WEST HAM.
EAST HAM -	136,421	73	76	130	73	04	62	19	5	4	-	-	-	-	-	-	1	-	4	-	-	EAST HAM.
LEYTON -	122,040	85	85	60	94	09	55	22	8	3	-	-	-	1	-	-	1	-	6	-	-	LEYTON.
(WALTHAMSTOW -	126,397	107	83	78	41	04	64	10	1	1	-	-	1	-	-	-	1	1	1	4	-	(WALTHAMSTOW.
HASTINGS -	67,477	70	70	116	93	-	24	12	1	3	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.
BRIGHTON -	128,023	89	113	109	101	08	60	25	3	10	-	-	-	-	1	-	1	2	4	7	-	BRIGHTON.
PORTSMOUTH -	238,291	95	165	125	178	13	168	71	16	26	-	3	-	1	1	-	1	5	16	2	-	PORTSMOUTH.
BOURNEMOUTH -	69,246	53	83	90	68	-	24	9	1	4	-	-	-	-	-	-	-	-	1	-	-	BOURNEMOUTH.
SOUTHAMPTON -	118,745	83	78	126	87	-	58	20	4	6	-	-	-	-	-	-	1	-	3	4	-	SOUTHAMPTON.
READING -	80,311	91	123	110	162	13	31	25	3	9	-	-	-	1	-	-	1	-	-	8	-	READING.
NORTHAMPTON -	95,070	93	82	77	60	-	36	11	4	1	-	-	-	-	-	-	-	1	2	2	1	NORTHAMPTON.
IPSWICH -	72,825	79	107	136	165	-	33	23	4	8	-	-	-	-	-	-	-	2	3	2	-	IPSWICH.
GREAT YARMOUTH -	52,879	79	158	108	158	-	22	16	2	6	-	-	-	-	-	-	-	1	2	6	-	GREAT YARMOUTH.
NORWICH -	119,191	122	122	79	101	13	44	23	6	7	-	-	-	2	-	-	1	1	2	5	-	NORWICH.
PLYMOUTH -	120,063	83	96	104	109	-	52	25	1	10	-	-	-	-	-	-	-	-	1	3	-	PLYMOUTH.
DEVONPORT -	79,959	98	85	78	98	-	53	15	3	5	-	-	-	-	-	-	-	-	1	3	-	DEVONPORT.
BRISTOL -	307,979	118	98	116	108	07	161	76	10	25	-	-	1	3	-	-	1	2	7	16	-	BRISTOL.
HANLEY -	67,174	132	132	116	179	16	41	23	7	2	-	1	-	-	-	-	1	-	-	2	-	HANLEY.
BURTON-ON-TRENT -	53,425	117	117	39	107	10	20	11	2	2	-	-	-	1	-	-	-	-	2	4	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	102,016	143	123	133	128	26	52	25	5	6	-	3	1	1	-	-	-	-	-	8	-	WOLVERHAMPTON.
WALSALL -	96,171	87	141	157	130	54	58	24	10	4	-	9	-	-	-	-	1	-	-	2	-	WALSALL.
HANDSWORTH -	65,929	95	111	119	79	08	29	10	2	3	-	-	-	-	-	-	1	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	69,123	196	128	98	143	08	37	19	6	7	-	-	1	-	-	-	-	-	1	2	-	WEST BROMWICH.

* see note 1 on first page of this return.

† these towns are included within the area of Greater London.

Births, Deaths, and Rates of Mortality.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 6th July, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.	DEATH-RATES from all Causes.					Registered Deaths during the Week ended 6th July, 1907.		The DEATHS registered in the Week include													TOWNS.	
		Week ended					Deaths under 1 Year of Age.	Persons aged 1 to 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
		Week ended																					
		15th June, 1907.	22nd June, 1907.	29th June, 1907.	6th July, 1907.	Week ended 6th July, 1907.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
BIRMINGHAM -	553,155	13.6	12.7	12.0	11.9	1.0	297	126	28	39	-	3	1	2	3	-	2	7	8	21	3	BIRMINGHAM.	
KINGS NORTON -	75,600	9.0	7.6	9.7	6.2	-	43	9	2	2	-	-	-	-	-	-	-	1	1	2	-	KINGS NORTON.	
SMETHWICK -	66,467	3.9	8.6	11.8	8.6	-	33	11	3	1	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.	
ASTON MANOR -	83,266	4.4	9.4	10.0	10.6	0.6	41	17	3	4	-	1	-	-	-	-	-	-	-	1	-	ASTON MANOR.	
COVENTRY -	77,626	13.4	16.8	10.7	15.4	1.3	43	23	4	5	-	-	1	1	-	-	-	3	3	5	-	COVENTRY.	
LEICESTER -	236,124	10.6	8.4	11.0	10.4	1.1	100	47	9	17	-	2	1	-	-	-	2	1	2	7	-	LEICESTER.	
GRIMSBY -	70,574	15.5	18.5	8.9	13.3	0.7	45	18	7	5	-	-	-	-	1	-	-	-	1	2	-	GRIMSBY.	
NOTTINGHAM -	257,489	12.8	13.4	15.4	11.5	0.4	119	57	14	15	-	-	-	-	2	-	-	4	5	10	-	NOTTINGHAM.	
DERBY -	125,774	14.5	13.7	14.5	12.9	3.3	50	31	3	8	-	6	-	1	1	-	-	2	3	4	-	DERBY.	
STOCKPORT -	100,986	15.5	16.5	15.0	10.3	0.5	45	20	10	4	-	-	-	-	1	-	-	2	2	3	-	STOCKPORT.	
BIRKENHEAD -	118,563	14.1	10.6	10.6	11.4	1.3	66	26	5	7	-	2	-	1	-	-	-	4	4	8	-	BIRKENHEAD.	
WALLASEY -	66,707	12.5	10.2	10.9	10.2	-	38	13	3	4	-	-	-	-	-	-	-	1	2	2	1	WALLASEY.	
LIVERPOOL -	746,144	18.0	13.3	15.0	16.6	2.6	417	238	59	46	-	11	3	4	13	2	4	8	15	70	6	LIVERPOOL.	
BOOTLE -	67,114	15.5	14.0	10.1	11.7	-	44	15	5	3	-	-	-	-	-	-	-	1	1	1	-	BOOTLE.	
ST. HELENS -	92,476	16.9	15.2	16.4	14.1	0.6	62	25	7	5	-	1	-	-	-	-	-	2	2	4	3	ST. HELENS.	
WIGAN -	88,606	18.8	24.1	12.9	15.3	5.3	62	26	8	6	-	6	-	-	3	-	-	1	1	3	-	WIGAN.	
WARRINGTON -	70,269	11.9	11.1	14.8	13.4	1.5	49	18	5	5	-	-	1	-	-	-	1	-	1	5	1	WARRINGTON.	
BOLTON -	182,917	14.3	17.1	19.4	18.5	3.7	108	65	18	13	-	8	-	-	4	1	-	3	5	13	-	BOLTON.	
BURY -	58,901	16.8	15.0	16.8	18.6	1.8	25	21	5	4	-	-	-	-	2	-	-	1	1	2	-	BURY.	
MANCHESTER -	643,148	15.0	15.5	14.6	16.8	0.7	347	207	45	41	-	1	2	-	3	-	3	13	23	31	1	MANCHESTER.	
SALFORD -	236,670	13.9	15.0	16.3	11.7	0.9	111	53	14	9	-	1	1	-	2	-	-	-	-	13	-	SALFORD.	
OLDHAM -	141,730	14.0	20.6	12.9	17.7	1.5	61	48	9	11	-	-	-	-	2	-	2	1	4	6	-	OLDHAM.	
ROCHDALE -	87,999	17.2	13.0	12.4	8.3	0.6	39	14	5	6	-	-	-	-	-	-	1	-	-	2	-	ROCHDALE.	
BURNLEY -	103,947	16.6	14.0	12.5	19.6	1.5	65	39	10	11	-	-	-	-	-	2	1	1	2	3	7	BURNLEY.	
BLACKBURN -	134,980	13.1	13.9	13.1	18.9	3.1	77	49	12	11	-	-	3	1	1	2	1	1	2	3	5	-	BLACKBURN.
PRESTON -	117,093	22.3	16.0	15.6	14.2	0.4	51	32	6	14	-	-	-	-	-	-	-	1	3	3	4	-	PRESTON.
BARROW-IN-FURNESS.	61,635	13.5	13.5	11.8	10.2	0.8	38	12	2	2	-	-	-	-	1	-	-	2	2	2	-	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH RATES FROM ALL CAUSES.				RATES FROM DISEASES IN COLS.		THE DEATHS REGISTERED IN THE WEEK INCLUDE											TOWNS.										
		Week ended				11-17.		Deaths from																					
		15th June, 1907.	22nd June, 1907.	29th June, 1907.	6th July, 1907.	Week ended 6th July, 1907.		Deaths of																					
						BIRTHS.		Deaths of																					
						DEATHS.		Deaths of																					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	Small-pox.					Measles.					Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Cols.
HUDDESFIELD -	94,814	13.7	20.9	19.2	13.7	1.6	40	25	1	6	-	1	-	2	-	-	-	-	-	5	-	21.	-	20.	-	21.	HUDDESFIELD.		
HALIFAX -	110,138	12.3	11.4	10.4	14.2	0.9	26	30	3	11	-	-	-	-	-	-	-	-	-	6	-	-	2	6	-	-	HALIFAX.		
BRADFORD -	290,323	13.8	14.0	11.7	10.2	0.7	114	57	11	23	-	1	-	3	-	-	-	-	-	18	1	-	2	16	1	-	BRADFORD.		
LEEDS -	470,288	13.7	11.4	10.0	11.3	1.1	211	102	21	31	-	-	-	1	9	-	-	-	-	10	6	-	5	11	10	-	LEEDS.		
SHEFFIELD -	455,553	16.5	14.0	14.3	13.6	1.1	306	119	33	27	-	6	1	-	1	-	-	-	-	14	6	-	4	8	14	6	SHEFFIELD.		
ROTHERHAM -	62,412	13.4	16.7	13.4	9.2	-	49	11	2	3	-	-	-	-	-	-	-	-	-	3	-	-	1	1	3	-	ROTHERHAM.		
YORK -	84,790	9.2	12.9	9.8	16.6	0.6	38	27	6	10	-	-	1	-	-	-	-	-	-	5	-	-	1	3	5	-	YORK.		
HULL -	266,762	11.9	10.8	13.1	13.7	2.5	152	70	16	11	-	9	-	-	3	-	-	-	-	10	-	-	1	5	10	-	HULL.		
MIDDLESBROUGH -	101,783	22.0	20.5	17.4	20.0	2.6	68	39	8	8	-	2	-	-	1	1	1	2	6	8	1	-	1	6	8	1	MIDDLESBROUGH.		
STOCKTON-ON-TEES -	52,909	18.7	9.9	12.8	15.8	-	34	16	4	4	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	1	STOCKTON-ON-TEES.		
WEST HARTLEPOOL -	75,473	10.4	15.2	13.8	9.7	0.7	41	14	3	3	-	-	1	-	-	-	-	-	-	5	-	-	-	1	5	-	WEST HARTLEPOOL.		
SUNDERLAND -	156,029	20.4	13.7	17.7	18.4	2.0	101	55	11	18	-	4	-	2	-	-	-	-	-	9	1	-	1	2	9	1	SUNDERLAND.		
SOUTH SHIELDS -	113,480	12.4	13.8	15.2	12.9	0.5	66	28	6	4	-	-	-	-	1	-	-	-	-	7	-	-	2	7	-	-	SOUTH SHIELDS.		
GATESHEAD -	125,783	17.0	16.6	12.0	16.2	2.5	94	39	11	7	-	2	-	1	1	-	2	1	2	5	2	-	2	5	2	-	GATESHEAD.		
NEWCASTLE-ON- TYNE -	272,989	11.7	12.6	13.6	12.0	1.1	160	63	16	13	-	1	-	-	4	-	1	4	8	7	-	-	-	1	-	-	NEWCASTLE-ON- TYNE.		
TYNEMOUTH -	54,688	20.0	15.3	12.4	15.3	1.9	38	16	6	4	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	TYNEMOUTH.		
NEWPORT (MON.) -	75,585	11.7	13.8	9.0	11.7	1.4	44	17	5	1	-	-	-	-	-	-	1	1	-	5	-	-	-	5	-	-	NEWPORT (MON.).		
CARDIFF -	187,620	10.8	10.6	10.8	11.7	0.3	78	42	9	10	-	-	-	-	-	-	-	-	-	4	-	-	-	4	-	-	CARDIFF.		
RHONDDA -	130,400	14.4	10.8	13.2	7.2	1.6	93	18	6	3	-	-	-	-	2	-	-	-	-	3	-	-	1	3	-	-	RHONDDA.		
MERTHYR TYDFIL -	76,085	15.1	17.1	14.4	15.8	1.4	43	23	2	6	-	-	-	-	-	-	-	-	-	4	-	-	1	2	4	-	MERTHYR TYDFIL.		
SWANSEA -	97,324	16.1	14.5	14.5	13.4	1.1	52	25	7	11	-	-	-	-	1	-	1	1	3	1	-	-	3	1	-	-	SWANSEA.		
GREATER LONDON -	7,217,941	11.8	11.7	11.4	11.0	1.0	3565	1522	298	447	-	51	17	15	42	1	13	71	134	531	2	-	531	134	2	-	GREATER LONDON.		
OUTER RING -	2,453,723	9.7	9.7	9.5	9.2	0.8	1256	433	83	137	-	10	4	7	10	-	5	20	34	80	1	-	34	80	1	-	OUTER RING.		
8 TOWNS IN OUTER RING -	1,203,285	9.7	8.8	9.1	8.8	0.7	589	205	49	50	-	1	2	3	8	-	2	7	18	42	-	-	18	42	-	-	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING -	1,250,438	9.7	10.6	9.8	9.5	0.8	657	228	34	87	-	9	2	4	2	-	3	13	16	38	1	-	38	16	1	-	REMAINDER OF OUTER RING.		
EDINBURGH -	345,747	16.4	15.5	14.3	13.7	0.5	141	91	21	26	-	-	-	-	3	-	-	3	?	38	5	-	38	?	5	-	EDINBURGH.		
GLASGOW -	847,584	18.5	17.8	15.9	15.3	1.7	465	249	46	58	-	5	1	4	10	2	6	9	?	90	13	-	?	90	13	-	GLASGOW.		
DUBLIN (Registra- tion Area).†	380,691	24.3	20.8	19.5	18.3	2.5	195	137	24	32	-	6	2	1	9	1	-	4	4	59	1	-	4	59	1	-	DUBLIN (Registra- tion Area).†		
BELFAST -	370,163	19.7	18.5	19.0	20.3	1.1	218	144	31	30	-	5	-	-	2	1	-	-	2	26	3	-	2	26	3	-	BELFAST.		

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

‡ Including 3 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 10 in Glasgow, and 5 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2689	2502	2484	2466	2413	2663	2597	2526	2509	2496	2618.0	2309
Males - - -	1401	1235	1247	1263	1287	1363	1290	1271	1277	1263	1324.0	1164
Females - - -	1288	1267	1237	1203	1126	1300	1307	1255	1232	1228	1294.0	1145
TOTAL Deaths -	1293	1232	1310	1191	1256	1325	1176	1154	1006	1113	1181.8	1089
Males - - -	712	622	705	665	646	705	635	610	541	595	631.6	580
Females - - -	581	610	605	526	610	620	541	544	465	518	550.2	509

* The numbers in this column are the average weekly numbers in the twenty-seventh week of the five years 1902–1906, raised by 2.337 per cent. for increase of population

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 13.	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	13 Weeks.
TOTAL Births -	2532	2577	2452	2352	2537	2499	2258	2464	2474	2356	2506	2251	2309	31567
TOTAL Deaths -	1495	1469	1423	1364	1431	1383	1316	1190	1209	1172	1161	1138	1089	16840
Under 1 year -	264	276	265	257	275	274	251	203	224	218	222	225	215	3169
1–5 years -	237	173	212	163	176	192	160	161	174	159	162	182	129	2276
5–20 " -	75	75	80	78	96	69	90	73	68	70	47	70	57	943
20–40 " -	202	179	188	171	162	191	152	137	143	132	138	144	139	2066
40–60 " -	280	301	260	273	283	274	274	240	261	241	262	238	239	3426
60 yrs. & upwds.	437	465	420	417	439	383	389	373	343	347	333	299	310	4955
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	45	40	47	40	39	51	53	52	61	56	48	66	41	639
Scarlet Fever -	9	9	8	8	9	12	13	13	11	13	10	13	13	141
Diphtheria - -	8	10	16	13	15	11	12	14	10	8	10	13	8	148
Whooping-cough -	60	50	67	69	63	59	33	30	46	53	36	45	32	646
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	6	3	2	4	1	3	-	2	2	1	2	1	32
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhoea, Dysentery	18	13	14	18	9	21	14	20	14	19	13	15	8	196
All above Diseases -	145	128	155	150	139	155	131	129	145	151	118	154	103	1803
Dis. of Resp. System	147	133	128	121	107	86	93	81	74	60	63	58	51	1202
Pneumonia - - -	208	193	167	161	155	149	137	111	112	89	93	98	97	1770
Phthisis - - -	157	135	133	127	147	147	139	120	136	118	107	109	102	1677
Dis. of Circ. System	181	212	191	194	207	185	180	170	188	152	160	161	170	2351
Violence - - -	50	52	63	61	54	69	49	51	36	48	56	69	51	709
Inquest Cases - -	133	148	136	141	136	173	117	118	100	113	118	129	100	1662
Deaths in Institutions	584	591	565	558	550	565	494	490	492	490	499	460	451	6789
TEMPERATURE OF THE AIR.														
Mean - - - - -	44.1	43.7	49.4	46.4	56.0	53.2	50.6	53.4	54.7	58.7	56.7	56.4	54.7	52.2
Mean of Highest -	53.7	53.1	58.0	54.9	66.8	62.1	62.2	62.8	63.6	68.0	67.4	66.1	64.3	61.8
Mean of Lowest -	37.9	36.0	43.2	40.3	45.8	47.0	41.1	47.1	48.7	50.8	48.3	49.3	46.8	44.8
Mean Humidity of the Air.	86	76	79	69	72	72	78	83	75	75	65	77	73	75
Rain-fall (in inches) -	1.42	0.63	0.90	0.59	0.36	0.35	0.35	0.67	0.42	0.41	0.01	1.30	0.16	7.57
Registered Sunshine (in hours) -	18.8	27.7	31.4	41.6	50.2	39.5	28.2	15.3	25.1	48.5	62.6	24.8	44.7	453.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever -	2637	2628	2649	2672	2658	2679	2732	2824	2862	2936	2985	3022	3193	2806
Diphtheria - -	992	997	949	915	911	921	927	935	917	944	890	807	809	916
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	75	69	66	60	54	53	52	47	45	59	54	57	60	58

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme; E. q., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. E. H. Clun, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. E. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SEVENTH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 27th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 27th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1181.8	1089	215	129	57	139	239	310		15.4	15	5	3	1	5	-	1
										10.8	11	-	-	-	6	3	-
										5.1	6	-	-	-	4	2	-
Small-pox*	2.7	-	-	-	-	-	-	-		21.9	10	9	1	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-		1.4	1	-	-	-	1	-	-
Measles (Morbilli)	37.9	41	8	32	1	-	-	-		5.1	2	-	-	-	2	-	-
Scarlet Fever	12.1	13	1	8	3	1	-	-		20.1	7	-	-	-	2	-	3
Typhus	-	-	-	-	-	-	-	-		31.9	45	-	-	3	8	14	20
Plague	-	-	-	-	-	-	-	-		28.5	41	-	-	-	2	11	28
Influenza	5.5	6	-	-	-	1	3	2		15.4	9	-	-	-	1	3	5
Whooping-cough	25.2	32	17	15	-	-	-	-		4.9	3	-	-	-	2	1	-
Diphtheria	10.4	8	-	7	1	-	-	-		1.2	2	-	-	-	1	-	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	-		75.7	70	-	-	4	5	21	40
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-									
Enteric Fever	8.0	1	-	-	-	1	-	-									
Asiatic Cholera	-	-	-	-	-	-	-	-									
Epidemic Diarrhoea, Infective Enteritis	15.8	1	1	-	-	-	-	-									
Diarrhoea, Dysentery	18.4	7	3	1	-	1	-	2									
Tetanus	0.4	-	-	-	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Glanders	-	-	-	-	-	-	-	-									
Anthrax (Splenic Fever)	0.2	-	-	-	-	-	-	-									
Veneral Dis.	6.1	4	1	-	-	2	1	-									
Puerperal Septicæmia	2.7	3	-	-	-	3	-	-									
Puerperal Pyæmia	-	1	-	-	-	1	-	-									
Puerperal Fever	-	-	-	-	-	-	-	-									
Infective Endocarditis	2.7	-	-	-	-	-	-	-									
Lobar-	9.6	16	-	-	3	1	7	5									
Pneumonia { Broncho-	31.1	47	17	24	-	-	3	3									
{ Epidemic	-	-	-	-	-	-	-	-									
{ Not defined	36.8	34	5	8	1	6	10	4									
Erysipelas	3.3	1	-	-	-	1	-	-									
Septicæmia (not Puerperal)	0.4	-	-	-	-	-	-	-									
Pyæmia (not Puerperal)	1.0	-	-	-	-	-	-	-									
Other Infective Processes	8.6	3	-	1	-	-	1	1									
Tuberculous Phthisis	68.6	68	2	3	5	23	29	6									
"Phthisis"	59.2	34	-	-	5	11	15	3									
Tuberculous Meningitis	23.1	20	4	7	7	1	1	-									
Tuberculous Peritonitis	9.0	7	3	2	1	-	-	1									
Tuberculous Dis., Other	15.4	15	3	1	3	5	2	1									
Scrophula	-	-	-	-	-	-	-	-									
Alcoholism	11.3	14	-	-	-	8	4	2									
Rheumatic Fever	5.5	4	-	1	2	-	-	1									
Gout	1.0	2	-	-	-	-	-	2									
Carcinoma	49.3	48	-	-	-	3	23	22									
Sarcoma	6.3	9	-	-	1	1	4	3									
Cancer (undefined)	33.0	32	-	-	-	2	12	18									
Diabetes Mellitus	6.5	7	-	-	-	2	2	3									
Premature Birth	49.1	40	40	-	-	-	-	-									
Meningitis (not tuberc.)																	
Gen. Par. of Insane, Insanity																	
Epilepsy																	
Convulsions																	
Locomotor Ataxy																	
Paraplegia, Dis. of Cord																	
Nervous Sys., Other Dis.																	
Valv. Dis., Endocarditis																	
Cereb. Hæm. Cereb. Emb.																	
Apoplexy, Hemiplegia																	
Aneurysm																	
Embolism, Thrombosis (not Cerebral)																	
Heart & Blood Vess., Other Dis.																	
Croup (not Spasm: nor Memb.)																	
Bronchitis																	
Emphysema, Asthma																	
Pleurisy																	
Respiratory Dis., Other																	
Tonsillitis, Quinsy																	
Enteritis (not Epid.)																	
Gastro-enteritis																	
Peritonitis (not Puerp.)																	
Cirrhosis of Liver																	
Liver Dis., Other																	
Digestive Sys., Other Dis.																	
Acute Nephritis																	
Bright's Dis., Albuminuria																	
Urinary Sys., Other Dis.																	
Generative Organs Dis.																	
Childbirth (Accid. of)																	
Old Age																	
Other Diseases																	
ACCIDENT.																	
By Railways																	
By Vehicles and Horses																	
In Ships, Boats, Docks, (exclusive of Drowning)																	
In Building Operations																	
In Conflagrations																	
By Burns, Scalds, Explosions																	
By Drowning																	
By Suffocation in Bed																	
By Poisons or Poisonous Vapours																	
Other Deaths by Accident																	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide																	
Suicide																	
Execution																	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th July, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia† Origin uncertain.	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,536,429	2309	1089	215	310	-	41	13	8	32	-	1	-	8	51	100
WEST DISTRICTS - - -	805,311	348	202	33	59	-	6	2	5	4	-	1	-	2	8	13
NORTH DISTRICTS - - -	1,056,070	487	237	47	79	-	10	3	2	4	-	-	-	13	22	22
CENTRAL DISTRICTS - - -	209,465	95	61	8	21	-	2	-	-	-	-	-	-	3	9	9
EAST DISTRICTS - - -	715,739	448	191	45	47	-	8	-	1	7	-	-	-	1	7	19
SOUTH DISTRICTS - - -	1,749,844	931	368	82	97	-	15	4	5	15	-	-	-	2	19	37
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	30	-	7	-	-	4	-	-	-	-	-	1	1	-
WEST DISTRICTS.																
St. Mary Paddington W,3H - -	93,178	34	23	5	4	-	-	1	-	1	-	-	-	-	3	4
St. John Paddington H - - -	33,617	5	14	-	2	-	-	-	-	-	-	-	-	-	-	-
North-West Paddington - - -	17,181	5	3	3	-	-	-	-	-	-	-	-	-	1	-	-
Kensington Town 2W,w,2H - -	128,037	60	44	8	16	-	1	-	-	2	-	-	-	1	1	2
Brompton 2H - - -	48,591	10	10	-	4	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith 2W,w,H - -	49,192	30	17	4	6	-	-	-	-	-	-	-	-	-	1	1
South Hammersmith w,2H - -	63,047	30	10	1	4	-	-	-	-	-	-	-	-	-	1	1
North-west Fulham W - - -	45,180	38	9	1	2	-	1	-	-	-	-	-	-	-	2	3
North-east Fulham F - - -	46,405	21	10	1	5	-	1	1	-	-	-	-	-	-	1	1
South Fulham W - - -	45,704	37	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - -	42,514	12	19	1	6	-	1	-	-	-	-	-	-	-	-	-
Chelsea South W,2H - - -	31,328	16	12	5	4	-	2	-	-	1	-	-	-	-	-	-
Mayfair and Knightsbridge - -	28,743	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -	55,815	16	12	2	-	-	-	-	-	-	1	-	-	-	1	1
St. Margaret & St. John 5H - -	43,698	18	13	2	4	-	-	-	1	-	-	-	-	-	1	1
St. James and St. Anne W,3H - -	33,061	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - - -	35,391	14	17	2	6	-	-	-	-	-	-	-	-	-	2	3
St. Mary Marylebone W,4H - -	37,948	37	10	3	4	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone - - -	39,536	23	4	2	-	-	1	-	-	-	-	-	-	-	-	-
St. John Marylebone 2H - - -	20,426	6	2	-	-	-	-	-	-	-	-	-	-	-	1	1
Hampstead W,F,7H - - -	81,942	40	9	2	3	-	1	-	-	-	-	-	-	-	-	-
West St. Pancras 2H - - -	60,562	21	11	4	3	-	-	-	-	1	-	-	-	-	1	-
South St. Pancras w,11H - - -	55,707	17	20	2	8	-	-	-	1	-	-	-	-	-	2	12
East St. Pancras W,2H - - -	60,320	39	16	1	8	-	-	-	-	-	-	-	-	-	1	1
North St. Pancras 2W - - -	58,728	29	14	3	3	-	1	-	-	-	-	-	-	-	-	8
Tufnell W - - -	31,995	13	17	2	6	-	2	-	-	1	-	-	-	-	-	12
Upper Holloway 2W,u,H - - -	33,978	10	20	-	10	-	1	-	-	-	-	-	-	-	1	13
Tollington W,w,H - - -	33,922	16	6	3	2	-	-	-	-	-	-	-	-	-	1	1
Lower Holloway - - -	41,424	17	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - -	54,478	23	11	1	3	-	1	-	-	-	-	-	-	-	3	3
Islington South-east F - - -	75,397	28	12	3	4	-	1	-	-	-	-	-	-	-	-	-
Highbury 2H - - -	63,797	23	7	1	3	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - -	51,247	25	7	5	1	-	-	-	-	1	-	-	-	1	-	-
North Hackney - - -	50,560	18	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - - -	50,536	25	9	2	-	-	2	3	1	-	-	-	-	-	1	3
South-west Hackney 3H - - -	59,921	24	14	5	4	-	-	-	-	1	-	-	-	-	1	6
South-east Hackney 2W,w,H - -	58,255	39	24	5	9	-	-	-	-	-	-	-	-	1	1	14

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

102

11

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th July, 1907—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of														Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Deaths from												
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W,2H - - - }	23,319	7	22	3	2	-	2	-	-	-	-	-	-	-	-	2	2	15	
Kent-road - - - - -	21,971	13	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	
St. George the Martyr West } W,2H,L - - - - - }	39,094	24	8	5	1	-	1	-	-	1	-	-	-	-	-	1	-	2	
Newington North - - - - -	49,022	34	9	5	1	-	2	-	-	-	-	-	-	-	-	1	2	-	
Newington South W - - - -	72,841	43	13	4	1	-	-	-	-	-	-	-	-	-	-	2	4	2	
St. Olave 2W - - - - -	9,817	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Bermondsey W - - - - -	82,483	43	12	5	1	-	-	1	-	1	-	-	-	-	-	-	2	-	
Rotherhithe W,F - - - - -	38,460	15	10	2	5	-	-	-	-	-	-	-	-	-	-	2	2	4	
Waterloo 2H - - - - -	27,440	27	7	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church H - - - - -	27,440	8	21	2	6	-	-	-	1	-	-	-	-	-	-	1	1	17	
Kennington 2W - - - - -	52,518	25	22	4	10	-	1	-	-	-	-	-	-	-	-	1	1	12	
Stockwell HF - - - - -	63,826	41	10	3	2	-	-	-	1	-	-	-	-	-	-	-	1	3	
Brixton H - - - - -	73,673	32	13	3	3	-	-	-	-	-	2	-	-	-	-	-	-	1	
Norwood WH - - - - -	56,998	22	8	2	3	-	-	-	-	-	2	-	-	-	-	-	-	-	
East Battersea H - - - - -	72,293	41	9	2	2	-	1	-	-	1	-	-	-	-	-	-	1	-	
North-west Battersea - - - -	49,856	29	7	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-	
South-west Battersea 2W,H -	47,048	16	18	-	5	-	-	-	-	1	-	-	-	-	-	1	1	12	
Clapham 2H - - - - -	51,361	27	9	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Streatham W,2w,F,2L - - - -	88,019	52	22	4	10	-	-	2	2	-	-	-	-	-	-	-	-	7	
Springfield 3W,L - - - - -	27,959	25	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
Southfields H - - - - -	40,444	18	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
Putney - - - - -	34,139	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - - -	13,359	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - - - -	40,206	8	22	2	10	-	1	-	-	1	-	-	-	-	-	2	3	17	
Camberwell North W,2L - - -	65,584	26	16	1	3	-	1	-	-	-	-	-	-	-	-	1	2	8	
St. George - - - - -	47,331	30	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham North - - - - -	48,913	32	10	5	2	-	-	-	-	-	1	-	-	-	-	1	3	-	
Peckham South 2W,w - - - - -	43,946	22	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Deptford North - - - - -	37,313	29	8	3	1	-	1	-	-	-	-	-	-	-	-	-	3	-	
Deptford Central F - - - - -	45,481	36	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Deptford South - - - - -	34,925	11	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Greenwich West 2H - - - - -	23,156	11	4	2	1	-	-	-	-	-	2	-	-	-	-	-	1	-	
Greenwich East 2W,H - - - - -	43,859	24	11	1	6	-	-	-	-	-	-	-	-	-	-	1	1	7	
Eltham w,H - - - - -	7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Lee w,H - - - - -	25,490	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W,w,F - - - - -	58,352	39	19	5	7	-	1	-	-	-	-	-	-	-	-	-	-	9	
Sydenham H - - - - -	43,653	25	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Charlton F,2H - - - - -	21,134	4	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
Woolwich 5H - - - - -	41,625	32	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Plumstead West W - - - - -	18,063	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - - - - -	50,264	22	6	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	
Workhouse:—																			
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
M. A. B. Small-pox Hospitals:—																			
Joyce Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:—																			
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North-Eastern - - - - -	-	-	4	-	-	-	-	4	-	-	-	-	-	-	-	-	-	4	
Northern - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:—																			
Belmont - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Caterham - - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
Darenth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	5	
London County Lunatic Asylums.—																			
Banstead - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton - - - - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cane Hill - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Dartford Heath - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Hanwell - - - - -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	
Colney Hatch - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Claybury - - - - -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th July, 1907.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
							Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
							Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
		LONDON—OUTER RING	368,302	2,044,973	1256	433	83	137	-	10	4	7	10	-	5	20	34	80	1		
30: 1	Carshalton 2F,3H	-	12,228	32,997	12	8	1	4	-	-	-	1	-	-	-	-	-	-	-		
2	Epsom, part of* W,w,3F,H	-	10,423	15,548	7	3	1	-	-	-	-	-	-	-	-	-	-	1	1		
37: 1	Godstone, part of* W,F,L	-	2,754	2,892	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Coulsdon - - -	-	11,069	8,166	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon w - -	-	4,200	49,309	19	9	3	3	-	-	-	-	-	-	-	-	1	-	-		
3	West Croydon 3W,F,H	-	2,168	42,888	30	23	3	10	-	-	-	-	-	-	-	2	2	14	-		
4	North Croydon H - -	-	2,644	41,698	27	7	-	1	-	-	-	1	-	-	-	-	1	-	-		
5	Penge w,H - - -	-	770	22,465	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-		
6	Mitcham - - -	-	11,711	30,015	33	7	1	2	-	-	-	-	-	-	-	-	-	-	-		
39: 1	Wimbledon F,3H - -	-	3,221	41,652	18	10	1	4	-	-	-	1	-	-	-	-	-	-	-		
2	Kingston 2W,H - - -	-	6,224	42,068	36	14	2	6	-	-	-	-	-	-	-	-	1	5	-		
3	Surbiton F,H - - -	-	3,046	15,017	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of* H - -	-	5,402	13,100	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-		
5	Hampton H,F,L - - -	-	4,684	23,466	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
40: 1	Richmond W,H - - -	-	2,182	28,865	19	6	-	5	-	-	-	-	-	-	-	-	1	1	-		
2	Mortlake F - - -	-	2,847	20,628	14	7	1	2	-	-	-	-	-	-	-	1	1	-	-		
41: 1	Bromley F,2H - - -	-	4,703	27,354	12	6	1	2	-	-	-	-	-	-	-	1	1	-	-		
2	Beckenham H - - -	-	7,826	28,497	9	5	2	3	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W	-	10,113	9,857	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
4	Chislehurst 2H - - -	-	7,333	16,446	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
42: 1	Bexley w F,H - - -	-	8,678	21,151	8	4	-	-	-	1	-	-	-	-	-	-	-	-	-		
2	Erith F,H - - -	-	3,854	26,296	14	3	1	1	-	-	-	-	-	-	-	1	1	-	-		
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124: 1	Sunbury w - - -	-	11,054	18,683	6	2	-	1	-	-	-	-	-	-	-	1	1	-	-		
2	Staines W,H - - -	-	13,277	16,178	13	5	2	2	-	-	-	-	-	-	-	1	1	1	-		
125: 1	Hillingdon W,F,H - -	-	6,035	13,661	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge H - - -	-	12,767	8,984	2	2	-	1	-	-	-	-	-	-	-	-	-	1	-		
3	Hayes w2 F,H - - -	-	8,066	16,358	15	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
126: 1	Isleworth 3W,3F,H - -	-	6,859	30,863	30	8	1	3	-	1	-	-	-	-	-	-	-	6	-		
2	Twickenham F,2,H - -	-	2,421	20,991	17	4	2	2	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford 3F,2H - - -	-	4,319	48,289	21	11	2	6	-	2	-	-	-	-	-	-	-	-	-		
4	Chiswick H - - -	-	1,249	29,809	21	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
5	Acton w,F,3H - - -	-	6,132	48,914	41	11	3	2	-	1	-	1	-	1	1	1	1	-	-		
127: 1	Harrow F,H - - -	-	13,809	25,523	23	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
2	Edgware 2F,2H - - -	-	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,F,2H - -	-	4,384	114,811	79	27	5	9	-	-	-	-	-	-	-	2	2	-	-		
4	Hendon W,F - - -	-	8,382	22,450	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
128: 1	South Mimms 2F,H - -	-	17,755	7,308	11	2	-	1	-	-	-	-	-	-	-	1	1	1	-		
2	Barnet W,2H - - -	-	3,324	17,970	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Finchley F,2H - - -	-	4,688	33,692	12	9	1	4	-	1	-	1	-	-	-	1	1	-	-		
129: 1	Hornsey F,H - - -	-	2,875	72,056	22	10	2	4	-	-	1	-	1	-	-	-	2	1	-		
2	Wood Green H - - -	-	1,625	34,233	25	4	2	-	-	-	-	-	-	-	-	1	1	1	-		
3	West Tottenham - - -	-	996	48,853	35	6	1	1	-	-	-	-	-	-	-	-	-	-	-		
4	East Tottenham 2H - -	-	2,017	53,688	38	10	5	-	-	1	-	-	-	-	-	-	-	-	-		
5	Edmonton W,w,2F - -	-	7,491	61,892	47	11	-	4	-	1	1	1	-	-	-	-	-	4	-		
6	Enfield 2W,F,H - - -	-	12,601	42,738	28	13	3	4	-	1	-	1	-	-	-	1	1	2	-		
7	Waltham Abbey F - - -	-	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H - - -	-	8,479	12,292	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, part of* W - -	-	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey H - - -	-	9,333	9,173	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
138: 1	Stratford† H - - -	-	-	52,374	35	11	4	3	-	-	-	1	-	-	-	-	2	-	-		
2	Forest Gate† w - - -	-	-	52,745	15	10	1	4	-	-	-	-	-	-	-	-	1	-	-		
3	Plaistow F,2H - - -	-	4,683	90,921	64	24	6	3	-	-	1	2	2	-	-	2	3	4	-		
4	Canning Town H - - -	-	-	70,718	54	18	5	5	-	-	2	-	-	-	-	1	2	2	-		
5	South East Ham 2F - -	-	1,993	37,342	29	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
6	North East Ham w H - -	-	1,333	58,676	33	12	4	4	-	-	-	-	-	-	-	-	-	-	-		
7	Wanstead F - - -	-	1,679	9,179	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton 2W - - -	-	631	50,467	25	12	4	2	-	-	-	-	-	-	-	-	-	-	-		
9	North Leyton 2W,w,F -	-	1,963	48,445	30	19	5	4	-	1	-	1	-	-	2	-	2	12	-		
10	Walthamstow 2H,L - -	-	6,504	108,929	72	9	-	1	-	-	-	-	-	-	-	1	1	3	-		
137: 1	Chigwell 2F,3H - - -	-	11,778	16,397	5	4	-	1	-	-	1	-	-	-	-	-	-	1	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of* W,2F	-	6,556	6,091	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-		
2	Ilford F,L - - -	-	8,496	41,234	36	18	3	6	-	-	-	-	-	-	-	-	1	2	-		
3	Barking Town F - - -	-	3,803	21,547	16	4	1	2	-	-	-	-	-	-	-	-	1	-	-		
		Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
		Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 and in the Croydon Mental Hospital in 37: 1 are also included.

† The boundaries of these sub-districts were altered on 1 July, 1907.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,758,218	July 6	2309	1089	11.9	-	41	13	9	32	1	
CALCUTTA - -	977,822	June 8	-	441	27.0	22	-	-	-	1	162†	
BOMBAY - -	982,000	" 18	311	509	27.1	2	1	-	-	-	80†	
MADRAS - -	548,974	" 7	370	358	36.5	2	2	?	?	?	105	
PARIS - -	2,722,731	" 29	1005	868	16.5	-	19	12	4	10	2	
BRUSSELS - -	623,077	" 29	217	130	10.8	-	1	2	-	-	2	
ANTWERP - -	304,032	" 29	140	65	11.1	-	-	-	-	4	-	
AMSTERDAM -	565,368	" 29	281	135	12.5	-	3	-	1	-	1	
COPENHAGEN -	433,000	" 29	232	113	13.6	-	2	-	1	5	-	
STOCKHOLM -	324,488	" 22	-	-	-	-	-	-	-	-	-	
CHRISTIANIA -	226,774	" 29	145	38	8.7	-	1	-	2	-	-	
ST. PETERSBURG	1,482,769	" 15	871	700	24.5	1	40	16	12	6	29	
MOSCOW - -	1,296,000	" 22	-	771	31.0	-	25	7	4	5	6	2
BERLIN - -	3,091,118	" 15	927	594	14.8	-	11	5	3	9	1	
HAMBURG - -	840,790	" 29	-	198	12.5	-	-	2	2	-	-	
BRESLAU - -	484,355	" 22	-	202	21.8	-	-	-	1	9	-	
MUNICH - -	548,000	" 22	296	192	18.2	-	8	-	5	-	-	
		" 29	-	197	18.7	-	8	-	2	3	-	
VIENNA - -	1,979,093	" 29	1040	621	16.3	-	12	3	5	6	3	
PRAGUE - -	466,133	" 22	207	166	18.3	-	1	1	-	-	-	
BUDA-PESTH -	802,235	" 15	437	311	20.2	-	2	6	1	4	1	
TRIESTE - -	200,962	" 29	141	98	25.4	-	-	-	-	3	-	
ROME - -	540,150	April 27	-	-	-	-	-	-	-	-	-	
VENICE - -	174,398	June 22	85	60	17.9	-	-	1	-	1	-	
BUCHAREST -	292,395	" 29	-	-	-	-	-	-	-	-	-	
NEW YORK - -	4,285,435	" 15	2126	1343	16.3	1	26	28	48	12	9	
		" 22	2169	1426	17.4	-	33	26	29	3	13	
CHICAGO - -	2,107,620	" 22	-	607	15.0	-	9	2	13	8	6	
PHILADELPHIA -	1,500,595	" 8	-	-	-	-	-	-	-	-	-	
RIO DE JANEIRO	912,900	" 9	-	239	19.8	1	-	-	-	2	1	

* Excluding deaths from croup in the Indian Cities.

† Including 68 deaths from plague in Calcutta and 20 in Bombay.

‡ Including 40 deaths from cholera in Calcutta and 2 in Bombay.

TABLE 8.--METEOROLOGY in certain towns during the week ended Saturday 6th July, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	68.4	43.6	55.6	0.16	LEEDS - - -	61.0	42.0	53.9	0.44
BRIGHTON - -	63.0	46.1	55.5	0.45	YORK - - -	61.0	38.2	53.9	0.26
LORTSMOUTH -	63.4	48.5	55.7	0.84	HULL - - -	66.0	41.0	53.8	0.53
NORWICH - -	67.2	40.4	54.6	0.44	TYNEMOUTH -	65.0	41.0	50.9	0.48
PLYMOUTH - -	60.5	45.0	54.3	0.85	CARDIFF - -	61.9	40.0	53.0	2.11
BRISTOL - -	63.4	43.2	53.9	1.41	EDINBURGH -	53.4	43.1	50.5	1.17
BIRMINGHAM -	63.6	42.2	52.3	0.78	GLASGOW - -	62.2	45.0	53.5	1.11
NOTTINGHAM -	63.7	41.2	52.1	0.54					
LIVERPOOL - -	60.0	45.0	52.6	1.71					
OBSERVATORY. }									
MANCHESTER -	61.8	37.5	50.8	0.77	DUBLIN { Phoenix Park. Fitzwilliam Square.†	61.2	41.3	53.7	1.23
FREESTON - -	61.8	45.0	53.5	0.67					
HUDDERSFIELD -	61.3	40.0	50.8	0.84	BELFAST - -	61.8	44.0	53.0	0.84

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1.0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th June, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	5	-	-	-	-	2	-	-
Kensington - - -	181,842	-	6	5	-	-	-	-	4	-	-
Hammersmith - - -	122,337	-	4	2	-	1	-	-	2	-	-
Fulham - - -	166,749	-	10	5	-	2	-	-	4	1	-
Chelsea - - -	74,857	-	7	1	-	-	-	-	-	-	-
City of Westminster - -	172,219	-	8	3	-	1	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	9	2	-	1	-	-	1	-	-
Hampstead - - -	91,137	-	3	1	-	1	-	-	-	-	-
St. Pancras - - -	236,753	-	12	6	-	-	-	-	5	1	-
Islington - - -	347,017	-	17	7	-	4	-	-	6	2	-
Stoke Newington - - -	53,613	-	7	1	-	-	-	-	-	-	-
Hackney - - -	232,993	-	37	5	-	2	-	-	9	-	-
CENTRAL.											
Holborn - - -	55,134	-	3	2	-	1	-	-	-	-	-
Finsbury - - -	96,732	-	19	5	-	-	-	-	2	-	1
City of London - - -	20,310	-	4	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	15	2	-	-	-	-	4	-	-
Bethnal Green - - -	130,831	-	21	3	-	-	-	-	4	-	-
Stepney - - -	308,923	-	52	16	-	2	-	-	14	-	-
Poplar - - -	171,086	-	19	2	-	1	-	-	1	1	1
SOUTH.											
Southwark - - -	209,781	-	20	8	-	1	-	-	7	-	-
Bermondsey - - -	128,263	-	22	4	-	-	-	-	-	-	-
Lambeth - - -	318,538	-	25	8	-	1	1	-	8	1	-
Battersea - - -	181,736	-	19	2	-	1	-	-	5	1	-
Wandsworth - - -	281,419	-	25	9	-	1	-	-	2	-	-
Camberwell - - -	277,059	-	26	4	-	2	-	-	7	-	-
Deptford - - -	116,510	-	17	3	-	-	1	-	3	-	-
Greenwich - - -	107,222	-	12	1	-	-	-	-	2	-	-
Lewisham - - -	152,532	-	12	3	-	-	-	-	-	-	-
Woolwich - - -	129,336	-	17	2	-	-	-	-	3	-	-
Port of London - - -	-	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,753,218											
		-	457	117	-	23	2	-	95	7	2
AGES.											
Ages 0-1 - - -	-	-	4	4	-	-	-	-	4	-	-
" 1-5 - - -	-	-	143	52	-	2	-	-	11	-	1
" 5- - - -	-	-	173	33	-	3	1	-	2	-	-
" 10- - - -	-	-	81	11	-	1	-	-	6	-	-
" 15- - - -	-	-	23	5	-	2	-	-	5	-	-
" 20- - - -	-	-	16	5	-	4	-	-	5	3	-
" 25- - - -	-	-	14	2	-	9	-	-	10	4	1
" 35- - - -	-	-	3	4	-	-	-	-	15	-	-
" 45- - - -	-	-	-	1	-	2	-	-	19	-	-
" 55- - - -	-	-	-	-	-	-	1	-	11	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	7	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By **DARLING & SON, LTD., 34-40, BACON STREET, E.**

1907.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 28. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JULY 13. [Price 1½d.

General Register Office, Somerset House,
July 15th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·7, 12·5, and 12·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 16·8 in Liverpool, 16·9 in Middlesbrough, 17·7 in Stockton on Tees, 17·8 in Preston, 18·6 in Hanley, 19·1 in Oldham and in Tynemouth, and 19·4 in Bootle; from *measles*, 1·4 in Merthyr Tydfil, 1·9 in Reading, 3·3 in Derby, 3·5 in Wigan, and 4·3 in Walsall; from *whooping-cough*, 1·2 in West Ham and in Wigan, and 1·7 in Barrow in Furness; and from *diarrhœa*, 2·0 in Devonport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2292 BIRTHS and 1115 DEATHS were registered. Allowing for increase of population, the births were 233 and the deaths 51 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·7, 12·5, and 11·9 per 1000 in the preceding three weeks, was 12·2 last week. The death-rate in the four weeks ended last Saturday averaged 12·3 per 1000, being 0·7 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1115 deaths included 46 from measles, 11 from scarlet fever, 8 from diphtheria, 29 from whooping-cough, 1 from enteric fever, and 8 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 103 deaths were referred to these diseases in the aggregate, being 34 below the corrected average number in the twenty-eighth week of the preceding five years.

The deaths from *measles*, which had been 48, 66, and 41 in the preceding three weeks, were 46 last week, and were 15 above the corrected average; 7 deaths belonged to the Borough of Islington, 6 to Southwark, and 4 apiece to St. Pancras, Finsbury, and Battersea. The deaths from *scarlet fever*, which had been 10, 13, and 13 in the preceding three weeks, were 11 last week, and were 4 above the corrected average. The deaths from *diphtheria*, which had been 10, 13, and 8 in the preceding three weeks, were again 8 last week, and were 2 below the corrected average. The deaths from *whooping-cough*, which had been 36, 45, and 32 in the preceding three weeks, fell to 29 last week, the corrected average being 30; 4 deaths belonged to Poplar, and 3 apiece to Bethnal Green, Stepney, and Battersea. One death from *enteric fever* was recorded during the week, the corrected average being 7; the deaths in the preceding three weeks had been 1, 2, and 1. The deaths from *diarrhoea*, which had been 13, 15, and 8 in the preceding three weeks, were again 8 last week, and were 41 below the corrected average; 3 deaths belonged to the City of Westminster. Of the 8 deaths from diarrhoea, 5 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 7, 8, and 6 in the preceding three weeks.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 9 were cases of suicide and 1 of homicide, while the remaining 50 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 7 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 7, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3276 cases of scarlet fever, 868 of diphtheria, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 493 cases, against 414, 422, and 504; of diphtheria, 152 cases, against 107, 87, and 132; and of enteric fever, 12 cases, against 9, 15, and 15. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 6th, 1907.

GREATER LONDON.

In Greater London 3538 births and 1520 deaths were registered. Allowing for increase of population, these numbers are 335 and 106 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from diphtheria, 4 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·98 inches, and that of the Thermometer 56°·3, the latter being 6°·3 below the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 9 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 36·6 hours; the measured rainfall amounted to 0·22 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	1.	DEATH-RATES FROM all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 18th July, 1907.		Deaths of Persons aged under 1 year of Age.		The DEATHS registered in the Week include										Cols.
			Week ended					Week ended 18th July, 1907.	Deaths of Persons aged under 1 year of Age.	Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
			2nd June, 1907.	29th June, 1907.	6th July, 1907.	12th July, 1907.	19th July, 1907.																	
																					2nd June, 1907.	29th June, 1907.	6th July, 1907.	
76 TOWNS.		16,024,458	127	125	125	123	11	8054	3774	740	1055	-	127	29	33	103	10	39	163	324	1071	35	76 TOWNS.	
LONDON.	-	4,788,218	127	125	119	122	11	2292	1115	189	315	-	46	11	8	29	1	8	60	122	478	1	LONDON.	
CROYDON.	-	154,342	57	98	111	115	0.3	79	34	3	10	-	-	-	-	1	-	3	5	9	-	-	CROYDON.	
WILLESLEN.	-	149,192	98	63	98	80	0.3	79	23	3	6	-	-	-	1	-	-	-	5	4	-	-	WILLESLEN.	
HORNSEY.	-	89,816	75	41	52	35	-	27	6	1	5	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.	
TOTTENHAM.	-	122,793	110	140	68	81	0.4	67	19	6	4	-	-	-	-	1	-	-	1	4	-	-	TOTTENHAM.	
WEST HAM.	-	308,284	100	95	115	101	2.2	159	60	13	15	-	2	1	2	7	-	1	2	3	13	-	WEST HAM.	
EAST HAM.	-	136,421	76	130	73	76	1.5	73	20	2	9	-	-	-	1	1	-	2	-	3	1	-	EAST HAM.	
LEYTON.	-	122,040	85	60	94	51	0.9	57	12	2	2	-	-	1	1	-	-	1	1	4	-	-	LEYTON.	
WALTHAMSTOW.	-	126,397	83	78	41	70	0.4	60	17	2	3	-	-	-	-	1	-	1	2	2	-	-	WALTHAMSTOW.	
HASTINGS.	-	67,477	70	116	93	85	-	23	11	1	4	-	-	-	-	-	-	-	1	1	-	-	HASTINGS.	
BRIGHTON.	-	129,023	113	109	101	109	0.4	62	27	1	16	-	-	-	1	-	-	-	5	7	-	-	BRIGHTON.	
PORTSMOUTH.	-	268,291	165	125	178	128	1.0	112	51	10	15	-	2	-	-	2	-	2	3	11	1	-	PORTSMOUTH.	
BOURNEMOUTH.	-	69,246	83	90	68	90	-	24	12	2	4	-	-	-	-	-	-	-	-	3	-	-	BOURNEMOUTH.	
SOUTHAMPTON.	-	119,745	78	126	87	109	-	57	25	6	8	-	-	-	-	-	-	-	-	5	-	-	SOUTHAMPTON.	
READING.	-	80,311	123	110	162	91	2.6	26	14	2	5	-	3	-	-	1	-	3	3	3	-	-	READING.	
NORTHAMPTON.	-	95,070	82	77	60	71	0.5	30	13	3	2	-	1	-	-	-	-	-	-	3	1	-	NORTHAMPTON.	
IPSWICH.	-	72,825	107	136	165	150	-	31	21	4	8	-	-	-	-	-	-	-	1	3	-	-	IPSWICH.	
GREAT YARMOUTH.	-	52,879	158	108	158	118	1.0	29	12	3	5	-	-	-	-	1	-	-	1	1	1	-	GREAT YARMOUTH.	
NORWICH.	-	119,191	132	79	101	96	1.7	44	22	6	6	-	1	-	-	-	-	2	3	6	-	-	NORWICH.	
PLYMOUTH.	-	120,063	96	104	109	104	0.4	52	24	3	11	-	-	-	1	-	-	-	1	10	-	-	PLYMOUTH.	
DEVONPORT.	-	79,959	85	78	98	124	3.3	42	19	3	4	-	-	-	-	1	-	1	3	5	-	-	DEVONPORT.	
BRISTOL.	-	307,979	98	116	108	115	0.7	169	81	8	31	-	-	-	2	3	-	-	8	23	-	-	BRISTOL.	
HANLEY.	-	67,174	132	116	179	186	1.6	27	24	7	8	-	1	-	-	-	-	1	3	5	3	-	HANLEY.	
BURTON-ON-TRENT.	-	53,425	117	39	107	127	1.0	21	13	2	3	-	-	-	-	1	-	-	-	3	-	-	BURTON-ON-TRENT.	
WOLVERHAMPTON.	-	102,016	123	133	128	138	2.0	46	27	5	9	-	1	-	2	-	-	1	2	11	-	-	WOLVERHAMPTON.	
WALSALL.	-	96,171	141	157	130	152	5.4	51	28	7	8	-	8	1	-	1	-	3	5	3	-	-	WALSALL.	
HANDSWORTH.	-	65,929	111	119	79	103	0.8	22	13	1	4	-	1	-	-	-	-	1	2	2	-	-	HANDSWORTH.	
WEST BROMWICH.	-	68,123	128	98	143	75	0.8	40	10	1	6	-	1	-	-	-	-	-	-	4	-	-	WEST BROMWICH.	

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 13th July, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 13th July, 1907.		The DEATHS registered in the Week include										TOWNS.		
			Week ended					22nd June, 1907.	13th July, 1907.	Week ended 13th July, 1907.	Deaths of 60 Years and upwards.	Deaths from											Deaths in Public Institutions.	Causes of Death.
			2nd June, 1907.	3rd June, 1907.	4th June, 1907.	5th June, 1907.	6th June, 1907.					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.				
																					7.			
BIRMINGHAM	-	553,155	12'7	12'0	11'9	12'1	0'8	324	128	31	25	-	-	2	1	2	-	5	6	29	4	21.	BIRMINGHAM.	
KINGS NORTON	-	75,600	7'6	9'7	6'2	6'2	1'4	16	9	1	1	-	-	-	-	-	1	1	1	-	-	-	KINGS NORTON.	
SMETHWICK	-	68,467	8'6	11'8	8'6	8'6	-	31	11	2	4	-	-	-	-	-	-	-	1	-	-	-	SMETHWICK.	
ASTON MANOR	-	83,266	9'4	10'0	10'6	10'6	0'6	46	17	6	5	-	-	-	-	-	1	1	3	1	1	1	ASTON MANOR.	
COVENTRY	-	77,626	16'8	10'7	15'4	15'4	-	44	23	6	5	-	-	-	-	-	-	3	3	4	-	-	COVENTRY.	
LEICESTER	-	236,124	8'4	11'0	10'4	10'2	0'7	82	46	12	16	-	-	1	-	-	-	-	-	7	-	-	LEICESTER.	
GRIMSBY	-	70,574	18'5	8'9	13'3	9'6	-	46	13	4	1	-	-	-	-	-	-	2	3	1	-	-	GRIMSBY.	
NOTTINGHAM	-	257,489	13'4	15'4	11'5	14'4	0'8	127	71	16	26	-	-	2	-	1	-	6	8	18	1	1	NOTTINGHAM.	
DERBY	-	125,774	13'7	14'5	12'9	14'5	3'7	54	35	6	10	-	-	8	1	-	-	-	3	11	-	-	DERBY.	
STOCKPORT	-	100,986	16'5	15'0	10'3	10'3	1'0	42	20	3	9	-	-	-	-	2	-	1	1	2	-	-	STOCKPORT.	
BIRKENHEAD	-	118,553	10'6	10'6	11'4	9'7	0'4	64	22	5	5	-	-	-	-	-	1	2	3	5	-	-	BIRKENHEAD.	
WALLASEY	-	66,707	10'2	10'9	10'2	10'2	0'8	37	13	3	5	-	-	-	-	-	-	-	-	2	-	-	WALLASEY.	
LIVERPOOL	-	746,144	13'3	15'0	16'6	16'8	1'7	438	240	52	57	-	-	9	2	3	7	1	17	88	7	-	LIVERPOOL.	
BOOTLE	-	67,114	14'0	10'1	11'7	19'4	1'6	39	25	11	5	-	-	-	-	-	1	1	1	5	-	-	BOOTLE.	
ST. HELENS	-	92,476	15'2	16'4	14'1	15'2	2'8	44	27	10	4	-	-	1	-	1	1	1	1	5	-	-	ST. HELENS.	
WIGAN	-	88,606	24'1	12'9	15'3	12'4	4'7	44	21	4	5	-	-	6	-	2	-	-	1	-	-	-	WIGAN.	
WARRINGTON	-	70,269	11'1	14'8	13'4	9'6	1'5	29	13	2	3	-	-	-	-	-	1	-	-	4	1	1	WARRINGTON	
BOLTON	-	182,917	17'1	19'4	18'5	11'4	1'4	80	40	6	10	-	-	2	-	1	-	1	1	4	-	-	BOLTON.	
BURY	-	58,901	15'0	16'8	18'6	15'9	-	31	18	5	7	-	-	-	-	-	-	-	1	1	1	1	BURY.	
MANCHESTER	-	643,148	15'5	14'6	16'8	14'8	1'3	390	182	38	45	-	-	8	-	7	-	5	13	51	1	1	MANCHESTER.	
SALFORD	-	236,670	15'0	16'3	11'7	13'7	1'3	126	62	19	10	-	-	1	-	2	2	1	5	13	-	-	SALFORD.	
OLDHAM	-	141,730	20'6	12'9	17'7	19'1	0'7	62	52	9	13	-	-	-	-	1	-	-	1	7	1	1	OLDHAM.	
ROCHDALE	-	87,999	13'0	12'4	8'3	16'6	0'6	44	28	5	7	-	-	-	-	-	-	-	-	7	1	1	ROCHDALE.	
BURNLEY	-	103,947	14'0	12'5	19'6	10'5	-	50	21	5	6	-	-	-	-	-	-	-	-	4	-	-	BURNLEY.	
BLACKBURN	-	134,980	13'9	13'1	18'9	13'1	0'8	56	34	9	9	-	-	2	-	-	-	-	-	6	-	-	BLACKBURN.	
PRESTON	-	117,093	16'0	15'6	14'2	17'8	0'9	70	40	8	15	-	-	-	-	-	-	-	2	5	-	-	PRESTON.	
BARROW-IN-FURNESS.	-	61,635	13'5	11'8	10'2	11'8	1'7	39	14	5	5	-	-	-	-	-	2	-	-	1	3	-	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Registered Deaths Week ended 13th July, 1907.		The DEATHS registered in the Week include										TOWNS.			
		Week ended				Rate from Diseases 11-17.		Deaths of		Deaths from									Uncertified Causes of Death.		
		1907.				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
		22nd June, 1907.	29th June, 1907.	6th July, 1907.	13th July, 1907.																
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD -	94,814	20.9	19.2	13.7	9.3	48	17	3	4	-	-	-	-	-	-	-	1	1	6	-	HUDDESFIELD.
HALIFAX -	110,138	11.4	10.4	14.2	12.3	37	26	6	10	-	-	1	1	-	-	-	-	-	7	1	HALIFAX.
BRADFORD -	290,323	14.0	11.7	10.2	12.4	129	69	9	22	-	1	-	-	3	-	1	3	5	15	1	BRADFORD.
LEEDS -	470,288	11.4	10.0	11.3	11.3	211	102	15	33	-	-	2	-	5	-	2	2	8	28	6	LEEDS.
SHEFFIELD -	455,563	14.0	14.3	13.6	12.9	244	113	24	33	-	3	1	1	2	1	1	6	6	29	6	SHEFFIELD.
ROTHERHAM -	62,412	16.7	13.4	9.2	12.5	37	15	6	1	-	-	-	-	1	-	-	1	1	1	-	ROTHERHAM.
YORK -	84,730	12.9	9.8	16.6	9.2	40	15	4	4	-	-	-	-	1	-	-	1	1	3	-	YORK.
HULL -	266,762	10.8	13.1	13.7	13.9	158	71	15	16	-	1	-	1	1	-	-	5	10	11	1	HULL.
MIDDLESBROUGH -	101,783	20.5	17.4	20.0	16.9	74	33	3	6	-	1	1	-	-	-	1	3	5	7	-	MIDDLESBROUGH.
STOCKTON-ON-TEES -	52,909	9.9	12.8	15.8	17.7	27	18	5	5	-	1	-	-	1	-	-	1	2	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL -	75,473	15.2	13.8	9.7	13.1	42	19	1	5	-	-	-	-	-	-	-	-	1	4	-	WEST HARTLEPOOL.
SUNDERLAND -	156,029	13.7	17.7	18.4	13.4	86	40	8	9	-	3	-	-	-	-	1	5	7	9	1	SUNDERLAND.
SOUTH SHIELDS -	113,460	13.8	15.2	12.9	10.6	91	23	5	10	-	1	-	-	-	-	1	1	1	1	-	SOUTH SHIELDS.
GATESHEAD -	125,783	16.6	12.0	16.2	15.8	83	38	8	15	-	2	1	-	2	-	2	-	1	3	-	GATESHEAD.
NEWCASTLE-ON-TYNE -	272,969	12.6	13.6	12.0	11.3	149	59	10	11	-	-	-	1	5	-	-	-	5	14	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH -	54,688	15.3	12.4	15.3	19.1	28	20	5	6	-	-	-	-	1	-	-	1	1	3	-	TYNEMOUTH.
NEWPORT (MON.) -	75,585	13.8	9.0	11.7	11.0	39	16	3	3	-	-	-	1	-	1	-	1	3	6	-	NEWPORT (MON.).
CARDIFF -	187,620	10.6	10.8	11.7	10.3	90	37	8	10	-	3	1	-	-	-	-	1	3	10	-	CARDIFF.
RHONDDA -	130,400	10.8	13.2	7.2	8.0	92	20	5	6	-	-	-	-	-	-	-	1	1	-	-	RHONDDA.
MERTHYR TYDFIL -	76,085	17.1	14.4	15.8	14.4	45	21	4	2	-	2	-	-	-	-	-	2	3	5	-	MERTHYR TYDFIL.
SWANSEA -	97,324	14.5	14.5	13.4	12.9	48	24	6	5	-	-	-	-	-	-	-	-	-	4	-	SWANSEA.
GREATER LONDON -	7,217,941	11.7	11.4	11.0	11.0	3538	1520	276	433	-	53	13	15	44	1	13	77	159	562	4	GREATER LONDON.
OUTER RING -	2,456,723	9.7	9.5	9.2	8.6	1246	405	77	118	-	7	2	7	15	-	5	17	37	84	3	OUTER RING.
8 TOWNS IN OUTER RING	1,209,285	8.8	9.1	8.8	8.2	601	191	30	54	-	2	2	5	11	-	3	7	17	39	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,250,438	10.6	9.8	9.5	8.9	645	214	47	64	-	5	-	2	4	-	2	10	20	45	2	REMAINDER OF OUTER RING.
EDINBURGH -	345,747	15.5	14.3	13.7	13.7	126	91†	20	16	-	1	-	1	5	-	3	2	?	32	7	EDINBURGH.
GLASGOW -	847,584	17.8	15.9	15.3	14.1	457	230†	40	50	-	7	1	-	12	-	3	4	?	76	9	GLASGOW.
DUBLIN (Registration Area).†	390,691	20.8	19.5	18.3	21.0	193	157†	30	42	-	2	-	-	7	-	5	3	4	58	8	DUBLIN (Registration Area).†
ELFELAST -	370,163	18.5	19.0	20.3	14.6	144	104†	18	24	-	4	-	-	-	-	-	4	5	24	1	ELFELAST.†

† See note F on first page of this return.

† Excluding deaths of persons admitted to the workhouse.

* See note on first page of this return.

† Including 4 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 6 in Glasgow, 1 in Dublin, and 10 in Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2579	2502	2351	2479	2526	2530	2581	2450	2363	2413	2525.1	2292
Males - - -	1308	1255	1202	1296	1251	1305	1265	1246	1186	1253	1280.3	1135
Females - - -	1271	1247	1149	1183	1275	1225	1316	1204	1177	1160	1244.8	1157
TOTAL Deaths -	1391	1214	1387	1252	1237	1280	1145	1152	1047	1072	1165.8	1115
Males - - -	695	649	733	666	652	699	601	605	546	577	619.7	585
Females - - -	696	565	654	586	585	581	544	547	501	495	546.1	530

* The numbers in this column are the average weekly numbers in the twenty-eighth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 20.	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	13 Weeks.
TOTAL Births -	2577	2452	2352	2537	2499	2258	2464	2474	2356	2506	2251	2309	2292	31327
TOTAL Deaths -	1469	1423	1364	1431	1383	1316	1190	1209	1172	1163	1138	1089	1115	16462
Under 1 year -	276	265	257	275	274	251	203	224	218	222	225	215	189	3104
1–5 years -	173	212	168	176	192	160	164	170	174	159	182	129	137	2176
5–20 " -	75	80	78	96	69	90	73	68	70	48	70	57	74	948
20–40 " -	179	186	171	162	191	152	137	143	122	138	144	139	154	2018
40–60 " -	301	260	273	283	274	274	240	261	241	262	238	239	236	3382
60 yrs. & upwds	465	420	417	439	383	389	373	343	347	334	290	310	315	4834
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	40	47	40	39	51	53	52	61	56	48	66	41	46	640
Scarlet Fever - -	9	8	8	9	12	13	13	11	13	10	13	13	11	143
Diphtheria - - -	10	16	13	15	11	12	14	10	8	10	13	8	8	148
Whooping-cough -	50	67	69	63	59	36	30	46	53	36	45	32	29	615
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	3	2	4	1	3	-	2	2	1	2	1	1	28
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	1	-	-	-	-	-	1
Diarrhoea, Dysentery	13	14	18	9	21	14	20	14	19	13	15	8	8	186
All above Diseases -	128	155	150	139	155	131	129	145	151	118	154	103	103	1761
Dis. of Resp. System	133	128	121	107	86	93	81	74	60	63	58	51	53	1108
Pneumonia - - -	193	187	161	155	149	137	111	112	89	93	98	97	86	1648
Phthisis - - -	135	133	127	147	139	120	136	118	107	109	102	115	115	1635
Dis. of Circ. System	212	191	194	207	185	180	170	138	152	160	161	170	154	2324
Violence - - -	52	63	61	54	69	49	51	36	48	56	69	51	60	719
Inquest Cases - -	148	136	141	136	173	117	118	100	113	118	129	100	122	1851
Deaths in Institutions	591	565	558	550	565	494	490	492	490	499	460	461	478	6683
TEMPERATURE OF THE AIR.														
Mean - - -	43.7	49.4	46.4	56.0	53.2	50.6	53.4	54.7	58.7	56.7	56.4	54.7	56.3	53.1
Mean of Highest -	53.1	58.0	54.9	66.6	62.1	62.2	62.8	63.6	68.0	67.4	66.1	64.3	68.1	62.9
Mean of Lowest -	36.0	43.2	40.3	45.8	47.0	41.1	47.1	48.7	50.8	48.3	49.3	46.8	47.4	45.0
Mean Humidity of the Air.	76	79	69	72	73	78	83	75	75	65	77	73	71	74
Rain-fall (in inches) -	0.63	0.90	0.59	0.36	0.35	0.35	0.67	0.42	0.41	0.01	1.30	0.18	0.22	6.37
Registered Sunshine (in hours),	27.7	31.4	41.6	50.2	39.5	28.2	15.3	25.1	48.5	62.6	24.8	44.7	36.6	476.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	1	1	1	-	-	-	-	-	-	-	-	-	2855
Scarlet Fever - -	2628	2649	2672	2658	2679	2732	2824	2862	2936	2985	3022	3193	3276	907
Diphtheria - - -	997	949	915	911	921	927	935	917	944	890	807	809	868	67
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	69	66	60	54	53	52	47	45	59	54	57	60	62	-

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme; E. G. Mann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; R. G. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-EIGHTH Week of the Year 1907.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

[illegible]

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

TABLE 5. LONDON*—POPULATION; BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th July, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.
					Deaths of Age.	Deaths from										Violence.			
						Infants under 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.				
LONDON - - -		4 536,480	2292	1115	199	315	-	46	11	8	29	-	1	-	8	60	122	47	
WEST DISTRICTS - - -		805,311	342	179	37	57	-	7	-	3	6	-	-	-	2	16	20	6	
NORTH DISTRICTS - - -		1,056,070	478	228	23	73	-	13	1	1	1	-	1	-	14	29	9	6	
CENTRAL DISTRICTS - - -		209,465	120	67	9	17	-	4	-	-	3	-	-	-	9	13	4	9	
EAST DISTRICTS - - -		715,739	432	194	57	42	-	5	-	1	11	-	-	-	7	25	9	4	
SOUTH DISTRICTS - - -		1,749,844	920	405	72	115	-	17	8	3	7	-	-	-	3	14	35	13	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	42	1	11	-	-	2	-	-	-	-	-	1	-	-	4	
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -		93,178	55	22	6	12	-	1	-	-	1	-	-	-	-	-	-	4	
St. John Paddington H - - -		33,617	12	13	3	2	-	-	-	-	-	-	-	-	-	3	3	4	
North-West Paddington - - -		17,181	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,3H - -		128,037	42	31	5	11	-	2	-	-	-	-	-	-	-	-	1	10	
Brompton 2H - - -		48,591	9	13	1	4	-	1	-	1	-	-	-	-	-	1	3	2	
North Hammersmith 2W,w,H - -		49,192	32	12	4	1	-	-	-	-	1	-	-	-	-	3	3	3	
South Hammersmith w,2H - -		63,047	29	16	5	4	-	-	-	-	1	-	-	-	-	1	1	7	
North-west Fulham W - - -		45,180	38	11	1	1	-	1	-	1	1	-	-	-	-	1	1	3	
North-east Fulham F - - -		46,405	25	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
South Fulham W - - -		45,704	26	5	3	1	-	-	-	1	-	-	-	-	-	1	1	-	
Chelsea North W,w,3H - - -		42,514	6	13	2	7	-	-	-	-	1	-	-	-	-	1	1	10	
Chelsea South W,2H - - -		51,328	12	9	4	1	-	1	-	-	1	-	-	-	-	-	-	1	
Mayfair and Knightsbridge - -		28,743	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -		55,815	14	14	1	4	-	-	-	-	-	-	-	-	2	2	3	7	
St. Margaret & St. John 5H - -		43,688	23	7	-	4	-	1	-	-	-	-	-	-	2	2	2	3	
St. James and St. Anne W,6H - -		33,081	8	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -		35,391	9	12	1	5	-	-	-	-	-	-	-	-	-	1	1	9	
St. Mary Marylebone W,4H - -		37,948	37	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone - - -		39,536	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 2H - - -		20,426	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -		81,942	26	20	1	10	-	-	-	-	-	-	-	-	-	-	1	11	
West St. Pancras 2H - - -		69,562	19	11	2	1	-	-	-	3	-	-	-	-	-	1	1	4	
South St. Pancras w,11H - - -		55,707	14	16	-	5	-	-	-	-	-	-	-	-	-	-	1	14	
East St. Pancras W,2H - - -		69,320	40	10	2	4	-	-	-	1	-	-	-	-	-	1	4	3	
North St. Pancras 2W - - -		58,728	28	10	1	4	-	-	-	-	1	-	-	-	2	2	1	3	
Tufnell W - - -		31,995	13	21	3	5	-	1	-	-	1	-	-	-	-	-	2	15	
Upper Holloway 2W,u,H - - -		33,978	20	19	2	7	-	-	-	-	-	-	-	-	-	-	3	11	
Tollington W,w,H - - -		35,922	12	7	1	3	-	1	-	-	-	-	-	-	-	2	3	-	
Lower Holloway - - -		41,424	29	8	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -		54,478	34	5	2	1	-	1	-	-	-	-	-	-	-	1	2	-	
Islington South-east F - - -		75,367	32	6	1	1	-	2	-	-	-	-	-	-	-	-	-	-	
Highbury 2H - - -		63,797	23	8	1	2	-	-	-	-	-	-	-	-	-	-	2	-	
Stoke Newington H - - -		51,247	17	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -		60,560	14	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - - -		60,536	26	7	1	2	-	1	-	1	1	-	-	-	-	3	3	4	
South-west Hackney 3E - - -		59,021	41	19	1	3	-	-	1	-	-	-	1	-	-	2	2	8	
South-east Hackney 2W,w,H - -		58,265	25	20	-	5	-	-	-	-	-	-	-	-	-	2	7	14	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

453

[illegible]

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 13th July, 1907—continued.

		The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total Births.	Total Deaths.	Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
SOUTH DISTRICTS.																			
Christchurch and St. Saviour } Southwark W2H - - - }	23,319	13	17	-	1	-	1	-	-	-	-	-	-	-	-	3	4	14	
Kent-road - - - - -	21,904	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
St. George the Martyr West } W2H,L - - - - - }	30,094	23	13	3	4	-	-	-	-	-	-	-	-	-	-	-	1	7	
Newington North - - - - -	49,022	31	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington South W - - - - -	72,841	47	13	5	3	-	2	-	-	1	-	-	-	-	-	-	-	1	
St. Olave 2W - - - - -	9,817	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - - -	82,483	53	16	3	6	-	-	-	-	1	-	-	-	-	-	1	2	-	
Rotherhithe W,F - - - - -	38,460	20	18	1	3	-	-	-	-	-	-	-	-	-	-	-	3	12	
Waterloo 2H - - - - -	27,440	24	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Lambeth Church H - - - - -	27,440	9	16	-	2	-	-	-	-	-	-	-	-	-	-	2	3	12	
Kennington 2W - - - - -	52,518	29	22	4	3	-	-	-	-	-	-	-	-	-	-	-	1	10	
Stockwell HF - - - - -	63,826	23	10	1	3	-	-	1	1	-	-	-	-	-	-	1	1	2	
Brixton H - - - - -	73,673	29	19	6	2	-	1	-	-	-	-	-	-	-	-	1	1	3	
Norwood WH - - - - -	56,998	27	13	1	6	-	-	-	-	-	-	-	-	-	-	-	-	2	
East Battersea H - - - - -	72,203	43	13	4	2	-	1	-	-	2	-	-	-	-	-	-	1	-	
North-west Battersea - - - - -	49,656	26	11	2	1	-	2	-	-	-	-	-	-	-	-	3	1	-	
South-west Battersea 2W,H - - - - -	47,048	14	16	1	5	-	1	-	-	1	-	-	-	-	-	-	1	11	
Clapham 2H - - - - -	51,381	23	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Streatham W2w,F,3L - - - - -	83,019	65	29	7	9	-	-	3	-	1	-	-	-	-	-	1	2	11	
Springfield 2W,L - - - - -	27,959	25	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - - -	40,444	30	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Putney - - - - -	24,139	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - - -	13,359	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - - - - -	40,206	22	22	-	8	-	-	-	-	-	-	-	-	-	-	-	-	17	
Camberwell North W,2L - - - - -	65,584	27	18	4	6	-	3	-	-	-	-	-	-	-	-	-	1	6	
St George - - - - -	47,331	30	8	2	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
Peckham North - - - - -	48,913	21	10	4	2	-	-	-	-	1	-	-	-	-	-	-	1	-	
Peckham South 2W,w - - - - -	43,946	19	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford North - - - - -	37,613	22	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central F - - - - -	45,481	29	7	1	-	-	1	2	-	-	-	-	-	-	-	1	-	4	
Deptford South - - - - -	34,825	17	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - - - -	23,456	14	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	
Greenwich East 2W,H - - - - -	43,859	14	16	1	10	-	-	-	-	-	-	-	-	-	-	-	-	8	
Eltham w,H - - - - -	7,226	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Lee wH - - - - -	25,490	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham Ww,F - - - - -	58,352	31	13	2	8	-	-	1	-	-	-	-	-	-	-	-	-	6	
Sydenham H - - - - -	43,653	22	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Charlton F2H - - - - -	21,134	7	4	-	1	-	-	1	1	-	-	-	-	-	-	-	-	2	
Woolwich 5H - - - - -	41,635	19	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead West W - - - - -	18,083	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - - - - -	50,264	23	11	3	2	-	1	-	-	-	-	-	-	-	-	1	1	4	
Workhouse:— Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:— Joyce Green Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:— Gore Farm (temporary) North-Eastern Northern	-	-	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	2	
M. A. B. Imbecile Asylums:— Belmont Caterham Darenth Leavesden	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
London County Lunatic Asylums:— Banstead Ewell (Epileptic Colony) Horton Manor Cane Hill Wartford Heath Hanwell Colney Hatch Claybury	-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	9	
	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	
	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	
	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th July, 1907.

		The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Unrecorded Causes of Death.	
LONDON—OUTER RING		368,302	2,044,973	1246	405	77	118	-	7	2	7	15	-	5	17	37	84	3	
30: 1	Carshalton 2F,3H	12,228	32,997	15	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	4	1	1	-	-	-	-	-	-	1	-	-	-	-	
37: 1	Godstone, part of* W,F,L	2,754	2,092	4	2	-	-	-	-	-	-	-	-	-	-	-	3	-	
38: 1	Coulsdon	11,069	8,168	4	2	1	-	-	-	-	-	-	-	-	-	-	2	-	
2	South Croydon w	4,200	49,309	20	7	-	4	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	38	21	2	3	-	-	-	-	-	-	-	2	-	-	-	
4	North Croydon H	2,644	41,698	21	10	1	5	-	-	-	-	1	-	-	-	-	12	-	
6	Penge w,H	770	22,465	6	2	-	-	-	-	-	-	-	-	-	1	-	1	-	
6	Mitcham	11,711	30,015	23	8	3	1	-	-	-	-	1	-	-	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	22	8	1	1	-	-	-	-	-	-	-	1	3	-	-	
2	Kingston 2W,H	6,224	42,068	22	9	2	4	-	-	-	-	-	-	-	-	-	-	-	
3	Surbiton F,H	3,046	15,017	3	2	-	1	-	-	-	-	-	-	-	1	-	3	-	
4	Esher, part of* H	5,402	13,100	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,684	23,456	12	3	3	-	-	-	-	-	-	-	1	-	-	-	-	
0: 1	Richmond W,H	2,182	28,865	14	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,847	20,928	10	7	4	-	-	-	-	-	-	-	-	-	-	-	-	
1: 1	Bromley F,2H	4,703	27,354	12	5	1	2	-	-	-	-	-	-	-	2	5	-	-	
2	Beckenham H	7,325	28,497	11	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
3	Orpington part of* W	10,113	9,857	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
4	Chislehurst 2H	7,333	16,446	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
2: 1	Bexley w,F,H	8,678	21,151	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	17	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
4: 1	Sunbury w	11,054	18,683	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,377	15,178	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5: 1	Hillingdon W,F,H	6,035	13,661	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,934	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
3	Hayes w,2F,H	8,066	16,358	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3: 1	Isleworth 3W,3F,H	6,959	30,863	21	8	1	4	-	-	-	-	-	-	-	-	1	-	-	
2	Twickenham F,2H	2,421	20,991	16	4	-	2	-	-	-	-	-	-	-	-	-	4	-	
3	Brentford 3F,2H	4,319	48,280	31	9	1	3	-	-	-	-	-	-	-	1	1	1	-	
4	Chiswick H	1,349	20,809	24	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
5	Acton w,F,3H	6,132	48,914	30	13	4	4	-	-	-	-	-	-	-	-	-	-	-	
1: 1	Harrow F,H	13,809	25,523	18	8	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	3	2	-	-	-	-	-	-	-	-	-	1	1	1	-	
3	Willesden W,F,2H	4,384	114,511	79	23	3	6	-	-	-	-	-	-	-	-	5	4	-	
4	Hendon W,F	8,382	22,450	15	6	-	3	-	-	-	-	-	-	-	-	-	3	-	
1: 1	South Mimms 2F,H	17,755	7,308	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,888	93,692	27	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
1: 1	Hornsey F,H	2,875	72,056	27	6	1	5	-	-	-	-	-	-	-	-	-	-	-	
2	Wood Green H	1,625	34,233	39	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham	996	48,853	33	6	3	1	-	-	-	-	-	-	-	-	-	1	-	
4	East Tottenham 2H	2,017	53,688	34	14	4	2	-	-	-	-	-	-	-	-	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	46	16	3	6	-	-	-	-	1	-	-	-	1	5	-	
6	Enfield 2W,F,H	12,601	42,738	29	12	4	2	-	-	-	-	-	-	-	-	-	3	-	
7	Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	1	1	-	-	-	-	-	3	-	-	-	-	-	-	
1: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1: 1	Bushey H	9,333	9,173	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1: 1	Stratford H	-	52,974	23	10	1	2	-	-	-	-	-	-	-	-	-	1	-	
2	Forest Gate w	-	52,745	26	8	5	2	-	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	-	90,921	62	22	5	5	-	-	-	-	1	-	-	-	-	-	-	
4	Canning Town H	-	70,718	48	8	2	-	-	-	-	-	1	-	-	-	-	-	-	
5	South East Ham 2F	-	37,342	32	10	2	1	-	-	-	-	3	-	-	-	-	-	-	
6	North East Ham w,H	-	58,676	41	9	-	-	-	-	-	-	1	-	-	-	-	-	-	
7	Wanstead F	-	9,179	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
8	South Leyton 2W	-	50,467	23	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	North Leyton 2W,w,F	-	48,445	34	21	-	6	-	-	-	-	-	-	-	-	-	3	-	
10	Walthamstow 2H,L	-	108,929	69	18	2	4	-	-	-	-	-	-	-	-	-	15	-	
1: 1	Chigwell 2F,3H	-	11,778	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1: 1	Romford, part of* W,2F	-	6,556	6,091	5	3	1	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	-	41,234	23	6	4	1	-	-	-	-	-	-	-	-	-	2	-	
3	Barking Town F	-	3,803	21,547	22	3	-	-	-	-	-	-	-	-	-	-	-	-	
London Fever Hosp., Islington		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Middlesex County Asylum, Wandsworth.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kent County Lunatic Asylum, Maidstone.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Essex County Lunatic Asylum, Brentwood.		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 in the Croydon Mental Hospital in 37: 1 are also included. The boundaries of these sub-districts were altered on 1 July, 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Dysentery.
LONDON - -	4,758,218	July	13	2292	1115	12·2	-	46	11	8	29	1	
CALCUTTA - -	977,822	June	15	-	423	25·9	20	3	-	-	1	128†	7
BOMBAY - -	982,000	"	25	312	531	28·2	2	2	-	-	-	62†	
MADRAS - -	548,974	"	14	327	294	30·0	-	3	?	?	?	81†	5
PARIS - -	2,722,731	July	6	913	814	15·5	3	14	6	2	3	4	1
BRUSSELS - -	623,077	"	6	199	109	9·1	-	-	1	-	1	3	
ANTWERP - -	304,032	"	6	150	56	9·5	-	-	-	-	2	-	
AMSTERDAM -	565,368	"	6	277	121	11·2	-	1	2	-	2	-	
COPENHAGEN -	433,000	"	6	237	110	13·2	-	1	-	-	4	1	
STOCKHOLM -	324,488	June	29	143	90	14·1	-	-	3	-	1	1	
CHRISTIANIA -	226,774	July	6	83	78	17·9	-	-	-	1	-	-	
ST. PETERSBURG	1,482,769	June	22	631	649	22·8	-	51	18	9	4	19	1
MOSCOW - -	1,296,000	"	29	-	751	30·2	2	24	9	13	2	4	2
BERLIN - -	2,090,930	"	22	889	540	13·5	-	7	-	-	10	2	
HAMBURG - -	840,790	July	6	-	206	13·0	-	-	-	-	1	-	
BRESLAU - -	484,355	June	29	-	210	22·7	-	-	-	2	4	-	
MUNICH - -	548,000	July	6	-	181	17·2	-	2	-	1	2	-	
VIENNA - -	1,979,093	"	6	-	-	-	-	-	-	-	-	-	
PRAGUE - -	466,133	June	29	185	163	18·0	-	3	-	-	-	2	
BUDA-PESTH -	802,235	"	22	421	268	17·4	-	7	5	1	3	4	
TRIESTE - -	200,962	July	6	118	65	16·8	-	2	-	1	-	-	
ROME - -	540,150	April	27	230	190	18·3	-	4	-	1	3	-	
VENICE - -	174,388	June	29	85	68	20·3	-	-	-	1	-	1	
BUCHAREST -	292,595	June	29	148	132	23·5	-	1	-	-	-	2	
		July	6	164	170	30·3	-	1	-	-	2	-	
NEW YORK - -	4,285,435	June	29	2125	1364	16·6	1	34	29	41	12	6	
CHICAGO - -	2,107,620	"	29	-	479	11·8	-	7	6	6	7	3	
PHILADELPHIA -	1,500,595	"	8	-	482	16·1	-	-	3	10	4	14	
RIO DE JANEIRO	912,900	"	16	-	238	19·7	-	-	-	1	-	1†	

* Excluding deaths from croup in the Indian Cities.

† Including 62 deaths from plague in Calcutta, 16 in Bombay, 1 in Madras, and 1 in Rio de Janeiro.

‡ Including 37 deaths from cholera in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th July, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	72·6	42·8	57·8	0·22	LEEDS - - -	70·0	44·0	55·3	0·4
BRIGHTON - -	65·2	45·5	56·3	0·23	YORK - - -	63·0	41·5	54·1	0·5
PORTSMOUTH - -	67·0	46·0	56·7	0·32	HULL - - -	63·0	40·0	54·2	0·3
NORWICH - -	69·0	43·4	56·0	0·33	TYNEMOUTH - -	66·0	40·0	53·3	0·5
PLYMOUTH - -	62·0	45·0	54·3	0·13	CARDIFF - - -	65·3	33·6	52·9	0·2
BRISTOL - -	66·5	43·0	54·7	0·41	EDINBURGH - -	60·3	42·8	52·5	0·7
BIRMINGHAM - -	66·9	44·4	53·1	0·91	GLASGOW - - -	61·6	42·5	54·2	1·3
NOTTINGHAM - -	66·9	39·8	52·7	0·61	DUBLIN { Phoenix Park. Fitz- william Square.†	65·7	36·9	54·0	0·5
LIVERPOOL - -	62·0	48·0	54·2	0·55		66·8	43·8	55·8	0·3
MANCHESTER - -	64·5	39·8	52·2	1·00		63·0	41·5	53·4	0·9
PRESTON - -	63·2	47·3	54·2	0·89					
HUDDERSFIELD -	64·0	41·3	52·4	0·57					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to 1907 above was 1·9 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables

† Kindly furnished by Sir J. W. Moore, B.A. M.D. Dublin.

1907. MONTH AND DAY		Phases of the Moon.	TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Winds deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 6 inches above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Baro- meter.	Of the Air.			Of the Air-temperature and Dew Point Temperature.	Degree of Humidity (Saturation 100).	Of Radiation.		Of the Earth's Surface.		Oster's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				High- est.	Low- est.	Daily Range.			Mean value.	Mean from Average of 65 years.	Mean daily value.	Great est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.		Least.	Mean of 24 hourly Obs.	Horizontal Movement of the Air on each Day.	Average of the Air on each of 40 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
JULY.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							

DATE.	ELIMBRIGHT. (For explanation of symbols, see Note.)	REGISTERED SUNSHINE			SUNSHINE			SUNSHINE			SUNSHINE			REMARKS.
		High- est.	Low- est.	Range.	Daily Range.	Mean value.	Dew point.	Degree of Humidity (saturation 100).	Highest in the day.	Lowest on the surface.	General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air.	
		°	°	°	°	°	°	°	°	°	°	°	°	
		°	°	°	°	°	°	°	°	°	°	°	°	
JULY.														
SUNDAY - 7	w. P. till 3h. P.M.; m. P. till 8h. P.M.; s. P. afterwards.	5 5	16 4	11	12	13	14	15	16	17	WSW.	WSW.	WSW.	3 3
MONDAY - 8	w. P. throughout.	21	16 4	9	10	11	12	13	14	15	WSW.	WSW.	WSW.	25
TUESDAY - 9	w. P. generally; m. P. between 6h. and 10h. P.M.	11	16 3	9	10	11	12	13	14	15	WSW.	WSW.	WSW.	23
WEDNESDAY 10	w. P. till 10h. A.M.; s. P. and s. N. till 5h. P.M.; w. P. till 8h. P.M.; m. P. afterwards.	20	16 3	9	10	11	12	13	14	15	WSW.	WSW.	WSW.	24
THURSDAY - 11	w. P. till 10h. A.M.; m. P. and s. P. afterwards.	91	16 3	9	10	11	12	13	14	15	WSW.	WSW.	WSW.	25
FRIDAY - 12	w. P. till 8h. A.M.; m. P. afterwards.	11 4	16 3	9	10	11	12	13	14	15	WSW.	WSW.	WSW.	26
SATURDAY - 13	w. P. till 6h. A.M.; m. P. generally afterwards.	5 4	16 2	9	10	11	12	13	14	15	WSW.	WSW.	WSW.	27
No. of Col. -	-	Sum 366	11 42	98	29	29	29	29	29	29	29	29	29	29

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 158 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.82 in. at the beginning of the week to 29.68 in. by 8h. P.M. on the 8th; increased to 30.31 in. by 9h. A.M. on the 11th; decreased to 30.06 in. by 7h. P.M. on the 13th; and was 30.09 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 6th July, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	10	3	-	-	-	-	4	-	-
Kensington - - -	181,842	-	11	-	-	-	-	-	5	-	-
Hammersmith - - -	122,337	-	7	4	-	-	-	-	1	-	-
Fulham - - -	166,749	-	7	6	-	1	-	-	3	-	-
Chelsea - - -	74,857	-	5	2	-	-	-	-	2	-	-
City of Westminster - -	172,219	-	10	3	-	-	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	13	-	-	-	-	-	3	-	-
Hampstead - - -	91,137	-	18	3	-	-	-	-	1	-	-
St. Pancras - - -	236,753	-	22	3	-	-	-	-	3	-	-
Islington - - -	347,017	-	14	4	-	-	-	-	4	-	-
Stoke Newington - - -	53,613	-	3	-	-	-	-	-	-	-	1
Hackney - - -	232,993	-	34	7	-	2	-	-	3	-	-
CENTRAL.											
Holborn - - -	55,134	-	3	-	-	1	-	-	1	-	-
Finsbury - - -	96,732	-	9	2	-	1	-	-	-	-	-
City of London - - -	20,310	-	2	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,632	-	19	5	-	-	-	-	1	-	-
Bethnal Green - - -	130,831	-	20	6	-	-	-	-	4	-	-
Stepney - - -	308,923	-	69	8	-	3	-	-	8	1	-
Poplar - - -	171,086	-	14	10	-	-	-	-	5	-	-
SOUTH.											
Southwark - - -	209,781	-	56	9	-	2	-	-	5	-	-
Bermondsey - - -	128,293	-	22	8	-	1	-	-	-	-	-
Lambeth - - -	318,538	-	29	7	-	1	1	-	5	1	-
Battersea - - -	181,736	-	21	6	-	-	-	-	3	1	-
Wandsworth - - -	281,419	-	24	11	-	2	-	-	3	-	-
Camberwell - - -	277,059	-	29	5	-	2	-	-	3	-	-
Deptford - - -	116,510	-	13	6	-	2	-	-	1	-	-
Greenwich - - -	107,232	-	16	11	-	-	-	-	3	-	-
Lewisham - - -	152,532	-	10	3	-	-	-	-	1	-	-
Woolwich - - -	129,336	-	12	4	-	-	-	-	3	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
Ages 0-1 - - - - - 8 3 - - - 18 1 - - - 75 3 1											
" 1-5 - - - - - 150 47 - - - - - 6 - - -											
" 5- - - - - 208 50 - - - - - 3 - - -											
" 10- - - - - 77 20 - - - 3 - - - 5 - - -											
" 15- - - - - 28 5 - - - 1 - - - 5 - - -											
" 20- - - - - 15 3 - - - 2 1 - - - 3 1 1											
" 25- - - - - 21 6 - - - 6 - - - 12 1 - -											
" 35- - - - - 5 1 - - - 4 - - - 11 1 - -											
" 45- - - - - - - - - - 1 - - - 11 - - -											
" 55- - - - - - - - - - 1 - - - 10 - - -											
" 65 and upwards - - - - - 1 - - - - - 5 - - -											
Age not stated - - - - - - - - - - - - - - - - - - -											

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 29th JUNE, 1907.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia* (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON -	16,826	-	657	141	157	675	-	33	1	193	1,676	3,182	101
West.													
PADDINGTON -	461	-	11	5	7	16	-	1	-	10	34	87	112
KENSINGTON -	575	-	13	3	5	43	-	2	-	2	42	93	116
HAMMERSMITH -	457	-	24	-	3	15	-	3	-	-	38	92	118
FULHAM -	499	-	31	1	5	19	-	2	-	14	59	123	107
CHELSEA -	297	-	18	-	2	9	-	-	-	6	29	46	120
CITY OF WESTMINSTER -	521	-	4	2	5	16	-	3	-	7	61	74	106
North.													
ST. MARYLEBONE -	474	-	4	7	3	20	-	-	-	5	45	59	56
HAMPSTEAD -	212	-	6	1	3	5	-	-	-	2	18	26	71
ST. PANCRAS -	884	-	45	5	7	26	-	1	-	7	91	165	122
ISLINGTON -	1,225	-	56	4	4	55	-	2	-	13	110	221	104
STOKE NEWINGTON -	163	-	2	2	-	10	-	1	-	2	18	25	86
HACKNEY -	760	-	21	12	5	22	-	2	-	11	76	132	87
Central.													
HOLBORN -	243	-	1	1	5	14	-	-	-	1	37	34	88
FINSBURY -	461	-	23	5	4	27	-	2	-	11	55	97	108
CITY OF LONDON -	91	-	-	-	1	3	-	-	-	-	9	9	123
East.													
SHOREDITCH -	576	-	33	7	6	50	-	-	-	6	68	120	130
BETHNAL GREEN -	548	-	22	10	5	20	-	-	-	8	52	139	137
STEPNEY -	1,151	-	25	14	11	30	-	4	-	20	130	268	92
POPLAR -	712	-	43	9	12	25	-	1	-	6	63	143	109
South.													
SOUTHWARK -	953	-	51	6	5	38	-	2	-	10	111	209	132
BERMONDSEY -	549	-	21	7	5	24	-	2	-	7	47	109	107
LAMBETH -	1,077	-	58	7	9	37	-	2	-	12	113	206	93
BATTERSEA -	554	-	17	6	10	23	-	-	-	4	48	112	95
WANDSWORTH -	819	-	28	6	12	42	-	1	-	3	65	172	93
CAMBERWELL -	929	-	36	8	5	56	-	-	-	9	101	167	101
DEPTFORD -	392	-	25	3	5	11	-	-	-	5	45	79	98
GREENWICH -	327	-	25	1	6	6	-	1	-	2	36	51	74
LEWISHAM -	389	-	8	5	1	8	-	-	-	6	30	58	59
WOOLWICH -	327	-	6	4	6	5	-	1	1	4	45	66	78

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 515 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 753 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
July, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of June.

Eleven samples were taken in each of the eight districts, making a total of 88 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	June 10th. Cab Rank, Fulham Road, near Hospital for Women.	15.3	28.68	.189	.022	0	.196	.218	1.7	19.1
West Middlesex - -	June 10th. Cab Rank, Albert Road, N.W.	15.2	26.14	.188	.024	0	.171	.195	1.75	17.4
Southwark - - - -	June 10th. Cab Rank, St. George's Church, Borough.	16.4	29.52	.200	.023	0	.206	.229	1.8	18.9
Grand Junction - -	June 10th. Cab Rank, Pickering Place, Westbourne Grove.	15.8	27.10	.168	.022	0	.177	.199	1.65	18.1
Lambeth - - - -	June 10th. Cab Rank, St. George's Road, Southwark.	15.2	29.02	.219	.024	.0015	.200	.226	1.7	19.7
LEA, WELLS, & C.										
New River - - - -	June 10th. Cab Rank, Canonbury Station.	14.7	31.66	.060	.011	0	.235	.246	1.65	21.9
Eastern - - - -	June 10th. Police Station Poplar.	15.0	31.94	.167	.018	0	.163	.181	2.05	22.1
DEEP WELLS.										
Kent - - - -	June 10th. Cab Rank, Amersham Road, by New Cross Station.	12.5	42.00	.033	.006	0	.485	.491	2.2	28.9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the cab rank in Fulham Road on the 10th June, had a temperature of 15.3° C.; 100,000 lbs. of it contained 28.68 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .189 lb. of carbon and .022 lb. of nitrogen. The above quantity of water also contained .196 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .218 lb. The above weight of water also contained 1.7 lbs. of chlorine and 19.1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples taken on the 10th June were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water, supplied from the several district works, was:—Kent, 0·7; New River, 1·2; Eastern, 3·1; Grand Junction, 3·2; Chelsea and West Middlesex, 3·6; Southwark, 3·8; and Lambeth, 4·1.

The filtered supplies distributed from the five district works which draw water from the Thames contained slightly smaller proportions of organic matter than were found in the corresponding examinations in the previous month, and all were clear and of good quality.

The New River and Eastern district supplies, obtained chiefly from the River Lea, were also clear and of good quality.

The Kent district deep-well water was, as usual, clear and of excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that from the New River area nearly colourless; the six remaining supplies exhibited a very pale yellow tint.

In addition to the above analytical examination the 88 samples, collected during the month at various places in the Water Board's districts have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·100	·094	·098	·110	·106	·108	0	0	0	·0085	·0075	·008
West Middlesex	·093	·084	·088	·100	·091	·095	0	0	0	·009	·0075	·008
Southwark	·095	·082	·088	·105	·089	·096	0	0	0	·009	·0075	·008
Grand Junction	·091	·081	·085	·100	·089	·092	0	0	0	·009	·0075	·008
Lambeth	·114	·097	·106	·121	·104	·117	·0015	0	·001	·0085	·0075	·008
NEW RIVER, THAMES, & CO.												
New River	·044	·025	·034	·049	·028	·037	0	0	0	·0035	·002	·003
Eastern	·104	·067	·082	·114	·074	·090	0	0	0	·012	·007	·0085
DEEP WELLS.												
Kent	·010	·008	·009	·012	·008	·010	0	0	0	·001	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The above figures show that the maxima and mean amounts of organic matter found in the five Thames-derived waters in June were less than in May, and all the samples examined were of good quality.

The New River district supply contained, on the average, less than half the proportion of organic matter present in the filtered Thames waters, and the supply was of very good quality throughout the month.

The average Eastern district water was, in point of freedom from organic matter, slightly superior to the filtered supplies obtained exclusively from the Thames.

The deep-well water distributed in the Kent district maintained its usual high organic purity, and was of excellent quality during the whole month.

All the samples collected in the Chelsea, West Middlesex, Grand Junction, Lambeth, New River and Kent districts were clear, but a few of the samples taken in the Southwark and Eastern areas contained traces of rust-stained suspended matter.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of June, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 214 gallons to one service.

DISTRICTS,	Number of Services.		Average Daily Supply of Water in Gallons.	
	JUNE, 1906.	JUNE, 1907.	JUNE, 1906.	JUNE, 1907.
TOTAL SUPPLY - - - -	1,049,175	1,066,063	240,651,009	227,719,102
NEW RIVER - - - - -	208,451	211,220	48,103,000	44,643,000
EASTERN - - - - -	236,817	239,722	46,018,100	41,829,300
WESTERN { Chelsea Grand Junction } - -	215,442	218,689	59,733,973	57,401,937
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	273,782	279,504	67,583,800	63,298,537
{ Southwark and Vauxhall }				
KENT - - - - -	114,683	116,928	21,212,136	20,546,328

Note.—The Return for June, 1907, as compared with that for the corresponding month of 1906, shows an increase of 16,888 services, and a decrease of 12,931,907 gallons of water supplied daily.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 29. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JULY 20. [Price 1½d.

General Register Office, Somerset House,
July 22nd, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in **SEVENTY-SIX GREAT TOWNS** of England and Wales corresponded to an annual rate of 12·4 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·5, 12·5, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 17·1 in Hanley, 17·2 in Rochdale, 17·7 in Liverpool, 18·5 in Merthyr Tydfil, 20·1 in Walsall, and 21·0 in Middlesbrough; from *measles*, 1·1 in Bolton, 1·2 in Wigan and in Gateshead, 1·5 in Blackburn, 3·1 in Cardiff, 3·9 in Stockton on Tees, 4·6 in Derby, and 5·4 in Walsall; from *scarlet fever*, 1·5 in West Bromwich; from *diphtheria*, 1·3 in Norwich; from *whooping-cough*, 1·1 in Salford and in Huddersfield, 1·2 in Wigan, and 1·6 in Brighton; and from *diarrhæa*, 1·2 in Walthamstow, 1·7 in Barrow in Furness, and 2·0 in Middlesbrough. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In **LONDON** 2266 BIRTHS and 1077 DEATHS were registered. Allowing for increase of population, the births were 293 and the deaths 126 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·5, 11·9, and 12·2 per 1000 in the preceding three weeks, fell last week to 11·8. The death-rate in the four weeks ended last Saturday averaged 12·1 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1077 deaths included 46 from measles, 15 from scarlet fever, 12 from diphtheria, 44 from whooping-cough, 2 from enteric fever, and 19 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 138 deaths were referred to these diseases in the aggregate, being 35 below the corrected average number in the twenty-ninth week of the preceding five years.

The deaths from *measles*, which had been 66, 41, and 46 in the preceding three weeks, were again 46 last week, and were 8 above the corrected average; 9 deaths belonged to the Borough of Southwark, 6 to Islington, and 4 to Battersea. The deaths from *scarlet fever*, which had been 13, 13, and 11 in the preceding three weeks, rose to 15 last week, and were 6 above the corrected average; 3 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 13, 8, and 8 in the preceding three weeks, were 12 last week, the corrected average being 13. The deaths from *whooping-cough*, which had been 45, 32, and 29 in the preceding three weeks, were 44 last week, and were 22 above the corrected average; 6 deaths belonged to Islington, 5 each to Poplar and Wandsworth, and 4 to Stepney. The deaths from *enteric fever*, which had been 2, 1, and 1 in the preceding three weeks, were 2 last week, and were 5 below the corrected average. The deaths from *diarrhoea*, which had been 15, 8, and 8 in the preceding three weeks, rose to 19 last week, but were 62 below the corrected average; 3 deaths belonged to Islington and 3 to Shoreditch. Of the 19 deaths from diarrhoea, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 other death at this age. The deaths attributed directly to *influenza* numbered 3, having been 8, 6, and 4 in the preceding three weeks.

Different forms of *violence* caused 46 deaths, concerning all of which inquests were held. Of these 46 deaths, 4 were cases of suicide and 1 of homicide, while the remaining 41 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 6 to burns and scalds, 6 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 4, including 3 of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3387 cases of scarlet fever, 879 of diphtheria, and 57 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 570 cases, against 422, 504, and 493; of diphtheria, 143 cases, against 87, 132, and 152; and of enteric fever, 7 cases, against 15, 15, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 13th, 1907.

GREATER LONDON.

In Greater London 3524 births and 1513 deaths were registered. Allowing for increase of population, these numbers are 433 and 167 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 7 from whooping-cough, 2 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·07 inches, and that of the Thermometer 62·7, the latter being 0·6 below the week's average in the 65 years ending 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 21 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 57·7 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated in middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 20 th July, 1907.		The DEATHS registered in the Week include											TOWNS.		
		Week ended				Week ended		BIRTHS.	DEATHS.	Deaths from													
		29 th June, 1907.	6 th July, 1907.	13 th July, 1907.	20 th July, 1907.	29 th June, 1907.	6 th July, 1907.			Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthras.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	16,024,453	12.5	12.5	12.3	12.4	1.3	3160	3814	740	1072	-	142	33	31	107	19	65	166	313	1036	35	76 TOWNS.	
LONDON -	4,758,218	12.5	11.9	12.2	11.8	1.5	2266	1077†	179	314	-	46	15	12	44	2	19	46	93	451	-	LONDON.	
CRYDON -	154,342	9.8	11.1	11.5	10.1	0.3	69	30	1	9	-	1	-	-	-	-	-	1	3	9	-	CRYDON.	
WILLESDEN -	149,182	6.3	9.8	8.0	5.9	-	79	17	6	6	-	-	-	-	-	-	-	-	1	1	-	WILLESDEN.	
HORNSEY -	89,816	4.1	5.2	3.5	8.7	-	36	15	5	3	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.	
TOTTENHAM -	122,763	14.0	6.8	8.1	8.5	1.3	72	20	3	4	-	1	1	-	1	-	-	-	1	3	-	TOTTENHAM.	
WEST HAM -	308,284	9.5	11.5	10.1	10.7	1.7	158	63	16	16	-	2	2	1	2	-	3	2	6	21	-	WEST HAM.	
EAST HAM -	136,421	13.0	7.3	7.6	5.7	0.4	62	15	2	2	-	-	-	1	-	-	-	1	2	3	-	EAST HAM.	
LEYTON -	122,040	6.0	9.4	5.1	8.1	1.7	55	19	5	5	-	1	-	1	1	-	1	1	1	2	-	LEYTON.	
WALTHAMSTOW -	126,397	7.8	4.1	7.0	9.5	2.5	74	23	5	6	-	2	-	-	1	-	3	-	1	7	-	WALTHAMSTOW.	
HASTINGS -	67,477	11.6	9.3	8.5	6.2	-	27	8	-	3	-	-	-	-	-	-	-	-	1	1	-	HASTINGS.	
BRIGHTON -	129,023	10.9	10.1	10.9	12.1	2.4	55	30	5	14	-	1	-	-	4	-	1	-	1	5	-	BRIGHTON.	
PORTSMOUTH -	238,291	12.5	17.8	12.8	11.5	0.5	132	46	8	17	-	1	-	-	-	1	-	1	1	12	2	PORTSMOUTH.	
BOURNEMOUTH -	69,246	9.0	6.8	9.0	13.6	0.3	22	18	1	5	-	-	-	1	-	-	-	-	1	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	119,745	12.6	8.7	10.9	10.0	0.9	42	23	4	8	-	-	-	1	-	-	1	2	3	10	-	SOUTHAMPTON.	
READING -	80,311	11.0	16.2	9.1	4.5	0.6	24	7	3	3	-	-	-	-	-	-	1	-	-	1	1	-	READING.
NORTHAMPTON -	95,070	7.7	6.0	7.1	11.0	-	35	20	3	9	-	-	-	-	-	-	-	1	1	4	1	-	NORTHAMPTON.
IPSWICH -	72,825	13.6	16.5	15.0	7.2	-	47	10	-	4	-	-	-	-	-	-	-	1	1	-	-	-	IPSWICH.
GREAT YARMOUTH -	52,879	10.8	15.8	11.8	10.8	-	29	11	-	8	-	-	-	-	-	-	-	1	1	3	-	-	GREAT YARMOUTH.
NORWICH -	119,191	7.9	10.1	9.6	10.5	1.7	53	24	8	7	-	-	-	3	-	-	1	-	1	4	-	-	NORWICH.
PLYMOUTH -	120,063	10.4	10.9	10.4	12.2	1.3	45	28	5	10	-	-	-	-	1	1	1	4	5	10	-	-	PLYMOUTH.
DEVONPORT -	79,959	7.8	9.8	12.4	12.4	1.3	40	19	3	5	-	-	1	-	-	-	1	-	1	6	-	-	DEVONPORT.
BRISTOL -	367,979	11.6	10.8	11.5	9.8	0.4	166	69	15	23	-	1	-	-	1	-	1	2	6	16	-	-	BRISTOL.
HANLEY -	67,174	11.6	17.9	18.6	17.1	1.6	50	22	5	9	-	1	-	-	1	-	-	1	2	1	-	-	HANLEY.
BURTON-ON-TRENT -	53,425	3.9	10.7	12.7	4.9	-	22	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	102,016	13.3	12.8	13.8	16.4	1.0	43	32	9	7	-	-	-	-	-	-	1	-	1	8	-	-	WOLVERHAMPTON.
WALSALL -	96,171	15.7	13.0	15.2	20.1	6.0	47	37	8	8	-	10	-	-	1	-	1	1	2	4	1	-	WALSALL.
HANDSWORTH -	65,929	11.9	7.9	10.3	7.9	1.6	32	10	-	4	-	-	1	1	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	69,123	9.8	14.3	7.5	15.1	2.3	33	20	4	10	-	-	2	-	-	1	-	2	4	3	1	-	WEST BROMWICH.

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ Including 1 death from Cerebro-spinal Meningitis (Meningococcal).

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 20th July, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS,	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Colls. 11-17.		Registered during the week ended 20th July, 1907.		The DEATHS registered in the Week include											TOWNS,					
		Week ended				29th June, 1907.	6th July, 1907.	13th July, 1907.	20th July, 1907.	Week ended 20th July, 1907.	BIRTHS.	DEATHS.	Deaths of under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		29th June, 1907.	6th July, 1907.	13th July, 1907.	20th July, 1907.										Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.		Diarrhoea.				Violence.
Colls.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colls.				
BIRMINGHAM -	553,155	12'0	11'9	12'1	11'7	1'1	270	124	22	32	-	5	3	1	2	-	1	5	7	28	3	BIRMINGHAM.				
KINGS NORTON -	75,600	9'7	6'2	6'2	7'6	0'7	36	11	1	5	-	-	-	-	1	-	-	-	-	-	-	KINGS NORTON.				
SMETHWICK -	66,467	11'8	8'6	8'6	11'8	0'8	28	15	2	5	-	-	1	-	-	-	1	1	1	1	-	SMETHWICK.				
ASTON MANOR -	83,266	10'0	10'6	10'6	10'6	0'6	36	17	2	7	-	1	-	-	-	-	-	1	2	3	-	ASTON MANOR.				
COVENTRY -	77,628	10'7	15'4	15'4	10'1	-	41	15	6	4	-	-	-	-	-	-	-	1	2	3	-	COVENTRY.				
LEICESTER -	236,124	11'0	10'4	10'2	8'8	0'2	92	40	3	16	-	-	-	-	-	1	-	1	2	11	-	LEICESTER.				
GRIMSBY -	70,574	8'9	13'3	9'6	16'3	0'7	45	22	6	6	-	-	-	-	-	-	1	1	2	3	2	GRIMSBY.				
NOTTINGHAM -	257,489	15'4	11'5	14'4	13'8	1'0	129	68	12	30	-	-	-	-	4	-	-	3	8	11	-	NOTTINGHAM.				
DERBY -	125,774	14'5	12'9	14'5	14'5	5'4	63	35	8	5	-	11	-	-	1	-	-	2	4	7	-	DERBY.				
STOCKPORT -	100,986	15'5	10'3	10'3	14'5	0'5	59	28	10	10	-	-	-	-	1	-	-	-	-	2	-	STOCKPORT.				
BIRKENHEAD -	118,553	10'6	11'4	9'7	15'8	0'9	69	36	8	10	-	-	-	-	-	1	1	1	2	6	-	BIRKENHEAD.				
WALLASEY -	66,707	10'9	10'2	10'2	8'6	0'8	34	11	1	6	-	-	-	-	-	-	1	1	2	2	-	WALLASEY.				
LIVERPOOL -	746,144	15'0	16'6	16'8	17'7	1'7	460	253	42	60	-	-	3	1	6	-	3	13	23	99	5	LIVERPOOL.				
BOOTLE -	67,114	10'1	11'7	19'4	13'2	-	30	17	5	1	-	-	-	-	-	-	-	-	-	5	1	BOOTLE.				
ST. HELENS -	92,476	16'4	14'1	15'2	14'1	0'6	59	25	2	3	-	-	-	-	-	1	-	-	9	1	1	ST. HELENS.				
WIGAN -	88,606	12'9	15'3	12'4	11'8	2'4	47	20	5	4	-	2	-	-	2	-	-	1	2	2	-	WIGAN.				
WARRINGTON -	70,269	14'8	13'4	9'6	12'6	-	39	17	4	6	-	-	-	-	-	-	2	2	2	-	1	WARRINGTON.				
BOLTON -	182,917	19'4	18'5	11'4	15'7	1'7	88	55	10	18	-	4	-	1	-	-	1	1	1	13	1	BOLTON.				
BURY -	58,901	16'8	18'6	15'9	11'5	0'9	19	13	1	5	-	-	-	-	-	-	1	-	-	2	-	BURY.				
MANCHESTER -	643,143	14'6	14'8	14'8	15'9	1'5	340	196	41	38	-	7	2	1	6	-	2	6	13	62	-	MANCHESTER.				
SALFORD -	236,670	16'3	11'7	13'7	16'1	1'5	129	73	9	19	-	2	-	-	5	-	-	4	7	17	-	SALFORD.				
OLDHAM -	141,730	12'9	17'7	19'1	14'7	0'7	78	40	11	9	-	-	-	-	1	-	1	3	5	8	-	OLDHAM.				
ROCHDALE -	87,999	12'4	8'3	16'6	17'2	-	43	29	1	13	-	-	-	-	1	-	-	1	2	5	2	ROCHDALE.				
BURNLEY -	103,947	12'5	19'6	10'5	9'5	1'5	68	19	6	3	-	1	-	-	-	1	1	2	4	6	1	BURNLEY.				
BLACKBURN -	134,980	13'1	18'9	13'1	16'2	3'1	59	42	10	11	-	4	1	1	-	-	-	1	3	5	1	BLACKBURN.				
PRESTON -	117,093	15'6	14'2	17'8	12'5	1'3	61	28	8	10	-	-	-	-	2	-	-	-	6	-	-	PRESTON.				
BARROW-IN-FURNESS.	61,635	11'8	10'2	11'8	14'4	2'5	40	17	5	4	-	-	-	-	-	1	-	1	1	1	-	BARROW-IN-FURNESS.				

TOWNS.		Cols.	DEATH-RATES FROM ALL CAUSES.					Rate from Deaths in Cols.		Registered during the Week ended 20th July, 1907.		Deaths from Causes of Death.											TOWNS.	
			Week ended					11-17.		Week ended 20th July, 1907.		Infants under 1 Year.		Persons aged 1 to 60 Years.		Persons aged 60 Years and upwards.		Deaths in Public Institutions.						Uncertified Causes of Death.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD.		84,814	19'2	13'7	9'3	7'7	1'1	46	14	1	3	-	-	-	-	2	-	-	1	1	-	1	HUDDESFIELD.	
HALIFAX.		110,138	10'4	14'2	12'3	11'4	-	46	24	3	11	-	-	-	-	-	-	-	-	1	3	1	HALIFAX.	
BRADFORD.		290,323	11'7	10'2	12'4	10'1	0'7	119	56	8	18	-	2	-	-	1	1	-	5	11	-	-	BRADFORD.	
LEEDS.		470,268	10'0	11'3	11'3	11'8	0'7	246	106	20	37	-	-	-	-	6	-	-	14	13	-	-	LEEDS.	
SHEFFIELD.		455,553	14'3	13'6	12'9	12'7	1'3	255	111	30	28	-	3	-	-	4	2	2	9	13	24	5	SHEFFIELD.	
ROTHERHAM.		62,412	13'4	9'2	12'5	11'7	-	44	14	1	5	-	-	-	-	-	-	-	1	-	4	2	ROTHERHAM.	
YORK.		84,730	9'8	16'6	9'2	6'8	-	33	11	4	4	-	-	-	-	-	-	-	-	-	-	-	YORK.	
HULL.		286,762	13'1	13'7	13'9	14'7	0'8	148	75	17	20	-	-	-	-	2	1	1	6	8	12	-	HULL.	
MIDDLESBROUGH.		101,783	17'4	20'0	16'9	21'0	4'1	56	41	15	4	-	1	-	2	1	-	4	3	3	6	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES.		52,909	12'8	15'8	17'7	14'8	3'9	27	15	5	4	-	4	-	-	-	-	-	1	1	5	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.		75,473	13'8	9'7	13'1	15'8	1'4	46	20	9	4	-	-	-	-	1	-	1	-	-	2	-	WEST HARTLEPOOL.	
SUNDERLAND.		156,029	17'7	18'4	13'4	14'7	0'7	106	44	6	10	-	1	-	-	-	1	-	2	4	7	-	SUNDERLAND.	
SOUTH SHIELDS.		113,460	15'2	12'9	10'6	15'2	0'5	62	33	9	8	-	1	-	-	-	-	4	4	4	-	-	SOUTH SHIELDS.	
GATESHEAD.		125,783	12'0	16'2	15'8	15'8	2'5	68	38	11	12	-	3	-	2	-	-	1	-	1	6	1	GATESHEAD.	
NEWCASTLE-ON-TYNE.		272,969	13'6	12'0	11'3	15'3	0'8	165	80	25	17	-	2	-	-	1	-	1	3	7	16	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.		54,688	12'4	15'3	19'1	7'6	1'0	27	8	2	1	-	-	-	-	-	-	1	-	-	2	-	TYNEMOUTH.	
NEWPORT (MON.).		75,585	9'0	11'7	11'0	9'0	-	56	13	2	2	-	-	-	-	-	-	-	1	1	3	-	NEWPORT (MON.).	
CARDIFF.		187,620	10'8	11'7	10'3	12'2	3'3	108	44	10	3	-	11	-	-	1	-	-	1	1	4	-	CARDIFF.	
RHONDDA.		130,400	13'2	7'2	8'0	13'2	0'4	79	33	12	8	-	-	-	-	-	1	-	1	3	1	-	RHONDDA.	
MERTHYR TYDFIL.		76,085	14'4	15'8	14'4	18'5	0'7	47	27	2	6	-	-	-	1	-	-	6	7	4	-	-	MERTHYR TYDFIL.	
SWANSEA.		97,324	14'5	13'4	12'9	12'3	0'5	62	23	3	7	-	-	-	-	-	-	1	1	4	4	-	SWANSEA.	
GREATER LONDON.		7,217,941	11'4	11'0	11'0	10'9	1'4	3,524	1,513†	264	488	-	60	19	19	56	4	30	72	132	542	1	GREATER LONDON.	
OUTER RING.		2,459,723	9'5	9'2	8'6	9'2	1'1	1,258	436	85	144	-	14	4	7	12	2	11	26	39	91	1	OUTER RING.	
8 TOWNS IN OUTER RING.		1,209,285	9'1	8'8	8'2	8'7	1'1	605	202	43	51	-	7	3	3	5	-	7	6	15	48	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.		1,250,438	9'8	9'5	8'9	9'8	1'0	653	234	42	93	-	7	1	4	7	2	4	20	24	43	1	REMAINDER OF OUTER RING.	
EDINBURGH.		345,747	14'3	13'7	13'7	14'8	1'7	190	98†	17	25	-	1	-	-	5	1	4	4	?	37	2	EDINBURGH.	
GLASGOW.		847,584	15'9	15'3	14'1	16'1	1'5	466	261†	47	60	-	6	-	-	9	2	7	16	?	82	19	GLASGOW.	
DUBLIN (Registration Area)†		390,691	19'5	18'3	21'0	21'5	0'7	208	161	32	49	-	-	-	-	4	1	-	7	8	59	7	DUBLIN (Registration Area)†	
BELFAST.		370,163	19'0	20'3	14'6	19'2	1'4	247	136†	22	39	-	4	1	1	1	-	3	3	6	30	1	BELFAST.	

* See note f on first page of this return.

† Including 3 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 7 in Glasgow, 2 in Belfast, and 1 in Greater London.

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. ‡ Including 3 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 7 in Glasgow, 2 in Belfast, and 1 in Greater London.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2601	2505	2444	2384	2519	2657	2442	2472	2466	2468	2559.4	2266
Males - - -	1366	1256	1279	1239	1261	1379	1199	1273	1217	1215	1285.9	1131
Females - - -	1235	1249	1165	1145	1258	1278	1243	1199	1249	1253	1273.5	1135
TOTAL Deaths -	1708	1330	1589	1417	1411	1236	1128	1320	1137	1054	1202.5	1077
Males - - -	921	713	855	777	709	690	605	689	607	572	647.4	550
Females - - -	787	617	734	640	702	546	523	631	530	482	555.1	527

* The numbers in this column are the average weekly numbers in the twenty-ninth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 27.	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	13 Weeks.
TOTAL Births -	2452	2352	2537	2499	2258	2464	2474	2356	2506	2251	2309	2292	2266	31016
TOTAL Deaths -	1423	1364	1431	1383	1316	1190	1209	1172	1163	1138	1089	1115	1077	16070
Ages at Death {														
Under 1 year -	265	257	275	274	251	203	224	218	222	225	215	199	179	3007
1–5 years -	212	168	176	192	180	164	170	174	159	162	129	137	150	2153
5–20 " -	80	78	96	69	90	73	68	70	43	70	57	74	64	937
20–40 " -	186	171	162	191	152	137	143	122	138	144	139	154	125	1964
40–80 " -	260	273	283	274	274	240	261	241	262	238	239	236	245	3326
60 yrs. & upwds	420	417	439	383	389	373	343	347	334	299	310	315	314	4683
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	47	40	39	51	53	52	61	56	48	66	41	46	46	646
Scarlet Fever -	8	8	9	12	13	13	11	13	10	13	13	11	15	149
Diphtheria -	16	13	15	11	12	14	10	8	10	13	8	8	12	150
Whooping-cough -	67	69	63	59	36	30	46	53	36	45	32	29	44	609
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	2	4	1	3	-	2	2	1	2	1	1	2	24
Purpura (origin un- certain) -	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhoea, Dysentery	14	18	9	21	14	20	14	19	13	15	8	8	19	192
All above Diseases -	155	150	139	155	131	129	145	151	118	154	103	103	133	1771
Dis. of Resp. System	128	121	107	86	93	81	74	60	63	53	51	53	51	1026
Pneumonia - - -	167	161	155	149	137	111	112	89	93	98	97	86	75	1530
Phthisis - - -	133	127	147	147	139	120	136	118	107	109	102	115	98	1593
Dis. of Circ. System	191	194	207	185	180	170	188	152	160	161	170	164	143	2260
Violence - - -	63	61	54	69	49	51	36	48	56	69	51	60	46	713
Inquest Cases -	136	141	136	173	117	118	100	113	118	129	100	122	93	1596
Deaths in Institutions	565	558	550	565	494	490	492	490	499	460	451	477	451	6542
TEMPERATURE OF THE AIR.														
Mean - - -	49.4	46.4	56.0	53.2	50.6	53.4	54.7	59.7	56.7	56.4	54.7	56.3	62.7	54.6
Mean of Highest -	58.0	54.9	66.6	62.1	62.2	62.8	63.6	68.0	67.4	66.1	64.3	68.1	75.4	64.6
Mean of Lowest -	43.2	40.3	45.8	47.0	41.1	47.1	48.7	50.8	48.3	49.3	46.8	47.4	52.9	46.9
Mean Humidity of the Air.	79	69	72	72	78	83	75	75	65	77	73	71	72	74
Rain-fall (in inches) -	0.99	0.59	0.36	0.35	0.35	0.67	0.42	0.41	0.01	1.30	0.16	0.22	0.00	5.74
Registered Sunshine (in hours),	31.4	41.6	50.2	39.5	28.2	15.3	25.1	48.5	62.6	24.8	44.7	36.6	57.7	506.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	2658	1	2732	2824	2862	2936	2985	3022	3193	3276	3387	2913
Scarlet Fever -	2649	2672	911	921	927	935	917	944	890	807	809	868	879	898
Diphtheria - - -	949	915	-	-	-	-	-	-	-	-	-	-	-	-
Typhus - - -	-	-	54	53	52	47	45	59	51	57	60	62	57	56
Enteric Fever -	63	60	-	-	-	-	-	-	-	-	-	-	-	-

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich, and the results Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and F. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.B.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-NINTH Week of the Year 1907.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 29th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 29th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages									
		ALL AGES.			Under 20.	20 and under 40.	40 and under 60.				ALL AGES.			Under 20.	20 and under 40.	40 and under 60.			
		0-1.	1-5.	5-20.			20 and under 40.			40 and under 60.	60 years and upwards.	0-1.	1-5.			5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1202.5	1077	179	150	64	125	245	314	Meningitis (not tubero.)	16.4	12	5	5	1	-	-	-	-	
									Gen. Par. of Insane, Insanity	11.7	11	-	-	-	3	4	-	-	
									Epilepsy	5.1	6	-	-	1	2	2	-	-	
Small-pox*	3.3	-	-	-	-	-	-	-	Convulsions	20.5	11	12	1	1	-	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	0.6	-	-	-	-	-	2	-	-	
Measles (Morbilli)	37.9	46	11	34	1	-	-	-	Paraplegia, Dis. of Cord	4.7	13	-	-	-	-	4	1	-	
Scarlet Fever	9.0	15	1	10	3	1	-	-	Nervous Sys., Other Dis.	16.8	15	-	-	1	4	4	1	6	
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	37.0	45	-	-	1	3	8	16	17	
Plague	-	-	-	-	-	-	-	-	Cereb. Hæm. Cereb. Emb.	25.0	35	-	-	-	-	12	23	23	
Influenza	4.3	3	-	-	-	1	1	1	Apoplexy, Hemiplegia	14.3	11	-	-	-	-	12	23	23	
Whooping-cough	22.1	44	13	30	1	-	-	-	Aneurysm	4.5	2	-	-	-	1	1	-	-	
Diphtheria	12.9	12	-	9	3	-	-	-	Embolism, Thrombosis (not Cerebral)	1.0	1	-	-	-	1	-	-	-	
Cerebro-spinal Fever	-	-	1	1	-	-	-	-	Heart & Blood Vess., Other Dis.	66.7	51	-	1	1	7	19	26	26	
Pyæmia,† (origin un- certain)	0.2	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	-	-	
Enteric Fever	6.5	2	-	-	1	1	-	-	Bronchitis	38.1	37	6	3	-	-	3	25	25	
Asiatic Cholera	-	-	-	-	-	-	-	-	Emphysema, Asthma	1.8	4	1	1	-	-	1	-	-	
Epidemic Diarrhoea,	44.2	7	6	1	-	-	-	-	Pleurisy	2.9	9	-	-	-	-	1	1	1	
Infective Enteritis	36.6	12	6	2	1	2	-	1	Respiratory Dis., Other	9.4	-	-	-	-	-	-	8	8	
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.8	1	-	-	-	-	-	-	1	
Tetanus	0.4	1	1	-	-	-	-	-	Enteritis (not Epid.)	15.4	5	4	-	1	-	-	-	-	
Babes, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-enteritis	8.4	2	1	-	-	1	-	-	-	
Handers	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.0	1	-	-	-	1	-	-	-	
Anthrax (Splemic Fever)	0.2	-	-	-	-	-	-	-	Cirrhosis of Liver	13.5	12	-	-	-	-	10	2	2	
Venereal Dis.	5.7	5	4	-	-	-	1	-	Liver Dis., Other	5.9	3	-	-	-	-	2	1	1	
Puerperal Septicæmia	3.7	3	-	-	-	3	-	-	Digestive Sys., Other Dis.	39.1	37	4	-	3	5	12	13	13	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Acute Nephritis	4.5	3	-	-	-	1	1	1	1	
Puerperal Fever	1.0	-	-	-	-	-	-	-	Bright's Dis., Albumin- uria	27.4	31	-	-	2	1	19	12	12	
Infective Endocarditis	2.5	1	-	1	-	-	-	-	Urinary Sys., Other Dis.	11.7	11	-	1	-	-	-	10	10	
Lobar -	12.1	10	1	1	1	4	2	1	Generative Organs Dis.	5.3	8	-	-	1	2	4	1	1	
Broncho-	28.7	36	8	17	4	1	1	5	Childbirth (Accid. of)	2.7	1	-	-	-	-	1	-	-	
Epidemic	-	-	-	-	-	-	-	-	Old Age	39.5	45	-	-	-	-	1	44	44	
Not defined	41.8	29	4	3	-	3	7	12	Other Diseases	80.3	68	39	7	3	5	7	5	5	
Erysipelas	3.1	1	-	-	-	-	-	1	ACCIDENT.										
Septicæmia (not Puer- peral)	0.8	2	-	-	-	1	-	1	By Railways	1.4	2	-	-	-	1	1	-	-	
Pyæmia (not Puerperal)	0.4	3	1	-	1	-	-	-	By Vehicles and Horses	7.0	3	-	-	-	1	2	-	-	
Other Infective Processes	5.5	6	-	-	-	1	2	3	In Ships, Boats, Docks, (exclusive of Drown- ing)	1.0	-	-	-	-	-	-	-	-	
Tuberculous Phthisis	62.4	61	-	1	5	26	21	8	In Building Operations	1.6	-	-	-	-	-	-	-	-	
Phthisis	53.0	37	-	-	6	15	12	4	In Conflagrations	0.2	-	-	-	-	-	-	-	-	
Tuberculous Meningitis	20.9	25	8	8	6	2	1	-	By Burns, Scalds, Ex- plosions	4.5	6	1	5	-	-	-	-	-	
Tuberculous Peritonitis	7.0	4	1	-	3	-	-	-	By Drowning	8.4	6	-	-	-	1	2	3	-	
Abes Mesenterica	3.3	1	1	-	-	-	-	-	By Suffocation in Bed	8.0	4	3	1	-	-	-	-	-	
Tuberculous Dis., Other	15.4	10	-	2	2	3	2	1	By Poisons or Poisonous Vapours	2.0	1	-	-	-	-	1	-	-	
Progula	-	-	-	-	-	-	-	-	Other Deaths by Acci- dent	18.0	19	1	2	4	-	7	5	5	
Alcoholism	12.5	8	-	-	-	5	3	-	VIOLENCE OTHER THAN ACCIDENTAL.										
Rheumatic Fever	2.5	6	-	1	1	1	1	2	Homicide	1.0	1	1	-	-	-	-	-	-	
Out -	1.2	1	-	-	-	-	-	1	Suicide	13.7	4	-	-	-	-	2	2	-	
Sarcoma	48.9	61	-	-	-	2	28	34	Execution	-	-	-	-	-	-	-	-	-	
Sarcoma	7.2	5	-	1	1	2	-	1											
Cancer (undefined)	30.1	35	-	-	-	2	15	18											
Diabetes Mellitus	6.5	10	-	-	-	6	4	-											
Immature Birth	48.9	34	34	-	-	-	-	-											

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th July, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include														
				Total DEATHS.	Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexial Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.	
LONDON - - -		4,536,429	2266	1077	179	314	-	48	15	12	44	-	2	-	19	46	93	45
WEST DISTRICTS		805,311	337	176	20	62	-	6	1	-	4	-	1	-	3	9	14	7
NORTH DISTRICTS		1,056,070	463	219	38	63	-	10	3	3	9	-	-	-	4	6	16	8
CENTRAL DISTRICTS		209,465	91	56	13	9	-	2	-	-	1	-	-	-	-	4	11	2
EAST DISTRICTS		715,739	439	200	42	51	-	4	-	-	14	-	1	-	7	15	29	9
SOUTH DISTRICTS		1,749,844	931	387	66	121	-	24	9	8	16	-	-	-	3	12	23	12
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	39	-	8	-	-	2	1	-	-	-	-	2	-	-	3
WEST DISTRICTS.																		
St. Mary Paddington W,3H - -		93,178	51	22	3	6	-	-	-	-	1	-	-	-	-	-	-	-
St. John Paddington H - - -		93,617	5	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-
North-West Paddington - - -		17,181	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - -		128,037	48	25	1	14	-	-	-	-	-	-	-	-	-	-	-	15
Brompton 2H - - -		48,591	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith 2W,w,H - -		49,192	32	8	-	3	-	-	-	-	-	-	-	-	-	-	-	5
South Hammersmith w,2H - -		63,047	32	18	2	7	-	-	-	-	-	-	-	-	3	3	11	10
North-west Fulham W - - -		45,180	39	21	4	10	-	-	-	-	1	-	1	-	1	2	10	1
North-east Fulham F - - -		46,405	22	16	3	5	-	2	1	-	-	-	1	-	1	1	1	1
South Fulham W - - -		45,704	23	4	1	1	-	-	-	-	-	-	-	-	1	1	1	-
Chelsea North W,w,3H - - -		42,514	11	10	-	4	-	1	-	-	-	-	-	-	-	-	-	6
Chelsea South W,2H - - -		31,328	10	10	3	4	-	-	-	2	-	-	-	-	-	2	-	-
Mayfair and Knightsbridge - -		28,743	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -		56,815	17	14	1	4	-	2	-	-	-	-	-	-	-	1	1	8
St. Margaret & St. John 5H - -		43,688	16	11	-	1	-	1	-	-	-	-	-	-	2	3	5	-
St. James and St. Anne W,6H - -		33,081	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -		35,391	12	20	-	3	-	-	-	-	-	-	-	-	-	1	3	16
St. Mary Marylebone W,4H - -		37,948	42	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone - - -		39,536	19	4	-	1	-	1	-	-	1	-	-	-	-	-	-	-
St. John Marylebone 2H - - -		20,426	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,7H - - -		81,942	20	20	2	5	-	-	1	2	-	-	-	-	1	-	1	8
West St. Pancras 2H - - -		60,562	30	14	4	3	-	2	-	-	-	-	-	-	-	2	2	3
South St. Pancras w,11H - - -		55,707	18	12	2	1	-	-	1	-	1	-	-	-	-	-	-	8
East St. Pancras W,2H - - -		60,320	28	7	3	1	-	-	-	-	-	-	-	-	-	-	1	4
North St. Pancras 2W - - -		58,728	32	8	-	4	-	-	-	-	-	-	-	-	-	-	-	4
Tufnell W - - -		31,995	13	21	1	11	-	3	-	-	1	-	-	-	1	-	-	15
Upper Holloway 2W,w,H - - -		33,978	18	20	5	6	-	1	-	-	3	-	-	-	-	1	1	12
Tollington W,w,H - - -		33,922	14	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - -		41,424	15	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - -		54,478	37	11	3	3	-	-	-	-	1	-	-	-	1	1	1	-
Islington South-east F - - -		75,397	37	9	4	1	-	2	-	-	-	-	-	-	-	-	-	-
Highbury 2H - - -		63,797	23	11	-	3	-	-	-	2	-	-	-	-	-	-	2	-
Stoke Newington H - - -		51,247	16	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-
North Hackney - - -		50,560	20	10	3	3	-	-	-	-	-	-	-	-	-	-	1	3
Central Hackney 2w,F - - -		50,538	17	9	2	2	-	-	1	1	-	-	-	-	-	-	-	4
South-west Hackney 3E - - -		59,921	29	9	1	2	-	-	-	-	-	-	-	-	-	-	-	3
South-east Hackney 2W,w,H - -		58,265	20	13	2	6	-	1	-	-	-	-	-	-	1	-	-	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th July, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from															
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
Giles and Bloomsbury 2W,3H -	31,435	23	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-		
and W,4H - - - - -	21,874	3	6	1	2	-	-	-	-	-	-	-	-	-	-	2	3	6	-		
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
born W,6H - - - - -	29,612	14	16	6	1	-	1	-	-	1	-	-	-	-	-	1	2	7	-		
th Clerkenwell - - - - -	28,676	10	6	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
th Clerkenwell H - - - - -	35,028	16	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
bury 3H,L - - - - -	36,116	23	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
born Union Workhouse, } Richam - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Botolph H - - - - -	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
repulchre and Allhallows W,2H	16,824	2	15	2	4	-	-	-	-	-	-	-	-	-	-	1	3	9	-		
of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
EAST DISTRICTS.																					
editch South H - - - - -	46,362	27	10	4	-	-	1	-	-	1	-	-	-	-	-	3	-	-	-		
editch North-West W,w,H -	36,127	20	15	2	4	-	1	-	-	2	-	-	-	-	-	-	-	8	-		
editch North-East - - - - -	36,148	25	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-		
editch Union Workhouse, Wood } den - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
nal Green North-East 2W } nal Green South-West H -	65,138	38	18	2	9	-	-	-	-	-	-	-	-	-	2	4	13	-	-		
nal Green South-West H -	64,542	37	11	5	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-		
fields - - - - -	27,969	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
End New Town W,H - - -	28,718	28	33	6	4	-	-	-	-	-	-	-	-	-	-	1	7	32	-		
man's Fields - - - - -	22,081	9	1	-	1	-	-	-	-	-	-	-	-	-	-	6	-	-	-		
George and St. John 2W - -	49,068	42	7	2	3	-	-	-	-	-	-	-	-	2	-	1	2	-	-		
well and Ratcliff W,H - -	25,568	22	15	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
house W - - - - -	32,569	5	5	1	2	-	-	-	-	7	-	-	-	-	-	1	1	11	-		
End Old Town South- } tern H - - - - -	63,698	48	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
End Old Town North- } tern W,w - - - - -	49,129	13	16	2	8	-	1	-	-	-	-	-	-	-	-	-	-	9	-		
L - - - - -	41,989	32	7	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
ey 3w,H - - - - -	68,318	37	37	3	11	-	1	-	-	2	-	1	-	-	-	3	6	20	-		
r W,w - - - - -	58,514	37	13	5	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th July, 1907—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch and St. Saviour	23,319	7	19	4	2	-	-	-	-	-	-	-	-	-	-	1	1		
Southwark W,2H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kent-road	21,904	14	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. George the Martyr West	39,094	15	5	1	1	-	2	-	-	-	-	-	-	-	-	-	-		
W,2H,L	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Newington North	49,022	26	8	2	1	-	4	-	-	-	-	-	-	-	1	-	-		
Newington South W	72,841	38	10	4	4	-	1	-	-	-	-	-	-	-	-	1	1		
St. Olave 2W	9,817	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Bermondsey W	82,483	44	14	2	2	-	1	-	-	-	-	-	-	-	-	1	-		
Rotherhithe W,F	38,460	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Waterloo 2H	27,440	29	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1		
Lambeth Church H	27,440	16	10	-	-	-	-	-	1	-	-	-	-	-	-	1	-		
Kennington 2W	52,518	35	21	1	12	-	1	-	-	-	-	-	-	-	-	-	14		
Stockwell HF	63,826	34	8	2	3	-	-	-	2	-	-	-	-	-	-	-	3		
Brixton H	73,673	28	10	5	1	-	-	-	-	1	-	-	-	-	1	-	2		
Norwood WH	56,998	28	8	3	3	-	-	-	-	1	-	-	-	-	-	-	-		
East Battersea H	72,203	29	13	3	3	-	2	-	-	1	-	-	-	-	-	-	1		
North-west Battersea	49,656	30	12	4	3	-	2	-	-	-	-	-	-	-	-	1	-		
South-west Battersea 2W,H	47,048	20	19	2	5	-	-	-	-	1	-	-	-	-	2	2	13		
Clapham 2H	51,331	27	9	-	3	-	-	-	-	2	-	-	-	-	-	-	-		
Streatham W,2w,F,2L	83,019	63	27	4	12	-	1	2	3	1	-	-	-	-	2	2	11		
Springfield 2W,L	27,959	26	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Southfields H	40,444	23	9	4	3	-	1	-	-	1	-	-	-	-	-	-	-		
Putney	24,139	9	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Dulwich	13,359	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w	40,206	10	25	1	6	-	4	-	-	1	-	-	-	1	1	1	16		
Camberwell North W,2L	65,584	31	19	4	6	-	-	-	-	1	-	-	-	-	-	-	10		
St. George	47,331	29	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham North	48,913	34	10	2	5	-	1	-	1	-	-	-	-	-	-	1	-		
Peckham South 2W,w	43,946	17	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Deptford North	37,613	20	8	2	3	-	1	-	-	-	-	-	-	-	1	2	-		
Deptford Central F	45,481	30	9	4	-	-	1	4	-	1	-	-	-	-	-	1	4		
Deptford South	34,825	18	3	1	2	-	-	-	-	1	-	-	-	-	-	-	-		
Greenwich West 2H	23,456	12	5	-	1	-	1	-	-	-	-	-	-	-	1	1	-		
Greenwich East 2W,H	43,859	10	10	2	3	-	-	-	-	1	-	-	-	-	-	-	4		
Eltham w,H	7,226	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Lee w,H	25,490	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham W,w,F	58,352	43	22	1	9	-	-	3	1	2	-	-	-	-	-	1	13		
Sydenham H	43,653	16	7	2	1	-	-	-	-	1	-	-	-	-	-	-	-		
Charlton F,2H	21,134	18	5	-	2	-	1	-	-	-	-	-	-	-	-	-	1		
Woolwich 5H	41,625	24	8	-	2	-	-	-	-	-	-	-	-	-	-	1	-		
Plumstead West W	18,063	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H	50,264	17	13	-	7	-	-	-	-	-	-	-	-	-	-	-	6		
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central London Sick Asylum	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4		
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North-Eastern	-	-	4	-	-	-	-	2	1	-	-	-	-	-	-	-	4		
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belmont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Caterham	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5		
Darenth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Leavesden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Banstead	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Ewell (Epileptic Colony)	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Horton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Manor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Grove	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Dartford Heath	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	6		
Hanwell	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4		
Colney Hatch	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Claybury	-	-	8	-	1	-	-	-	-	-	-	-	-	-	1	-	8		

LE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th July, 1907.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of death.
LONDON—OUTER RING	368,302	2,044,973	1258	436	85	144	-	14	4	7	12	2	11	26	39	91	1
Carshalton 2F,3H	12,228	32,997	19	8	-	4	-	-	-	-	-	-	-	-	1	1	-
Epsom, part of* W,w,2F,H-	10,423	16,548	6	2	-	2	-	-	-	-	-	1	-	-	1	1	2
Godstone, part of* W,F,L-	2,764	2,692	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Coulsdon	11,069	8,166	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	23	5	-	2	-	1	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	22	18	2	3	-	-	-	-	-	-	-	1	2	10	-
North Croydon H	2,644	41,698	24	8	-	5	-	-	-	-	-	-	-	-	-	-	-
Penge w,H-	770	22,465	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham	11,711	30,015	29	4	-	1	-	-	-	-	2	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,652	20	9	1	4	-	1	-	-	-	-	-	-	-	1	-
Kingston 2W,H-	6,224	42,068	12	5	1	1	-	-	-	-	-	-	-	-	-	2	-
Surbiton F,H	3,046	15,017	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Esher, part of* H	5,402	13,100	10	3	-	1	-	-	-	-	-	-	-	2	2	-	-
Hampton H,F,L-	4,584	23,466	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Richmond W,H-	2,162	28,865	16	7	1	5	-	-	-	-	1	-	-	1	2	1	-
Mortlake F	2,847	20,628	20	2	-	1	-	-	-	-	-	-	-	-	1	-	-
Bromley F,2H	4,703	27,354	11	9	2	2	-	-	-	-	1	-	-	1	1	1	-
Beckenham H	7,825	28,497	24	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Orpington part of* W	10,113	9,857	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Chislehurst 2H	7,333	16,446	1	3	1	1	-	-	-	-	-	-	-	-	-	1	-
Bexley w,F,H	8,678	21,151	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	25,296	13	7	2	2	-	-	-	1	-	1	-	-	-	2	-
Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury w-	11,054	18,683	18	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	7	6	-	5	-	-	-	-	-	-	-	-	-	1	-
Uxbridge H	12,757	8,984	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hayes w,2F,H	8,066	16,368	20	7	2	2	-	-	-	-	-	-	-	-	-	-	1
Isleworth 3W,3F,H	6,859	30,863	19	10	2	3	-	1	-	-	1	-	-	-	-	5	-
Twickenham F,2,H	2,421	20,991	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Brentford 3F,2H-	4,319	48,289	29	15	3	5	-	2	1	3	-	-	1	1	1	6	-
Chiswick H-	1,249	29,809	22	2	-	2	-	-	-	-	-	-	1	1	1	-	-
Acton w,F,3H	6,132	48,914	35	8	2	4	-	-	-	-	-	-	1	1	1	-	-
Harrow F,H	13,809	25,523	11	9	1	5	-	-	-	-	-	-	-	1	1	1	-
Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Willisden W,F,2H	4,384	114,811	79	17	6	6	-	-	-	-	-	-	-	1	1	1	-
Hendon W,F	8,382	22,450	11	6	1	4	-	-	-	-	-	-	-	2	2	1	-
South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	12	8	1	4	-	-	-	-	-	-	-	1	1	-	-
Finchley F,2H	4,688	33,892	23	7	1	4	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	36	13	5	2	-	-	-	-	-	-	-	-	1	-	-
Wood Green H	1,625	34,233	21	7	-	4	-	-	-	-	-	-	-	-	1	-	-
West Tottenham	998	48,853	35	11	3	1	-	1	-	-	1	-	-	1	1	-	-
East Tottenham 2H	2,017	53,688	37	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Edmonton W,w,2F	7,491	61,892	56	19	3	6	-	1	-	-	1	-	-	2	2	8	-
Enfield 2W,F,H	12,601	42,738	32	17	3	4	-	-	-	-	-	-	-	4	4	3	-
Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford† H	-	52,974	37	8	3	1	-	1	-	-	-	-	-	-	3	2	-
Forest Gate† w	-	52,745	17	10	1	5	-	-	-	-	1	-	-	-	-	-	-
Plaistow F,2H	-	90,921	59	18	5	1	-	-	-	-	1	-	-	1	2	3	-
Canning Town H	-	70,718	45	14	7	1	-	1	-	2	1	-	-	2	1	1	-
South East Ham 2F	1,993	37,342	37	6	1	1	-	-	-	-	1	-	-	-	1	1	-
North East Ham w,H	1,333	58,676	25	6	1	1	-	-	-	-	1	-	-	-	-	-	-
Wanstead F	1,679	9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	30	15	2	6	-	1	-	-	-	-	-	-	-	6	-
North Leyton 2W,w,F	1,963	48,445	25	29	6	8	-	-	-	-	-	-	-	-	-	-	-
Walthamstow 2H,L	6,504	108,929	81	18	2	7	-	2	-	-	1	-	4	2	2	21	-
Chigwell 2F,3H	11,778	16,397	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	6,091	5	4	1	2	-	-	-	-	-	-	-	-	-	3	-
Ilford F,L	8,496	41,234	26	11	2	3	-	-	-	-	1	-	-	-	2	2	-
Barking Town F	3,803	21,647	13	5	3	1	-	-	-	-	-	-	-	-	-	-	-
City of London Lunatic Asylum, Stone.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher sh; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham sh. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 in the Croydon Mental Hospital in 37: 1 are also included. The boundaries of these sub-districts were altered on 1st July, 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea
LONDON - -	4,758,318	July 20	2266	1077	11·8	-	46	15	12	44	2	-
CALCUTTA - -	977,822	June 22	-	359	22·0	12	-	-	-	-	98†	-
BOMBAY - -	982,000	July 2	338	496	26·4	-	7	-	-	-	75†	-
MADRAS - -	548,974	June 21	388	308	31·4	-	5	?	?	?	79	-
PARIS - -	2,722,731	July 13	963	797	15·2	-	10	10	7	5	4	-
BRUSSELS - -	623,077	" 13	-	-	-	-	-	-	-	-	-	-
ANTWERP - -	304,032	" 13	-	-	-	-	-	-	-	-	-	-
AMSTERDAM - -	565,368	" 13	-	-	-	-	-	-	-	-	-	-
COPENHAGEN - -	433,000	" 13	214	111	13·4	-	-	-	1	2	-	-
STOCKHOLM - -	324,488	" 6	171	78	12·2	-	1	-	1	-	-	-
CHRISTIANIA - -	226,774	" 13	118	56	13·8	-	1	-	2	2	-	-
ST. PETERSBURG - -	1,482,769	June 29	695	737	25·9	2	46	13	17	5	20	-
MOSCOW - -	1,296,000	July 6	-	-	-	-	-	-	-	-	-	-
BERLIN - -	2,091,027	June 29	927	563	14·0	-	9	2	3	11	2	-
HAMBURG - -	840,790	July 13	-	177	11·0	-	-	-	-	-	1	-
BRESLAU - -	484,855	" 6	-	209	22·5	-	1	-	-	1	-	-
MUNICH - -	548,000	" 13	-	175	16·6	-	2	-	4	-	-	-
VIENNA - -	1,979,093	" 6	755	619	16·3	-	22	4	4	1	-	-
PRAGUE - -	466,133	" 6	181	199	22·0	-	2	1	1	-	1	-
BUDA-PESTH - -	802,235	June 29	388	281	17·2	-	-	8	1	2	2	-
TRIESTE - -	200,962	July 13	113	79	20·4	-	-	-	-	1	-	-
ROME - -	540,150	May 4	244	189	18·2	-	1	-	-	4	2	-
VENICE - -	174,898	July 6	94	63	18·8	1	-	-	-	-	-	-
BUCHAREST - -	292,395	" 13	155	17·7	31·6	-	-	1	-	1	1	-
NEW YORK - -	4,285,435	" 6	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,107,620	" 6	-	456	11·3	-	7	10	5	4	5	-
PHILADELPHIA - -	1,500,595	{ June 15	-	438	15·1	-	1	2	4	3	10	-
		" 22	-	463	16·0	-	2	2	9	5	7	-
RIO DE JANEIRO	912,900	" 23	-	237	19·6	1	1	-	-	-	1†	-

* Excluding deaths from croup in the Indian Cities.

† Including 25 deaths from plague in Calcutta, 27 in Bombay, and 1 in Rio de Janeiro.

‡ Including 44 deaths from cholera in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th July, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	79·0	48·7	64·2	0·00	LEEDS - - -	79·0	52·0	64·7	0·00
BRIGHTON - -	79·4	49·6	62·1	0·00	YORK - - -	78·0	59·0	62·5	0·03
PORTSMOUTH - -	79·0	53·0	63·2	0·00	HULL - - -	73·0	49·0	60·6	0·03
NORWICH - -	-	-	-	-	TYNEMOUTH - -	70·0	49·0	53·5	0·01
PLYMOUTH - -	77·8	52·8	62·9	0·00	CARDIFF - -	83·4	50·0	65·1	0·00
BRISTOL - -	81·0	51·3	65·6	0·00	EDINBURGH - -	77·1	50·0	60·0	0·00
BIRMINGHAM - -	76·8	49·8	64·2	0·00	GLASGOW - -	84·2	50·8	65·7	0·00
NOTTINGHAM - -	73·7	48·0	62·7	0·00	Phoenix Park.	79·5	50·1	63·8	0·00
LIVERPOOL - -	76·0	54·0	64·0	0·02	DUBLIN { Fitz-	77·3	56·2	65·3	0·00
MANCHESTER - -	78·8	50·6	63·9	0·00	william Square.†	-	-	-	-
PRESTON - -	78·0	54·0	65·5	0·01	BELFAST - - -	78·8	50·5	63·3	0·20
HUDDERSFIELD - -	73·8	49·8	61·8	0·01					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1907. MONTH AND DAY		BARO-METER.		TEMPERATURE.					TEMPERATURE.					WINDS deduced from Anemometers.					Rain collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Phases of the Moon.	Mean daily reading and re-duced to the year's ex-pan-sion.	Of the Air.			Of the Dew point		Difference between the Air Temperature and Dew point Temperature.			Degree of Hu-midity (Sat-urated at 32° F. equals 100).	Of Radiation.		General Direction.			Oiler's.		Robinson's, Movement of the Air on the 40 years' Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
				High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value, 65 years.	Mean daily value.	Least.	Great-est.		Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Greatest.	Least.			Mean hourly.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
JULY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°


DATE.	JULY.	Electricity of the Air.		Registered Sunshine.		GENERAL REMARKS.									
		Excess of Rain.	Deficiency of Rain.	in hours.	in hours.										
		W. P. till 11h. A.M.; Loss of Register afterwards.	Loss of Register.	0.1	16.2	Generally overcast.									
SUNDAY - 14	..	W. P. till 11h. A.M.; Loss of Register afterwards.	Loss of Register.	12.7	16.2	Partially cloudy in morning; very fine with small amounts of cloud afterwards.									
MONDAY - 15	..	Loss of Register till 11h. A.M.; w. P. afterwards.	w. P. generally.	11.6	16.1	Overcast generally in morning; very fine with small amounts of light cloud after 8h. A.M.									
TUESDAY - 16	..	Loss of Register till 11h. A.M.; w. P. afterwards.	w. P. generally.	6.7	16.1	Very fine till 3h. A.M.; generally overcast till 6h. 30m. P.M.; very fine generally afterwards.									
WEDNESDAY 17	..	Loss of Register till 11h. A.M.; w. P. afterwards.	w. P. generally.	9.0	16.0	Cloudy till 11h. 30m. A.M., then very fine; hazy at night.									
THURSDAY - 18	..	W. P. generally till 3h. P.M.; Loss of Register afterwards.	Loss of Register.	7.2	16.0	Sky very misty in early morning; very fine after 8h. 30m. A.M., with short cloudy interval in afternoon.									
FRIDAY - 19	..	Loss of Register till 11h. A.M.; w. P. afterwards.	w. P. throughout.	10.4	16.0	Generally cloudy till 7h. A.M.; very fine till 6h. P.M.; overcast after 7h. P.M.									
SATURDAY - 20	..	Sum 57.7	Sum 112.6	28	29										
No. of Col. -	-	3	4	5	6	7	8	9	10	11	12	13	14	15	27

The results apply to the civil day or from midnight to midnight. The height of the oisern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M. and 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of the tables deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30.09 in. at the beginning of the week to 30.07 in. by 4h. A.M. on the 14th; increased to 30.22 in. by 10h. P.M. on the 15th; decreased to 29.91 in. by 5h. P.M. on the 19th; increased to 30.00 in. by 11h. A.M. on the 20th; and was 29.98 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 18th July, 1907.*

BOROUGHS,	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	10	1	-	1	-	-	1	-	-
Kensington - - -	181,842	-	11	9	-	1	-	-	2	-	-
Hammersmith - - -	122,337	-	6	3	-	1	-	-	3	-	-
Fulham - - -	166,749	-	12	6	-	1	-	-	2	-	-
Chelsea - - -	74,857	-	3	2	-	1	-	-	2	-	-
City of Westminster -	172,219	-	6	2	-	1	-	-	2	-	-
NORTH.											
St. Marylebone - - -	127,718	-	17	8	-	-	-	-	3	-	-
Hampstead - - -	91,137	-	7	-	-	1	-	-	4	-	-
St. Pancras - - -	236,753	-	22	4	-	-	-	-	4	-	-
Islington - - -	347,017	-	29	12	-	4	-	-	9	-	1
Stoke Newington - - -	53,613	-	3	2	-	1	-	-	1	-	-
Hackney - - -	232,993	-	29	6	-	1	-	-	6	-	-
CENTRAL.											
Holborn - - -	55,134	-	8	-	-	-	-	-	1	1	-
Finsbury - - -	96,732	-	5	8	-	1	-	-	-	-	-
City of London - - -	20,310	-	3	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,862	-	9	1	-	-	-	-	3	-	-
Bethnal Green - - -	130,831	-	30	5	-	1	-	-	2	-	-
Stepney - - -	308,923	-	84	18	-	2	-	-	8	1	-
Poplar - - -	171,086	-	15	9	-	1	-	-	3	-	-
SOUTH.											
Southwark - - -	209,781	-	31	9	-	2	-	-	3	-	-
Bermondsey - - -	128,283	-	20	12	-	1	-	-	3	-	1
Lambeth - - -	318,538	-	34	11	-	-	-	-	5	1	-
Battersea - - -	181,736	-	18	5	-	-	-	-	1	-	1
Wandsworth - - -	281,419	-	26	11	-	1	-	-	1	1	-
Camberwell - - -	277,059	-	23	9	-	1	-	-	2	-	-
Deptford - - -	116,510	-	18	6	-	2	-	-	2	1	-
Greenwich - - -	107,222	-	16	2	-	-	-	-	3	-	-
Lewisham - - -	152,532	-	4	2	-	-	-	-	1	-	-
Woolwich - - -	129,336	-	18	4	-	-	-	-	2	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
Ages 0-1 - - -		-	6	6	-	-	-	-	1	-	1
" 1-5 - - -		-	150	89	-	3	-	-	3	-	1
" 5- - - -		-	230	51	-	2	-	-	8	-	-
" 10- - - -		-	66	18	-	6	-	-	3	-	-
" 15- - - -		-	23	10	-	2	-	-	5	-	1
" 20- - - -		-	22	6	-	2	-	-	6	-	-
" 25- - - -		-	14	6	-	7	-	-	6	4	-
" 35- - - -		-	5	-	-	2	-	-	10	1	-
" 45- - - -		-	1	-	-	-	-	-	13	-	-
" 55- - - -		-	-	-	-	-	-	-	7	-	-
" 65 and upwards -		-	-	1	-	-	-	-	8	-	-
Age not stated - - -		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 30. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, JULY 27. [Price 1½d.

General Register Office, Somerset House,
July 29th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in **SEVENTY-SIX GREAT TOWNS** of England and Wales corresponded to an annual rate of 11·9 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·5, 12·3, and 12·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 16·9 in St. Helens, 17·0 in Sunderland, 17·1 in Bootle, 17·3 in Walsall, 18·4 in Rochdale, 19·4 in Hanley, and 19·7 in Great Yarmouth; from *measles*, 1·2 in Blackburn, 1·7 in Gateshead, 1·8 in South Shields, 2·7 in Walsall, 2·9 in Derby, and 3·1 in Cardiff; from *scarlet fever*, 1·5 in Grimsby; from *diphtheria*, 1·2 in Wigan; from *whooping-cough*, 1·1 in St. Helens and in Cardiff, 1·2 in Gateshead, 1·4 in Ipswich, 1·8 in Wigan and in Preston, 2·0 in Great Yarmouth, and 2·2 in Grimsby; and from *diarrhoea*, 1·1 in Walsall and in Bolton, 1·2 in Rhondda, and 1·3 in Devonport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In **LONDON** 2273 BIRTHS and 1101 DEATHS were registered. Allowing for increase of population, the births were 253 and the deaths 171 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·9, 12·2, and 11·8 per 1000 in the preceding three weeks, was 12·1 last week. The death-rate in the four weeks ended last Saturday averaged 12·0 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.
† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1101 deaths included 40 from measles, 19 from scarlet fever, 10 from diphtheria, 35 from whooping-cough, 2 from enteric fever, and 23 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 129 deaths were referred to these diseases in the aggregate, being 95 below the corrected average number in the thirtieth week of the preceding five years.

The deaths from *measles*, which had been 41, 46, and 46 in the preceding three weeks, fell to 40 last week, but were 12 above the corrected average; 4 deaths belonged to the Borough of St. Pancras, 4 to Lambeth, and 3 each to St. Marylebone, Islington, Bethnal Green, Southwark, Wandsworth, and Camberwell. The deaths from *scarlet fever*, which had been 13, 11, and 15 in the preceding three weeks, rose to 19 last week, and were 12 above the corrected average; 3 deaths belonged to Lambeth and 3 to Camberwell. The deaths from *diphtheria*, which had been 8, 8, and 12 in the preceding three weeks, were 10 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 32, 29, and 44 in the preceding three weeks, were 35 last week, and were 11 above the corrected average; 4 deaths belonged to Fulham, and 3 each to Kensington, St. Pancras, and Shoreditch. The deaths from *enteric fever*, which had been 1, 1, and 2 in the preceding three weeks, numbered 2 last week, and were 6 below the corrected average. The deaths from *diarrhoea*, which had been 8, 8, and 19 in the preceding three weeks, rose to 23 last week, but were 119 below the corrected average; 7 deaths belonged to Lambeth, and 4 to Southwark. Of the 23 deaths from diarrhoea, 15 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 6, 4, and 3 in the preceding three weeks. The death of a coach painter, aged 33 years, was certified after inquest, as due to *lead poisoning*.

Different forms of *violence* caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 13 were cases of suicide and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 5 to burns and scalds, 6 to drowning, 1 to syncope from heat, 2 to the effects of anæsthetics administered for surgical purposes, and 10, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3586 cases of scarlet fever, 872 of diphtheria, and 51 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 557 cases, against 504, 493, and 569; of diphtheria, 128 cases, against 132, 152, and 144; and of enteric fever, 6 cases, against 15, 12, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 20th, 1907.

GREATER LONDON.

In Greater London 3547 births and 1510 deaths were registered. Allowing for increase of population, these numbers are 359 and 278 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 4 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, 2 from "fever," and 7 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.79 inches, and that of the Thermometer 59.5, the latter being 3.3 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 37 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 24.7 hours; the measured rainfall amounted to 0.51 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH RATES in the Week ended Saturday 27th July, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	DEATH-RATES from all Causes.										Registered during the week ended 27th July, 1907.		The Deaths registered in the Week include											TOWNS.																						
		Week ended				8.	7.	6.	5.	4.	3.	2.	1.	COLS.	21.	20.	19.	Deaths from					18.	17.		16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.						
		6th July, 1907.	13th July, 1907.	20th July, 1907.	27th July, 1907.													Deaths of Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.																				Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unidentified Causes of Death.
BIRMINGHAM	-	553,155	11'9	12'1	11'7	11'9	0'8	306	126	35	31	-	2	1	1	4	-	1	8	9	29	2	BIRMINGHAM.																								
KINGS NORTON	-	75,600	6'2	6'2	7'6	6'9	2'1	40	10	6	3	-	1	-	1	1	-	-	-	-	1	-	KINGS NORTON.																								
SMETHWICK	-	66,467	8'6	8'6	11'8	8'6	1'8	31	11	2	1	-	-	-	1	1	-	-	-	-	3	-	SMETHWICK.																								
ASTON MANOR	-	83,266	10'6	10'6	10'6	8'1	0'6	55	13	2	8	-	-	-	-	-	-	-	-	1	4	-	ASTON MANOR.																								
COVENTRY	-	77,628	15'4	15'4	10'1	12'8	-	61	19	8	5	-	-	-	-	-	-	-	-	1	2	2	COVENTRY.																								
LEICESTER	-	236,124	10'4	10'2	8'8	10'2	0'2	109	46	11	13	-	-	-	1	-	-	2	2	2	10	-	LEICESTER.																								
GRIMSBY	-	70,574	13'3	9'6	16'3	14'0	3'7	48	19	4	5	-	-	2	-	3	-	-	2	3	2	-	GRIMSBY.																								
NOTTINGHAM	-	257,489	11'5	14'4	13'8	15'4	0'8	136	76	21	20	-	2	-	-	1	-	1	5	8	17	-	NOTTINGHAM.																								
DERBY	-	125,774	12'9	14'5	14'5	11'6	3'7	59	28	5	8	-	7	-	1	1	-	-	-	1	7	-	DERBY.																								
STOCKPORT	-	100,986	10'3	10'3	14'5	13'9	0'5	41	27	3	10	-	-	-	-	1	-	-	-	1	4	1	STOCKPORT.																								
BIRKENHEAD	-	118,563	11'4	9'7	15'8	7'0	-	69	16	4	7	-	-	-	-	-	-	-	-	-	6	-	BIRKENHEAD.																								
WALLASEY	-	66,707	10'2	10'2	8'6	10'9	0'8	45	14	3	6	-	-	-	-	1	-	1	3	-	-	-	WALLASEY.																								
LIVERPOOL	-	746,144	16'6	16'8	17'7	13'9	2'0	461	199	53	39	-	7	3	4	7	2	5	8	15	65	10	LIVERPOOL.																								
BOOTLE	-	67,114	11'7	19'4	13'2	17'1	0'8	34	22	1	2	-	-	-	-	-	1	-	2	2	8	1	BOOTLE.																								
ST. HELENS	-	92,476	14'1	15'2	14'1	16'9	1'7	53	30	7	6	-	1	-	-	2	-	-	3	3	7	1	ST. HELENS.																								
WIGAN	-	88,606	15'3	12'4	11'8	12'4	3'5	41	21	5	3	-	1	-	2	3	-	-	1	1	1	-	WIGAN.																								
WARRINGTON	-	70,269	13'4	9'6	12'6	7'4	-	55	10	5	3	-	-	-	-	-	-	-	-	-	2	1	WARRINGTON.																								
BOLTON	-	182,917	18'5	11'4	15'7	13'1	2'0	73	46	7	11	-	-	-	1	1	1	4	4	4	10	-	BOLTON.																								
BURY	-	58,901	18'6	15'9	11'5	13'3	-	21	15	2	7	-	-	-	-	-	-	-	-	-	1	-	BURY.																								
MANCHESTER	-	643,148	14'8	14'8	15'8	15'2	1'4	313	183	45	29	-	5	2	-	7	-	5	8	15	59	3	MANCHESTER.																								
SALFORD	-	236,670	11'7	13'7	16'1	15'0	1'5	130	68	12	16	-	3	2	-	2	-	-	1	2	13	1	SALFORD.																								
OLDHAM	-	141,730	17'7	19'1	14'7	14'0	1'1	65	38	5	11	-	-	-	1	1	-	1	1	2	8	-	OLDHAM.																								
ROCHDALE	-	87,989	8'3	16'6	17'2	18'4	0'6	48	31	3	15	-	-	-	-	-	-	1	2	5	2	-	ROCHDALE.																								
BURNLEY	-	103,947	19'6	10'5	9'5	14'0	1'0	70	28	5	8	-	-	1	-	-	-	1	2	2	10	-	BURNLEY.																								
BLACKBURN	-	134,980	18'9	13'1	16'2	12'4	1'5	65	32	12	7	-	-	1	-	-	-	-	-	-	3	1	BLACKBURN.																								
PRESTON	-	117,093	14'2	17'8	12'5	16'0	3'6	57	36	6	10	-	3	1	-	-	-	2	-	1	7	1	PRESTON.																								
BARROW-IN-FURNESS.	-	61,635	10'2	11'8	14'4	8'5	-	33	10	-	5	-	2	-	-	4	-	-	-	-	3	-	BARROW-IN-FURNESS.																								

TOWNS.	Cols.	DEATH-RATES from all Causes.										Rate from all Causes in Cols.		The DEATHS registered in the Week include										TOWNS.
		Week ended				6.	Registered during the week ended 27th July, 1907.		Deaths of		Deaths from						Deaths in Public		Uncertified Causes of Death.					
		11-17.					BIRTHS.	DEATHS.	Under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
		13th July, 1907.	20th July, 1907.	27th July, 1907.	Week ended 27th July, 1907.																			
1.	2.	3.	4.	5.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.					
HUDDESFIELD.	-	94,814	13.7	9.3	7.7	14.3	-	44	26	13	-	-	-	-	-	2	2	2	-					
HALIFAX.	-	110,138	14.2	12.3	11.4	11.4	-	40	24	7	-	-	-	-	-	2	3	4	1					
BRADFORD.	-	290,323	10.2	12.4	10.1	11.7	1.3	123	65	24	-	2	3	-	1	1	4	7	1					
LEEDS.	-	470,268	11.3	11.3	11.3	12.9	1.3	210	116	33	-	1	9	-	2	1	9	21	-					
SHEFFIELD.	-	455,553	13.6	12.9	12.7	10.1	0.9	259	88	20	3	1	2	-	1	-	-	22	-					
ROTHERHAM.	-	62,412	9.2	12.5	11.7	8.4	0.8	41	10	4	1	-	-	-	-	-	-	2	1					
YORK.	-	84,730	16.6	9.2	6.8	12.9	1.2	37	21	5	9	-	1	-	-	1	2	4	-					
HULL.	-	286,762	13.7	13.9	14.9	12.7	1.2	143	65	15	28	-	2	-	3	4	11	-	-					
MIDDLESBROUGH.	-	101,783	20.0	16.9	21.0	13.3	1.5	55	26	7	-	-	-	-	1	-	7	-	-					
STOCKTON-ON-TEES.	-	52,909	15.8	17.7	14.8	11.8	2.0	32	12	1	-	1	-	-	-	2	2	1	-					
WEST HARTLEPOOL.	-	75,473	9.7	13.1	13.8	6.2	-	31	9	4	-	-	-	-	-	-	1	-	-					
SUNDERLAND.	-	158,029	18.4	13.4	14.7	17.0	1.0	110	51	13	-	-	1	-	1	4	5	9	1					
SOUTH SHIELDS.	-	113,460	12.9	10.6	15.2	12.9	2.8	67	28	11	3	-	-	-	1	2	2	2	2					
GATESHEAD.	-	125,783	16.2	15.8	15.8	12.0	3.7	82	29	15	4	-	3	1	1	2	2	-	1					
NEWCASTLE-ON-TYNE.	-	272,969	12.0	11.3	15.3	12.2	1.0	143	64	16	15	-	3	-	1	3	6	23	-					
TYNEMOUTH.	-	54,688	16.3	19.1	7.6	15.3	2.9	44	16	4	2	-	1	-	1	1	2	2	-					
NEWPORT (MON.).	-	75,585	11.7	11.0	9.0	10.3	-	43	15	3	7	-	-	-	-	1	2	2	-					
CARDIFF.	-	187,620	11.7	10.3	12.2	15.3	4.4	88	55	10	13	-	4	-	1	2	3	6	-					
RHONDDA.	-	130,400	7.2	8.0	13.2	11.6	2.8	83	29	8	6	-	2	1	3	1	1	-	-					
MERTHYR TYDFIL.	-	76,085	15.8	14.4	18.5	14.4	-	45	21	4	4	-	-	-	-	2	3	1	-					
SWANSEA.	-	97,324	13.4	12.9	12.3	11.8	0.5	48	22	3	7	-	-	-	-	2	3	4	-					
GREATER LONDON.	-	7,217,941	11.0	11.0	10.9	10.9	1.3	3547	15102	280	447	-	51	4	34	82	182	557	3					
OUTER RING.	-	2,459,723	9.2	8.6	9.2	8.7	1.0	1274	409	88	116	-	11	2	11	19	42	83	1					
8 TOWNS IN OUTER RING.	-	1,208,285	8.8	8.2	8.7	7.6	0.8	616	177	42	50	-	2	-	4	8	15	38	-					
REMAINDER OF OUTER RING.	-	1,250,438	9.5	8.9	9.8	9.7	1.3	653	232	56	66	-	9	2	7	11	27	45	1					
EDINBURGH.	-	345,747	13.7	13.7	14.8	15.8	1.8	157	1051	24	28	-	1	8	2	4	?	?	2					
GLASGOW.	-	847,584	15.3	14.1	16.1	14.5	1.6	462	2354	35	44	-	4	13	1	4	?	85	7					
DUBLIN (Registration Area).†	-	390,691	18.3	21.0	21.5	21.2	1.6	209	1591	35	35	-	3	4	1	4	5	54	6					
BELFAST.†	-	370,163	20.3	14.6	19.2	16.5	1.1	216	1171	22	18	-	5	-	2	2	2	35	-					

* See note † on first page of this return.
† Including 2 deaths from Q.

* See note † on first page of this return.
† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
‡ Including 2 deaths from Cerebro-Meningeal Fever in Greater London, 3 from Cerebro spinal meningitis in Essex, Cerebro spinal fever in 3 in Gloucestershire, 7 in Warwickshire, 1 in Dublin and 19 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTIETH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2599	2698	2494	2507	2384	2521	2519	2467	2480	2352	2525.5	2273
Males - - -	1320	1381	1240	1267	1234	1274	1280	1293	1285	1186	1293.2	1160
Females - - -	1279	1315	1254	1240	1150	1247	1239	1174	1195	1166	1232.3	1113
TOTAL Deaths -	2023	1452	1884	1846	1582	1260	1101	1423	1285	1056	1272.0	1101
Males - - -	1101	777	1039	968	817	649	670	783	682	549	682.7	584
Females - - -	922	675	845	878	765	611	521	637	603	507	589.3	517

* The numbers in this column are the average weekly numbers in the thirtieth week of the five years 1902–1906, raised by 2.37 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 4.	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	13 Weeks.
TOTAL Births -	2352	2537	2499	2258	2464	2474	2356	2506	2251	2309	2292	2266	2273	30837
TOTAL Deaths -	1364	1431	1383	1315	1190	1209	1172	1163	1138	1089	1115	1077	1101	16748
ages at Death														
(Under 1 year -	257	275	274	251	203	224	218	222	225	215	199	179	182	2924
1–5 years -	168	176	192	160	164	170	174	159	162	129	137	150	133	2074
5–20 " -	78	96	69	90	73	68	70	48	70	57	74	64	57	914
20–40 " -	171	162	191	152	137	143	122	138	144	139	154	125	140	1915
40–60 " -	273	283	274	274	240	261	241	262	238	239	236	245	258	3324
(60 yrs. & upwds	417	439	383	389	373	343	347	334	249	310	315	314	331	4504
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	639
Measles - - -	40	39	51	53	52	61	56	48	66	41	46	46	40	160
Scarlet Fever -	8	9	12	13	13	11	13	10	13	13	11	15	19	141
Diphtheria - -	13	15	11	12	14	10	8	10	13	8	8	12	10	577
Whooping-cough	69	63	59	36	30	46	53	36	45	32	29	44	35	23
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever -	2	4	1	3	-	2	2	1	2	1	1	2	2	23
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	18	9	21	14	20	14	19	13	15	8	8	19	23	201
All above Diseases -	150	139	155	131	129	145	151	118	151	103	103	133	129	1745
Dis. of Resp. System	131	107	86	93	81	74	80	63	53	51	53	75	45	943
Pneumonia - - -	161	155	149	137	111	112	89	93	98	97	86	75	91	1451
Phthisis - - -	127	147	147	139	120	136	118	107	109	102	115	98	103	1571
Dis. of Circ. System	194	207	185	180	170	188	152	160	161	170	154	143	164	2333
Violence - - -	61	54	69	49	51	36	48	56	59	51	60	46	63	713
Inquest Cases -	141	138	173	117	118	100	113	118	129	100	122	93	140	1600
Deaths in Institutions	558	550	565	494	490	492	490	499	460	451	477	451	474	6451
TEMPERATURE OF THE AIR.														
Mean - - - - -	46.4	56.0	53.2	50.6	53.4	54.7	58.7	56.7	56.4	54.7	56.3	62.7	59.5	55.5
Mean of Highest	54.9	66.6	62.1	62.2	62.8	63.6	68.0	67.4	66.1	64.3	68.1	75.4	70.2	66.6
Mean of Lowest	40.3	45.8	47.0	41.1	47.1	48.7	50.8	48.3	49.3	46.8	47.4	52.9	51.3	47.5
Mean Humidity of the Air.	69	72	72	78	83	75	75	65	77	73	71	72	78	74
Rain-fall (in inches) -	0.59	0.36	0.35	0.35	0.67	0.42	0.41	0.01	1.30	0.16	0.22	0.00	0.51	5.35
Registered Sunshine (in hours).	41.6	50.2	39.5	28.2	15.3	25.1	48.5	62.6	24.8	44.7	36.6	57.7	24.7	499.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	2672	2658	2679	2732	2824	2862	2936	2985	3022	3193	3276	3383	3568	2985
Diphtheria - - -	915	911	921	927	935	917	944	890	807	809	868	880	872	892
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	60	54	53	52	47	45	59	51	57	60	62	57	51	55

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. O. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. V. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTIETH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH.	Corrected Average for the 30th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 30th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			30 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1272.0	1101	182	133	57	140	258	331		16.8	5	2	-	2	1	-	
										16.2	10	-	-	-	2	6	
Small-pox*	1.2	-	-	-	-	-	-	-		4.3	6	-	-	1	1	3	
Cowpox	-	-	-	-	-	-	-	-		20.9	12	11	1	-	1	-	
Measles (Morbilli)	27.8	40	6	34	-	-	-	-		0.4	3	-	-	-	1	-	
Scarlet Fever	7.4	19	-	10	7	2	-	-		5.9	3	-	-	-	2	5	
Typhus	-	-	-	-	-	-	-	-		19.9	15	1	-	-	7	-	
Plague	-	-	-	-	-	-	-	-									
Influenza	2.5	4	-	-	-	2	2	-									
Whooping-cough	23.7	35	18	17	-	-	-	-		36.8	44	-	-	2	6	23	
Diphtheria	14.1	10	-	8	2	-	-	-		26.2	35	-	-	-	2	23	
Cerebro-spinal Fever	0.2	2	-	2	-	-	-	-		14.1	13	-	-	-	1	11	
Pyæmia† (origin un- certain)	-	-	-	-	-	-	-	-		4.3	6	-	-	-	2	2	
Enteric Fever	8.0	2	-	-	1	1	-	-		2.3	2	-	-	2	-	-	
										69.6	64	-	-	-	7	23	
Asiatic Cholera	-	-	-	-	-	-	-	-									
Epidemic Diarrhoea, } Infective Enteritis }	84.5	8	7	1	-	-	-	-									
Diarrhoea, Dysentery	57.1	15	4	3	-	1	3	4									
Tetanus	1.0	1	-	-	-	1	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Glanders	-	-	-	-	-	-	-	-									
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-									
Venereal Dis.	5.3	6	5	-	-	-	-	1									
Puerperal Septicæmia	2.9	1	-	-	-	1	-	-									
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-									
Puerperal Fever	0.6	-	-	-	-	-	-	-									
Infective Endocarditis	2.3	1	-	-	-	-	-	1									
Pneumonia { Lobar -	6.1	14	1	-	-	3	7	3									
{ Broncho-	23.7	30	11	9	-	3	4	3									
{ Epidemic	-	-	-	-	-	-	-	-									
{ Not defined	37.0	47	2	9	3	7	16	10									
Erysipelas	2.9	3	-	-	-	-	1	2									
Septicæmia (not Puer- peral)	-	-	-	-	-	-	-	-									
Pyæmia (not Puerperal)	0.6	-	-	-	-	-	-	-									
Other Infective Processes	4.7	3	-	-	-	-	-	3									
Tuberculous Phthisis	64.7	71	4	2	6	27	23	9									
"Phthisis"	54.5	35	1	-	3	17	10	4									
Tuberculous Meningitis	21.3	27	6	11	10	-	-	-									
Tuberculous Peritonitis	9.8	6	2	-	1	2	-	1									
Tabes Mesenterica	4.1	1	-	1	-	-	-	-									
Tuberculous Dis., Other	16.0	12	-	5	3	2	2	-									
Serofula	0.2	-	-	-	-	-	-	-									
Alcoholism	8.8	11	-	-	-	3	6	2									
Rheumatic Fever	3.9	3	-	1	-	-	1	1									
Gout	1.8	2	-	-	-	-	-	2									
Carcinoma	57.3	56	-	-	-	-	32	24									
Sarcoma	5.3	10	-	-	1	1	3	5									
Cancer (undefined)	35.8	34	-	-	-	2	8	24									
Diabetes Mellitus	6.3	10	-	-	1	1	1	7									
Premature Birth	42.6	38	38	-	-	-	-	-									
Meningitis (not tuberc.)																	
Gen. Par. of Insane, } Insanity																	
Epilepsy																	
Convulsions																	
Locomotor Ataxy																	
Paraplegia, Dis. of Cord																	
Nervous Sys., Other Dis.																	
Valv. Dis., Endocarditis																	
Cereb. Hæm. Cereb. Emb.																	
Apoplexy, Hemiplegia																	
Aneurysm																	
Embolism, Thrombosis (not Cerebral)																	
Heart & Blood Vess., Other Dis.																	
Croup (not Spasm: nor Memb.)																	
Bronchitis																	
Emphysema, Asthma																	
Pleurisy																	
Respiratory Dis., Other																	
Tonsillitis, Quinsy																	
Enteritis (not Epid.)																	
Gastro-enteritis																	
Peritonitis (not Puerp.)																	
Cirrhosis of Liver																	
Liver Dis., Other																	
Digestive Sys., Other Dis.																	
Acute Nephritis																	
Bright's Dis., Albumin- uria																	
Urinary Sys., Other Dis.																	
Generative Organs Dis.																	
Childbirth (Accid. of)																	
Old Age																	
Other Diseases																	
ACCIDENT.																	
By Railways																	
By Vehicles and Horses																	
In Ships, Boats, Docks, (exclusive of Drown- ing)																	
In Building Operations																	
In Congregations																	
By Burns, Scalds, Ex- plosions																	
By Drowning																	
By Suffocation in Bed																	
By Poisons or Poisonous Vapours																	
Other Deaths by Acci- dent																	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide																	
Suicide																	
Execution																	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th July, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																
			Total DEATHS.	Deaths from															
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON - - -	4,536,429	2273	1101	182	331	-	40	19	10	35	-	2	-	23	63	140	474		
WEST DISTRICTS - - -	805,311	301	175	22	61	-	6	2	2	11	-	-	-	2	7	14	73		
NORTH DISTRICTS - - -	1,056,070	491	233	29	70	-	11	1	-	7	-	1	-	3	12	25	103		
CENTRAL DISTRICTS - - -	209,465	113	63	11	12	-	-	-	-	3	-	-	-	3	6	7	38		
EAST DISTRICTS - - -	715,739	419	188	46	42	-	6	-	-	5	-	-	-	-	14	40	87		
SOUTH DISTRICTS - - -	1,749,844	949	411	74	136	-	17	15	7	9	-	1	-	9	24	53	142		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	31	-	10	-	-	1	1	-	-	-	-	6	-	1	31		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -	93,178	49	18	2	8	-	1	-	-	1	-	-	-	1	2	2	6		
St. John Paddington H - - -	53,617	6	8	-	2	-	-	-	-	-	-	-	-	-	1	2	4		
North-West Paddington - - -	17,181	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H -	128,037	40	45	5	19	-	-	-	-	3	-	-	-	-	1	3	22		
Brompton 2H - - -	48,591	10	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1		
North Hammersmith 2W,w,H -	49,192	25	4	-	4	-	-	-	-	-	-	-	-	-	-	-	3		
South Hammersmith w,2H - -	69,047	19	12	-	6	-	-	-	-	1	-	-	-	-	1	2	3		
North-west Fulham W - - -	45,180	30	12	2	3	-	1	-	-	2	2	2	-	-	-	-	6		
North-east Fulham F - - -	46,405	23	12	3	1	-	-	2	2	2	-	-	-	-	-	1	4		
South Fulham W - - -	45,704	32	9	3	2	-	-	-	-	-	-	-	-	-	-	1	-		
Chelsea North W,w,3H - - -	42,514	10	15	-	8	-	1	-	-	-	-	-	-	-	-	-	10		
Chelsea South W,2H - - -	31,323	11	8	1	-	-	2	-	-	1	-	-	-	-	-	1	2		
Mayfair and Knightsbridge -	28,743	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	55,815	16	8	-	1	-	-	-	-	-	-	-	-	-	1	1	5		
St. Margaret & St. John 5H -	43,698	10	14	2	4	-	1	-	-	1	-	-	-	1	1	1	5		
St. James and St. Anne W,6H -	33,081	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-	2		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	7	16	-	4	-	1	-	-	-	-	-	-	-	1	1	13		
St. Mary Marylebone W,4H -	37,948	40	7	1	1	-	2	-	-	-	-	-	-	-	1	1	-		
Christchurch Marylebone - -	39,536	17	6	1	1	-	-	-	-	2	-	-	-	-	1	-	-		
St. John Marylebone 2H - - -	20,426	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,7H - - -	81,942	22	17	1	10	-	-	1	-	1	-	-	-	-	1	1	6		
West St. Pancras 2H - - -	60,562	33	14	4	4	-	2	-	-	2	-	-	-	-	2	2	2		
South St. Pancras w,11H - -	55,707	19	24	2	3	-	1	-	-	1	-	-	-	-	2	4	18		
East St. Pancras W,2H - - -	60,520	24	11	1	3	-	-	-	-	-	-	-	-	-	1	2	9		
North St. Pancras 2W - - -	56,728	31	11	1	4	-	1	-	-	-	-	-	-	-	-	-	6		
Tufnell W - - -	31,995	10	15	-	6	-	-	-	-	-	-	-	-	-	-	-	9		
Upper Holloway 2W,w,H - -	33,978	28	20	3	8	-	-	-	-	-	-	-	-	-	-	-	13		
Tollington W,w,H - - -	33,922	11	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
Lower Holloway - - -	41,424	17	7	-	2	-	1	-	-	-	-	-	-	-	1	1	-		
Barnsbury - - -	64,478	31	6	-	2	-	-	-	-	-	-	-	-	-	-	1	-		
Islington South-east F - - -	75,597	34	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-		
Highbury 2H - - -	63,797	21	10	2	1	-	2	-	-	-	-	-	-	-	1	2	-		
Stoke Newington H - - -	51,247	21	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-		
North Hackney - - -	60,560	31	6	1	3	-	-	-	-	-	-	-	-	-	1	2	-		
Central Hackney 2w,F - - -	50,536	24	5	-	1	-	1	-	-	-	-	1	-	-	-	2	3		
South-west Hackney 3H - - -	59,921	25	20	4	5	-	-	-	-	-	-	-	-	2	2	13	10		
South-east Hackney 2W,w,H -	58,255	35	19	3	7	-	-	-	-	-	-	-	-	1	1	2	10		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

*See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th July, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
			Total DEATHS.	Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury 2W,2H -	31,436	18	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	
Strand W,4H - - - - -	21,674	6	10	-	3	-	-	-	-	-	-	-	-	-	1	2	2	6	-	
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn W,6H - - - - -	29,612	18	13	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	11	
South Clerkenwell - - - - -	28,676	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - - - -	35,028	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury 3H,L - - - - -	36,116	31	9	3	2	-	-	-	-	1	-	-	-	-	1	1	1	2	-	
Holborn Union Workhouse, } Mitcham - - - - -	-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
St. Botolph H - - - - -	10,296	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows W,2H	16,824	-	16	2	2	-	-	-	-	-	-	-	-	-	-	-	3	3	-	
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	12	1	-	
EAST DISTRICTS.																				
Shoreditch South H - - - - -	46,362	23	9	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	
Shoreditch North-West W,w,H -	36,127	17	22	2	7	-	-	-	-	1	-	-	-	-	-	3	4	-	-	
Shoreditch North-East - - - - -	34,148	23	7	3	3	-	-	-	-	-	-	-	-	-	-	1	1	14	-	
Shoreditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2W } 2HL - - - - -	65,138	41	23	5	8	-	3	-	-	1	-	-	-	-	-	2	6	12	-	
Bethnal Green South-West H - - -	64,542	49	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Hatfield - - - - -	27,966	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town W,H - - - - -	28,718	17	34	6	4	-	1	-	-	1	-	-	-	-	-	1	10	32	-	
Woodman's Fields - - - - -	22,081	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George and St. John 2W - - -	49,066	34	12	5	1	-	-	-	-	-	-	-	-	-	-	-	3	3	-	
Hadwell and Ratcliff W,H - - -	25,568	13	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Timehouse W - - - - -	32,866	21	5	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	
Mile End Old Town South- } Western H - - - - -	63,698	45	9	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Mile End Old Town North- } Eastern W,w - - - - -	49,129	20	13	2	4	-	-	-	-	-	-	-	-	-	-	-	1	8	-	
Low L - - - - -	41,989	21	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romley 3w,H - - - - -	68,316	41	31	9	9	-	1	-	-	-	-	-	-	-	-	2	8	16	-	
Poplar W,w - - - - -	58,514	30	7	2	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th July, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.		
					Deaths of Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Deaths from													
							small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Ptyeæia (Origin un- certain).	Diarrhoea	Violence.	Inquest Cases.			
SOUTH DISTRICTS.																				
Christchurch and St. Saviour	} Southwark W ² H Kent-road St. George the Martyr West W ² H,L Newington North Newington South W	23,319	19	17	3	4	-	1	-	-	-	1	-	-	-	-	1	5	7	10
		21,904	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		39,094	18	7	3	2	-	1	-	-	-	-	-	-	-	-	1	-	1	2
		49,022	30	11	5	1	-	-	-	-	-	-	-	-	-	-	-	2	3	4
		72,841	32	12	2	5	-	1	-	-	-	-	-	-	-	-	-	-	3	1
St. Olave 2W	-	8,817	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Bermondsey W	-	82,483	55	9	3	3	-	1	-	-	-	-	-	-	-	-	-	2	3	-
Rotherhithe W,F	-	38,460	17	13	4	3	-	-	-	-	-	-	-	-	-	-	1	2	3	3
Waterloo 2H	-	27,440	30	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church H	-	27,440	16	21	6	6	-	1	-	-	-	-	-	-	-	-	1	2	2	16
Kennington 2W	-	52,518	25	19	3	5	-	2	-	-	-	-	-	-	-	-	-	-	11	1
Stockwell HF	-	63,826	41	15	2	2	-	-	3	1	-	1	-	-	-	-	1	3	3	4
Brixton H	-	73,673	31	8	2	5	-	-	-	-	-	1	-	-	-	-	1	-	1	1
Norwood WH	-	56,998	20	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H	-	72,203	42	12	4	3	-	1	-	-	-	-	-	-	-	-	-	-	2	1
North-west Battersea	-	49,656	40	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H	-	47,048	14	22	3	9	-	2	-	-	2	-	-	-	-	-	1	6	16	1
Clapham 2H	-	51,381	30	9	2	4	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Streatham W,2w,F,2L	-	88,019	50	32	3	15	-	2	2	2	-	-	-	-	-	-	1	2	14	1
Springfield 2W,L	-	27,959	25	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Southfields H	-	40,444	19	6	-	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Putney	-	24,139	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	-	13,359	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w	-	40,206	21	18	1	7	-	-	-	-	-	-	-	-	-	-	-	-	14	8
Camberwell North W,2L	-	65,584	31	16	1	6	-	1	-	-	-	-	-	-	-	1	-	-	-	-
St George	-	47,331	29	9	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Peckham North	-	48,913	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South 2W,w	-	43,946	22	9	-	4	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Deptford North	-	37,613	34	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central F	-	45,481	23	10	2	1	-	-	2	1	1	-	-	-	-	-	1	3	3	-
Deptford South	-	34,825	18	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H	-	23,466	11	7	1	4	-	1	-	-	-	-	-	-	-	-	-	1	8	-
Greenwich East 2W,H	-	43,869	21	12	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Eltham w,H	-	7,226	7	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Lee wH	-	25,490	7	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Lewisham W w,F	-	58,352	42	25	3	7	-	-	6	1	1	-	-	-	-	-	1	3	14	-
Sydenham H	-	43,653	24	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H	-	21,134	6	6	-	2	-	-	2	1	-	-	-	-	-	-	-	-	3	-
Woolwich 5H	-	41,625	18	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West W	-	18,063	11	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H	-	50,264	26	16	3	6	-	-	-	-	1	-	-	-	-	-	1	1	7	-
Workhouse:-																				
Central London Sick Asylum																				
(Westminster, St. Giles, and Strand Unions.)																				
M. A. B. Small-pox Hospitals:-																				
Joyce Green																				
Long Reach																				
M. A. B. Fever Hospitals:-																				
Gore Farm (temporary)																				
North-Eastern				2					1	1										
Northern																				
M. A. B. Imbecile Asylums:-																				
Belmont																				
Caterham				2		1														
Darenth				2		2														
Leavesden																				
London County Lunatic Asylums:-																				
Banstead				4		1														
Uxley (Epileptic Colony)																				
Horton				10		3														
Manor																				
Long Grove				1		1														
Cane Hill				4		2														
Bedford Heath																				
Hanwell																				
Colney Hatch				3																
Claybury				1																

TABLE 3. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th July, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 6 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	368,302	2,044,973	1274	409	98	116	-	11	9	5	11	2	11	19	42	83	1	
30: 1	Carshalton 2F,3H	12,228	32,997	26	3	-	-	-	-	1	-	-	-	-	-	-	2	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	12	7	3	2	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F,L	2,764	2,692	4	2	1	1	-	-	-	-	-	-	-	-	-	1	-	
38: 1	Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	1	7	-	6	-	-	-	-	-	-	-	-	1	-	-	
3	West Croydon 3W,F,H	2,168	42,888	30	12	2	6	-	-	1	-	-	-	-	-	-	6	-	
4	North Croydon H	2,644	41,698	16	7	2	4	-	-	-	-	1	-	-	-	1	-	-	
5	Penge w	770	22,465	5	5	-	1	-	-	-	-	-	-	-	1	1	-	-	
6	Mitcham	11,711	30,015	18	7	3	2	-	1	-	-	-	-	-	1	2	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	19	4	2	-	-	-	-	1	-	-	-	1	2	1	-	
2	Kingston 2W,H	6,224	42,068	17	9	3	3	-	-	-	-	-	-	1	-	-	-	-	
3	Surbiton F,H	3,046	15,017	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	7	5	-	2	-	-	-	-	-	-	-	1	1	-	-	
5	Hampton H,F,L	4,584	23,456	19	5	-	1	-	-	-	-	-	-	-	1	1	1	-	
40: 1	Richmond W,H	2,162	23,865	12	7	2	2	-	-	-	-	-	-	-	1	2	2	-	
2	Mortlake F	2,847	20,628	14	3	1	1	-	-	-	-	-	-	-	1	1	-	-	
41: 1	Bromley F,2H	4,703	27,354	10	8	3	2	-	1	-	-	-	-	-	-	1	2	-	
2	Beckenham H	7,325	28,497	12	4	2	1	-	-	-	1	-	-	-	-	-	-	-	
3	Orpington part of* W,F	10,113	9,857	3	4	1	1	-	-	-	-	1	-	-	-	-	1	-	
4	Chislehurst 2H	7,333	16,446	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley W,F,H	8,678	21,151	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	13	7	1	2	-	-	-	-	-	-	-	-	-	1	-	
3	Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
124: 1	Sunbury w	11,054	18,683	14	6	-	2	-	-	-	-	1	-	-	1	2	-	-	
2	Staines W,H	13,277	15,178	8	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
125: 1	Hillingdon W,F,H	6,035	13,661	13	3	1	1	-	-	1	-	-	-	-	-	-	2	-	
2	Uxbridge H	12,757	8,984	6	2	-	1	-	-	-	-	-	-	-	1	-	-	-	
3	Hayes w2 F,H	8,066	16,358	17	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
126: 1	Isleworth 3W,3F,H	8,850	30,863	18	14	1	7	-	-	-	-	-	-	-	-	-	-	-	
2	Twickenham F,2H	2,421	20,991	15	7	3	2	-	-	-	-	1	-	-	-	-	8	-	
3	Brentford 3F,2H	4,319	43,289	28	9	2	3	-	-	-	1	-	-	-	-	1	2	-	
4	Chiswick H	1,249	29,809	25	5	4	1	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	42	12	2	4	-	1	-	-	-	-	-	-	-	1	-	
127: 1	Harrow F,H	13,809	25,523	14	3	-	2	-	-	-	-	-	-	-	-	-	-	1	
2	Edgware 2F,2H	6,994	4,521	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	79	21	7	5	-	-	-	-	-	-	-	-	-	4	-	
4	Hendon W,F	8,382	22,450	14	3	1	1	-	-	-	-	1	-	-	-	1	-	-	
128: 1	South Mimms 2F,H	17,755	7,308	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	13	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
3	Finchley F,2H	4,688	33,692	31	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey F,H	2,875	72,056	29	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Wood Green H	1,625	34,233	21	6	2	1	-	-	-	-	1	-	-	1	-	-	-	
3	West Tottenham	996	48,853	31	11	1	5	-	-	-	-	-	-	-	-	-	1	-	
4	East Tottenham 2H	2,017	53,688	33	12	3	4	-	-	-	-	-	-	-	3	3	3	-	
5	Edmonton W,w,2F	7,491	61,892	48	13	3	1	-	2	-	-	-	-	-	-	1	3	-	
6	Enfield 2W,F,H	12,601	42,738	30	16	6	2	-	3	1	-	-	-	-	-	2	2	-	
7	Waltham Abbey F	11,017	6,549	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	8,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138: 1	Stratford H	-	52,974	34	18	5	3	-	-	-	-	-	-	-	5	7	4	-	
2	Forest Gate w	1,878	52,745	30	7	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	53	16	6	2	-	-	2	-	1	-	1	3	3	4	-	
4	Canning Town H	1,556	70,718	52	12	4	1	-	-	-	-	1	-	-	1	1	-	-	
5	South East Ham 2F	1,993	37,342	31	8	1	-	-	-	2	1	-	-	-	-	-	2	-	
6	North East Ham w H	1,333	58,676	29	5	1	2	-	-	-	1	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	2	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	23	9	1	3	-	-	-	-	-	-	-	-	1	3	-	
9	North Leyton 2W,w,F	1,963	48,445	37	22	3	4	-	-	-	-	1	-	2	-	-	15	-	
10	Walthamstow 2H,L	6,504	108,929	89	15	7	3	-	2	-	-	1	-	-	-	2	-	-	
137: 1	Chigwell 2F,3H	11,778	18,397	7	4	-	-	-	-	-	-	-	-	-	1	1	1	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
139: 1	Romford, part of* W,2F	6,556	6,091	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F,L	8,496	41,234	36	5	3	1	-	-	-	-	-	-	-	-	1	1	-	
3	Barking Town F	3,803	21,547	17	4	-	2	-	-	-	-	-	-	-	2	2	-	-	
	Eastern Hospital, Hackney	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	S.E. Hospital, Deptford	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Wandsworth	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Kent County Lunatic Asylum, Chartham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Essex County Lunatic Asylum, Brentwood	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 and in the Croydon Mental Hospital in 37: 1 are also included.

† The boundaries of these sub-districts were altered on 1st July 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,758,218	July 27	2273	1101	12'1	-	40	19	10	35	2
CALCUTTA - -	955,926	June 29	-	409	25'0	2	-	-	1	-	104†
BOMBAY - -	982,000	July 9	375	487	25'9	-	2	-	-	2	69†
MADRAS - -	548,974	June 28	380	326	33'2	1	1	?	?	?	89
PARIS - - -	2,722,731	July 20	1027	771	15'5	2	7	7	1	3	2
BRUSSELS - -	623,202	" 13	238	112	9'3	-	-	-	-	-	2
ANTWERP - -	304,032	" 20	223	137	11'4	-	-	1	1	-	1
		" 13	148	86	11'2	-	1	-	1	2	1
		" 20	133	55	9'4	-	-	-	-	-	1
AMSTERDAM -	564,342	" 13	271	132	12'2	-	4	3	1	-	3
COPENHAGEN -	433,000	" 20	197	124	14'9	-	1	-	-	6	-
STOCKHOLM -	332,738	" 13	155	89	13'9	-	3	1	1	-	-
CHRISTIANIA -	226,774	" 20	125	54	12'4	-	2	-	2	2	-
ST. PETERSBURG	1,482,769	" 6	647	731	25'6	-	33	9	11	3	23
MOSCOW - -	1,296,000	" 6	-	960	38'6	3	27	6	6	4	4
BERLIN - - -	2,080,704	" 6	942	526	13'1	-	12	-	5	10	3
HAMBURG - -	840,790	" 20	-	191	12'0	-	1	1	1	1	1
BRESLAU - -	485,278	" 13	-	192	20'6	-	-	1	2	1	-
MUNICH - - -	548,600	" 20	-	199	18'9	-	1	-	2	2	-
VIENNA - - -	1,979,003	" 13	793	639	16'8	-	11	3	6	1	-
PRAGUE - - -	470,906	" 20	884	562	14'8	1	9	1	4	1	-
		" 13	181	146	16'1	-	1	-	-	-	2
BUDA-PESTH -	802,235	" 6	365	278	18'0	-	4	5	1	4	2
		" 13	399	274	17'8	-	7	6	-	-	1
TRIESTE - - -	200,962	" 20	122	85	22'0	-	-	1	-	4	-
ROME - - -	542,760	May 11	214	168	16'1	-	-	-	1	1	2
VENICE - - -	174,398	July 13	73	45	13'5	-	-	-	1	-	-
BUCHAREST -	292,395	" 20	206	125	-	-	-	2	-	-	1
NEW YORK - -	4,285,435	" 6	2641	1325	16'1	-	34	28	39	8	7
CHICAGO - - -	2,107,620	" 13	-	483	11'9	-	5	13	8	3	5
PHILADELPHIA -	1,500,595	June 29	-	444	15'3	-	5	1	6	2	14
		July 6	-	406	14'0	-	3	-	6	2	12
RIO DE JANEIRO	628,275	June 30	-	216	17'9	1	-	-	2	-	1

* Excluding deaths from croup in the Indian Cities.

† Including 28 deaths from plague in Calcutta and 13 in Bombay.

‡ Including 68 deaths from cholera in Calcutta and 2 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th July, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	66'0	44'5	60'7	0'51	LEEDS - - -	74'0	50'0	53'1	0'23
BRIGHTON - -	66'0	50'2	59'8	0'30	YORK - - -	73'0	45'0	53'9	0'11
PORTSMOUTH - -	71'0	51'5	61'0	0'26	HULL - - -	72'0	44'0	56'0	0'23
NORWICH - - -	?	?	?	?	TYNEMOUTH - -	71'0	48'0	53'5	0'07
PLYMOUTH - -	71'8	55'4	61'3	0'42	CARDIFF - - -	77'0	52'1	61'6	0'48
BRISTOL - - -	77'0	52'4	62'0	0'49	EDINBURGH - -	68'1	46'5	51'2	0'10
BIRMINGHAM - -	70'7	49'5	58'8	1'14	GLASGOW - - -	68'2	47'2	57'4	0'16
NOTTINGHAM - -	70'3	49'1	57'7	0'62	DUPLIN { Phoenix Park. Fitz- william Square.†	74'6	49'3	53'4	0'29
LIVERPOOL - -	74'0	51'0	59'8	0'75		71'5	54'1	63'3	0'33
MANCHESTER - -	71'0	43'8	57'8	1'29		70'6	49'0	59'1	0'29
PRESTON - - -	71'5	48'0	60'1	2'89					
HUDDERSFIELD -	70'7	47'3	56'5	0'68					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°9 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.


† Kindly furnished by Sir J. W. Moore, B.A. M.D. Dublin.

JULY.	(For explanation of symbols, see Note.)	Sunshine in hours.	W. P. generally; occasional s. P. and s. N. after 1h. P.M.	0.5	15.9	Overcast with slight exceptions; distant thunder in evening.	GENERAL REMARKS.
SUNDAY - 21	W. P. generally; occasional s. P. and s. N. after 1h. P.M.	0.5	15.9	Overcast with slight exceptions; distant thunder in evening.	GENERAL REMARKS.		
MONDAY - 22	W. P. generally with occasional v. N. till 3h. P.M.; v. P. and v. N. afterwards.	1.8	15.9	Generally overcast; frequent rain; heavy showers with lightning and thunder in early evening.			
TUESDAY - 23	W. P. generally.	0.0	15.8	Overcast generally till 8h. 30m. P.M.; then fine.			
WEDNESDAY - 24	W. P. throughout.	8.5	15.8	Very fine generally; heavy mist in early morning.			
THURSDAY - 25	W. P. generally; m. P. in afternoon.	8.0	15.7	Very fine till 2h. P.M.; cloudy afterwards with slight shower at 5h. P.M.			
FRIDAY - 26	W. P. generally.	2.2	15.7	Generally cloudy; fine intervals in afternoon; light showers in evening.			
SATURDAY - 27	W. P. till 9h. P.M.; m. P. afterwards.	3.9	15.6	Generally overcast till 0h. 30m. P.M.; fine and partially cloudy afterwards; showery between 4h. and 9h. A.M.			
		Sum 24.7	Sum 110.4				
No. of Col. -	27	28	29				

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 20th July, 1907.*

BOROUGHS.	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	10	8	-	-	-	-	2	-	-
Kensington - - -	181,842	-	7	7	-	-	-	-	3	-	-
Hammersmith - - -	122,337	-	13	13	-	-	-	-	-	2	-
Fulham - - -	166,749	-	6	6	-	2	-	-	4	-	-
Chelsea - - -	74,857	-	2	2	-	-	-	-	-	-	-
City of Westminster - -	172,219	-	7	2	-	1	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	8	2	-	-	-	-	2	-	1
Hampstead - - -	61,137	-	4	3	-	-	-	-	-	-	-
St. Pancras - - -	236,753	-	20	7	-	1	-	-	7	-	-
Islington - - -	347,017	-	21	13	-	2	-	-	6	1	-
Stoke Newington - - -	53,613	-	4	2	-	-	-	-	1	-	-
Hackney - - -	232,993	-	42	10	-	3	-	-	4	-	-
CENTRAL.											
Holborn - - -	55,134	-	2	3	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	14	3	-	-	-	-	4	-	-
City of London - - -	20,310	-	1	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	14	3	-	-	-	-	3	-	-
Bethnal Green - - -	130,831	-	26	5	-	-	-	-	1	-	-
Stepney - - -	308,923	-	83	10	-	2	-	-	7	-	-
Poplar - - -	171,066	-	33	7	-	1	-	-	3	-	-
SOUTH.											
Southwark - - -	209,781	-	34	8	-	-	-	-	6	2	-
Bermondsey - - -	128,263	-	32	5	-	-	-	-	-	-	-
Lambeth - - -	318,538	-	48	1	-	1	-	-	2	-	-
Battersea - - -	181,738	-	25	7	-	-	-	-	6	-	-
Wandsworth - - -	281,419	-	26	10	-	-	-	-	2	-	-
Camberwell - - -	277,059	-	43	8	-	-	-	-	4	2	-
Deptford - - -	118,510	-	24	8	-	-	-	-	2	-	-
Greenwich - - -	107,222	-	15	2	-	-	-	-	-	-	-
Lewisham - - -	152,532	-	7	5	-	-	-	-	2	-	-
Woolwich - - -	129,336	-	24	4	-	1	-	-	6	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	595	171	-	14	-	-	77	7	1
Ages											
0-1 - - -	-	-	5	1	-	-	-	-	1	-	-
" 1-5 - - -	-	-	185	67	-	1	-	-	3	-	-
" 5- - - -	-	-	259	59	-	3	-	-	5	-	1
" 10- - - -	-	-	78	16	-	2	-	-	4	-	-
" 15- - - -	-	-	34	6	-	2	-	-	7	1	-
" 20- - - -	-	-	25	10	-	2	-	-	3	1	-
" 25- - - -	-	-	9	8	-	4	-	-	11	3	-
" 35- - - -	-	-	-	3	-	-	-	-	13	2	-
" 45- - - -	-	-	-	1	-	-	-	-	13	-	-
" 55- - - -	-	-	-	-	-	-	-	-	9	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	8	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 31. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, AUG. 3. [Price 1½d.

*General Register Office, Somerset House,
August 6th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 12·4, and 11·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were :—from *all causes*, 15·3 in Cardiff, 15·7 in Walsall, 15·8 in Oldham, 16·0 in Preston, 18·0 in St. Helens, and 19·4 in Sunderland; from *measles*, 1·2 in Walthamstow and in Blackburn, 1·7 in Derby, 2·0 in Stockton on Tees, 2·1 in Merthyr Tydfil, and 3·1 in Cardiff; from *diphtheria*, 1·0 in Croydon; from *whooping-cough*, 1·1 in Oldham, 1·7 in St. Helens, and 2·0 in Stockton on Tees; and from *diarrhœa*, 1·1 in Walsall and 1·8 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2500 BIRTHS and 1052 DEATHS were registered. Allowing for increase of population, the births were 79 and the deaths 326 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·2, 11·8, and 12·1 per 1000 in the preceding three weeks, fell last week to 11·5. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1052 deaths included 46 from measles, 13 from scarlet fever, 11 from diphtheria, 27 from whooping-cough, 3 from enteric fever, and 18 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 118 deaths were referred to these diseases in the aggregate, being 205 below the corrected average number in the thirty-first week of the preceding five years.

The deaths from *measles*, which had been 46, 46, and 40 in the preceding three weeks, were 46 last week, and were 23 above the corrected average; 7 deaths belonged to the Borough of Lambeth, 5 to Camberwell, and 4 each to Chelsea, St. Pancras, Islington, Southwark, and Battersea. The deaths from *scarlet fever*, which had been 11, 15, and 19 in the preceding three weeks, were 13 last week, and were 6 above the corrected average. The deaths from *diphtheria*, which had been 8, 12, and 10 in the preceding three weeks, were 11 last week, and were 3 below the corrected average; 3 deaths belonged to Camberwell. The deaths from *whooping-cough*, which had been 29, 44, and 35 in the preceding three weeks, fell to 27 last week, but were 7 above the corrected average; 4 deaths belonged to Stepney and 3 to Poplar. The deaths from *enteric fever*, which had been 1, 2, and 2 in the preceding three weeks, numbered 3 last week, and were 5 below the corrected average. The deaths from *diarrhoea*, which had been 8, 19, and 23 in the preceding three weeks, were 18 last week, and were 232 below the corrected average; 4 deaths belonged to Islington and 3 to Kensington. Of the 18 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 4, 3, and 4 in the preceding three weeks.

Different forms of *violence* caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 14 were cases of suicide, while the remaining 36 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 3 to building operations, 3 to drowning, 2 to burns and scalds, and 9, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3626 cases of scarlet fever, 915 of diphtheria, and 50 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 419 cases, against 493, 569, and 557; of diphtheria, 150 cases, against 152, 144, and 128; and of enteric fever, 6 cases, against 12, 7, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 27th, 1907.

GREATER LONDON.

In Greater London 3889 births and 1511 deaths were registered. Allowing for increase of population, these numbers are 86 and 476 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 4 from scarlet fever, 4 from diphtheria, 12 from whooping-cough, and 7 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·80 inches, and that of the Thermometer 59°·7, the latter being 2°·5 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 43·7 hours; the measured rainfall amounted to 0·40 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the Week include

† These towns are included within the area of Greater London.

* See note 1 on first page of this return.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 3rd August, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.			Rate from Diseases during the Week ended 3rd Aug., 1907.		The DEATHS registered in the Week include										TOWNS.							
			Week ended			Rate from Diseases during the Week ended 3rd Aug., 1907.	Deaths from Causes of Death.	Deaths of						Deaths from					Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.				
			13th July 1907.	20th July 1907.	27th Aug. 1907.			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.								
			BIRTHS.	DEATHS.																					
BIRMINGHAM -	-	553,155	12'1	11'7	10'6	2'1	304	112	31	28	-	1	6	1	3	-	11	5	6	19.	20.	21.	BIRMINGHAM.		
KINGS NORTON -	-	75,800	6'2	7'6	9'7	-	32	14	3	2	-	-	-	-	-	-	-	1	2	2	-	-	-	KINGS NORTON.	
SMETHWICK -	-	68,467	8'6	11'8	9'4	-	35	12	2	5	-	-	-	-	-	-	-	1	2	3	-	-	-	SMETHWICK.	
ASTON MANOR -	-	88,266	10'6	10'6	8'1	0'6	53	18	6	5	-	-	-	-	-	-	1	-	2	2	-	-	-	ASTON MANOR.	
COVENTRY -	-	77,626	15'4	10'1	12'8	1'3	56	21	6	6	-	1	-	-	-	-	1	1	2	2	-	-	2	COVENTRY.	
LEICESTER -	-	236,124	10'2	8'8	10'4	0'7	123	47	9	13	-	-	1	-	1	-	1	4	7	12	-	-	1	LEICESTER.	
GRIMSBY -	-	70,574	9'6	16'3	14'0	2'2	43	17	5	6	-	-	1	-	1	-	1	1	2	2	-	-	-	GRIMSBY.	
NOTTINGHAM -	-	257,489	14'4	13'8	15'4	1'0	131	51	10	13	-	4	-	-	1	-	-	4	8	9	-	-	-	NOTTINGHAM.	
DERBY -	-	125,774	14'5	14'5	11'6	2'5	72	24	4	8	-	4	-	1	-	-	-	-	1	4	-	-	-	DERBY.	
STOCKPORT -	-	100,986	10'3	14'5	13'9	0'5	50	27	6	11	-	-	-	-	1	-	-	2	2	10	-	-	-	STOCKPORT.	
BIRKENHEAD -	-	118,563	9'7	15'8	7'0	1'3	76	30	8	8	-	-	-	1	1	-	1	5	8	11	-	-	-	BIRKENHEAD.	
WALLASEY -	-	66,707	10'2	8'6	10'9	1'6	35	16	3	5	-	-	-	1	-	-	1	1	1	1	-	-	-	WALLASEY.	
LIVERPOOL -	-	746,144	16'8	17'7	13'9	2'1	458	212	44	47	-	5	-	-	12	-	9	8	15	70	-	-	8	LIVERPOOL.	
BOOTLE -	-	67,114	19'4	13'2	17'1	0'8	35	10	1	3	-	-	-	-	-	-	1	1	1	1	-	-	1	BOOTLE.	
ST. HELENS -	-	92,476	15'2	14'1	16'9	2'3	69	32	13	4	-	-	-	-	-	-	1	2	2	2	-	-	2	ST. HELENS.	
WIGAN -	-	88,606	12'4	11'8	12'4	3'5	61	22	5	6	-	-	-	1	1	-	3	-	5	5	-	-	-	WIGAN.	
WARRINGTON -	-	70,269	9'6	12'6	7'4	0'7	50	19	3	2	-	-	-	-	1	-	1	1	1	2	-	-	-	WARRINGTON.	
BOLTON -	-	182,917	11'4	15'7	13'1	1'1	88	45	7	13	-	1	-	-	2	-	1	2	6	7	-	-	-	BOLTON.	
BURY -	-	58,901	15'9	11'5	13'3	12'4	23	14	1	8	-	-	-	-	-	-	-	-	1	1	-	-	-	BURY.	
MANCHESTER -	-	643,148	14'8	15'8	15'2	1'3	330	165	37	13	-	6	3	2	4	-	2	11	16	44	-	-	-	MANCHESTER.	
SALFORD -	-	236,670	13'7	16'1	15'0	1'5	138	65	13	13	-	1	2	2	2	-	-	4	6	16	-	-	-	SALFORD.	
OLDHAM -	-	141,730	19'1	14'7	14'0	1'5	67	43	9	9	-	-	-	-	3	-	1	1	1	6	-	-	-	OLDHAM.	
ROCHDALE -	-	87,989	16'6	17'2	18'4	1'2	52	25	4	5	-	-	-	1	-	-	-	-	-	3	-	1	3	1	ROCHDALE.
BURNLEY -	-	103,947	10'5	9'5	14'0	11'0	52	22	3	6	-	-	-	-	-	-	-	1	3	4	-	-	-	BURNLEY.	
BLACKBURN -	-	134,980	13'1	16'2	12'4	1'5	65	30	7	7	-	-	-	-	-	-	-	2	2	4	-	-	-	BLACKBURN.	
PRESTON -	-	117,993	17'8	12'5	16'0	1'8	52	38	5	9	-	3	-	-	2	-	1	1	3	2	-	-	1	1	PRESTON.
BARROW-IN-FURTH -	-	61,635	11'8	14'4	8'5	14'4	44	17	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-FURTH.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2395	2335	2577	2701	2844	2719	2481	2302	2522	2576	2578.9	2500
Males - - -	1227	1171	1338	1387	1414	1395	1303	1161	1315	1300	1325.1	1307
Females - - -	1168	1164	1239	1314	1430	1324	1178	1141	1207	1276	1253.8	1193
TOTAL Deaths -	2202	1588	2200	1768	1747	1164	1149	1745	1404	1272	1378.3	1052
Males - - -	1176	852	1120	921	959	627	640	930	721	680	733.4	579
Females - - -	1026	734	1080	847	788	537	509	815	683	592	644.9	473

* The numbers in this column are the average weekly numbers in the thirty-first week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 11.	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	13 Weeks.
TOTAL Births -	2537	2499	2258	2464	2474	2356	2506	2251	2309	2292	2266	2273	2500	30985
TOTAL Deaths -	1431	1383	1316	1190	1209	1172	1163	1138	1089	1115	1077	1101	1052	15436
Ages at Death {														
Under 1 year -	275	274	251	203	224	218	222	225	215	199	179	182	216	2883
1-5 years -	178	192	180	161	170	174	159	162	129	137	150	133	125	2031
5-20 " -	96	69	90	73	68	70	48	70	57	74	64	57	66	902
20-40 " -	162	191	152	137	143	122	133	144	139	154	125	140	122	1869
40-80 " -	283	274	274	240	261	241	262	238	239	236	245	258	199	3250
80 yrs. & upwds.	439	383	389	373	343	347	334	299	310	315	314	331	324	4501
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	39	51	53	52	61	56	48	66	41	46	46	40	46	645
Scarlet Fever -	9	12	13	13	11	13	10	13	13	11	15	19	13	165
Diphtheria -	15	11	12	14	10	8	10	13	8	8	12	10	11	142
Whooping-cough -	63	59	36	30	46	53	36	45	32	29	44	35	27	535
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	1	3	-	2	2	1	2	1	1	2	2	3	24
Pyæmia (origin uncertain) -	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	9	21	14	20	14	19	13	15	8	8	19	23	18	201
All above Diseases -	134	155	131	129	145	151	118	154	103	103	138	129	118	1713
Dis. of Resp. System	107	86	93	81	74	60	63	58	51	53	51	45	58	880
Pneumonia -	155	149	137	111	112	89	93	98	97	86	75	91	79	1372
Phthisis -	147	147	139	120	136	118	107	109	102	115	98	106	84	1528
Dis. of Circ. System -	207	185	180	170	188	152	160	161	170	154	148	164	133	2172
Violence -	54	69	49	51	36	48	56	69	51	60	46	63	50	702
Inquest Cases -	136	173	117	118	100	113	118	129	100	123	93	140	104	1563
Deaths in Institutions	550	565	494	490	492	490	499	460	451	477	451	474	476	6369
TEMPERATURE OF THE AIR.														
Mean -	56.0	53.2	50.8	53.4	54.7	53.7	56.7	58.4	54.7	53.3	62.7	59.5	59.7	56.4
Mean of Highest -	66.6	62.1	62.2	62.8	63.6	68.0	67.4	66.1	64.3	68.1	75.4	70.2	71.1	66.8
Mean of Lowest -	45.8	47.0	41.1	47.1	48.7	50.8	48.3	49.3	46.8	47.4	52.9	51.3	51.0	48.3
Mean Humidity of the Air.	72	72	78	83	75	75	65	77	73	71	72	78	74	74
Rain-fall (in inches) -	0.36	0.35	0.35	0.67	0.42	0.41	0.01	1.30	0.16	0.22	0.00	0.51	0.40	5.16
Registered Sunshine (in hours).	50.2	39.5	28.2	15.3	25.1	48.5	62.6	24.8	44.7	36.6	57.7	24.7	43.7	501.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	2658	2679	2732	2824	2862	2936	2985	3022	3193	3276	3383	3586	3626	3059
Diphtheria -	911	921	927	935	917	944	890	807	809	868	880	872	915	892
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	54	53	52	47	45	59	54	57	60	62	57	51	50	54

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and F. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIRST Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

[illegible]

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd August, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Deaths from												
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2500	1052	216	324	-	46	13	11	27	-	3	-	18	50	104	476		
WEST DISTRICTS - - -	805,311	389	192	34	68	-	8	-	2	6	-	1	-	5	11	21	86		
NORTH DISTRICTS - - -	1,056,070	530	238	41	79	-	11	6	1	4	-	1	-	7	10	22	93		
CENTRAL DISTRICTS - - -	209,465	103	43	16	3	-	1	-	-	-	-	-	-	2	4	6	35		
EAST DISTRICTS - - -	715,739	478	189	50	48	-	4	-	-	12	-	-	-	1	13	30	96		
SOUTH DISTRICTS - - -	1,749,844	1000	358	75	118	-	22	5	8	5	-	1	-	2	12	25	134		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	27	-	8	-	-	2	-	-	-	-	-	1	-	-	27		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -	93,178	53	16	5	4	-	2	-	-	-	-	-	-	-	-	1	11		
St. John Paddington H - - -	33,617	8	10	-	6	-	-	-	-	-	-	-	-	-	-	-	6		
North-West Paddington - - -	17,181	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	64	40	7	18	-	2	-	-	1	-	1	-	2	-	3	17		
Brompton 2H - - -	48,591	7	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2		
North Hammersmith 2W,w,H - -	49,192	32	8	2	2	-	-	-	-	-	-	-	-	1	1	1	3		
South Hammersmith w,2H - -	63,047	32	14	2	4	-	-	-	-	2	-	-	-	-	2	4	5		
North-west Fulham W - - -	45,180	49	21	8	6	-	-	-	-	1	-	-	-	-	1	1	12		
North-east Fulham F - - -	46,406	34	11	4	2	-	-	-	2	1	-	-	-	1	2	3	2		
South Fulham W - - -	45,704	24	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W,w,3H - - -	42,514	18	18	1	7	-	3	-	-	-	-	-	-	-	1	1	14		
Chelsea South W,2H - - -	31,328	9	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-		
Mayfair and Knightsbridge - -	28,743	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	55,815	22	15	-	8	-	-	-	-	1	-	-	-	-	2	3	7		
St. Margaret & St. John 5H - -	43,998	19	12	2	3	-	-	-	-	-	1	-	-	-	1	1	7		
St. James and St. Anne W,6H - -	33,081	7	5	-	2	-	-	-	-	-	-	-	-	-	1	3	-		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	14	12	2	-	-	-	-	-	-	-	-	-	-	1	1	8		
St. Mary Marylebone W,4H - -	37,948	45	5	1	1	-	-	-	-	-	-	-	-	1	-	-	3		
Christchurch Marylebone - - -	39,536	24	8	1	4	-	-	-	-	1	-	-	-	-	-	-	1		
St. John Marylebone 2H - - -	20,426	7	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,7H - - -	81,942	26	13	1	4	-	1	3	-	-	-	-	-	-	-	-	9		
West St. Pancras 2H - - -	60,562	31	5	2	5	-	-	-	-	-	-	-	-	-	-	-	2		
South St. Pancras w,11H - - -	55,707	20	19	3	5	-	-	-	-	1	-	-	-	-	-	1	10		
East St. Pancras W,2H - - -	60,320	26	17	3	3	-	4	-	-	1	-	-	-	-	2	2	4		
North St. Pancras 2W - - -	58,728	33	14	2	4	-	-	-	-	-	-	-	-	-	-	-	9		
Tufnell W - - -	31,995	14	14	1	5	-	-	-	-	-	-	-	-	-	1	1	11		
Upper Holloway 2W,w,H - - -	33,973	19	21	3	8	-	-	-	-	-	-	-	-	-	-	-	15		
Tollington W,w,H - - -	33,922	22	7	-	5	-	-	-	-	-	-	-	-	1	-	-	-		
Lower Holloway - - -	41,424	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - -	54,478	25	7	1	-	-	2	-	-	-	-	-	-	1	-	-	1		
Islington South-east F - - -	75,397	31	12	4	4	-	1	1	-	1	-	1	-	1	1	4	-		
Highbury 2H - - -	63,797	23	5	-	1	-	1	-	-	1	-	-	-	-	-	-	-		
Stoke Newington H - - -	51,247	27	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-		
North Hackney - - -	50,560	22	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w,F - - -	50,536	23	15	2	6	-	-	2	1	-	-	-	-	-	2	2	3		
South-west Hackney 3E - - -	59,921	46	22	4	6	-	1	-	-	-	-	-	-	2	1	2	9		
South-east Hackney 2W,w,H - -	58,255	39	22	4	15	-	-	-	-	-	-	-	-	-	1	2	13		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

[illegible]

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd August, 1907.—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of													Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.			
SOUTH DISTRICTS.																		
Christchurch and St. Saviour	23,319	13	15	4	3	-	-	-	-	-	-	-	-	-	-	3	3	12
Southwark W,2H	21,904	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road	39,091	22	5	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2
St. George the Martyr West	49,022	32	7	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-
W,2H,L	72,841	41	8	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-
Newington North																		
Newington South W																		
St. Olave 2W	9,817	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey W	82,483	45	12	5	-	-	-	-	-	1	-	-	-	-	-	1	3	9
Rotherhithe W,F	38,480	14	12	-	8	-	-	-	-	-	-	1	-	-	-	2	3	-
Waterloo 2H	27,440	25	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church H	27,440	21	24	4	3	-	4	-	-	-	-	-	-	-	-	1	4	19
Kennington 2W	52,518	28	13	4	2	-	2	-	-	1	-	-	-	-	-	1	1	9
Stockwell HF	63,826	35	10	3	3	-	-	-	3	-	-	-	-	-	-	-	-	4
Brixton H	73,673	45	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Norwood WH	56,998	22	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H	72,203	34	9	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-
North-west Battersea	49,656	31	6	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H	47,048	17	14	1	6	-	1	-	-	-	-	-	-	-	-	1	-	10
Clapham 2H	51,381	30	9	-	4	-	-	-	-	-	-	-	-	-	-	-	1	6
Streatham W,2w,F,2L	88,019	66	16	4	9	-	1	1	-	-	-	-	-	-	-	-	-	-
Springfield 2W,L	27,959	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields H	40,444	29	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w	40,206	23	18	1	11	-	1	-	-	-	-	-	-	-	-	1	1	11
Camberwell North W,2L	65,584	32	21	3	8	-	2	-	-	-	-	-	-	-	-	-	1	8
St. George	47,331	27	8	2	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Peckham North	48,913	23	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South 2W,w	43,946	33	6	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1
Deptford North	37,613	24	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central F	45,481	38	8	1	3	-	-	-	1	-	-	-	-	-	-	-	-	1
Deptford South	34,625	12	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H	23,456	14	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-
Greenwich East 2W,H	43,859	30	21	2	9	-	-	-	-	-	-	-	-	-	-	1	2	15
Eltham w,H	7,226	3	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2
Lee w,H	25,490	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W,w,F	58,352	48	25	3	11	-	1	3	2	-	-	-	-	-	-	-	-	15
Sydenham H	43,653	18	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H	21,134	15	5	-	-	-	-	-	1	2	-	-	-	-	-	-	-	4
Woolwich 5H	41,625	24	9	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Plumstead West W	18,063	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H	50,264	29	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	3
Workhouse:-																		
Central London Sick Asylum																		
(Westminster, St. Giles, and																		
Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Joyce Green																		
Long Reach																		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)																		
North-Eastern			1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Northern			1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
M. A. B. Imbecile Asylums:-																		
Belmont			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham			1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Darenth			3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Leavesden			2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:-																		
Banstead			3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Ewell (Epileptic Colony)			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill			4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
Dartford Heath			2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Colney Hatch			3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	3
Claybury			5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd August, 1907.

Regis- tration District and Sub- district Num- bers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
							Deaths of		Deaths from														
							Infants under 1 Year of Age.	Persons aged 5 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING							368,302	2,044,973	1389	459	94	136	-	11	5	9	15	-	11	22	47	82	-
30: 1	Carshalton 2F,3H	-	12,228	32,997	27	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	-	10,423	15,548	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
37: 1	Godstone, part of* W,F,L	-	2,754	2,692	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
38: 1	Coulsdon	-	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	-	4,200	49,309	28	11	3	3	-	-	1	-	-	-	-	-	-	-	-	3	-	-	-
3	West Croydon 3W,F,H	-	2,168	42,888	26	14	3	4	-	-	-	-	3	-	-	-	-	-	-	2	3	9	-
4	North Croydon H	-	2,644	41,698	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	-	770	22,465	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham	-	11,711	30,015	24	6	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
39: 1	Wimbledon F,3H	-	3,321	41,652	19	7	1	1	-	-	1	-	-	1	-	-	-	1	1	1	1	1	1
2	Kingston 2W,H	-	6,224	42,068	18	10	2	2	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2
3	Surbiton F,H	-	3,046	15,017	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	-	5,402	13,100	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	-	4,534	23,456	22	7	1	2	-	-	-	-	-	-	1	-	-	1	2	2	2	1	-
40: 1	Richmond W,H	-	2,162	28,865	16	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	-	2,847	20,628	9	7	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
41: 1	Bromley F,2H	-	4,703	27,354	13	8	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
2	Beckenham H	-	7,825	28,497	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W,F	-	10,113	9,857	7	6	1	3	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-
4	Chislehurst 2H	-	7,333	16,446	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
42: 1	Bexley w,F,H	-	8,678	21,151	15	3	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
2	Erith F,H	-	3,854	25,296	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24: 1	Sunbury w	-	11,054	18,683	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
2	Staines W,H	-	13,277	15,178	9	7	2	2	-	-	-	-	-	-	2	-	-	-	-	-	-	3	-
25: 1	Hillingdon W,F,H	-	6,035	13,661	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	-	12,767	8,984	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H	-	8,066	16,358	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
26: 1	Isleworth 3W,3F,H	-	6,859	30,863	24	8	2	4	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-
2	Twickenham F,2H	-	2,421	20,991	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
3	Brentford 3F,2H	-	4,319	48,289	38	10	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	-	1,249	29,809	27	13	4	2	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-
5	Acton w,F,3H	-	6,132	48,914	38	11	2	3	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-
27: 1	Harrow F,H	-	13,809	25,523	29	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
2	Edgware 2F,2H	-	6,994	4,521	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	-	4,384	114,811	101	22	2	11	-	-	1	-	-	-	-	-	-	-	-	-	-	4	-
4	Hendon W,H	-	8,382	22,450	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
28: 1	South Mimms 2F,H	-	17,755	7,308	5	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	-	3,324	17,970	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	-	4,688	33,692	28	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
29: 1	Hornsey F,H	-	2,875	72,056	39	9	2	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2	Wood Green H	-	1,625	34,233	22	8	1	3	-	-	1	-	-	-	-	-	-	-	1	2	2	1	-
3	East Tottenham	-	996	48,853	45	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	West Tottenham 2H	-	2,017	53,686	40	15	2	1	-	-	2	-	-	-	1	-	-	-	-	4	4	4	-
5	Edmonton W,w,2F	-	7,491	61,892	45	15	4	2	-	-	1	-	-	-	-	-	-	-	-	1	2	2	-
6	Enfield 2W,F,H	-	12,601	42,736	23	13	6	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
7	Waltham Abbey F	-	11,017	6,549	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	-	8,479	12,292	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35: 1	Hatfield, part of* W	-	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Bushey H	-	9,333	9,173	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36: 1	Stratford† H	-	1,878	52,974	29	10	2	4	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
2	Forest Gate†	-	-	52,745	18	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	-	1,249	90,921	85	13	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
4	Canning Town H	-	1,556	70,718	67	23	10	4	-	-	-	-	-	1	-	1	-	2	1	4	1	-	-
5	South East Ham 2F	-	1,993	37,342	27	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H	-	1,333	58,676	36	9	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	-	1,679	9,179	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	-	631	50,467	38	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-
9	North Leyton 2W,w,F	-	1,963	48,445	32	31	1	18	-	-	1	-	-	-	-	-	-	-	1	-	-	22	-
10	Walthamstow 2H,L	-	6,504	108,929	84	28	3	5	-	-	3	-	-	-	-	-	-	-	-	-	4	-	-
37: 1	Chigwell 2F,3H	-	11,778	16,397	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Romford, part of* W,2F	-	6,556	6,091	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Ilford F,L	-	8,496	41,234	36	12	-	4	-	-	-	-	-	1	-	-	-	-	-	1	1	3	-
3	Barking Town F	-	9,803	21,547	13	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Western Hosp., Fulham		-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.		-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Essex County Lunatic Asylum, Brentwood.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 and in the Croydon Mental Hospital in 37: 1 are also included.

† The boundaries of these sub-districts were altered on 1st July 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	August 3	2500	1052	11·5	-	46	13	11	27	3	18
CALCUTTA - -	955,926	July 6	-	407	24·9	9	2	-	-	-	133†	72
BOMBAY - -	982,000	" 18	335	530	29·8	3	-	-	-	1	62†	53
MADRAS - -	548,974	" 5	404	339	34·6	2	1	-	-	-	92	35
PARIS - -	2,722,731	" 27	960	866	16·5	4	14	6	3	8	9	42
BRUSSELS - -	623,202	" 27	187	150	12·5	-	-	-	-	1	2	9
ANTWERP - -	304,032	" 27	140	78	12·8	1	1	-	-	2	2	7
AMSTERDAM -	564,342	" 20	272	117	10·8	-	5	-	1	1	-	4
COPENHAGEN -	433,000	" 27	228	100	12·0	-	-	-	-	2	-	8
STOCKHOLM -	332,738	" 20	166	74	11·6	-	2	4	-	1	-	3
CHRISTIANIA -	226,774	" 27	96	51	11·7	-	1	-	2	1	-	2
ST. PETERSBURG	1,482,769	" 13	890	739	25·9	-	41	12	11	4	22	214
MOSCOW - -	1,266,000	" 13	-	1116	44·9	1	21	4	7	6	1	590
BERLIN - -	2,088,784	" 13	981	528	13·2	-	11	6	4	18	1	56
HAMBURG - -	840,790	" 27	-	184	11·6	-	-	1	2	1	1	13
BRESLAU - -	485,278	" 20	282	184	19·8	-	2	-	2	3	-	35
MUNICH - -	548,000	" 27	-	163	15·5	-	2	2	-	-	-	31
VIENNA - -	1,979,003	" 27	911	545	14·3	-	8	4	3	3	-	56
PRAGUE - -	470,906	" 20	206	170	18·8	-	3	-	-	1	1	10
BUDA-PESTH -	802,235	" 20	408	254	16·3	-	2	5	-	3	2	26
TRIESTE - -	200,962	" 27	141	71	18·4	-	-	-	-	-	-	5
ROME - -	542,760	May 18	221	146	14·0	-	3	-	-	1	1	8
VENICE - -	174,398	July 20	93	58	17·3	-	-	-	-	-	2	8
BUCHAREST -	292,395	" 27	112	158	28·2	-	1	2	2	1	-	29
NEW YORK -	4,285,435	" 13	2347	1456	17·7	-	29	15	31	5	12	210
CHICAGO - -	2,107,620	" 20	-	500	12·4	-	10	7	6	3	6	51
PHILADELPHIA -	1,500,595	" 13	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	" 7	-	254	21·1	-	-	-	2	-	1	?

* Excluding deaths from croup in the Indian Cities.

† Including 18 deaths from plague in Calcutta and 18 in Bombay.

‡ Including 44 deaths from cholera in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd August, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	76·5	44·1	61·1	0·40	LEEDS - - -	73·0	47·0	59·6	0·84
BRIGHTON - -	68·8	48·6	60·2	0·08	YORK - - -	71·0	44·0	57·2	0·72
PORTSMOUTH - -	70·5	49·0	61·0	0·07	HULL - - -	76·0	44·0	59·2	0·33
NORWICH - -	74·0	44·8	59·7	0·77	TYNEMOUTH - -	70·0	41·0	55·9	0·45
PLYMOUTH - -	64·9	46·2	57·8	0·87	CARDIFF - -	67·4	41·8	53·0	1·09
BRISTOL - -	68·2	45·3	58·8	0·51	EDINBURGH - -	66·9	42·6	54·3	0·70
BIRMINGHAM -	72·6	45·1	57·6	0·96	GLASGOW - -	70·8	39·8	53·1	0·60
NOTTINGHAM -	72·4	42·0	57·7	1·24	DUBLIN { Phoenix Park, Fitz- william Square.†	63·6	42·9	57·7	0·52
LIVERPOOL }	67·0	51·0	58·1	0·32		67·6	47·1	59·1	0·26
MANCHESTER }	69·0	43·3	56·7	0·78		63·0	49·5	56·3	0·61
FREESTON - -	69·5	49·0	59·5	0·62					
HUDDERSFIELD -	69·3	45·8	56·9	0·55					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

DATE.

Registered Sun above
Sunshine Horizon,
in hours, in hours.

ELECTRICITY.
(For explanation of
symbols, see Note.

GENERAL REMARKS.

Generally overcast; occasional light showers till 2h. P.M.

Overcast till 5h. A.M.; very fine and variably cloudy till 8h. P.M.; generally overcast afterwards with light showers till 10h. P.M.

Generally cloudy with occasional showers till afternoon; very fine and nearly cloudless after 7h. P.M.

Very fine generally; light showers between 3h. 30m. and 4h. 30m. P.M.

Very fine till 11h. A.M.; overcast with slight exceptions till 7h. P.M.; very fine afterwards and cloudless at night.

Nearly cloudless in morning; very fine and variably cloudy till 4h. 30m. P.M.; overcast afterwards with rain after 5h. P.M.

Generally overcast with frequent rain till 2h. P.M.; very fine afterwards.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 27th July, 1907.*

BOROUGHS,	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	11	6	-	1	-	-	-	-	-
Kensington - - -	181,842	-	13	9	-	-	-	-	6	-	-
Hammersmith - - -	122,337	-	9	8	-	-	-	-	1	-	1
Fulham - - -	166,749	-	8	4	-	1	-	-	2	-	-
Chelsea - - -	74,857	-	2	2	-	-	-	-	2	-	-
City of Westminster - -	172,219	-	5	7	-	1	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	8	3	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	-	1	-	1	-	-	-	-	-
St. Pancras - - -	236,753	-	15	6	-	-	-	-	5	1	-
Islington - - -	347,017	-	23	13	-	2	-	-	6	-	2
Stoke Newington - - -	53,613	-	5	1	-	-	-	-	-	-	-
Hackney - - -	232,993	-	35	6	-	2	-	-	3	-	1
CENTRAL.											
Holborn - - -	55,134	-	5	2	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	10	3	-	1	-	-	6	-	-
City of London - - -	20,310	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	14	3	-	1	-	-	3	-	-
Bethnal Green - - -	130,831	-	38	4	-	1	-	-	3	-	-
Stepney - - -	308,923	-	85	7	-	1	-	-	10	-	-
Poplar - - -	171,086	-	39	6	-	-	-	-	6	-	1
SOUTH.											
Southwark - - -	209,781	-	27	10	-	-	-	-	3	-	-
Bermondsey - - -	128,263	-	26	1	-	2	-	-	3	-	-
Lambeth - - -	318,538	-	24	7	-	-	-	-	6	1	-
Battersea - - -	131,736	-	25	2	-	-	-	-	1	-	2
Wandsworth - - -	231,419	-	37	10	-	-	-	-	4	-	-
Camberwell - - -	277,059	-	38	12	-	-	-	-	7	1	-
Deptford - - -	116,510	-	27	-	-	-	-	-	1	-	-
Greenwich - - -	107,222	-	12	12	-	1	-	-	-	-	-
Lewisham - - -	152,532	-	7	10	-	-	-	-	-	-	-
Woolwich - - -	129,336	-	25	1	-	-	-	-	1	1	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	573	156	-	15	-	-	81	4	7
Ages											
0-1 - - -	-	-	3	2	-	-	-	-	7	-	2
" 1-5 - - -	-	-	179	51	-	-	-	-	3	-	4
" 5- - - -	-	-	240	57	-	2	-	-	6	-	-
" 10- - - -	-	-	91	12	-	3	-	-	5	-	1
" 15- - - -	-	-	28	9	-	4	-	-	3	-	-
" 20- - - -	-	-	13	6	-	3	-	-	5	-	-
" 25- - - -	-	-	17	8	-	2	-	-	8	2	-
" 35- - - -	-	-	2	2	-	1	-	-	13	2	-
" 45- - - -	-	-	-	3	-	-	-	-	16	-	-
" 55- - - -	-	-	-	-	-	-	-	-	8	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	7	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 32. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, AUG. 10. [Price 1½d.

*General Register Office, Somerset House,
August 12th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·4, 11·9, and 11·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 16·8 in Bury, 17·4 in Blackburn, 17·7 in Sunderland, 17·8 in Rochdale, 18·6 in St. Helens, and 21·7 in Stockton on Tees; from *measles*, 1·1 in St. Helens, 1·9 in Blackburn, 2·2 in Walsall, 2·5 in Cardiff, and 3·0 in Stockton on Tees; from *scarlet fever*, 1·5 in West Bromwich; from *diphtheria*, 1·5 in Middlesbrough and 1·7 in Rotherham; from *whooping-cough*, 1·1 in Cardiff, 1·2 in Wigan, and 2·3 in St. Helens; and from *diarrhœa*, 1·3 in Coventry, 1·5 in Warrington, 1·6 in Bootle, 1·7 in St. Helens, and 2·4 in Smethwick. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2055 BIRTHS and 1097 DEATHS were registered. Allowing for increase of population, the births were 318 and the deaths 387 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·8, 12·1, and 11·5 per 1000 in the preceding three weeks, was 12·0 last week. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1000, being 2·8 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1097 deaths included 36 from measles, 16 from scarlet fever, 11 from diphtheria, 24 from whooping-cough, 1 from ill-defined pyrexia, and 24 from diarrhoea, but not one death from small-pox, from enteric fever, or from typhus; thus, 112 deaths were referred to these diseases in the aggregate, being 295 below the corrected average number in the thirty-second week of the preceding five years.

The deaths from *measles*, which had been 46, 40, and 46 in the preceding three weeks, fell to 36 last week, but were 7 above the corrected average; 4 deaths belonged to the Borough of Islington, 4 to Lambeth, and 3 each to Fulham and Wandsworth. The deaths from *scarlet fever*, which had been 15, 19, and 13 in the preceding three weeks, numbered 16 last week, and were 4 above the corrected average; 3 deaths belonged to Stepney and 3 to Greenwich. The deaths from *diphtheria*, which had been 12, 10, and 11 in the preceding three weeks, were 11 last week, and were equal to the corrected average; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 44, 35, and 27 in the preceding three weeks, further fell to 24 last week, but were equal to the corrected average; 3 deaths belonged to Stepney. No death from *enteric fever* was registered last week; the deaths in the preceding three weeks had been 2, 2, and 3. The deaths from *diarrhoea*, which had been 19, 23, and 18 in the preceding three weeks, rose to 24 last week, but were 299 below the corrected average; 4 deaths belonged to Lambeth and 3 to Stepney. Of the 24 deaths from diarrhoea, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. One death was attributed directly to *influenza*; the deaths in the preceding three weeks had been 3, 4, and 6.

Different forms of *violence* caused 63 deaths, concerning all but 1 of which inquests were held. Of these 63 deaths, 14 were cases of suicide and 1 of homicide, while the remaining 48 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 7 to drowning, 4 to burns and scalds, 1 to the effects of anæsthetics administered for surgical purposes and 8, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3660 cases of scarlet fever, 885 of diphtheria, and 49 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 0; of scarlet fever, 466 cases, against 569, 557, and 419; of diphtheria, 108 cases, against 144, 128, and 150; and of enteric fever, 6 cases, against 7, 6, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 3rd, 1907.

GREATER LONDON.

In Greater London 3184 births and 1537 deaths were registered. Allowing for increase of population, these numbers are 470 and 618 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 8 from whooping-cough, 2 from "fever," and 14 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.73 inches, and that of the Thermometer 62°.3, the latter being 0°.1 above the week's average in the 65 years ending 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 38 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 41.9 hours; the measured rainfall amounted to 0.18 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases during the Week ended 10th AUG., 1907.		The DEATHS registered in the Week include												TOWNS.	
		Week ended					11-17.	Deaths of Infants under 1 Year of Age.	Deaths from								Deaths in Public Institutions.	Unrecorded Causes of Death.				
		20th July, 1907.							Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
		20th July, 1907.	27th July, 1907.	3rd Aug., 1907.	10th Aug., 1907.	Week ended 10th Aug., 1907.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	16,024,458	12'4	11'9	11'7	11'8	1'2	7'229	3637	785	1016	-	94	40	40	85	15	104	159	330	1003	33	76 TOWNS.
LONDON -	4,758,218	11'8	12'1	11'5	12'0	1'2	2055	1097+	197	313	-	36	16	11	24	1	24	63	136	482	2	LONDON.
CROYDON -	154,342	10'1	8'4	8'8	10'1	0'3	73	30	7	10	-	1	-	-	-	-	1	-	4	5	-	CROYDON.
WILLESDEN -	149,192	5'9	7'3	8'0	3'8	0'3	70	11	8	-	-	-	-	-	-	-	-	-	1	-	-	WILLESDEN.
HORNSEY -	88,816	8'7	1'2	5'2	5'2	-	26	9	4	-	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.
TOTTENHAM -	122,793	8'5	9'3	11'5	12'3	0'8	74	29	9	9	-	1	-	-	-	-	1	1	2	8	-	TOTTENHAM.
WEST HAM -	308,284	10'7	11'2	10'1	9'6	1'4	139	57	6	13	-	-	-	2	3	2	1	2	3	18	-	WEST HAM.
EAST HAM -	136,421	5'7	5'0	9'2	9'2	0'8	48	24	8	5	-	1	1	-	-	-	-	1	2	3	-	EAST HAM.
LEYTON -	122,040	8'1	6'0	7'3	6'4	1'3	60	15	3	6	-	-	1	-	2	-	-	1	1	3	-	LEYTON.
WALTHAMSTOW -	126,397	9'5	5'8	11'6	5'0	1'2	51	12	1	2	-	-	1	1	-	-	1	1	1	3	-	WALTHAMSTOW.
HASTINGS -	67,477	6'2	11'6	7'7	7'0	0'8	15	9	2	4	-	-	1	-	-	-	-	-	-	1	-	HASTINGS.
BRIGHTON -	128,023	12'1	6'5	12'5	11'3	-	38	23	5	12	-	-	-	-	-	-	-	2	4	7	-	BRIGHTON.
PORTSMOUTH -	208,291	11'5	10'0	10'0	10'5	1'0	109	42	12	12	-	1	-	2	1	-	-	3	4	9	-	PORTSMOUTH.
BOURNEMOUTH -	69,246	13'6	9'8	9'8	8'3	-	26	11	2	6	-	-	-	-	-	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	119,745	10'0	7'8	8'7	7'4	0'9	45	17	4	6	-	-	-	2	-	-	2	2	2	6	-	SOUTHAMPTON.
READING -	80,311	4'5	8'4	5'2	8'4	1'3	25	13	1	5	-	1	-	1	-	-	-	-	-	4	1	READING.
NORTHAMPTON -	95,070	11'0	4'9	10'4	11'0	1'1	41	20	4	3	-	1	-	-	-	-	1	-	-	4	-	NORTHAMPTON.
IPSWICH -	72,825	7'2	15'0	10'7	5'7	-	30	8	1	3	-	-	-	-	-	-	-	-	1	3	-	IPSWICH.
GREAT YARMOUTH -	52,879	10'8	19'7	13'8	15'8	-	29	16	3	5	-	-	-	-	-	-	-	2	2	4	-	GREAT YARMOUTH.
NORWICH -	119,191	10'5	9'6	10'1	10'9	1'3	44	25	6	7	-	-	-	1	-	-	-	2	3	5	-	NORWICH.
PLYMOUTH -	120,063	12'2	14'8	10'0	13'5	-	38	31	4	7	-	-	-	-	-	-	-	2	6	4	-	PLYMOUTH.
DEVONPORT -	79,959	12'4	13'0	9'1	11'1	-	31	17	2	6	-	-	-	-	-	-	-	1	2	1	-	DEVONPORT.
BRISTOL -	367,979	9'8	8'2	8'9	9'4	-	118	63	7	31	-	-	-	-	-	-	-	4	9	17	-	BRISTOL.
HANLEY -	67,174	17'1	19'4	14'7	10'1	0'8	26	13	3	3	-	1	-	-	-	-	-	-	-	2	-	HANLEY.
BURTON-ON-TRENT -	53,425	4'9	10'7	6'8	7'8	-	34	8	1	5	-	-	-	-	-	-	-	-	-	2	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	102,016	16'4	8'7	10'7	10'2	1'5	49	20	3	6	-	2	-	-	-	-	1	1	3	6	-	WOLVERHAMPTON.
WALSALL -	96,171	20'1	17'9	15'7	13'0	2'7	56	24	10	7	-	4	-	1	-	-	1	1	1	2	-	WALSALL.
HANDSWORTH -	65,923	7'9	10'3	8'7	6'3	-	31	8	1	3	-	-	-	-	-	-	-	1	1	-	-	HANDSWORTH.
WEST BROMWICH -	69,123	15'1	15'1	12'8	10'6	2'3	42	14	4	3	-	-	2	-	-	1	-	-	-	2	-	WEST BROMWICH.

* See note † on first page of this return.
† These towns are included within the area of Greater London
‡ Including 1 death from Epidemic Cerebro-spinal fever.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 10th August, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the end of the Year 1907.*	DEATH-RATES from all Causes.				Registered during the week ended 10th Aug., 1907.		The DEATHS registered in the Week include:										TOWNS.				
			Week ended				Deaths of Persons aged under 1 Year under 10 Years and upwards.	Deaths from															
			20th Aug., 1907.	27th Aug., 1907.	3rd Aug., 1907.	10th Aug., 1907.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid Fever.	Diarrhoea.	Violence.								
																Inquests Cases.	Deaths in Public Institutions.	Causes of Death.					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.				17.	18.	19.	20.	21.
BIRMINGHAM -	-	553,155	11.7	11.9	10.6	14.1	1.8	260	150	44	37	-	1	1	5	4	1	7	4	5	41	6	BIRMINGHAM.
KINGS NORTON -	-	75,000	7.6	6.9	9.7	5.5	-	37	8	2	2	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK -	-	68,487	11.8	8.6	9.4	7.8	2.4	39	10	3	1	-	-	-	-	-	-	3	1	1	-	-	SMETHWICK.
ASTON MANOR -	-	83,286	10.6	8.1	11.3	8.1	-	30	13	3	5	-	-	-	-	-	-	-	1	3	2	-	ASTON MANOR.
COVENTRY -	-	77,626	10.1	12.8	14.1	10.1	2.0	34	15	7	3	-	-	-	1	-	-	2	1	2	4	-	COVENTRY.
LEICESTER -	-	236,124	8.8	10.2	10.4	8.6	0.4	85	38	9	13	-	-	1	1	-	-	-	4	8	3	1	LEICESTER.
GRIMSBY -	-	70,574	16.3	14.0	12.6	5.9	0.7	42	8	2	2	-	-	-	-	1	-	-	1	3	2	-	GRIMSBY.
NOTTINGHAM -	-	257,489	13.8	15.4	10.3	12.6	0.4	121	62	15	19	-	1	1	-	-	-	-	5	7	16	-	NOTTINGHAM.
DERBY -	-	125,774	14.5	11.6	9.9	13.3	1.2	56	32	6	12	-	-	-	-	-	1	-	2	8	5	-	DERBY.
STOCKPORT -	-	100,986	14.5	13.9	13.9	12.4	0.5	58	24	5	12	-	1	-	-	-	-	-	-	-	2	-	STOCKPORT.
BIRKENHEAD -	-	118,553	15.8	7.0	13.2	10.1	0.4	58	23	4	5	-	-	-	-	-	-	1	-	-	6	-	BIRKENHEAD.
WALLASEY -	-	66,707	8.6	10.9	12.5	9.4	1.6	28	12	3	4	-	-	-	-	-	1	1	-	-	2	1	WALLASEY.
LIVERPOOL -	-	746,144	17.7	13.9	14.8	13.9	1.7	381	199	57	47	-	6	2	-	5	3	9	10	22	62	4	LIVERPOOL.
BOOTLE -	-	67,114	13.2	17.1	7.8	10.9	2.3	41	14	3	4	-	-	-	-	-	1	2	-	3	5	-	BOOTLE.
ST. HELENS -	-	92,476	14.1	16.9	18.0	18.6	5.1	58	33	11	5	-	2	-	-	4	-	3	2	1	8	-	ST. HELENS.
WIGAN -	-	88,606	11.8	12.4	12.9	12.9	2.9	36	22	10	3	-	1	-	-	2	1	1	-	1	2	-	WIGAN.
WARRINGTON -	-	70,269	12.6	7.4	14.1	12.6	1.5	33	17	4	2	-	-	-	-	2	-	2	-	-	3	1	WARRINGTON.
BOLTON -	-	182,917	15.7	13.1	12.8	12.8	1.4	96	45	8	11	-	-	1	1	1	1	1	1	2	7	-	BOLTON.
BURY -	-	53,901	11.5	13.3	12.4	16.8	1.4	25	19	4	5	-	-	-	-	-	-	-	-	2	7	-	BURY.
MANCHESTER -	-	643,148	15.8	15.2	13.4	14.4	2.4	338	177	45	42	-	5	4	-	10	-	-	6	13	44	1	MANCHESTER.
SALFORD -	-	236,670	16.1	15.0	14.3	13.9	0.4	125	63	11	21	-	-	-	-	-	-	2	-	15	1	1	SALFORD.
OLDHAM -	-	141,730	14.7	14.0	15.8	12.9	0.4	67	35	4	9	-	-	-	-	1	-	-	-	-	5	-	OLDHAM.
ROCHDALE -	-	87,999	17.2	18.4	14.8	17.8	0.6	38	30	7	5	-	-	-	-	1	-	-	1	1	5	1	ROCHDALE.
BURNLEY -	-	103,947	9.5	14.0	11.0	11.0	1.5	47	22	7	7	-	-	1	-	1	-	1	-	1	3	-	BURNLEY.
BLACKBURN -	-	134,980	16.2	12.4	11.6	17.4	2.7	69	45	10	12	-	-	5	1	1	-	-	-	1	11	1	BLACKBURN.
PRESTON -	-	117,093	12.5	16.0	16.0	13.8	0.9	60	31	2	8	-	-	1	-	-	-	1	-	-	2	2	PRESTON.
BARROW-IN-FURNESS.	-	61,635	14.4	8.5	14.4	8.5	-	40	10	2	4	-	-	-	-	-	-	-	-	-	-	1	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	Causes.				Deaths during the week ended 10th Aug., 1907.		Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths in Public Institutions.		Causes of Death.		TOWN.
		Week ended				11-17.		under 1 Year of Age.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Violence.	Inquest Cases.	20.	21.					
		20th July, 1907.	27th July, 1907.	3rd Aug., 1907.	10th Aug., 1907.	Week ended 11-17.	8.	9.	10.											11.	12.			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colo.	
HUDDESFIELD	-	84,814	7.7	14.3	11.0	9.9	-	40	18	1	6	-	-	-	-	-	-	-	1	2	1	-	HUDDESFIELD.	
HALIFAX	-	110,198	11.4	11.4	11.4	9.0	0.5	31	19	2	7	-	-	-	-	1	-	-	1	4	1	1	HALIFAX.	
BRADFORD	-	290,323	10.1	11.7	9.2	13.5	1.1	83	75	10	32	-	3	-	1	2	-	5	7	14	3	BRADFORD.		
LEEDS	-	470,268	11.9	12.9	13.0	11.0	1.9	153	89	19	29	-	1	3	1	7	-	5	3	8	16	-	LEEDS.	
SHEFFIELD	-	455,553	12.7	10.1	12.8	13.7	1.0	244	120	33	23	-	-	1	-	-	-	8	6	12	26	2	SHEFFIELD.	
ROTHERHAM	-	62,412	11.7	8.4	8.4	15.9	1.7	31	19	4	4	-	-	-	2	-	-	-	1	5	-	-	ROTHERHAM.	
YORK	-	84,730	6.8	12.9	4.9	11.1	0.6	45	18	6	5	-	-	-	-	1	-	-	1	2	1	-	YORK.	
HULL	-	266,762	14.9	12.7	12.5	11.9	1.0	128	61	9	19	-	-	-	1	2	-	2	5	10	8	-	HULL.	
MIDDLESBROUGH	-	101,783	21.0	13.3	13.3	11.8	1.5	55	23	8	5	-	-	-	3	-	-	-	-	-	3	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	-	52,909	14.8	11.8	10.8	21.7	3.9	36	22	4	7	-	3	-	-	1	-	-	-	1	4	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	-	75,473	13.8	6.2	11.7	10.4	1.4	39	15	6	3	-	-	-	-	1	-	1	-	-	1	-	WEST HARTLEPOOL.	
SUNDERLAND	-	156,029	14.7	17.0	19.4	17.7	2.0	106	53	10	16	-	1	1	1	-	-	3	3	5	11	2	SUNDERLAND.	
SOUTH SHIELDS	-	112,460	15.2	12.9	11.0	11.0	-	55	24	4	9	-	-	-	-	-	-	-	1	1	7	1	SOUTH SHIELDS.	
GATEHEAD	-	125,783	15.8	12.0	12.9	9.9	1.7	58	24	5	2	-	1	-	-	1	-	2	1	1	-	-	GATEHEAD.	
NEWCASTLE-ON-TYNE.	-	272,969	15.3	12.2	14.5	12.0	1.0	130	63	16	16	-	1	1	-	2	1	-	-	3	19	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH	-	54,688	7.6	15.3	6.7	15.3	1.0	29	16	2	5	-	-	-	-	1	-	-	-	-	2	-	TYNEMOUTH.	
NEWPORT (MON.).	-	75,585	9.0	10.3	6.9	11.7	0.7	32	17	5	6	-	-	-	-	-	-	1	2	3	1	1	NEWPORT (MON.).	
CARDIFF.	-	187,620	12.2	15.3	15.3	13.1	3.9	75	47	14	9	-	9	-	-	4	-	1	1	1	8	-	CARDIFF.	
RHONDDA	-	130,400	13.2	11.6	11.6	11.2	0.8	63	28	11	6	-	1	-	-	-	-	1	-	-	-	-	RHONDDA.	
MERTHYR TYDFIL	-	76,085	18.5	14.4	12.3	13.0	3.7	36	19	7	5	-	-	1	1	1	1	-	-	-	5	-	MERTHYR TYDFIL.	
SWANSEA.	-	97,324	12.3	11.8	10.7	13.4	0.5	54	25	6	6	-	-	-	-	-	-	1	1	3	3	-	SWANSEA.	
GREATER LONDON.	-	7,217,941	10.9	10.9	10.9	11.1	1.2	3184	1537	289	441	-	45	20	16	37	5	42	79	168	570	2	GREATER LONDON.	
OUTER RING	-	2,459,723	9.2	8.7	9.7	9.3	1.1	1129	440	32	123	-	9	4	5	13	4	18	16	30	88	-	OUTER RING.	
8 TOWNS IN OUTER RING	-	1,202,285	8.7	7.6	9.2	8.1	0.9	541	187	43	49	-	3	3	3	5	2	4	6	14	41	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	1,250,438	9.8	9.7	10.2	10.6	1.4	588	253	49	79	-	6	1	2	8	2	14	10	16	47	-	REMAINDER OF OUTER RING.	
EDINBURGH	-	345,747	14.8	15.8	11.2	13.9	1.4	151	92†	13	35	-	2	-	-	6	-	1	4	†	31	2	EDINBURGH.	
GLASGOW	-	847,584	16.1	14.5	12.8	14.4	2.0	426	234†	44	45	-	4	-	1	15	2	10	14	†	73	3	GLASGOW.	
DUBLIN (Registration Area).†	-	380,681	21.5	21.2	18.0	15.7	1.7	170	118	31	27	-	5	-	1	1	1	5	2	3	42	8	DUBLIN (Registration Area).†	
BELFAST.†	-	370,163	13.2	16.5	16.2	14.6	1.0	216	104†	20	22	-	-	-	1	-	-	2	4	5	22	-	BELFAST.†	

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. ‡ Including 1 death from Epidemic Cerebro-spinal fever in Greater London and 2 cases from Epidemic Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 4 in Glasgow, and 3 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2728	2807	2214	2332	2322	1929	2563	2730	2215	2155	2372.6	2055
Males -	1385	1391	1139	1188	1240	940	1329	1369	1124	1149	1209.7	1045
Females -	1343	1416	1075	1144	1082	989	1234	1361	1091	1006	1162.7	1010
TOTAL Deaths -	2246	1772	2068	1804	1636	1176	1255	1912	1555	1352	1483.9	1097
Males -	1187	932	1130	1015	882	607	650	992	834	767	788.0	579
Females -	1059	840	938	789	754	569	605	920	721	585	695.9	518

* The numbers in this column are the average weekly numbers in the thirty-second week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 18.	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	13 Weeks.
TOTAL Births -	2499	2258	2464	2474	2356	2506	2251	2309	2292	2266	2273	2500	2055	30503
TOTAL Deaths -	1383	1316	1190	1209	1172	1163	1138	1089	1115	1077	1101	1052	1097	15102
Under 1 year -	274	251	203	224	218	222	225	215	199	179	182	218	197	2805
1-5 years -	192	180	164	170	174	159	162	129	137	150	133	125	152	2007
5-20 " -	69	90	73	68	70	48	70	57	74	64	67	66	64	870
20-40 " -	181	152	137	143	122	138	144	139	154	125	140	122	140	1656
40-60 " -	274	274	240	261	241	262	238	239	236	245	258	199	222	3189
60 yrs. & upwds	383	389	373	343	347	334	299	310	315	314	331	324	313	4375
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	51	53	52	61	56	48	66	41	46	46	40	46	36	642
Scarlet Fever -	12	13	13	11	13	10	13	13	11	15	19	13	16	172
Diphtheria -	11	12	14	10	8	10	13	8	8	12	10	11	11	138
Whooping-cough -	59	36	30	46	53	36	45	32	29	44	35	27	24	496
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	3	-	2	2	1	2	1	1	2	2	3	-	20
Pyæmia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	1	2
Diarrhoea, Dysentery	21	14	20	14	19	13	15	8	8	10	23	18	24	216
All above Diseases -	155	131	129	145	151	118	154	103	103	138	129	118	112	1688
Dis. of Resp. System	86	93	81	74	60	63	58	51	53	51	45	58	50	823
Pneumonia -	149	137	111	112	89	93	98	97	86	75	91	79	89	1306
Phthisis -	147	139	120	136	118	107	109	102	115	98	108	84	96	1477
Dis. of Circ. System -	185	180	170	188	152	160	161	170	164	143	184	133	157	2122
Violence -	69	49	51	36	48	56	69	51	60	46	63	50	63	711
Inquest Cases -	173	117	118	100	113	118	129	100	123	93	140	104	138	1563
Deaths in Institutions	565	494	490	492	490	499	460	451	477	451	474	476	482	6301
TEMPERATURE OF THE AIR.														
Mean -	53.2	50.6	53.4	54.7	58.7	56.7	56.4	54.7	56.3	62.7	59.5	59.7	62.3	56.8
Mean of Highest -	62.1	62.2	62.8	63.6	68.0	67.4	66.1	64.3	68.1	75.4	70.2	71.1	73.6	67.3
Mean of Lowest -	47.0	41.1	47.1	48.7	50.8	48.3	49.3	46.8	47.4	52.9	51.3	51.0	54.7	49.0
Mean Humidity of the Air.	72	78	83	75	75	65	77	73	71	72	78	74	73	74
Rain-fall (in inches) -	0.35	0.35	0.67	0.42	0.41	0.01	1.30	0.16	0.22	0.00	0.51	0.40	0.18	4.98
Registered Sunshine (in hours)	30.5	28.2	15.3	25.1	48.5	62.6	24.8	44.7	36.6	57.7	24.7	43.7	41.9	493.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	-	-	2824	2862	2936	2985	3022	3193	3276	3386	3586	3626	3660	3136
Scarlet Fever -	2679	2732	935	917	944	890	807	809	868	880	872	914	885	890
Diphtheria -	921	927	-	-	-	-	-	-	-	-	-	-	-	-
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	53	52	47	45	50	54	57	60	62	57	51	50	49	54

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.I.N.C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SECOND Week of the Year 1907.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 32nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 32nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages									
		ALL AGES.								ALL AGES.									
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				
ALL CAUSES	1483·9	1097	197	152	64	149	222	313	Meningitis (not tuberc.)	16·0	11	4	4	2	1	-	-	-	-
									Gen. Par. of Insane,	11·1	9	-	-	-	1	4	-	-	-
									Insanity	-	-	-	-	-	-	-	-	-	-
									Epilepsy	5·5	6	-	-	-	2	1	-	-	-
									Convulsions	22·7	11	11	-	-	-	-	-	-	-
Small-pox*	1·0	-	-	-	-	-	-	-	Locomotor Ataxy	1	-	-	-	-	-	-	-	-	-
Cow-pox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	4·5	7	-	-	1	2	1	-	-	-
Measles (Morbilli)	28·5	36	9	26	1	-	-	-	Nervous Sys., Other Dis.	14·7	19	1	-	-	4	6	-	-	-
Scarlet Fever	12·3	16	1	9	6	-	-	-	Valv. Dis., Endocarditis	33·4	40	-	2	3	4	15	-	-	-
Dysentery	-	-	-	-	-	-	-	-	Cereb. Hæm. Cereb. Emb.	26·2	33	-	-	-	2	13	-	-	-
Whooping-cough	23·5	24	9	15	-	-	-	-	Apoplexy, Hemiplegia	11·3	18	-	-	-	-	4	-	-	-
Influenza	2·3	1	-	-	-	-	1	-	Aneurysm	3·1	4	-	-	-	1	3	-	-	-
Diphtheria	11·1	11	1	8	2	-	-	-	Embolism, Thrombosis (not Cerebral)	0·6	1	-	-	-	-	1	-	-	-
Cerebro-spinal Fever	-	-	1	-	-	-	-	-	Heart & Blood Vess., Other Dis.	65·3	61	-	-	4	8	10	-	-	-
Pyæmia,† (Origin uncertain)	0·2	1	-	-	1	-	-	-	Croup (not Spasm: nor Memb.)	0·4	1	-	1	-	-	-	-	-	-
Enteric Fever	7·0	-	-	-	-	-	-	-	Bronchitis	40·1	39	9	5	-	1	3	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Emphysema, Asthma	0·6	1	-	-	-	-	-	-	-	-
Epidemic Diarrhoea, Ineffective Enteritis	205·9	13	7	3	-	-	-	3	Pleurisy	2·7	2	-	1	-	1	-	-	-	-
Diarrhoea, Dysentery	117·3	11	6	-	-	2	1	2	Respiratory Dis., Other	9·6	7	-	2	-	1	1	-	-	-
Tetanus	1·0	1	-	-	-	-	1	-	Tonsillitis, Quinsy	1·0	-	-	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	23·2	13	7	-	-	1	2	-	-	-
Handers	-	-	-	-	-	-	-	-	Gastro-enteritis	25·6	7	5	1	-	-	-	-	-	-
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2·7	1	-	-	-	-	1	-	-	-
Veneral Dis.	8·0	4	1	-	-	2	1	-	Cirrhosis of Liver	16·0	10	-	-	-	-	1	6	-	-
Puerperal Septicæmia	2·7	3	-	-	-	3	-	-	Liver Dis., Other	5·7	8	-	-	-	-	5	3	-	-
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	42·8	33	5	2	1	5	9	-	-	-
Puerperal Fever	0·6	-	-	-	-	-	-	-	Acute Nephritis	5·7	5	-	-	1	-	3	-	-	-
Infective Endocarditis	2·5	2	-	-	-	2	-	-	Bright's Dis., Albuminuria	20·9	34	-	1	1	6	11	-	-	-
Lobar	6·3	13	-	-	1	4	5	3	Urinary Sys., Other Dis.	10·6	9	-	1	-	-	3	-	-	-
Pneumonia	30·7	42	18	20	-	-	-	4	Generative Organs Dis.	3·5	4	-	-	-	2	2	-	-	-
Broncho-	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	3·5	5	-	-	-	4	1	-	-	-
Epidemic	-	-	-	-	-	-	-	-	Old Age	35·2	44	-	-	-	-	-	-	-	-
Not defined	31·9	34	5	7	2	2	10	8	Other Diseases	91·8	66	45	8	3	4	3	-	-	-
Erysipelas	3·9	2	1	-	-	-	1	-	ACCIDENT.	-	-	-	-	-	-	-	-	-	-
Septicæmia (not Puerperal)	1·0	2	-	-	-	1	1	-	By Railways	0·8	2	-	-	-	1	1	-	-	-
Pyæmia (not Puerperal)	0·4	2	1	-	-	-	1	-	By Vehicles and Horses	8·0	10	-	1	3	2	2	-	-	-
Other Infective Processes	7·4	7	1	1	-	2	1	2	In Ships, Boats, Docks, (exclusive of Drowning)	0·6	-	-	-	-	-	-	-	-	-
Tuberculous Phthisis	62·4	63	-	2	5	29	21	6	In Building Operations	1·0	1	-	-	-	-	1	-	-	-
"Phthisis"	55·5	33	-	-	3	19	10	1	In Conflagrations	0·2	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis	20·9	30	3	16	10	1	-	-	By Burns, Scalds, Explosions	2·9	4	-	2	-	1	-	-	-	-
Tuberculous Peritonitis	13·3	11	2	4	2	2	1	-	By Drowning	8·2	7	-	-	-	2	3	1	-	-
Tuberculous Dis., Other	15·6	21	2	5	5	3	4	2	By Suffocation in Bed	7·6	8	8	-	-	-	-	-	-	-
Scrofula	0·2	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1·3	1	-	-	-	1	-	-	-	-
Alcoholism	11·5	14	-	-	-	6	8	-	Other Deaths by Accident	21·3	15	1	4	2	-	4	-	-	-
Rheumatic Fever	4·1	6	-	-	1	3	1	1	VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-	-	-	-	-
Gout	0·8	2	-	-	-	-	2	-	Homicide	1·9	1	1	-	-	-	-	-	-	-
Carcinoma	55·9	46	-	-	-	2	19	25	Suicide	10·6	14	-	-	-	1	5	-	-	-
Sarcoma	5·7	5	-	1	-	-	3	1	Execution	0·2	-	-	-	-	-	-	-	-	-
Cancer (undefined)	33·2	31	-	-	-	2	4	25											
Diabetes Mellitus	7·8	4	-	-	1	1	2	-											
Premature Birth	51·0	32	32	-	-	-	-	-											

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 10th August, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia of Origin uncertain.	Diarrhoea.	Violence.			
LONDON - - -	4,536,429	2055	1097	197	313	-	36	16	11	24	-	-	1	24	63	136	482	
WEST DISTRICTS - - -	805,311	285	175	30	51	-	8	-	1	2	-	-	-	5	14	18	74	
NORTH DISTRICTS - - -	1,056,070	423	227	36	62	-	8	3	2	4	-	-	-	3	17	33	107	
CENTRAL DISTRICTS - - -	209,465	88	53	8	10	-	1	-	1	-	-	-	-	-	7	15	34	
EAST DISTRICTS - - -	715,739	895	189	34	39	-	4	1	1	8	-	-	1	5	13	37	90	
SOUTH DISTRICTS - - -	1,749,844	864	420	88	137	-	15	11	5	9	-	-	-	9	12	33	150	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	33	1	14	-	-	1	1	1	-	-	-	2	-	-	35	
WEST DISTRICTS.																		
St. Mary Paddington W,3H - -	93,178	37	14	3	4	-	-	-	-	-	-	-	-	-	1	1	-	
St. John Paddington H - - -	33,617	4	9	-	3	-	1	-	-	-	-	-	-	-	1	1	-	
North-West Paddington - - -	17,181	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -	128,037	51	44	8	13	-	2	-	-	-	-	-	-	2	4	6	27	
Brompton 2H - - -	48,591	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith 2W,w,H - -	49,192	26	10	3	3	-	-	-	-	-	-	-	-	1	-	-	-	
South Hammersmith w,2H - -	63,047	26	14	1	6	-	-	-	-	-	-	-	-	1	1	1	-	
North-west Fulham W - - -	45,180	26	6	3	1	-	-	-	-	1	-	-	-	1	-	1	-	
North-east Fulham F - - -	46,405	22	12	3	4	-	2	-	1	-	-	-	-	-	-	-	-	
South Fulham W - - -	45,704	17	7	2	1	-	-	-	-	-	-	-	-	1	1	1	-	
Chelsea North W,w,3H - - -	42,514	11	12	-	4	-	1	-	-	-	-	-	-	-	-	-	8	
Chelsea South W,2H - - -	31,328	5	5	1	3	-	-	-	-	-	-	-	-	-	1	1	1	
Mayfair and Knightsbridge - -	28,743	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Belgrave W,2H - - -	55,815	11	24	2	5	-	-	-	-	1	-	-	-	-	5	4	14	
St. Margaret & St. John 5H - -	43,698	17	6	1	-	-	1	-	-	-	-	-	-	-	-	1	3	
St. James and St. Anne W,6H - -	33,081	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	1	18	2	2	-	-	-	1	1	-	-	-	1	-	-	12	
St. Mary Marylebone W,4H - -	37,948	39	9	2	4	-	-	-	-	-	-	-	-	-	-	1	4	
Christchurch Marylebone - - -	39,536	7	6	3	1	-	-	-	-	1	-	-	-	-	1	2	-	
St. John Marylebone 2H - - -	20,426	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Hampstead W,F,7H - - -	81,942	24	13	2	6	-	1	2	-	-	-	-	-	-	1	1	5	
West St. Pancras 2H - - -	80,562	25	11	2	2	-	-	-	-	-	-	-	-	-	1	2	2	
South St. Pancras w,11H - - -	55,707	19	19	3	5	-	-	-	-	-	-	-	-	-	1	1	15	
East St. Pancras W,2H - - -	80,320	36	18	4	6	-	1	-	-	1	-	-	-	2	5	8	-	
North St. Pancras 2W - - -	58,728	26	13	1	5	-	-	-	-	-	-	-	-	-	1	7	-	
Tufnell W - - -	31,995	18	12	2	4	-	-	-	-	-	-	-	-	-	1	1	8	
Upper Holloway 2W,u H - - -	33,978	19	24	2	9	-	-	-	-	-	-	-	-	-	4	5	18	
Tollington W,w,H - - -	33,922	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	12	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -	54,478	23	11	4	-	-	1	-	-	1	-	-	-	-	-	1	-	
Islington South-east F - - -	76,397	25	10	1	2	-	2	-	-	-	-	-	-	-	-	1	-	
Highbury 2H - - -	63,797	26	5	2	-	-	-	-	-	-	-	-	-	1	1	1	-	
Stoke Newington H - - -	51,247	18	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - -	50,560	17	8	1	5	-	-	-	-	-	-	-	-	-	1	3	-	
Central Hackney 2w,F - - -	50,536	16	5	-	1	-	-	-	1	1	-	-	-	-	-	1	2	
South-west Hackney 3H - - -	59,921	25	12	1	3	-	-	-	-	-	-	-	-	-	3	3	7	
South-east Hackney 2W,w,H - -	58,255	25	15	4	6	-	2	-	-	-	-	-	-	-	1	4	11	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1900.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th August, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															
			Total DEATHS.	Deaths of		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2W,2H -	31,436	27	4	1	1	-	-	-	-	-	-	-	-	-	1	3	1	-
and W,4H - - - - -	21,874	4	7	-	2	-	-	-	-	-	-	-	-	-	-	1	6	-
and Union Workhouse, Edmonton -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
born W,6H - - - - -	29,612	5	14	5	-	-	1	-	-	-	-	-	-	-	1	1	12	-
th Clerkenwell - - - - -	28,876	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th Clerkenwell H - - - - -	35,028	15	4	1	3	-	-	-	-	-	-	-	-	-	-	3	-	-
sbury 3H,L - - - - -	36,116	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, } Mcham - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Botolph H - - - - -	10,299	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows W,2H	16,624	3	14	1	-	-	-	-	1	-	-	-	-	-	5	6	10	-
of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
EAST DISTRICTS.																		
reditch South H - - - - -	46,362	19	7	3	1	-	2	-	-	-	1	-	-	-	-	3	1	-
reditch North-West W,w,H -	36,127	19	25	2	7	-	-	-	-	-	-	-	-	1	-	3	19	-
reditch North-East - - - - -	34,148	23	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
reditch Union Workhouse, Wood } reen - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anal Green North-East 2W } L - - - - -	65,138	21	25	1	7	-	1	-	-	-	1	-	-	-	1	1	17	-
anal Green South-West H - - - - -	61,542	30	9	2	-	-	-	-	-	-	-	-	-	1	2	7	-	-
allfields - - - - -	27,969	25	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town W,H - - - - -	28,718	27	30	3	4	-	-	-	1	-	-	-	-	1	2	3	28	-
Iman's Fields - - - - -	22,081	9	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
George and St. John 2W - - - - -	49,068	45	13	5	2	-	-	-	-	-	-	-	-	1	-	2	4	-
Well and Ratcliff W,H - - - - -	25,568	10	16	3	-	-	-	1	-	-	4	-	-	-	4	5	11	-
house W - - - - -	32,369	20	8	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-
End Old Town South- } Eastern H - - - - -	63,698	41	8	1	3	-	-	-	-	1	-	-	-	1	-	2	-	-
End Old Town North- } Eastern W,w - - - - -	49,129	21	6	1	2	-	-	-	-	-	-	-	-	-	1	2	1	-
L - - - - -	41,939	27	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
ley 3w,H - - - - -	68,319	26	16	1	5	-	-	-	-	-	1	-	-	-	1	4	7	-
r W,w - - - - -	58,514	29	12	4	4	-	-	-	-	-	-	-	-	-	1	2	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th August, 1907.—*contd. med.*

REGISTRATION SUB-DISTRICTS			The DEATHS registered during the Week include															
Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from										In- quest Cases.	Deaths in Public Institutions.		
			Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																		
Christchurch and St. Saviour	23,319	12	19	5	1	-	1	-	-	-	-	-	-	-	1	1	2	14
Southwark W,2H	21,904	17	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Kent-road	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr West	39,094	9	9	4	1	-	1	-	-	1	-	-	-	-	-	1	1	4
W,2H,L	49,022	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Newington North	72,841	34	15	5	6	-	-	-	-	1	-	-	-	-	1	-	-	-
Newington South W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W	9,817	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey W	82,483	30	15	6	4	-	-	-	-	-	-	-	-	-	-	-	3	-
Rotherhithe W,F	38,460	24	14	3	3	-	-	-	-	-	-	-	-	-	-	-	-	9
Waterloo 2H	27,440	27	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church H	27,440	7	20	2	6	-	3	-	1	-	1	-	-	-	-	4	1	13
Kennington 2W	52,518	27	30	6	12	-	1	-	-	-	-	-	-	-	-	-	1	18
Stockwell HF	63,826	39	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Brixton H	73,673	24	7	1	1	-	1	-	-	1	-	-	-	-	-	-	-	1
Norwood WH	56,998	12	13	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H	72,203	65	8	1	2	-	-	-	-	1	-	-	-	-	-	1	1	1
North-west Battersea	49,856	34	9	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H	47,048	19	19	3	6	-	2	-	-	1	-	-	-	-	-	-	-	15
Clapham 2H	51,381	20	14	4	4	-	1	-	-	-	-	-	-	-	1	1	2	10
Streatham W,2w,F,3L	88,019	49	32	6	12	-	1	3	2	-	-	-	-	-	-	-	-	-
Springfield 2W,L	27,959	23	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H	40,444	13	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney	24,139	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich	13,359	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w	40,206	12	25	2	17	-	-	-	-	-	-	-	-	-	-	-	1	20
Camberwell North W,2L	65,584	25	17	4	5	-	1	-	-	-	-	-	-	-	-	1	-	11
St. George	47,331	31	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North	48,913	29	9	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Peckham South 2W,w	43,946	26	5	1	1	-	1	-	-	-	-	-	-	-	-	1	1	2
Deptford North	37,813	26	8	5	1	-	1	-	-	1	-	-	-	-	-	-	2	-
Deptford Central F	45,481	27	9	2	-	-	-	2	1	-	-	-	-	-	-	-	-	3
Deptford South	34,826	15	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H	23,456	12	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich East 2W,H	43,859	20	21	2	9	-	-	-	-	1	-	-	-	-	-	1	2	14
Eltham w,H	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w,H	25,490	7	8	1	2	-	-	-	-	-	-	-	-	-	-	1	1	1
Lewisham W,w,F	58,352	39	12	1	3	-	-	2	-	-	-	-	-	-	-	-	2	6
Sydenham H	43,653	14	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H	21,134	8	5	-	-	-	-	-	4	1	-	-	-	-	-	-	-	5
Woolwich 5H	41,625	20	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Plumstead West W	18,063	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H	50,264	26	7	1	2	-	-	-	-	-	-	-	-	-	-	1	2	1
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	-	-	3	1	-	-	-	-	1	1	1	-	-	-	-	-	-	3
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belmont	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	4
Caterham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Darenth	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Banstead	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3
Ewell (Epileptic Colony)	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	5
Horton	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Manor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5
Cane Hill	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Dartford Heath	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2
Claybury	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2

TABLE 3. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th August, 1907.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 6 Years and upwards	Small-pox.	Malaria.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		368,302	2,044,973	1129	440	92	128	-	9	4	5	13	4	18	16	30	88	-	
0:1	Carshalton 2F3H	12,228	32,997	21	9	2	5	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W, w2F, H-	10,423	15,548	3	5	3	-	-	-	-	1	-	-	2	-	-	8	-	
7:1	Godstone, part of* W, F, L-	2,754	2,892	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8:1	Owlesdon -	11,069	8,166	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	22	12	1	6	-	1	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W, F, H	2,168	42,888	31	10	2	3	-	1	-	-	-	-	-	-	-	4	-	
4	North Croydon H	2,644	41,698	20	9	4	1	-	-	-	-	-	-	1	-	-	2	-	
5	Penge w	770	22,465	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham -	11,711	30,016	24	9	2	4	-	-	-	-	-	-	3	1	2	-	-	
9:1	Wimbledon F3H	3,221	41,852	22	9	4	1	-	1	-	-	-	-	-	-	-	1	-	
2	Kingston 2W, H	6,224	42,068	21	14	3	5	-	-	-	-	-	1	-	-	-	-	-	
3	Surbiton F, H	3,046	15,017	6	4	-	3	-	-	-	-	-	-	-	-	-	6	-	
4	Esher, part of* H	5,402	13,100	3	4	1	1	-	-	-	-	-	-	-	1	1	-	-	
5	Hampton H, F, L-	4,584	23,456	6	6	1	3	-	-	-	-	-	-	-	1	1	1	-	
0:1	Richmond W, H	2,192	28,865	12	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,847	20,628	16	5	2	1	-	-	-	-	-	-	1	1	1	-	-	
1:1	Bromley F2H	4,703	27,354	20	3	-	2	-	-	-	-	1	-	-	-	-	1	-	
2	Beckenham H	7,825	28,497	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington, part of* W, F	10,113	9,857	2	5	-	3	-	-	-	-	-	-	-	-	1	3	-	
4	Chislehurst 2H	7,383	16,446	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	
1:1	Bexley w, F, H	8,878	21,151	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F, H	3,854	25,296	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W, F, part of*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
1:1	Sunbury w	11,054	18,683	11	5	1	2	-	-	-	-	-	-	-	1	1	-	-	
2	Staines W, H	13,277	15,178	4	4	-	-	-	-	-	-	1	-	-	-	-	-	-	
1:1	Hillingdon W, F, H	6,035	13,661	12	3	-	2	-	-	-	-	1	-	-	-	-	1	-	
2	Uxbridge H	12,757	8,984	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w2 F, H	8,066	16,358	20	5	2	2	-	-	-	-	-	-	1	-	-	-	-	
1:1	Isleworth 3W3F, H	6,859	30,865	22	17	4	7	-	-	1	-	1	-	2	-	-	6	-	
2	Twickenham F2H	2,421	20,991	13	9	3	3	-	-	-	-	-	-	-	-	-	1	-	
3	Brentford 3F2H	4,319	48,289	32	6	2	2	-	-	-	-	-	1	1	-	-	2	-	
4	Chiswick H	1,249	29,809	12	8	5	-	-	-	-	-	1	-	-	-	-	-	-	
5	Acton w, F, 3H	6,132	48,914	31	9	1	1	-	-	-	-	1	-	-	-	-	-	-	
1:1	Harrow F, H	13,809	25,523	18	6	1	1	-	-	-	-	-	-	-	1	2	-	-	
2	Edgware 2F2H	6,994	4,521	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W, F2H	4,384	114,811	70	11	8	-	-	-	-	-	-	-	1	-	-	1	-	
4	Hendon W, F	8,382	22,450	15	4	1	-	-	-	-	-	-	-	-	1	1	-	-	
1:1	South Mimms 2F, H	17,755	7,308	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W2H	3,324	17,970	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F2H	4,888	33,692	15	7	-	1	-	-	-	-	-	-	-	-	1	-	-	
1:1	Hornsey F, H	2,875	72,056	26	9	1	4	-	-	-	-	-	-	-	-	1	-	-	
2	Wood Green H	1,825	34,233	23	8	-	2	-	1	-	-	-	-	-	-	-	1	-	
3	West Tottenham	996	48,853	34	12	6	2	-	1	-	-	-	-	-	-	-	-	-	
4	East Tottenham 2H	2,017	53,888	40	16	3	4	-	-	-	-	-	-	1	1	1	7	-	
5	Edmonton W, w2F	7,491	61,892	46	25	3	9	-	2	-	-	1	-	2	2	5	7	-	
6	Enfield 2W, F, H	12,601	42,738	21	9	3	3	-	-	-	-	1	-	1	1	1	3	-	
7	Waltham Abbey F	11,017	6,549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F, H	8,479	12,292	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
1:1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1:1	Bushey H	9,333	9,173	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1:1	Stratford H	-	52,974	20	8	-	1	-	-	-	-	1	-	-	1	1	-	-	
2	Forest Gate	1,878	52,745	20	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F2H	1,249	90,921	47	18	1	3	-	-	-	2	1	2	1	-	1	4	-	
4	Canning Town H	1,556	70,718	52	12	4	3	-	-	-	-	1	-	-	1	1	-	-	
5	South East Ham 2P	1,993	37,342	23	9	3	2	-	1	1	-	-	-	-	-	-	1	-	
6	North East Ham wH	1,333	58,876	25	14	5	3	-	-	-	-	-	-	-	-	1	2	1	
7	Wanstead F	1,879	9,179	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	26	12	3	4	-	-	-	-	2	-	1	-	-	5	-	
9	North Leyton 2W, w, F	1,963	48,445	34	15	1	4	-	-	1	-	-	-	-	-	1	10	-	
10	Walthamstow 2H, L	6,504	108,929	58	10	1	3	-	-	1	-	1	-	-	1	1	-	-	
1:1	Chigwell 2F, 3H	11,778	16,397	-	5	-	3	-	-	1	-	-	-	-	-	-	2	-	
2	Epping W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1:1	Romford, part of* W, 2F	6,556	6,091	8	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
2	Ilford F, L	8,493	41,234	32	15	1	2	-	-	-	-	-	-	-	-	-	3	-	
3	Barking Town F	3,803	21,547	17	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
Middlesex County Asylum, Wandsworth.		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
City of London Asylum, St. George's.		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Essex County Lunatic Asylum, Brentwood.		-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2 in the Croydon Mental Hospital in 37: 1 are also included.

The boundaries of these sub-districts were altered on 1st July

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,758,218	August 10	2055	1097	12'0	-	36	16	12	24	1	2
CALCUTTA - -	955,926	July 13	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	982,000	" 23	327	513	27'3	-	-	-	-	-	54†	7
MADRAS - -	548,974	" 12	393	361	36'8	-	3	-	-	-	85	5
PARIS - -	2,722,731	August 3	960	826	15'7	1	16	11	2	7	8	5
BRUSSELS - -	623,202	" 3	223	125	10'4	-	1	1	-	2	2	1
ANTWERP - -	304,032	" 3	131	72	12'3	-	1	-	-	3	-	-
AMSTERDAM -	564,342	July 27	287	122	11'3	-	2	-	-	2	1	1
COPENHAGEN -	433,000	August 3	268	87	10'5	-	1	-	-	-	-	-
STOCKHOLM -	332,738	July 27	131	64	10'0	-	2	1	-	1	-	-
CHRISTIANIA -	226,774	August 3	115	45	10'3	-	-	-	3	-	-	-
ST. PETERSBURG	1,482,769	July 20	573	772	27'1	-	27	12	12	6	24	23
MOSCOW - -	1,296,000	" 20	-	1134	45'6	-	12	2	7	5	3	6
BERLIN - -	2,089,980	" 20	978	570	14'2	-	21	2	9	8	-	-
HAMBURG - -	840,780	August 3	-	171	10'8	-	-	-	-	2	1	1
BRESLAU - -	485,278	July 27	-	181	19'4	-	-	-	-	4	1	-
MUNICH - -	548,000	August 3	-	-	-	-	-	-	-	-	-	-
VIENNA - -	1,979,003	" 3	896	548	14'4	-	5	3	2	1	4	-
PRAGUE - -	470,906	July 27	172	159	17'5	-	-	-	-	3	2	-
BUDA-PESTH -	802,235	" 27	411	283	18'3	-	2	11	-	-	-	-
TRIESTE - -	200,962	August 3	125	82	21'2	-	-	-	-	4	-	-
ROME - -	542,760	May 25	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,398	July 27	83	61	18'2	-	1	-	-	-	1	-
BUCHAREST -	292,395	August 3	150	137	24'4	-	2	-	1	2	-	-
NEW YORK - -	4,285,435	July 20	2213	1555	18'9	-	24	14	29	6	9	3
CHICAGO - -	2,107,620	" 27	-	548	13'6	-	4	11	3	4	7	-
PHILADELPHIA -	1,500,595	" 13	-	468	16'2	-	1	1	3	4	6	-
		" 20	-	499	17'2	-	-	2	3	4	9	-
RIO DE JANEIRO	628,275	" 14	-	293	24'3	3	-	-	2	-	1	-

* Excluding deaths from croup in the Indian Cities.

† Including 11 deaths from plague in Bombay.

‡ Including 3 deaths from cholera in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th August, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	79'0	49'9	64'1	0'18	LEEDS - - -	74'0	52'0	61'5	0'28
BRIGHTON - -	69'8	53'6	61'5	0'15	YORK - - -	73'0	48'0	60'4	0'18
PORTSMOUTH -	72'0	52'5	61'7	0'09	HULL - - -	74'0	49'0	61'4	0'3
NORWICH - -	77'4	50'2	62'6	0'21	TYNEMOUTH -	71'0	49'0	59'4	0'28
PLYMOUTH - -	66'8	51'9	59'1	0'21	CARDIFF - -	68'5	45'1	60'0	0'6
BRISTOL - -	68'4	49'0	60'1	0'90					
BIRMINGHAM -	70'6	49'4	60'3	0'18	EDINBURGH -	66'1	50'7	57'5	0'1
NOTTINGHAM -	72'0	48'0	60'9	0'40	GLASGOW - -	66'8	52'0	58'0	0'9
LIVERPOOL - -	70'0	52'0	59'6	1'02					
OBSERVATORY. }	70'0	46'6	57'9	1'47					
MANCHESTER -	68'0	47'0	57'3	1'25	DUBLIN { Phoenix Park.	67'8	43'9	53'3	0'7
BURNLEY - -	68'5	53'0	59'4	2'09	{ Fitz- william Square.†	63'5	51'8	59'9	0'5
LESTON - -	70'5	48'5	58'5	0'65	BELFAST - -	66'0	49'5	57'6	0'8
HUDDERSFIELD -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to above was 1°8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

Under the Superintendence of the Astronomer Royal.]

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd August, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	1	-	-	-	-	2	-	-
Kensington - - -	181,842	-	6	5	-	1	-	-	2	-	-
Hammersmith - - -	122,337	-	3	6	-	1	-	-	2	-	-
Fulham - - -	166,749	-	4	18	-	1	-	-	2	2	-
Chelsea - - -	74,867	-	5	7	-	-	-	-	4	4	1
City of Westminster - -	172,219	-	-	3	-	-	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	9	4	-	2	-	-	2	1	-
Hampstead - - -	91,137	-	3	3	-	-	-	-	1	-	-
St. Pancras - - -	236,753	-	11	10	-	-	-	-	8	-	-
Islington - - -	347,017	-	21	9	-	2	-	-	4	-	1
Stoke Newington - - -	53,613	-	5	1	-	1	-	-	-	-	-
Hackney - - -	232,993	-	22	7	-	-	-	-	6	-	-
CENTRAL.											
Holborn - - -	55,134	-	3	-	-	-	-	-	2	-	-
Finsbury - - -	96,732	-	18	4	-	-	-	-	3	-	-
City of London - - -	20,310	-	2	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	9	3	-	1	-	-	6	-	-
Bethnal Green - - -	130,831	-	27	7	-	-	-	-	4	-	1
Stepney - - -	308,823	-	83	15	-	-	-	-	9	-	-
Poplar - - -	171,086	-	20	6	-	-	-	-	2	1	-
SOUTH.											
Southwark - - -	209,781	-	31	13	-	3	-	-	4	-	-
Bermondsey - - -	128,263	-	15	5	-	-	-	-	4	-	1
Lambeth - - -	318,538	-	31	16	-	-	-	-	3	-	1
Battersea - - -	181,736	-	11	5	-	1	-	-	4	-	-
Wandsworth - - -	281,419	-	18	8	-	1	-	-	2	-	-
Camberwell - - -	277,059	-	28	6	-	1	-	-	5	-	-
Deptford - - -	116,510	-	13	3	-	2	-	-	7	-	-
Greenwich - - -	107,222	-	9	7	-	-	-	-	2	-	-
Lewisham - - -	152,532	-	7	5	-	-	-	-	-	-	-
Woolwich - - -	129,336	-	19	2	-	-	-	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
	4,758,218	-	444	173	-	19	-	-	89	4	5
AGES.											
Ages 0-1 - - -	-	-	8	4	-	-	-	-	4	-	3
" 1-5 - - -	-	-	144	61	-	-	-	-	2	-	-
" 5- - - -	-	-	173	62	-	5	-	-	2	-	-
" 10- - - -	-	-	71	20	-	1	-	-	2	-	1
" 15- - - -	-	-	17	12	-	1	-	-	4	-	-
" 20- - - -	-	-	14	6	-	3	-	-	5	2	-
" 25- - - -	-	-	16	4	-	7	-	-	18	2	-
" 35- - - -	-	-	1	4	-	-	-	-	19	-	-
" 45- - - -	-	-	-	-	-	-	-	-	7	-	-
" 55- - - -	-	-	-	-	-	1	-	-	15	-	1
" 65 and upwards - - -	-	-	-	-	-	1	-	-	11	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JULY, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th August, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of July.

Fifteen samples were taken in the Kent area, and fourteen in each of the remaining seven districts, making a total of 113 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ July 1st. Cab Rank, Victoria Street, near Christ's Church. }	15·6	29·08	·184	·019	0	·192	·211	1·75	19·9
West Middlesex - -	{ July 1st. Cab Rank, Turnham Green Station. }	16·0	25·04	·185	·019	0	·152	·171	1·75	17·0
Southwark - - - -	{ July 1st. Cab Rank, near "Swan" Public House, Stockwell. }	16·0	28·20	·186	·019	0	·188	·207	1·75	19·0
Grand Junction - -	{ July 1st. Cab Rank, Kensington Park Road. }	16·1	26·48	·160	·018	0	·172	·190	1·7	18·3
Lambeth - - - -	{ July 1st. Cab Rank, Westminster Bridge Road. }	16·0	27·50	·171	·018	·001	·192	·211	1·65	19·1
LEA, WELLS, & C.										
New River - - - -	{ July 1st. Cab Rank, Gray's Inn Road, near King's Cross Station. }	15·0	29·68	·068	·009	0	·216	·225	1·8	20·3
Eastern - - - -	{ July 1st. Cab Rank, Sidney Street, E. }	15·0	32·88	·156	·016	0	·107	·123	2·1	19·7
DEEP WELLS.										
Kent- - - -	{ July 1st. Cab Rank, Woolwich Arsenal Station. }	14·0	48·96	·044	·006	0	·633	·639	4·4	31·3
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the cab rank in Victoria Street, near Christ's Church, on the 1st July, had a temperature of 15·6° C.; 100,000 lbs. of it contained 29·08 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·184 lb. of carbon and ·019 lb. of nitrogen. The above quantity of water also contained ·192 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·211 lb. The above weight of water also contained 1·75 lbs. of chlorine and 19·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples taken on the 1st July were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water; during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several district works was:—Kent, 0·8; New River, 1·3; Eastern, 2·9; Grand Junction, 3·0; Lambeth, 3·2; Chelsea, 3·4; West Middlesex and Southwark, 3·5.

The proportion of organic matter in the filtered supplies from the five district works which draw water from the Thames was somewhat less than that found in the corresponding examinations in June, and all the samples were clear and of good quality.

The New River and Eastern supplies, derived principally from the River Lea, were also clear and of good quality.

The Kent sample, collected in the district supplied by the Plumstead pumping station, was of high organic purity, but as usual, of a somewhat greater degree of hardness than that supplied in other parts of the Kent District.

Seen through a stratum two feet deep the Kent water was colourless, that drawn in the New River District was nearly colourless, while that taken in the six remaining districts, viz., Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and Eastern, was of a very pale yellow colour.

In addition to the above analytical examination the 113 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and of "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."			
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)			Max.	Min.	Mean.	Max.	Min.	Mean.	
	Max.	Min.	Mean.	Max.	Min.	Mean.							
THAMES.													
Chelsea	·096	·063	·077	·101	·067	·084	0	0	0	·008	·006	·007	
West Middlesex	·082	·065	·075	·091	·068	·081	0	0	0	·008	·0065	·0075	
Southwark	·082	·065	·074	·096	·071	·080	0	0	0	·0095	·006	·008	
Grand Junction	·081	·065	·073	·039	·069	·079	0	0	0	·0085	·006	·007	
Lambeth	·091	·067	·079	·100	·068	·086	·001	0	·001	·0075	·0065	·007	
LEA, WELLS, THAMES, & C.													
New River	·043	·022	·031	·046	·023	·033	0	0	0	·0035	·0015	·0025	
Eastern	·091	·048	·064	·097	·043	·068	·001	0	0	·010	·0055	·0075	
DEEP WELLS.													
Kent	·018	·007	·011	·018	·009	·012	0	0	0	·0015	·001	·0015	

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five Thames-derived waters the above results, compared with those obtained in June, show that the proportions of organic matter had in all cases slightly decreased, and all the samples examined were of good quality.

The New River district supply contained, on the average, less than half the organic impurity shown by the filtered Thames waters, and was of very good quality throughout the month.

The Eastern district supply contained, on the average, a somewhat smaller proportion of organic matter than in the preceding month, and was of good quality.

All the samples taken in the Kent district were of high organic purity and of excellent quality.

All the samples collected in the Chelsea, Southwark, Lambeth, New River, and Kent districts were clear. One sample from the Grand Junction and one sample from the West Middlesex district showed a very slight degree of opalescence, all other samples from these districts were clear. A few of the samples taken in the Eastern area contained traces of rust stained suspended matter.

I am, Sir

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of July, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 220 gallons to one service.

DISTRICTS,	Number of Services.		Average Daily Supply of Water in Gallons.	
	JULY, 1906.	JULY, 1907.	JULY, 1906.	JULY, 1907.
TOTAL SUPPLY - - -	1,050,679	1,067,331	251,009,189	235,098,937
NEW RIVER - - - - -	208,706	211,445	48,646,000	45,283,000
EASTERN - - - - -	237,180	240,013	44,909,000	43,440,839
WESTERN { Chelsea Grand Junction } - -	215,682	218,875	63,371,248	58,388,434
{ West Middlesex }				
SOUTHERN { Lambeth - - - }	274,232	279,987	71,522,523	66,636,366
{ Southwark and Vauxhall }				
KENT - - - - -	114,829	117,011	22,560,418	21,350,298

Note.—The Return for July, 1907, as compared with that for the corresponding month of 1906, shows an increase of 16,652 services, and a decrease of 15,910,252 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E

1907

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 33. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, AUG. 17. [Price 1½d.

General Register Office, Somerset House,
August 19th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 11·9, 11·7, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 15·2 in Walsall, 15·8 in St. Helens and in Manchester, 17·1 in Bolton, 17·2 in Birkenhead, 17·7 in Great Yarmouth, 17·8 in Merthyr Tydfil, and 18·7 in Stockton on Tees; from *measles*, 1·4 in Merthyr Tydfil, 1·5 in Blackburn, 1·7 in Derby, 3·0 in Stockton on Tees, 3·8 in Walsall, and 4·2 in Cardiff; from *diphtheria*, 1·5 in Warrington; from *whooping-cough*, 1·1 in Newcastle on Tyne and 1·2 in Walthamstow; and from *diarrhæa*, 1·3 in Sheffield, 1·5 in Warrington, 1·6 in Wallasey, 1·7 in Rotherham, and 3·1 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2507 BIRTHS and 1093 DEATHS were registered. Allowing for increase of population, the births were 193 and the deaths 480 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·1, 11·5, and 12·0 per 1000 in the preceding three weeks, was 12·0 last week. The death-rate in the four weeks ended last Saturday averaged 11·9 per 1000, being 3·8 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1093 deaths included 43 from measles, 8 from scarlet fever, 19 from diphtheria, 29 from whooping-cough, 6 from enteric fever, and 23 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 128 deaths were referred to these diseases in the aggregate, being 323 below the corrected average number in the thirty-third week of the preceding five years.

The deaths from *measles*, which had been 40, 46, and 36 in the preceding three weeks, numbered 43 last week, and were 14 above the corrected average; 5 deaths belonged to the Borough of Islington, 4 to Finsbury, and 3 each to Fulham, Stepney, Southwark, Wandsworth, and Camberwell. The deaths from *scarlet fever*, which had been 19, 13, and 16 in the preceding three weeks, fell to 8 last week, and were equal to the corrected average. The deaths from *diphtheria*, which had been 10, 11, and 11 in the preceding three weeks, rose to 19 last week, and were 7 above the corrected average; 6 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 35, 27, and 24 in the preceding three weeks, were 29 last week, and were 8 above the corrected average; 6 deaths belonged to Wandsworth, 3 to Hackney, and 3 to Poplar. The deaths from *enteric fever*, which had been 2, 3, and 0 in the preceding three weeks, rose to 6 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 23, 18, and 24 in the preceding three weeks, were 23 last week, and were 351 below the corrected average; 3 deaths belonged to Islington, and 3 each to Stepney and Greenwich. The 23 deaths from diarrhoea were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 4, 6, and 1 in the preceding three weeks. The death of a master plumber, aged 51 years, was certified after inquest as due to *lead poisoning*, and that of a window-cleaner, aged 32 years, was certified as due to *glanders*.

Different forms of *violence* caused 49 deaths, concerning all of which inquests were held. Of these 49 deaths, 6 were cases of suicide, 2 of homicide, and 1 of execution, while the remaining 40 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 6 to drowning, 3 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3669 cases of scarlet fever, 888 of diphtheria, and 51 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 430 cases, against 557, 419, and 466; of diphtheria, 125 cases, against 128, 150, and 108; and of enteric fever, 18 cases, against 6, 6, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 10th, 1907.

GREATER LONDON.

In Greater London 3890 births and 1480 deaths were registered. Allowing for increase of population, these numbers are 307 and 820 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from diphtheria, 7 from whooping-cough, 1 from "fever," and 8 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.78 inches, and that of the Thermometer 61°.5, the latter being 0°.9 below the week's average in the 65 years ending 1905. The general direction of the wind was South-Westerly, the horizontal movement of the air being 53 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 45.0 hours; the measured rainfall amounted to 0.71 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th August, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	The DEATHS registered in the Week include																	TOWNS.	Cols.					
		DEATH-RATES from all Causes.					Deaths of																		
		Rate from Diseases in Cols. 11-17.					Registered during the week ended 17th Aug., 1907.							Deaths from											
		27th Aug., 1907.	3rd Aug., 1907.	10th Aug., 1907.	17th Aug., 1907.	Week ended 17th Aug., 1907.	Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Causes.	Deaths in Public Institutions.			Unrecorded Causes of Death.				
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.				
76 TOWNS		16,024,458		11'9	11'7	11'8	11'8	1'3	8578	3625	840	932	-	102	23	38	92	22	130	165	305	989	38	76 TOWNS.	
LONDON -	-	4,758,218		12'1	11'5	12'0	12'0	1'4	2507	1083†	239	284	-	43	8	19	29	6	23	49	108	472	2	LONDON.	
CROYDON.	-	154,342		8'4	8'8	10'1	4'1	-	80	12	2	3	-	-	-	-	-	-	-	-	1	2	-	CROYDON.	
WILLESDEN.	-	149,192		7'3	8'0	3'8	4'2	0'3	77	12	4	3	-	-	-	-	-	-	-	1	2	1	-	WILLESDEN.	
HORNSEY.	-	89,816		1'2	5'2	5'2	5'8	-	39	10	-	7	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.	
TOTTENHAM.	-	122,793		9'3	11'5	12'3	8'1	-	78	19	3	9	-	-	-	-	-	-	-	1	3	1	-	TOTTENHAM.	
WEST HAM.	-	308,284		11'2	10'1	9'6	8'5	1'4	149	50	9	13	-	-	-	2	-	-	6	1	1	8	-	WEST HAM.	
EAST HAM.	-	136,421		5'0	9'2	9'2	8'0	0'8	68	21	4	9	-	-	-	-	-	-	1	1	3	1	-	EAST HAM.	
LEYTON.	-	122,040		6'0	7'3	6'4	6'8	-	76	16	1	6	-	-	-	-	-	-	1	1	2	1	-	LEYTON.	
WALTHAMSTOW.	-	126,397		5'8	11'6	5'0	8'3	2'1	59	20	2	3	-	1	-	-	3	-	1	1	3	5	-	WALTHAMSTOW.	
HASTINGS.	-	67,477		11'6	7'7	7'0	8'5	-	16	11	-	6	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.	
BRIGHTON.	-	129,023		6'5	12'5	11'3	11'7	0'8	60	29	4	13	-	-	-	1	-	-	1	-	2	8	-	BRIGHTON.	
PORTSMOUTH.	-	298,291		10'0	10'0	10'5	13'0	0'8	119	52	12	16	-	-	-	1	-	2	-	3	7	11	1	PORTSMOUTH.	
BOURNEMOUTH.	-	69,246		9'8	9'8	8'3	12'0	-	18	16	3	7	-	-	-	-	-	-	-	1	1	3	-	BOURNEMOUTH.	
SOUTHAMPTON.	-	119,745		7'8	8'7	7'4	11'3	0'9	61	26	4	6	-	-	-	1	-	-	-	1	2	3	12	-	SOUTHAMPTON.
READING.	-	80,311		8'4	5'2	8'4	9'1	1'3	45	14	1	2	-	-	-	-	-	1	1	-	-	2	-	READING.	
NORTHAMPTON.	-	95,070		4'9	10'4	11'0	13'7	-	51	25	5	9	-	-	-	-	-	-	-	-	-	5	2	NORTHAMPTON.	
IPSWICH.	-	72,825		15'0	10'7	5'7	7'2	0'7	38	10	1	5	-	-	-	-	1	-	-	-	2	1	-	IPSWICH.	
GREAT YARMOUTH.	-	52,879		19'7	13'8	15'8	17'7	1'0	25	18	1	4	-	-	1	-	-	-	-	2	6	1	-	GREAT YARMOUTH.	
NORWICH.	-	119,191		9'6	10'1	10'9	13'6	0'4	56	31	6	12	-	-	-	-	-	-	-	1	-	3	-	NORWICH.	
PLYMOUTH.	-	120,063		14'8	10'0	13'5	13'5	0'4	48	31	5	17	-	-	-	-	-	1	-	1	3	8	-	PLYMOUTH.	
DEVONPORT.	-	79,959		13'0	9'1	11'1	5'9	0'7	52	9	3	1	-	-	-	1	-	-	-	1	1	-	-	DEVONPORT.	
BRISTOL.	-	367,979		8'2	8'9	9'4	8'4	0'9	162	59	11	22	-	-	1	3	-	-	1	2	7	20	1	BRISTOL.	
HANLEY.	-	97,174		19'4	14'7	10'1	10'9	-	49	14	6	4	-	-	-	-	-	-	-	1	1	1	2	HANLEY.	
BURTON-ON-TRENT.	-	53,425		10'7	6'8	7'8	6'8	-	18	7	1	2	-	-	-	-	-	-	-	-	-	-	-	BURTON-ON-TRENT.	
WOLVERHAMPTON.	-	102,016		8'7	10'7	10'2	10'7	1'5	57	21	5	6	-	-	-	-	-	-	-	1	2	2	4	-	WOLVERHAMPTON.
WALSALL.	-	96,171		17'9	15'7	13'0	15'2	4'9	61	23	8	7	-	-	-	-	-	-	-	2	2	2	6	-	WALSALL.
HANDSWORTH.	-	65,929		10'3	8'7	6'3	8'7	0'8	29	11	1	6	-	-	-	-	1	-	-	-	-	3	-	-	HANDSWORTH.
WEST BROMWICH.	-	69,123		15'1	12'8	10'6	13'6	0'8	27	18	5	3	-	-	-	-	-	-	-	-	3	5	-	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London including 3 deaths from Cerebro-spinal fever, Meningitis (meningococcal), and Epidemic Cerebro-spinal meningitis.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 17th August, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 17th Aug., 1907.		The DEATHS registered in the Week include											TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		Week ended					6.	7.	8.	Deaths of		Deaths from						18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
		27th July, 1907.	3rd Aug., 1907.	10th Aug., 1907.	17th Aug., 1907.	Week ended 17th Aug., 1907.				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.						Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Cols.	1.	2.	3.	4.	5.					9.	10.	11.	12.	13.	14.	15.	16.	17.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

TOWNS,	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 17th Aug., 1907.		The DEATHS registered in the Week include											TOWNS.	
		Week ended				Week ended 17th Aug., 1907.		BIRTHS.	DEATHS.	Deaths of under 1 Year of Age.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		27th July, 1907.	3rd Aug., 1907.	10th Aug., 1907.	17th Aug., 1907.	Small-pox.	Measles.				Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,814	14.3	11.0	9.9	11.5	-	36	21	2	6	-	-	-	-	-	-	-	1	1	5	-	HUDDESFIELD.
HALIFAX.	110,138	11.4	11.4	9.0	8.5	0.5	23	18	3	4	-	-	-	-	-	1	-	-	-	5	-	HALIFAX.
BRADFORD.	280,323	11.7	9.2	13.5	10.4	0.7	97	58	5	17	-	-	1	-	1	1	2	2	2	18	-	BRADFORD.
LEEDS.	470,268	12.9	13.0	11.0	12.2	1.7	198	110	24	24	-	2	-	2	7	4	4	2	6	21	-	LEEDS.
SHEFFIELD.	455,563	10.1	12.8	13.7	15.0	2.6	287	131	41	29	-	4	-	1	6	1	11	8	13	21	2	SHEFFIELD.
ROTHERHAM.	62,412	8.4	8.4	15.9	9.2	2.5	41	11	3	3	-	-	-	1	-	-	2	1	2	1	-	ROTHERHAM.
YORK.	84,730	12.9	4.9	11.1	9.2	-	41	15	2	3	-	-	-	-	-	-	-	-	-	5	-	YORK.
HULL.	286,762	12.7	12.5	11.9	13.9	1.6	153	71	28	15	-	-	-	1	4	-	3	6	7	14	1	HULL.
MIDDLESBROUGH.	101,783	13.3	13.3	11.8	10.8	-	64	21	4	4	-	-	-	-	-	-	-	1	4	4	1	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,909	11.8	10.8	21.7	18.7	3.9	28	19	4	7	-	3	-	-	-	-	1	1	2	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	75,473	6.2	11.7	10.4	9.7	-	42	14	2	2	-	-	-	-	-	-	-	-	-	-	1	WEST HARTLEPOOL.
SUNDERLAND.	156,029	17.0	19.4	17.7	12.4	1.3	89	37	4	9	-	-	2	-	-	-	2	1	2	8	-	SUNDERLAND.
SOUTH SHIELDS.	113,460	12.9	11.0	11.0	11.5	0.9	55	25	5	5	-	-	1	-	1	-	-	1	1	1	-	SOUTH SHIELDS.
GATESHEAD.	125,783	12.0	12.9	9.9	8.3	0.8	72	20	4	4	-	-	-	-	-	-	-	1	1	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	272,969	12.2	14.5	12.0	11.8	1.5	170	62	14	10	-	-	-	-	6	1	1	4	4	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	54,688	15.3	6.7	15.3	8.6	1.0	39	9	4	-	-	-	-	-	1	-	-	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.).	75,565	10.3	6.9	11.7	8.3	-	42	12	3	2	-	-	-	-	-	-	-	1	1	7	-	NEWPORT (MON.).
CARDIFF.	187,620	15.3	15.3	13.1	13.6	6.1	99	49	11	5	-	15	2	-	2	-	3	6	6	6	-	CARDIFF.
RHONDDA.	130,400	11.6	11.6	11.2	8.8	0.8	101	22	9	2	-	-	2	-	-	1	1	2	3	1	-	RHONDDA.
MERTHYR TYDFIL.	76,085	14.4	12.3	13.0	17.8	2.1	65	26	9	2	-	2	-	-	-	-	1	1	4	1	2	MERTHYR TYDFIL.
SWANSEA.	97,324	11.8	10.7	13.4	11.3	0.5	54	21	7	4	-	-	-	-	-	-	1	1	1	4	-	SWANSEA.
GREATER LONDON.	7,217,941	10.9	10.9	11.1	10.7	1.2	3890	1480+	310	419	-	47	8	21	41	7	40	64	136	529	4	GREATER LONDON.
OUTER RING.	2,459,723	8.7	9.7	9.3	8.2	0.8	1383	387	71	135	-	4	-	2	12	1	17	15	30	57	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,209,235	7.6	9.2	8.1	6.9	0.7	826	160	25	53	-	1	-	1	5	-	9	5	13	21	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,250,438	9.7	10.2	10.6	9.5	0.8	757	227	43	82	-	3	-	1	7	1	8	10	17	36	2	REMAINDER OF OUTER RING.
EDINBURGH.	345,747	15.8	11.2	13.9	11.6	0.9	129	77+	9	25	-	1	-	1	4	-	-	2	?	39	1	EDINBURGH.
GLASGOW.	847,584	14.5	12.8	14.4	12.8	1.4	386	208+	37	49	-	2	-	-	10	2	8	10	?	63	6	GLASGOW.
DUBLIN (Registration Area).†	390,691	21.2	18.0	15.7	17.8	2.3	210	133+	36	28	-	7	-	-	3	1	6	1	2	52	2	DUBLIN (Registration Area).†
BELFAST.†	370,163	16.5	16.2	14.6	14.2	1.1	168	101+	19	19	-	2	-	-	2	1	3	1	2	23	2	BELFAST.†

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. † Including 3 deaths from Cerebro-spinal fever, &c., in Greater London and 2 deaths from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 7 in Glasgow, 1 in Dublin, and 6 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2662	2489	2671	2621	2659	2821	2748	2525	2549	2550	2700·3	2507
Males - - -	1334	1280	1412	1301	1339	1340	1331	1315	1314	1308	1352·5	1223
Females - - -	1328	1209	1259	1320	1320	1481	1417	1210	1235	1242	1347·8	1284
TOTAL Deaths -	2074	2019	2208	1708	1705	1385	1272	1923	1523	1584	1573·3	1093
Males - - -	1088	1025	1167	894	882	773	661	1027	835	814	841·2	550
Females - - -	986	994	1041	812	823	612	611	896	688	770	732·1	543

* The numbers in this column are the average weekly numbers in the thirty-third week of the five years 1902–1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 25.	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	13 Weeks.
TOTAL Births -	2258	2464	2474	2356	2506	2251	2309	2292	2266	2273	2500	2055	2507	30511
TOTAL Deaths -	1316	1190	1209	1172	1183	1138	1089	1115	1077	1101	1052	1097	1093	14812
Ages at Death														
Under 1 year -	251	203	224	218	222	225	215	199	179	182	216	197	239	2770
1–5 years -	180	164	170	174	159	182	129	137	150	133	125	152	149	1964
5–20 " -	90	73	68	70	48	70	57	74	64	57	66	84	66	867
20–40 " -	152	137	143	122	138	144	139	154	125	140	122	140	138	1803
40–60 " -	274	240	261	241	262	238	239	236	245	258	199	222	217	3132
60 yrs. & upwds.	389	373	343	347	334	299	310	315	314	331	324	313	284	4276
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	53	52	61	56	48	66	41	46	46	40	46	36	43	634
Scarlet Fever -	13	13	11	13	10	13	13	11	15	19	13	16	8	168
Diphtheria -	12	14	10	8	10	13	8	8	12	10	11	11	19	146
Whooping-cough -	36	30	46	53	36	45	32	29	44	35	27	24	29	466
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	-	2	2	1	2	1	1	2	2	3	-	6	25
Pyrexia (origin uncertain) -	-	-	1	-	-	-	-	-	-	-	-	1	-	2
Diarrhoea, Dysentery	14	20	14	19	13	15	8	8	10	23	18	24	23	218
All above Diseases -	131	129	145	151	118	154	103	103	133	129	118	112	128	1659
Dis. of Resp. System														
Pneumonia -	93	81	74	60	63	58	51	53	51	45	58	50	54	791
Phthisis -	137	111	112	89	93	98	97	86	75	91	79	89	75	1232
Dis. of Circ. System -	139	120	136	118	107	109	102	115	98	106	84	96	91	1424
Violence -	180	170	183	152	160	161	170	154	143	164	133	157	136	2073
Inquest Cases -	49	51	36	48	56	69	51	60	46	63	50	63	49	691
Deaths in Institutions	117	113	100	113	118	129	100	122	93	140	104	136	106	1496
TEMPERATURE OF THE AIR.														
Mean -	50·6	53·4	54·7	58·7	56·7	56·4	54·7	56·3	62·7	59·5	59·7	62·3	61·5	57·5
Mean of Highest -	62·2	62·8	63·6	68·0	67·4	66·1	64·3	68·1	75·4	70·2	71·1	73·6	72·4	68·1
Mean of Lowest -	41·1	47·1	48·7	50·8	48·3	49·3	46·8	47·4	52·9	51·3	51·0	54·7	54·2	49·5
Mean Humidity of the Air.	78	83	75	75	85	77	73	71	72	78	74	73	73	74
Rain-fall (in inches) -	0·35	0·67	0·42	0·41	0·01	1·30	0·16	0·22	0·00	0·51	0·40	0·18	0·71	5·34
Registered Sunshine (in hours)	28·2	15·3	25·1	48·5	62·6	24·8	44·7	36·6	57·7	24·7	43·7	41·9	45·0	498·8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	2732	2824	2862	2936	2985	3022	3193	3276	3386	3586	3626	3660	3660	3212
Diphtheria -	927	935	917	944	890	807	809	868	880	872	914	885	888	887
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	52	47	45	59	54	57	60	62	57	51	50	49	51	53

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witly, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 2. LONDON.—DEATHS Registered in the THIRTY-THIRD Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 33rd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages								CAUSES OF DEATH.	Corrected Average for the 33rd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.					
ALL CAUSES	1573.3	1093	239	149	66	138	217	284	Meningitis (not tubero.)	16.0	15	4	7	1	1	1			
									Gen. Par. of Insane, Insanity	10.2	15	-	-	1	7	7			
Small-pox*	1.0	-	-	-	-	-	-	-	Epilepsy - - - -	7.0	4	-	-	-	2	2			
Cowpox	-	-	-	-	-	-	-	-	Convulsions - - -	22.9	12	12	-	-	-	-			
Measles (Morbilli)	28.9	43	8	33	2	-	-	-	Locomotor Ataxy -	1.8	1	-	-	-	1	2			
Scarlet Fever	7.6	8	-	4	4	-	-	-	Paraplegia, Dis. of Cord	5.9	4	-	-	1	1	2			
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	16.6	18	2	-	1	2	4			
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	36.2	45	-	1	4	12	16			
Influenza	3.9	3	-	-	1	1	1	1	Cereb. Hem. Cereb. Emb.	27.0	28	-	-	-	11	15			
Whooping-cough	21.1	29	13	16	-	-	-	-	Apoplexy, Hemiplegia	16.2	5	-	-	-	2	3			
Diphtheria	12.1	19	1	15	3	-	-	-	Aneurysm - - - -	5.9	4	-	-	-	4	-			
Cerebro-spinal Fever	-	3	1	2	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.0	-	-	-	-	-	-			
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-	Heart & Blood Ves., Other Dis.	63.9	56	-	1	5	5	16			
Enteric Fever	5.9	6	-	-	1	3	1	1	Croup (not Spasm: nor Memb.)	0.2	-	-	-	-	-	-			
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis - - - -	42.2	38	10	5	-	1	6			
Epidemic Diarrhoea, Infective Enteritis	233.7	9	9	-	-	-	-	-	Emphysema, Asthma	2.5	3	-	-	-	1	2			
Diarrhoea, Dysentery	140.0	14	14	-	-	-	-	-	Pleurisy - - - -	1.8	5	-	2	2	-	1			
Tetanus	0.2	-	-	-	-	-	-	-	Respiratory Dis., Other	10.0	8	1	-	-	-	7			
Rabies, Hydrophobia	0.2	1	-	-	1	-	-	-	Tonsillitis, Quinsy	0.6	1	-	-	-	-	1			
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	25.8	17	9	2	1	1	3			
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-enteritis	34.2	9	8	1	-	-	-			
Veneræal Dis.	9.6	7	6	-	-	-	1	-	Peritonitis (not Puerp.)	3.7	-	-	-	-	-	4			
Puerperal Septicæmia	2.7	1	-	-	1	-	-	-	Cirrhosis of Liver	12.7	14	-	-	-	1	9			
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-	Liver Dis., Other	6.3	5	-	-	-	4	1			
Puerperal Fever	0.2	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	44.4	38	7	3	4	7	9			
Infective Endocarditis	2.5	2	-	-	-	-	2	-	Acute Nephritis	6.3	7	-	1	-	2	2			
Lobar -	8.0	11	-	-	4	4	3	-	Bright's Dis., Albuminuria	31.9	29	-	-	-	2	15			
Broncho- Epidemic	26.4	32	7	17	2	2	3	1	Urinary Sys., Other Dis.	9.6	5	-	-	-	1	4			
Not defined	36.0	32	6	2	3	13	8	-	Generative Organs Dis.	4.9	3	-	-	-	1	1			
Erysipelas	3.5	1	1	-	-	-	-	-	Childbirth (Accid. of)	3.1	5	-	-	-	4	1			
Septicæmia (not Puerperal)	0.6	-	-	-	-	-	-	-	Old Age - - - -	36.2	45	-	-	-	-	45			
Pyæmia (not Puerperal)	0.6	1	-	-	1	-	-	-	Other Diseases	103.7	82	60	4	3	4	4			
Other Infective Processes	5.5	4	-	-	1	2	1	-	ACCIDENT.										
Tuberculous Phthisis	68.6	66	2	2	10	32	16	4	By Railways - - -	0.6	4	-	-	1	2	1			
"Phthisis"	59.6	28	-	1	13	10	4	-	By Vehicles and Horses	7.6	8	-	-	5	2	1			
Tuberculous Meningitis	20.7	25	4	16	4	1	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	1.0	-	-	-	-	-	-			
Tuberculous Peritonitis	11.9	9	2	6	1	-	-	-	In Building Operations	1.0	1	-	-	-	1	-			
Tubes Mesenterica	5.7	2	1	1	-	-	-	-	In Conflagrations	-	-	-	-	-	-	-			
Tuberculous Dis., Other	20.9	13	3	3	3	4	-	-	By Burns, Scalds, Explosions	3.9	3	-	3	-	-	-			
Serofula	0.6	-	-	-	-	-	-	-	By Drowning - - -	5.5	6	-	-	2	3	1			
Alcoholism	14.5	5	-	-	2	3	-	-	By Suffocation in Bed	4.7	5	5	-	-	-	-			
Rheumatic Fever	3.3	6	-	-	2	3	1	-	By Poisons or Poisonous Vapours	2.0	1	-	-	-	-	1			
Gout	0.8	-	-	-	-	-	-	-	Other Deaths by Accident	17.4	12	2	2	1	3	1			
Carcinoma	52.2	65	-	-	6	18	41	-	VIOLENCE OTHER THAN ACCIDENTAL.										
Sarcoma	5.5	6	-	-	1	2	3	-	Homicide - - - -	1.0	2	-	-	-	2	-			
Cancer (undefined)	31.3	23	-	-	1	17	10	-	Suicide - - - -	8.4	6	-	-	-	2	2			
Diabetes Mellitus	7.4	5	-	-	1	1	3	-	Execution - - - -	0.4	1	-	-	-	1	-			
Premature Birth	50.1	41	41	-	-	-	-	-											

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 17th August, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include,														Deaths in Public Institutions.	
					Deaths of 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON	-	-	4,586,429	2507	1093	239	284	-	43	8	19	29	-	6	-	23	49	106	472	
WEST DISTRICTS	-	-	805,311	345	201	43	56	-	8	-	1	4	-	3	-	4	10	15	98	
NORTH DISTRICTS	-	-	1,056,070	546	214	37	58	-	8	3	5	6	-	1	-	5	9	19	99	
CENTRAL DISTRICTS	-	-	209,465	101	55	8	13	-	5	-	3	7	-	-	-	5	2	5	37	
EAST DISTRICTS	-	-	715,739	476	199	51	49	-	5	-	3	7	-	2	-	9	14	31	90	
SOUTH DISTRICTS	-	-	1,749,844	1039	403	100	105	-	17	3	9	12	-	-	-	9	14	36	127	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*			-	-	21	-	3	-	-	2	1	-	-	-	-	-	-	-	21	
WEST DISTRICTS.																				
St. Mary Paddington W,3H	-	-	93,178	43	24	6	12	-	1	-	-	1	-	-	-	-	2	3	8	
St. John Paddington H	-	-	33,617	2	9	-	1	-	-	-	1	-	-	-	-	-	2	2	9	
North-West Paddington	-	-	17,181	12	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H	-	-	128,037	65	35	6	10	-	1	-	-	-	-	1	-	1	-	1	20	
Brompton 2H	-	-	48,591	6	2	-	1	-	-	-	-	1	-	-	-	-	-	-	1	
North Hammersmith 2W,w,H	-	-	49,192	32	14	3	5	-	-	-	-	-	-	-	-	-	-	-	5	
South Hammersmith w,2H	-	-	83,047	28	18	4	1	-	-	-	-	-	-	-	-	1	2	3	11	
North-west Fulham W	-	-	45,180	40	17	3	3	-	3	-	-	1	-	-	-	1	1	1	9	
North-east Fulham F	-	-	48,405	15	11	3	4	-	-	-	-	-	-	2	-	1	1	1	2	
South Fulham W	-	-	45,704	29	4	1	-	-	-	-	-	-	-	-	-	1	1	1	-	
Chelsea North W,w,3H	-	-	42,514	18	22	5	7	-	2	-	-	1	-	-	-	-	-	-	14	
Chelsea South W,2H	-	-	31,328	7	7	1	4	-	-	-	-	-	-	-	-	-	-	-	2	
Mayfair and Knightsbridge	-	-	28,743	5	6	1	2	-	-	-	-	-	-	-	-	-	1	2	-	
Belgrave W,2H	-	-	55,815	21	11	4	1	-	-	-	-	-	-	-	-	-	1	8	5	
St. Margaret & St. John 5H	-	-	43,698	13	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. James and St. Anne W,6H	-	-	33,081	9	7	1	3	-	-	-	-	-	-	-	-	-	-	-	4	
NORTH DISTRICTS.																				
All Souls Marylebone 8H	-	-	35,391	6	14	1	4	-	-	-	-	-	-	-	-	1	2	2	9	
St. Mary Marylebone W,4H	-	-	37,948	52	3	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
Christchurch Marylebone	-	-	39,536	20	3	1	-	-	-	-	-	1	-	-	-	-	1	-	-	
St. John Marylebone 2H	-	-	20,426	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H	-	-	81,942	28	18	4	2	-	1	2	3	-	-	-	-	-	2	2	9	
West St. Pancras 2H	-	-	60,562	32	10	2	5	-	-	-	-	-	-	-	-	1	1	1	4	
South St. Pancras w,11H	-	-	55,707	16	20	3	4	-	-	-	-	-	-	-	-	-	2	4	17	
East St. Pancras W,2H	-	-	60,320	36	12	2	3	-	1	-	-	1	-	-	-	-	-	-	7	
North St. Pancras 2W	-	-	58,738	24	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	
Tufnell W	-	-	31,995	14	19	3	5	-	1	-	-	-	-	-	-	-	-	1	12	
Upper Holloway 2W,u,H	-	-	33,978	18	27	1	9	-	2	-	-	-	-	-	-	-	1	2	19	
Tollington W,w,H	-	-	33,922	17	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway	-	-	41,424	32	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
Barnsbury	-	-	54,478	37	9	2	4	-	-	-	-	-	-	-	-	1	-	-	-	
Islington South-east F	-	-	75,397	39	14	4	6	-	1	-	-	-	-	-	-	2	-	1	-	
Highbury 2H	-	-	63,797	29	7	1	2	-	2	-	-	1	-	-	-	-	-	-	-	
Stoke Newington H	-	-	51,247	20	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney	-	-	50,560	21	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-	
Central Hackney 2w,F	-	-	50,536	28	10	2	1	-	-	1	2	1	-	1	-	-	-	-	5	
South-west Hackney 3E	-	-	58,921	35	11	2	1	-	-	-	-	-	-	-	-	-	1	1	6	
South-east Hackney 2W,w,H	-	-	58,255	35	7	2	1	-	-	-	-	1	-	-	-	-	-	-	4	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th August, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															
			Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W, 2H -	31,436	21	4	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Strand W, 4H -	21,874	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
Strand Union Workhouse, Edmonton -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Colborn W, 6H -	29,612	11	15	3	1	-	1	-	-	-	-	-	-	-	-	-	11	-
South Clerkenwell -	28,676	17	5	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H -	35,028	14	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Islebury 3H, L -	36,116	25	5	-	4	-	-	-	-	-	-	-	-	-	-	1	2	-
Colborn Union Workhouse, } Metcham -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Botolph H -	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows W, 2H -	16,624	4	18	1	4	-	1	-	-	-	-	-	-	-	1	2	17	-
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Sporeditch South H -	46,362	20	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Sporeditch North-West W, w, H -	36,127	28	20	5	10	-	-	-	-	1	-	-	-	-	1	4	9	-
Sporeditch North-East -	36,148	32	3	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-
Sporeditch Union Workhouse, Wood Green -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul Green North-East 2W } H, L -	65,138	43	25	5	8	-	-	-	-	-	-	-	-	-	1	1	17	1
St. Paul Green South-West H -	64,542	36	13	3	3	-	-	-	-	2	-	-	-	-	1	5	-	-
St. Paul's Fields -	27,969	12	5	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Paul's New Town W, H -	28,718	28	35	4	5	-	-	-	1	1	-	-	-	-	1	5	31	-
St. Paul's Fields -	22,081	16	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W -	49,068	37	14	5	3	-	1	-	-	-	-	-	-	-	-	3	4	-
St. Andrew and Ratcliff W, H -	25,568	13	12	4	-	-	1	-	1	-	-	-	-	-	-	2	9	-
St. Andrew's Union Workhouse W -	32,369	24	4	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-
St. Paul's End Old Town South- } Western H -	63,698	66	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. Paul's End Old Town North- } Eastern W, w -	49,129	26	6	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-
St. Paul's L -	41,939	19	9	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-
St. Paul's 3w, H -	68,319	35	25	8	8	-	-	-	-	2	-	-	-	-	3	2	16	-
St. Paul's W, w -	68,514	41	12	5	4	-	-	-	1	-	-	-	-	-	2	3	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th August, 1907—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
				Deaths of	Deaths from													
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.			
SOUTH DISTRICTS.																		
Christchurch and St. Saviour } Southwark W,2H - - - - -	23,319	11	20	1	3	-	1	-	-	-	-	-	-	-	2	5	10	
Kent-road - - - - -	21,904	18	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. George the Martyr West } W,2H,L - - - - -	39,094	19	8	3	3	-	-	-	-	-	-	-	-	-	-	-	5	
Newington North - - - - -	49,022	35	9	2	2	-	2	-	-	-	-	1	-	-	-	-	1	
Newington South W - - - - -	72,841	55	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Olave 2W - - - - -	9,817	6	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - - -	32,483	43	12	4	-	-	-	-	-	-	-	-	-	-	1	1	2	
Rotherhithe W,F - - - - -	38,480	23	17	3	4	-	-	-	-	-	-	-	-	-	2	2	8	
Waterloo 2H - - - - -	27,440	37	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lambeth Church H - - - - -	27,440	13	16	-	2	-	1	-	-	-	-	-	-	-	1	2	12	
Kennington 2W - - - - -	52,518	29	20	6	6	-	-	-	-	-	-	-	-	-	1	2	11	
Stockwell HF - - - - -	63,826	40	13	4	-	-	-	-	2	1	-	-	-	-	-	2	2	
Brixton H - - - - -	73,673	34	15	5	4	-	-	-	-	-	-	-	-	-	-	-	1	
Norwood WH - - - - -	56,998	25	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - - - -	72,203	30	13	4	4	-	-	-	-	-	-	-	-	-	-	2	-	
North-west Battersea - - - - -	49,856	37	9	2	2	-	1	-	-	-	-	1	-	-	-	2	-	
South-west Battersea 2W,H - - - - -	47,048	22	25	1	14	-	2	-	-	3	-	-	-	-	-	-	18	
Clapham 2H - - - - -	51,381	27	7	-	2	-	1	-	-	-	-	-	-	-	1	1	5	
Streatham W,2w,F,2L - - - - -	88,019	62	20	5	6	-	1	1	-	2	-	-	-	-	1	1	-	
Springfield 2W,L - - - - -	27,959	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - - -	40,444	26	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	
Putney - - - - -	24,139	8	10	5	1	-	-	-	-	2	-	-	-	-	1	1	-	
Dulwich - - - - -	13,359	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - - - - -	40,206	19	19	2	8	-	-	-	-	1	-	-	-	-	-	1	11	
Camberwell North W,2L - - - - -	65,584	32	12	3	2	-	2	-	1	1	-	-	-	2	-	1	5	
St. George - - - - -	47,331	24	4	3	-	-	-	-	-	-	-	-	-	-	1	1	-	
Peckham North - - - - -	48,913	29	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Peckham South 2W,w - - - - -	43,946	34	10	4	2	-	1	-	-	-	-	-	-	-	-	-	1	
Deptford North - - - - -	37,613	25	7	2	2	-	-	-	-	1	-	-	-	-	1	-	-	
Deptford Central F - - - - -	45,481	30	8	2	2	-	1	-	3	-	-	-	-	-	-	-	3	
Deptford South - - - - -	34,625	15	5	2	3	-	1	-	-	-	-	-	-	-	1	-	1	
Greenwich West 2H - - - - -	23,456	10	13	3	5	-	-	-	-	-	-	-	-	-	-	-	12	
Greenwich East 2W,H - - - - -	43,859	29	19	4	10	-	-	-	-	-	-	-	-	-	1	-	-	
Eltham w,H - - - - -	7,228	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee w,H - - - - -	25,490	13	3	-	3	-	-	-	-	-	-	-	-	-	-	1	-	
Lewisham W,w,F - - - - -	58,352	40	21	6	4	-	2	1	1	-	-	-	-	1	2	2	9	
Sydenham H - - - - -	43,653	20	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Charlton F,2H - - - - -	21,134	10	3	-	-	-	-	1	2	-	-	-	-	-	-	-	3	
Woolwich 5H - - - - -	41,625	36	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	
Plumstead West W - - - - -	18,063	2	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - - - - -	50,264	32	7	1	1	-	-	-	-	-	-	-	-	-	1	2	-	
Workhouse:- Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:- Joyce Green - - - - - Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:- Gore Farm (temporary) North-Eastern Northern	-	-	-	3	-	-	-	-	2	1	-	-	-	-	-	-	3	
M. A. B. Imbecile Asylums:- Belmont - - - - - Caterham - - - - - Darenth - - - - - Leavesden - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
London County Lunatic Asylums:- Banstead - - - - - Ewell (Epileptic Colony) Horton - - - - - Manor - - - - - Long Grove - - - - - Cane Hill - - - - - Dartford Heath - - - - - Hanwell - - - - - Colney Hatch - - - - - Claybury - - - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th August, 1907.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Infants under 1 Year of Age.	Persons aged 1 Year & upwards	Small-pox.	Measles.	ScarletFever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	InquestCases	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,302	2,044,973	1383	387	71	135	-	4	-	2	12	1	17	15	30	57	2
0:1 Carshalton 2F,3H	12,228	32,997	21	5	2	1	-	-	-	-	-	-	1	1	2	1	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	14	6	-	5	-	-	-	-	-	-	-	-	-	-	-
7:1 Godstone, part of* W,F,L	2,754	2,892	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:1 Coulsdon - - -	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2:1 South Croydon w	4,200	49,309	32	7	1	3	-	-	-	-	-	-	-	-	-	-	-
3:3 West Croydon 3W,F,H	2,168	42,888	35	2	2	-	-	-	-	-	-	-	-	-	1	2	-
4:3 North Croydon H	2,644	41,698	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-
6:3 Penge w	770	22,465	8	3	2	-	-	1	-	-	-	-	1	1	1	1	-
6:6 Mitcham - - -	11,711	30,015	29	8	4	1	-	-	-	-	1	-	1	-	1	-	-
9:1 Wimbledon F,3H	3,221	41,652	28	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2:3 Kingston 2W,H	6,224	42,068	29	12	2	4	-	-	-	1	-	-	1	1	1	4	-
3:3 Surbiton F,H	3,046	15,017	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4:4 Esher, part of* H	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
5:4 Hampton H,F,L	4,584	23,456	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-
0:1 Richmond W,H	2,182	28,865	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-
2:1 Mortlake F	2,847	20,628	14	7	3	1	-	-	-	-	1	-	-	1	2	-	-
1:1 Bromley F,2H	4,703	27,354	25	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2:2 Beckenham H	7,825	23,497	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:3 Orpington part of* W,F	10,113	9,857	8	2	-	-	-	-	-	-	1	-	-	-	-	1	-
4:4 Chislehurst 2H	7,333	16,446	13	2	-	2	-	-	-	-	-	-	-	-	-	-	-
2:1 Bexley w,F,H	8,878	21,151	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2:2 Erith F,H	3,854	25,296	16	2	-	2	-	-	-	-	-	-	1	-	-	-	-
3:3 Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4:1 Sunbury w - - -	11,054	18,883	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2:1 Staines W,H	13,277	15,178	8	6	-	3	-	-	-	-	-	-	-	1	-	4	-
5:1 Hillingdon W,F,H	6,035	13,661	3	6	-	2	-	-	-	-	-	-	-	-	-	2	-
2:1 Uxbridge H - - -	12,757	8,984	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:3 Hayes w,2 F,H	8,066	16,358	18	2	1	1	-	-	-	-	-	-	-	-	-	-	1
6:1 Isleworth 3W,3F,H	6,859	30,863	36	15	1	7	-	-	-	-	-	-	-	-	-	7	-
2:1 Twickenham F,2H	2,421	20,991	14	5	2	1	-	-	-	-	-	-	1	1	1	-	-
3:3 Brentford 3F,2H	4,319	48,289	45	9	-	4	-	-	-	-	-	-	1	-	-	-	-
4:1 Chiswick H - - -	1,249	29,809	21	8	2	2	-	-	-	-	-	-	-	1	1	-	-
5:4 Acton w,F,3H	6,132	48,914	39	7	3	1	-	-	-	-	-	-	1	1	-	-	-
7:1 Harrow F,H	13,809	25,523	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-
2:2 Edgware 2F,2H	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3:3 Willesden W,F,2H	4,384	114,811	77	12	4	3	-	-	-	-	-	-	1	1	2	1	-
4:4 Hendon W,F	8,382	22,450	8	9	2	6	-	-	-	-	-	-	1	-	1	2	-
8:1 South Mimms 2F,H	17,755	7,308	2	3	-	2	-	-	-	1	-	-	-	-	-	-	-
2:3 Barnet W,2H	3,324	17,970	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
3:3 Finchley F,2H	4,688	33,692	31	4	1	-	-	-	-	-	-	-	-	-	-	-	-
9:1 Hornsey F,H	2,875	72,056	39	10	-	7	-	-	-	-	-	-	-	-	-	-	-
2:2 Wood Green H	1,625	34,233	30	9	1	2	-	-	-	-	-	-	-	-	1	1	-
3:3 West Tottenham -	996	48,853	40	7	1	2	-	-	-	-	-	-	-	1	2	-	-
4:4 East Tottenham 2H	2,017	53,888	38	12	2	7	-	-	-	-	-	-	-	1	1	1	-
6:6 Edmonton W,w,2F	7,491	61,892	40	11	2	4	-	-	-	1	-	-	-	1	1	1	-
7:7 Enfield 2W,F,H	12,601	42,738	34	20	8	4	-	-	-	-	2	-	-	-	-	2	-
8:8 Waltham Abbey F	11,017	6,549	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
9:9 Cheshunt F,H	8,479	12,292	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-
5:1 Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1 Bushey H - - -	9,333	9,173	7	6	2	2	-	-	-	-	-	-	-	-	-	-	-
2:2 Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
6:1 Stratford† H	-	52,974	22	6	1	2	-	-	-	-	-	-	-	-	-	1	-
2:2 Forest Gate†	1,878	52,745	20	5	-	3	-	-	-	-	-	-	-	-	-	-	-
3:3 Plaistow F,2H	1,249	90,921	56	18	8	2	-	-	-	-	2	-	2	1	1	-	-
4:4 Canning Town H	1,556	70,718	51	14	-	4	-	-	-	-	-	-	-	-	-	-	-
6:6 South East Ham 2F	1,993	37,342	41	10	3	4	-	-	-	-	-	-	1	-	1	1	-
7:7 North East Ham w H	1,333	58,676	27	9	1	4	-	-	-	1	-	-	-	-	-	-	-
8:8 Wanstead F	1,679	9,179	2	1	-	-	-	-	-	-	-	-	-	-	-	1	3
9:9 South Leyton 2W	631	50,467	38	10	-	6	-	-	-	-	-	-	-	-	1	2	13
10:10 North Leyton 2W,w,F	1,963	48,445	38	21	1	5	-	-	-	-	-	-	-	1	2	1	-
7:1 Walthamstow 2H,L	6,504	108,929	73	17	2	3	-	-	1	-	-	3	-	1	1	2	1
2:2 Chigwell 2F,3H	11,778	16,397	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-
3:3 Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
9:1 Romford, part of* W,2F	6,556	6,091	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2:2 Ilford F,L	8,496	41,234	29	9	-	3	-	-	-	-	-	-	-	1	2	-	-
3:3 Barking Town F	3,803	21,547	19	4	2	-	-	-	-	-	1	-	1	-	-	-	-
Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent County Lunatic Asylum, Maidstone.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Middlesex County Lunatic Asylum, Napsbury.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Essex County Lunatic Asylum, Brentwood.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Earley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

† The boundaries of these sub-districts were altered on 1st July, 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea
LONDON - -	4,753,218	August 17	2507	1093	12·0	-	43	8	19	29	6	2
CALCUTTA - -	955,926	July 13	-	370	22·6	2	1	-	-	1	124†	1
BOMBAY - -	982,000	" 30	315	618	32·9	1	1	-	-	-	68†	1
MADRAS - -	543,974	" 19	382	391	39·9	-	2	?	?	?	99	1
PARIS - - -	2,722,731	August 10	973	873	16·6	5	12	5	3	4	2	1
BRUSSELS - -	623,202	" 10	212	124	10·3	-	-	1	-	1	1	1
ANTWERP - -	304,032	" 10	159	85	14·5	-	1	-	-	2	-	1
AMSTERDAM -	564,342	" 3	272	111	10·3	-	1	2	-	5	1	1
COPENHAGEN -	433,000	" 10	215	103	12·4	-	-	-	-	1	-	1
STOCKHOLM -	332,738	" 3	157	86	13·4	-	-	-	-	1	-	1
CHRISTIANIA -	226,774	" 10	116	40	9·2	-	-	-	-	-	-	1
ST. PETERSBURG	1,482,769	July 27	670	654	21·9	-	22	8	14	3	10	2
MOSCOW - -	1,296,000	" 27	-	972	39·1	-	20	13	3	7	1	5
BERLIN - - -	2,090,743	" 27	961	531	13·2	-	19	4	1	8	3	1
HAMBURG - -	840,790	August 10	-	210	13·2	-	-	-	3	2	1	1
BRESLAU - -	485,278	" 3	-	192	-	-	-	1	1	-	-	1
MUNICH - - -	543,600	" 3	-	167	15·8	-	2	-	1	-	-	1
VIENNA - - -	1,979,093	" 10	984	592	15·6	1	4	2	3	1	3	1
PRAGUE - - -	470,906	" 3	185	151	16·7	-	1	-	-	-	-	1
BUDA-PESTH -	802,235	" 3	439	298	19·3	-	4	-	-	-	1	1
TRIESTE - - -	200,962	" 10	123	92	23·8	-	-	-	-	-	-	1
ROME - - - -	542,760	May 25	-	-	-	-	-	-	-	-	-	1
VENICE - - -	174,388	August 3	74	63	18·8	-	3	2	-	-	-	1
BUCHAREST -	292,395	" 10	186	120	21·4	-	2	1	1	-	-	1
NEW YORK - -	4,285,435	July 27	2477	1811	22·1	1	24	14	30	10	14	5
CHICAGO - - -	2,107,620	August 3	-	503	12·4	-	4	7	-	7	5	1
PHILADELPHIA -	1,500,595	July 27	-	629	21·7	-	4	-	5	7	9	1
RIO DE JANEIRO	628,275	" 21	-	234	19·4	1	-	-	-	1	3	1

* Excluding deaths from croup in the Indian Cities.

† Including 18 deaths from plague in Calcutta and 15 in Bombay.

‡ Including 26 deaths from cholera in Calcutta, 26 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th August, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inch.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	76·0	50·9	63·3	0·71	LEEDS - - -	77·0	50·0	61·0	0·75
BRIGHTON - -	67·0	52·0	61·4	0·53	YORK - - -	70·3	59·0	69·2	1·13
PORTSMOUTH -	69·2	54·0	61·9	0·64	HULL - - -	74·0	49·0	69·8	1·12
NORWICH - - -	76·0	47·6	61·4	0·48	TYNEMOUTH -	71·0	48·0	57·7	1·91
PLYMOUTH - -	65·9	52·3	59·8	1·06	CARDIFF - - -	83·6	59·4	59·5	1·6
BRISTOL - - -	69·8	49·2	59·9	0·61					
BIRMINGHAM -	68·6	48·5	58·7	1·04	EDINBURGH -	65·6	45·8	51·7	2·8
NOTTINGHAM -	69·7	48·0	59·7	1·36	GLASGOW - -	63·5	47·8	53·7	3·2
LIVERPOOL - -	70·0	51·0	59·5	1·09					
OBSERVATORY. }	69·4	47·6	58·1	1·85	Phoenix Park.	72·3	43·9	58·9	0·6
MANCHESTER -	69·0	48·0	57·4	1·44	DUBLIN { Fitz-	73·1	47·8	60·1	0·4
BURNLEY - - -	68·0	50·2	58·7	1·53	william Square.†				
PRESTON - - -	69·4	48·3	58·3	0·91	BELFAST - - -	69·0	45·0	57·6	1·3

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

1907.

MONTH AND DAY

AUGUST.

SUNDAY - 11

MONDAY - 12

TUESDAY - 13

WEDNESDAY - 14

THURSDAY - 15

FRIDAY - 16

SATURDAY - 17

MEANS - -

No. of Column -

AUGUST.

SUNDAY - 11

MONDAY - 12

TUESDAY - 13

WEDNESDAY - 14

THURSDAY - 15

FRIDAY - 16

SATURDAY - 17

No. of Col. -

in.

29891

29890

29934

29726

29524

29750

29740

29779

4

103

40

36

61

81

44

85

Sum

450

28

29

High.

745

688

740

760

713

683

736

724

5

103

40

36

61

81

44

85

Sum

450

28

29

Low.

511

531

542

592

543

509

566

542

6

103

40

36

61

81

44

85

Sum

450

28

29

Daily Range.

234

157

198

168

170

174

170

182

7

103

40

36

61

81

44

85

Sum

450

28

29

Mean from 65 years.

11

13

13

13

13

13

13

13

9

103

40

36

61

81

44

85

Sum

450

28

29

De-parture from average value.

11

13

13

13

13

13

13

13

9

103

40

36

61

81

44

85

Sum

450

28

29

Of the New point

491

547

568

587

514

465

508

526

10

103

40

36

61

81

44

85

Sum

450

28

29

Mean daily value.

491

547

568

587

514

465

508

526

10

103

40

36

61

81

44

85

Sum

450

28

29

Great est.

236

135

141

165

76

223

227

118

89

11

103

40

36

61

81

44

85

Sum

450

28

29

Least.

10

24

16

26

28

28

21

65

73

14

103

40

36

61

81

44

85

Sum

450

28

29

Degree of Humidity (Saturation 100).

64

79

78

78

76

76

68

65

73

14

103

40

36

61

81

44

85

Sum

450

28

29

Of the Radiation.

445

475

478

540

481

449

531

436

16

103

40

36

61

81

44

85

Sum

450

28

29

Highest Sun's Rays.

1338

1278

1350

1350

1339

1252

1298

1309

15

103

40

36

61

81

44

85

Sum

450

28

29

Of the Bath 3 feet below the Surface.

6070

6068

6072

6085

6095

6105

6090

6084

17

103


40

36

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 10th August, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	6	1	-	-	-	-	1	-	-
Kensington - - -	181,842	-	5	1	-	-	-	-	2	-	-
Hammersmith - - -	122,337	-	6	4	-	-	-	-	2	-	-
Fulham - - -	166,749	-	7	3	-	-	-	-	2	-	-
Chelsea - - -	74,857	-	4	6	-	1	-	-	-	-	-
City of Westminster - -	172,219	-	3	-	-	1	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	14	3	-	1	-	-	1	-	-
Hampstead - - -	91,137	-	2	3	-	-	-	-	3	-	-
St. Pancras - - -	236,753	-	11	4	-	2	-	-	1	-	-
Islington - - -	347,017	-	26	6	-	1	-	-	2	-	-
Stoke Newington - - -	53,613	-	4	-	-	1	-	-	1	-	-
Hackney - - -	232,993	-	26	3	-	2	-	-	1	-	-
CENTRAL.											
Holborn - - -	55,134	-	5	1	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	7	1	-	-	-	-	-	-	-
City of London - - -	20,310	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	21	2	-	-	-	-	4	-	1
Bethnal Green - - -	130,831	-	27	4	-	-	-	-	3	-	1
Stepney - - -	308,923	-	108	26	-	-	-	-	9	-	1
Poplar - - -	171,086	1	32	8	-	-	-	-	3	-	-
SOUTH.											
Southwark - - -	209,781	-	36	11	-	1	-	-	3	1	-
Bermondsey - - -	128,263	-	39	2	-	-	-	-	1	-	1
Lambeth - - -	318,538	-	24	7	-	-	-	-	3	3	-
Battersea - - -	181,736	-	18	7	-	-	-	-	3	-	-
Wandsworth - - -	281,419	-	19	4	-	4	-	-	4	-	-
Camberwell - - -	277,059	-	24	7	-	-	-	-	7	-	-
Deptford - - -	116,510	-	20	4	-	-	-	-	6	-	-
Greenwich - - -	107,232	-	9	7	-	-	-	-	-	-	-
Lewisham - - -	162,532	-	14	2	-	-	-	-	-	-	-
Woolwich - - -	129,336	-	17	2	-	-	-	-	-	-	-
Port of London - - -	-	-	1	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		1	536	129	-	14	-	-	62	4	4
Ages											
0-1 - - -		-	7	5	-	-	-	-	3	-	2
" 1-5 - - -		-	171	62	-	-	-	-	3	-	1
" 5- - - -		-	213	34	-	1	-	-	7	-	-
" 10- - - -		-	81	8	-	3	-	-	2	-	-
" 15- - - -		-	28	7	-	1	-	-	2	-	1
" 20- - - -		1	16	4	-	2	-	-	3	1	-
" 25- - - -		-	17	6	-	5	-	-	12	3	-
" 35- - - -		-	3	3	-	1	-	-	9	-	-
" 45- - - -		-	-	-	-	-	-	-	12	-	-
" 55- - - -		-	-	-	-	1	-	-	5	-	-
" 65 and upwards - - -		-	-	-	-	-	-	-	3	-	-
Age not stated - - -		-	-	-	-	-	-	-	1	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACon STREET, E.

1907.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 34. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, AUG. 24. [Price 1½d.

General Register Office, Somerset House,
August 26th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 11·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 11·7, 11·8, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 15·5 in Stockport and in Bootle, 15·6 in Warrington and in South Shields, 15·8 in Oldham, 16·6 in Burton on Trent, 18·8 in Wallasey, and 21·7 in Great Yarmouth; from *measles*, 5·6 in Cardiff; from *scarlet fever*, 1·0 in Wolverhampton; from *whooping-cough*, 1·2 in Wigan and in Gateshead, 1·4 in South Shields, 1·5 in Grimsby, 1·8 in Bury, and 3·0 in Great Yarmouth; and from *diarrhœa*, 1·3 in Birkenhead, Liverpool, and Sunderland, 2·3 in Bootle, 2·6 in Sheffield, and 3·1 in Aston Manor. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2307 BIRTHS and 1056 DEATHS were registered. Allowing for increase of population, the births were 274 and the deaths 452 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·5, 12·0, and 12·0 per 1000 in the preceding three weeks, was 11·6 last week. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 4·5 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.
† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1056 deaths included 28 from measles, 7 from scarlet fever, 10 from diphtheria, 34 from whooping-cough, 3 from enteric fever, and 47 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 129 deaths were referred to these diseases in the aggregate, being 279 below the corrected average number in the thirty-fourth week of the preceding five years.

The deaths from *measles*, which had been 46, 36, and 43 in the preceding three weeks, fell to 28 last week, but were 5 above the corrected average; 6 deaths belonged to the Borough of Battersea, and 3 to Camberwell. The deaths from *scarlet fever*, which had been 13, 16, and 8 in the preceding three weeks, fell to 7 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 11, 11, and 19 in the preceding three weeks, fell to 10 last week, and were 4 below the corrected average. The deaths from *whooping-cough*, which had been 27, 24, and 29 in the preceding three weeks, rose to 34 last week, and were 16 above the corrected average; 5 deaths belonged to St. Pancras, and 4 each to Shoreditch, Battersea, and Wandsworth. The deaths from *enteric fever*, which had been 3, 0, and 6 in the preceding three weeks, were 3 last week, and were 4 below the corrected average. The deaths from *diarrhoea*, which had been 18, 24, and 23 in the preceding three weeks, rose to 47 last week, but were 287 below the corrected average; 8 deaths belonged to Stepney, 5 each to Shoreditch and Southwark, and 4 to Greenwich. Of the 47 deaths from diarrhoea, 40 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 6, 1, and 3 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 8 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 4 to burns and scalds, 8 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 6, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3687 cases of scarlet fever, 864 of diphtheria, and 55 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 440 cases against 419, 466, and 430; of diphtheria, 116 cases, against 150, 108, and 125; and of enteric fever, 13 cases, against 6, 6, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 17th, 1907.

GREATER LONDON.

In Greater London 3636 births and 1426 deaths were registered. Allowing for increase of population, these numbers are 362 and 805 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 6 from whooping-cough, 3 from "fever," and 12 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.92 inches, and that of the Thermometer 57°.0, the latter being 4°.3 below the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 22 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 24.9 hours; the measured rainfall amounted to 0.96 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION to the middle of the Year 1907.*			DEATH-RATES from all Causes.			Registered Diseases in 1907.		The DEATHS registered in the Week include										TOWNS.					
		1.	Week ended			6.	Rate from Diseases in 1907.		8.	Deaths of		Deaths from							19.		20.	21.			
			2.	3.	4.		5.	7.		Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 15 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.					Fever.	Diarrhoea.	Violence.
76 TOWNS		16,024,458	117	118	115	114	8444	3542	887	919	-	84	30	37	99	17	166	169	308	945	38				
LONDON -		4,756,218	115	120	116	114	2307	1056†	289	288	-	28	7	10	34	3	47	51	105	438	2				
CROYDON -		154,342	88	101	41	68	81	20	2	5	-	1	-	-	-	-	-	3	4	4	-				
WILLESDEN -		149,192	87	98	42	52	97	15	2	6	-	1	-	-	-	-	-	1	1	1	-				
HORNSEY -		89,816	52	52	58	64	39	11	2	6	-	-	-	-	-	-	-	1	1	1	-				
TOTTENHAM -		122,793	115	123	81	110	81	26	3	13	-	-	1	-	-	2	2	2	2	6	-				
WEST HAM -		308,284	101	96	85	86	168	51	21	10	-	-	5	1	-	2	1	2	15	-	-				
EAST HAM -		136,421	92	92	80	54	72	14	5	-	-	-	1	-	-	1	-	2	2	-	-				
LEYTON -		122,040	73	64	68	56	67	13	7	2	-	-	-	-	-	1	-	2	2	-	-				
(WALTHAMSTOW -		126,397	116	50	83	62	70	15	4	3	-	-	-	-	-	-	-	4	4	-	-				
HASTINGS -		67,477	77	70	85	93	21	12	3	3	-	1	-	-	1	-	-	-	-	1	-				
BRIGHTON -		129,023	125	113	117	150	56	37	8	14	-	-	-	-	-	-	-	4	13	-	-				
PORTSMOUTH -		293,291	100	105	130	110	135	44	10	13	-	1	1	-	-	1	3	6	8	1	-				
BOURNEMOUTH -		69,246	98	83	120	68	20	9	1	6	-	-	-	-	-	-	-	-	-	-	-				
SOUTHAMPTON -		118,745	87	74	113	57	58	13	4	2	-	-	-	-	-	-	-	1	2	-	-				
READING -		80,311	58	84	91	130	42	20	3	5	-	-	-	-	-	-	-	-	5	2	-				
NORTHAMPTON -		95,070	104	110	137	110	38	20	3	6	-	-	1	-	-	2	2	2	3	-	-				
IPSWICH -		72,825	107	57	72	122	41	17	4	5	-	1	-	-	-	-	1	2	2	-	-				
GREAT YARMOUTH -		52,879	138	158	177	217	29	22	7	7	-	-	-	3	-	-	-	3	3	-	-				
NORWICH -		119,191	101	109	136	108	56	25	5	9	-	-	-	-	-	1	1	2	4	1	-				
PLYMOUTH -		120,063	100	135	135	100	76	23	4	6	-	-	1	-	-	-	5	5	8						

† Including 1 death from Cerebro-spinal fever.

* See note † on first page of this return.

TOWNS.	Population estimated to the middle of the year 1907.*	DEATH-RATES FROM ALL CAUSES.				Registered during the week ended 24th Aug., 1907.		Deaths of										Deaths from				Deaths in Public Institutions.		Cause of Death.		TOWNS.				
		Week ended				in Cols.		7.	8.	Deaths of		11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.							
		3rd Aug., 1907.	10th Aug., 1907.	17th Aug., 1907.	24th Aug., 1907.	11-17.	Week ended Aug. 26th, 1907.			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.																			
TOWNS.		BIRTHS.				DEATHS.																								
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.								
HUDDERSFIELD.		94,814	11'0	9'9	11'5	15'4	0'5	51	28	4	13	-	-	-	-	1	-	-	2	4	1	1	HUDDERSFIELD.							
HALIFAX.		110,138	11'4	9'0	8'5	9'5	0'5	46	20	1	5	-	-	-	-	1	-	-	1	2	4	1	HALIFAX.							
BRADFORD.		290,323	9'2	13'5	10'4	10'1	1'1	122	56	10	15	-	-	-	2	3	-	1	2	4	5	BRADFORD.								
LEEDS.		470,268	13'0	11'0	12'2	10'2	1'1	243	92	28	21	-	-	-	2	3	-	5	1	4	21	LEEDS.								
SHEFFIELD.		455,553	12'8	13'7	15'0	14'3	3'3	276	125	47	23	-	3	1	-	1	2	23	6	7	20	SHEFFIELD.								
ROTHERHAM.		62,412	8'4	15'9	9'2	10'0	2'5	29	12	1	3	-	-	1	-	1	-	1	1	1	6	ROTHERHAM.								
YORK.		84,730	4'9	11'1	9'2	10'5	0'6	44	17	2	4	-	-	-	-	1	-	1	1	1	5	YORK.								
HULL.		286,762	12'5	11'9	13'9	11'9	1'4	170	61	20	19	-	2	-	1	-	-	3	2	4	11	HULL.								
MIDDLESBROUGH.		101,783	13'3	11'8	10'8	9'7	0'5	70	19	5	2	-	-	-	-	1	-	1	-	2	5	MIDDLESBROUGH.								
STOCKTON-ON-TEES.		52,909	10'8	21'7	18'7	11'8	2'0	29	12	1	4	-	1	-	-	1	-	-	1	1	2	STOCKTON-ON-TEES.								
WEST HARTLEPOOL.		75,473	11'7	10'4	9'7	12'4	0'7	36	18	5	5	-	-	-	-	1	-	-	-	1	2	WEST HARTLEPOOL.								
SUNDERLAND.		156,029	19'4	17'7	12'4	12'7	2'7	86	38	11	8	-	1	2	-	1	-	4	2	3	10	SUNDERLAND.								
SOUTH SHIELDS.		113,460	11'0	11'0	11'5	15'6	1'8	69	34	14	5	-	-	-	-	3	-	1	4	4	4	SOUTH SHIELDS.								
GATESHEAD.		125,783	12'9	9'8	8'3	12'0	1'7	63	29	7	10	-	-	-	-	3	-	1	1	1	-	GATESHEAD.								
NEWCASTLE-ON-TYNE.		272,969	14'5	12'0	11'8	11'3	1'3	156	59	16	19	-	2	-	1	3	-	1	1	3	6	NEWCASTLE-ON-TYNE.								
TYNEMOUTH.		54,688	6'7	15'3	8'6	13'3	1'0	38	14	1	5	-	-	-	1	-	-	-	-	-	3	TYNEMOUTH.								
NEWPORT (MON.).		75,585	6'9	11'7	8'3	9'0	-	48	13	1	4	-	-	-	-	-	-	-	3	4	3	NEWPORT (MON.).								
CARDIFF.		187,620	15'3	13'1	13'6	14'5	6'1	106	52	9	6	-	20	-	1	-	-	1	2	6	10	CARDIFF.								
RHONDDA.		130,400	11'6	11'2	8'8	10'8	1'8	84	27	7	2	-	-	-	-	1	-	1	1	3	3	RHONDDA.								
MERTHYR TYDFIL.		76,085	12'3	13'0	17'8	10'3	0'7	56	15	4	2	-	-	-	-	-	-	1	1	1	1	MERTHYR TYDFIL.								
SWANSEA.		87,324	10'7	13'4	11'3	11'3	1'6	69	21	6	4	-	-	-	1	-	-	2	-	-	1	SWANSEA.								
GREATER LONDON.		7,217,941	10'9	11'1	10'7	10'3	1'3	3636	1426	334	396	-	34	8	21	41	7	63	64	143	516	GREATER LONDON.								
OUTER RING.		2,459,723	9'7	9'3	8'2	7'8	1'0	1329	370	95	108	-	6	1	11	7	4	16	13	38	78	OUTER RING.								
8 TOWNS IN OUTER RING.		1,209,285	9'2	8'1	6'9	7'1	0'6	573	165	47	46	-	2	-	7	1	1	4	7	15	36	8 TOWNS IN OUTER RING.								
REMAINDER OF OUTER RING.		1,250,438	10'2	10'6	9'5	8'5	1'3	656	205	48	62	-	4	1	4	6	3	12	6	23	42	REMAINDER OF OUTER RING.								
EDINBURGH.		345,747	11'2	13'9	11'6	10'1	1'1	140	67	12	19	-	2	-	-	4	-	1	-	?	24	EDINBURGH.								
GLASGOW.		847,584	12'8	14'4	12'8	14'0	2'0	433	228	48	35	-	3	-	4	11	2	12	11	?	77	GLASGOW.								
DUBLIN (Registration Area).†		390,691	18'0	15'7	17'8	15'7	1'9	253	118	33	26	-	2	-	2	4	2	4	3	4	45	DUBLIN (Registration Area).†								
BELFAST.†		370,163	16'2	14'6	14'2	15'1	1'0	224	107	17	26	-	-	-	1	2	-	4	4	4	30	BELFAST.†								

* See note † on first page of this return.
 † Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.
 † death from Cerebro-spinal fever in Greater London, and 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 3 in Glasgow, 1 in Dublin, and 5 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2718	2551	2646	2677	2643	2568	2473	2575	2530	2466	2581.3	2307
Males - - -	1409	1283	1354	1349	1347	1316	1255	1323	1282	1243	1313.8	1208
Females - - -	1309	1268	1292	1328	1296	1252	1218	1252	1248	1223	1267.5	1099
TOTAL Deaths -	1748	1856	2100	1891	1876	1289	1266	1682	1497	1654	1508.0	1056
Males - - -	924	985	1104	905	895	676	668	878	813	871	799.4	564
Females - - -	824	871	996	786	781	593	598	804	684	783	708.6	492

* The numbers in this column are the average weekly numbers in the thirty-fourth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 1.	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	13 Weeks.
TOTAL Births -	2464	2474	2356	2506	2251	2309	2292	2266	2273	2500	2055	2507	2307	30580
TOTAL Deaths -	1190	1209	1172	1163	1138	1089	1115	1077	1101	1052	1097	1093	1056	14552
Ages at Death { Under 1 year -	203	224	218	222	225	215	199	179	182	216	197	239	239	2758
{ 1-5 years -	164	170	174	159	162	129	137	150	133	125	152	149	122	1926
{ 5-20 " -	73	68	70	48	70	57	74	64	57	66	64	66	55	832
{ 20-40 " -	137	143	122	138	144	139	154	125	140	122	140	138	127	1778
{ 40-80 " -	240	261	241	262	238	239	236	245	258	199	222	217	225	3083
{ 80 yrs. & upwds	373	343	347	334	299	310	315	314	331	324	313	284	288	4175
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	52	61	56	48	66	41	46	46	40	46	36	43	28	609
Scarlet Fever - -	13	11	13	10	13	13	11	15	19	13	16	8	7	162
Diphtheria - - -	14	10	8	10	13	8	8	12	10	11	11	19	10	144
Whooping-cough -	30	46	53	36	45	32	29	44	35	27	24	29	34	464
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	-	2	2	1	2	1	1	2	2	3	-	6	3	25
Pyæmia (origin un-	-	1	-	-	-	-	-	-	-	-	1	-	-	2
certain). - - -														
Diarrhoea, Dysentery	20	14	19	13	15	8	8	19	23	18	24	23	47	251
All above Diseases -	128	145	151	118	154	103	103	133	129	118	112	128	129	1657
Dis. of Resp. System	81	74	60	63	58	51	53	51	45	58	50	54	32	1730
Pneumonia - - -	111	112	89	93	98	97	86	75	91	79	89	75	65	1160
Phthisis - - -	120	136	118	107	109	102	115	98	106	84	96	94	109	1394
Dis. of Circ System -	170	188	152	160	161	170	154	143	164	133	157	136	151	2044
Violence - - -	51	36	48	56	69	51	60	46	63	50	63	49	51	693
Inquest Cases - -	118	100	113	118	129	100	122	93	140	104	138	106	105	1484
Deaths in Institutions	490	492	490	499	460	451	477	451	474	476	482	472	438	6152
TEMPERATURE OF THE AIR.														
Mean- - -	53.4	54.7	58.7	56.7	56.4	54.7	56.3	62.7	59.5	59.7	62.3	61.5	57.0	58.0
Mean of Highest -	62.8	63.6	68.0	67.4	66.1	64.3	68.1	75.4	70.2	71.1	73.6	72.4	66.1	68.4
Mean of Lowest -	47.1	48.7	50.8	48.3	49.3	46.8	47.4	52.9	51.3	51.0	54.7	54.2	50.5	50.3
Mean Humidity of the Air.	83	75	75	65	77	73	71	72	78	74	73	73	74	74
Rain-fall (in inches) -	0.67	0.42	0.41	0.01	1.30	0.16	0.22	0.00	0.51	0.40	0.18	0.71	0.96	5.95
Registered Sunshine (in hours).	15.3	25.1	48.5	62.6	24.8	44.7	36.6	57.7	24.7	43.7	41.9	45.0	24.9	495.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	-	-	-	-	-	-	1	-	1	-	1
Scarlet Fever - -	2824	2862	2936	2985	3022	3193	3276	3386	3586	3626	3660	3669	3687	3286
Diphtheria - - -	935	917	944	890	807	809	868	880	872	914	885	888	864	883
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	47	45	59	54	57	60	62	57	51	50	49	51	55	54

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.L.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Scobber, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tyner, North, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FOURTH Week of the Year 1907.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 34th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 34th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1508.0	1056	239	122	55	127	225	288	Meningitis (not tuberc.)	16.0	15	5	8	1	-	-	
									Gen. Par. of Insane, Insanity	12.9	5	-	-	1	2	-	
Small-pox*	0.6	-	-	-	-	-	-	-	Epilepsy	7.6	4	-	-	-	2	-	
Scalpox	-	-	-	-	-	-	-	-	Convulsions	18.6	12	11	1	-	-	-	
Measles (Morbilli)	22.7	28	10	18	-	-	-	-	Locomotor Ataxy	1.2	1	-	-	-	1	-	
Scarlet Fever	11.1	7	-	5	2	-	-	-	Paraplegia, Dis. of Cord	4.1	5	-	-	-	2	3	
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	15.1	14	-	1	1	4	8	
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	37.3	42	-	-	9	6	12	
Influenza	2.5	8	-	-	-	1	5	2	Cereb. Hæm. Cereb. Emb.	26.2	29	-	-	1	5	23	
Whooping-cough	18.2	34	17	17	-	-	-	-	Apoplexy, Hemiplegia	13.9	10	-	-	-	1	2	
Diphtheria	13.9	10	2	3	3	1	-	1	Aneurysm	3.1	5	-	-	-	4	1	
Cerebro-spinal Fever	-	1	1	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.0	-	-	-	-	-	-	
Pyæmia,† (origin un- certain)	7.2	3	-	-	-	3	-	-	Heart & Blood Vess., Other Dis.	69.6	65	-	-	4	8	19	
Enteric Fever	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	37.0	21	2	7	1	1	3	
Epidemic Diarrhoea, Infective Enteritis	220.8	26	20	4	1	-	-	1	Emphysema, Asthma	1.2	3	-	-	-	-	7	
Diarrhoea, Dysentery	113.6	21	11	5	-	3	2	-	Pleurisy	4.1	5	1	1	-	-	2	
Tetanus	0.8	1	-	-	-	-	1	-	Respiratory Dis., Other	6.3	3	1	-	1	1	-	
Rabies, Hydrophobia	0.2	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.4	1	-	1	-	-	-	
Handers	0.2	-	-	-	-	-	-	-	Enteritis (not Epid.)	28.5	17	7	3	-	2	3	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-enteritis	29.9	10	7	1	-	1	1	
Venereal Dis.	8.8	6	2	-	2	-	2	-	Peritonitis (not Puerp.)	3.5	2	1	-	1	-	-	
Puerperal Septicæmia	2.5	-	-	-	-	-	-	-	Cirrhosis of Liver	14.3	10	-	-	-	1	6	
Puerperal Pyæmia	0.4	-	-	-	-	-	-	-	Liver Dis., Other	5.5	6	-	-	1	-	3	
Puerperal Fever	0.8	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	35.6	17	4	-	1	3	6	
Infective Endocarditis	3.7	3	-	-	-	2	1	-	Acute Nephritis	6.1	7	-	2	-	2	1	
Lobar	7.2	7	-	-	1	1	4	1	Bright's Dis., Albumin- uria	27.4	25	-	-	2	11	12	
Pneumonia	27.4	25	8	11	2	-	1	3	Urinary Sys., Other Dis.	7.6	13	-	-	-	3	10	
Epidemic	0.2	-	-	-	-	-	-	-	Generative Organs Dis.	4.7	4	-	-	-	3	1	
Not defined	33.8	33	4	3	3	5	8	10	Childbirth (Accid. of)	2.7	1	-	-	-	1	-	
Erysipelas	3.5	4	1	-	-	-	2	1	Old Age	45.0	41	-	-	-	1	40	
Septicæmia (not Puer- peral)	1.0	2	1	1	-	-	-	-	Other Diseases	105.7	69	54	1	2	7	3	
Pyæmia (not Puerperal)	0.8	2	1	-	-	1	-	-	ACCIDENT.								
Other Infective Processes	7.6	3	-	1	-	2	-	-	By Railways	1.8	1	-	-	-	1	-	
Tuberculous Phthisis	68.6	76	-	2	4	36	25	9	By Vehicles and Horses	6.8	7	1	-	2	2	-	
"Phthisis"	57.5	33	-	-	3	14	12	4	In Ships, Boats, Docks, (exclusive of Drown- ing)	0.2	-	-	-	-	-	-	
Tuberculous Meningitis	19.2	17	3	10	4	-	-	-	In Building Operations	1.4	-	-	-	-	-	-	
Tuberculous Peritonitis	11.9	13	5	7	1	-	-	-	In Conflagrations	-	-	-	-	-	-	-	
Tuberculosis Mesenterica	4.9	2	2	-	-	-	-	-	By Burns, Scalds, Ex- plosions	4.7	4	-	2	-	1	1	
Tuberculous Dis., Other	15.4	16	3	5	2	3	2	1	By Drowning	4.9	8	-	1	3	2	2	
Scrophula	0.4	-	-	-	-	-	-	-	By Suffocation in Bed	7.8	6	6	-	-	-	-	
Alcoholism	10.4	13	-	-	-	5	6	2	By Poisons or Poisonous Vapours	2.7	4	-	-	-	3	1	
Rheumatic Fever	3.1	4	-	-	1	1	1	1	Other Deaths by Acci- dent	18.4	13	1	2	3	-	3	
Sout	2.5	1	-	-	-	-	-	1	VIOLENCE OTHER THAN ACCIDENTAL.								
Sarcoma	55.5	54	-	-	-	-	25	29	Homicide	1.2	-	-	-	-	-	-	
Sarcoma	3.9	5	-	-	-	1	3	1	Suicide	10.0	8	-	-	1	1	5	
Cancer (undefined)	35.0	32	-	-	-	2	14	16	Execution	-	-	-	-	-	-	-	
Diabetes Mellitus	6.8	6	-	-	-	1	-	5									
Premature Birth	51.4	47	47	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 24th August, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic* Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2307	1056	239	288	-	28	7	10	34	-	3	-	47	51	105	438	
WEST DISTRICTS - - -	805,311	320	163	39	54	-	3	1	1	2	-	1	-	4	5	16	71	
NORTH DISTRICTS - - -	1,056,070	487	198	38	54	-	5	-	3	9	-	2	-	2	11	24	61	
CENTRAL DISTRICTS - - -	209,465	105	54	8	12	-	2	-	-	-	-	-	-	3	7	8	36	
EAST DISTRICTS - - -	715,739	451	191	60	37	-	3	-	1	7	-	-	-	16	7	21	80	
SOUTH DISTRICTS - - -	1,749,844	944	415	94	120	-	15	6	3	16	-	-	-	21	21	35	155	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	35	-	11	-	-	-	2	-	-	-	-	1	-	1	35	
WEST DISTRICTS.																		
St. Mary Paddington W,3H - -	93,178	47	15	4	7	-	-	-	-	-	-	-	-	-	-	1	3	
St. John Paddington H - - -	33,617	6	9	-	4	-	-	-	-	-	-	-	-	-	-	-	6	
North-West Paddington - - -	17,181	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -	128,037	49	32	6	12	-	-	-	-	-	-	-	-	-	2	3	17	
Brompton 2H - - -	48,591	9	12	3	4	-	1	-	-	-	-	-	-	-	1	2	3	
North Hammersmith 2W,w,H - -	49,192	26	6	3	3	-	-	-	-	1	-	-	-	-	-	-	-	
South Hammersmith w,2H - -	63,047	24	9	4	2	-	-	-	-	-	-	-	-	1	-	1	3	
North-west Fulham W - - -	45,180	33	15	5	3	-	-	-	1	1	-	-	-	2	-	3	12	
North-east Fulham F - - -	46,405	20	10	3	2	-	-	1	1	-	-	1	-	1	1	1	3	
South Fulham W - - -	45,704	23	7	3	1	-	-	-	-	-	-	-	-	1	-	3	-	
Chelsea North W,w,3H - - -	42,514	13	15	2	8	-	1	-	-	-	-	-	-	-	-	-	10	
Chelsea South W,2H - - -	31,328	15	7	3	2	-	-	-	-	-	-	-	-	-	-	-	4	
Mayfair and Knightsbridge - -	28,743	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -	56,815	16	10	2	2	-	1	-	-	-	-	-	-	-	-	-	6	
St. Margaret & St. John 5H - -	43,698	16	10	1	2	-	-	-	-	-	-	-	-	-	1	2	3	
St. James and St. Anne W,6H - -	33,081	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	10	13	3	-	-	-	-	-	1	-	-	-	-	1	1	3	
St. Mary Marylebone W,4H - -	37,948	40	7	2	4	-	-	-	-	-	-	-	-	-	-	-	2	
Christchurch Marylebone - - -	39,536	21	6	2	2	-	-	-	1	-	-	-	-	-	-	-	-	
St. John Marylebone 2H - - -	20,426	8	3	2	1	-	-	-	-	1	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -	81,942	18	8	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
West St. Pancras 2H - - -	60,562	31	13	2	1	-	1	-	1	1	-	-	-	1	2	2	2	
South St. Pancras w,11H - -	55,707	17	17	3	2	-	1	-	-	1	-	1	-	1	1	1	12	
East St. Pancras W,2H - - -	60,320	24	16	3	3	-	-	-	-	3	-	-	-	1	1	5	5	
North St. Pancras 2W - - -	58,728	26	10	1	3	-	-	-	-	-	-	-	-	-	2	2	2	
Tufnell W - - -	31,995	8	12	-	7	-	-	-	-	-	-	-	-	-	-	1	10	
Upper Holloway 2W,u H - -	33,978	18	14	1	7	-	-	-	-	-	-	-	-	-	1	1	10	
Tollington W,w,H - - -	33,922	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	19	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -	54,478	36	7	2	1	-	1	-	-	-	-	-	-	1	1	2	-	
Islington South-east F - - -	75,397	42	8	2	3	-	-	-	-	-	-	-	-	-	1	-	-	
Highbury 2H - - -	63,797	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - -	51,247	16	10	3	4	-	1	-	-	-	-	-	-	-	-	1	-	
North Hackney - - -	50,560	19	10	-	2	-	-	-	1	-	-	-	-	-	4	5	-	
Central Hackney 2w,F - - -	50,536	33	6	2	3	-	-	-	-	-	-	-	-	-	-	1	4	
South-west Hackney 3E - - -	59,921	32	12	4	3	-	-	-	-	1	-	-	-	1	-	2	4	
South-east Hackney 2W,w,H - -	58,255	41	12	4	3	-	-	-	-	1	-	1	-	-	-	-	3	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of		Deaths from												Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Dysentery.	Violence.	Inquest Cases.			
CENTRAL DISTRICTS.																			
Hilles and Bloomsbury 2W,2H -	31,436	16	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-
nd W,4H - - - - -	21,674	3	16	-	3	-	-	-	-	-	-	-	-	-	-	2	2	14	-
nd Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
born W,6H - - - - -	29,612	11	9	2	2	-	-	-	-	-	-	-	-	-	1	-	-	7	-
h Clerkenwell - - - - -	28,676	14	3	2	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
h Clerkenwell H - - - - -	35,028	25	3	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
bury 3H,L - - - - -	38,116	33	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
orn Union Workhouse, } tcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph H - - - - -	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows W,2H of London Asylum, Stone -	16,824	2	15	-	5	-	1	-	-	-	-	-	-	-	-	3	4	11	-
EAST DISTRICTS.																			
editch South H - - - - -	46,362	30	10	4	-	-	-	-	-	2	-	-	-	-	4	-	1	-	-
editch North-West W,w,H -	36,127	15	14	3	3	-	1	-	-	-	-	-	-	1	-	1	9	-	-
editch North-East - - - - -	34,148	26	9	4	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-
editch Union Workhouse, Wood } een - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
anal Green North-East 2W } L - - - - -	65,138	37	29	11	8	-	1	-	-	-	-	-	-	1	-	-	16	-	-
anal Green South-West H -	64,542	40	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
alfields - - - - -	27,969	11	4	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
End New Town W,H - - -	28,718	30	23	6	3	-	-	-	1	-	-	-	-	1	1	2	20	-	-
aman's Fields - - - - -	22,081	10	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
George and St. John 2W - -	49,068	35	13	4	3	-	-	-	-	-	-	-	-	3	1	2	7	-	-
dwell and Ratcliff W,H - -	25,568	21	12	4	2	-	-	-	-	1	-	-	-	-	-	-	2	6	-
ehouse W - - - - -	32,369	19	8	5	1	-	1	-	-	-	-	-	-	2	-	3	-	-	-
End Old Town South- } estern H - - - - -	63,698	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town North- } estern W,w - - - - -	49,129	18	16	1	3	-	-	-	-	1	-	-	-	1	1	3	8	-	-
L - - - - -	41,939	28	11	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
aley 3w,H - - - - -	68,318	46	21	2	4	-	-	-	-	-	-	-	-	1	2	2	13	-	-
ar W,w - - - - -	58,514	30	10	4	2	-	-	-	-	1	-	-	-	-	1	2	2	1	-

Area, Population, Deaths, and Deaths in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th August, 1907.

The DEATHS registered in the Week include																			
Regis- tration district and sub- district num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901,	BIRTHS.	DEATHS.	Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 10 Years and upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING																			
0:1	Carshalton 2F,3H	12,228	32,997	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H	10,433	15,548	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
7:1	Godstone, part of* W,F,L	2,754	2,892	1	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-
8:1	Coulsdon	11,089	8,166	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	23	6	-	-	-	1	-	-	-	-	-	-	1	2	-	-
3	West Croydon 3W,F,H	2,168	42,388	35	10	3	2	-	-	-	-	-	-	-	-	2	2	5	-
4	North Croydon H	2,644	41,698	23	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5	Penge w	770	22,465	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-
6	Mitcham	11,711	30,015	34	11	6	2	-	1	-	-	-	-	4	-	3	-	-	-
9:1	Wimbledon F,3H	3,221	41,652	15	8	3	3	-	-	-	1	1	-	-	-	-	3	1	-
2	Kingston 2W,H	6,224	42,068	19	15	5	6	-	-	-	-	1	-	-	-	1	5	-	-
3	Surbiton F,H	3,046	15,017	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	5,402	13,100	6	3	-	1	-	-	-	-	-	-	-	-	1	2	-	-
5	Hampton H,F,L	4,584	23,456	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
0:1	Richmond W,H	2,162	28,865	14	6	-	3	-	-	-	-	-	-	-	-	2	2	1	-
2	Mortlake F	2,847	20,628	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Bromley F,2H	4,703	27,354	13	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
2	Beckenham H	7,825	28,497	7	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
3	Orpington part of* W,F	10,113	9,857	4	4	-	4	-	-	-	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H	7,333	16,446	10	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-
2:1	Bexley w,F,H	8,678	21,151	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	17	4	2	-	-	-	1	-	-	-	-	1	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4:1	Sunbury w	11,054	18,683	13	4	2	2	-	-	-	-	-	-	1	-	-	-	1	-
2	Staines W,H	13,277	15,178	9	5	-	2	-	-	-	-	-	-	-	-	-	-	2	-
5:1	Hillingdon W,F,H	6,035	13,661	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H	8,066	16,368	19	3	2	1	-	-	-	-	-	-	1	1	1	1	-	-
0:1	Isleworth 3W,3F,H	6,859	30,863	24	13	2	5	-	1	-	-	-	-	-	1	-	1	3	-
2	Twickenham F,2H	2,421	20,991	11	3	1	1	-	-	-	-	-	-	-	1	-	1	-	-
3	Brentford 3F,2H	4,319	48,289	41	7	4	1	-	-	-	-	-	-	-	2	-	-	-	-
4	Chiswick H	1,249	29,809	20	7	1	2	-	-	-	-	1	1	-	-	-	1	-	-
5	Acton w,F,3H	6,132	48,914	35	9	3	-	-	-	-	-	-	-	-	-	1	-	-	-
7:1	Harrow F,H	13,809	25,523	20	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	97	15	3	7	-	1	-	-	-	-	-	-	-	-	4	-
4	Hendon W,F	8,382	22,450	10	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
0:1	South Mimms 2F,H	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
2	Barnet W,2H	3,324	17,970	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3	Finchley F,2H	4,688	33,692	21	4	1	1	-	-	-	-	-	-	-	-	1	1	-	-
0:1	Hornsey F,H	2,875	72,056	39	10	2	5	-	-	-	-	-	-	-	-	1	1	-	-
2	Wood Green H	1,625	34,233	28	6	1	2	-	-	-	-	1	1	-	-	-	-	-	-
3	West Tottenham	996	48,853	47	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,888	34	18	1	9	-	-	-	1	-	-	-	2	2	3	-	-
5	Edmonton W,w,2F	7,491	61,892	47	22	4	8	-	-	-	1	1	-	-	-	-	1	13	-
6	Enfield 2W,F,H	12,601	42,738	28	8	-	1	-	1	1	1	-	-	-	-	-	-	4	-
7	Waltham Abbey F	11,017	6,549	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
35:1	Hatfield, part of* W	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37:1	Bushey H	9,333	9,173	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36:1	Stratford† H	-	52,974	32	8	3	1	-	-	-	-	-	-	-	-	-	-	2	-
2	Forest Gate†	1,878	52,745	22	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	62	16	7	3	-	-	-	5	-	-	-	-	1	2	5	-
4	Canning Town H	1,556	70,718	56	11	9	1	-	-	-	-	1	-	-	-	-	-	-	-
5	South East Ham 2F	1,993	87,342	32	8	3	-	-	-	-	-	-	-	-	2	-	-	-	-
6	North East Ham w,H	1,333	58,676	40	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	35	10	4	5	-	-	-	-	-	-	-	-	-	2	3	-
9	North Leyton 2W,w,F	1,963	48,445	32	14	3	2	-	-	-	-	-	-	1	-	-	-	10	-
10	Walthamstow 2H,L	6,504	108,929	75	13	5	2	-	-	-	-	-	-	-	-	4	-	-	-
87:1	Chigwell 2F,3H	11,778	18,397	16	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Epping W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
89:1	Romford, part of* W,2F	6,556	8,091	5	6	2	2	-	-	-	-	-	-	-	-	-	-	3	-
2	Ilford F,L	8,496	41,234	36	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
3	Barking Town F	3,803	21,547	20	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.
† The boundaries of these sub-districts were altered on 1st July, 1907.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	August	24	2307	1056	11·6	-	23	7	10	34	3	47
CALCUTTA - -	955,926	July	20	-	395	24·2	4	1	-	2	-	109†	73†
BOMBAY - -	982,000	August	6	336	685	36·4	2	2	-	-	-	72†	140†
MADRAS - -	543,974	July	26	414	372	37·9	-	2	?	?	?	95	63†
PARIS - - -	2,722,731	August	17	1024	778	14·8	-	6	7	4	6	3	85
BRUSSELS - -	823,202	"	17	224	127	10·6	-	-	1	-	2	-	17
ANTWERP - -	304,032	"	17	112	53	8·9	-	-	-	-	1	-	14
AMSTERDAM -	564,342	"	10	227	122	11·3	-	5	1	-	-	-	10
		"	17	298	103	9·5	-	3	2	-	2	1	3
COPENHAGEN -	433,000	"	17	217	105	12·6	-	1	-	-	2	-	3
STOCKHOLM -	332,738	"	10	134	69	10·8	-	3	1	-	1	1	2
CHRISTIANIA -	226,774	"	17	108	56	12·7	-	-	-	-	1	-	4
ST. PETERSBURG	1,482,769	"	3	736	618	21·7	-	10	4	20	4	19	168
MOSCOW - -	1,296,000	"	3	-	840	33·8	-	6	2	7	8	5	339
BERLIN - - -	2,091,048	"	3	942	533	13·3	-	9	3	3	11	-	63
HAMBURG - -	840,790	"	17	-	166	10·5	-	-	1	1	3	-	17
BRESLAU - -	485,278	"	10	302	232	24·9	-	1	2	-	8	1	41
MUNICH - - -	548,000	"	10	279	191	18·1	-	4	-	-	-	2	39
		"	17	-	167	15·8	-	1	-	2	1	-	38
VIENNA - - -	1,979,003	"	17	784	581	15·3	-	5	1	5	1	1	119
PRAGUE - - -	470,906	"	10	181	145	16·0	-	-	-	-	-	3	16
BUDA-PESTH -	802,235	"	10	365	283	18·3	-	2	9	-	2	4	53
TRIESTE - - -	200,962	"	17	124	100	25·9	-	-	-	-	1	-	28
ROME - - -	542,760	May	25	-	-	-	-	-	-	-	-	-	-
VENICE - - -	174,398	August	10	83	71	21·2	-	1	1	-	-	-	13
BUCHAREST -	282,395	"	17	201	150	26·7	-	1	4	2	2	-	31
NEW YORK - -	4,285,435	"	3	2549	1806	22·0	-	30	18	26	12	9	576
		"	10	2277	1825	22·2	-	20	6	22	17	18	517
CHICAGO - - -	2,107,620	"	10	-	646	16·0	-	1	13	6	3	10	176
PHILADELPHIA -	1,500,595	"	3	-	606	20·9	-	1	-	6	9	9	153
RIO DE JANEIRO	628,275	July	28	-	236	19·6	1	2	-	1	1	2†	-
		August	4	-	263	21·8	1	1	-	1	1	2†	-

* Excluding deaths from croup in the Indian Cities.

† Including 11 deaths from plague in Calcutta, 9 in Bombay, and 2 and 1 in Rio de Janeiro.

‡ Including 38 deaths from cholera in Calcutta, 43 in Bombay, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th August, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	72·1	46·1	58·3	0·96	LEEDS - - -	69·0	49·0	57·7	0·06
BRIGHTON - -	66·4	46·6	58·8	0·22	YORK - - -	67·0	45·0	56·3	0·29
PORTSMOUTH -	67·7	47·0	59·0	0·15	HULL - - -	70·0	42·0	55·7	0·07
NORWICH - - -	-	-	-	-	TYNEMOUTH -	68·0	43·0	54·4	0·31
PLYMOUTH - -	65·0	40·3	57·3	0·03	CARDIFF - -	65·8	40·0	56·0	0·18
BRISTOL - - -	66·5	44·3	57·3	0·17					
BIRMINGHAM -	67·9	45·4	55·3	0·29	EDINBURGH -	63·3	42·8	53·2	0·28
NOTTINGHAM -	67·9	44·2	55·8	0·15	GLASGOW - -	65·0	44·8	54·6	0·33
LIVERPOOL	64·0	47·0	55·6	0·48	DUBLIN { Phoenix Park. Fitz- william Square.†	65·3	39·0	55·0	0·29
MANCHESTER -	65·0	45·2	54·6	0·82		66·3	45·8	55·5	0·36
BURNLEY - - -	61·5	41·6	53·2	0·67					
LEESTON - - -	64·2	48·5	56·2	0·64	BELFAST - -	65·6	46·8	56·1	0·55
HUDDERSFIELD	64·3	45·5	54·5	0·42					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote 1 the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 17th August, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	4	3	-	1	-	-	3	-	-
Kensington - - -	181,842	-	3	5	-	1	-	-	1	-	-
Hammersmith - -	122,337	-	3	-	-	-	-	-	1	-	-
Fulham - - -	166,749	-	7	6	-	4	-	-	2	1	-
Chelsea - - -	74,857	-	2	-	-	-	-	-	2	-	-
City of Westminster -	172,219	-	5	1	-	-	-	-	3	-	1
NORTH.											
St. Marylebone - -	127,718	-	7	3	-	2	-	-	2	-	-
Hampstead - - -	91,137	-	4	-	-	1	-	-	2	-	-
St. Pancras - - -	236,753	-	10	12	-	1	-	-	6	-	-
Islington - - -	347,017	-	25	23	-	1	-	-	3	-	-
Stoke Newington - -	53,613	-	4	-	-	1	-	-	1	-	-
Hackney - - -	232,993	-	32	6	-	1	-	-	7	1	-
CENTRAL.											
Holborn - - -	55,134	-	5	2	-	1	-	-	-	-	-
Finsbury - - -	96,732	-	6	5	-	1	-	-	3	-	-
City of London - -	20,310	-	-	-	-	1	-	-	-	-	-
EAST.											
Shoreditch - - -	115,692	-	18	2	-	-	-	-	1	-	-
Bethnal Green - -	130,831	-	29	4	-	-	-	-	3	-	1
Stepney - - -	308,923	-	73	24	-	5	-	-	14	-	-
Poplar - - -	171,086	-	28	10	-	2	-	-	3	-	-
SOUTH.											
Southwark - - -	209,781	-	21	12	-	1	-	-	3	1	-
Bermondsey - - -	128,263	-	23	9	-	1	-	-	3	-	-
Lambeth - - -	318,538	-	20	3	-	1	1	-	6	1	-
Battersea - - -	181,736	-	13	3	-	4	-	-	2	-	-
Wandsworth - - -	281,419	-	20	15	-	1	-	-	6	-	-
Camberwell - - -	277,059	-	18	9	-	-	-	-	7	1	1
Deptford - - -	116,510	-	16	3	-	-	-	-	-	-	-
Greenwich - - -	107,222	-	12	4	-	1	-	-	-	-	-
Lewisham - - -	152,532	-	6	3	-	-	-	-	-	-	-
Woolwich - - -	129,336	-	19	4	-	-	-	-	7	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,758,218	-	438	160	-	31	1	-	92	7	3
Ages											
0-1 - - -	-	-	4	6	-	-	-	-	2	-	3
" 1-5 - - -	-	-	156	70	-	4	-	-	4	-	-
" 5- - - -	-	-	158	48	-	5	-	-	4	-	-
" 10- - - -	-	-	73	16	-	2	-	-	4	-	-
" 15- - - -	-	-	18	8	-	6	-	-	1	-	-
" 20- - - -	-	-	10	1	-	4	-	-	3	1	-
" 25- - - -	-	-	15	5	-	4	-	-	16	6	-
" 35- - - -	-	-	2	2	-	2	-	-	19	-	-
" 45- - - -	-	-	-	3	-	2	1	-	18	-	-
" 55- - - -	-	-	1	1	-	1	-	-	11	-	-
" 65 and upwards -	-	-	-	-	-	1	-	-	10	-	-
Age not stated - -	-	-	1	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

1741
The first of the year
The first of the year
The first of the year

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 35. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, AUG. 31. [Price 1½d.

General Register Office, Somerset House,
September 2nd, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in **SEVENTY-SIX GREAT TOWNS** of England and Wales corresponded to an annual rate of 11·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 11·8, and 11·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 15·7 in Liverpool, 15·8 in Great Yarmouth, 15·9 in Wigan, 16·4 in St. Helens, 17·8 in Hastings, 17·9 in Walsall, 18·7 in Sunderland, and 22·9 in Tynemouth; from *measles*, 1·3 in Coventry, 1·4 in Merthyr Tydfil, 2·1 in Ipswich, and 3·9 in Cardiff; from *diphtheria*, 1·3 in Reading and 1·9 in Tynemouth; from *whooping-cough*, 1·1 in St. Helens and 1·5 in Stockport; from "*fever*," 1·2 in Wigan; and from *diarrhœa*, 2·2 in Walsall, 2·3 in St. Helens, 2·9 in Sheffield, 3·0 in West Bromwich, and 3·1 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In **LONDON** 2346 BIRTHS and 1068 DEATHS were registered. Allowing for increase of population, the births were 129 and the deaths 407 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·0, 12·0, and 11·6 per 1000 in the preceding three weeks, was 11·7 last week. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 4·8 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1068 deaths included 24 from measles, 14 from scarlet fever, 10 from diphtheria, 21 from whooping-cough, 7 from enteric fever, and 56 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 132 deaths were referred to these diseases in the aggregate, being 238 below the corrected average number in the thirty-first week of the preceding five years.

The deaths from *measles*, which had been 36, 43, and 28 in the preceding three weeks, fell to 24 last week, but were 6 above the corrected average; 4 deaths belonged to the Borough of Southwark, and 3 to Battersea. The deaths from *scarlet fever*, which had been 16, 8, and 7 in the preceding three weeks, again rose to 14 last week, and were 6 above the corrected average; 4 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 11, 19, and 10 in the preceding three weeks, were 10 again last week, and were 3 below the corrected average. The deaths from *whooping-cough*, which had been 24, 29, and 34 in the preceding three weeks, fell to 21 last week, and were 2 below the corrected average; 4 deaths belonged to Lambeth and 3 to Stepney. The deaths from *enteric fever*, which had been 0, 6, and 3 in the preceding three weeks, were 7 last week, the corrected average being 8. The deaths from *diarrhoea*, which had been 24, 23, and 47 in the preceding three weeks, rose to 56 last week, but were 243 below the corrected average; 8 deaths belonged to Stepney, 7 each to Southwark and Wandsworth, 5 to Poplar, and 4 to Shoreditch. Of the 56 deaths from diarrhoea, 53 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 1, 3, and 8 in the preceding three weeks.

Different forms of *violence* caused 41 deaths, concerning all but 1 of which inquests were held. Of these 41 deaths, 7 were cases of suicide and 1 of homicide, while the remaining 33 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 4 to burns, scalds, &c., and 3, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3737 cases of scarlet fever, 838 of diphtheria, and 65 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 557 cases against 466, 430, and 440; of diphtheria, 116 cases, against 108, 125, and 116; and of enteric fever, 23 cases, against 6, 18, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 24th, 1907.

GREATER LONDON.

In Greater London 3566 births and 1493 deaths were registered. Allowing for increase of population, these numbers are 286 and 630 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from diphtheria, 6 from whooping-cough, 3 from "fever," and 13 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 61°·1, the latter being 0°·7 above the week's average in the 65 years ending 1905. The general direction of the wind was Westerly, the horizontal movement of the air being 31 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 47·8 hours; the measured rainfall amounted to 0·16 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 31st August, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the Week ended 31st AUG., 1907.		The DEATHS registered in the Week include											TOWNS.																																									
		Week ended				Week ended 31st AUG., 1907.		Births.	Deaths.	Deaths of																																																				
										Persons aged under 1 Year of Age.																																																				
		10th AUG., 1907.	17th AUG., 1907.	24th AUG., 1907.	31st AUG., 1907.					Small-Pox.																																																				
													Deaths from											Inquest Cases.											Deaths in Public Institutions.		Unclassified Causes of Death.																									
													Scarlet Fever.											Diphtheria.											Whooping cough.											Typhoid.											Violence.					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																																									
76 TOWNS	16,024,458	11'8	11'8	11'5	11'8	1'4	8455	3617	872	977	73	35	36	76	23	194	143	297	977	31	76 TOWNS.																																									
LONDON -	4,768,218	12'0	12'0	11'6	11'7	1'4	2346	1088	255	289	24	14	10	21	7	56	41	107	459	3	LONDON.																																									
CROYDON -	154,342	10'1	4'1	6'8	9'5	-	67	28	4	15	-	-	-	2	-	-	-	1	9	-	CROYDON.																																									
WILLESDEN -	149,132	3'8	4'2	5'2	9'1	0'6	77	26	10	7	-	-	-	1	-	-	-	3	4	-	WILLESDEN.																																									
HORNSEY -	88,816	5'2	5'8	6'4	5'2	0'6	33	9	-	3	-	-	-	-	-	-	-	2	-	-	HORNSEY.																																									
TOTTENHAM -	122,793	12'3	8'1	11'0	5'9	0'4	56	14	6	4	-	-	-	-	-	1	-	3	4	-	TOTTENHAM.																																									
WEST HAM -	308,284	9'6	8'5	8'6	10'8	1'7	188	64	26	13	1	-	1	4	-	4	3	4	13	-	WEST HAM.																																									
EAST HAM -	138,421	9'2	8'0	5'4	7'6	0'4	65	20	3	7	-	-	1	-	-	-	-	1	3	-	EAST HAM.																																									
LEYTON -	122,040	6'4	6'8	5'6	7'7	0'4	53	18	2	6	-	-	-	-	-	-	-	1	3	-	LEYTON.																																									
WALTHAMSTOW -	126,397	5'0	8'3	6'2	7'8	2'1	60	19	5	3	-	1	-	-	-	3	1	3	6	-	WALTHAMSTOW.																																									
HASTINGS -	67,477	7'0	8'5	9'3	17'8	-	25	23	4	9	-	-	-	-	-	-	1	2	5	-	HASTINGS.																																									
BRIGHTON -	128,023	11'3	11'7	15'0	8'9	-	57	22	1	14	-	-	-	-	-	-	-	3	6	-	BRIGHTON.																																									
PORTSMOUTH -	238,291	10'5	13'0	11'0	10'8	0'5	121	43	6	12	-	-	-	1	-	-	2	4	9	-	PORTSMOUTH.																																									
BOURNEMOUTH -	68,246	8'3	12'0	6'8	8'3	-	23	11	-	4	-	-	-	-	-	-	1	1	5	-	BOURNEMOUTH.																																									
SOUTHAMPTON -	119,745	7'4	11'3	5'7	10'0	-	51	23	4	4	-	-	-	-	-	-	3	4	7	-	SOUTHAMPTON.																																									
READING -	80,311	8'4	9'1	13'0	9'1	1'9	27	14	2	5	-	-	1	2	-	-	-	-	6	-	READING.																																									
NORTHAMPTON -	85,070	11'0	13'7	11'0	8'8	1'1	36	16	4	7	-	-	-	1	-	1	-	-	2	-	NORTHAMPTON.																																									
IPSWICH -	72,825	5'7	7'2	12'2	9'3	2'9	36	13	3	4	3	-	-	-	-	1	1	2	2	-	IPSWICH.																																									
GREAT YARMOUTH -	52,879	15'8	17'7	21'7	15'8	3'0	36	16	7	6	1	1	-	1	-	-	-	-	2	-	GREAT YARMOUTH.																																									
NORWICH -	119,191	10'9	13'6	10'9	11'8	1'3	46	27	6	9	-	-	2	-	-	1	4	5	4	-	NORWICH.																																									
PLYMOUTH -	120,063	13'5	13'5	10'0	10'9	-	51	25	6	8	-	-	-	-	-	-	-	-	5	-	PLYMOUTH.																																									
DEVONPORT -	79,959	11'1	5'9	10'4	5'9	-	52	9	1	4	-	-	-	-	-	-	-	1	1	-	DEVONPORT.																																									
BRISTOL -	367,979	9'4	8'4	9'6	11'5	1'1	164	81	15	23	1	-	-	1	-	6	8	9	21	-	BRISTOL.																																									
HANLEY -	67,174	10'1	10'9	14'7	14'7	0'8	41	19	3	10	-	-	-	-	-	1	1	2	2	-	HANLEY.																																									
BURTON-ON-TRENT -	53,425	7'8	6'8	16'6	2'0	-	24	2	-	-	-	-	-	-	-	-	1	1	-	-	BURTON-ON-TRENT.																																									
WOLVERHAMPTON -	102,016	10'2	10'7	13'3	10'7	2'0	54	21	7	5	-	-	-	-	-	3	-	1	4	-	WOLVERHAMPTON.																																									
WALSALL -	96,171	13'0	15'2	13'0	17'9	4'3	62	33	14	6	1	1	1	1	-	4	-	2	2	-	WALSALL.																																									
HANDSWORTH -	65,929	6'3	8'7	9'9	12'7	1'6	23	16	4	6	-	-	1	-	-	1	-	2	3	-	HANDSWORTH.																																									
WEST BROMWICH -	69,123	10'6	13'6	10'6	12'1	3'0	45	16	7	5	-	-	-	-	-	4	-	-	1	-	WEST BROMWICH.																																									

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TOWNS.	POPULATION estimated to the end of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Colls. 11-17.		Registered during the Week 31st Aug., 1907.		Deaths of		The DEATHS registered in the Week include										TOWNS.	
		Week ended				Week ended 31st August, 1907.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 1 to 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
		10th Aug., 1907.	17th Aug., 1907.	24th Aug., 1907.	31st Aug., 1907.	Week ended 31st Aug., 1907.	Week ended 31st Aug., 1907.																
COLLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLLS.	
HUDDESFIELD.	-	9.9	11.5	15.4	9.9	1.6	35	18	2	12	-	-	-	-	1	-	2	-	-	1	3	HUDDESFIELD.	
HALIFAX.	-	9.0	8.5	9.5	10.4	-	28	22	1	8	-	-	-	-	1	-	-	1	1	4	-	HALIFAX.	
BRADFORD.	-	13.5	10.4	9.1	9.5	1.1	97	53	5	18	-	1	1	-	1	2	1	7	10	12	-	BRADFORD.	
LEEDS.	-	11.0	12.2	10.2	12.9	2.0	207	116	26	32	-	2	3	-	3	-	10	7	10	20	-	LEEDS.	
SHEFFIELD.	-	13.7	15.0	14.3	14.4	3.7	283	126	49	23	-	2	1	-	3	1	25	5	8	23	1	SHEFFIELD.	
ROTHERHAM.	-	15.9	9.2	10.0	10.9	2.5	39	13	5	3	-	-	-	-	1	-	2	-	3	-	-	ROTHERHAM.	
YORK.	-	11.1	9.2	10.5	6.2	-	47	10	-	6	-	-	-	-	-	-	-	-	2	3	-	YORK.	
HULL.	-	11.9	13.9	11.9	14.1	1.4	144	72	18	23	-	1	-	-	3	2	1	3	7	9	-	HULL.	
MIDDLESBROUGH.	-	11.8	10.8	9.7	8.2	-	83	16	3	2	-	-	-	-	-	-	-	1	2	4	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	-	21.7	18.7	11.8	9.9	3.0	46	10	4	1	-	1	-	-	1	-	1	-	1	-	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	-	10.4	9.7	12.4	6.2	0.7	57	9	3	2	-	-	-	-	2	-	1	-	-	-	-	WEST HARTLEPOOL.	
SUNDERLAND.	-	17.7	12.4	12.7	18.7	2.0	110	56	14	11	-	1	2	-	-	-	1	-	-	16	-	SUNDERLAND.	
SOUTH SHIELDS.	-	11.0	11.5	15.6	8.7	0.5	74	19	6	4	-	-	-	-	1	-	1	1	1	6	2	SOUTH SHIELDS.	
GATESHEAD.	-	9.9	8.3	12.0	15.3	1.7	88	37	9	6	-	-	-	1	2	-	1	1	1	2	-	GATESHEAD.	
NEWCASTLE-ON-TYNE.	-	12.0	11.8	11.3	11.5	1.0	134	60	12	12	-	2	1	1	-	-	1	1	2	13	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.	-	15.3	8.6	14.3	22.9	3.8	31	24	7	4	-	-	-	2	1	-	1	1	1	3	-	TYNEMOUTH.	
NEWPORT (MON.).	-	11.7	8.3	9.0	9.0	-	43	13	2	2	-	-	-	-	-	-	-	1	4	1	-	NEWPORT (MON.).	
CARDIFF.	-	13.1	13.6	14.5	13.6	4.7	109	49	14	13	-	14	-	-	1	-	1	-	3	7	-	CARDIFF.	
RHONDDA.	-	11.2	8.8	10.8	14.0	1.2	87	35	9	5	-	2	-	-	-	1	-	3	4	3	-	RHONDDA.	
MERTHYR TYDFIL.	-	13.0	17.8	10.3	10.3	2.7	61	15	4	2	-	2	-	-	-	-	2	1	2	2	1	MERTHYR TYDFIL.	
SWANSEA.	-	13.4	11.3	11.3	15.5	0.5	55	29	3	9	-	-	-	-	-	-	1	1	3	3	-	SWANSEA.	
GREATER LONDON.	-	11.1	10.7	10.3	10.8	1.3	3566	1493	363	429	-	28	16	14	34	11	79	54	141	539	3	GREATER LONDON.	
OUTER RING.	-	9.3	8.2	7.8	9.0	1.1	1220	425	108	130	-	4	2	4	13	4	23	13	34	80	-	OUTER RING.	
8 TOWNS IN OUTER RING.	-	8.1	6.9	7.1	8.5	1.0	802	198	56	58	-	1	2	3	7	1	10	5	16	44	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	10.6	9.5	8.5	9.5	1.1	618	227	52	72	-	3	-	1	6	3	13	8	18	36	-	REMAINDER OF OUTER RING.	
EDINBURGH.	-	13.9	11.6	10.1	15.4	0.9	120	102	14	36	-	-	1	-	5	-	-	2	9	41	3	EDINBURGH.	
GLASGOW.	-	14.4	12.8	14.0	12.8	1.4	429	208	45	45	-	1	-	5	7	2	7	8	9	71	8	GLASGOW.	
DUBLIN (Registration Area).†	-	15.7	17.8	15.7	18.6	2.3	197	139	24	31	-	7	-	-	-	2	8	6	8	50	3	DUBLIN (Registration Area).†	
BELFAST.†	-	14.6	14.2	15.1	12.7	0.7	186	90	23	14	-	2	-	-	1	-	2	-	-	24	1	BELFAST.†	

* See note † on first page of this return.

* See note † on first page of this return.
† Including

* See note † on first page of this return.
† Excluding deaths of persons admitted

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2463	2650	2532	2763	2483	2633	2454	2160	2372	2475	2475·3	2346
Males - - -	1259	1371	1331	1443	1284	1328	1248	1161	1198	1232	1262·2	1154
Females - - -	1209	1279	1201	1320	1199	1305	1206	999	1174	1243	1213·1	1192
TOTAL Deaths -	1452	1898	1931	1776	1623	1385	1245	1459	1548	1570	1475·1	1068
Males - - -	748	977	996	943	866	779	662	767	821	823	788·4	572
Females - - -	704	921	935	833	757	606	583	692	727	747	686·7	496

* The numbers in this column are the average weekly numbers in the thirty-fifth week of the five years 1902-1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 8.	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	13 Weeks.
TOTAL Births -	2474	2356	2506	2251	2309	2292	2266	2273	2500	2055	2507	2307	2346	30442
TOTAL Deaths -	1209	1172	1163	1138	1089	1115	1077	1101	1052	1097	1093	1056	1068	14430
Under 1 year -	224	218	222	225	215	199	179	182	216	197	239	239	255	2810
1-5 years -	170	174	159	162	129	137	150	133	125	152	149	122	123	1835
5-20 " -	68	70	48	70	57	74	64	57	66	84	66	55	68	827
20-40 " -	143	122	138	144	139	154	125	140	122	149	138	127	112	1753
40-60 " -	261	241	262	238	239	236	245	258	199	222	217	225	211	3054
60 yrs. & upwds.	343	347	334	299	310	315	314	331	324	313	284	288	299	4101
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	61	56	48	66	41	46	46	40	46	36	43	28	24	581
Scarlet Fever - - -	11	13	10	13	13	11	15	19	13	16	8	7	14	163
Diphtheria - - -	10	8	10	13	8	8	12	10	11	11	19	10	10	140
Whooping-cough - - -	46	53	36	45	32	29	44	35	27	24	29	34	21	455
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	2	2	1	2	1	1	2	2	3	-	6	3	7	32
Pyæmia (origin uncertain). - - -	1	-	-	-	-	-	-	-	-	1	-	-	-	2
Diarrhoea, Dysentery - - -	14	19	13	15	8	8	19	23	18	24	23	47	56	287
All above Diseases -	145	151	118	154	103	103	138	129	118	112	128	129	132	1660
Dis. of Resp. System - - -	74	60	63	58	51	53	51	45	58	50	54	32	59	1708
Pneumonia - - -	112	89	93	98	97	86	75	91	79	89	75	65	70	1119
Phthisis - - -	136	118	107	109	102	115	98	106	84	96	94	109	87	1361
Dis. of Circ. System - - -	188	152	160	161	170	154	143	164	133	157	136	151	146	2020
Violence - - -	36	48	56	69	51	60	46	63	50	63	49	51	41	683
Inquest Cases - - -	100	113	118	129	100	122	93	140	104	136	106	105	107	1473
Deaths in Institutions - - -	492	490	499	460	451	477	451	474	476	482	472	438	459	6121
TEMPERATURE OF THE AIR.														
Mean - - -	54·7	58·7	56·7	56·4	54·7	56·3	62·7	59·5	59·7	62·3	61·5	57·0	61·1	58·6
Mean of Highest - - -	63·6	68·0	67·4	66·1	64·3	68·1	75·4	70·2	71·1	73·6	72·4	66·1	72·3	69·1
Mean of Lowest - - -	48·7	50·8	48·3	49·3	46·8	47·4	52·9	51·3	51·0	54·7	54·2	50·5	50·6	50·5
Mean Humidity of the Air - - -	75	75	65	77	73	71	72	78	74	73	73	74	76	74
Rain-fall (in inches) - - -	0·42	0·41	0·01	1·30	0·16	0·22	0·00	0·51	0·40	0·18	0·71	0·96	0·16	5·44
Registered Sunshine (in hours) - - -	25·1	48·5	62·6	24·8	44·7	36·6	57·7	24·7	43·7	41·9	45·0	24·9	47·8	528·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	-	-	-	-	-	1	1	1	1	-
Scarlet Fever - - -	2862	2936	2985	3022	3193	3276	3386	3536	3626	3660	3669	3687	3737	3356
Diphtheria - - -	917	944	890	807	809	868	880	872	914	885	888	864	838	875
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	45	59	54	57	60	62	57	51	50	49	51	55	65	55

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIFTH Week of the Year 1907.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH	Corrected Average for the 35th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH.	Corrected Average for the 35th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1475.1	1068	255	123	68	112	211	299	Meningitis (not tuberc.)	16.8	18	5	9	3	-	-	1
									Gen. Par. of Insane, Insanity	9.6	12	-	-	-	-	1	7
									Epilepsy	5.3	6	-	1	-	-	1	2
									Convulsions	23.3	11	11	-	-	-	-	2
Small-pox*	0.6	-	-	-	-	-	-	-	Locomotor Ataxy	1.2	-	-	-	-	-	-	4
Scalp-pox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	5.1	6	-	-	-	-	-	1
Measles (Morbilli)	18.0	24	10	14	-	-	-	-	Nervous Sys., Other Dis.	18.4	11	-	1	-	5	2	3
Scarlet Fever	7.8	14	2	8	4	-	-	-	Valv. Dis., Endocarditis	38.1	31	-	-	5	3	4	22
Erysipelas	-	-	-	-	-	-	-	-	Cereb. Hæm. Cereb. Emb.	28.9	33	-	-	-	-	7	26
Diphtheria	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	17.0	13	-	-	-	-	2	11
Influenza	2.7	3	-	1	-	-	1	1	Aneurysm	4.5	4	-	-	-	-	4	-
Whooping-cough	23.1	21	8	13	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.0	1	-	-	-	-	-	1
Diphtheria	13.1	10	-	7	3	-	-	-	Heart & Blood Vess., Other Dis.	66.5	61	1	-	5	5	22	28
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.4	1	-	1	-	-	-	-
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-	Bronchitis	44.3	43	7	4	-	2	4	26
Enteric Fever	8.2	7	-	-	3	4	-	-	Emphysema, Asthma	2.0	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Pleurisy	3.3	4	-	-	-	-	1	3
Epidemic Diarrhoea	192.4	34	26	6	1	-	-	1	Respiratory Dis., Other	7.8	11	1	1	-	2	2	5
Infective Enteritis	106.6	22	20	1	1	-	-	-	Tonsillitis, Quinsy	0.6	-	-	-	-	-	-	-
Diarrhoea, Dysentery	1.2	-	-	-	-	-	-	-	Enteritis (not Epid.)	27.2	16	10	2	1	-	1	2
Tetanus	-	-	-	-	-	-	-	-	Gastro-enteritis	28.9	7	4	1	-	-	1	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.0	1	-	-	1	-	-	-
Glanders	0.2	-	-	-	-	-	-	-	Cirrhosis of Liver	13.7	10	-	-	-	2	4	4
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Liver Dis., Other	6.3	1	-	-	-	-	-	-
Veneral Dis.	7.4	5	3	1	-	1	-	-	Digestive Sys., Other Dis.	36.0	37	5	-	5	6	11	10
Puerperal Septicæmia	1.6	-	-	-	-	-	-	-	Acute Nephritis	5.3	10	1	1	1	4	1	2
Puerperal Pyæmia	0.6	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	31.3	28	-	-	-	2	11	15
Puerperal Fever	0.8	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	8.8	7	-	-	-	1	3	3
Infective Endocarditis	3.1	4	-	-	-	2	2	-	Generative Organs Dis.	3.9	1	-	-	-	-	-	1
Lobar	8.2	7	1	-	-	1	2	3	Childbirth (Accid. of)	4.9	5	-	-	-	3	2	-
Broncho	28.2	30	13	11	1	-	2	3	Old Age	42.4	30	-	-	-	-	-	30
Pneumonia	-	-	-	-	-	-	-	-	Other Diseases	103.5	70	47	3	3	4	9	4
Epidemic	-	-	-	-	-	-	-	-									
Not defined	30.3	33	5	4	1	6	9	8									
Erysipelas	5.1	4	1	-	-	1	-	2									
Septicæmia (not Puerperal)	1.6	2	-	-	1	1	-	-	ACCIDENT.								
Pyæmia (not Puerperal)	0.6	1	-	-	-	1	-	-	By Railways	2.0	1	-	-	-	-	1	-
Other Infective Processes	3.7	3	2	-	-	-	1	-	By Vehicles and Horses	8.2	10	-	3	4	1	1	1
Tuberculous Phthisis	62.0	59	2	3	6	21	20	7	In Ships, Boats, Docks, (exclusive of Drowning)	0.4	2	-	-	-	-	2	-
" Phthisis "	51.8	28	-	-	1	12	12	3	In Building Operations	0.6	1	-	-	-	-	1	-
Tuberculous Meningitis	18.4	24	3	17	4	-	-	-	In Confagurations	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	15.1	10	4	2	4	-	-	-	By Burns, Scalds, Explosions	3.3	4	1	2	1	-	-	-
Tubes Mesenterica	4.5	1	1	-	-	-	-	-	By Drowning	5.7	2	-	-	-	-	2	-
Tuberculous Dis., Other	18.4	13	2	5	2	2	1	1	By Suffocation in Bed	7.8	3	3	-	-	-	-	-
Scrophula	0.4	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1.6	2	-	-	-	-	2	-
Alcoholism	11.1	12	-	-	-	5	5	2	Other Deaths by Accident	15.1	8	2	-	4	1	-	1
Rheumatic Fever	3.9	3	-	1	1	-	-	1									
Gout	1.8	1	-	-	-	-	-	1									
Carcinoma	60.4	64	-	-	-	2	27	35	VIOLENCE OTHER THAN ACCIDENTAL.								
Sarcoma	6.8	8	-	-	1	1	4	2	Homicide	1.0	1	1	-	-	-	-	-
Cancer (undefined)	32.1	28	-	-	-	2	11	15	Suicide	12.7	7	-	-	-	3	3	1
Diabetes Mellitus	8.6	7	-	-	1	3	1	2	Execution	-	-	-	-	-	-	-	-
Premature Birth	46.9	53	53	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st August, 1907.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths from Public Institutions.	
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia (or Septicæmia).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2346	1068	255	299	-	24	14	10	21	-	7	-	56	41	107	459		
WEST DISTRICTS - - -	805,311	334	171	38	61	-	6	1	2	1	-	1	-	7	2	9	70		
NORTH DISTRICTS - - -	1,056,070	518	206	43	57	-	3	5	1	1	-	2	-	5	8	23	83		
CENTRAL DISTRICTS - - -	209,465	123	66	14	14	-	1	-	1	1	-	-	-	1	4	8	41		
EAST DISTRICTS - - -	715,739	432	192	67	43	-	2	-	1	8	-	-	-	17	14	32	99		
SOUTH DISTRICTS - - -	1,749,844	939	408	93	119	-	12	6	5	10	-	4	-	23	13	35	140		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	27	-	5	-	-	2	1	-	-	-	-	-	-	-	27		
WEST DISTRICTS.																			
St. Mary Paddington W ³ H - -	93,178	45	26	4	12	-	1	-	-	-	-	-	-	-	-	2	10		
St. John Paddington H - - -	33,617	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
North-West Paddington - - -	17,181	9	4	1	3	-	1	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w ² H - -	128,037	57	36	11	14	-	-	-	-	1	-	-	-	1	-	1	16		
Brompton 2H - - -	48,591	12	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
North Hammersmith 2W,w ² H - -	49,192	30	11	3	5	-	-	-	-	-	-	-	-	-	-	-	4		
South Hammersmith w ² H - - -	83,047	20	12	1	6	-	1	-	-	-	-	-	-	1	-	-	5		
North-west Fulham W - - -	45,180	37	11	1	5	-	-	-	-	-	-	-	-	-	1	1	2		
North-east Fulham F - - -	48,405	32	17	6	3	-	1	1	2	-	-	1	-	2	-	-	5		
South Fulham W - - -	45,704	19	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-		
Chelsea North W,w ³ H - - -	42,514	10	15	1	5	-	-	-	-	-	-	-	-	1	-	1	14		
Chelsea South W ² H - - -	51,328	12	6	2	1	-	-	-	-	-	-	-	-	1	1	2	1		
Mayfair and Knightsbridge - -	28,743	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W ² H - - -	55,815	20	9	2	2	-	-	-	-	-	-	-	-	-	-	1	6		
St. Margaret & St. John 5H - -	43,698	14	10	1	1	-	1	-	-	-	-	-	-	1	-	1	5		
St. James and St. Anne W ² H - -	33,081	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	6	11	-	2	-	-	-	-	-	-	-	-	-	1	1	7		
St. Mary Marylebone W ⁴ H - - -	37,948	31	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
Christchurch Marylebone - - -	39,536	25	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 2H - - -	20,426	7	3	1	1	-	-	-	-	-	-	-	-	1	-	-	1		
Hampstead W,F ⁷ H - - -	81,942	24	11	-	6	-	-	1	-	-	-	-	-	-	-	-	4		
West St. Pancras 2H - - -	60,562	17	7	1	2	-	1	-	-	-	-	-	-	-	-	1	9		
South St. Pancras w ¹¹ H - - -	55,707	26	14	2	3	-	-	-	-	-	-	-	-	1	1	3	9		
East St. Pancras W ³ H - - -	60,320	35	15	5	6	-	-	-	-	-	-	-	-	1	2	2	5		
North St. Pancras 2W - - -	58,728	25	12	-	3	-	-	-	-	-	-	-	-	-	-	-	4		
Tufnell W - - -	31,995	14	18	3	1	-	1	-	-	-	-	1	-	-	1	4	13		
Upper Holloway 2W,w ¹ H - - -	33,978	20	12	2	-	-	-	-	-	-	-	-	-	-	1	2	9		
Tollington W,w ² H - - -	33,922	20	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-		
Lower Holloway - - -	41,424	28	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - -	54,478	27	13	4	3	-	1	-	-	-	-	-	-	-	-	4	-		
Islington South-east F - - -	75,397	40	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Highbury 2H - - -	63,797	27	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - -	51,247	19	8	-	5	-	-	-	-	-	-	-	-	-	1	2	-		
North Hackney - - -	50,560	25	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w,F - - -	50,536	33	10	4	1	-	-	4	1	-	-	-	-	-	-	1	5		
South-west Hackney 3H - - -	59,921	34	18	4	3	-	-	-	-	-	-	-	-	-	1	1	10		
South-east Hackney 2W,w ¹ H - -	58,265	35	26	7	13	-	-	-	-	-	-	-	-	2	-	2	14		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																
			Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 80 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
Giles and Bloomsbury 2W,2H -	31,436	16	9	2	2	-	-	-	-	-	-	-	-	-	1	1	4	-	
and W,4H - - - - -	21,874	6	8	-	3	-	-	-	-	-	-	-	-	-	-	1	8	-	
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
iborn W,6H - - - - -	29,612	17	18	8	1	-	-	-	-	-	-	-	-	1	2	2	13	-	
ith Clerkenwell - - - - -	28,876	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
rth Clerkenwell H - - - - -	35,028	26	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
sburry 3H,L - - - - -	36,116	34	8	2	2	-	1	-	-	1	-	-	-	-	-	2	-	-	
born Union Workhouse, } itcham - - - - -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	
Botolph H - - - - -	10,299	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Sepulchre and Allhallows W,2H	16,624	2	13	1	2	-	-	-	-	-	-	-	-	-	1	1	13	-	
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																			
reditch South H - - - - -	46,362	25	4	1	1	-	-	-	-	1	-	-	-	-	1	2	-	-	
reditch North-West W,w,H -	36,127	27	22	6	9	-	-	-	-	1	-	-	-	-	-	7	13	-	
reditch North-East - - - - -	34,148	21	3	2	-	-	-	-	-	-	-	-	-	3	-	-	-	-	
reditch Union Workhouse, Wood } reen - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
anal Green North-East 2W }	65,188	50	25	9	8	-	-	-	-	-	-	-	-	-	2	1	16	-	
L. anal Green South-West H -	64,542	45	8	4	1	-	-	-	-	-	-	-	-	-	1	2	-	-	
alfields - - - - -	27,969	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
End New Town W,H - - - - -	28,718	24	30	8	2	-	-	-	1	-	-	-	-	-	2	4	27	-	
dman's Fields - - - - -	22,081	10	6	4	1	-	-	-	-	-	-	-	1	-	2	-	-	-	
George and St. John 2W - - -	49,068	13	13	2	3	-	1	-	-	-	-	-	-	-	1	2	4	-	
dwell and Ratcliff W,H - - -	25,568	18	17	8	1	-	1	-	-	4	-	-	-	3	-	-	13	-	
ehouse W - - - - -	32,869	16	5	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
o End Old Town South- }	63,698	44	13	6	4	-	-	-	-	-	-	-	1	-	1	1	-	-	
o End Old Town North- }	49,129	23	12	6	4	-	-	-	-	-	-	-	3	-	1	6	-	-	
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			
o End Old Town North- }																			

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st August, 1907—continued.

The DEATHS registered during the Week include																					
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.						
SOUTH DISTRICTS.																					
Christchurch and St. Saviour	23,319	10	18	3	1	-	1	-	1	-	-	-	-	-	2	2	3	16			
Southwark W,2H	21,904	14	6	2	1	-	-	-	-	-	-	-	-	-	1	1	1	-			
Kent-road	39,094	21	10	4	2	-	1	-	-	-	-	-	-	-	1	-	1	3			
St. George the Martyr West	49,022	30	13	5	3	-	2	-	-	-	1	-	-	-	3	-	1	-			
W,2H,L	72,841	32	9	1	3	-	-	-	-	-	-	-	-	-	-	-	1	2			
Newington North	9,817	7	19	3	5	-	-	-	-	-	-	-	-	-	1	-	1	-			
Newington South W	82,483	37	12	5	3	-	-	-	-	-	-	-	-	-	-	-	5	-			
St. Olave 2W	38,480	21	8	2	2	-	-	-	-	-	1	-	-	-	1	-	1	-			
Bermondsey W	27,440	32	8	2	2	-	-	-	-	-	-	-	-	-	1	-	2	-			
Rotherhithe W,F	27,440	22	25	5	5	-	2	-	-	1	-	-	-	-	1	4	7	16			
Waterloo 2H	52,518	36	25	4	6	-	-	-	-	-	-	-	-	-	1	-	13	-			
Lambeth Church H	63,826	48	7	3	2	-	-	-	-	1	1	-	1	-	1	-	2	-			
Kennington 2W	73,673	34	11	5	3	-	-	-	-	-	-	-	-	-	-	-	3	-			
Stockwell HF	56,998	22	8	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
Brixton H	72,203	42	11	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-			
Norwood WH	49,856	27	6	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
East Battersea H	47,048	24	19	1	8	-	3	-	-	-	-	-	-	-	1	1	13	1			
North-west Battersea	51,331	23	7	4	2	-	-	-	-	-	-	-	-	-	2	-	-	-			
South-west Battersea 2W,H	88,019	47	21	5	3	-	-	1	1	-	-	-	-	-	3	-	1	8			
Clapham 2H	27,959	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Streatham W,2w,F,2L	40,444	24	15	5	4	-	-	-	-	-	-	-	-	-	1	-	1	-			
Springfield 2W,L	34,139	14	6	2	3	-	1	-	-	-	-	-	-	-	1	-	-	-			
Southfields H	13,359	3	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Putney	40,206	27	17	2	8	-	-	-	-	-	-	-	-	-	-	-	13	-			
Dulwich	85,584	25	18	-	9	-	1	-	-	-	-	-	1	-	-	-	2	14			
Camberwell South W,w	47,331	34	7	-	5	-	-	-	-	-	-	-	-	-	-	1	-	-			
Camberwell North W,2L	48,913	31	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. George	43,946	16	5	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-			
Peckham North	37,313	14	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
Peckham South 2W,w	45,481	32	9	4	1	-	1	1	1	-	-	-	-	-	2	-	-	3			
Deptford North	34,625	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deptford Central F	23,456	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deptford South	43,859	20	7	2	2	-	-	-	-	-	1	-	-	-	1	1	1	5			
Greenwich West 2H	7,226	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1			
Greenwich East 2W,H	25,480	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Eltham w,H	58,353	37	18	2	6	-	-	2	-	-	-	-	-	-	-	1	1	12			
Lee w,H	43,653	23	8	-	3	-	-	-	-	1	-	-	-	-	-	-	-	1			
Lewisham W,w,F	21,134	6	5	1	1	-	-	2	-	-	-	-	-	-	1	1	1	3			
Sydenham H	41,625	24	10	1	2	-	-	-	-	-	-	-	-	-	-	1	2	1			
Charlton F,2H	18,063	11	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
Woolwich 5H	50,264	20	9	2	2	-	-	-	-	-	-	1	-	-	1	-	1	3			
Plumstead West W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Plumstead East 2W,H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
North-Eastern	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-	-	-	3			
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Belmont	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Caterham	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
Darenth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Leavesden	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Banstead	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
Well (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Horton	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Manor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Long Grove	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Cane Hill	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
Hartford Heath	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5			
Hanwell	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Colney Hatch	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3			
Claybury	-	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5			

LE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 31st August, 1907.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,302	2,044,973	1220	425	108	130	-	4	2	4	13	4	23	13	34	80	-
1 Carshalton 2F,3H	12,228	32,997	20	6	2	2	-	-	-	-	1	-	-	-	-	1	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	11	5	-	4	-	-	-	-	-	-	-	-	-	4	-
1 Godstone, part of* W,F,L	2,754	2,892	3	4	1	2	-	-	-	-	1	-	-	-	-	2	-
1 Coulsdon	11,089	8,166	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	23	4	1	2	-	-	-	-	-	-	-	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,868	23	12	1	5	-	-	-	-	-	-	-	-	-	8	-
4 North Croydon H	2,644	41,698	21	11	2	8	-	-	-	-	-	-	-	-	1	-	-
5 Penge w	770	22,465	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham	11,711	30,015	27	5	3	1	-	-	-	-	-	-	3	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	15	7	-	3	-	-	-	-	-	-	-	-	1	-	-
2 Kingston 2W,H	6,324	42,068	11	12	3	2	-	-	-	1	1	1	1	-	3	5	-
3 Surbiton F,H	3,048	15,017	6	3	1	2	-	-	-	-	-	-	-	-	1	-	-
4 Esher, part of* H	5,402	13,100	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
5 Hampton H,F,L	4,584	23,466	12	4	1	-	-	-	-	1	-	-	-	-	-	-	-
1 Richmond W,H	2,491	31,672	12	7	-	4	-	-	-	-	-	-	-	-	-	2	-
2 Mortlake F	2,518	17,821	12	3	-	2	-	-	-	-	-	-	-	1	1	-	-
1 Bromley F,2H	4,703	27,355	18	8	-	2	-	1	-	-	-	-	-	-	-	1	-
2 Beckenham H	7,825	28,497	7	4	1	2	-	-	-	-	-	-	-	-	1	-	-
3 Orpington, part of* W,F	10,113	9,867	7	5	-	3	-	-	-	-	-	-	-	-	1	2	-
4 Chislehurst 2H	7,333	16,446	5	4	1	2	-	-	-	-	-	-	1	-	-	1	-
1 Bexley w,F,H	8,678	21,151	15	4	-	4	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,354	25,296	13	7	4	-	-	-	-	1	-	1	1	1	1	-	-
3 Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Staines W,H	13,277	15,178	13	4	1	3	-	-	-	-	-	-	1	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Uxbridge H	12,757	8,984	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w,2F,H	8,086	16,358	13	5	4	1	-	-	-	-	-	-	1	-	-	-	-
1 Isleworth 3W,3F,H	6,859	30,883	24	8	3	4	-	1	-	-	-	-	-	-	-	3	-
2 Twickenham F,2H	2,421	20,991	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3 Brentford 3F,2H	4,319	48,289	29	7	1	2	-	-	-	-	1	-	-	-	-	1	-
4 Chiswick H	1,249	29,809	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-
5 Acton w,F,3H	6,132	48,914	34	13	5	4	-	1	-	-	-	1	1	1	1	-	-
1 Harrow F,H	13,809	25,523	13	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2 Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,F,2H	4,384	114,811	77	26	10	7	-	-	-	1	2	-	2	1	3	4	-
4 Hendon W,F	8,382	22,450	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-
1 South Mimms 2F,H	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	14	3	1	-	-	-	-	-	-	-	-	2	2	-	-
3 Finchley F,2H	4,888	33,692	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hornsey F,H	2,875	72,056	33	7	-	3	-	-	-	-	1	-	-	-	-	-	-
2 Wood Green H	1,825	34,233	25	4	1	-	-	-	-	-	-	-	-	-	-	-	-
3 West Tottenham	996	48,853	27	3	3	-	-	-	-	-	-	-	-	1	-	-	-
4 East Tottenham 2H	2,017	53,688	29	9	3	2	-	-	-	-	-	-	-	-	-	2	-
5 Edmonton W,w,2F	7,491	61,892	43	22	8	5	-	-	-	1	-	3	1	4	7	-	-
6 Enfield 2W,F,H	12,601	42,738	35	9	2	1	-	-	-	-	-	-	-	-	1	1	-
7 Waltham Abbey F	11,017	6,549	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	6	3	-	2	-	-	-	-	-	-	-	1	1	-	-
1 Watford W,2F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Stratford H	1,878	52,974	22	12	6	-	-	-	-	-	1	-	1	1	1	1	-
2 Forest Gate	1,249	52,745	30	9	4	3	-	-	-	-	-	-	-	-	-	1	-
3 Plaistow F,2H	1,249	90,921	80	15	4	4	-	1	-	1	1	-	-	-	-	1	-
4 Canning Town H	1,556	70,718	54	17	12	-	-	-	-	-	2	-	3	1	1	-	-
5 South East Ham 2F	1,993	37,342	32	10	3	3	-	-	-	-	-	-	-	-	-	1	-
6 North East Ham w,H	1,333	56,676	33	8	-	4	-	-	-	1	-	-	-	-	-	-	-
7 Wanstead F	1,379	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	29	13	1	7	-	-	1	-	-	-	-	-	-	4	-
9 North Leyton 2W,w,F	1,963	48,445	29	23	3	6	-	-	-	-	-	-	-	1	1	1	-
10 Walthamstow 2H,L	6,504	108,929	65	15	4	1	-	-	1	-	-	2	2	1	3	17	-
1 Chigwell 2F,3H	11,778	16,397	10	4	1	1	-	-	-	-	-	-	-	-	-	1	-
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	6,556	6,091	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Ilford F,L	8,496	41,234	19	12	3	4	-	-	-	-	-	-	-	1	-	2	-
3 Barking Town F	3,503	21,547	11	4	1	-	-	-	-	1	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Middlesex County Lunatic Asylum, Napsbury.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

† The boundaries of these sub-districts were altered on 1st July, 1907. ‡ One death from Sporadic Cerebro-spinal meningitis.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	August 31	2346	1068	11·7	-	24	14	11	21	7	56
CALCUTTA - -	955,926	July 27	-	401	24·5	7	1	-	-	-	101†	103
BOMBAY - -	982,000	August 13	349	659	35·0	1	4	-	-	-	69†	128
MADRAS - -	548,974	" 2	406	395	40·3	1	1	?	?	?	103	66
PARIS - - -	2,722,731	" 24	834	816	15·5	1	8	8	1	8	2	90
BRUSSELS - -	623,202	" 21	193	150	12·5	-	-	-	1	-	1	23
ANTWERP - -	304,032	" 24	131	60	10·3	-	2	-	1	-	1	12
AMSTERDAM -	564,342	" 24	280	112	10·3	-	4	-	-	4	1	8
COPENHAGEN -	433,000	" 24	220	84	10·1	-	-	-	-	3	-	-
STOCKHOLM -	332,738	" 17	126	62	9·7	-	-	-	-	-	-	-
CHRISTIANIA -	226,774	" 24	116	40	9·1	-	-	-	2	-	-	-
ST. PETERSBURG	1,482,769	" 10	577	618	21·7	-	17	15	15	6	23	153
MOSCOW - -	1,296,000	" 10	-	746	30·0	-	6	3	2	4	2	374
BERLIN - - -	2,090,313	" 10	1017	616	15·4	-	9	3	4	7	2	87
HAMBURG - -	840,790	" 24	-	182	11·5	-	-	-	2	5	3	23
BRESLAU - -	485,278	" 17	270	240	25·8	-	-	-	2	1	1	53
MUNICH - - -	548,000	" 24	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,093	" 24	838	534	14·0	2	3	4	7	1	-	106
PRAGUE - - -	470,906	" 17	180	156	17·2	-	-	1	2	1	1	11
BUDA-PESTH -	802,235	" 17	416	282	18·3	-	1	5	1	1	1	46
TRIESTE - - -	200,962	" 24	127	82	21·2	-	-	-	-	1	-	1
ROME - - -	542,760	June 22	223	176	16·9	-	1	-	1	1	2§	26
VENICE - - -	174,398	August 17	86	79	23·6	-	-	1	-	-	-	17
BUCHAREST -	292,395	" 24	147	116	-	-	-	-	-	-	1	38
NEW YORK - -	4,285,435	" 17	2318	1656	20·2	-	11	5	21	18	13	478
CHICAGO - - -	2,107,620	" 17	-	670	16·6	-	2	8	3	11	18	197
PHILADELPHIA -	1,500,595	" 10	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	" 11	-	238	19·7	2	-	-	2	-	2	?

* Excluding deaths from croup in the Indian Cities.

† Including 16 deaths from plague in Calcutta, and 13 in Bombay.

‡ Including 65 deaths from cholera in Calcutta, 38 in Bombay, and 5 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 31st August, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	77·5	45·9	61·4	0·16	LEEDS - - -	72·0	46·0	57·9	0·06
BRIGHTON - -	73·6	46·5	60·8	0·00	YORK - - -	69·0	43·0	56·4	0·15
PORTSMOUTH -	74·0	49·0	62·3	0·00	HULL - - -	71·0	42·0	57·3	0·05
NORWICH - - -	76·8	45·0	60·1	0·01	TYNEMOUTH -	66·0	41·0	55·2	0·23
PLYMOUTH - -	67·9	49·0	59·5	0·16	CARDIFF - -	71·3	44·0	58·5	0·14
BRISTOL - - -	71·1	46·2	59·5	0·12					
BIRMINGHAM -	70·2	45·2	57·7	0·08	EDINBURGH -	61·1	43·7	53·5	0·34
NOTTINGHAM -	69·6	40·5	57·9	0·02	GLASGOW - -	62·4	42·6	53·9	0·61
LIVERPOOL - -	69·0	47·0	56·4	0·16					
MANCHESTER -	69·0	41·0	55·0	0·10	Phoenix Park.	67·3	35·9	53·9	0·04
BURNLEY - - -	67·0	40·5	52·7	0·30	DUBLIN } Fitz- william Square.†	69·1	41·1	57·0	0·83
PRESTON - - -	66·7	43·5	55·9	0·32					
HUDDERSFIELD	68·2	41·8	55·4	0·13	BELFAST - -	65·0	38·0	55·2	0·16

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·6 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A. M.D., Dublin.

1907.		MONTH AND DAY		HAZARD-METEOR.		TEMPERATURE.						Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.			Winds deduced from Anemometers.				Rain collected Gauge whose receiving utensils are above the ground.		
						Of the Air.				Of the Air Temperature.		Of Radiation.		Of the Earth and the Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.					
						High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 45 years.	Mean daily value.	Great est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Mean of 24 hours.	Horizontal Movement of the Air on each day.	Miles. 300 40 years.				
AUGUST.		In	29889	728	463	285	804	- 03	514	0	90	175	04	72	1286	378	5962	SSW. & WSW. calm.	WSW. & WNW. calm. & SSW.	lbs. 27	lbs. 00	02	Miles. 300	42	00
..	25	In	29927	674	555	119	596	- 11	534	0	65	00	99	964	505	5953	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	06	00	00	166	- 103	00	
..	26	Equator	29913	712	529	183	608	+ 02	509	9	177	20	70	1242	480	5965	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	07	00	00	204	- 72	00	
..	27	..	29948	747	459	288	605	+ 01	493	11	218	13	67	1308	418	5973	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	05	00	00	121	- 158	00	
..	28	..	29918	775	470	305	628	+ 25	504	12	263	00	64	1227	390	5970	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	10	00	00	172	- 109	00	
..	29	..	29963	705	531	174	607	+ 06	547	60	208	18	81	1307	460	5968	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	03	00	00	139	- 139	00	
..	30	Last Quarter.	29808	719	534	185	626	+ 27	552	74	209	06	77	1291	460	5977	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	15	00	01	221	- 51	00	
..	31	..	29881	723	506	217	611	+ 07	530	80	188	09	76	1232	442	5967	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	Sum 1323	- 590	Sum 016	
..	MEANS	..	29881	723	506	217	611	+ 07	530	80	188	09	76	1232	442	5967	WSW. & WNW. calm.	WSW. & WNW. calm. & SSW.	Sum 1323	- 590	Sum 016	
No of Column		8	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 150 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 6h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1905. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1905.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.


The reading of the barometer decreased from 29.98 in. at the beginning of the week to 29.86 in. by 6h. A.M. on the 25th; increased to 29.94 in. by noon on the 26th; decreased to 29.77 in. by 5h. A.M. on the 29th; increased to 29.99 in. by 10h. A.M. on the 30th; decreased to 29.76 in. by 6h. P.M. on the 31st; and decreased to 29.82 in. by midnight on the same day.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
AUGUST.					
SUNDAY	- 25	w. P. throughout.	11'8	14'0	Very fine; light variable clouds.
MONDAY	- 26	w. P. throughout.	0'0	14'0	Dull and misty; almost continuous slight drizzle with shower about 7h. P.M.
TUESDAY	- 27	w. P. throughout.	6'3	13'9	Cloudy generally with fine intervals.
WEDNESDAY	28	w. P. throughout.	12'2	13'8	Very fine; nearly cloudless.
THURSDAY	- 29	m. P. generally; a little v. f.	10'6	13'8	Very fine; misty and hazy in morning but very little cloud.
FRIDAY	- 30	w. P. throughout.	3'9	13'7	Very cloudy generally, but sun shining through at times, as well as between clouds.
SATURDAY	- 31	w P. throughout.	3'0	13'7	Cloudy generally with fine intervals.
			Sum 47'8	Sum 96'9	
No. of Col.	-		28	29	
					27

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th August, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	5	4	-	2	-	-	1	-	-
Kensington - - -	181,842	-	4	6	-	1	-	-	2	-	-
Hammersmith - -	122,337	-	2	2	-	-	-	-	1	-	-
Fulham - - -	166,749	-	19	8	-	-	-	-	-	-	-
Chelsea - - -	74,867	-	4	3	-	1	-	-	2	-	-
City of Westminster -	172,219	-	7	-	-	-	-	-	3	-	-
NORTH.											
St. Marylebone - -	127,718	-	5	2	-	-	-	-	2	-	-
Hampstead - - -	91,137	-	2	2	-	-	-	-	-	-	-
St. Pancras - - -	236,753	-	16	9	-	1	-	-	5	-	-
Islington - - -	347,017	-	18	10	-	-	-	-	6	-	-
Stoke Newington - -	53,613	-	6	2	-	-	-	-	-	-	-
Hackney - - -	232,993	-	28	8	-	2	-	-	4	1	-
CENTRAL.											
Holborn - - -	55,134	-	1	-	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	15	3	-	-	-	-	1	-	-
City of London - -	20,310	-	4	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,632	-	11	6	-	-	-	-	3	-	-
Bethnal Green - -	130,831	-	23	3	-	-	-	-	-	-	-
Stepney - - -	308,923	-	78	11	-	1	-	-	6	3	-
Poplar - - -	171,086	-	34	2	-	-	-	-	2	-	-
SOUTH.											
Southwark - - -	209,781	-	15	13	-	-	-	-	3	-	-
Bermondsey - - -	128,263	-	18	6	-	-	-	-	4	1	-
Lambeth - - -	318,538	-	22	2	-	-	-	-	7	-	-
Battersea - - -	181,736	-	6	8	-	4	-	-	3	-	1
Wandsworth - - -	281,419	-	27	10	-	2	-	-	7	1	-
Camberwell - - -	277,059	-	24	7	-	1	-	-	5	-	1
Deptford - - -	116,510	-	8	1	-	2	-	-	-	-	-
Greenwich - - -	107,222	-	13	1	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	9	5	-	1	-	-	2	-	-
Woolwich - - -	129,336	-	23	4	-	-	-	-	4	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
} 4,753,218		-	447	138	-	18	-	-	74	7	2
AGES.											
Ages 0-1 - - -	-	-	3	3	-	-	-	-	2	-	-
" 1-5 - - -	-	-	139	58	-	-	-	-	2	-	1
" 5- - - -	-	-	169	35	-	-	-	-	6	-	-
" 10- - - -	-	-	79	20	-	2	-	-	1	-	1
" 15- - - -	-	-	29	5	-	3	-	-	4	-	-
" 20- - - -	-	-	8	4	-	3	-	-	1	1	-
" 25- - - -	-	-	12	3	-	7	-	-	5	5	-
" 35- - - -	-	-	5	8	-	3	-	-	18	1	-
" 45- - - -	-	-	3	1	-	-	-	-	10	-	-
" 55- - - -	-	-	-	1	-	-	-	-	11	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	14	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 36. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, SEPT. 7. [Price 1½d.

General Register Office, Somerset House,
September 9th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 11·5, and 11·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 15·8 in St. Helens, in Sheffield, and in Merthyr Tydfil, 16·3 in Hanley, 16·7 in Sunderland, 17·0 in Nottingham and in Liverpool, 17·2 in Tynemouth, 17·6 in Newcastle on Tyne, and 19·7 in Stockton on Tees; from *measles*, 1·2 in Blackburn, 1·4 in Merthyr Tydfil, 2·2 in Walsall, and 3·3 in Cardiff; from *whooping-cough*, 1·3 in Aston Manor and 1·4 in West Hartlepool; and from *diarrhœa*, 2·2 in Walsall, 2·5 in Rotherham, 2·9 in Sheffield, and 3·1 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2207 BIRTHS and 1080 DEATHS were registered. Allowing for increase of population, the births were 286 and the deaths 455 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 12·0, 11·6, and 11·7 per 1000 in the preceding three weeks, rose last week to 11·8. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 4·9 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1080 deaths included 25 from measles, 13 from scarlet fever, 13 from diphtheria, 20 from whooping-cough, 3 from enteric fever, and 61 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus to these diseases in the aggregate there were referred 135 deaths, being 230 below the corrected average number in the thirty-sixth week of the preceding five years.

The deaths from *measles*, which had been 43, 28, and 24 in the preceding three weeks, were 25 last week, and were 11 above the corrected average; 5 deaths belonged to the Borough of Islington, 5 to Lambeth, and 4 to Southwark. The deaths from *scarlet fever*, which had been 8, 7, and 14 in the preceding three weeks, were 13 last week, and were 6 above the corrected average; 3 deaths belonged to Bethnal Green, and 3 to Lambeth. The deaths from *diphtheria*, which had been 19, 10, and 10 in the preceding three weeks, were 13 last week, the corrected average being 12; 3 deaths belonged to Southwark. The deaths from *whooping-cough*, which had been 29, 34, and 21 in the preceding three weeks, were 20 last week, the corrected average being 21; 4 deaths belonged to Wandsworth, and 3 to St. Pancras. The deaths from *enteric fever*, which had been 6, 3, and 7 in the preceding three weeks, fell again to 3 last week, and were 6 below the corrected average. The deaths from *diarrhoea*, which had been 23, 47, and 56 in the preceding three weeks, further rose to 61 last week, but were 240 below the corrected average; 7 deaths belonged to Islington, 7 to Southwark, 5 to Poplar, and 4 apiece to St. Pancras, Stepney, Bermondsey, and Lambeth. Of the 61 deaths from diarrhoea, 58 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 3, 8, and 3 in the preceding three weeks. The death of a painter, aged 27 years, was certified, after inquest, to be due to *chronic lead-poisoning*.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 12 were cases of suicide and 1 of homicide, while the remaining 38 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 8 to burns, scalds, and explosions, 4 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 2, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3816 cases of scarlet fever, 845 of diphtheria, and 72 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 587 cases against 430, 440, and 557; of diphtheria, 129 cases, against 125, 116, and 116; and of enteric fever, 16 cases, against 18, 13, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 31st, 1907.

GREATER LONDON.

In Greater London 3513 births and 1492 deaths were registered. Allowing for increase of population, these numbers are 326 and 720 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 9 from whooping-cough, and from 18 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·80 inches, and that of the Thermometer 56°·8, the latter being 2°·7 below the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 3 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 18·7 hours; the measured rainfall amounted to 0·44 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated in the middle of the Year 1907.*				DEATH-RATES from all Causes.				Registered during the week ended 7th Sept., 1907.		Deaths from										Inquest Cases.			Deaths in Public Institutions.		Unexplained Causes of Death.		TOWNS.							
	Week ended				Week ended				11-17.		Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths of Infants under 1 Year of Age.	9.	10.	11.	12.	13.	14.	15.		16.	17.	18.	19.	20.	21.	Cols.
	17th Aug. 1907.	24th Aug. 1907.	31st Aug. 1907.	7th Sept. 1907.	1st Aug. 1907.	24th Aug. 1907.	31st Aug. 1907.	7th Sept. 1907.	BIRTHS.	DEATHS.																									
76 TOWNS	16,024,458	11'8	11'5	11'8	12'3	1'5	7980	3785	932	986	-	71	34	39	80	18	229	161	312	1010	43	76 TOWNS, LONDON.													
LONDON -	4,758,218	12'0	11'6	11'7	11'8	1'5	2207	1080†	252	272	-	25	13	13	20	3	61	51	115	469	-	{ CROYDON.													
WILLESDEN -	154,342	4'1	6'8	9'5	10'1	1'7	76	30	5	14	-	2	1	-	-	-	2	-	1	8	-	{ WILLESDEN.													
HORNSEY -	89,816	5'8	6'4	5'2	7'0	-	23	12	2	6	-	-	-	-	-	-	-	-	2	5	-	{ HORNSEY.													
TOTTENHAM -	122,783	8'1	11'0	5'9	7'2	0'4	70	17	5	5	-	-	-	-	-	-	-	-	2	4	-	{ TOTTENHAM.													
WEST HAM -	908,284	8'5	8'6	10'8	8'3	2'0	167	49	12	8	-	-	1	1	1	1	9	1	3	15	-	{ WEST HAM.													
EAST HAM -	136,421	8'0	5'4	7'6	5'7	1'1	62	15	5	1	-	-	-	-	-	-	2	1	1	3	-	{ EAST HAM.													
LEYTON -	122,040	6'8	5'6	7'7	7'7	0'9	65	18	5	3	-	-	1	-	-	-	1	1	2	5	-	{ LEYTON.													
WALTHAMSTOW -	126,397	8'3	6'2	7'8	5'4	1'7	72	13	4	2	-	-	-	-	2	2	1	1	1	3	-	{ WALTHAMSTOW.													
HASTINGS -	67,477	8'5	9'3	17'8	10'0	-	25	13	-	6	-	-	-	-	-	-	-	-	2	2	-	{ HASTINGS.													
BRIGHTON -	129,023	11'7	15'0	8'9	10'5	0'8	46	26	4	13	-	-	-	-	-	-	2	2	3	9	-	{ BRIGHTON.													
PORTSMOUTH -	238,291	13'0	11'0	10'8	10'3	1'5	106	41	10	12	-	-	-	2	1	-	3	-	4	5	1	{ PORTSMOUTH.													
BOURNEMOUTH -	68,246	12'0	6'8	8'3	12'0	-	24	16	3	7	-	-	-	-	-	-	-	-	2	1	-	{ BOURNEMOUTH.													
SOUTHAMPTON -	119,745	11'3	5'7	10'0	11'8	2'2	48	27	3	11	-	-	-	-	1	-	4	1	4	5	-	{ SOUTHAMPTON.													
READING -	80,311	9'1	13'0	9'1	9'7	1'3	33	15	7	2	-	-	-	-	1	1	1	1	3	4	3	{ READING.													
NORTHAMPTON -	95,070	13'7	11'0	8'8	8'2	0'5	37	15	2	7	-	-	-	-	-	-	1	-	-	1	-	{ NORTHAMPTON.													
IPSWICH -	72,825	7'2	12'2	9'3	7'9	1'4	33	11	1	5	-	1	-	-	-	-	1	-	1	4	-	{ IPSWICH.													
GREAT YARMOUTH -	52,879	17'7	21'7	15'8	12'8	3'0	21	13	3	6	-	-	-	-	-	1	1	1	2	3	-	{ GREAT YARMOUTH.													
NORWICH -	119,191	13'6	10'9	11'8	12'2	3'1	52	28	5	11	-	-	-	-	1	2	2	1	1	7	-	{ NORWICH.													
PLYMOUTH -	120,063	13'5	10'0	10'9	10'4	-	44	24	6	7	-	-	-	-	-	-	-	1	2	5	-	{ PLYMOUTH.													
DEVONPORT -	79,969	5'9	10'4	5'9	7'8	1'3	37	12	1	5	-	-	-	-	-	-	2	-	1	2	-	{ DEVONPORT.													
BRISTOL -	367,979	8'4	9'6	11'5	9'9	0'4	155	70	16	23	-	-	-	-	-	1	1	3	8	17	2	{ BRISTOL.													
HANLEY -	67,174	10'9	14'7	14'7	16'3	1'6	42	21	8	4	-	1	-	-	-	-	1	-	1	4	-	{ HANLEY.													
BURTON-ON-TRENT -	53,425	6'8	16'6	2'0	9'8	1'0	20	10	3	4	-	-	-	-	-	-	-	-	1	2	-	{ BURTON-ON-TRENT.													
WOLVERHAMPTON -	102,016	10'7	13'3	10'7	7'2	1'0	41	14	1	2	-	-	1	1	-	-	-	2	3	4	-	{ WOLVERHAMPTON.													
WALSALL -	96,171	15'2	13'0	17'9	14'1	4'9	60	26	8	3	-	-	4	1	-	-	4	1	3	1	-	{ WALSALL.													
HANDSWORTH -	66,929	8'7	7'9	12'7	8'7	-	35	11	2	3	-	-	-	-	-	-	-	-	1	2	-	{ HANDSWORTH.													
WEST BROMWICH -	69,123	13'6	10'6	12'1	13'6	1'5	41	18	6	5	-	-	-	1	-	-	1	-	1	1	1	{ WEST BROMWICH.													

* These towns are included within the area of Greater London.
† Including 1 death from Cerebro-spinal fever.

* See note † on first page of this return.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 7th September, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		POPULATION estimated to the middle of the Year 1907.*		DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 7th Sept., 1907.		The DEATHS registered in the Week include											TOWNS.	
				Week ended				In Cols. 11-17.		During the Week ended 7th Sept., 1907.		Deaths of												
				Week ended				In Cols. 11-17.		During the Week ended 7th Sept., 1907.														
				17th Aug., 1907.	24th Aug., 1907.	31st Aug., 1907.	7th Sept., 1907.	In Cols. 11-17.		During the Week ended 7th Sept., 1907.														
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM	-	553,155	12.5	10.7	12.3	14.9	1.8	291	158	30	-	3	2	3	2	1	8	4	5	33	5	BIRMINGHAM.		
KINGS NORTON	-	75,600	10.3	6.2	2.1	11.7	0.7	49	17	5	-	-	-	-	1	-	-	1	1	4	1	KINGS NORTON.		
SMETHWICK	-	66,467	14.9	9.4	14.9	10.2	-	32	13	4	-	-	-	-	-	-	-	-	1	1	-	SMETHWICK.		
ASTON MANOR	-	83,286	10.6	11.9	10.6	10.0	3.8	33	16	5	-	-	1	-	2	-	3	-	-	-	-	ASTON MANOR.		
COVENTRY	-	77,626	8.1	7.4	14.8	10.7	0.7	47	16	3	-	-	-	-	-	-	1	-	-	4	-	COVENTRY.		
LEICESTER	-	236,124	8.4	11.7	11.0	9.9	0.9	93	45	12	-	-	-	-	-	-	4	1	1	9	-	LEICESTER.		
GRIMSBY	-	70,574	8.9	4.4	11.1	8.1	2.2	38	11	-	-	-	-	-	-	-	2	2	3	2	1	GRIMSBY.		
NOTTINGHAM	-	257,489	11.7	11.5	13.8	17.0	2.4	129	84	31	-	2	-	1	2	-	7	-	2	19	-	NOTTINGHAM.		
DERBY	-	125,774	11.6	9.5	11.6	14.9	2.1	47	38	11	-	2	-	1	-	-	2	1	2	6	-	DERBY.		
STOCKPORT	-	100,886	11.9	15.5	14.5	14.5	0.5	58	28	9	-	-	1	-	-	-	-	-	1	7	-	STOCKPORT.		
BIRKENHEAD	-	118,553	17.2	15.0	10.1	11.9	1.3	72	27	7	-	-	-	-	-	-	2	4	4	4	-	BIRKENHEAD.		
WALLASEY	-	66,707	11.7	18.8	13.3	3.1	-	41	4	1	-	-	-	-	-	-	-	1	1	1	1	WALLASEY.		
LIVERPOOL	-	746,144	13.9	15.1	15.7	17.0	2.2	446	243	62	-	6	3	1	7	-	13	11	14	75	6	LIVERPOOL.		
BOOTLE	-	67,114	14.0	15.5	12.4	11.7	3.9	38	15	3	-	-	-	-	1	-	4	-	-	2	2	BOOTLE.		
ST. HELENS	-	92,476	15.8	9.6	16.4	15.8	2.3	56	28	4	-	-	-	-	1	-	2	1	1	5	2	ST. HELENS.		
WIGAN	-	88,606	14.1	12.4	15.9	13.5	1.8	51	23	5	-	-	-	-	-	-	3	3	3	4	-	WIGAN.		
WARRINGTON	-	70,289	14.8	15.6	8.9	14.8	2.2	31	20	2	-	1	-	-	-	-	1	-	-	3	1	WARRINGTON.		
BOLTON	-	182,917	17.1	9.4	11.1	12.0	1.4	80	42	7	-	-	2	-	-	-	1	5	-	9	-	BOLTON.		
BURY	-	58,901	11.5	11.5	8.0	8.0	1.8	22	9	4	-	-	-	-	-	-	1	-	-	1	-	BURY.		
MANCHESTER	-	643,148	15.8	14.2	11.5	14.4	1.5	344	177	45	-	3	2	3	5	-	6	10	17	47	2	MANCHESTER.		
SALFORD	-	236,670	10.4	11.7	12.3	14.3	1.1	111	65	11	-	-	1	1	-	-	3	5	10	14	3	SALFORD.		
OLDHAM	-	141,730	10.7	15.8	12.9	11.4	1.1	46	31	11	-	-	1	-	1	-	1	1	3	5	-	OLDHAM.		
ROCHDALE	-	87,999	13.6	10.1	10.7	12.4	-	36	21	9	-	-	-	-	-	-	-	2	3	5	-	ROCHDALE.		
BURNLEY	-	103,947	15.0	12.5	14.5	13.0	2.0	41	26	4	-	-	-	-	2	-	-	1	2	4	-	BURNLEY.		
BLACKBURN	-	134,980	13.5	11.6	11.2	14.7	1.2	65	38	13	-	3	-	-	-	-	-	-	2	5	2	BLACKBURN.		
PRESTON	-	117,093	12.5	10.7	10.2	11.1	0.4	56	25	8	-	-	-	-	-	-	-	1	-	3	-	PRESTON.		
BARROW-IN-F.	-	37,900	10.6	15.7	15.0	11.0	-	89	15	4	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-F.		

TOWNS.	Cols.	The DEATHS registered in the Week include										TOWNS.									
		Registered during the week ended 7th Sept., 1907.		Deaths from																	
		BIRTHS.	DEATHS.	Deaths of						Deaths in Public Institutions.			Unsettled Causes of Death.								
				Persons aged and upwards, under 1 Year of Age.						Inquest Cases.											
Week ended		17th Aug., 1907.	24th Aug., 1907.	31st Aug., 1907.	7th Sept., 1907.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
Week ended		17th Aug., 1907.	24th Aug., 1907.	31st Aug., 1907.	7th Sept., 1907.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
HUDDESFIELD.	-	94,814	11.5	15.4	9.9	13.2	-	43	24	12	-	-	-	-	-	-	-	-	-	1	1
HALIFAX.	-	110,138	8.5	9.5	10.4	14.7	0.5	36	31	1	9	-	-	-	1	-	-	1	3	3	-
BRADFORD.	-	200,323	10.4	10.1	9.5	12.0	0.7	134	67	12	26	1	1	2	-	1	2	7	6	16	-
LEEDS.	-	470,268	12.2	10.2	12.9	14.6	2.0	207	132	39	30	-	-	1	2	7	1	7	11	22	-
SHEFFIELD.	-	455,553	15.0	14.3	14.4	15.8	3.8	266	138	54	29	-	1	2	5	-	25	5	8	20	2
ROTHERHAM.	-	62,412	9.2	10.0	10.9	13.4	2.5	33	16	7	3	-	-	-	-	-	3	-	-	2	1
YORK.	-	84,730	9.2	10.5	6.2	12.9	1.8	53	21	3	5	-	-	1	-	-	2	1	5	4	-
HULL.	-	266,762	13.9	11.9	14.1	13.5	1.2	155	69	16	13	-	-	-	-	1	5	5	8	11	-
MIDDLESBROUGH.	-	101,783	10.8	9.7	8.2	10.2	1.5	69	20	8	3	-	-	1	1	-	1	-	-	3	-
STOCKTON-ON-TEES.	-	52,909	18.7	11.8	9.9	19.7	2.0	24	20	2	9	-	-	-	-	-	2	1	2	1	-
WEST HARTLEPOOL.	-	75,473	9.7	12.4	6.2	8.3	1.4	47	12	4	2	-	-	-	2	-	-	-	-	1	-
SUNDERLAND.	-	156,029	12.4	12.7	18.7	16.7	1.3	99	50	10	16	-	-	1	-	-	3	1	2	7	1
SOUTH SHIELDS.	-	113,460	11.5	15.6	8.7	11.5	-	53	25	7	6	-	-	-	-	-	-	2	2	3	2
GATESHEAD.	-	125,783	8.3	12.0	15.3	8.7	0.8	69	21	4	7	-	-	-	-	-	2	2	2	4	2
NEWCASTLE-ON-TYNE.	-	272,969	11.8	11.3	11.5	17.6	1.3	166	92	19	18	-	-	1	3	-	1	6	6	22	-
TYNEMOUTH.	-	54,688	8.6	14.3	22.9	17.2	1.9	38	18	4	6	-	-	-	1	-	-	-	-	4	-
NEWPORT (MON.).	-	75,585	8.3	9.0	9.0	9.0	1.4	49	13	6	4	-	-	-	-	-	2	-	-	5	-
CARDIFF.	-	187,620	13.6	14.5	13.6	14.7	3.6	101	53	10	10	-	-	-	-	-	-	3	4	10	-
RHONDDA.	-	130,400	8.8	10.8	14.0	7.6	1.2	99	19	7	5	-	-	1	-	-	-	-	1	-	-
MERTHYR TYDFIL.	-	76,085	17.8	10.3	10.3	15.8	2.7	49	23	9	5	-	-	-	-	-	2	3	3	4	1
SWANSEA.	-	97,324	11.3	11.3	15.5	11.3	2.1	81	21	9	5	-	-	-	1	-	3	-	-	1	-
GREATER LONDON.	-	7,217,941	10.7	10.3	10.8	10.8	1.4	3513	1482	359	388	-	32	17	16	33	4	95	144	549	2
OUTER RING.	-	2,459,723	8.2	7.8	9.0	8.7	1.3	1306	412	107	116	-	7	4	3	13	1	34	29	80	2
8 TOWNS IN OUTER RING.	-	1,209,265	6.9	7.1	8.5	7.7	1.2	827	178	45	47	-	2	3	1	4	1	16	12	43	-
REMAINDER OF OUTER RING.	-	1,250,438	9.5	8.5	9.5	9.8	1.5	679	234	62	69	-	5	1	2	9	-	18	17	37	2
EDINBURGH.	-	345,747	11.6	10.1	15.4	13.0	0.9	127	86†	16	21	-	1	-	-	5	-	-	?	29	5
GLASGOW.	-	847,584	12.8	14.0	12.8	14.8	1.7	456	240†	50	54	-	-	-	-	10	2	15	?	70	12
DUBLIN (Registration Area).†	-	390,691	17.8	15.7	18.6	20.7	1.6	247	155†	29	50	-	3	1	-	2	1	5	4	61	7
BELFAST.†	-	370,163	14.2	15.1	12.7	14.8	2.0	237	105†	26	25	-	-	-	4	-	5	3	5	25	1

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively. ‡ Including 2 deaths from Cerebro-spinal fever in Greater London and 1 in the Outer Ring, and 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 8 in Glasgow, 1 in Dublin, and 5 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2655	2446	2442	2628	2582	2615	2505	2504	2328	2329	2493.1	2207
Males - - -	1374	1222	1212	1307	1369	1280	1300	1291	1194	1185	1279.2	1185
Females - - -	1281	1224	1230	1321	1213	1235	1205	1213	1134	1144	1213.9	1022
TOTAL Deaths -	1391	2007	1934	1582	1471	1477	1344	1354	1432	1892	1534.8	1022
Males - - -	708	1049	967	861	759	786	735	754	757	972	819.5	683
Females - - -	683	958	967	721	712	691	609	600	675	920	715.3	339

* The numbers in this column are the average weekly numbers in the thirty-sixth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 15.	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	13 Weeks
TOTAL Births -	2356	2506	2251	2309	2292	2266	2273	2500	2055	2507	2307	2346	2207	30
TOTAL Deaths -	1172	1163	1138	1089	1115	1077	1101	1052	1097	1093	1056	1068	1080	14
Deaths at -														
Under 1 year -	218	222	225	215	199	179	182	218	197	239	239	255	252	2
1-5 years -	174	159	162	129	137	150	133	125	152	149	122	123	137	1
5-20 " -	70	48	70	57	74	64	57	66	64	66	55	68	60	1
20-40 " -	122	138	144	139	154	125	140	122	149	138	127	112	133	1
40-60 " -	241	262	238	239	236	245	258	199	222	217	225	211	226	3
60 yrs. & upwds	347	334	299	310	315	314	331	324	313	284	288	299	272	4
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	56	48	66	41	46	46	40	46	36	43	28	24	25	2
Scarlet Fever - -	13	10	13	13	11	15	19	13	16	8	7	14	13	1
Diphtheria - - -	8	10	13	8	8	12	10	11	11	19	10	10	13	1
Whooping-cough -	53	36	45	32	29	44	35	27	24	29	34	21	20	1
Typhus - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	1	2	1	1	2	2	3	-	6	3	7	3	1
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diarrhœa, Dysentery	19	13	15	8	8	19	23	18	24	23	47	56	61	1
All above Diseases -	151	118	154	103	103	138	129	118	112	128	129	132	135	1
Dis. of Resp. System	60	63	58	51	53	51	45	58	50	54	32	59	48	1
Pneumonia - - -	89	93	98	97	86	75	91	79	89	75	65	70	68	1
Phthisis - - - -	118	107	109	102	115	98	106	84	96	94	109	87	122	1
Dis. of Circ. System	152	160	161	170	154	143	164	133	157	136	151	146	122	1
Violence - - - -	48	56	69	51	60	46	63	50	63	49	61	41	51	1
Inquest Cases - -	113	118	129	100	123	93	140	104	136	106	105	107	115	1
Deaths in Institutions	490	499	460	451	477	451	474	476	482	472	438	459	469	1
TEMPERATURE OF THE AIR.														
Mean - - - - -	58.7	56.7	56.4	54.7	56.3	62.7	59.5	59.7	62.3	61.5	57.0	61.1	56.8	
Mean of Highest -	68.0	67.4	66.1	64.3	68.1	75.4	70.2	71.1	73.6	72.4	66.1	72.3	66.4	
Mean of Lowest -	50.8	48.3	49.3	46.8	47.4	52.9	51.3	51.0	54.7	54.2	50.5	50.6	49.8	
Mean Humidity of the Air.	75	65	77	73	71	72	78	74	73	73	74	76	79	
Rain-fall (in inches) -	0.41	0.01	1.30	0.16	0.22	0.00	0.51	0.40	0.18	0.71	0.06	0.16	0.44	
Registered Sunshine (in hours).	48.5	62.6	24.8	44.7	36.6	57.7	24.7	43.7	41.9	45.0	24.9	47.8	18.7	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	2936	2985	3022	3193	3276	3386	3586	3626	3660	3669	3687	3738	3816	
Scarlet Fever - -	944	890	807	809	868	880	872	914	885	868	864	837	845	
Diphtheria - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhus - - - - -	59	54	57	60	62	57	51	50	49	51	55	65	72	
Enteric Fever - -	-	-	-	-	-	-	-	-	-	-	-	-	-	

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office.—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M. Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witly, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th September, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.	Total Causes of Death.
					Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysip. (or Typhoid) Fever.	Pyæmia† Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -		4,538,429	2207	1080	252	272	-	25	13	13	20	-	3	-	61	51	115	469	
WEST DISTRICTS - - -		805,311	333	190	36	52	-	1	1	1	1	-	1	-	6	7	19	87	
NORTH DISTRICTS - - -		1,056,070	441	219	53	59	-	12	1	4	4	-	-	-	14	11	28	91	
CENTRAL DISTRICTS - - -		209,465	100	55	18	9	-	-	-	-	1	-	-	-	4	4	5	37	
EAST DISTRICTS - - -		715,739	408	180	49	37	-	1	-	-	5	-	-	-	12	22	20	87	
SOUTH DISTRICTS - - -		1,740,844	925	402	98	102	-	11	6	8	9	-	2	-	24	7	43	133	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	34	-	13	-	-	5	-	-	-	-	-	1	-	-	34	
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -		93,178	50	24	4	9	-	1	-	-	-	-	-	-	-	1	4	9	
St. John Paddington H - - -		33,617	9	17	3	7	-	-	-	-	-	-	-	-	1	2	2	8	
North-West Paddington - - -		17,181	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - -		128,037	46	29	6	4	-	-	-	-	1	-	-	-	1	2	2	19	
Brompton 2H - - -		48,591	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Hammersmith 2W,w,H - -		40,192	35	9	4	2	-	-	-	-	-	-	-	-	-	1	3	-	
South Hammersmith w,2H - -		63,047	24	17	2	5	-	-	-	1	-	-	-	-	-	-	2	9	
North-west Fulham W - - -		45,180	33	14	3	3	-	-	-	-	-	-	-	-	-	-	3	7	
North-east Fulham F - - -		46,405	20	10	4	3	-	-	1	-	-	-	1	-	1	-	1	2	
South Fulham W - - -		45,704	26	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W,w,3H - - -		42,514	20	19	-	9	-	-	-	-	-	-	-	-	1	1	1	15	
Chelsea South W,2H - - -		31,328	14	7	2	1	-	-	-	-	-	-	-	-	-	-	-	3	
Mayfair and Knightsbridge - -		28,743	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -		56,815	20	15	2	4	-	-	-	-	-	-	-	-	-	1	2	5	
St. Margaret & St. John 5H - -		43,698	12	13	4	2	-	-	-	-	-	-	-	-	2	-	-	6	
St. James and St. Anne W,6H - -		33,081	7	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -		35,391	12	12	2	2	-	1	-	1	-	-	-	-	-	-	-	8	
St. Mary Marylebone W,4H - -		37,048	12	6	3	2	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone - - -		30,536	16	3	1	-	-	-	-	-	-	-	-	-	1	-	1	2	
St. John Marylebone 2H - - -		20,426	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,7H - - -		81,942	21	13	2	2	-	1	-	2	-	-	-	-	-	-	-	4	
West St. Pancras 2H - - -		60,562	27	12	2	5	-	-	-	-	-	-	-	-	-	-	1	3	
South St. Pancras w,11H - - -		55,707	8	17	6	2	-	1	-	-	1	-	-	-	3	2	4	11	
East St. Pancras W,2H - - -		60,320	26	24	7	5	-	3	-	-	2	-	-	-	1	1	3	11	
North St. Pancras 2W - - -		58,728	30	6	4	-	-	-	-	-	-	-	-	-	1	-	1	4	
Tufnell W - - -		31,995	16	12	2	8	-	-	-	-	-	-	-	-	-	-	-	9	
Upper Holloway 2W,w,H - - -		33,978	24	22	3	8	-	-	-	-	-	-	-	-	-	1	2	15	
Tollington W,w,H - - -		33,922	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -		41,424	14	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -		54,478	28	8	3	2	-	1	-	1	1	-	-	-	-	-	-	-	
Islington South-east F - - -		75,397	37	9	3	1	-	-	-	-	-	-	-	-	2	1	2	-	
Highbury 2H - - -		63,797	23	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - -		51,247	19	4	-	2	-	-	-	-	-	-	-	-	-	1	1	-	
North Hackney - - -		50,560	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - - -		50,536	22	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	
South-west Hackney 3H - - -		59,921	34	20	4	3	-	1	-	-	-	-	-	-	3	1	5	7	
South-east Hackney 2W,w,H - -		58,255	34	24	5	7	-	-	-	-	-	-	-	-	1	3	6	15	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th September, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															
			Total DEATHS	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2W,3H -	31,436	28	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
and W,4H - - - - -	21,874	1	17	2	3	-	-	-	-	-	-	-	-	1	1	2	15	
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isborn W,3H - - - - -	29,612	7	15	8	1	-	-	-	-	1	-	-	-	3	-	-	11	
with Clerkenwell	28,676	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
with Clerkenwell H - - - -	35,028	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Isbury 3H,L - - - - -	36,116	31	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Isborn Union Workhouse, } Clapham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botolph H - - - - -	10,200	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sepulchre and Allhallows W,2H	16,624	2	13	1	4	-	-	-	-	-	-	-	-	3	3	9	-	
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																		
Redditch South H - - - -	46,362	25	8	1	-	-	-	-	-	1	-	-	-	-	-	1	1	
Redditch North-West W,w,H -	36,127	19	15	1	4	-	1	-	-	-	-	-	-	-	1	12	-	
Redditch North-East - - -	36,148	19	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Redditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Island Green North-East 2W } L - - - - -	65,138	30	25	6	6	-	-	-	-	2	-	-	-	2	-	-	14	
Island Green South-West H -	64,542	41	8	4	3	-	-	-	-	-	-	-	-	1	-	1	-	
Islandfields - - - - -	27,969	19	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Island New Town W,H - - -	28,718	17	23	1	5	-	-	-	-	-	-	-	-	-	1	1	21	
Islandman's Fields - - - - -	22,081	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Island George and St. John 2W -	49,068	32	8	1	1	-	-	-	-	-	-	-	-	-	-	3	5	
Islandwell and Ratcliff W,H -	25,568	16	13	6	-	-	-	-	-	-	-	-	-	-	2	2	10	
Islandhouse W - - - - -	32,369	16	8	3	1	-	-	-	-	2	-	-	-	-	-	1	-	
Island End Old Town South- } Islandern H - - - - -	63,698	30	7	4	1	-	-	-	-	-	-	-	-	1	1	1	1	
Island End Old Town North- } Islandern W,w - - - - -	49,129	25	11	5	4	-	-	-	-	-	-	-	-	2	1	1	3	
Island L - - - - -	41,939	21	6	4	1	-	-	-	-	-	-	-	-	3	-	-	-	
Islandley 3w,H - - - - -	68,319	45	35	8	9	-	-	-	-	-	-	-	-	-	2	6	20	
Islandar W,w - - - - -	58,514	34	8	3	2	-	-	-	-	-	-	-	-	-	1	-	-	

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTEHRIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th September, 1907.—*continued.*

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea	Violence.			
SOUTH DISTRICTS.																		
Christchurch and St. Saviour } Southwark W,2H - - - - -	23,319	13	15	5	2	-	-	-	-	1	-	-	-	-	1	2	2	14
Kent-road - - - - -	21,904	20	5	1	-	-	-	-	-	-	-	-	-	-	3	1	4	-
St. George the Martyr West } W,2H,L - - - - -	39,094	15	10	4	1	-	-	-	-	-	-	-	-	-	1	1	1	5
Newington North - - - - -	49,022	27	13	6	1	-	3	-	-	-	-	-	-	-	1	-	1	-
Newington South W - - - - -	72,841	37	10	3	1	-	1	-	-	-	-	-	-	-	1	-	-	1
St. Olave 2W - - - - -	9,817	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - - -	82,483	45	16	2	5	-	-	-	-	-	-	-	-	-	2	-	-	-
Rotherhithe W,F - - - - -	38,460	25	7	1	1	-	-	-	-	-	-	-	-	-	1	2	3	-
Waterloo 2H - - - - -	27,440	26	11	7	2	-	1	-	-	-	-	-	-	-	3	-	-	4
Lambeth Church H - - - - -	27,440	21	18	4	4	-	1	-	1	-	-	-	-	-	1	2	11	11
Kennington 2W - - - - -	52,518	37	23	5	12	-	3	-	-	1	1	-	-	-	1	1	2	19
Stockwell HF - - - - -	63,826	29	11	1	2	-	-	3	1	-	-	-	-	-	1	-	-	1
Brixton H - - - - -	73,673	30	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwood WH - - - - -	56,998	15	4	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
East Battersea H - - - - -	72,203	28	12	8	1	-	-	-	-	-	-	-	-	-	2	1	3	-
North-west Battersea - - - - -	49,356	27	6	3	1	-	-	-	-	1	-	-	-	-	1	1	2	11
South-west Battersea 2W,H - - - - -	47,048	16	18	4	7	-	1	-	-	-	-	-	-	-	1	1	1	2
Clapham 2H - - - - -	51,361	37	8	-	3	-	-	-	2	2	-	-	-	-	2	-	-	6
Streatham W,2w,F,2L - - - - -	88,019	40	21	5	6	-	-	-	-	-	-	-	-	-	-	-	-	2
Springfield 2W,L - - - - -	27,959	24	6	1	2	-	-	-	-	-	2	-	-	-	-	1	1	-
Southfields H - - - - -	40,444	22	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - -	24,139	11	5	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Dulwich - - - - -	13,359	4	3	-	2	-	-	-	-	-	-	-	-	-	1	1	1	14
Camberwell South W,w - - - - -	40,206	10	18	3	7	-	-	-	-	-	-	-	-	-	-	1	2	7
Camberwell North W,2L - - - - -	65,584	26	13	1	5	-	-	-	-	-	-	-	-	-	-	1	1	-
St. George - - - - -	47,331	37	4	2	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Peckham North - - - - -	48,913	39	7	2	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Peckham South 2W,w - - - - -	43,946	15	4	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Deptford North - - - - -	37,613	31	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central F - - - - -	45,481	28	10	1	4	-	-	-	-	1	-	-	1	-	-	2	2	3
Deptford South - - - - -	34,625	14	8	2	2	-	-	-	-	-	-	-	-	-	-	1	1	1
Greenwich West 2H - - - - -	23,456	13	5	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1
Greenwich East 2W,H - - - - -	43,859	30	23	2	6	-	-	-	-	-	-	1	-	-	-	2	4	15
Eltham w,H - - - - -	7,226	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w,H - - - - -	25,490	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W,w,F - - - - -	58,352	38	16	4	4	-	-	-	1	-	-	-	-	-	1	-	1	7
Sydenham H - - - - -	43,653	23	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H - - - - -	21,134	11	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Woolwich 5H - - - - -	41,625	15	8	1	1	-	-	-	-	-	1	-	-	-	-	1	2	-
Plumstead West W - - - - -	18,063	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H - - - - -	50,264	24	16	3	3	-	-	-	-	-	1	-	-	-	1	1	3	-
Workhouse:-																		
Central London Sick Asylum				1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Joyce Green - - - - -																		
Long Reach - - - - -																		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)																		
North-Eastern - - - - -				5	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Northern - - - - -																		
M. A. B. Imbecile Asylums:-																		
Belmont - - - - -																		
Caterham - - - - -				2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Darenth - - - - -																		
Leavesden - - - - -				2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:-																		
Banstead - - - - -																		
Ewell (Epileptic Colony)																		
Horton - - - - -				4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Manor - - - - -																		
Long Grove - - - - -				1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill - - - - -				4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Partford Heath - - - - -																		
Hanwell - - - - -				3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colney Hatch - - - - -				3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Claybury - - - - -				9	-	6	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 7th September, 1907.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 15 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
LONDON—OUTER RING	368,302	2,044,973	1306	412	107	116	-	7	4	3	13	1	34	16	29	80	2		
1 Carshalton 2F,3H	12,228	32,997	12	8	1	1	-	-	1	1	-	-	-	-	-	1	4		
2 Epsom, part of* W,w,2F,H-	10,423	15,548	12	4	2	2	-	-	-	-	-	-	1	-	-	-	1		
1 Godstone, part of* W,F,L-	2,754	2,692	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-		
1 Coulsdon	11,069	8,186	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2 South Croydon w	4,200	49,309	22	7	1	4	-	-	1	-	-	-	1	-	-	-	-		
3 West Croydon 3W,F,H	2,168	42,888	29	21	3	7	-	-	1	1	-	-	-	1	2	11	-		
4 North Croydon H	2,644	41,698	25	5	1	4	-	-	-	-	-	-	-	-	-	-	-		
5 Penge w	770	22,465	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Mitcham	11,711	30,015	18	11	5	3	-	-	-	-	-	-	2	-	1	-	-		
1 Wimbledon F,3H	3,221	41,652	19	5	2	2	-	-	1	-	-	-	1	-	-	-	-		
1 Kingston 2W,H	6,224	42,068	15	13	2	5	-	-	-	-	-	-	-	-	-	5	-		
3 Surbiton F,H	3,046	15,017	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
4 Esher, part of* H	5,402	13,100	12	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
5 Hampton H,F,L-	4,534	23,456	15	7	4	2	-	-	-	-	-	-	-	-	-	-	-		
1 Richmond W,H	2,491	31,672	21	6	-	3	-	-	-	-	-	-	-	-	-	1	-		
2 Mortlake F	2,518	17,821	12	3†	2	-	-	-	-	-	-	-	-	-	-	-	-		
1 Bromley F,2H	4,703	27,354	10	5	1	2	-	-	-	-	-	-	-	-	-	-	-		
2 Beckenham H	7,826	28,497	12	5	1	1	-	-	-	-	1	-	-	-	-	-	-		
3 Orpington part of* W,F	10,113	9,857	6	6	-	3	-	-	-	-	-	-	1	1	3	-	-		
4 Chislehurst 2H	7,333	16,446	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Bexley w,F,H	8,678	21,151	11	4	-	2	-	-	-	-	1	-	-	-	-	-	-		
2 Erith F,H	3,854	25,296	20	1	-	-	-	-	1	-	-	-	-	-	-	-	-		
3 Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Sunbury w	11,054	18,683	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Staines W,H	13,277	15,178	7	3	1	1	-	-	-	-	-	-	1	1	1	-	-		
1 Hillingdon W,F,H	6,035	13,661	13	3	2	-	-	-	-	-	-	-	1	-	-	1	-		
2 Uxbridge H	12,757	8,984	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
3 Hayes w,2F,H	8,066	16,358	12	3	1	1	-	-	-	-	1	-	-	-	-	-	1		
1 Isleworth 3W,3F,H	8,859	30,863	16	10	1	3	-	-	-	-	-	-	1	-	-	4	-		
2 Twickenham F,2H	2,421	20,991	14	6	2	1	-	-	1	-	-	-	1	1	1	-	-		
3 Brentford 3F,2H-	4,319	48,289	33	16	5	5	-	-	1	-	-	-	2	-	-	-	-		
4 Chiswick H-	1,249	29,809	19	4	2	1	-	-	-	-	-	-	2	-	-	-	-		
5 Acton w,F,3H	6,132	48,914	34	11	4	2	-	-	1	-	-	-	1	1	2	-	-		
1 Harrow F,H	13,809	25,523	20	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
2 Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Willesden W,F,2H	4,384	114,811	62	24	7	8	-	-	-	-	-	-	-	1	2	5	-		
4 Hendon W,F	8,382	22,450	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
1 South Mimms 2F,H	17,755	7,308	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Barnet W,2H	3,324	17,970	9	3	2	1	-	-	-	-	-	-	-	-	1	-	-		
3 Finchley F,2H	4,688	53,692	30	7	4	2	-	-	-	-	2	-	-	-	-	1	-		
1 Hornsey F,H	2,875	72,056	23	12	2	6	-	-	-	-	-	-	-	-	2	-	-		
2 Wood Green H	1,825	34,233	25	4	1	1	-	-	-	-	1	-	1	-	-	-	-		
3 West Tottenham	998	48,853	31	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
4 East Tottenham 2H	2,017	53,688	39	17	5	5	-	-	-	-	-	-	-	-	-	7	-		
1 Edmonton W,w,2F	7,491	61,692	46	14	4	3	-	-	1	-	-	-	1	-	1	2	-		
2 Enfield 2W,F,H	12,601	42,738	37	10	3	3	-	-	-	-	1	-	1	1	1	1	-		
3 Waltham Abbey F	11,017	6,549	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4 Cheshunt F,H	8,479	12,292	6	2	-	1	-	-	-	-	-	-	-	1	1	-	-		
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Bushey H	9,333	9,173	9	2	1	1	-	-	-	-	-	-	-	-	-	1	-		
3 Watford W,2F part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Stratford† H	1,091	52,974	34	9	3	1	-	-	-	-	-	-	2	-	-	-	-		
2 Forest Gate†	787	52,745	22	4	1	2	-	-	-	-	-	-	-	-	1	-	-		
3 Plaistow F,2H	1,249	90,921	63	11	3	1	-	-	-	-	1	1	2	1	1	2	-		
4 Canning Town H	1,556	70,718	48	12	4	2	-	-	1	1	1	-	4	-	1	-	-		
1 South East Ham 2F	1,993	37,342	28	3	2	-	-	-	-	-	-	1	-	-	-	-	-		
2 North East Ham w,H	1,333	59,676	34	9	3	1	-	-	-	-	-	-	2	1	1	-	-		
3 Wanstead F	1,679	9,179	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
4 South Leyton 2W	631	50,467	28	9	4	2	-	-	1	-	-	-	-	-	-	2	-		
1 North Leyton 2W,w,F	1,993	48,445	37	25	2	4	-	-	-	-	-	-	2	1	2	19	-		
2 Walthamstow 2H,L	6,504	108,929	79	14	5	3	-	-	-	-	2	-	2	1	1	1	1		
1 Chigwell 2F,3H	11,778	16,397	9	4	-	2	-	-	-	-	-	-	-	2	3	1	-		
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Romford, part of* W,2F	6,556	8,091	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2 Ilford F,L	8,496	41,234	43	8	-	2	-	-	-	-	-	-	-	1	1	1	-		
3 Barking Town F	3,803	21,547	16	7	4	-	-	-	-	-	1	-	3	-	1	-	-		
Eastern Hospital, Hackney-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-		
London County Lunatic	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Asylum, Claybury.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Middlesex County Lunatic	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		
Asylum, Napsbury.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Essex County Lunatic	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
Asylum, Brentwood.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

the parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and the Croydon Mental Hospital in 37: 1 are also included.

The boundaries of these sub-districts were altered on 1st July, 1907.

†Including 1 death from Cerebro-spinal fever.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria, and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	September 7	2207	1080	11'8	-	25	13	13	20	3	61
CALCUTTA - -	955,926	August 3	-	398	24'4	2	2	-	-	-	121†	1
BOMBAY - -	982,000	" 20	386	706	37'5	-	4	-	-	-	69†	1
MADRAS - -	543,974	" 9	463	379	38'6	1	2	?	?	?	83	71
PARIS - - -	2,722,731	" 31	938	836	15'9	1	8	5	1	11	3	11
BRUSSELS - -	623,202	" 31	191	159	13'3	-	1	-	1	-	1	2
ANTWERP - -	304,032	" 31	129	54	9'2	-	1	-	-	-	-	1
AMSTERDAM -	564,342	" 31	266	94	8'7	-	2	-	2	-	1	-
COPENHAGEN -	433,000	" 31	210	99	11'9	-	-	1	-	5	-	-
STOCKHOLM -	332,738	" 24	146	82	12'8	-	2	-	-	-	-	-
CHRISTIANIA -	226,774	" 31	92	58	13'1	-	-	1	2	-	-	-
ST. PETERSBURG	1,432,769	" 17	727	592	20'8	1	9	10	19	8	24	13
MOSCOW - -	1,296,000	" 17	-	837	33'7	2	6	7	7	7	4	33
BERLIN - - -	2,091,151	" 17	943	613	15'3	-	12	6	4	11	1	12
HAMBURG - -	840,790	" 31	-	174	11'0	-	-	-	-	1	-	1
BRESLAU - -	485,278	" 24	-	197	21'2	-	-	1	-	3	-	6
MUNICH - - -	548,000	" 24	-	173	16'4	-	-	-	3	2	1	5
		" 31	-	166	15'7	-	-	-	1	-	2	4
VIENNA - - -	1,979,093	" 31	885	556	14'6	6	2	2	3	-	2	8
PRAGUE - - -	470,906	" 24	176	151	16'7	-	-	1	-	1	1	1
BUDA-PESTH -	802,235	" 24	418	235	15'2	-	2	5	1	1	1	4
TRIESTE - - -	200,962	" 31	132	79	20'4	-	-	-	1	1	-	1
ROME - - -	542,760	June 29	221	170	16'3	-	1	-	-	2	3§	2
VENICE - - -	174,398	August 24	87	62	18'5	-	-	-	1	-	-	1
BUCHAREST -	292,395	" 31	158	121	21'6	-	-	4	1	-	3	2
NEW YORK - -	4,285,435	" 24	2633	1600	19'5	-	14	2	22	14	17	4
CHICAGO - -	2,107,620	" 24	-	684	16'9	-	-	8	5	4	11	21
PHILADELPHIA -	1,500,595	" 10	-	537	18'6	-	1	1	8	3	9	11
RIO DE JANEIRO	628,275	" 18	-	229	19'0	1	1	-	1	1	3	1

* Excluding deaths from croup in the Indian Cities.

† Including 4 deaths from plague in Calcutta, and 17 in Bombay.

‡ Including 36 deaths from cholera in Calcutta, 52 in Bombay, and 6 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th September, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	74'0	44'1	58'1	0'44	LEEDS - - -	69'0	38'0	55'0	0'69
BRIGHTON - -	68'8	47'2	58'8	0'43	YORK - - -	68'0	33'0	52'3	0'69
PORTSMOUTH -	70'5	46'5	58'8	0'45	HULL - - -	71'0	31'0	54'9	0'67
NORWICH - - -	?	?	?	?	TYNEMOUTH -	69'0	34'0	51'5	0'71
PLYMOUTH - -	65'9	47'2	58'6	1'20	CARDIFF - -	69'6	38'5	55'7	0'98
BRISTOL - - -	68'9	37'8	56'5	0'67					
BIRMINGHAM -	70'6	41'0	54'5	0'80	EDINBURGH -	64'6	36'7	51'9	1'05
NOTTINGHAM -	69'9	40'9	55'2	0'73	GLASGOW - -	66'2	33'1	52'8	1'11
LIVERPOOL - -	67'0	42'0	55'0	0'61					
OBSERVATORY }	67'0	42'0	55'0	0'61					
MANCHESTER -	68'0	33'8	53'5	0'92	DUPLIN { Phoenix Park. Fitz- william Square. }	63'3	33'4	52'9	0'42
BURNLEY - - -	65'5	30'5	52'0	0'86					
PRESTON - - -	70'1	39'0	54'9	0'92					
HUDDERSFIELD -	65'6	34'0	53'4	0'41	BELFAST - -	63'0	37'8	52'0	1'05

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1'05 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A. M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907.		Phases of the Moon.		BAROMETER.		TEMPERATURE.		TEMPERATURE.		WINDS deduced from Anemometers.		Rain collected in a Gauge whose surface is 5 inches above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
MONTH AND DAY	SEPTEMBER.	Phases of the Moon.	Mean daily reading reduced to 32° Fahr.	Of the Air.		Difference between the Air and Dew Point.		Of Humidity.		General Direction.		Oiler's.		Robinson's.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from daily average value, 65 years.	Mean of the day.	Of the 3 feet below the surface.	Highest on the Sun's Ray's.	Lowest on the Grass.	A.M.			P.M.	Greatest of 24 hourly obs.	Mean of 24 hourly obs.	Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
SUNDAY	1	..	29.936	62.0	47.1	14.9	14.9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 8h. A.M.; noon; 3h. P.M., and 8h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. A mean average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 46 years ending 1866, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In each of columns 8 and 24 it will be borne in mind that it indicates "higher," and "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 23 derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.

The reading of the barometer increased from 29.82 in. at the beginning of the week to 29.95 in. by noon on the 1st; decreased to 29.39 in. by 7h. P.M. on the 2nd; increased to 29.87 in. by 8h. P.M. on the 4th; decreased to 29.66 in. by 6h. A.M. on the 5th; and increased to 30.16 in. by midnight on the 7th.

Errata: Report for week ending 1907 Aug. 10. Movement of Air, Col. 23, Aug. 5, 10.95 miles read 97 miles, and 1 Sum for week for 24.98 read 24.97. Col. 24, Aug. 5, 150 read 148, and 1 Sum for week for 1501 read 1499. Col. 24, Aug. 13, 101 read 100, and 1 Sum for week for 1011 read 1010. Col. 24, Aug. 13, 101 read 100, and 1 Sum for week for 1011 read 1010.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED IN THE ADMINISTRATIVE COUNTY OF LONDON during the Week ended 31st August, 1907.*

BOROUGHES	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	6	5	-	-	1	-	2	-	-
Kensington - - -	181,842	-	11	3	-	1	-	-	3	-	-
Hammersmith - -	122,337	-	7	-	-	-	-	-	3	-	-
Fulham - - -	166,749	-	11	9	-	4	-	-	4	-	-
Chelsea - - -	74,867	-	3	4	-	-	-	-	1	-	-
City of Westminster -	172,219	-	3	-	-	-	-	-	-	1	-
NORTH.											
St. Marylebone - - -	127,718	-	17	-	-	-	-	-	2	1	-
Hampstead - - -	91,137	-	14	-	-	-	-	-	-	-	-
St. Pancras - - -	236,753	-	11	9	-	1	-	-	4	-	-
Islington - - -	347,017	-	23	11	-	2	-	-	4	-	-
Stoke Newington - -	53,613	-	2	-	-	-	-	-	-	-	-
Hackney - - -	232,993	-	37	5	-	4	-	-	4	-	-
CENTRAL.											
Holborn - - -	55,134	-	5	1	-	1	-	-	1	-	-
Finsbury - - -	96,732	-	19	2	-	-	-	-	5	-	-
City of London - - -	20,310	-	5	-	-	1	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	22	6	-	-	-	-	2	-	1
Bethnal Green - - -	130,831	-	35	10	-	-	-	-	5	-	-
Stepney - - -	308,923	-	91	15	-	2	-	-	13	-	1
Poplar - - -	171,086	-	37	8	-	-	-	-	4	-	-
SOUTH.											
Southwark - - -	209,781	-	24	13	-	2	-	-	2	3	-
Bermondsey - - -	128,293	-	24	4	-	2	-	-	4	1	-
Lambeth - - -	318,538	-	24	2	-	1	-	-	2	-	1
Battersea - - -	181,736	-	19	1	-	1	-	-	2	-	-
Wandsworth - - -	281,419	-	30	2	-	4	-	-	2	1	-
Camberwell - - -	277,059	-	30	6	-	-	-	-	1	-	-
Deptford - - -	116,510	-	19	4	-	3	-	-	1	-	-
Greenwich - - -	107,222	-	21	3	-	2	-	-	6	-	-
Lewisham - - -	152,532	-	7	2	-	1	-	-	2	-	1
Woolwich - - -	129,336	-	14	4	-	-	-	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	571	129	-	32	1	-	80	7	4
Ages											
0-1 - - -	-	-	6	1	-	-	-	-	3	-	3
" 1-5 - - -	-	-	165	54	-	2	1	-	2	-	1
" 5- - - -	-	-	256	35	-	1	-	-	3	-	-
" 10- - - -	-	-	88	16	-	2	-	-	2	-	-
" 15- - - -	-	-	21	8	-	6	-	-	4	-	-
" 20- - - -	-	-	12	5	-	4	-	-	2	1	-
" 25- - - -	-	-	18	8	-	10	-	-	13	3	-
" 35- - - -	-	-	4	1	-	5	-	-	15	3	-
" 45- - - -	-	-	-	1	-	1	-	-	14	-	-
" 55- - - -	-	-	1	-	-	1	-	-	9	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	13	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING AUGUST, 1907.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th September, 1907.

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of August.

Twelve samples were taken in each of the eight districts, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ August 12th Drinking Fountain, Moor Park Road. }	18·2	26·44	·137	·017	0	·151	·168	1·65	18·7
West Middlesex - -	{ August 12th. Cab Rank, High Street, Kensington, near Wright's Lane. }	18·9	24·80	·151	·019	0	·125	·144	1·6	17·8
Southwark - - - -	{ August 12th. Drinking Fountain, Victoria Circus, Battersea. }	17·9	27·12	·160	·019	0	·170	·189	1·65	18·7
Grand Junction - -	{ August 12th. Cab Rank, Shepherd's Bush Green. }	18·4	27·08	·134	·019	0	·168	·187	1·6	19·1
Lambeth - - - -	{ August 12th. Cab Rank, Waterloo Road, opposite St. John's Church. }	18·0	26·89	·157	·018	0	·176	·194	1·6	19·1
LEA, WELLS, & C.										
New River - - - -	{ August 12th Cab Rank, Tottenham Court Road. }	17·4	30·64	·051	·007	0	·178	·185	1·8	20·3
Eastern - - - -	{ August 12th. Tap on Main at Lea Bridge Works. }	17·0	29·06	·125	·014	001	·085	·100	2·0	17·1
DEEP WELLS.										
Kent- - - -	{ August 12th. Cab Rank, Amersham Road, near New Cross. }	12·5	41·66	·046	·006	0	·520	·526	2·2	28·6
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the drinking fountain, in Moor Park Road on the 12th August, had a temperature of 18·2° C.; 100,000 lbs. of it contained 26·44 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·137 lb. of carbon and ·017 lb. of nitrogen. The above quantity of water also contained ·151 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·168 lb. The above weight of water also contained 1·65 lbs. of chlorine and 18·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples taken on the 12th August were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several district works was:—Kent, 0·9; New River, 1·0; Eastern, 2·4; Chelsea, 2·6; West Middlesex, 2·9; Southwark and Lambeth, 3·0; and Grand Junction, 3·1.

The filtered supplies distributed from the five works which abstract water from the Thames were all clear and of good quality, and the mean proportion of organic matter present in the waters during August was the smallest recorded this year.

The New River and Eastern district supplies, obtained mainly from the River Lea, were also clear and of good quality.

The Kent district deep-well water was, as usual, clear and of high organic purity.

Seen through a stratum two feet deep, the Kent water was colourless, and that drawn in the New River area nearly colourless; the supplies from the six remaining districts exhibited a very pale yellow colour.

In addition to the above analytical examination the 96 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·081	·060	·067	·088	·067	·074	0	0	0	·0095	·006	·007
West Middlesex	·074	·061	·067	·081	·066	·074	0	0	0	·008	·007	·0075
Southwark	·081	·068	·074	·089	·076	·082	0	0	0	·0075	·007	·0075
Grand Junction	·080	·060	·071	·088	·066	·079	0	0	0	·008	·007	·0075
Lambeth	·084	·072	·077	·096	·080	·086	0	0	0	·0075	·0065	·007
LEA, WELLS, THAMES, &C.												
New River	·040	·018	·027	·047	·021	·030	0	0	0	·003	·002	·0025
Eastern	·089	·042	·062	·104	·046	·068	·001	0	0	·0105	·006	·008
DEEP WELLS.												
Kent	·011	·003	·007	·015	·006	·009	0	0	0	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With reference to the filtered Thames waters the above figures show that the five supplies contained nearly the same amount of organic matter, and that they were of good quality, and comparison with all the results obtained since the commencement of the year shows that the mean proportion of organic matter for the month of August was the lowest.

The New River district water contained, on the average, the same amount of organic matter as in the previous month, and was of very good quality.

The Eastern district supply was of good quality during the whole month, the mean proportion of organic matter present being, as usual, slightly less than in the five supplies obtained exclusively from the Thames.

The Kent district deep-well water maintained its usual excellent quality throughout the month.

The 96 samples examined were all practically clear with the exception of three (drawn in the Grand Junction, Lambeth, and Kent districts), which contained traces of iron rust.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of August, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 213 gallons to one service.

DISTRICTS	Number of Services.		Average Daily Supply of Water in Gallons.	
	AUGUST. 1906.	AUGUST. 1907.	AUGUST. 1906.	AUGUST. 1907.
TOTAL SUPPLY - - - -	1,052,213	1,068,739	247,765,232	227,920,508
NEW RIVER - - - - -	208,923	211,656	47,855,000	44,533,000
EASTERN - - - - -	237,402	240,325	46,396,000	42,810,322
WESTERN { Chelsea, Grand Junction } - -	215,983	219,137	59,210,593	53,944,319
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	274,796	280,481	71,765,637	65,961,595
{ Southwark and Vauxhall }				
KENT - - - - -	115,109	117,140	22,538,032	20,671,272

Note.—The Return for August, 1907, as compared with that for the corresponding month of 1906, shows an increase of 16,526 services, and a decrease of 19,844,754 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 37. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, SEPT. 14. [Price 1½d.

General Register Office, Somerset House,
September 16th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 12·3 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 11·5, 11·8, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 17·1 in Wigan and in Swansea, 17·4 in Sunderland, 17·5 in Rotherham, 17·7 in Sheffield, 18·0 in St. Helens, and 20·0 in Tynemouth; from *measles*, 1·1 in St. Helens and 2·8 in Cardiff; from *whooping-cough*, 1·4 in West Hartlepool and in Merthyr Tydfil, 1·7 in Gateshead, and 2·0 in Great Yarmouth; and from *diarrhœa*, 2·0 in Hull, 2·2 in Walsall, 2·5 in Sheffield, 2·6 in Liverpool, 2·7 in West Ham, 3·1 in Bootle, and 3·3 in Rotherham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2333 BIRTHS and 1083 DEATHS were registered. Allowing for increase of population, the births were 156 and the deaths 352 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·6, 11·7, and 11·8 per 1000 in the preceding three weeks, further rose last week to 11·9. The death-rate in the four weeks ended last Saturday averaged 11·8 per 1000, being 4·5 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1083 deaths included 10 from measles, 12 from scarlet fever, 11 from diphtheria, 25 from whooping-cough, 3 from enteric fever, and 66 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate there were referred 127 deaths, being 191 below the corrected average number in the thirty-seventh week of the preceding five years.

The deaths from *measles*, which had been 28, 24, and 25 in the preceding three weeks, fell to 10 last week, and were equal to the corrected average. The deaths from *scarlet fever*, which had been 7, 14, and 13 in the preceding three weeks, were 12 last week, and were 3 above the corrected average; 3 deaths belonged to the Borough of Stepney. The deaths from *diphtheria*, which had been 10, 10, and 13 in the preceding three weeks, were 11 last week, the corrected average being 12. The deaths from *whooping-cough*, which had been 34, 21, and 20 in the preceding three weeks, rose to 25 last week, and were 3 above the corrected average; 3 deaths belonged to St. Pancras, and 3 each to Stepney and Poplar. The deaths from *enteric fever*, which had been 3, 7, and 3 in the preceding three weeks, were 3 last week, and were 6 below the corrected average. The deaths from *diarrhoea*, which had been 47, 56, and 61 in the preceding three weeks, further rose to 66 last week, but were 189 below the corrected average; 11 deaths belonged to Stepney, 7 to Wandsworth, 6 to Shoreditch, and 5 to Lambeth. Of the 66 deaths from diarrhoea, 64 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 8 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 8, 3, and 4 in the preceding three weeks. The death of a greengrocer, aged 24 years, was certified, after inquest, as due to *glanders*.

Different forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 12 were cases of suicide, while the remaining 33 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 5 to drowning, 2 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 7, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 3871 cases of scarlet fever, 877 of diphtheria, and 83 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 574 cases against 440, 557, and 587; of diphtheria, 154 cases, against 116, 116, and 129; and of enteric fever, 19 cases, against 13, 23, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 7th, 1907.

GREATER LONDON.

In Greater London 3611 births and 1534 deaths were registered. Allowing for increase of population, these numbers are 245 and 545 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 1 from scarlet fever, 5 from diphtheria, 8 from whooping-cough, and 25 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·09 inches, and that of the Thermometer 58°·6, the latter being 0°·4 above the week's average in the 65 years ending 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 46 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 41·9 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 14th Sept., 1907.		The DEATHS registered in the Week include										TOWNS.		
		Week ended					24th Aug., 1907.	7th Sept., 1907.	14th Sept., 1907.	Week ended 14th Sept., 1907.	Deaths of Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		Deaths in Public Institutions.	Cause of Death.
		Deaths from																					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
76 TOWNS	16,024,458	11'5	11'8	12'3	12'3	1'6	8072	3793	981	1018	-	35	26	39	95	12	278	165	313	1030	34	76 TOWNS.	
LONDON -	4,758,218	11'6	11'7	11'8	11'9	1'4	2333	1083	251	316	-	10	12	11	25	3	86	45	104	477	-	LONDON.	
CRYDON -	154,342	6'8	9'5	10'1	5'1	0'3	78	24	1	12	-	-	-	-	-	-	-	1	3	10	-	CRYDON.	
WILLESDEN -	149,192	5'2	9'1	8'4	7'3	0'7	64	21	8	7	-	-	1	-	-	-	1	-	1	4	-	WILLESDEN.	
HORSEY -	89,816	6'4	5'2	7'0	5'8	-	26	10	1	4	-	-	-	-	-	-	-	-	1	1	-	HORSEY.	
TOTTENHAM -	122,793	11'0	5'9	7'2	10'6	-	72	25	7	5	-	-	-	-	-	-	1	2	2	7	-	TOTTENHAM.	
WEST HAM -	306,284	8'6	10'8	8'3	12'2	3'6	173	72	24	13	-	-	4	1	-	13	2	2	21	-	WEST HAM.		
EAST HAM -	136,421	5'4	7'6	5'7	8'4	1'1	77	22	8	7	-	-	-	2	-	1	1	1	5	-	EAST HAM.		
LEYTON -	122,040	5'6	7'7	7'7	7'7	0'4	76	18	3	5	-	-	1	-	-	-	-	2	3	-	LEYTON.		
WALTHAMSTOW -	126,397	6'2	7'8	5'4	8'7	0'8	46	21	7	3	-	-	-	-	-	2	-	2	5	-	WALTHAMSTOW.		
HASTINGS -	67,477	9'3	17'8	10'0	11'6	-	15	15	-	8	-	-	-	-	-	-	-	-	-	3	1	HASTINGS.	
BRIGHTON -	129,023	15'0	8'9	10'5	10'5	1'2	54	26	5	7	-	-	-	1	-	2	1	4	9	-	BRIGHTON.		
PORTSMOUTH -	238,291	11'0	10'8	10'3	12'3	1'5	108	49	15	13	-	-	1	-	1	4	1	3	9	-	PORTSMOUTH.		
BOURNEMOUTH -	69,246	6'8	8'3	12'0	7'5	-	25	10	1	2	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.		
SOUTHAMPTON -	119,745	5'7	10'0	11'8	9'1	0'9	49	21	4	10	-	-	-	-	-	2	6	6	2	-	SOUTHAMPTON.		
READING -	80,311	13'0	9'1	9'7	9'7	1'3	44	15	5	4	-	-	-	-	-	2	-	-	3	-	READING.		
NORTHAMPTON -	85,070	11'0	8'8	8'2	8'8	1'6	32	16	5	5	-	1	-	-	-	2	-	1	2	-	NORTHAMPTON.		
IPSWICH -	72,825	12'2	9'3	7'9	8'6	0'7	39	12	-	6	-	-	-	-	1	-	-	1	6	-	IPSWICH.		
GREAT YARMOUTH -	52,879	21'7	15'8	12'8	14'8	3'0	37	15	5	5	-	-	-	2	-	1	1	1	2	-	GREAT YARMOUTH.		
NORWICH -	119,191	10'9	11'8	12'2	13'6	1'3	61	31	7	11	-	-	1	-	-	2	-	2	9	1	NORWICH.		
PLYMOUTH -	120,063	10'0	10'9	10'4	8'7	1'3	58	20	3	7	-	-	-	1	-	-	-	-	5	-	PLYMOUTH.		
DEVONPORT -	79,959	10'4	5'9	7'8	9'1	2'0	45	14	2	6	-	-	-	-	1	2	-	1	2	-	DEVONPORT.		
BRISTOL -	307,879	9'6	11'5	9'9	10'5	1'1	188	74	17	21	-	-	1	1	-	6	5	9	15	-	BRISTOL.		
HANLEY -	67,174	14'7	14'7	16'3	14'7	0'8	42	19	6	5	-	-	-	-	-	1	-	2	3	-	HANLEY.		
BURTON-ON-TRENT -	53,425	16'6	2'0	9'8	6'8	1'0	26	7	-	1	-	1	-	-	-	-	1	2	2	-	BURTON-ON-TRENT.		
WOLVERHAMPTON -	102,016	13'3	10'7	7'2	9'7	1'0	53	19	5	5	-	-	1	-	-	-	-	1	6	-	WOLVERHAMPTON.		
WALSALL -	96,171	13'0	17'9	14'1	12'5	2'2	50	23	12	4	-	-	-	-	-	4	1	3	4	-	WALSALL.		
HANDSWORTH -	65,929	7'9	12'7	8'7	4'7	-	20	6	2	3	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.		
WEST BROMWICH -	63,123	10'6	12'1	13'6	6'0	0'8	41	8	2	1	-	-	-	-	-	1	-	1	1	-	WEST BROMWICH.		

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday 14th September, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the week ended 14th Sept., 1907.		The DEATHS registered in the Week include										TOWNS.		
			Week ended				11-17.		14th Sept., 1907.		Deaths of Persons aged under 1 Year and upwards.		Deaths from										
			24th Aug., 1907.	31st Aug., 1907.	7th Sept., 1907.	14th Sept., 1907.																	
			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.
BIRMINGHAM -	-	553,155	10.7	12.3	14.9	12.3	2.3	294	130	42	9	-	2	-	6	1	13	5	7	32	4	BIRMINGHAM.	
KINGS NORTON -	-	75,600	6.2	2.1	11.7	6.9	-	27	10	4	2	-	-	-	1	-	-	2	2	1	-	KINGS NORTON.	
SMETHWICK -	-	66,467	9.4	14.9	10.2	8.6	0.8	32	11	2	4	-	-	-	-	-	-	1	1	1	1	SMETHWICK.	
ASTON MANOR -	-	83,266	11.9	10.6	10.0	11.9	-	34	19	2	7	-	-	-	-	-	-	2	3	1	-	ASTON MANOR.	
COVENTRY -	-	77,626	7.4	14.8	10.7	11.4	1.3	61	17	2	4	-	1	-	-	-	1	-	1	2	-	COVENTRY.	
LEICESTER -	-	236,124	11.7	11.0	9.9	8.8	0.4	82	40	9	12	-	-	-	-	-	2	3	3	13	1	LEICESTER.	
GRIMSBY -	-	70,574	4.4	11.1	8.1	11.1	1.5	37	15	5	3	-	-	-	1	-	1	1	1	3	-	GRIMSBY.	
NOTTINGHAM -	-	257,489	11.5	13.8	17.0	14.0	1.8	148	69	24	19	-	-	-	2	1	6	3	5	12	1	NOTTINGHAM.	
DERBY -	-	125,774	9.5	11.6	14.9	10.8	0.4	69	26	4	8	-	-	-	-	-	-	1	1	3	-	DERBY.	
STOCKPORT -	-	100,866	15.5	14.5	14.5	14.5	1.0	47	28	11	7	-	-	-	-	-	1	1	1	4	-	STOCKPORT.	
BIRKENHEAD -	-	118,553	15.0	10.1	11.9	8.4	0.4	63	19	3	5	-	-	-	-	-	1	1	1	5	-	BIRKENHEAD.	
WALLASEY -	-	66,707	18.8	13.3	3.1	16.4	1.6	24	21	5	6	-	-	-	1	-	1	2	2	2	1	WALLASEY.	
LIVERPOOL -	-	746,144	15.1	15.7	17.0	16.0	3.4	455	229	72	41	-	2	1	7	-	37	10	15	75	9	LIVERPOOL.	
BOOTLE -	-	67,114	15.5	12.4	11.7	10.1	3.1	46	13	8	1	-	-	-	-	-	4	-	1	2	-	BOOTLE.	
ST. HELENS -	-	92,476	9.6	16.4	15.8	18.0	1.7	53	32	13	6	-	2	-	1	-	2	2	2	4	-	ST. HELENS.	
WIGAN -	-	88,606	12.4	15.9	13.5	17.1	1.8	57	29	6	4	-	-	-	-	-	2	3	3	2	-	WIGAN.	
WARRINGTON -	-	70,289	15.6	8.9	14.8	10.4	0.7	38	14	4	2	-	-	-	-	-	1	-	-	3	1	WARRINGTON.	
BOLTON -	-	182,917	9.4	11.1	12.0	13.1	1.1	78	46	16	10	-	-	-	-	-	1	-	1	5	-	BOLTON.	
BURY -	-	68,901	11.5	8.0	8.0	10.6	-	22	12	-	4	-	-	-	1	-	3	1	1	4	-	BURY.	
MANCHESTER -	-	643,148	14.2	11.5	14.4	14.8	1.7	324	182	44	49	-	2	-	4	-	12	5	13	45	-	MANCHESTER.	
SALFORD -	-	236,670	11.7	12.3	14.3	15.9	2.4	111	72	15	19	-	-	1	3	2	4	2	5	20	-	SALFORD.	
OLDHAM -	-	141,730	15.8	12.9	11.4	15.8	1.1	76†	43	12	10	-	-	-	-	-	3	3	3	8	-	OLDHAM.	
ROCHDALE -	-	87,989	10.1	10.7	12.4	11.9	0.6	30	20	4	7	-	-	-	1	-	-	1	1	3	1	ROCHDALE.	
BURNLEY -	-	103,947	12.5	14.5	13.0	13.0	0.5	50	26	8	5	-	-	-	-	-	-	2	4	5	-	BURNLEY.	
BLACKBURN -	-	134,680	11.6	11.2	14.7	13.1	1.2	61	34	10	12	-	-	-	1	1	2	2	2	4	1	BLACKBURN.	
PRESTON -	-	117,093	10.7	10.2	11.1	10.7	0.4	60	24	6	7	-	-	-	-	1	-	3	3	2	-	PRESTON.	
BARROW-IN-FURNESS.	-	61,935	12.7	8.5	11.0	10.2	-	38	12	2	6	-	-	-	-	-	-	1	1	4	-	BARROW-IN-FURNESS.	

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2633	2499	2675	2519	2442	2370	2584	2514	2374	2319	2489.0	2333
Males - - -	1353	1266	1382	1296	1227	1251	1319	1287	1215	1178	1279.2	1198
Females - - -	1280	1233	1293	1223	1215	1119	1265	1227	1159	1141	1209.8	1135
TOTAL Deaths -	1378	1832	1643	1470	1398	1471	1402	1360	1187	1589	1434.6	1083
Males - - -	740	972	883	789	758	786	736	703	633	831	755.1	562
Females - - -	638	860	760	681	640	685	666	657	554	758	679.5	521

* The numbers in this column are the average weekly numbers in the thirty-seventh week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 22.	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	13 Weeks.	
TOTAL Births	2506	2251	2309	2292	2266	2273	2500	2055	2507	2307	2346	2207	2333	30152	
TOTAL Deaths	1163	1138	1089	1115	1077	1101	1052	1097	1093	1056	1068	1080	1083	14212	
Ages at Death	Under 1 year -	222	225	215	199	179	182	216	197	239	239	255	252	251	2871
	1-5 years -	159	162	129	137	150	133	125	152	149	122	123	137	103	1781
	5-20 " -	48	70	57	74	64	57	68	64	66	55	68	60	59	808
	20-40 " -	138	144	139	154	125	140	122	149	138	127	112	133	134	1755
	40-60 " -	262	238	239	236	245	258	199	222	217	225	211	226	220	2998
(60 yrs.& upwds)	334	299	310	315	314	331	324	313	284	288	299	272	316	3999	
Deaths from—															
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	48	66	41	46	46	40	46	36	43	28	24	25	10	499	
Scarlet Fever	10	13	13	11	15	19	13	16	8	7	14	13	12	164	
Diphtheria	10	13	8	8	12	10	11	11	19	10	10	13	11	146	
Whooping-cough	36	45	32	29	44	35	27	24	29	34	21	20	25	401	
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	1	2	1	1	2	2	3	-	6	3	7	3	3	34	
Pyrexia (origin un- certain).	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
Diarrhoea, Dysentery	13	15	8	8	10	23	18	24	23	47	56	61	66	381	
All above Diseases	118	154	103	103	138	129	118	112	128	129	132	135	127	1626	
Dis. of Resp. System	63	58	51	53	51	45	58	50	54	32	59	48	47	669	
Pneumonia	93	98	97	86	75	91	79	89	75	65	70	68	75	1081	
Phthisis	107	109	102	115	98	106	84	96	94	109	87	122	114	1343	
Dis. of Circ. System	160	161	170	154	148	164	133	157	136	151	146	122	149	1951	
Violence	56	69	51	60	46	63	50	63	49	51	41	51	45	695	
Inquest Cases	118	129	100	122	93	140	104	136	106	105	107	115	104	1479	
Deaths in Institutions	499	460	451	477	451	474	476	482	472	438	459	469	477	6085	
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean	56.7	56.4	54.7	56.3	62.7	59.5	59.7	62.3	61.5	57.0	61.1	56.8	58.6	58.7	
Mean of Highest	67.4	66.1	64.3	68.1	75.4	70.2	71.1	73.6	72.4	66.1	72.3	66.4	71.7	69.6	
Mean of Lowest	48.3	49.3	46.8	47.4	52.9	51.3	51.0	54.7	54.2	50.5	50.6	49.8	47.4	50.4	
Mean Humidity of the Air.	65	77	73	71	72	78	74	73	73	74	76	79	81	74	
Rain-fall (in inches)	0.01	1.30	0.16	0.22	0.00	0.51	0.40	0.18	0.71	0.93	0.16	0.44	0.00	5.05	
Registered Sunshine (in hours),	62.6	24.8	44.7	36.6	57.7	24.7	43.7	41.9	45.0	24.9	47.8	18.7	41.9	515.0	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.															
Small-pox	-	-	-	-	-	-	-	1	1	1	1	1	1	-	
Scarlet Fever	2985	3022	3193	3276	3388	3586	3626	3660	3669	3687	3738	3816	3871	3501	
Diphtheria	890	807	809	868	880	872	914	885	883	864	837	845	877	864	
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	54	57	60	62	57	51	50	49	51	55	65	72	83	50	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. O.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SEVENTH Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Corrected Average for the 37th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for the 37th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.								ALL AGES.							
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
ALL CAUSES	1434.6	1083	251	103	59	134	220	316		14.3	9	1	3	-	4	1	-
										11.7	8	-	-	-	1	4	-
										6.3	4	-	-	-	-	-	-
Small-pox*	0.6	-	-	-	-	-	-	-		23.3	14	12	2	-	1	3	-
Cowpox	-	-	-	-	-	-	-	-		0.8	-	-	-	-	-	-	-
Measles (Morbilli)	10.4	10	4	6	-	-	-	-		4.7	2	-	-	-	-	-	2
Scarlet Fever	8.8	12	-	4	7	1	-	-		18.0	9	-	1	-	2	3	3
Typhus	-	-	-	-	-	-	-	-									
Plague	-	-	-	-	-	-	-	-									
Influenza	2.7	4	-	-	-	-	1	3									
Whooping-cough	21.9	25	11	13	1	-	-	-									
Diphtheria	12.3	11	-	7	4	-	-	-									
Cerebro-spinal Fever	-	-	-	-	-	-	-	-									
Pyæmia,† (origin un-	0.2	-	-	-	-	-	-	-									
Enteric Fever	8.6	3	-	1	-	1	1	-									
Asiatic Cholera	-	-	-	-	-	-	-	-									
Epidemic Diarrhoea,	164.6	40	33	6	-	-	-	1									
Infective Enteritis	-	-	-	-	-	-	-	-									
Diarrhoea, Dysentery	90.3	26	21	4	-	-	-	1									
Tetanus	0.4	-	-	-	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Glanders	-	1	-	-	-	1	-	-									
Anthrax (Splenic Fever)	1.0	-	-	-	-	-	-	-									
Venereal Dis.	8.2	7	6	-	-	-	-	1									
Puerperal Septicæmia	2.7	2	-	-	-	1	1	-									
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-									
Puerperal Fever	0.8	1	-	-	-	1	-	-									
Infective Endocarditis	2.3	1	-	-	-	-	1	-									
Lobar	7.4	14	1	-	1	2	4	6									
Pneumonia	27.8	29	12	8	1	1	2	5									
Broncho-	-	-	-	-	-	-	-	-									
Epidemic	-	-	-	-	-	-	-	-									
Not defined	38.1	32	1	3	1	1	11	15									
Erysipelas	5.1	4	1	1	-	-	-	2									
Septicæmia (not Puer-	0.8	-	-	-	-	-	-	-									
peral)	-	-	-	-	-	-	-	-									
Pyæmia (not Puerperal)	0.6	-	-	-	-	-	-	-									
Other Infective Processes	6.1	3	-	-	-	-	-	1									
Tuberculous Phthisis	72.9	79	1	2	6	39	24	7									
"Phthisis"	59.8	35	-	1	3	12	14	5									
Tuberculous Meningitis	17.0	25	11	7	6	-	1	-									
Tuberculous Peritonitis	12.5	11	5	3	1	-	2	-									
Tuberculous Dis., Other	18.8	20	3	9	3	5	-	-									
Scorbut	0.8	-	-	-	-	-	-	-									
Alcoholism	11.5	13	-	-	-	3	8	2									
Rheumatic Fever	3.9	7	-	-	3	-	2	2									
Gout	0.8	2	-	-	-	-	1	1									
Carcinoma	53.6	36	-	-	-	5	13	18									
Sarcoma	5.9	3	-	-	-	1	-	2									
Cancer (undefined)	34.4	44	-	-	-	-	19	25									
Diabetes Mellitus	6.3	5	-	-	-	2	2	1									
Premature Birth	50.3	42	42	-	-	-	-	-									
Meningitis (not tuberc.)																	
Gen. Par. of Insane, Insanity																	
Epilepsy																	
Convulsions																	
Locomotor Ataxy																	
Paraplegia, Dis. of Cord																	
Nervous Sys., Other Dis.																	
Valv. Dis., Endocarditis																	
Cereb. Hem. Cereb. Emb.																	
Apoplexy, Hemiplegia																	
Aneurysm																	
Embolism, Thrombosis (not Cerebral)																	
Heart & Blood Vess., Other Dis.																	
Croup (not Spasm: nor Memb.)																	
Bronchitis																	
Emphysema, Asthma																	
Pleurisy																	
Respiratory Dis., Other																	
Tonsillitis, Quinsy																	
Enteritis (not Epid.)																	
Gastro-enteritis																	
Peritonitis (not Puerp.)																	
Cirrhosis of Liver																	
Liver Dis., Other																	
Digestive Sys., Other Dis.																	
Acute Nephritis																	
Bright's Dis., Albuminuria																	
Urinary Sys., Other Dis.																	
Generative Organs Dis.																	
Childbirth (Accid. of)																	
Old Age																	
Other Diseases																	
ACCIDENT.																	
By Railways																	
By Vehicles and Horses																	
In Ships, Boats, Docks, (exclusive of Drowning)																	
In Building Operations																	
In Conflagrations																	
By Burns, Scalds, Explosions																	
By Drowning																	
By Suffocation in Bed																	
By Poisons or Poisonous Vapours																	
Other Deaths by Accident																	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide																	
Suicide																	
Execution																	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th September, 1907.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2333	1083	251	316	-	10	12	11	25	-	3	-	66	45	104	477		
WEST DISTRICTS - - -	805,311	348	176	36	58	-	2	1	1	2	-	1	-	8	5	7	78		
NORTH DISTRICTS - - -	1,056,070	476	203	41	65	-	2	4	2	5	-	1	-	7	10	23	37		
CENTRAL DISTRICTS - - -	209,465	97	51	12	10	-	-	-	1	1	-	-	-	2	2	5	37		
EAST DISTRICTS - - -	715,739	421	197	56	49	-	2	-	3	3	-	-	-	21	7	25	95		
SOUTH DISTRICTS - - -	1,749,844	991	434	106	124	-	4	6	7	9	-	1	-	28	21	44	153		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	22	-	10	-	-	1	-	-	-	-	-	-	-	-	22		
WEST DISTRICTS.																			
St. Mary Paddington W,3H - -	93,178	34	18	4	7	-	-	-	-	-	-	-	-	-	-	-	6		
St. John Paddington H - - -	33,617	3	8	-	1	-	-	-	-	-	-	-	-	-	1	1	3		
North-West Paddington - - -	17,181	8	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H - -	128,037	50	36	7	15	-	-	-	-	-	-	-	-	4	-	2	14		
Brompton 2H - - -	48,591	5	7	-	5	-	-	-	-	-	-	-	-	-	-	-	1		
North Hammersmith 2W,w,H - -	49,192	34	11	3	3	-	-	-	-	-	-	-	-	1	-	-	6		
South Hammersmith w,2H - -	63,047	37	12	4	3	-	-	-	-	-	-	-	-	2	1	1	5		
North-west Fulham W - - -	45,180	42	11	2	2	-	1	-	-	-	-	-	-	-	-	-	9		
North-east Fulham F - - -	46,406	21	9	3	2	-	1	1	1	-	-	-	-	-	-	-	2		
South Fulham W - - -	45,704	28	9	5	2	-	1	-	-	-	-	-	-	1	-	-	-		
Chelsea North W,w,3H - - -	42,514	19	19	1	8	-	-	-	-	-	-	-	-	1	1	1	17		
Chelsea South W,2H - - -	31,328	15	11	3	5	-	-	-	-	-	-	1	-	1	1	1	5		
Mayfair and Knightsbridge - -	28,743	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - -	55,815	14	9	-	2	-	-	-	-	1	-	-	-	-	1	1	5		
St. Margaret & St. John 5H - -	43,608	24	8	1	1	-	-	-	-	-	-	-	-	-	-	-	4		
St. James and St. Anne W,6H - -	33,081	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	8	14	-	6	-	-	-	-	-	-	1	-	-	-	1	10		
St. Mary Marylebone W,4H - -	37,948	62	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1		
Christchurch Marylebone - - -	39,536	15	4	2	2	-	-	-	-	-	-	-	-	1	1	-	-		
St. John Marylebone 2H - - -	20,426	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,7H - - -	81,042	23	10	1	2	-	-	3	1	-	-	-	-	-	-	1	8		
West St. Pancras 2H - - -	60,562	25	11	3	4	-	-	-	-	-	-	-	-	-	2	4	4		
South St. Pancras w,11H - - -	55,707	15	15	4	1	-	-	-	-	1	-	-	-	-	-	3	6		
East St. Pancras W,2H - - -	60,320	29	12	2	7	-	-	-	-	2	-	-	-	-	1	1	6		
North St. Pancras 2W - - -	58,728	20	9	1	5	-	-	-	-	-	-	-	-	-	-	-	6		
Turnell W - - -	31,995	9	18	2	5	-	1	-	-	-	-	-	-	-	-	-	15		
Upper Holloway 2W,w,H - - -	33,978	21	13	-	5	-	-	-	-	-	-	-	-	-	-	-	11		
Tollington W,w,H - - -	33,922	10	7	5	1	-	-	-	-	-	-	-	-	1	-	1	-		
Lower Holloway - - -	41,424	16	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - -	54,478	31	6	2	3	-	-	-	-	1	-	-	-	-	-	1	-		
Islington South-east F - - -	75,397	33	8	1	1	-	-	1	-	-	-	-	-	-	-	-	1		
Highbury 2H - - -	63,797	23	4	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
Stoke Newington H - - -	51,247	24	9	2	5	-	1	-	-	1	-	-	-	-	1	3	-		
North Hackney - - -	50,560	29	9	1	7	-	-	-	-	-	-	-	-	-	-	4	-		
Central Hackney 2w,F - - -	50,536	18	11	4	2	-	-	-	1	-	-	-	-	-	-	5	2		
South-west Hackney 3F - - -	59,921	30	13	6	1	-	-	-	-	-	-	-	-	-	4	1	7		
South-east Hackney 2W,w,H - -	58,255	30	14	2	3	-	-	-	-	-	-	-	-	1	1	2	8		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th September, 1907—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
Giles and Bloomsbury 2W,2H -	31,436	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
and W,4H - - - - -	21,874	4	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	8	-	
and Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
lbourn W,6H - - - - -	29,612	13	13	6	-	-	-	-	-	1	1	-	-	-	1	-	-	11	-	
ith Clerkenwell - - - - -	28,676	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
rth Clerkenwell H - - - - -	35,028	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
sbury 3H,L - - - - -	36,116	30	7	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
lbourn Union Workhouse, } Richam - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
Betolph H - - - - -	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sepulchre and Allhallows W,2H	16,824	5	14	2	1	-	-	-	-	-	-	-	-	-	2	-	2	12	-	
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
reditch South H - - - - -	46,362	26	6	1	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	
reditch North-West W,w,H -	36,127	13	23	3	8	-	1	-	-	-	2	-	-	-	1	-	1	15	-	
reditch North-East - - - - -	39,148	27	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
reditch Union Workhouse, Wood } reen - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
hnaal Green North-East 2W } L - - - - -	65,138	27	17	7	6	-	-	-	-	-	-	-	-	-	3	-	1	12	-	
hnaal Green South-West H -	64,542	46	14	5	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	
halfields - - - - -	27,969	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
e End New Town W,H - - - - -	28,718	27	34	6	5	-	-	-	-	-	1	-	-	-	6	2	4	31	-	
dman's Fields - - - - -	22,081	10	3	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	
George and St. John 2W - - -	49,068	20	10	2	3	-	1	-	-	-	-	-	-	-	1	-	3	3	-	
dwell and Ratcliff W,H - - -	25,568	16	13	5	-	-	-	-	-	-	-	-	-	-	3	2	2	10	-	
ehouse W - - - - -	32,369	13	3	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
e End Old Town South- } estern H - - - - -	63,698	57	12	5	3	-	-	-	-	-	-	-	-	-	2	-	2	1	-	
e End Old Town North- } estern W,w - - - - -	49,129	24	16	3	6	-	-	-	-	-	-	-	-	-	2	-	1	4	-	
7 L - - - - -	41,939	23	8	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
mley 3w,H - - - - -	68,310	34	24	5	11	-	-	-	-	-	1	-	-	-	-	-	5	15	-	
lar W,w - - - - -	58,514	37	10	5	3	-	-	-	-	-	1	-	-	-	1	-	1	2	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday 14th September, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- merated Popu- lation 1901	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.			
SOUTH DISTRICTS.																			
Christchurch and St. Saviour		23,319	8	8	-	2	-	-	-	-	-	-	-	-	-	-	5	7	3
Southwark W,2H		21,904	12	8	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-
Kent-road		39,094	27	9	5	-	-	-	-	-	-	-	-	-	-	-	2	1	4
St. George the Martyr West		49,022	21	7	2	2	-	1	-	-	-	-	-	-	-	-	1	1	-
W,2H,L		72,841	51	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington North		9,817	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Newington South W		82,483	56	14	5	3	-	-	-	1	-	-	-	-	-	-	1	1	14
St. Olave 2W		38,460	20	18	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W		27,440	28	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Rotherhithe W,F		27,440	14	19	5	4	-	-	-	-	-	-	-	-	-	-	-	-	2
Waterloo 2H		52,518	30	21	7	0	-	1	-	-	-	-	-	-	-	-	1	2	11
Lambeth Church H		63,826	50	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2W		73,673	24	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Stockwell H,F		56,998	31	12	2	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Brixton H		72,203	35	8	1	1	-	-	-	2	-	-	-	-	-	-	-	3	-
Norwood WH		49,656	25	13	4	5	-	-	-	-	-	-	-	-	-	-	1	1	22
East Battersea H		47,048	16	29	3	11	-	2	-	-	-	-	-	-	-	-	1	3	6
North-west Battersea		51,361	29	9	2	1	-	-	-	1	-	-	-	-	-	-	-	-	22
South-west Battersea 2W,H		88,019	51	34	6	14	-	-	2	3	-	-	-	-	-	-	3	-	1
Clapham 2H		27,959	22	7	6	-	-	-	-	1	-	-	-	-	-	-	1	-	11
Streatham W,2w,F,2L		40,444	30	11	3	5	-	-	-	-	-	-	-	-	-	-	1	1	-
Springfield 2W,L		24,139	12	8	2	2	-	-	-	-	-	-	-	-	-	-	2	1	-
Southfields H		13,359	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Putney		40,206	17	25	3	15	-	-	-	-	-	-	-	-	-	-	1	1	22
Dulwich		65,584	33	20	-	10	-	-	-	-	-	-	-	-	-	-	1	3	14
Camberwell South W,w		47,331	34	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell North W,2L		48,913	38	8	3	2	-	-	-	-	-	-	-	-	-	-	3	1	-
St George		43,946	20	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North		37,613	32	10	3	2	-	-	-	1	-	1	-	-	-	-	-	1	2
Peckham South 2W,w		45,481	27	9	2	-	-	-	3	2	-	-	-	-	-	-	-	-	5
Deptford North		34,625	10	7	2	2	-	-	-	2	-	-	-	-	-	-	1	1	-
Deptford Central F		23,456	13	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford South		43,859	32	21	5	2	-	-	-	-	-	-	-	-	-	-	3	1	14
Greenwich West 2H		7,226	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich East 2W,H		25,490	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Eltham w,H		58,352	25	13	2	6	-	-	-	1	-	-	-	-	-	-	1	1	7
Lee wH		43,653	26	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W,w,F		21,134	11	3	2	-	-	-	1	-	1	-	-	-	-	-	-	-	1
Sydenham H		41,625	24	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Charlton F,2H		18,063	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woolwich 5H		50,264	29	17	3	4	-	-	-	-	2	-	-	-	-	-	1	-	6
Plumstead West W																			
Plumstead East 2W,H																			
Workhouse:-																			
Central London Sick Asylum																			
(Westminster, St. Giles, and Strand Unions.)																			
M. A. B. Small-pox Hospitals:-																			
Joyce Green																			
Long Reach																			
M. A. B. Fever Hospitals:-																			
Gore Farm (temporary)				1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
North-Eastern				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:-																			
Belmont				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham				2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Darenth				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden				2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Lunatic Asylums:-																			
Banstead				4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4
Ewell (Epileptic Colony)				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill				3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Partford Heath				1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Hanwell				4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4
Colney Hatch				2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury				3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th September, 1907.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
LONDON—OUTER RING		368,302	2,044,973	1278	451	123	125	-	1	2	11	11	-	45	16	30	96	-		
30: 1	Carshalton 2F,3H	-	12,228	32,997	17	6	1	4	-	-	-	-	-	-	-	-	-	-		
2	Epsom, part of* W,2F,H	-	10,423	15,548	7	2	-	1	-	-	-	-	-	-	-	1	-	-		
37: 1	Godstone, part of* W,F,L	-	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	1	-		
38: 1	Coulsdon	-	11,089	8,166	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon W	-	4,200	49,309	17	7	-	3	-	-	-	-	-	-	-	1	1	-		
3	West Croydon 3W,F,H	-	2,168	42,888	29	14	2	8	-	-	1	-	-	-	2	3	11	-		
4	North Croydon H	-	2,644	41,698	32	6	-	2	-	-	-	-	-	-	1	1	1	-		
5	Penge W	-	770	22,465	7	3	1	2	-	-	-	-	-	-	-	-	-	-		
6	Mitcham	-	11,711	30,015	30	10	6	-	-	-	-	-	-	-	3	-	-	-		
39: 1	Wimbledon F,3H	-	3,221	41,652	29	7	-	4	-	-	-	-	-	-	-	-	-	-		
2	Kingston 2W,H	-	6,224	42,068	15	9	1	3	-	-	-	-	-	1	1	1	5	-		
3	Surbiton F,H	-	3,046	15,017	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of* H	-	5,402	13,100	6	2	1	-	-	-	-	1	-	-	-	-	-	-		
5	Hampton H,F,L	-	4,584	23,456	6	1	-	1	-	-	-	-	-	1	-	-	-	-		
40: 1	Richmond W,H	-	2,491	31,672	23	9	2	5	-	-	-	-	-	-	1	2	1	-		
2	Mortlake F	-	2,518	17,821	13	2	1	-	-	-	-	-	-	-	-	-	-	-		
41: 1	Bromley F,2H	-	4,703	27,354	17	6	1	3	-	-	-	-	-	-	1	1	1	-		
2	Beckenham H	-	7,825	28,497	10	3	2	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W,F	-	10,113	9,857	4	3	1	-	-	-	-	-	-	-	-	-	-	-		
4	Chislehurst 2H	-	7,333	16,446	8	7	4	1	-	-	-	-	-	5	-	-	-	-		
42: 1	Bexley W,F,H	-	8,678	21,151	9	9	2	2	-	-	-	1	-	1	-	-	1	-		
2	Erith F,H	-	3,854	25,296	23	3	2	1	-	-	-	-	-	-	-	-	-	-		
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
124: 1	Sunbury W	-	11,054	18,683	14	3	1	1	-	-	-	1	-	-	-	-	-	-		
2	Staines W,H	-	13,277	15,178	13	8	1	2	-	-	-	2	-	-	-	5	-	-		
125: 1	Hillingdon W,F,H	-	6,035	13,661	10	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge H	-	12,757	8,984	5	2	1	-	-	-	-	1	-	-	-	-	-	-		
3	Hayes W,2F,H	-	8,066	16,358	11	5	5	-	1	-	-	-	-	2	-	-	-	-		
126: 1	Isleworth 3W,3F,H	-	6,859	30,883	20	7	1	-	-	-	1	-	-	-	-	1	4	-		
2	Twickenham F,3H	-	2,421	20,991	14	5	1	1	-	-	-	1	-	1	1	1	1	-		
3	Brentford 3F,2H	-	4,319	48,289	33	16	6	7	-	-	-	-	-	1	1	1	1	-		
4	Chiswick H	-	1,249	29,809	14	7	2	2	-	-	-	1	-	1	-	1	-	-		
5	Acton W,F,3H	-	6,132	48,914	45	14	4	4	-	-	-	-	-	3	-	1	-	-		
127: 1	Harrow F,H	-	13,809	25,523	31	4	1	2	-	-	-	-	-	-	-	-	-	-		
2	Edgware 2F,2H	-	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,F,2H	-	4,384	114,811	64	21	8	7	-	-	1	-	-	1	-	4	-	-		
4	Hendon W,F	-	8,382	22,450	9	4	1	2	-	-	-	-	-	-	-	-	-	-		
128: 1	South Mimms 2F,H	-	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	-	3,324	17,970	8	1	-	1	-	-	-	-	-	-	-	-	-	-		
3	Finchley F,2H	-	4,688	33,692	18	7	2	2	-	-	-	-	-	-	-	-	-	-		
129: 1	Hornsey F,H	-	2,875	72,056	26	9	1	4	-	-	-	-	-	-	-	1	-	-		
2	Wood Green H	-	1,625	34,293	28	7	1	2	-	-	-	-	-	-	-	-	1	-		
3	West Tottenham	-	996	48,853	32	9	3	2	-	-	-	-	-	-	-	2	3	-		
4	East Tottenham 2H	-	2,017	53,588	40	12	4	3	-	-	-	-	-	-	2	1	3	-		
5	Edmonton W,2F	-	7,491	61,892	48	24	7	4	-	-	-	2	-	2	2	3	10	-		
6	Enfield 2W,F,H	-	12,601	42,798	31	10	2	2	-	-	-	-	-	2	1	1	1	-		
7	Waltham Abbey F	-	11,017	6,549	1	-	-	-	-	-	-	1	-	-	-	-	-	-		
8	Cheshunt F,H	-	8,479	12,292	3	2	-	1	-	-	-	-	-	-	-	-	-	-		
130: 1	Hatfield, part of* W	-	3,305	694	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
131: 1	Bushey H	-	9,333	9,173	3	3	-	2	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
132: 1	Stratford† H	-	1,091	52,974	26	7	1	4	-	-	-	-	-	-	1	1	1	-		
2	Forest Gate†	-	787	52,745	21	8	3	3	-	-	-	-	-	-	-	-	-	-		
3	Plaistow F,2H	-	1,249	90,921	69	21	8	-	-	-	-	-	-	8	1	1	4	-		
4	Canning Town H	-	1,556	70,718	57	20	11	-	-	-	-	4	-	5	-	-	-	-		
5	South East Ham 2F	-	1,993	37,342	45	9	5	2	-	-	-	2	-	1	1	1	-	-		
6	North East Ham W,H	-	1,333	58,676	32	8	2	2	-	-	-	-	-	-	-	-	-	-		
7	Wanstead F	-	1,679	9,179	5	1	-	1	-	-	-	-	-	-	1	1	-	-		
8	South Leyton 2W	-	631	50,467	32	15	3	7	-	1	-	-	-	-	-	-	8	-		
9	North Leyton 2W,W,F	-	1,963	48,445	44	27	4	7	-	-	-	-	-	3	-	2	19	-		
10	Walthamstow 2H,L	-	6,504	108,929	47	17	5	2	-	-	-	-	-	-	2	-	-	-		
133: 1	Chigwell 2F,3H	-	11,778	16,397	6	1	-	1	-	-	-	-	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
134: 1	Romford, part of* W,2F	-	6,556	8,091	3	6	-	2	-	-	-	-	-	-	-	-	4	-		
2	Ilford F,L	-	8,496	41,234	31	8	2	2	-	-	1	-	-	1	-	-	-	-		
3	Barking Town F	-	3,903	21,547	20	7	5	-	-	1	-	-	-	2	-	1	-	-		
Middlesex County Lunatic Asylum, Wandsworth.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
Kent County Lunatic Asylum, Maidstone.		-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-		
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
Essex County Lunatic Asylum, Brentwood.		-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Earley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

† The boundaries of these sub-districts were altered on 1st July, 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of	DEATHS. Stillborn.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	September 14	2333	1083	11·9	-	10	12	12	25	3	68
CALCUTTA - -	955,926	August 10	-	395	24·2	3	3	-	-	-	134†	177
BOMBAY - -	982,000	" 27	402	754	40·1	-	4	-	-	-	71†	177
MADRAS - -	548,974	" 18	496	380	38·7	-	1	?	?	?	98	72
PARIS - -	2,722,731	September 7	1047	788	15·0	-	3	6	1	3	3	90
BRUSSELS - -	623,202	" 7	201	130	10·8	-	-	-	-	2	2	23
ANTWERP - -	304,032	" 7	117	83	14·2	-	-	-	-	2	-	16
AMSTERDAM -	564,342	" 7	237	118	10·9	-	6	-	-	3	-	5
COPENHAGEN -	433,000	" 7	251	79	9·5	-	2	-	-	2	-	2
STOCKHOLM -	332,738	August 31	162	67	10·5	-	-	-	-	1	-	3
CHRISTIANIA -	226,774	September 7	115	52	11·8	-	-	-	-	-	1	6
ST. PETERSBURG	1,482,769	August 24	649	572	20·1	1	15	7	15	5	19	135
MOSCOW - -	1,296,000	" 24	-	664	26·7	-	4	7	6	2	2	285
BERLIN - -	2,082,437	" 24	959	564	14·1	-	5	5	1	9	4	111
HAMBURG - -	840,790	September 7	-	166	10·5	-	-	1	-	1	-	23
BRESLAU - -	485,278	August 31	-	202	21·7	-	-	1	2	7	-	42
MUNICH - -	548,000	September 7	-	148	14·0	-	1	-	4	-	-	30
VIENNA - -	1,979,003	" 7	943	542	14·2	6	2	4	2	2	-	89
PRAGUE - -	470,906	August 31	191	132	14·6	-	-	-	1	2	-	11
BUDA-PESTH -	802,235	" 31	415	308	20·0	-	3	10	1	-	2	33
TRIESTE - -	200,962	September 7	149	108	28·0	-	-	-	-	1	1	23
ROME - -	542,760	July 5	-	-	-	-	-	-	-	-	-	-
VENICE - -	174,398	August 31	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	292,395	September 7	162	115	20·5	-	-	2	-	-	3	24
NEW YORK - -	4,285,435	August 31	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,107,620	" 31	-	616	15·2	-	5	10	6	5	13	170
PHILADELPHIA -	1,500,595	" 17	-	502	17·3	-	1	1	6	8	10	100
RIO DE JANEIRO	628,275	" 25	-	198	16·4	1	1	-	-	2	2	?

* Excluding deaths from croup in the Indian Cities.

† Including 7 deaths from plague in Calcutta, and 14 in Bombay.

‡ Including 15 deaths from cholera in Calcutta, 52 in Bombay, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th September, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.	
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*		
LONDON (Greenwich) }	76·6	36·9	59·6	00·0	LEEDS - - -	70·0	45·0	58·7	0·00	
BRIGHTON - -	75·0	49·8	62·8	0·00	YORK - - -	71·0	45·8	57·7	0·00	
PORTSMOUTH - -	75·0	45·2	61·6	0·00	HULL - - -	73·0	40·0	57·0	0·00	
NORWICH - -	77·0	40·2	58·9	0·01	TYNEMOUTH - -	72·0	47·0	59·5	0·00	
PLYMOUTH - -	69·8	51·4	61·4	0·01	CARDIFF - -	73·9	44·0	59·7	0·00	
BRISTOL - -	73·8	43·0	59·6	0·00						
BIRMINGHAM - -	73·3	45·8	58·9	0·00	EDINBURGH - -	76·3	45·1	53·0	0·15	
NOTTINGHAM - -	73·5	43·0	57·5	0·00	GLASGOW - -	77·2	42·5	53·9	0·16	
LIVERPOOL OBSERVATORY. }	70·0	51·0	59·4	0·04		Phœnix Park. DUBLIN { Fitz- william Square.†	74·1	49·0	57·5	0·03
MANCHESTER - -	76·0	44·8	58·0	0·00		71·2	51·7	59·6	0·03	
BURNLEY - -	71·5	41·9	55·9	0·02						
PRESTON - -	69·0	51·9	59·3	0·00	BELFAST - -	72·0	42·5	55·1	0·11	
HUDDERSFIELD - -	72·0	42·2	57·0	0·00						

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A. M.D. Dublin.

1907.			TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Winds deduced from Anemometers.				Rain collected in a Gauge receiving surfaces above of the Ground.					
Phases of the Moon.	Baro- meter.	Mean daily reading and reduced to 32° Fahr- (height).	Of the Air.				Difference between the Air Temperature and Dew Point Temperature.				Of Radiation.		Of the Earth below the Surface.	Oiler's.		Robinson's.		Ozone.						
			High- est.	Low- est.	Daily Range.	Mean value.	De- parture from Average of 65 years.	Of the Dew point	Mean daily value.	Great est.	Least.	Highest in Sun's Rays.		Lowest on the Grass.	General Direction.	Pressures on the Square Foot.	A.M.		P.M.	Great- est.	Mean Least.	Horizontal Movement of the Air on each Day.	Depar- ture from the Average of 40 years.	
SEPTEMBER.																								
SUNDAY - 8	..	30.251	74.1	53.9	20.2	61.2	+ 24	57.8	3.4	13.1	0.4	89	125.0	48.2	59.48	Calm & ENE.	ESE. & E.	1.0	0.0	153	- 92	in. 0.00		
MONDAY - 9	..	30.266	69.4	51.1	18.3	59.0	+ 04	52.6	6.4	17.8	0.4	79	125.6	43.8	59.65	E. ENE. & ESE.	ESE.	1.3	0.0	196	- 54	0.00 5.0		
TUESDAY - 10	In Equator	30.141	68.7	45.8	22.9	56.8	- 16	49.7	7.1	16.1	0.0	77	125.0	38.4	59.70	E. & ESE.	ESE.	1.0	0.0	175	- 77	0.00 7.0		
WEDNESDAY 11	..	30.050	71.7	36.9	34.8	54.9	- 32	50.4	4.5	18.1	0.4	85	122.8	30.0	59.60	E. calm & ENE.	E. SE. & ESE.	0.2	0.0	106	- 147	0.00 5.0		
THURSDAY- 12	..	29.989	76.6	44.1	32.5	59.8	+ 18	54.5	5.3	19.4	0.0	83	116.6	38.1	59.35	ESE. & calm.	Variable & calm.	0.1	0.0	52	- 200	0.00 0.0		
FRIDAY - 13	..	29.917	75.0	48.2	26.8	60.7	+ 29	55.1	5.6	17.0	0.0	82	117.0	42.5	59.18	Calm.	Calm vari- able & NNE.	0.1	0.0	62	- 187	0.00 0.0		
SATURDAY- 14	..	30.001	68.5	51.7	14.8	57.8	+ 01	47.9	9.9	16.6	3.2	70	113.8	45.5	59.07	NNE. & N.	N. & NNE.	1.0	0.0	201	- 46	0.00 2.0		
MEANS - -	-	30.088	71.7	47.4	24.3	58.6	+ 04	52.6	6.0	16.9	0.6	81	120.8	40.9	59.43	ESE. & NNE.	ESE. & NNE.	Sum 945	Sum -803	Sum 0.00 27		
No. of Column -	3	4	5	6	7	8		10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9 A.M.; noon; 3 P.M., and 9 P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic record made during the fifty years ending 1903. With the corrected mean reading of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 45 years ending 1905, and that of horizontal wind of the air from a discussion of the anemometer records for the 40 years ending 1906, in reading columns 9 and 24 it will be borne in mind that it indicates "higher", and "lower", than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; m. moderate; s. strong; and v. variable. The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30.16 in. at the beginning of the week to 30.30 in. by 9h. A.M. on the 9th; decreased to 29.87 in. by 5h. P.M. on the 13th; and increased to 30.10 in. by midnight on the 14th. ESTIMATE.—Report for week ending 1907. August 17th. Rainfall. Col. 25, August 17th, for 0.41 in. read 0.00 in. Sum for week, for 0.71 in. read 0.30 in.

GENERAL REMARKS.

Fine and partially cloudy; overcast in forenoon; cloudless at night; heavy mist in morning.
 Cloudless with heavy mist in morning; partially cloudy in forenoon; very fine with little cloud till 8h. P.M.; then cloudless.
 Very fine; little cloud in forenoon, otherwise nearly cloudless; low fog in early morning.
 Very fine and nearly cloudless; heavy mist in morning.
 Cloudless but hazy; heavy mist in morning.
 Heavy mist in morning; very fine but hazy after 9h. A.M.
 Generally cloudy.

DATE.		ELECTRICITY.		REGISTERED SUNSHINE.		SARABO'S HOURS.	
SEPTEMBER.		(For explanation of symbols, see Note.)		in hours.		in hours.	
SUNDAY - 8	W. P. throughout.	48	131	48	131	48	131
MONDAY - 9	W. P. throughout.	65	131	65	131	65	131
TUESDAY - 10	W. P. throughout.	91	130	91	130	91	130
WEDNESDAY - 11	W. P. throughout.	88	129	88	129	88	129
THURSDAY - 12	W. P. throughout.	65	129	65	129	65	129
FRIDAY - 13	W. P. throughout.	46	128	46	128	46	128
SATURDAY - 14	W. P. throughout.	1.6	128	1.6	128	1.6	128
MEANS -	-	Sum 419	Sum 806	Sum 419	Sum 806	Sum 419	Sum 806
No. of Col. -	27	28	29	28	29	28	29

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 7th September, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	8	3	-	2	-	-	3	-	-
Kensington - - -	181,842	-	13	6	-	-	-	-	5	-	1
Hammersmith - - -	122,337	-	8	-	-	2	-	-	3	-	-
Fulham - - -	166,749	-	14	14	-	-	-	-	1	-	-
Chelsea - - -	74,857	-	-	4	-	-	-	-	2	-	-
City of Westminster -	172,219	-	9	-	-	1	-	-	2	-	-
NORTH.											
St. Marylebone - - -	127,718	-	5	4	-	-	-	-	1	-	1
Hampstead - - -	91,137	-	18	3	-	-	-	-	5	-	-
St. Pancras - - -	236,753	-	24	6	-	1	-	-	1	-	-
Islington - - -	347,017	-	27	10	-	2	-	-	3	-	1
Stoke Newington - - -	53,613	-	2	5	-	-	-	-	-	-	-
Hackney - - -	232,993	-	37	4	-	1	-	-	6	2	1
CENTRAL.											
Holborn - - -	55,134	-	3	1	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	13	1	-	2	-	-	1	-	-
City of London - - -	20,310	-	8	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	25	1	-	2	-	-	1	-	-
Bethnal Green - - -	130,331	-	57	6	-	2	-	-	4	1	-
Stepney - - -	308,923	-	88	14	-	1	-	-	12	-	-
Poplar - - -	171,086	-	24	6	-	1	-	-	7	-	-
SOUTH.											
Southwark - - -	209,781	-	37	14	-	1	-	-	6	-	1
Bermondsey - - -	128,263	-	29	9	-	1	-	-	4	-	-
Lambeth - - -	318,538	-	21	5	-	1	-	-	4	1	-
Battersea - - -	181,736	-	16	6	-	-	-	-	-	-	1
Wandsworth - - -	281,419	-	18	11	-	2	-	-	2	-	-
Camberwell - - -	277,059	-	60	5	-	4	-	-	5	-	-
Deptford - - -	116,510	-	15	6	-	1	-	-	1	-	-
Greenwich - - -	107,232	-	17	2	-	2	-	-	1	-	-
Lewisham - - -	152,532	-	4	5	-	2	-	-	2	2	-
Woolwich - - -	129,336	-	21	6	-	-	-	-	2	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
	4,758,218	-	621	157	-	31	-	-	83	6	6
AGES.											
Ages 0-1 - - -	-	-	9	2	-	-	-	-	4	-	2
" 1-5 - - -	-	-	183	65	-	-	-	-	1	-	-
" 5- - - -	-	-	281	54	-	3	-	-	8	-	-
" 10- - - -	-	-	98	20	-	4	-	-	4	-	-
" 15- - - -	-	-	24	5	-	5	-	-	4	1	1
" 20- - - -	-	-	10	-	-	6	-	-	5	1	-
" 25- - - -	-	-	14	7	-	7	-	-	10	2	3
" 35- - - -	-	-	2	3	-	4	-	-	15	2	-
" 45- - - -	-	-	-	1	-	1	-	-	21	-	-
" 55- - - -	-	-	-	-	-	-	-	-	7	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	4	-	-
Age not stated - - -	-	-	-	-	-	1	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 38. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, SEPT. 21. [Price 1½d.

*General Register Office, Somerset House,
September 23rd, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 11·8, 12·3, and 12·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 18·7 in Huddersfield, 19·1 in Sheffield, 19·4 in Liverpool, 20·6 in Burnley, 22·3 in Warrington, and 23·3 in Bootle; from *measles*, 1·1 in Newcastle on Tyne and 1·4 in Cardiff; from *diphtheria*, 1·2 in Rochdale; from *whooping-cough*, 1·2 in Wigan, 1·4 in Ipswich, in Kings Norton, in West Hartlepool, and in Merthyr Tydfil, 1·7 in St. Helens, and 2·0 in Great Yarmouth; from "*fever*," 1·6 in Bootle; and from *diarrhæa*, 3·0 in West Ham and in Stockton on Tees, 3·1 in Aston Manor, 3·3 in Devonport, 3·9 in Bootle, 5·2 in Warrington, and 5·4 in Sheffield. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2178 BIRTHS and 1182 DEATHS were registered. Allowing for increase of population, the births were 264 and the deaths 220 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·7, 11·8, and 11·9 per 1000 in the preceding three weeks, further rose last week to 13·0. The death-rate in the four weeks ended last Saturday averaged 12·1 per 1000, being 3·9 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1182 deaths included 11 from measles, 13 from scarlet fever, 15 from diphtheria, 30 from whooping-cough, 4 from enteric fever, and 78 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 151 deaths were referred to these diseases in the aggregate, being 103 below the corrected average number in the thirty-eighth week of the preceding five years.

The deaths from *measles*, which had been 24, 25, and 10 in the preceding three weeks, were 11 last week, the corrected average being 10. The deaths from *scarlet fever*, which had been 14, 13, and 12 in the preceding three weeks, numbered 13 last week, and were 7 above the corrected average; 3 deaths belonged to the Borough of Bethnal Green. The deaths from *diphtheria*, which had been 10, 13, and 11 in the preceding three weeks, rose to 15 last week, the corrected average being 14; 5 deaths belonged to Lambeth, and 3 to Stepney. The deaths from *whooping-cough*, which had been 21, 20, and 25 in the preceding three weeks, rose to 30 last week, and were 14 above the corrected average; 4 deaths belonged to Wandsworth, and 3 each to Fulham and Woolwich. The deaths from *enteric fever*, which had been 7, 3, and 3 in the preceding three weeks, were 4 last week, and were 7 below the corrected average. The deaths from *diarrhoea*, which had been 56, 61, and 66 in the preceding three weeks, further rose to 78 last week, but were 118 below the corrected average; 8 deaths belonged to Stepney, 6 to Bethnal Green, and 5 to Fulham. Of the 78 deaths from diarrhoea, 72 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 18 other deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 3, 4, and 4 in the preceding three weeks. The death of a tin japanner, aged 59 years, and that of a compositor, aged 37 years, were certified as due to *lead-poisoning*.

Different forms of *violence* caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 41 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 5 to drowning, and 4, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4021 cases of scarlet fever, 902 of diphtheria, and 97 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 696 cases against 557, 587, and 574; of diphtheria, 173 cases, against 116, 129, and 154; and of enteric fever, 27 cases, against 23, 16, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 14th, 1907.

GREATER LONDON.

In Greater London 3455 births and 1641 deaths were registered. Allowing for increase of population, these numbers are 322 and 367 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 9 from whooping-cough, and 22 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.22 inches, and that of the Thermometer 56°.8, the latter being equal to the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 42 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 46.0 hours; no rain was measured during the week.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 21st September, 1907, and DEATH-RATES in each of the preceding three weeks.

TOWNS.		POPULATION estimated to the middle of the year 1907.*				DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the Week ended 21st Sept., 1907.		Deaths from Causes of Death.										TOWNS.															
		Week ended 31st Aug., 1907.		Week ended 14th Sept., 1907.		Week ended 21st Sept., 1907.								Deaths of Persons aged 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Typhoid.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Unrecorded Causes of Death.			
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																	
76 TOWNS		16,024,458	11.8	12.3	12.3	13.5	2.0	8075	4149	1142	1068	-	43	31	49	90	20	397	158	306	1091	36																	
LONDON -		4,758,218	11.7	11.8	11.9	13.0	1.7	2178	1182	288	326	-	11	13	15	30	4	78	54	135	684	1															76 TOWNS, LONDON.		
(CROYDON -		154,342	9.5	10.1	8.1	10.1	1.4	88	30	6	14	-	-	1	-	-	-	3	-	1	7	-													(CROYDON, WILLESDEN, HORNSLEY, TOTTENHAM, WEST HAM, EAST HAM, LEYTON, WALTHAMSTOW, HASTINGS, BRIGHTON, PORTSMOUTH, BOURNEMOUTH, SOUTHAMPTON, READING, NORTHAMPTON, IPSWICH, GREAT YARMOUTH, NORWICH, PLYMOUTH, DEVONPORT, BRISTOL, HANLEY, BURTON-ON-TRENT, WOLVERHAMPTON, WALSALL, HANDSWORTH, WEST BROMWICH.				
WILLESDEN -		149,192	9.1	8.4	7.3	6.3	1.4	73	18	8	4	-	-	-	1	-	-	4	-	-	5	-																	
HORNSLEY -		89,816	5.2	7.0	5.8	7.0	0.6	30	12	2	6	-	-	-	-	-	-	-	-	-	-	-																	
TOTTENHAM -		122,793	5.9	7.2	10.6	5.9	0.4	82	14	3	5	-	-	-	1	6	-	1	-	1	3	-																	
WEST HAM -		308,284	10.8	8.3	12.2	13.2	4.4	146	78	27	15	-	1	-	1	-	-	18	3	4	13	-																	
EAST HAM -		136,421	7.6	5.7	8.4	12.2	1.9	60	32	7	7	-	-	-	-	-	-	5	-	-	3	-																	
LEYTON -		122,040	7.7	7.7	7.7	8.5	1.7	65	20	5	6	-	-	1	1	2	-	-	1	1	3	-																	
(WALTHAMSTOW -		126,397	7.8	5.4	8.7	9.9	1.2	54	24	4	6	-	1	-	1	-	-	1	3	4	6	-																	
HASTINGS -		67,477	17.8	10.0	11.6	13.1	0.8	25	17	-	8	-	-	-	-	-	-	1	-	1	3	-																	
BRIGHTON -		129,023	8.9	10.5	10.5	15.4	2.0	59	38	8	10	-	-	-	2	-	-	3	3	4	15	-																	
PORTSMOUTH -		238,291	10.8	10.3	12.3	9.8	2.3	107	39	12	10	-	1	-	2	-	3	3	2	3	6	-																	
BOURNEMOUTH -		69,246	8.3	12.0	7.5	9.8	-	26	13	1	8	-	-	-	-	-	-	-	-	1	4	-																	
SOUTHAMPTON -		118,745	10.0	11.8	9.1	10.0	0.9	38	23	5	10	-	-	-	1	-	-	1	2	3	8	-																	
READING -		80,311	9.1	9.7	9.7	10.4	-	40	16	4	6	-	-	-	-	-	-	-	-	-	4	1																	
NORTHAMPTON -		95,070	8.8	8.2	8.8	12.1	2.7	38	22	8	5	-	-	1	-	1	-	3	-	-	3	-																	
IPSWICH -		72,855	9.3	7.9	8.6	10.7	2.1	26	15	4	6	-	-	-	-	2	-	1	-	1	4	-																	
GREAT YARMOUTH -		52,879	15.8	12.8	14.8	15.8	2.0	27	16	5	5	-	-	-	-	-	-	-	1	1	2	-																	
NORWICH -		119,191	11.8	12.2	13.6	11.8	2.2	49	27	8	9	-	-	-	-	-	-	4	-	-	2	-																	
PLYMOUTH -		120,063	10.9	10.4	8.7	13.9	1.3	72	32	8	13	-	-	-	-	-	-	3	-	-	2	-																	
DEVONPORT -		79,969	5.9	7.8	9.1	11.1	3.3	40	17	8	5	-	-	-	-	-	-	5	1	1	2	-																	
BRISTOL -		367,979	11.5	9.9	10.5	11.1	1.0	179	78	22	25	-	-	-	1	-	-	6	2	7	19	-																	
HANLEY -		67,174	14.7	16.3	14.7	14.0	0.8	33	18	7	6	-	-	-	-	-	-	1	-	-	1	-																	
BURTON-ON-TRENT -		53,425	2.0	9.8	6.8	12.7	1.0	23	13	6	4	-	-	-	-	-	-	1	-	-	2	-																	
WOLVERHAMPTON -		102,016	10.7	7.2	9.7	13.8	2.6	42	27	8	10	-	-	1	-	-	-	4	-	1	10	-																	
WALSALL -		98,171	17.9	14.1	12.5	10.8	1.1	63	20	6	4	-	-	-	-	-	-	2	2	2	2	-																	
HANDSWORTH -		65,929	12.7	8.7	4.7	11.1	0.8	28	14	4	3	-	-	-	-	-	-	-	1	1	2	-																	
WEST BROMWICH -		69,123	12.1	13.6	6.0	8.3	-	35	11	4	2	-	-	-	-	-	-	-	-	1	1	-																	

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 21st September, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Registered during the Week ended 21st Sept., 1907.		The DEATHS registered in the Week include										TOWNS.		
			Week ended				Week ended 21st Sept., 1907.	BIRTHS.	DEATHS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.	
			31st Aug., 1907.	7th Sept., 1907.	14th Sept., 1907.	21st Sept., 1907.																
																						1.
BIRMINGHAM	-	553,155	12.3	14.9	12.3	14.0	2.1	297	148	49	35	-	1	2	4	1	-	14	3	3	36	4
KINGS NORTON	-	75,600	2.1	11.7	6.9	9.0	1.4	28	13	4	6	-	-	-	-	2	-	-	-	-	1	-
SMETHWICK	-	66,467	14.9	10.2	8.6	11.8	1.6	28	15	7	2	-	-	1	-	-	1	-	-	-	1	1
ASTON MANOR	-	83,266	10.6	10.0	11.9	12.5	3.8	43	20	5	6	-	-	1	-	-	-	5	-	-	2	1
COVENTRY	-	77,628	14.8	10.7	11.4	8.1	1.3	44	12	5	1	-	1	-	-	-	1	-	-	-	2	1
LEICESTER	-	236,124	11.0	9.9	8.8	12.6	2.0	101	57	13	10	-	-	2	-	-	-	7	3	3	13	-
GRIMSBY	-	70,574	11.1	8.1	11.1	16.3	2.2	49	22	14	2	-	-	-	-	-	3	1	1	-	-	-
NOTTINGHAM	-	257,489	13.8	17.0	14.0	15.8	3.2	123	78	22	26	-	1	-	2	3	1	9	5	6	17	-
DERBY	-	125,774	11.6	14.9	10.8	9.9	0.4	71	24	5	10	-	-	-	-	1	-	2	2	2	2	-
STOCKPORT	-	100,986	14.5	14.5	14.5	17.0	2.6	73	33	8	5	-	-	-	2	2	-	1	1	1	5	-
BIRKENHEAD	-	118,553	10.1	11.9	8.4	9.2	2.2	66	21	4	7	-	-	-	-	-	-	5	-	-	4	-
WALLASEY	-	66,707	13.3	3.1	16.4	8.6	0.8	31	11	4	2	-	-	-	-	-	-	1	1	1	1	1
LIVERPOOL	-	746,144	15.7	17.0	16.0	19.4	3.4	413	278	94	57	-	5	2	2	3	3	34	12	17	88	6
BOOTLE	-	67,114	12.4	11.7	10.1	23.3	6.2	48	30	6	6	-	-	-	1	-	2	5	1	1	8	2
ST. HELENS	-	92,476	16.4	15.8	18.0	15.8	2.8	60	23	9	3	-	-	-	-	3	-	2	1	1	1	-
WIGAN	-	88,606	15.9	13.5	17.1	15.9	2.9	48	27	10	6	-	-	-	-	2	-	3	-	1	1	-
WARRINGTON	-	70,269	8.9	14.8	10.4	22.3	7.4	44	30	10	6	-	-	1	1	-	1	7	2	2	9	-
BOLTON	-	182,917	11.1	12.0	13.1	12.0	1.1	84	42	13	10	-	1	-	1	-	-	2	3	5	5	1
BURY	-	58,901	8.0	8.0	10.6	14.2	0.9	24	16	5	5	-	-	-	-	1	-	-	-	-	5	-
MANCHESTER	-	643,143	11.5	14.4	14.8	16.3	2.1	382	201	57	51	-	-	1	-	6	1	18	9	19	45	1
SALFORD	-	236,670	12.3	14.3	15.9	13.4	2.9	146	61	26	14	-	1	1	2	1	-	8	1	5	10	1
OLDHAM	-	141,730	12.9	11.4	15.8	16.2	1.8	78	44	8	16	-	-	-	-	1	-	4	-	2	6	-
ROCHDALE	-	87,999	10.7	12.4	11.9	11.3	1.8	24	19	-	4	-	-	2	-	1	-	1	-	1	7	-
BURNLEY	-	103,947	14.5	13.0	13.0	20.6	2.5	54	41	14	7	-	-	1	-	-	1	1	1	2	7	-
BLACKBURN	-	134,980	11.2	14.7	13.1	10.8	0.8	60	28	7	10	-	-	-	-	-	-	-	2	3	2	-
PRESTON	-	117,093	10.2	11.1	10.7	14.7	1.3	31	33	7	13	-	-	-	-	1	-	1	1	3	5	2
BARROW-IN-FURNESS.	-	61,635	8.5	11.0	10.2	7.6	0.8	36	9	3	2	-	-	-	-	-	-	1	-	-	1	-

The Deaths registered in the week include

Registered during the week ended 31st Sept., 1907.

Rate from 11-17.

DEATH-RATES from all Causes.

POPULATION estimated to the middle of the year 1907.*

TOWNS,

	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,814	999	132	132	187	11	43	34	4	8	-	-	1	-	-	-	1	3	3	7	1	HUDDESFIELD.
HALIFAX.	110,138	104	147	76	66	14	45	14	3	5	-	-	-	-	1	-	2	-	1	1	-	HALIFAX.
BRADFORD.	230,323	95	120	124	119	04	111	66	9	18	-	1	-	-	1	-	18	3	9	11	-	BRADFORD.
LEEDS.	470,268	129	146	137	139	21	230	125	30	38	-	-	1	-	2	-	18	7	9	27	-	LEEDS.
SHEFFIELD.	455,553	144	158	177	191	63	240	167	71	34	-	-	2	-	5	1	47	3	5	29	5	SHEFFIELD.
ROTHERHAM.	62,412	109	134	175	167	25	44	20	6	1	-	-	-	-	-	-	3	-	-	2	1	ROTHERHAM.
YORK.	84,750	62	129	111	148	12	50	24	4	7	-	-	-	-	-	-	2	1	3	5	-	YORK.
HULL.	266,762	141	135	145	160	29*	137	82	22	14	-	1	-	2	-	1	11	4	10	14	-	HULL.
MIDDLESBROUGH.	101,763	82	102	159	143	26	64	28	12	2	-	-	-	-	-	-	5	-	1	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,909	99	197	118	177	39	32	18	8	4	-	1	-	-	-	-	3	-	-	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	75,473	62	83	90	111	14	40	16	2	5	-	-	-	-	2	-	-	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND.	156,029	187	167	174	154	17	118	46	14	7	-	-	-	1	1	-	3	-	1	8	-	SUNDERLAND.
SOUTH SHIELDS.	113,460	87	115	147	156	18	48	34	11	7	-	2	-	1	-	-	1	-	-	7	3	SOUTH SHIELDS.
GATESHEAD.	125,783	153	87	162	174	37	67	42	15	4	-	-	-	-	2	-	7	-	-	-	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	272,989	115	176	109	128	15	155	67	16	21	-	6	-	1	-	-	1	1	2	11	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	54,688	229	172	200	143	19	35	15	4	5	-	-	-	1	1	-	-	-	2	2	-	TYNEMOUTH.
NEWPORT (MON.).	75,555	90	90	103	117	14	42	17	7	4	-	-	-	-	-	-	2	1	1	1	-	NEWPORT (MON.).
CARDIFF.	187,620	136	147	153	131	28	89	47	11	9	-	5	1	-	1	-	3	2	2	11	-	CARDIFF.
RHONDDA.	130,400	140	76	100	136	08	105	34	12	7	-	-	-	-	-	-	2	2	7	1	1	RHONDDA.
MERTHYR TYDFIL.	76,085	103	158	130	158	34	51	23	8	2	-	-	-	-	2	-	3	2	2	4	3	MERTHYR TYDFIL.
SWANSEA.	97,324	155	113	171	123	05	61	23	5	6	-	-	-	-	1	-	-	1	3	2	1	SWANSEA.
GREATER LONDON.	7,217,941	108	108	111	119	17	3455	1641	401	457	-	18	18	21	47	4	132	69	164	613	1	GREATER LONDON.
OUTER RING.	2,456,723	90	87	96	97	19	1277	459	133	131	-	7	5	6	17	-	54	15	29	79	-	OUTER RING.
8 TOWNS IN OUTER RING.	1,209,285	85	77	92	98	21	596	228	63	63	-	2	2	4	8	-	32	7	11	40	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,250,438	95	98	99	96	17	681	231	70	68	-	5	3	2	9	-	22	8	18	39	-	REMAINDER OF OUTER RING.
EDINBURGH.	345,747	154	130	146	121	11	122	80	13	27	-	1	1	1	3	-	1	4	?	24	7	EDINBURGH.
GLASGOW.	847,584	128	148	157	152	17	443	2471	61	46	-	3	-	3	-	-	21	8	?	75	4	GLASGOW.
DUBLIN (Registration Area).†	390,691	186	207	176	186	17	250	139	35	35	-	-	-	2	1	-	10	4	4	57	7	DUBLIN (Registration Area).†
BELFAST.†	370,163	127	148	176	156	18	191	1111	18	25	-	2	-	-	-	2	9	2	4	30	1	BELFAST.†

* See note † on first page of this return.
† Including 3 deaths from Cerebro-spinal meningitis in Glasgow and 1 from Cerebro-spinal fever in Belfast.
‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2492	2574	2531	2448	2355	2598	2403	2272	2400	2260	2442.4	2178
Males -	1267	1323	1302	1235	1191	1329	1225	1123	1185	1107	1221.7	1140
Females -	1225	1251	1229	1213	1164	1269	1178	1149	1215	1153	1220.7	1038
TOTAL Deaths -	1341	1863	1649	1449	1380	1520	1365	1223	1195	1548	1402.2	1182
Males -	701	1001	859	768	747	850	718	643	592	799	737.2	625
Females -	640	862	790	681	613	670	647	580	603	749	665.0	557

* The numbers in this column are the average weekly numbers in the thirty-eighth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 29.	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	13 Weeks.
TOTAL Births -	2251	2309	2292	2266	2273	2500	2055	2507	2307	2346	2207	2333	2178	29824
TOTAL Deaths -	1138	1089	1115	1077	1101	1052	1097	1093	1056	1068	1080	1083	1182	14231
Ages at Death -														
Under 1 year -	225	215	199	179	182	216	187	239	239	255	252	251	268	2917
1–5 years -	162	129	137	150	133	126	152	149	122	123	137	103	125	1747
5–20 " -	70	57	74	64	57	66	64	66	55	68	60	59	73	833
20–40 " -	144	139	154	125	140	122	149	138	127	112	133	134	144	1761
40–60 " -	238	239	236	245	258	199	222	217	225	211	226	220	246	2932
60 yrs. & upwds.	299	310	315	314	331	324	313	284	288	299	272	316	326	3991
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	462
Measles -	66	41	46	46	40	46	36	43	28	24	25	10	11	167
Scarlet Fever -	13	13	11	15	19	13	16	8	7	14	13	12	13	167
Diphtheria -	13	8	8	12	10	11	11	19	10	10	13	11	15	151
Whooping-cough -	45	32	29	44	35	27	24	29	34	21	20	25	30	595
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	2	1	1	2	2	3	-	6	3	7	3	3	4	37
Pyrexia (origin uncertain) -	-	-	-	-	-	-	1	-	-	-	-	-	-	1
Diarrhoea, Dysentery -	15	8	8	19	23	18	24	23	47	56	61	66	78	446
All above Diseases -	154	103	103	138	129	118	112	128	129	132	135	127	151	1659
Dis. of Resp. System -	58	51	53	51	45	58	50	54	32	59	48	47	53	659
Pneumonia -	98	97	86	75	91	79	89	75	65	70	68	75	77	1045
Phthisis -	109	102	115	98	103	84	96	94	109	87	122	114	122	1358
Dis. of Circ. System -	161	170	154	148	164	133	157	136	151	146	122	149	150	1941
Violence -	69	51	60	46	63	50	63	49	51	41	51	45	54	693
Inquest Cases -	129	100	122	93	140	104	136	106	105	107	115	104	135	1496
Deaths in Institutions -	480	451	477	451	474	476	482	472	438	459	469	477	534	6120
TEMPERATURE OF THE AIR.														
Mean -	56.4	54.7	56.3	62.7	59.5	59.7	62.3	61.5	57.0	61.1	56.8	58.6	58.8	58.8
Mean of Highest -	66.1	64.3	68.1	75.4	70.2	71.1	73.6	72.4	66.1	72.3	68.4	71.7	69.1	69.8
Mean of Lowest -	49.3	46.8	47.4	52.9	51.3	51.0	54.7	54.2	50.5	50.6	49.8	47.4	45.9	50.2
Mean Humidity of the Air.	77	73	71	72	78	74	73	73	74	76	79	81	73	75
Rain-fall (in inches) -	1.30	0.16	0.22	0.00	0.51	0.40	0.18	0.71	0.96	0.16	0.44	0.00	0.00	5.04
Registered* Sunshine (in hours) -	24.8	44.7	36.6	57.7	24.7	43.7	41.9	45.0	24.9	47.8	18.7	41.9	46.0	498.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox -	-	-	-	-	-	1	1	1	1	1	1	1	1	361
Scarlet Fever -	3022	3193	3276	3386	3588	3626	3660	3669	3687	3738	3816	3872	4021	3681
Diphtheria -	807	809	868	830	872	914	885	888	864	837	845	876	902	865
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	57	60	62	67	51	50	49	51	55	65	72	83	97	62

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. G. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st September, 1907.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia* Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2178	1182	268	326	-	11	13	15	30	-	4	-	78	54	135	534
WEST DISTRICTS - - -	805,311	332	221	50	76	-	1	1	2	5	-	1	-	16	7	16	103
NORTH DISTRICTS - - -	1,056,070	471	195	40	62	-	1	-	3	3	-	-	-	11	13	28	76
CENTRAL DISTRICTS - - -	209,465	105	67	11	17	-	1	-	1	3	-	-	-	3	5	7	37
EAST DISTRICTS - - -	715,739	396	230	66	35	-	4	-	5	5	-	2	-	23	11	39	128
SOUTH DISTRICTS - - -	1,749,844	874	427	100	123	-	4	6	9	14	-	1	-	24	18	45	147
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	42	1	13	-	-	6	-	-	-	-	-	1	-	-	42
WEST DISTRICTS.																	
St. Mary Paddington W,3H - -	93,178	50	26	8	9	-	-	-	-	-	-	-	-	3	-	-	10
St. John Paddington H - - -	33,617	7	11	3	5	-	-	-	-	-	-	-	-	-	-	2	3
North-West Paddington - - -	17,181	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - -	128,037	60	49	6	21	-	-	-	-	-	-	-	-	2	1	3	29
Brompton 2H - - -	48,591	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith 2W,w,H - -	49,192	24	14	5	3	-	-	-	-	1	-	-	-	-	1	1	6
South Hammersmith w,2H - - -	83,047	37	19	5	5	-	-	-	-	-	-	-	-	2	-	2	6
North-west Fulham W - - -	45,180	33	15	4	3	-	-	-	3	-	-	-	-	2	1	-	8
North-east Fulham F - - -	46,405	19	12	4	2	-	1	1	-	-	-	-	-	2	1	1	-
South Fulham W - - -	45,704	20	11	4	3	-	1	-	-	-	1	-	-	1	1	1	-
Chelsea North W,w,3H - - -	42,514	16	25	3	15	-	-	-	-	1	-	-	-	1	-	-	18
Chelsea South W,2H - - -	31,328	16	9	4	1	-	-	-	-	-	-	-	-	3	1	1	3
Mayfair and Knightsbridge - -	28,743	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -	55,815	16	10	2	3	-	-	-	-	-	-	-	-	-	2	7	-
St. Margaret & St. John 5H - - -	43,698	16	8	1	2	-	-	-	1	-	-	-	-	-	2	4	-
St. James and St. Anne W,6H - -	33,081	8	4	-	1	-	-	-	-	-	-	-	-	-	1	1	3
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - -	35,391	11	12	3	3	-	-	-	-	-	-	-	-	-	-	1	7
St. Mary Marylebone W,4H - - -	37,948	30	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone - - -	39,536	12	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-
St. John Marylebone 2H - - -	20,426	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,7H - - -	81,942	13	20	2	9	-	-	-	1	1	-	-	-	-	2	2	7
West St. Pancras 2H - - -	60,562	29	7	1	2	-	-	-	-	-	-	-	-	-	-	1	2
South St. Pancras w,11H - - -	55,707	14	9	3	1	-	-	-	-	-	-	-	-	2	3	4	7
East St. Pancras W,2H - - -	60,320	32	12	1	4	-	-	-	-	-	-	-	-	1	2	3	7
North St. Pancras 2W - - -	58,728	30	9	3	3	-	-	-	-	-	-	-	-	-	-	-	8
Tufnell W - - -	31,995	14	14	1	6	-	-	-	-	-	-	-	-	-	-	1	10
Upper Holloway 2W,w,H - - -	33,878	18	16	1	6	-	-	-	-	-	-	-	-	2	-	2	8
Tollington W,w,H - - -	33,922	12	7	-	3	-	-	-	-	-	-	-	-	-	1	2	8
Lower Holloway - - -	41,424	20	8	4	-	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury - - -	54,478	27	8	3	-	-	1	-	-	-	-	-	-	2	-	1	-
Islington South-east F - - -	75,397	53	6	3	2	-	-	-	-	-	-	-	-	1	1	1	-
Highbury 2H - - -	63,797	28	5	3	1	-	-	-	-	1	-	-	-	-	-	-	-
Stoke Newington H - - -	51,247	16	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney - - -	50,560	25	7	-	4	-	-	-	-	-	-	-	-	1	1	2	-
Central Hackney 2w,F - - -	50,536	24	8	2	2	-	-	-	2	-	-	-	-	1	1	1	-
South-west Hackney 3H - - -	58,921	23	12	3	4	-	-	-	-	-	-	-	-	1	1	2	1
South-east Hackney 2W,w,H - -	58,256	32	20	4	4	-	-	-	-	-	-	-	-	-	2	3	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 19

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total Deaths	Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2W,2H -	31,436	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Grand W,H -	21,874	9	10	-	3	-	-	-	-	-	-	-	-	-	2	3	3	
Grand Union Workhouse, Edmonton -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Albion W,H -	29,612	11	20	9	4	-	1	-	-	3	-	-	-	3	-	-	13	
South Clerkenwell -	28,876	14	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
North Clerkenwell H -	35,028	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bloomsbury 3H,L -	36,116	33	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
Albion Union Workhouse, Mitcham -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Botolph H -	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sepulchre and Allhallows W,2H	16,824	6	15	1	4	-	-	-	-	-	-	-	-	-	3	4	11	
City of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
EAST DISTRICTS.																		
Bedditch South H -	46,362	26	9	6	1	-	1	-	-	-	-	-	-	1	1	1	-	
Bedditch North-West W,w,H -	36,127	28	22	5	4	-	-	-	-	-	-	-	-	1	1	2	-	
Bedditch North-East -	34,148	21	6	3	3	-	-	-	-	-	-	-	-	1	-	-	13	
Bedditch Union Workhouse, Wood Green -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Chenal Green North-East 2W } H,L	65,138	32	28	11	4	-	1	-	-	-	-	-	-	5	-	1	22	
Chenal Green South-West H -	64,542	34	6	2	-	-	-	-	-	-	-	-	-	1	1	2	-	
Clifffields -	27,969	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
End New Town W,H -	28,718	21	42	9	3	-	-	-	-	-	1	-	3	4	-	7	39	
Godman's Fields -	22,081	8	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-	
George and St. John 2W -	49,068	27	19	5	6	-	1	-	-	1	-	-	-	4	-	2	11	
Redwell and Ratcliff W,H -	25,568	15	18	7	1	-	-	-	-	3	-	-	-	-	-	5	11	
Redwell W -	32,369	23	7	2	-	-	-	-	-	-	-	-	-	-	1	3	-	
End Old Town South- Western H -	63,698	50	8	4	1	-	-	-	-	-	-	-	2	-	2	-	-	
End Old Town North- Eastern W,w -	49,129	15	14	1	3	-	-	-	-	1	-	-	-	-	-	10	-	
W L -	41,939	18	7	2	2	-	-	-	-	-	-	-	2	-	1	-	-	
Unley 3w,H -	68,319	35	31	6	7	-	1	-	-	-	1	-	3	4	9	22	-	
Unley W,w -	59,514	40	8	-	-	-	-	-	-	-	-	-	-	-	2	1	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st September, 1907—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths of															Deaths in Public Institutions.	Un- certified Causes of Death
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.	Inquest Cases.				
SOUTH DISTRICTS.																				
Christchurch and St. Saviour	23,319	5	19	2	1	-	-	-	-	-	-	-	-	-	-	3	4	16		
Southwark W2H	21,904	9	5	2	1	-	-	-	-	-	-	-	-	-	-	2	1	-		
Kent-road	39,094	18	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
St. George the Martyr West	49,022	29	6	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
W2H,L	72,841	37	12	3	4	-	-	-	-	1	-	-	-	-	-	-	1	1		
Newington North	9,817	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Newington South W	82,483	49	17	7	4	-	-	-	-	1	-	-	-	-	-	2	4	-		
St. Olave 2W	38,480	17	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1		
Bermondsey W	27,440	20	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Rotherhithe W,F	27,440	9	18	3	2	-	-	-	-	-	-	-	-	-	-	3	1	17		
Waterloo 2H	52,518	20	23	4	10	-	1	-	-	1	-	-	-	-	-	1	3	13		
Lambeth Church H	63,826	50	12	-	3	-	-	-	4	-	-	-	-	-	-	-	-	6		
Kennington 2W	73,673	30	12	4	2	-	-	-	-	-	-	-	-	-	-	1	-	4		
Stockwell HF	56,998	14	14	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-		
Brixton H	72,203	24	19	6	6	-	1	-	-	-	-	-	-	-	-	1	3	6		
Norwood WH	49,656	23	8	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2		
East Battersea H	47,048	20	25	2	10	-	1	-	-	1	-	-	-	-	-	-	1	21		
North-west Battersea	51,361	20	12	1	5	-	-	-	-	1	-	-	-	-	-	-	-	-		
South-west Battersea 2W,H	88,019	59	25	6	10	-	-	2	-	-	-	1	-	-	-	3	-	10		
Clapham 2H	27,959	26	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Streatham W2w,F,2L	40,444	28	7	3	1	-	-	-	-	2	-	-	-	-	-	1	1	-		
Springfield 2W,L	24,139	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Southfields H	13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Putney	40,206	18	25	5	12	-	-	-	-	-	-	-	-	-	-	2	4	17		
Dulwich	65,584	23	22	6	8	-	-	-	-	-	-	-	-	-	-	2	1	11		
Camberwell South W,w	47,331	34	6	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Camberwell North W,2L	48,913	25	6	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
St. George	43,946	12	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1		
Peckham North	37,613	17	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham South 2W,w	45,481	24	9	2	1	-	-	-	3	-	-	-	-	-	-	1	-	4		
Deptford North	34,625	22	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Deptford Central F	23,456	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Deptford South	43,859	16	12	2	6	-	-	-	-	1	-	-	-	-	-	1	-	6		
Greenwich West 2H	7,226	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich East 2W,H	25,490	8	6	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-		
Eltham w,H	58,352	45	22	6	6	-	1	2	1	-	-	-	-	-	-	1	1	3		
Lee w,H	43,653	22	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham W,w,F	21,134	9	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sydenham H	41,625	22	9	2	3	-	-	-	-	1	-	-	-	-	-	-	2	3		
Charlton F,2H	18,063	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Woolwich 5H	50,264	32	14	4	4	-	-	-	-	2	-	-	-	-	-	1	2	3		
Plumstead West W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central London Sick Asylum	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3		
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Gore Farm (temporary)	-	-	6	1	-	-	-	6	-	-	-	-	-	-	-	-	-	6		
North-Eastern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M. A. B. Imbecile Asylums:-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Belmont	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Caterham	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Darenth	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Leavesden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Lunatic Asylums:-	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6		
Banstead	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Ewell (Epileptic Colony)	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
Horton	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
Manor	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Long Grove	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cane Hill	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Partford Heath	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Hanwell	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Colney Hatch	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Claybury	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st September, 1907.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	LONDON—OUTER RING	363,302	2,044,973	1277	459	133	131	-	7	5	6	17	-	54	15	29	79	-	
30: 1	Carshalton 2F,3H	12,228	32,997	19	8	2	3	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H-	10,423	15,548	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F,L-	2,754	2,692	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon -	11,069	8,166	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	29	9	1	7	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	31	16	4	5	-	-	-	1	-	-	3	-	1	-	-	
4	North Croydon H	2,644	41,698	26	5	3	1	-	-	-	-	-	-	1	-	-	7	-	
5	Penge w	770	22,465	7	2	-	2	-	-	-	-	-	-	1	-	-	-	-	
6	Mitcham -	11,711	30,015	32	6	3	-	-	-	-	-	-	-	2	-	-	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	18	7	3	1	-	-	-	-	1	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	16	7	-	3	-	-	-	-	-	-	-	1	1	1	-	
3	Surbiton F,H	3,046	15,017	9	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
4	Esher, part of* H	5,402	13,100	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,564	23,456	7	10	3	2	-	-	-	1	-	-	1	1	1	-	-	
40: 1	Richmond W,H	2,491	31,672	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,518	17,821	14	5	1	1	-	-	-	-	-	-	-	1	3	-	2	
41: 1	Bromley F,3H	4,703	27,354	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham H	7,825	28,497	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W,F	10,113	9,857	5	3	-	-	-	-	-	-	-	-	-	1	1	3	-	
4	Chislehurst 2H	7,333	16,446	7	3	1	-	-	-	-	-	-	-	1	-	-	1	-	
42: 1	Bexley w,F,H	8,678	21,151	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	25	2	2	-	-	-	-	-	-	-	1	-	-	-	-	
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
24: 1	Sunbury w	11,054	18,683	15	8	4	3	-	-	-	-	-	-	-	-	-	1	-	
2	Staines W,H	13,277	15,178	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
25: 1	Hillingdon W,F,H	6,035	13,661	7	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
2	Uxbridge H	12,757	8,984	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,2F,H	8,066	16,358	13	6	5	-	-	-	-	-	1	-	-	-	-	-	-	
26: 1	Isleworth 3W,3F,H	8,859	30,863	28	18	5	6	-	1	-	-	-	-	-	-	-	-	-	
2	Twickenham F,2H	2,421	20,991	22	2	-	2	-	-	-	-	-	-	-	-	-	7	-	
3	Brentford 3F,2H-	4,319	48,289	36	13	6	4	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick H-	1,249	29,809	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	37	8	3	2	-	-	-	-	1	-	1	1	-	-	-	
27: 1	Harrow F,H	13,809	25,523	16	8	1	4	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	73	18	9	4	-	-	-	-	-	-	-	-	-	5	-	
4	Bendon W,F	5,382	22,450	13	6	2	1	-	-	-	-	-	-	-	-	-	1	-	
28: 1	South Mimms 2F,H	17,755	7,308	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	9	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,688	33,692	20	4	1	3	-	-	-	-	-	-	-	-	-	-	-	
29: 1	Hornsey F,H	2,875	72,056	30	12	2	6	-	-	-	-	1	-	-	-	-	-	-	
2	Wood Green H	1,825	34,233	27	12	2	5	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham	996	48,853	36	4	2	2	-	-	-	-	-	-	-	-	1	2	-	
4	East Tottenham 2H	2,017	53,888	46	9	1	2	-	-	-	-	-	-	-	-	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	44	20	9	6	-	2	1	-	2	-	1	1	-	2	3	
6	Enfield 2W,F,H	12,601	42,738	27	7	4	1	-	-	-	-	-	-	1	1	-	1	2	
7	Waltham Abbey F	11,017	6,549	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
35: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Bushey H	9,333	9,173	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
36: 1	Stratford† H	1,091	52,974	32	16	6	2	-	-	-	-	-	-	-	-	-	-	-	
2	Forest Gate†	787	52,745	10	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,3H	1,249	90,921	68	20	8	-	-	-	-	-	-	-	-	-	-	-	-	
4	Canning Town H	1,556	70,718	36	27	13	5	-	1	-	1	3	-	-	-	1	1	2	
5	South East Ham 2F	1,993	37,342	31	14	4	2	-	-	-	-	-	-	-	-	-	3	1	
6	North East Ham w,H	1,333	58,676	29	16	3	4	-	-	-	1	-	-	-	-	-	1	-	
7	Wanstead F	1,379	9,179	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	26	13	5	3	-	-	-	-	-	-	-	-	-	-	-	
9	North Leyton 2W,w,F	1,963	48,445	39	23	-	9	-	-	1	-	2	-	-	-	1	1	6	
10	Walthamstow 2H,L	6,504	108,929	62	22	5	5	-	1	-	1	-	-	1	3	4	13	1	
7: 1	Chigwell 2F,3H	11,778	16,397	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
19: 1	Romford, part of* W,2F	3,556	6,091	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,234	46	10	1	4	-	-	-	-	-	-	-	-	-	1	2	
3	Barking Town F	3,803	21,547	12	4	1	-	-	-	-	-	1	-	1	-	1	-	-	
	Grove Hospital, Tooting	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Streatham.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
	Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

The boundaries of these sub-districts were altered on 1st July, 1907.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	September 21	2178	1182	13·0	-	11	13	15	30	4	78
CALCUTTA - -	955,926	August 17	-	405	24·8	2	1	-	-	-	125†	87
BOMBAY - -	982,000	September 3	338	753	40·0	1	2	-	-	-	90†	187
MADRAS - -	548,974	August 23	458	407	41·5	2	2	?	?	?	109	71
PARIS - - -	2,722,731	September 14	929	797	15·2	1	1	4	1	4	4	98
BRUSSELS - -	623,202	" 14	222	153	12·7	-	-	1	-	2	1	22
ANTWERP - -	304,032	" 14	121	78	13·3	-	-	-	-	-	1	20
AMSTERDAM -	564,342	" 14	300	102	9·4	-	1	-	3	-	-	4
COPENHAGEN -	433,000	" 14	216	107	12·9	-	-	-	1	3	-	4
STOCKHOLM -	332,738	" 7	178	80	13·4	-	1	-	1	1	-	4
CHRISTIANIA -	226,774	" 14	105	50	11·3	-	-	-	1	-	-	1
ST. PETERSBURG	1,482,769	August 31	845	576	20·2	-	9	16	15	6	25	130
MOSCOW - -	1,296,000	" 31	-	681	27·4	-	11	5	5	6	3	280
BERLIN - - -	2,094,129	" 31	909	569	14·2	-	5	6	4	8	4	93
HAMBURG - -	840,790	September 14	-	200	12·6	-	-	-	-	5	2	28
BRESLAU - -	485,278	" 7	-	177	19·0	-	1	-	-	1	1	34
MUNICH - - -	548,000	" 14	-	173	16·4	-	-	1	-	-	-	38
VIENNA - - -	1,979,003	" 14	854	538	14·1	10	2	4	5	3	-	95
PRAGUE - - -	470,906	" 7	184	149	16·4	-	-	-	-	1	5	17
BUDA-PESTH -	802,235	" 7	352	271	17·6	-	4	5	2	3	2	41
TRIESTE - - -	200,962	" 14	105	83	21·5	-	-	1	-	-	-	24
ROME - - - -	542,760	July 5	-	-	-	-	-	-	-	-	-	-
VENICE - - -	174,398	August 31	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	292,395	September 14	190	129	23·0	-	-	3	-	1	4	21
NEW YORK - -	4,285,435	August 31	2511	1472	17·9	-	9	10	28	14	17	346
CHICAGO - - -	2,107,620	September 7	-	574	14·2	-	4	9	4	4	13	137
PHILADELPHIA -	1,500,595	August 24	-	489	16·9	-	-	1	11	6	14	95
RIO DE JANEIRO	628,275	September 1	-	232	19·2	3	1	-	1	1	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 4 deaths from plague in Calcutta, 32 in Bombay, and 2 in Rio de Janeiro.

‡ Including 27 deaths from cholera in Calcutta, 53 in Bombay, and 7 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st September, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	72·0	42·1	57·5	0·00	LEEDS - - -	74·0	44·0	59·7	0·00
BRIGHTON - -	74·4	42·7	59·3	0·00	YORK - - -	73·8	43·0	57·2	0·01
PORTSMOUTH - -	72·4	45·0	59·0	0·00	HULL - - -	71·0	40·0	56·3	0·00
NORWICH - - -	74·4	37·4	55·8	0·00	TYNEMOUTH -	71·0	40·0	55·9	0·00
PLYMOUTH - -	69·0	46·0	59·1	0·00	CARDIFF - -	72·9	37·0	56·2	0·00
BRISTOL - - -	73·1	42·0	57·5	0·01					
BIRMINGHAM -	69·4	45·2	58·1	0·00	EDINBURGH -	69·7	42·9	55·3	0·03
NOTTINGHAM -	69·3	44·2	57·6	0·01	GLASGOW - -	69·0	40·8	56·3	0·00
LIVERPOOL - -	64·0	51·0	67·4	0·01	DUBLIN { Phoenix Park. Fitz- william Square.†	65·1	43·8	57·2	0·00
OBSERVATORY, MANCHESTER }	72·2	43·8	57·2	0·00		65·4	48·3	53·4	0·00
BURNLEY - - -	68·2	41·9	55·3	0·01					
PRESTON - - -	66·0	50·0	57·3	0·03	BELFAST - -	66·0	48·0	56·5	0·00
HUDDERSFIELD -	73·5	43·0	57·6	0·03					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

1907. MONTH AND DAY		Phases of the Moon.	TEMPERATURE.					TEMPERATURE.					WINDS deduced from Anemometers.					Rain collected in Gauge whose readings are on the shore of Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
			Of the Air.					Of the Dew point					Difference between the Air Temperature and Dew Point						TEMPERATURE.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			High- est.		Low- est.		Daily Range.	Mean daily value.	De- pression from average value, of 65 years.	Of the Dew point		Mean daily value.		Great Least.		Of the Earth below the Surface.					Oiler's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			in.	°	°	°				°	°	°	°	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°


DATE.		ELECTRICITY.		REGISTERED.		SUNABOVE.		GENERAL REMARKS.	
SEPTEMBER.		(For explanation of symbols, see Note.)	(For explanation of symbols, see Note.)	in hours.	in hours.	in hours.	in hours.		
SUNDAY - 15	w. P. throughout.			6.8	12.7			Very fine generally; cloudy intervals.	
MONDAY - 16	w. P. generally.			5.8	12.6			Very fine till 3h. A.M.; overcast till 10h. A.M.; fine and variably cloudy afterwards.	
TUESDAY - 17	w. P. throughout.			5.9	12.6			Generally cloudy till noon; very fine with small amounts of cloud afterwards. Faint solar halo observed at 3h. 30m. P.M.	
WEDNESDAY 18	w. P. throughout.			8.0	12.5			Very fine and generally cloudless; misty in morning.	
THURSDAY- 19	w. P. throughout.			8.7	12.4			Very fine and generally cloudless; mist and fog in morning.	
FRIDAY - 20	w. P. generally.			7.2	12.4			Foggy in morning; very fine and cloudless between 11h. A.M. and 8h. P.M.; overcast afterwards.	
SATURDAY- 21	w. P. throughout.			3.6	12.3			Overcast till 10h. A.M.; fine and partially cloudy till 6h. P.M.; overcast afterwards.	
No. of Col. -				Sum 46.0	Sum 87.5				

The results apply to the civil day, or from midnight to midnight.
 The height of the column of the barometer is 150 feet above the mean level of the sea;
 no correction has been applied to the readings to reduce to sea level.
 Observations are usually taken at 9h. A.M.; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1903.
 In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.
 The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; W. weak; M. moderate; a. strong; and v. variable.
 The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.
 The reading of the barometer increased from 30.10 in. at the beginning of the week to 30.27 in. by 11h. P.M. on the 15th; decreased to 30.14 in. by 5h. A.M. on the 17th; increased to 30.30 in. by 10h. A.M. on the 18th; decreased to 30.13 in. by 5h. P.M. on the 21st; and increased to 30.21 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th September, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - - -	149,909	-	15	28	-	1	-	-	1	-	-
Kensington - - - -	181,842	-	19	1	-	-	-	-	2	-	-
Hammersmith - - - -	122,337	-	1	1	-	-	-	-	-	1	-
Fulham - - - -	166,749	-	8	12	-	-	-	-	4	-	-
Chelsea - - - -	74,867	-	1	22	-	1	-	-	-	-	-
City of Westminster -	172,219	-	7	22	-	1	-	-	2	-	-
NORTH.											
St. Marylebone - - -	127,718	-	11	-	-	1	-	-	3	1	1
Hampstead - - - -	91,137	-	12	5	-	-	-	-	2	-	-
St. Pancras - - - -	236,753	-	27	9	-	-	-	-	5	-	-
Islington - - - -	347,017	-	19	8	-	2	1	-	4	-	-
Stoke Newington - - -	53,613	-	4	1	-	-	-	-	-	-	-
Hackney - - - -	232,993	-	37	13	-	9	-	-	7	-	-
CENTRAL.											
Holborn - - - -	55,134	-	5	4	-	-	-	-	2	-	-
Finsbury - - - -	96,732	-	12	4	-	2	-	-	-	-	-
City of London - - -	20,310	-	4	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - -	115,682	-	18	3	-	1	-	-	1	-	-
Bethnal Green - - - -	130,831	-	30	6	-	1	-	-	6	-	-
Stepney - - - -	308,923	-	104	19	-	4	-	-	11	-	-
Poplar - - - -	171,086	-	30	11	-	-	-	-	1	-	-
SOUTH.											
Southwark - - - -	209,781	-	34	16	-	1	-	-	5	1	-
Bermondsey - - - -	128,263	-	32	8	-	3	-	-	6	-	-
Lambeth - - - -	318,538	-	34	8	-	1	-	-	5	-	-
Battersea - - - -	181,736	-	8	4	-	-	-	-	3	-	-
Wandsworth - - - -	281,419	-	25	7	-	2	-	-	8	-	-
Camberwell - - - -	277,059	-	45	5	-	1	-	-	4	-	-
Deptford - - - -	116,510	-	17	11	-	-	-	-	1	-	-
Greenwich - - - -	107,222	-	19	2	-	-	-	-	3	-	-
Lewisham - - - -	152,532	-	13	5	-	1	-	-	-	-	-
Woolwich - - - -	129,336	-	15	6	-	-	-	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	606	180	-	32	1	-	86	3	1
Ages											
0-1 - - - -	-	-	4	1	-	-	-	-	1	-	-
" 1-5 - - - -	-	-	194	72	-	1	-	-	1	-	1
" 5- - - - -	-	-	255	58	-	7	-	-	10	-	-
" 10- - - - -	-	-	97	20	-	4	-	-	5	-	-
" 15- - - - -	-	-	28	13	-	1	-	-	5	-	-
" 20- - - - -	-	-	14	5	-	1	-	-	3	-	-
" 25- - - - -	-	-	11	5	-	11	1	-	10	3	-
" 35- - - - -	-	-	3	3	-	4	-	-	15	-	-
" 45- - - - -	-	-	-	-	-	2	-	-	12	-	-
" 55- - - - -	-	-	-	3	-	-	-	-	15	-	-
" 65 and upwards -	-	-	-	-	-	1	-	-	9	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55.(4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

.907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 39. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, SEPT. 28. [Price 1½d.

*General Register Office, Somerset House,
September 30th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 12·3, and 13·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·5 in Barrow in Furness, 19·6 in Stockport, 20·0 in Ipswich, 20·4 in Swansea, 21·9 in Liverpool, 22·6 in Merthyr Tydfil, 23·0 in Wigan, and 24·1 in Bootle; from *measles*, 3·4 in Merthyr Tydfil; from *scarlet fever*, 1·3 in Aston Manor and 1·5 in Warrington; from *diphtheria*, 1·5 in Middlesbrough; from *whooping-cough*, 1·1 in Walsall, 1·2 in York and in Gateshead, and 1·4 in Kings Norton and in Newport (Mon.); and from *diarrhœa*, 4·1 in Stockport and in Merthyr Tydfil, 5·8 in Rotherham, 6·0 in Sheffield, 7·0 in Bootle, and 7·1 in Wigan. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2341 BIRTHS and 1251 DEATHS were registered. Allowing for increase of population, the births were 81 and the deaths 117 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·8, 11·9, and 13·0 per 1000 in the preceding three weeks, further rose last week to 13·7. The death-rate in the four weeks ended last Saturday averaged 12·6 per 1000, being 3·1 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1251 deaths included 9 from measles, 14 from scarlet fever, 25 from diphtheria, 20 from whooping-cough, 6 from enteric fever, and 118 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 192 deaths were referred, being 18 below the corrected average number in the thirty-ninth week of the preceding five years.

The deaths from *measles*, which had been 25, 10, and 11 in the preceding three weeks, fell to 9 last week, and were 3 below the corrected average; 3 deaths belonged to the Borough of Camberwell. The deaths from *scarlet fever*, which had been 13, 12, and 13 in the preceding three weeks, were 14 last week, and were 5 above the corrected average; 3 deaths belonged to Stepney, and 3 to Lambeth. The deaths from *diphtheria*, which had been 13, 11, and 15 in the preceding three weeks, rose to 25 last week, and were 10 above the corrected average; 4 deaths belonged to Islington, and 3 to Fulham. The deaths from *whooping-cough*, which had been 20, 25, and 30 in the preceding three weeks, fell to 20 last week, but were 3 above the corrected average; 4 deaths belonged to Poplar, and 3 each to Lambeth, Battersea, and Wandsworth. The deaths from *enteric fever*, which had been 3, 3, and 4 in the preceding three weeks, rose to 6 last week, but were 5 below the corrected average; 2 deaths belonged to Hackney. The deaths from *diarrhœa*, which had been 61, 66, and 78 in the preceding three weeks, further rose to 118 last week, but were 26 below the corrected average; 12 deaths belonged to Stepney, 11 to Poplar, 9 to Hackney, 8 to Bethnal Green, and 7 each to Fulham, Shoreditch, Southwark, and Wandsworth. Of the 118 deaths from diarrhœa, 109 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 13 other deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 4, 4, and 4 in the preceding three weeks.

Different forms of *violence* caused 35 deaths, concerning all which inquests were held. Of these 35 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 20 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 2 to drowning, and 4, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4328 of scarlet fever, 967 of diphtheria, and 99 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 787 cases, against 587, 574, and 695; of diphtheria, 189 cases, against 129, 154, and 173; and of enteric fever, 23 cases, against 16, 19, and 27. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 21st, 1907.

GREATER LONDON.

In Greater London 3569 births and 1779 deaths were registered. Allowing for increase of population, these numbers are 192 and 157 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 3 from diphtheria, 12 from whooping-cough, 1 from "fever," and 34 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.79 inches, and that of the Thermometer 58°.4, the latter being 3.2 above the week's average in the 65 years ending 1905. The general direction of the wind was Easterly, the horizontal movement of the air being 27 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 47.7 hours; the measured rainfall amounted to 0.03 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 26th September, 1907, and DEATH-RATES on each of the one preceding three weeks.

TOWNS	POPULATION estimated to the middle of 1907.*	DEATH-RATES from all Causes.						Rate from Causes in Cols. 11-17.		Registered Deaths during the Week ended 26th Sept., 1907.		The DEATHS registered in the Week include												
		Week ended			Week ended			BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Deaths of					Deaths from						Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.
		7th Sept., 1907.	14th Sept., 1907.	21st Sept., 1907.	28th Sept., 1907.	Week ended 28th Sept., 1907.	11-17.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
		1.	2.	3.	4.	5.	6.	7.	8.	9.									10.	11.	12.	13.	14.	15.
76 TOWNS	16,024,458	12'3	12'3	13'5	14'5	2'6	80'76	44'55	135'4	108'6	-	39	35	58	91	24	539	158	341	1086	32	76 TOWNS, LONDON.		
-	4,756,218	11'8	11'9	13'0	13'7	2'1	23'41	125'1	321	341	-	9	14	25	20	6	118	35	109	514	1	(CROYDON, WILLESDEN, HORNSEY, TOTTENHAM, WEST HAM, EAST HAM, LEYTON, { WALTHAMSTOW.		
-	154,342	10'1	8'1	10'1	11'1	3'4	7'4	33	10	15	-	-	-	-	-	-	-	-	4	10	-	WILLESDEN, HORNSEY, TOTTENHAM, WEST HAM, EAST HAM, LEYTON.		
-	149,192	8'4	7'3	6'3	10'8	2'1	7'7	31	10	10	-	1	1	-	-	1	3	-	-	5	-	{ WALTHAMSTOW.		
-	89,816	7'0	5'8	7'0	7'0	0'6	2'4	12	2	7	-	-	-	-	-	-	1	-	-	-	-	WALTHAMSTOW.		
-	122,793	7'2	10'6	5'9	15'3	0'8	6'2	36	6	13	-	1	-	-	-	-	1	3	7	11	-	WALTHAMSTOW.		
-	308,284	8'3	12'2	13'2	14'9	4'2	1'48	88	32	18	-	-	-	1	3	-	21	3	9	22	-	WALTHAMSTOW.		
-	136,421	5'7	8'4	12'2	8'8	1'1	7'2	23	9	3	-	-	-	1	1	-	1	1	-	4	-	WALTHAMSTOW.		
-	122,040	7'7	7'7	8'5	8'1	1'7	5'7	19	6	6	-	-	-	2	-	-	2	-	-	3	-	WALTHAMSTOW.		
-	126,397	5'4	8'7	9'9	12'0	2'1	6'7	29	7	7	-	1	-	1	-	-	3	1	3	8	-	WALTHAMSTOW.		
-	67,477	10'0	11'6	13'1	6'2	-	18	8	-	4	-	-	-	-	-	-	-	-	-	2	1	WALTHAMSTOW.		
-	129,023	10'5	10'5	15'4	9'7	1'6	49	24	6	6	-	1	-	-	-	1	2	1	2	7	-	WALTHAMSTOW.		
-	238,231	10'3	12'3	9'8	15'5	1'5	11'4	62	17	19	-	-	-	1	-	-	5	1	6	12	5	WALTHAMSTOW.		
-	69,246	12'0	7'5	9'8	10'5	-	19	14	3	7	-	-	-	-	-	-	-	-	-	2	-	WALTHAMSTOW.		
-	119,745	11'8	9'1	10'0	16'5	2'2	59	38	14	11	-	-	-	1	-	1	3	-	4	6	-	WALTHAMSTOW.		
-	80,311	9'7	9'7	10'4	9'7	-	44	15	4	4	-	-	-	-	-	-	-	1	1	4	-	WALTHAMSTOW.		
-	95,070	8'2	8'8	12'1	6'0	1'1	39	11	1	3	-	-	-	-	-	-	2	-	-	1	-	WALTHAMSTOW.		
-	72,825	7'9	8'6	10'7	20'0	-	37	23	4	7	-	-	-	-	-	-	-	7	8	2	-	WALTHAMSTOW.		
-	52,879	12'8	14'8	15'8	15'8	1'0	36	16	4	7	-	-	-	-	-	-	1	-	-	1	-	WALTHAMSTOW.		
-	119,191	12'2	13'6	11'8	13'1	3'1	56	30	7	9	-	-	-	-	1	1	5	-	2	4	-	WALTHAMSTOW.		
-	120,063	10'4	8'7	13'9	10'9	1'7	42	25	5	9	-	-	-	-	-	-	3	2	4	6	-	WALTHAMSTOW.		
-	79,959	7'8	9'1	11'1	10'4	2'0	31	16	4	2	-	-	-	-	-	-	3	1	3	1	-	WALTHAMSTOW.		
-	367,879	9'9	10'5	11'1	11'1	1'7	149	78	25	27	-	-	-	-	-	-	12	4	9	18	1	WALTHAMSTOW.		
-	67,174	16'3	14'7	14'0	12'4	1'6	53	16	8	3	-	-	-	-	-	-	2	-	2	3	-	WALTHAMSTOW.		
-	53,425	9'8	6'8	12'7	11'7	1'0	20	12	3	4	-	1	-	-	-	-	-	1	1	2	-	WALTHAMSTOW.		
-	102,016	7'2	9'7	13'8	12'3	1'5	45	24	5	6	-	1	-	-	-	-	2	1	3	5	-	WALTHAMSTOW.		
-	96,171	14'1	12'5	10'8	14'6	4'9	56	27	9	9	-	-	-	-	-	-	7	2	6	2	-	WALTHAMSTOW.		
-	65,929	8'7	4'7	11'1	9'5	0'8	16	12	1	3	-	-	-	-	-	-	-	1	1	-	-	WALTHAMSTOW.		
-	69,123	13'6	6'0	8'3	12'8	1'5	41	17	5	4	-	-	-	1	-	-	-	-	-	-	-	WALTHAMSTOW.		

TOWNS.	POPULATION to the middle of the year 1907.	Causes.				In 1907.		Week ended 28th Sept., 1907.		Deaths of		Deaths from								TOWNS.			
		Week ended				In 1907.		28th Sept., 1907.		Persons aged and upwards, under 1 year of age.		Deaths from											
		7th Sept., 1907.	14th Sept., 1907.	21st Sept., 1907.	28th Sept., 1907.	Week ended 28th Sept., 1907.	Week ended 28th Sept., 1907.	Infants under 1 year of age.	Persons aged and upwards, under 1 year of age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD.	94,814	13·2	13·2	18·7	18·1	1·1	35	33	9	9	-	-	-	-	-	-	2	2	2	2	-	HUDDESFIELD.	
HALIFAX.	110,138	14·7	7·6	6·6	9·5	1·9	33	20	4	5	-	1	-	1	-	1	1	1	4	1	-	HALIFAX.	
BRADFORD.	290,323	12·0	12·4	11·9	13·5	0·7	115	75	13	20	-	-	-	-	2	-	2	6	12	16	-	BRADFORD.	
LEEDS.	470,283	14·6	13·7	13·9	14·1	2·1	211	127	41	26	-	-	-	-	-	-	15	5	13	16	-	LEEDS.	
SHEFFIELD.	465,553	15·8	17·7	19·1	18·4	7·1	257	161	76	26	-	-	-	1	8	1	52	2	3	17	3	SHEFFIELD.	
ROTHERHAM.	62,412	13·4	17·5	16·7	16·7	5·8	54	20	13	2	-	-	-	-	-	-	7	1	1	-	-	ROTHERHAM.	
YORK.	84,730	13·9	11·1	14·8	11·1	2·5	34	18	8	3	-	-	-	-	-	-	2	-	2	1	-	YORK.	
HULL.	266,762	13·5	14·5	16·0	17·4	3·3	127	89	30	24	-	-	-	-	1	5	10	6	6	16	-	HULL.	
MIDDLESBROUGH.	101,783	10·2	15·9	14·3	17·4	4·1	59	34	10	8	-	-	-	-	3	2	1	2	1	3	5	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,909	19·7	11·8	17·7	12·8	3·0	36	13	2	2	-	-	-	-	-	1	2	1	1	1	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	75,473	8·3	9·0	11·1	11·7	0·7	42	17	7	1	-	-	-	-	-	-	1	2	2	4	-	WEST HARTLEPOOL.	
SUNDERLAND.	156,029	16·7	17·4	15·4	13·0	3·0	102	39	14	5	-	-	1	-	-	-	7	1	1	7	-	SUNDERLAND.	
SOUTH SHIELDS.	113,460	11·5	14·7	15·6	10·1	1·4	51	22	4	4	-	1	-	-	2	-	-	-	-	3	2	SOUTH SHIELDS.	
GATESHEAD.	125,783	8·7	16·2	17·4	16·6	4·6	82	40	16	8	-	-	1	-	3	-	7	-	-	7	-	GATESHEAD.	
NEWCASTLE-ON-TYNE.	272,969	17·6	10·9	12·8	13·8	2·7	154	72	16	16	-	5	-	2	3	-	4	5	8	12	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.	54,688	17·2	20·0	14·3	12·4	-	24	13	4	2	-	-	-	-	-	-	-	1	-	2	-	TYNEMOUTH.	
NEWPORT (MON.).	75,585	9·0	10·3	11·7	17·2	5·5	41	25	13	5	-	-	1	-	2	-	5	-	1	5	-	NEWPORT (MON.).	
CARDIFF.	187,620	14·7	15·3	13·1	14·7	3·9	109	53	15	13	-	3	-	-	-	2	8	2	4	9	-	CARDIFF.	
RHONDDA.	130,400	7·6	10·0	13·6	17·2	3·6	89	43	18	3	-	-	1	-	-	1	7	1	1	1	-	RHONDDA.	
MERTHYR TYDFIL.	76,085	15·8	13·0	15·8	22·6	7·5	43	33	10	4	-	5	-	-	-	-	6	1	1	3	-	MERTHYR TYDFIL.	
SWANSEA.	97,324	11·3	17·1	12·3	20·4	3·8	65	38	12	9	-	-	-	-	-	-	7	2	2	2	-	SWANSEA.	
GREATER LONDON.	7,217,941	10·8	11·1	11·9	12·9	2·2	3569	1779	484	496	-	15	16	33	37	8	193	53	153	614	1	GREATER LONDON.	
OUTER RING.	2,459,723	8·7	9·6	9·7	11·2	2·3	1228	528	163	155	-	6	2	8	17	2	75	18	44	100	-	OUTER RING.	
8 TOWNS IN OUTER RING.	1,209,285	7·7	9·2	9·8	11·7	2·4	581	271	82	79	-	2	2	5	5	1	41	10	23	63	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,250,438	9·8	9·9	9·6	10·7	2·3	647	257	81	76	-	4	-	3	12	1	34	8	21	37	-	REMAINDER OF OUTER RING.	
EDINBURGH.	345,747	13·0	14·6	12·1	13·9	2·0	129	92	16	34	-	-	-	1	5	-	6	7	?	28	3	EDINBURGH.	
GLASGOW.	847,584	14·8	15·7	15·2	14·9	1·9	462	242	68	51	-	4	-	1	7	1	18	8	?	68	6	GLASGOW.	
DUBLIN (Registration Area).†	350,691	20·7	17·6	16·8	18·6	2·9	230	139	41	23	-	1	-	1	1	2	17	14	4	53	2	DUBLIN (Registration Area).†	
BELFAST.†	370,163	14·8	17·6	15·6	16·5	3·0	214	117	40	21	-	5	-	-	-	1	14	-	2	23	3	BELFAST.†	

* See note on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively including 1 death from Cerebro-spinal fever in Glasgow and 3 from Cerebro-spinal fever in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2503	2614	2399	2239	2581	2457	2296	2537	2171	2374	2422·3	2341
Males - - -	1246	1299	1223	1138	1317	1216	1186	1285	1086	1187	1215·8	1195
Females - - -	1257	1315	1176	1101	1264	1241	1110	1252	1105	1187	1206·5	1146
TOTAL Deaths -	1313	1700	1456	1471	1304	1489	1244	1279	1251	1422	1368·2	1251
Males - - -	707	930	752	709	692	782	680	673	637	759	722·7	648
Females - - -	606	770	704	762	612	707	564	606	614	663	645·5	603

* The numbers in this column are the average weekly numbers in the thirty-ninth week of the five years 1902-1906, raised by 2·337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 6.	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	13 Weeks.	
TOTAL Births -	2309	2292	2266	2273	2500	2055	2507	2307	2346	2207	2333	2178	2341	29914	
TOTAL Deaths -	1089	1115	1077	1101	1052	1097	1093	1056	1068	1030	1083	1182	1251	14344	
Ages at Death {	Under 1 year -	215	199	179	182	216	197	239	239	255	252	251	268	321	3013
	1-5 years -	129	137	150	133	125	152	149	122	123	137	103	125	142	1727
	5-20 " -	57	74	64	67	66	64	66	55	68	60	59	73	67	830
	20-40 " -	139	154	125	140	122	149	138	127	112	133	134	144	142	1759
	40-60 " -	239	236	245	268	199	222	217	225	211	226	220	246	238	2982
(60 yrs. & upwds)	310	315	314	331	321	313	281	288	299	272	316	326	341	4033	
Deaths from--															
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles - - -	41	46	46	40	46	36	43	28	24	25	10	11	9	405	
Scarlet Fever -	13	11	15	19	13	16	8	7	14	13	12	13	14	168	
Diphtheria - -	8	8	12	10	11	11	19	10	10	13	11	15	25	163	
Whooping-cough -	32	29	44	35	27	24	29	34	21	20	25	30	20	370	
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever -	1	1	2	2	3	-	6	3	7	3	3	4	6	41	
Pyrexia (origin uncertain).	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
Diarrhoea, Dysentery	8	8	19	23	18	24	23	47	56	61	66	78	118	549	
All above Diseases -	103	103	138	129	118	112	128	129	132	135	127	151	192	1697	
Dis. of Resp. System	51	53	51	45	58	50	54	32	59	48	47	53	62	663	
Pneumonia - - -	97	86	75	91	79	89	75	65	70	68	75	77	86	1033	
Phthisis - - -	102	115	98	106	84	96	94	109	87	122	114	122	127	1376	
Dis. of Circ. System -	170	154	143	164	133	157	136	151	146	122	149	150	167	1947	
Violence - - -	51	60	46	63	50	63	49	51	41	51	45	54	35	659	
Inquest Cases - -	100	122	93	140	104	136	106	105	107	115	104	135	109	1476	
Deaths in Institutions	451	477	451	474	476	482	472	438	459	469	477	534	514	6174	
TEMPERATURE OF THE AIR.															
Mean - - - - -	54·7	56·3	62·7	59·5	59·7	62·3	61·5	57·0	61·1	56·8	58·6	56·8	58·4	58·9	
Mean of Highest -	64·3	68·1	75·4	70·2	71·1	73·6	72·4	66·1	72·3	66·4	71·7	69·1	71·8	70·2	
Mean of Lowest -	46·8	47·4	52·9	51·3	51·0	54·7	54·2	50·5	50·6	49·8	47·4	45·9	47·2	50·0	
Mean Humidity of the Air.	73	71	72	73	74	73	73	74	76	79	81	73	73	75	
Rain-fall (in inches) -	0·16	0·22	0·00	0·51	0·40	0·18	0·71	0·96	0·16	0·44	0·00	0·00	0·03	3·77	
Registered Sunshine (in hours),	44·7	36·6	57·7	24·7	43·7	41·9	45·0	24·9	47·8	18·7	41·9	46·0	47·7	521·3	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean.	
Small-pox - - -	-	-	-	-	-	1	1	1	1	1	1	-	-	-	
Scarlet Fever - -	3193	3276	3388	3586	3626	3660	3669	3687	3738	3816	3872	4020	4328	3681	
Diphtheria - - -	809	868	880	872	914	885	883	864	837	845	876	902	967	877	
Typhus - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	60	62	57	51	50	49	51	55	65	72	83	97	99	65	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE B.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; E. Victor Figg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.O.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-NINTH Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH		Corrected Average for this 39th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH.	Corrected Average for this 39th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	- - -	1368.2	1251	321	142	67	142	238	341	Meningitis (not tuberc.)	16.4	12	7	2	1	-	-	2
										Gen. Par. of Insane, Insanity	13.3	11	-	-	1	2	2	0
Small-pox	- - -	0.2	-	-	-	-	-	-	-	Epilepsy	4.9	7	-	1	-	2	3	1
Whooping-cough	- - -	11.9	9	2	6	1	-	-	-	Convulsions	21.3	20	17	3	-	-	-	-
Scarlatina (Morbili)	- - -	9.4	14	-	10	3	-	1	-	Locomotor Ataxy	2.5	2	-	-	-	1	1	2
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	Paraplegia, Dis. of Cord	5.7	4	-	1	-	-	-	1
Diphtheria	- - -	17.2	20	10	10	-	-	-	-	Nervous Sys., Other Dis.	17.4	13	-	-	-	3	3	7
Measles	- - -	15.4	25	1	16	8	-	-	-	Valv. Dis., Endocarditis	38.9	34	-	-	5	3	16	10
Rubella	- - -	0.2	1	-	-	-	1	-	-	Cereb. Hæm. Cereb. Emb.	27.0	28	-	-	-	5	5	18
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	Apoplexy, Hemiplegia	14.7	16	-	-	-	6	10	10
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	Aneurysm	5.9	7	-	-	3	2	2	2
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-	Embolism, Thrombosis (not Cerebral)	0.8	1	-	-	-	1	-	-
Diphtheria	- - -	15.4	25	1	16	8	-	-	-	Heart & Blood Vess., Other Dis.	73.5	81	-	-	4	4	26	47
Measles	- - -	0.2	1	-	-	-	1	-	-	Croup (not Spasm: nor Memb.)	0.6	-	-	-	-	-	-	-
Rubella	- - -	0.4	-	-	-	-	-	-	-	Bronchitis	57.9	52	7	5	1	1	9	29
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	Emphysema, Asthma	2.3	2	-	-	-	-	-	2
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	Pleurisy	3.5	4	-	2	-	1	1	-
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-	Respiratory Dis., Other	8.8	4	1	-	-	1	1	1
Diphtheria	- - -	15.4	25	1	16	8	-	-	-	Tonsillitis, Quinsy	0.8	2	2	-	-	-	-	-
Measles	- - -	0.2	1	-	-	-	-	-	-	Enteritis (not Epid.)	21.9	21	15	3	-	1	2	1
Rubella	- - -	0.4	-	-	-	-	-	-	-	Gastro-enteritis	20.9	13	11	2	-	-	-	-
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	Peritonitis (not Puerp.)	3.3	3	-	-	2	1	-	-
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	Cirrhosis of Liver	13.7	16	-	2	-	3	7	4
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-	Liver Dis., Other	6.1	5	-	1	-	-	2	2
Diphtheria	- - -	15.4	25	1	16	8	-	-	-	Digestive Sys., Other Dis.	35.8	23	4	3	5	3	2	6
Measles	- - -	0.2	1	-	-	-	-	-	-	Acute Nephritis	8.0	7	-	3	-	-	-	2
Rubella	- - -	0.4	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	29.5	41	-	-	-	4	13	24
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	Urinary Sys., Other Dis.	9.8	9	-	-	-	1	1	7
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	Generative Organs Dis.	3.1	4	1	-	-	1	1	1
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-	Childbirth (Accid. of)	4.5	3	-	-	-	2	1	-
Diphtheria	- - -	15.4	25	1	16	8	-	-	-	Old Age	44.8	44	-	-	-	-	-	44
Measles	- - -	0.2	1	-	-	-	-	-	-	Other Diseases	96.2	94	69	6	2	3	7	7
Rubella	- - -	0.4	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	By Railways	1.4	2	-	-	-	1	1	-
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	By Vehicles and Horses	8.6	5	1	-	-	1	1	2
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.8	-	-	-	-	-	-	-
Diphtheria	- - -	15.4	25	1	16	8	-	-	-	In Building Operations	1.6	1	-	-	-	1	-	-
Measles	- - -	0.2	1	-	-	-	-	-	-	In Conflagrations	0.2	-	-	-	-	-	-	-
Rubella	- - -	0.4	-	-	-	-	-	-	-	By Burns, Scalds, Explosions	4.7	-	-	-	-	-	-	-
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	By Drowning	3.5	2	-	-	-	1	-	1
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	By Suffocation in Bed	8.2	4	4	-	-	-	-	-
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-	By Poisons or Poisonous Vapours	3.3	1	-	-	-	-	-	1
Diphtheria	- - -	15.4	25	1	16	8	-	-	-	Other Deaths by Accident	15.4	5	-	1	-	1	-	3
Measles	- - -	0.2	1	-	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-	-	-
Rubella	- - -	0.4	-	-	-	-	-	-	-	Homicide	1.2	1	-	-	-	1	-	-
Scarlet Fever	- - -	11.1	6	-	-	2	3	1	-	Suicide	10.0	14	-	-	-	5	7	2
Erysipelas	- - -	5.3	8	-	-	1	2	1	4	Execution	-	-	-	-	-	-	-	-
Whooping-cough	- - -	17.2	20	10	10	-	-	-	-									
Diphtheria	- - -	15.4	25	1	16	8	-	-	-									
Measles	- - -	0.2	1	-	-	-	-	-	-									
Rubella	- - -	0.4	-	-	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1931.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th September, 1907.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from													Inquest Cases.
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexia of Origin un- certain.	Diarrhoea.	Violence.		
LONDON - - -	4,536,429	2341	1251	321	341	-	9	14	25	20	-	6	-	118	35	109	514
WEST DISTRICTS - - -	805,311	328	214	47	66	-	-	1	7	-	-	-	-	18	4	18	85
NORTH DISTRICTS - - -	1,056,070	540	251	52	79	-	2	2	4	2	-	3	-	16	6	26	99
CENTRAL DISTRICTS - - -	209,465	107	78	20	22	-	-	-	2	1	-	-	-	9	2	5	45
EAST DISTRICTS - - -	715,739	459	247	82	53	-	1	-	-	6	-	1	-	36	6	25	108
SOUTH DISTRICTS - - -	1,749,844	907	429	120	109	-	6	8	11	11	-	2	-	38	17	35	144
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	32	-	12	-	-	3	1	-	-	-	-	1	-	-	32
WEST DISTRICTS.																	
St. Mary Paddington W,3H - -	93,178	46	31	9	9	-	-	-	-	-	-	-	-	2	-	1	11
St. John Paddington H - - -	35,817	6	7	1	3	-	-	-	-	-	-	-	-	1	-	1	5
North-West Paddington - - -	17,181	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - -	128,037	59	38	6	14	-	-	-	-	-	-	-	-	1	-	-	18
Brompton 2H - - -	48,501	5	6	-	-	-	-	-	1	-	-	-	-	1	-	2	3
North Hammersmith 2W,w,H - -	49,192	19	14	1	6	-	-	-	1	-	-	-	-	1	-	1	8
South Hammersmith w,2H - -	83,047	27	24	3	9	-	-	-	-	-	-	-	-	1	-	1	7
North-west Fulham W - - -	45,180	34	11	6	1	-	-	-	-	-	-	-	-	5	-	2	5
North-east Fulham F - - -	46,405	26	18	5	1	-	-	1	5	-	-	-	-	1	-	3	5
South Fulham W - - -	45,704	26	9	2	4	-	-	-	-	-	-	-	-	1	-	-	-
Chelsea North W,w,3H - - -	42,514	9	20	2	12	-	-	-	-	-	-	-	-	2	-	2	8
Chelsea South W,2H - - -	31,328	14	9	5	1	-	-	-	-	-	-	-	-	2	-	1	5
Mayfair and Knightsbridge - -	28,743	5	3	-	-	-	-	-	-	-	-	-	-	1	1	1	8
Belgrave W,2H - - -	55,815	11	13	2	4	-	-	-	-	-	-	-	-	2	-	2	6
St. Margaret & St. John 6H - -	43,698	22	6	4	1	-	-	-	-	-	-	-	-	-	1	1	3
St. James and St. Anne W,6H - -	33,081	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - -	35,391	15	16	-	4	-	-	-	-	-	-	-	-	-	1	1	9
St. Mary Marylebone W,4H - -	37,948	55	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1
Christchurch Marylebone - - -	39,536	15	4	2	2	-	-	-	-	-	-	-	-	1	-	1	1
St. John Marylebone 2H - - -	20,426	7	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,7H - - -	81,942	29	15	-	7	-	-	1	1	-	-	-	-	1	1	2	10
West St. Pancras 2H - - -	60,562	27	14	7	1	-	-	-	-	-	-	-	-	3	2	3	3
South St. Pancras w,11H - - -	55,707	22	25	5	7	-	1	-	-	-	-	-	-	1	2	3	16
East St. Pancras W,2H - - -	60,320	23	12	2	4	-	-	-	-	1	-	-	-	-	-	1	6
North St. Pancras 2W - - -	58,728	35	17	3	5	-	-	-	-	-	-	-	-	-	-	1	7
Tufnell W - - -	31,995	15	20	2	7	-	-	-	-	-	-	-	-	-	-	-	18
Upper Holloway 2W,u,H - - -	33,978	20	20	2	6	-	-	-	-	-	-	-	-	-	-	-	13
Tollington W,w,H - - -	33,922	21	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Lower Holloway - - -	41,424	18	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Barnsbury - - -	54,478	34	11	2	2	-	-	-	-	-	-	-	-	-	-	1	-
Islington South-east F - - -	76,397	34	13	-	5	-	-	-	-	-	-	-	-	-	2	-	-
Highbury 2H - - -	63,797	24	6	1	4	-	-	-	-	-	-	-	-	-	1	-	-
Stoke Newington H - - -	51,247	22	4	-	3	-	-	-	-	1	-	-	-	-	-	1	-
North Hackney - - -	50,560	24	8	1	5	-	-	-	-	-	-	-	-	1	-	-	-
Central Hackney 2w,F - - -	50,536	26	20	9	3	-	-	1	2	-	-	2	-	3	-	1	6
South-west Hackney 3H - - -	59,921	41	15	7	1	-	-	-	1	-	-	1	-	2	-	4	7
South-east Hackney 2W,w,H - -	58,255	33	13	6	4	-	1	-	-	-	-	-	-	4	-	2	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
CENTRAL DISTRICTS.																			
Gliles and Bloomsbury 2W,2H -	31,436	21	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
and W,4H - - - - -	21,874	3	14	4	4	-	-	-	-	-	-	-	-	-	2	1	2	12	-
and Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
born W,6H - - - - -	29,612	13	20	10	2	-	-	-	-	1	1	-	-	-	6	-	1	16	-
th Clerkenwell - - - - -	28,876	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th Clerkenwell H - - - - -	35,028	18	8	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
bury 3H,L - - - - -	36,116	31	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, } Heham - - - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph H - - - - -	10,299	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Depulchre and Allhallows W,2H of London Asylum, Stone -	16,624	4	12	-	1	-	-	-	-	1	-	-	-	-	-	1	2	10	-
			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																			
reditch South H - - - - -	46,362	25	8	2	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-
reditch North-West W,w,H -	36,127	25	18	4	4	-	-	-	-	-	-	-	-	-	2	-	3	11	-
reditch North-East - - - - -	36,148	25	5	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
reditch Union Workhouse, Wood } reen - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
inal Green North-East 2W } L - - - - -	65,138	43	30	12	6	-	-	-	-	-	1	-	-	-	4	-	1	12	-
inal Green South-West H -	61,542	35	13	3	1	-	-	-	-	-	1	-	1	-	4	-	1	1	-
alfields - - - - -	27,969	13	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
End New Town W,H - - - - -	28,718	36	42	11	5	-	-	-	-	-	-	-	-	-	1	-	-	35	-
Iman's Fields - - - - -	22,081	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2W - - -	49,068	34	9	3	3	-	-	-	-	-	-	-	-	-	1	-	1	3	-
well and Ratoliff W,H - - -	25,568	11	19	9	2	-	-	-	-	-	1	-	-	-	7	-	-	17	-
house W - - - - -	32,369	20	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
End Old Town South- } estern H - - - - -	63,698	56	12	4	3	-	-	-	-	-	-	-	-	-	2	-	2	1	-
End Old Town North- } estern W,w - - - - -	49,129	25	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	5	-
L - - - - -	41,933	22	12	4	4	-	-	-	-	-	1	-	-	-	1	1	3	-	-
aley 3w,H - - - - -	68,316	53	39	15	11	-	1	-	-	-	2	-	-	-	6	1	3	22	-
ar W,w - - - - -	58,514	24	21	7	5	-	-	-	-	-	-	-	-	-	4	2	3	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th September, 1907—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.					
SOUTH DISTRICTS.																				
Christchurch and St. Saviour } Southwark W,2H	23,319	17	20	6	2	-	1	-	-	-	-	-	-	-	-	2	3	18		
Kent-road	21,904	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
St. George the Martyr West } W,2H,L	39,094	14	14	3	3	-	-	-	-	-	-	-	-	-	-	1	2	2		
Newington North	49,022	23	10	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-		
Newington South W	72,841	37	17	8	5	-	-	-	-	-	-	-	-	-	-	4	3	2		
St. Olave 2W	9,817	5	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1		
Bermondsey W	82,483	45	7	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-		
Rotherhithe W,F	38,460	22	9	1	4	-	-	-	-	-	-	-	-	-	-	-	1	4		
Waterloo 2H-	27,440	29	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
Lambeth Church H	27,440	11	19	5	2	-	2	1	1	-	-	-	-	-	-	1	2	11		
Kennington 2W	62,518	34	28	9	10	-	-	-	-	1	-	1	-	-	-	3	-	19		
Stockwell HF	63,826	28	13	3	3	-	-	-	1	-	-	-	-	-	-	2	-	1		
Brixton H	73,673	37	14	4	4	-	-	-	-	-	-	1	-	-	-	-	-	2		
Norwood WH	66,998	26	7	2	3	-	-	-	-	-	-	1	-	-	-	-	-	1		
East Battersea H	72,203	43	11	5	1	-	-	-	-	-	-	2	-	-	-	1	1	-		
North-west Battersea	49,856	31	7	4	1	-	-	-	-	-	-	-	-	-	-	2	-	-		
South-west Battersea 2W,H-	47,048	12	14	1	6	-	-	-	-	-	-	2	-	-	-	-	-	10		
Clapham 2H	51,361	21	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Streatham W,2w,F,2L	88,019	64	36	10	13	-	1	2	2	-	-	-	-	-	-	6	1	2		
Springfield 2W,L	27,959	21	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-	1		
Southfields H	40,444	29	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Putney	24,139	8	5	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-		
Dulwich	13,359	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w	40,206	20	20	2	7	-	1	-	1	-	-	-	-	-	-	1	1	10		
Camberwell North W,2L	65,584	29	16	2	6	-	1	-	-	-	-	-	-	-	-	-	-	5		
St. George	47,331	25	5	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
Peckham North	48,913	25	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham South 2W,w	43,946	17	9	2	4	-	-	-	-	-	-	-	-	-	-	2	2	-		
Deptford North	37,613	19	13	8	3	-	-	-	-	-	-	-	-	-	-	4	2	-		
Deptford Central F	45,481	26	10	2	-	-	-	-	1	3	-	-	-	1	-	2	2	6		
Deptford South	34,625	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H	23,456	10	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1		
Greenwich East 2W,H	43,859	17	25	5	5	-	-	-	-	-	-	-	-	-	-	2	1	20		
Eltham w,H	7,226	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Lee wH	25,490	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham W,w,F	58,352	40	23	5	7	-	3	2	1	-	-	-	-	-	-	2	1	4		
Sydenham H	43,653	22	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Charlton F,2H	21,134	-8	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1		
Woolwich 5H	41,625	25	8	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-		
Plumstead West W	18,063	7	1	1	-	-	-	-	-	-	-	-	-	-	-	3	1	2		
Plumstead East 2W,H	50,264	31	13	6	3	-	-	-	-	-	-	-	-	-	-	-	-	3		
Workhouse:—																				
Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)																				
M. A. B. Small-pox Hospitals:—																				
Joyce Green																				
Long Reach																				
M. A. B. Fever Hospitals:—				1	-				1	-								1		
Gore Farm (temporary)				3	-				2	1								3		
North-Eastern																				
Northern																				
M. A. B. Imbecile Asylums:—																				
Belmont				1	1													1		
Caterham																				
Darenth				5	3													5		
Leavesden																				
London County Lunatic Asylums:—																				
Banstead				2														2		
Ewell (Epileptic Colony)																				
Horton																				
Manor																				
Long Grove				3	2													3		
Cane Hill				2														2		
Dartford Heath				5														5		
Hanwell				4					3									4		
Colney Hatch				2	1													2		
Claybury				4	2											1		4		

LE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 28th September, 1907.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	363,302	2,044,973	1228	528	163	155	-	6	2	8	17	2	75	18	44	100	-
1 Carshalton 2F,3H	12,228	32,997	18	7	3	1	-	-	-	-	1	-	2	-	-	-	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	7	4	1	1	-	-	-	-	-	-	1	-	-	2	-
1 Godstone, part of* W,F,L	2,764	2,892	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Coulsdon	11,069	8,166	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	22	7	-	5	-	-	-	-	-	-	1	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,888	33	22	8	9	-	-	-	-	-	-	3	3	9	-	-
4 North Croydon H	2,644	41,698	19	3	2	-	-	-	-	-	1	-	1	-	-	-	-
5 Penge w	770	22,465	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham	11,711	30,015	32	3	2	-	-	-	-	-	-	-	2	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	14	9	1	4	-	1	-	-	-	-	-	-	-	-	-
2 Kingston 2W,H	6,224	42,068	24	10	2	4	-	-	-	-	-	-	-	-	-	8	-
3 Surbiton F,H	3,046	15,017	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Esher, part of* H	5,402	13,100	4	2	-	-	-	-	-	-	-	-	-	1	2	1	-
5 Hampton H,F,L	4,534	23,456	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
1 Richmond W,H	2,491	31,672	12	7	2	3	-	-	-	-	2	-	-	-	-	1	-
2 Mortlake F	2,518	17,321	15	5	2	-	-	-	-	-	-	-	-	-	1	-	-
1 Bromley F,2H	4,703	27,354	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham H	7,825	28,497	11	5	1	2	-	-	-	-	-	-	1	1	1	1	-
3 Orpington part of* W,F	10,113	9,857	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-
4 Chislehurst 2H	7,333	16,446	5	4	2	2	-	-	-	-	-	-	2	-	-	1	-
1 Bexley w,F,H	8,678	21,151	14	3	1	2	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,854	25,296	12	3	1	-	-	-	-	-	1	-	-	-	-	-	-
3 Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	13	8	1	2	-	-	-	1	1	1	-	1	1	-	-
2 Staines W,H	13,377	15,178	6	3	2	-	-	-	-	-	-	-	1	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Uxbridge H	12,757	8,984	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w,2F,H	8,068	16,358	13	7	3	-	-	-	-	1	1	-	1	-	-	1	-
1 Isleworth 3W,3F,H	6,850	30,863	26	23	5	9	-	-	-	-	-	-	3	1	1	8	-
2 Twickenham F,2H	2,421	20,991	15	9	4	1	-	-	-	-	-	-	3	1	1	-	-
3 Brentford 3F,2H	4,319	43,289	27	18	5	7	-	-	-	-	2	-	2	-	-	-	-
4 Chiswick H	1,249	29,809	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-
5 Acton w,F,3H	6,132	46,914	38	12	8	3	-	-	-	-	-	-	2	-	-	-	-
1 Harrow F,H	13,809	25,523	18	9	1	5	-	-	-	-	-	-	-	-	-	-	-
2 Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,F,2H	4,384	114,311	77	30	10	10	-	1	1	-	-	1	3	-	-	4	-
4 Hendon W,F	8,382	22,450	13	5	1	-	-	-	-	-	-	-	1	1	3	1	-
1 South Mimms 2F,H	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,070	9	1	-	1	-	-	-	-	-	-	-	1	1	1	-
3 Finchley F,2H	4,688	53,692	22	2	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Hornsey F,H	2,875	72,056	24	12	2	7	-	-	-	-	-	-	1	-	-	-	-
2 Wood Green H	1,825	34,233	25	13	4	6	-	1	-	-	1	-	1	-	-	1	-
3 West Tottenham	996	43,853	26	10	3	2	-	-	-	-	-	-	-	-	-	2	-
4 East Tottenham 2H	2,017	53,688	36	21	3	6	-	-	-	-	-	-	3	3	5	6	-
5 Edmonton W,w,2F	7,491	61,892	56	29	8	9	-	1	-	-	-	-	-	-	-	6	9
6 Enfield 2W,F,H	12,601	42,738	29	13	7	2	-	-	-	-	1	-	2	-	-	1	-
7 Waltham Abbey F	11,017	6,549	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	3	4	2	1	-	-	-	-	1	-	-	-	-	-	-
1 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,091	52,974	25	11	5	2	-	-	-	-	1	-	2	2	3	-	-
2 Forest Gate	787	52,745	14	6	1	2	-	-	-	-	-	-	-	-	-	1	-
3 Plaistow F,2H	1,249	90,921	63	29	13	3	-	-	-	1	1	-	9	1	1	3	-
4 Canning Town H	1,556	70,718	46	26	12	2	-	-	-	-	1	-	7	-	3	3	-
5 South East Ham 2F	1,993	37,342	32	9	4	1	-	-	-	-	-	-	-	-	-	-	-
6 North East Ham w,H	1,333	58,676	40	11	5	1	-	-	-	1	1	-	-	-	-	1	-
7 Wanstead F	1,579	9,179	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	27	11	4	6	-	-	-	-	-	-	-	-	-	6	-
9 North Leyton 2W,w,F	1,963	48,445	30	29	3	14	-	-	-	2	-	-	5	-	1	18	-
10 Walthamstow 2H,L	6,504	108,929	73	24	8	3	-	1	-	-	-	-	4	1	3	2	-
1 Chigwell 2F,3H	11,778	13,397	9	5	-	2	-	-	-	-	1	-	-	1	2	1	-
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	3,550	6,091	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Hford F,L	8,496	41,234	32	11	3	4	-	-	-	-	-	-	1	-	-	4	-
3 Barking Town F	3,803	21,547	20	3	1	1	-	1	-	-	-	-	-	-	-	-	-
N.E. Hospital, Tottenham	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Napsbury.	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, 1 in the Croydon Mental Hospital in 37: 1 are also included.

The boundaries of these sub-districts were altered on 1st July 1907.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Group.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - - -	4,758,218	September 28	2341	1251	13·7	-	9	14	25	20	6	118
CALCUTTA - - -	955,926	August 24	-	425	26·0	-	-	-	-	1	137†	03
BOMBAY - - -	982,000	September 10	432	715	38·0	-	1	-	-	-	93†	129
MADRAS - - -	548,974	August 30	481	398	40·6	3	-	?	?	?	109	71
PARIS - - -	2,722,731	September 21	883	781	14·9	-	1	4	3	8	6	75
BRUSSELS - - -	623,202	" 21	203	143	11·9	-	-	-	-	1	2	28
ANTWERP - - -	304,032	" 21	134	72	12·3	-	-	-	-	-	2	23
AMSTERDAM - -	564,342	" 21	-	-	-	-	-	-	-	-	-	-
COPENHAGEN - -	433,000	" 21	232	91	11·0	-	2	-	1	-	1	3
STOCKHOLM - - -	332,738	" 14	154	75	11·7	-	-	-	-	1	-	2
CHRISTIANIA - -	226,774	" 21	124	56	12·7	-	-	-	2	-	1	1
ST. PETERSBURG	1,482,769	" 7	619	586	20·5	-	11	5	16	3	14	102
MOSCOW - - -	1,296,000	" 7	-	702	26·2	-	5	2	7	4	9	280
		" 14	-	656	26·4	-	4	10	3	9	6	207
BERLIN - - -	2,095,084	" 7	902	594	14·8	-	9	3	6	9	1	103
HAMBURG - - -	840,790	" 21	-	200	12·6	-	-	2	1	1	-	23
BRESLAU - - -	485,278	" 14	262	230	24·7	-	-	-	3	3	1	45
MUNICH - - -	548,000	" 21	-	174	16·5	-	1	-	4	1	-	40
VIENNA - - -	1,979,003	" 21	936	495	13·0	1	-	7	4	2	-	61
PRAGUE - - -	470,906	" 14	184	130	14·3	-	1	-	1	2	2	9
BUDA-PESTH - -	802,235	" 14	-	-	-	-	-	-	-	-	-	-
TRIESTE - - -	200,962	" 21	118	115	29·8	-	1	-	1	2	1	42
ROME - - -	542,760	July 6	238	179	17·2	-	3	-	-	-	3§	29
VENICE - - -	174,398	August 31	-	-	-	-	-	-	-	-	-	-
BUCHAREST - -	292,395	September 21	192	117	20·9	-	-	3	-	1	1	20
NEW YORK - - -	4,285,435	" 7	2413	1402	17·1	-	5	5	19	10	11	277
CHICAGO - - -	2,107,620	" 14	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,500,595	August 31	-	434	15·0	-	-	-	4	9	7	70
RIO DE JANEIRO	628,275	September 8	-	-	-	-	-	-	-	-	-	-

* Excluding deaths from croup in the Indian Cities.

† Including 7 deaths from plague in Calcutta, and 29 in Bombay.

‡ Including 25 deaths from cholera in Calcutta, 36 in Bombay, 20 in Madras, and 1 in Moscow.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th September, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich)	82·7	34·5	59·5	0·03	LEEDS - - -	74·0	45·0	58·8	0·00
BRIGHTON - - -	76·6	43·3	61·6	0·04	YORK - - -	73·0	38·0	56·9	0·03
PORTSMOUTH - -	72·6	45·0	61·5	0·00	HULL - - -	70·0	38·0	55·9	0·12
NORWICH - - -	79·0	32·6	57·0	0·04	TYNEMOUTH - -	63·0	44·0	53·1	0·04
PLYMOUTH - - -	67·9	43·0	59·0	0·99	CARDIFF - - -	73·1	37·5	58·6	0·00
BRISTOL - - -	76·8	37·0	58·3	0·01					
BIRMINGHAM - -	74·7	43·3	58·3	0·00	EDINBURGH - -	61·9	43·4	53·9	0·08
NOTTINGHAM - -	73·4	35·5	56·3	0·03	GLASGOW - - -	66·8	45·2	56·3	0·00
LIVERPOOL - - -	72·0	46·0	58·9	0·00					
MANCHESTER OBSERVATORY.	74·8	39·8	58·5	0·02	Phoenix Park. Fitz- william Square.†	66·4	46·4	56·9	0·03
BURNLEY - - -	70·5	42·2	56·6	0·00	DUPLIN - - -	66·3	52·3	59·4	0·00
PRESTON - - -	70·0	48·0	58·5	0·02					
HUDDERSFIELD -	70·2	38·2	56·0	0·03	BELFAST - - -	65·5	47·5	53·0	0·01


* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1903, for the corresponding period to the above was 1·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st September, 1907.*

BOROUGHES	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	21	1	-	3	-	-	-	-	-
Kensington - - -	181,842	-	11	5	-	-	-	-	-	-	-
Hammersmith - - -	122,357	-	12	3	-	4	-	-	1	-	-
Fulham - - -	168,749	-	15	20	-	2	-	-	4	-	-
Chelsea - - -	74,857	-	4	2	-	-	-	-	1	-	1
City of Westminster - -	172,219	-	9	2	-	1	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	15	2	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	7	2	-	1	-	-	1	-	-
St. Pancras - - -	236,753	-	20	3	-	3	-	-	4	-	-
Islington - - -	347,017	-	27	14	-	2	-	-	5	-	-
Stoke Newington - - -	53,613	-	4	3	-	-	-	-	1	-	-
Hackney - - -	232,993	-	51	16	-	4	-	-	7	-	1
CENTRAL.											
Holborn - - -	55,134	-	9	1	-	2	-	-	1	-	-
Finsbury - - -	96,732	-	12	5	-	-	-	-	3	-	-
City of London - - -	20,310	-	4	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	24	2	-	1	-	-	-	-	-
Bethnal Green - - -	130,831	-	48	9	-	4	-	-	10	-	-
Stepney - - -	308,923	-	111	27	-	7	-	-	19	1	-
Poplar - - -	171,086	-	42	11	-	2	-	-	6	1	1
SOUTH.											
Southwark - - -	209,781	-	30	12	-	2	-	-	2	1	1
Bermondsey - - -	128,263	-	28	6	-	1	-	-	7	-	-
Lambeth - - -	318,538	-	49	6	-	-	-	-	6	-	-
Battersea - - -	181,736	-	20	6	-	-	-	-	2	-	-
Wandsworth - - -	281,419	-	26	11	-	2	-	-	6	3	-
Camberwell - - -	277,059	-	45	5	-	-	-	-	4	-	-
Deptford - - -	116,510	-	24	5	-	-	-	-	3	-	-
Greenwich - - -	107,232	-	16	4	-	-	-	-	3	-	-
Lewisham - - -	152,532	-	11	3	-	-	-	-	2	-	-
Woolwich - - -	129,336	-	31	3	-	-	-	-	3	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	726	189	-	41	-	-	103	6	4
Ages											
0-1 - - -	-	-	8	5	-	-	-	-	4	-	1
" 1-5 - - -	-	-	191	66	-	2	-	-	6	-	1
" 5- - - -	-	-	320	68	-	6	-	-	5	-	2
" 10- - - -	-	-	140	22	-	6	-	-	4	-	-
" 15- - - -	-	-	35	4	-	3	-	-	8	-	-
" 20- - - -	-	-	18	8	-	3	-	-	7	1	-
" 25- - - -	-	-	8	12	-	10	-	-	10	3	-
" 35- - - -	-	-	4	2	-	8	-	-	18	2	-
" 45- - - -	-	-	1	2	-	-	-	-	13	-	-
" 55- - - -	-	-	1	-	-	1	-	-	13	-	-
" 65 and upwards - - -	-	-	-	-	-	2	-	-	15	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 40. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, OCT. 5. [Price 1½d.

General Register Office, Somerset House,
October 7th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 12·3, 13·5, and 14·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·7 in Aston Manor, 21·7 in Rotherham, 22·2 in Walsall, 23·1 in Middlesbrough, 23·5 in Wigan, 25·0 in Sheffield, and 32·2 in Merthyr Tydfil; from *measles*, 1·0 in Newcastle on Tyne, 1·4 in Ipswich, and 1·8 in South Shields; from *scarlet fever*, 1·0 in Burnley; from *diphtheria*, 1·2 in York and 1·6 in Smethwick; from *whooping-cough*, 1·7 in Rotherham; and from *diarrhœa*, 4·0 in Preston, 4·1 in West Ham, 4·3 in Nottingham, 4·5 in Warrington, 4·8 in Newport (Mon.), 5·2 in Rhondda, 6·6 in Grimsby, and 8·0 in Sheffield. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2162 BIRTHS and 1212 DEATHS were registered. Allowing for increase of population, the births were 256 and the deaths 118 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes which had been 11·9, 13·0, and 13·7 per 1000 in the preceding three weeks, was 13·3 last week. The death-rate in the four weeks ended last Saturday averaged 13·0 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1212 deaths included 5 from measles, 18 from scarlet fever, 25 from diphtheria, 18 from whooping-cough, 6 from enteric fever, and 126 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 198 deaths were referred; being 29 above the corrected average number in the fortieth week of the preceding five years.

The deaths from *measles*, which had been 10, 11, and 9 in the preceding three weeks, fell to 5 last week, and were 7 below the corrected average. The deaths from *scarlet fever*, which had been 12, 13, and 14 in the preceding three weeks, further rose to 18 last week, and were 9 above the corrected average; 4 deaths belonged to the Borough of Camberwell, and 3 each to Bethnal Green, Stepney, and Poplar. The deaths from *diphtheria*, which had been 11, 15, and 25 in the preceding three weeks, were again 25 last week, and were 8 above the corrected average; 4 deaths belonged to Hackney, and 3 to Southwark. The deaths from *whooping-cough*, which had been 25, 30, and 20 in the preceding three weeks, fell to 18 last week, but were 3 above the corrected average; 3 deaths belonged to Stepney. The deaths from *enteric fever*, which had been 3, 4, and 6 in the preceding three weeks, were 6 last week, and were 8 below the corrected average; 3 deaths belonged to Hackney. The deaths from *diarrhoea*, which had been 66, 78, and 118 in the preceding three weeks, further rose to 126 last week, and were 23 above the corrected average; 9 deaths belonged to Stepney, 8 each to Islington, Wandsworth, and Camberwell, 7 to Fulham, and 6 each to Shoreditch, Poplar, and Lambeth. Of the 126 deaths from diarrhoea, 118 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 17 other deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 4, 4, and 8 in the preceding three weeks.

Different forms of *violence* caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 15 were cases of suicide, and 1 of homicide, while the remaining 39 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 5 to drowning, 4 to burns or scalds, and 7, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4543 cases of scarlet fever, 1065 of diphtheria, and 109 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 759 cases, against 574, 695, and 787; of diphtheria, 229 cases, against 154, 173, and 189; and of enteric fever, 19 cases, against 19, 27, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended September 28th, 1907.

GREATER LONDON.

In Greater London 3388 births and 1754 deaths were registered. Allowing for increase of population, these numbers are 354 and 124 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 2 from scarlet fever, 2 from diphtheria, 11 from whooping-cough, 1 from "fever," and 37 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.56 inches, and that of the Thermometer 55.4, the latter being 1.7 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 22.7 hours; the measured rainfall amounted to 0.85 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	COLS.	POPULATION to the middle of the year 1907.*		DEATH-RATES from all Causes.			Rate from Diseases during the week ended 5th Oct., 1907.		The DEATHS registered in the week include										TOWNS.					
		1.	2.	Week ended		5.	6.	7.	8.	Deaths of		Deaths from						Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.			
				14th Sept., 1907.	21st Sept., 1907.					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.							
																						Infants under 1 year of age.	Persons aged 1 and upwards.	
76 TOWNS		16,024,458	12'3	13'5	14'5	14'8	2'9	7794	4545	1463	1014	-	35	43	70	68	16	660	165	344	1059	34	76 TOWNS.	
LONDON -	-	4,768,218	11'9	13'0	13'7	13'3	2'2	2162	1212	302	338	-	5	18	25	18	6	126	55	114	494	-	LONDON.	
CROYDON -	-	154,342	8'1	10'1	11'1	11'1	2'4	70	33	10	11	-	-	-	2	1	-	4	1	1	8	-	CROYDON.	
WILLESDEN -	-	148,192	7'3	6'3	10'8	10'8	2'1	73	31	10	8	-	-	-	1	-	-	5	-	4	4	-	WILLESDEN.	
HORNSEY -	-	89,816	5'8	7'0	7'0	9'9	0'6	30	17	1	8	-	-	-	1	-	-	1	-	3	3	-	HORNSEY.	
TOTTENHAM -	-	122,793	10'6	5'9	15'3	13'2	3'0	72	31	9	4	-	-	-	4	1	1	-	6	-	8	-	TOTTENHAM.	
WEST HAM -	-	308,284	12'2	13'2	14'9	17'1	5'1	159	101	35	18	-	-	-	4	1	1	1	24	2	9	26	-	WEST HAM.
EAST HAM -	-	136,421	8'4	12'2	8'8	9'2	3'1	74	24	11	5	-	-	-	1	2	-	5	5	1	4	-	EAST HAM.	
LEYTON -	-	122,040	7'7	8'5	8'1	7'3	2'6	44	17	8	2	-	-	-	1	1	-	4	4	1	4	-	LEYTON.	
WALTHAMSTOW -	-	126,397	8'7	9'9	12'0	7'8	2'1	73	19	9	4	-	-	-	-	-	-	5	-	1	4	-	WALTHAMSTOW.	
HASTINGS -	-	67,477	11'6	13'1	6'2	7'7	0'8	26	10	-	4	-	-	-	1	-	-	-	-	-	6	-	HASTINGS.	
BRIGHTON -	-	129,023	10'5	15'4	9'7	16'2	3'2	43	40	11	16	-	1	-	-	-	-	7	-	1	10	-	BRIGHTON.	
PORTSMOUTH -	-	298,291	12'3	9'8	15'5	15'3	2'3	122	61	20	13	-	-	-	1	-	-	1	7	3	6	12	1	PORTSMOUTH.
BOURNEMOUTH -	-	68,246	7'5	9'8	10'5	9'8	0'8	19	13	2	2	-	-	-	-	-	-	1	1	1	2	-	BOURNEMOUTH.	
SOUTHAMPTON -	-	119,746	9'1	10'0	16'5	13'9	3'0	45	32	10	7	-	-	-	1	2	-	4	1	5	2	-	SOUTHAMPTON.	
READING -	-	80,311	9'7	10'4	9'7	9'1	1'3	35	14	3	5	-	-	-	-	-	-	2	-	1	3	1	READING.	
NORTHAMPTON -	-	95,070	8'8	12'1	6'0	9'9	2'2	32	13	4	5	-	-	-	-	1	-	3	-	-	1	1	NORTHAMPTON.	
IPSWICH -	-	72,825	8'6	10'7	20'0	10'7	2'1	38	15	5	7	-	2	-	-	-	-	1	3	2	2	-	IPSWICH.	
GREAT YARMOUTH -	-	52,879	14'8	15'8	15'8	19'7	3'9	25	20	5	7	-	-	-	-	1	-	3	2	2	7	-	GREAT YARMOUTH.	
NORWICH -	-	119,191	13'6	11'8	13'1	14'4	2'6	55	33	9	11	-	-	-	1	-	-	5	-	-	8	-	NORWICH.	
PLYMOUTH -	-	120,063	8'7	13'9	10'9	14'8	2'2	50	34	12	6	-	-	-	-	-	-	5	1	2	3	-	PLYMOUTH.	
DEVONPORT -	-	79,969	9'1	11'1	10'4	11'7	2'0	46	18	5	4	-	-	-	-	-	-	3	1	4	3	-	DEVONPORT.	
BRISTOL -	-	307,979	10'5	11'1	11'1	13'5	3'7	156	95	30	27	-	-	-	2	-	-	24	3	11	25	-	BRISTOL.	
HANLEY -	-	67,174	14'7	14'0	12'4	16'3	2'3	31	21	7	6	-	-	-	1	-	-	2	1	4	3	1	HANLEY.	
BURTON-ON-TRENT -	-	53,425	6'8	12'7	11'7	7'8	-	22	8	4	1	-	-	-	-	-	-	1	1	1	1	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	-	102,016	9'7	13'8	12'3	12'3	2'6	51	24	7	4	-	1	-	1	-	-	3	1	3	4	-	WOLVERHAMPTON.	
WALSALL -	-	66,171	12'5	10'8	14'6	22'2	4'9	49	41	12	10	-	1	-	-	1	-	7	1	2	5	-	WALSALL.	
HANDSWORTH -	-	65,829	4'7	11'1	9'5	11'1	1'6	35	14	6	4	-	-	-	-	1	-	-	1	1	-	-	HANDSWORTH.	
WEST BROMWICH -	-	69,123	6'0	8'3	12'8	11'3	2'3	25	15	2	4	-	1	1	-	-	-	-	1	-	-	1	1	WEST BROMWICH.

See note 1 on first page of 4th.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 5th October, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS,	POPULATION estimated to the middle of the year 1907.*	DEATH-RATES from all Causes.					Registered Diseases during the week ended 5th Oct., 1907.		The DEATHS registered in the Week include												TOWNS,	
		Week ended			5th Oct., 1907.	Week ended 5th Oct., 1907.	BIRTHS.	DEATHS.	Deaths of		Deaths from							Deaths in Public Institutions.	Unrecorded Causes of Death.			
		14th Sept., 1907.	21st Sept., 1907.	28th Sept., 1907.					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
																	Infants under 1 year of age.			Persons aged 60 years and upwards.		
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
BIRMINGHAM -	553,165	12'3	14'0	13'8	15'6	3'5	286	165	61	30	-	-	2	2	1	-	32	6	7	31	3	BIRMINGHAM.
KINGS NORTON -	75,600	6'9	9'0	9'0	9'7	-	39	14	7	2	-	-	-	-	-	-	-	1	1	1	2	KINGS NORTON.
SMETHWICK -	66,467	8'6	11'8	7'1	10'2	2'4	31	13	2	3	-	-	1	2	-	-	-	-	1	-	-	SMETHWICK.
ASTON MANOR -	83,266	11'9	12'5	17'5	20'7	1'9	39	33	13	6	-	-	-	-	-	-	3	-	1	6	-	ASTON MANOR.
COVENTRY -	77,626	11'4	8'1	10'7	15'4	2'0	45	23	9	5	-	-	-	-	-	-	3	3	4	3	-	COVENTRY.
LEICESTER -	236,124	8'8	12'6	12'6	13'0	2'9	93	59	20	16	-	-	-	-	-	-	13	4	7	5	-	LEICESTER.
GRIMSBY -	70,574	11'1	16'3	15'5	17'7	6'6	44	24	13	9	-	-	-	-	-	-	9	-	-	3	-	GRIMSBY.
NOTTINGHAM -	257,489	14'0	15'8	17'4	17'4	5'1	119	83	35	20	-	-	-	1	3	-	21	1	1	11	-	NOTTINGHAM.
DERBY -	125,774	10'8	9'9	13'7	11'6	2'1	74	23	10	2	-	-	-	1	-	-	4	1	3	3	-	DERBY.
STOCKPORT -	100,986	14'5	17'0	19'6	13'9	2'6	52	27	10	8	-	-	-	1	1	-	3	-	1	6	-	STOCKPORT.
BIRKENHEAD -	118,553	8'4	9'2	15'8	14'1	2'6	53	32	8	7	-	-	-	-	-	2	4	1	1	5	-	BIRKENHEAD.
WALLASEY -	66,707	16'4	8'6	16'4	17'2	1'6	32	22	5	7	-	-	-	-	1	-	1	-	-	1	-	WALLASEY.
LIVERPOOL -	746,144	16'0	19'4	21'9	18'8	3'8	425	269	109	46	-	-	3	1	4	-	44	4	13	67	4	LIVERPOOL.
BOOTLE -	67,114	10'1	23'3	24'1	19'4	3'1	53	25	12	5	-	-	-	1	-	-	3	-	-	4	-	BOOTLE.
ST. HELENS -	92,476	18'0	15'8	14'7	15'2	1'7	65	27	13	2	-	-	-	-	1	-	2	3	3	8	2	ST. HELENS.
WIGAN -	88,606	17'1	15'9	23'0	23'5	3'5	65	40	10	6	-	-	-	-	-	-	6	3	5	3	-	WIGAN.
WARRINGTON -	70,269	10'4	22'3	13'4	19'3	5'9	49	26	16	3	-	-	-	1	1	-	6	-	1	2	-	WARRINGTON.
BOLTON -	182,917	13'1	12'0	15'4	17'1	4'0	77	60	27	10	-	-	2	1	-	1	10	2	3	6	2	BOLTON.
BURY -	58,901	10'6	14'2	15'0	9'7	1'8	27	11	3	4	-	-	-	-	-	-	2	1	1	-	-	BURY.
MANCHESTER -	643,143	14'8	16'3	17'6	18'0	3'7	310	222	81	34	-	-	3	3	2	-	34	12	16	52	2	MANCHESTER.
SALFORD -	236,670	15'9	13'4	14'5	14'5	2'6	146	68	22	12	-	-	2	2	-	-	8	2	6	11	1	SALFORD.
OLDHAM -	141,730	15'8	16'2	17'3	15'5	2'6	69	42	16	10	-	-	1	1	1	-	4	1	2	5	-	OLDHAM.
ROCHDALE -	87,989	11'9	11'3	11'9	13'6	0'6	31	23	5	5	-	-	-	-	1	-	-	1	3	2	-	ROCHDALE.
BURNLEY -	103,947	13'0	20'6	14'5	18'1	4'5	59	36	11	6	-	-	2	1	1	-	5	3	7	6	-	BURNLEY.
BLACKBURN -	134,980	13'1	10'8	14'3	14'7	1'9	58	38	15	6	-	-	1	-	-	-	4	3	3	3	-	BLACKBURN.
PRESTON -	117,993	10'7	14'7	15'1	17'8	6'2	53	40	12	11	-	-	-	-	-	1	9	1	2	4	-	PRESTON.
BARROW-IN-FURNESS.	61,635	10'2	7'6	19'5	9'3	0'8	31	11	1	3	-	-	-	-	-	-	-	1	2	2	-	BARROW-IN-FURNESS.

TOWNS,		POPULATION estimated to the end of the Year 1907.*		DEATH-RATES from all Causes.				Registered during the week ended 5th Oct., 1907.		Deaths of Persons aged 60 Years and upwards.		Deaths from										Inquest Cases.		Deaths in Public Institutions.		Causes of Death.		TOWNS.	
				Rate from Diseases in Cols. 11-17.				Deaths during the week ended 5th Oct., 1907.																					
				Week ended				Deaths during the week ended 5th Oct., 1907.																					
				14th Sept. 1907.	21st Sept. 1907.	28th Sept. 1907.	5th Oct. 1907.	Week ended Oct., 1907.	Births.			Deaths.																	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.								
HUDDESFIELD	94,814	13.2	18.7	18.1	15.9	1.1	42	29	12	-	-	-	-	-	-	2	-	1	7	-	HUDDESFIELD.								
HALIFAX	110,138	7.6	6.6	9.5	19.9	2.8	25	43	13	-	-	-	-	1	-	5	-	5	5	-	HALIFAX.								
BRADFORD	290,323	12.4	11.9	13.5	12.2	1.1	78	68	16	-	-	-	-	1	2	3	2	5	8	-	BRADFORD.								
LEEDS	470,268	13.7	13.9	14.1	15.1	3.1	208	136	22	-	1	3	1	4	-	19	2	8	15	-	LEEDS.								
SHEFFIELD	455,553	17.7	19.1	18.4	25.0	8.7	260	218	34	-	-	2	-	4	-	70	8	17	39	3	SHEFFIELD.								
ROTHERHAM	62,412	17.5	16.7	16.7	21.7	5.0	44	26	9	3	-	-	-	2	-	4	-	-	2	1	ROTHERHAM.								
YORK	84,730	11.1	14.8	11.1	13.5	3.1	30	22	11	-	-	-	2	-	-	3	-	-	5	-	YORK.								
HULL	266,762	14.5	16.0	17.4	14.1	2.9	142	72	33	-	1	-	1	1	-	12	6	10	9	1	HULL.								
MIDDLESBROUGH	101,783	15.9	14.3	17.4	23.1	4.6	68	45	14	10	-	-	1	-	1	7	2	4	8	-	MIDDLESBROUGH.								
STOCKTON-ON-TEES	52,909	11.8	17.7	12.8	16.8	1.0	30	17	3	1	-	-	-	-	-	1	1	1	2	-	STOCKTON-ON-TEES.								
WEST HARTLEPOOL	75,473	9.0	11.1	11.7	16.6	1.4	31	24	7	6	-	-	-	-	-	2	1	1	3	-	WEST HARTLEPOOL.								
SUNDERLAND	156,029	17.4	15.4	13.0	16.4	2.3	104	49	15	7	-	-	-	1	-	6	-	-	11	3	SUNDERLAND.								
SOUTH SHIELDS	113,460	14.7	15.6	10.1	11.5	3.2	48	25	4	5	4	-	-	2	-	1	1	1	2	2	SOUTH SHIELDS.								
GATESHEAD	125,783	16.2	17.4	16.6	12.0	0.8	64	29	12	6	-	-	-	1	-	1	1	1	2	2	GATESHEAD.								
NEWCASTLE-ON-TYNE	272,969	10.9	12.8	13.8	11.7	2.3	156	61	9	13	-	5	-	1	3	-	1	4	9	-	NEWCASTLE-ON-TYNE.								
TYNEMOUTH	54,688	20.0	14.3	12.4	10.5	-	35	11	4	3	-	-	-	-	-	-	-	1	1	-	TYNEMOUTH.								
NEWPORT (MON.)	75,585	10.3	11.7	17.2	17.2	5.5	36	25	14	4	-	-	-	1	-	7	-	1	6	-	NEWPORT (MON.).								
CARDIFF	187,620	15.3	13.1	14.7	13.1	1.9	83	47	13	7	1	-	-	1	-	5	3	3	8	-	CARDIFF.								
RHONDDA	130,400	10.0	13.6	17.2	16.8	5.6	98	42	26	7	1	-	-	1	-	13	3	6	-	-	RHONDDA.								
MERTHYR TYDFIL	76,085	13.0	15.8	22.6	32.2	4.8	48	47	18	11	1	-	-	1	1	4	2	3	8	1	MERTHYR TYDFIL.								
SWANSEA	97,324	17.1	12.3	20.4	19.8	2.7	67	37	12	6	-	-	-	-	-	5	5	6	4	-	SWANSEA.								
GREATER LONDON	7,217,941	11.1	11.9	12.9	12.7	2.3	3388	1754	478	-	6	21	37	34	8	216	67	150	593	2	GREATER LONDON.								
OUTER RING	2,459,723	9.6	9.7	11.2	11.5	2.6	1226	542	176	-	1	3	12	16	2	90	12	36	104	2	OUTER RING.								
8 TOWNS IN OUTER RING	1,209,285	9.2	9.8	11.7	11.8	3.0	595	273	93	-	-	1	10	5	1	53	4	20	61	-	8 TOWNS IN OUTER RING.								
REMAINDER OF OUTER RING	1,250,438	9.9	9.6	10.7	11.2	2.3	631	269	83	-	1	2	2	11	1	37	8	16	43	2	REMAINDER OF OUTER RING.								
EDINBURGH	345,747	14.6	12.1	13.9	13.0	0.8	145	86†	12	-	1	-	-	3	-	1	5	†	25	3	EDINBURGH.								
GLASGOW	847,594	15.7	15.2	14.9	15.0	1.7	389	244†	46	-	-	2	1	8	1	15	12	†	85	7	GLASGOW.								
DUBLIN (Registration Area)†	380,691	17.6	13.6	18.6	21.0	2.4	184	157	28	-	-	-	3	3	-	12	3	6	63	7	DUBLIN (Registration Area)†.								
BELFAST†	370,163	17.6	15.6	16.5	17.7	3.2	234	126†	38	-	2	-	2	1	2	16	2	3	30	1	BELFAST†.								

* See note † on first page of this return.
† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.
‡ Including 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 7 in Glasgow, and 2 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTIETH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2460	2554	2540	2319	2499	2335	2378	2470	2380	2251	2418.0	2162
Males - - -	1252	1277	1235	1150	1269	1204	1209	1253	1214	1140	1232.1	1070
Females - -	1208	1277	1255	1169	1230	1131	1169	1217	1166	1111	1185.9	1092
TOTAL Deaths -	1324	1620	1504	1391	1280	1381	1283	1243	1189	1404	1330.4	1212
Males - - -	695	814	799	719	665	707	662	641	618	683	677.7	646
Females - -	629	806	765	672	615	674	621	602	571	721	652.7	566

* The numbers in this column are the average weekly numbers in the fortieth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 13.	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	13 Weeks.
TOTAL Births -	2292	2266	2273	2500	2055	2507	2307	2346	2207	2333	2178	2341	2162	29767
TOTAL Deaths -	1115	1077	1101	1052	1097	1093	1056	1068	1080	1083	1182	1251	1212	14467
Under year -	199	179	182	216	197	239	239	255	252	251	268	321	302	3100
1-5 years -	137	150	133	125	152	149	122	123	137	103	125	142	140	1738
5-20 " -	74	64	57	66	64	66	55	68	60	59	73	67	69	842
20-40 " -	154	125	140	122	149	138	127	112	133	134	144	142	138	1758
40-60 " -	236	245	258	199	222	217	225	211	226	220	246	233	225	2968
60 yrs. & upwds.	315	314	331	324	313	284	288	299	272	316	326	341	338	4061
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	46	46	40	46	36	43	28	24	25	10	11	9	5	369
Scarlet Fever -	11	15	19	13	16	8	7	14	13	12	13	14	18	173
Diphtheria - -	8	12	10	11	11	19	10	10	13	11	15	25	25	180
Whooping-cough	29	44	35	27	24	29	34	21	20	25	30	20	18	356
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	2	2	3	-	6	3	7	3	3	4	6	6	46
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	8	19	23	18	24	23	47	56	61	66	78	118	126	667
All above Diseases -	103	138	129	118	112	128	129	132	135	127	151	192	198	1792
Dis. of Resp. System														
Pneumonia - - -	53	51	45	53	50	54	32	59	48	47	53	62	66	678
Phthisis - - -	86	75	91	79	89	75	65	70	68	75	77	86	86	1022
Dis. of Circ. System														
Violence - - -	115	93	103	84	96	94	109	87	122	114	122	127	100	1374
Inquest Cases -	154	148	164	133	157	136	151	146	122	149	150	167	149	1923
Deaths in Institutions														
Mean - - -	60	46	63	50	63	49	51	41	51	45	54	35	65	663
Mean of Highest	122	93	140	104	136	106	105	107	115	104	135	109	114	1490
Mean of Lowest	477	451	474	476	482	472	433	459	469	477	534	514	494	6217
TEMPERATURE OF THE AIR.														
Mean - - -	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean of Highest	56.3	62.7	59.5	59.7	62.3	61.5	57.0	61.1	56.8	58.8	56.8	58.4	55.4	58.9
Mean of Lowest	68.1	75.4	70.2	71.1	73.6	72.4	66.1	72.3	66.4	71.7	69.1	71.8	64.3	70.2
Mean Humidity of the Air.														
Rain-fall (in inches) -	47.4	52.9	51.3	51.0	54.7	54.2	50.5	50.6	49.8	47.4	45.9	47.2	48.7	50.1
Registered Sunshine (in hours).														
Mean - - -	71	72	78	74	73	73	74	76	79	81	73	73	83	75
Rain-fall (in inches) -	0.22	0.00	0.51	0.40	0.18	0.71	0.96	0.16	0.44	0.00	0.00	0.03	0.85	4.46
Registered Sunshine (in hours).														
Mean - - -	36.6	57.7	24.7	43.7	41.9	45.0	24.9	47.8	18.7	41.9	46.0	47.7	22.7	499.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	-	-	-	1	1	1	1	1	-	-	-	-	-
Scarlet Fever -	-	-	-	-	1	1	1	1	1	-	-	-	-	-
Diphtheria - -	3276	3383	3586	3626	3660	3689	3687	3738	3816	3872	4020	4328	4543	3785
Typhus - - -	368	880	872	914	885	888	864	837	845	876	902	967	1065	897
Enteric Fever -	62	57	61	50	49	51	55	65	72	83	97	99	109	69

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobver, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTIETH Week of the Year 1907.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 40th week of the year 1907-1908.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH	Corrected Average for the 40th week of the year 1907-1908.	1907—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
ALL CAUSES	1330.4	1212	302	140	69	138	225	338	Meningitis (not tubero.)	13.3	11	4	4	1	2	-	-
									Gen. Par. of Insane, Insanity	15.6	15	-	-	1	3	7	4
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy	6.5	6	-	-	1	2	2	1
Whoopox	0.2	-	-	-	-	-	-	-	Convulsions	20.0	18	15	3	-	-	-	-
Measles (Morbilli)	12.5	5	1	4	-	-	-	-	Locomotor Ataxy	1.8	4	-	-	-	-	-	4
Scarlet Fever	8.6	18	1	11	5	-	1	-	Paraplegia, Dis. of Cord	3.5	6	-	-	-	3	3	8
Cyphus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	19.0	12	-	-	2	2	-	-
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	34.8	37	-	-	2	4	13	18
Influenza	7.0	3	-	-	-	1	1	1	Cereb. Hem., Cereb. Emb.	28.0	25	-	1	1	-	4	19
Whooping-cough	14.5	18	6	11	1	-	-	-	Apoplexy, Hemiplegia	15.8	12	-	-	-	-	4	9
Diphtheria	16.6	25	-	17	8	-	-	-	Aneurysm	4.9	4	-	-	-	1	3	-
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	0.2	2	-	-	-	1	-	1
Pyæmia, (origin un- certain)	0.2	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	76.8	69	-	-	1	10	17	41
Enteric Fever	13.7	6	-	-	1	5	-	-	Croup (not Spasm: nor Memb.)	0.4	-	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	60.6	58	13	2	-	-	7	36
Epidemic Diarrhoea, Infective Enteritis	56.3	73	56	13	2	1	1	-	Emphysema, Asthma	4.7	2	-	-	-	-	-	2
Diarrhoea, Dysentery	46.9	53	41	8	2	-	-	2	Pleurisy	4.9	1	-	-	1	-	-	-
Tetanus	1.0	-	-	-	-	-	-	-	Respiratory Dis., Other	10.2	5	-	1	-	1	1	2
Rabies, Hydrophobia	0.2	-	-	-	-	-	-	-	Tonsillitis, Quinsy	1.0	1	-	-	-	-	1	-
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	20.5	30	15	6	2	2	2	3
Anthrax (Splemic Fever)	-	-	-	-	-	-	-	-	Gastro-enteritis	13.1	18	15	2	-	-	-	1
Venereal Dis.	6.1	7	3	-	-	3	1	-	Peritonitis (not Puerp.)	3.3	3	-	-	-	2	-	1
Puerperal Septicæmia	3.7	1	-	-	-	1	-	-	Cirrhosis of Liver	12.9	10	-	-	-	-	8	2
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Liver Dis., Other	6.3	3	-	-	1	-	2	-
Puerperal Fever	0.2	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	37.0	43	6	5	5	6	10	11
Infective Endocarditis	2.5	2	-	-	-	2	-	-	Acute Nephritis	5.7	9	-	1	1	2	1	4
Lobar	8.2	9	-	1	-	1	5	2	Bright's Dis., Albumin-uria	30.1	29	-	-	-	6	8	15
Pneumonia	35.8	33	11	13	2	2	-	5	Urinary Sys., Other Dis.	7.6	7	-	1	-	1	-	5
Epidemic	-	-	-	-	-	-	-	-	Generative Organs Dis.	5.5	7	-	-	-	-	1	4
Not defined	43.0	44	4	5	6	4	16	9	Childbirth (Accid. of)	3.3	5	-	-	1	3	1	-
Erysipelas	5.9	2	-	-	-	-	1	1	Old Age	44.4	46	-	-	-	-	-	46
Septicæmia (not Puer- peral)	1.0	1	-	-	-	1	-	-	Other Diseases	113.0	81	57	6	3	5	4	6
Pyæmia (not Puerperal)	0.8	1	-	1	-	-	-	-	ACCIDENT.								
Other Infective Processes	5.1	4	1	-	-	-	1	2	By Railways	2.3	1	-	-	1	-	-	-
Tuberculous Phthisis	72.0	71	-	3	9	29	24	6	By Vehicles and Horses	5.3	5	-	1	2	1	-	1
Phthisis "	66.7	29	-	-	2	13	11	3	In Ships, Boats, Docks, (exclusive of Drown- ing)	0.2	-	-	-	-	-	-	-
Tuberculous Meningitis	17.4	14	2	11	1	-	-	-	In Building Operations	0.4	2	-	-	-	1	1	-
Tuberculous Peritonitis	10.2	8	3	2	2	1	-	-	In Conflagrations	-	-	-	-	-	-	-	-
Tuberculous Dis., Other	20.7	11	2	2	-	3	2	2	By Burns, Scalds, Ex- plosions	5.7	4	1	2	-	-	1	-
Scrophula	0.4	-	-	-	-	-	-	-	By Drowning	4.3	5	-	-	1	-	4	-
Alcoholism	10.6	8	-	-	-	4	4	-	By Suffocation in Bed	7.2	7	7	-	-	-	-	-
Rheumatic Fever	6.8	1	-	-	1	-	-	-	By Poisons or Poisonous Vapours	0.8	2	-	-	-	-	-	2
Gout	2.0	2	-	-	-	-	1	1	Other Deaths by Acci- dent	14.9	13	1	2	1	1	2	6
Carcinoma	51.0	51	-	-	-	2	22	27	VIOLENCE OTHER THAN ACCIDENTAL.								
Sarcoma	6.1	6	-	-	1	-	3	2	Homicide	1.4	1	-	-	-	1	-	-
Cancer (undefined)	36.0	29	-	-	-	-	12	17	Suicide	12.3	15	-	-	-	5	8	2
Diabetes Mellitus	6.8	5	-	-	2	-	3	-	Execution	0.2	-	-	-	-	-	-	-
Premature Birth	46.3	38	36	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th October, 1907.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
					Deaths of	Deaths from														
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.			
LONDON	- - -	4,536,429	2162	1212	302	338	-	5	18	25	18	-	6	-	126	55	114	494		
WEST DISTRICTS	- - -	805,311	306	217	53	80	-	-	-	6	6	-	-	-	24	10	19	83		
NORTH DISTRICTS	- - -	1,056,070	452	271	67	81	-	-	2	1	5	1	-	3	25	14	26	100		
CENTRAL DISTRICTS	- - -	209,465	103	55	9	7	-	-	-	-	-	-	-	-	6	6	7	33		
EAST DISTRICTS	- - -	715,739	395	216	69	45	-	1	1	1	6	5	1	1	26	9	26	103		
SOUTH DISTRICTS	- - -	1,749,844	906	418	104	119	-	2	14	10	5	-	-	-	45	15	35	140		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	}	-	-	35	-	6	-	-	2	4	-	-	1	-	-	1	1	35		
WEST DISTRICTS.																				
Paddington North	H - - -	63,603	46	35	8	12	-	-	-	1	2	-	-	-	6	2	4	13		
Paddington Central	W,3H - - -	50,053																		
Paddington South	H - - -	30,320																		
Kensington Town	2W,w,2H - - -	128,037	41	38	5	18	-	-	-	1	1	-	-	-	3	1	2	16		
Brompton	2H - - -	48,591	11	8	1	5	-	-	-	-	-	-	-	-	-	-	-	1		
North Hammersmith	2W,w,H - - -	49,192	24	12	4	4	-	-	-	-	-	-	-	-	1	1	1	6		
South Hammersmith	w,2H - - -	83,047	24	23	8	9	-	-	-	-	-	-	-	-	-	-	3	3		
North-west Fulham	W - - -	45,180	34	18	6	3	-	-	-	-	1	-	-	-	5	1	1	8		
North-east Fulham	F - - -	46,405	21	17	5	5	-	-	-	4	1	-	-	-	2	2	3	-		
South Fulham	W - - -	45,704	22	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North	W,w,3H - - -	42,514	15	24	3	14	-	-	-	-	1	-	-	-	2	1	3	18		
Chelsea South	W,2H - - -	31,328	11	5	-	2	-	-	-	-	-	-	-	-	-	1	2	-		
Mayfair and Knightsbridge	- - -	28,743	4	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
Belgrave	W,2H - - -	55,815	24	18	4	4	-	-	-	-	-	-	-	-	2	1	2	8		
St. Margaret & St. John	6H - - -	43,698	18	10	4	1	-	-	-	-	-	-	-	-	2	-	-	6		
St. James and St. Anne	W,3H - - -	33,081	11	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone	8H - - -	35,391	9	15	1	3	-	-	-	-	-	-	-	-	-	-	-	8		
St. Mary Marylebone	W,4H - - -	37,948	49	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1		
Christchurch Marylebone	- - -	39,536	22	8	5	1	-	-	-	-	-	-	-	-	2	-	2	-		
St. John Marylebone	2H - - -	20,420	5	3	1	2	-	-	-	-	-	-	-	-	1	-	-	1		
Hampstead	W,F,6H - - -	81,942	18	17	1	2	-	-	-	3	-	-	-	-	1	1	2	8		
West St. Pancras	2H - - -	60,562	37	11	4	3	-	-	-	-	-	-	-	-	1	3	4	2		
South St. Pancras	w,11H - - -	55,707	12	22	5	5	-	-	-	-	1	-	-	-	3	1	2	12		
East St. Pancras	W,2H - - -	60,320	30	24	4	11	-	1	-	-	-	-	-	-	1	2	2	13		
North St. Pancras	2W - - -	58,728	20	12	4	5	-	-	-	-	-	-	-	-	1	-	2	3		
Tufnell	W - - -	31,995	11	15	3	7	-	-	-	-	-	-	-	-	-	1	1	10		
Upper Holloway	2W,u H - - -	33,978	20	19	6	4	-	-	-	-	-	-	-	-	2	-	2	10		
Tollington	W,w,H - - -	33,922	9	6	-	3	-	-	-	-	-	-	-	-	1	-	-	-		
Lower Holloway	- - -	41,424	12	9	3	2	-	-	-	-	-	-	-	-	2	-	1	-		
Barnsbury	- - -	54,478	25	7	2	-	-	1	-	-	-	-	-	-	1	1	1	-		
Islington South-east	F - - -	75,397	38	10	3	5	-	-	-	-	-	-	-	-	1	-	-	1		
Highbury	2H - - -	63,797	20	14	4	6	-	-	-	-	-	-	-	-	1	-	-	-		
Stoke Newington	H - - -	51,247	17	9	4	3	-	-	-	-	-	-	-	-	1	-	1	-		
North Hackney	- - -	50,560	19	7	-	5	-	-	-	-	-	-	-	-	-	2	2	-		
Central Hackney	2w,F - - -	50,558	35	11	3	2	-	-	1	1	-	-	2	-	-	2	2	12		
South-west Hackney	3F - - -	59,821	19	17	5	2	-	-	-	1	-	-	1	-	-	2	2	4		
South-east Hackney	2W,w,H - - -	58,265	25	29	9	8	-	-	-	-	-	-	-	-	4	1	1	15		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

+ Called "Simple Continued Fever" previous to 1901.

! On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th October, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Giles and Bloomsbury 2W,2H -	31,436	28	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Grand W,4H -	21,674	2	5	-	1	-	-	-	-	-	-	-	-	-	-	1	1	4
Grand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth W,6H -	29,612	10	13	3	2	-	-	-	-	-	-	-	-	1	1	1	9	-
North Clerkenwell -	28,676	15	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H -	35,028	22	5	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-
St. Pancras 3H,L -	36,116	22	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth Union Workhouse, } Richmond -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Botolph H -	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows W,2H City of London Asylum, Stone -	16,624	3	19	3	1	-	-	-	-	-	-	-	-	-	2	3	16	-
EAST DISTRICTS.																		
Bedford South H -	46,362	26	9	5	-	-	-	-	-	-	-	-	-	4	1	2	-	-
Bedford North-West W,w,H -	36,127	26	23	5	9	-	-	-	-	1	-	-	-	1	1	3	16	-
Bedford North-East -	36,148	17	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bedford Union Workhouse, Wood } Green -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth Green North-East 2W } Isleworth Green South-West H -	65,138	30	29	9	5	-	1	1	-	1	-	-	-	2	1	2	19	-
Isleworth Green North-East 2W } Isleworth Green South-West H -	64,542	33	10	3	1	-	-	-	-	1	-	-	-	3	-	1	1	-
Isleworth Green North-East 2W } Isleworth Green South-West H -	27,969	15	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth End New Town W,H -	28,718	38	30	7	5	-	-	-	-	-	-	-	-	1	-	-	27	-
Isleworth End New Town W,H -	22,081	10	3	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-
George and St. John 2W -	49,068	33	10	4	2	-	-	-	-	-	-	-	-	-	1	3	3	-
Isleworth and Ratcliff W,H -	25,568	13	15	6	1	-	-	-	-	1	-	-	-	5	1	4	9	-
Isleworth W -	32,369	10	9	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-
Isleworth End Old Town South- } Isleworth End Old Town North- }	63,698	35	10	6	-	-	-	-	-	1	-	-	-	3	1	2	-	-
Isleworth End Old Town South- } Isleworth End Old Town North- }	49,129	20	15	3	4	-	-	-	-	1	-	-	-	-	1	1	4	-
Isleworth End Old Town South- } Isleworth End Old Town North- }	41,939	25	6	4	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Isleworth End Old Town South- } Isleworth End Old Town North- }	68,319	30	32	7	8	-	-	-	-	-	1	-	-	5	1	3	23	-
Isleworth End Old Town South- } Isleworth End Old Town North- }	58,514	29	10	4	3	-	-	-	-	-	-	-	-	1	-	2	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th October, 1907.—*continued.*

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week (include													Inquest Cases.	Deaths in Public Institutions.	Deaths of Persons Residing in the District
					Deaths of Infants under 1 Year of Age.	Deaths from														
						Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.				
SOUTH DISTRICTS.																				
Christchurch and St. Saviour		23,319	13	20	5	3	-	-	-	1	-	-	-	-	2	2	4	19		
Southward W 2H		21,004	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kent-road		39,094	17	7	3	2	-	-	-	-	-	-	-	-	2	2	-	-		
St. George the Martyr West		49,022	12	13	3	3	-	-	-	-	-	-	-	-	2	1	-	-		
W 2H, L		72,841	32	7	-	1	-	-	-	1	-	-	-	-	-	-	-	-		
Newington North																				
Newington South W																				
St. Olave 2W		9,817	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bermondsey W		32,483	60	16	5	4	-	-	-	-	-	-	-	-	2	-	2	-		
Rotherhithe W, F		38,480	13	11	3	2	-	-	-	-	-	-	-	-	-	-	-	3		
Waterloo 2H		27,440	29	7	2	3	-	-	-	-	-	-	-	-	1	-	2	1		
Lambeth Church H		27,440	18	22	2	13	-	1	-	-	-	-	-	-	1	1	1	17		
Kennington 2W		62,518	32	28	5	7	-	-	-	-	-	-	-	-	1	1	1	17		
Stockwell H, F		63,826	34	6	1	1	-	-	1	-	1	-	-	-	1	-	2	5		
Brixton H		73,673	34	13	6	2	-	-	-	-	-	-	-	-	4	1	1	5		
Norwood W, H		56,998	29	7	2	2	-	-	-	-	-	-	-	-	2	-	-	-		
East Battersea H		72,203	45	9	4	2	-	-	-	-	-	-	-	-	3	-	2	-		
North-west Battersea		49,856	34	6	3	1	-	-	-	-	1	-	-	-	1	-	-	-		
South-west Battersea 2W, H		47,048	16	19	3	7	-	-	-	-	1	-	-	-	1	3	10	-		
Clapham 2H		51,381	19	8	3	3	-	-	-	-	-	-	-	-	1	1	1	-		
Streatham W 2W, F 2L		88,019	55	35	9	12	-	-	2	2	1	-	-	-	6	1	1	12		
Springfield 2W, L		27,959	29	6	-	2	-	-	-	-	1	-	-	-	-	-	-	1		
Southfields H		40,444	23	8	2	2	-	-	-	-	1	-	-	-	1	-	-	-		
Putney		24,139	9	4	1	2	-	-	-	-	-	-	-	-	1	-	-	-		
Dulwich		13,359	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W, W		40,208	19	6	-	4	-	-	-	-	-	-	-	-	-	-	4	-		
Camberwell North W 2L		85,584	32	21	7	3	-	-	1	-	-	-	-	-	4	1	2	9		
St. George		47,331	20	8	4	1	-	-	-	-	-	-	-	-	1	-	1	-		
Peckham North		48,913	33	11	6	2	-	-	-	-	-	-	-	-	2	-	-	-		
Peckham South 2W, W		43,946	12	7	-	5	-	-	-	-	-	-	1	-	-	-	-	-		
Deptford North		37,613	21	5	4	-	-	-	-	-	-	-	-	-	2	-	1	-		
Deptford Central F		45,481	21	8	1	1	-	-	2	2	-	-	-	-	1	1	1	4		
Deptford South		34,625	12	7	1	3	-	-	-	-	-	-	-	-	1	-	-	-		
Greenwich West 2H		23,456	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich East 2W, H		43,859	24	12	3	6	-	-	-	-	-	-	-	-	2	-	-	10		
Eltham W, H		7,226	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lee W, H		25,490	9	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-		
Lewisham W, W, F		58,352	36	24	4	9	-	1	2	2	-	-	-	-	1	3	4	9		
Sydenham H		43,853	23	5	2	2	-	-	-	-	-	-	-	-	1	1	1	-		
Charlton F 2H		21,134	5	10	1	-	-	-	6	2	-	-	-	-	-	-	-	8		
Woolwich 5H		41,625	21	6	2	1	-	-	-	-	-	-	-	-	1	-	1	1		
Plumstead West W		18,063	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W, H		50,264	22	20	7	4	-	-	-	-	-	-	-	-	3	-	1	8		
Workhouse:-																				
Central London Sick Asylum																				
(Westminster, St. Giles, and Strand Unions.)																				
M. A. B. Small-pox Hospitals:-																				
Joyce Green																				
Long Reach																				
M. A. B. Fever Hospitals:-																				
Gore Farm (temporary)																				
North-Eastern				7						2	4			1				7		
Northern																				
M. A. B. Imbecile Asylums:-																				
Belmont																				
Caterham				2		1												2		
Darenth				3		1												3		
Leavesden						1														
London County Lunatic Asylums:-																				
Banstead				6														6		
Ewell (Epileptic Colony)																				
Horton				2		1												2		
Manor																				
Long Grove				1														1		
Cane Hill				2														2		
Dartford Heath				3														3		
Hanwell				1		1												1		
Colney Hatch																				
Claybury				4		2												4		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday 5th October, 1907.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 10 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	303,302	2,044,873	1226	542	176	141	-	1	3	12	16	2	90	12	38	104	2
0:1 Carshalton 2F,3H	12,228	32,997	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-
0:2 Epsom, part of* W,3F,H	10,423	15,548	9	4	1	-	-	-	-	1	1	-	-	-	1	-	-
7:1 Godstone, part of* W,F,L	2,754	2,892	-	2	1	-	-	-	-	-	1	-	-	-	-	1	-
8:1 Coulsdon	11,069	8,186	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2:1 South Croydon W	4,300	49,309	20	6	3	2	-	-	-	-	1	-	-	-	-	-	-
4:1 West Croydon 3W,F,H	2,166	42,888	27	18	6	6	-	-	-	2	-	-	-	-	1	1	8
4:2 North Croydon H	2,644	41,688	23	9	1	4	-	-	-	-	-	-	-	-	-	-	-
6:1 Penge W	770	22,465	8	6	4	2	-	-	-	-	-	-	1	3	-	-	-
6:2 Mitcham	11,711	30,015	34	12	5	4	-	-	-	-	-	-	-	-	-	-	1
0:1 Wimbledon F,3H	3,221	41,852	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-
2:1 Kingston 2W,H	6,224	42,068	26	10	4	5	-	-	-	-	-	-	-	-	-	-	-
3:1 Surbiton F,H	3,046	15,017	7	3	-	-	-	-	-	-	-	-	2	-	1	4	-
4:1 Esher, part of* H	5,402	13,100	11	4	-	1	-	-	-	-	1	-	-	-	-	-	-
6:1 Hampton H,F,L	4,684	23,456	11	3	1	-	-	-	1	-	1	-	1	-	1	1	-
0:1 Richmond W,H	2,491	31,672	16	8	-	3	-	-	-	-	-	-	-	-	-	-	-
2:1 Mortlake F	2,518	17,821	13	3	2	1	-	-	-	-	1	-	1	-	-	2	-
0:1 Bromley F,2H	4,703	27,354	10	5	1	4	-	-	-	-	-	-	-	-	-	-	-
2:1 Beckenham H	7,825	28,497	12	7	1	4	-	-	-	-	-	-	-	-	-	-	-
3:1 Orpington, part of* W,F	10,113	9,857	4	4	-	3	-	-	-	-	-	-	-	-	-	4	-
4:1 Chislehurst 2H	7,333	16,448	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0:1 Bexley W,F,H	8,678	21,151	7	6	4	1	-	-	-	-	1	-	1	-	-	-	-
2:1 Erith F,H	3,554	25,296	16	6	2	1	-	-	-	-	-	-	1	-	-	-	-
3:1 Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0:1 Sunbury W	11,054	18,683	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-
2:1 Staines W,H	13,277	15,178	14	7	1	4	-	-	-	-	-	-	-	-	-	-	-
0:1 Hillingdon W,F,H	6,035	13,661	13	5	3	1	-	-	-	-	-	-	1	-	1	3	-
2:1 Uxbridge H	12,757	8,984	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3:1 Hayes W,2F,H	8,066	16,358	20	8	5	-	-	1	-	-	-	-	1	-	1	-	-
0:1 Isleworth 3W,3F,H	8,859	30,863	16	13	-	5	-	-	-	-	-	-	-	-	-	-	-
2:1 Twickenham F,2H	2,421	20,991	10	8	6	-	-	-	-	-	-	-	2	-	2	11	-
3:1 Brentford 3F,2H	4,319	48,289	30	14	1	5	-	-	1	1	-	-	3	-	-	3	-
4:1 Chiswick H	1,249	29,809	21	6	3	1	-	-	-	-	-	-	-	-	-	-	-
6:1 Acton W,F,3H	6,132	48,914	29	14	6	5	-	-	-	1	1	-	6	-	-	-	1
0:1 Harrow F,H	13,809	25,523	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-
2:1 Edgware F,2H	6,994	4,521	-	1	-	1	-	-	-	-	-	-	-	1	2	-	-
3:1 Willesden W,F,2H	4,384	114,811	73	31	10	8	-	-	-	1	-	1	5	-	4	4	-
4:1 Hendon W,F	8,382	22,450	23	2	-	-	-	-	-	-	-	-	-	-	-	-	-
0:1 South Mimms 2F,H	17,755	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2:1 Barnet W,2H	3,324	17,970	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3:1 Finchley F,2H	4,688	33,692	20	10	4	3	-	-	-	-	1	-	1	1	1	-	-
0:1 Hornsey F,H	2,875	72,050	30	15	1	8	-	-	-	-	-	-	-	-	-	-	-
2:1 Wood Green H	1,825	34,233	24	6	1	2	-	-	-	1	-	-	1	1	3	1	-
3:1 West Tottenham	996	48,853	37	10	5	1	-	-	-	-	-	-	-	-	2	-	-
4:1 East Tottenham 2H	2,017	53,688	35	17	5	2	-	-	-	-	1	-	4	-	-	4	-
6:1 Edmonton W,2F	7,491	61,892	40	27	7	11	-	-	-	-	-	-	4	-	-	7	-
7:1 Enfield 2W,F,H	12,601	42,738	31	10	4	2	-	-	-	-	-	-	3	-	1	-	-
8:1 Waltham Abbey F	11,017	6,549	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
9:1 Cheshunt F,H	8,479	12,292	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
0:1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2:1 Bushey H	9,333	9,173	3	2	-	-	-	-	-	-	-	-	-	1	1	-	-
3:1 Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0:1 Stratford H	1,091	52,974	34	20	12	2	-	-	-	1	-	-	6	1	1	2	-
2:1 Forest Gate	787	52,745	22	10	3	3	-	-	-	-	-	-	1	1	1	-	-
3:1 Plaistow F,2H	1,249	80,921	65	37	17	4	-	-	-	2	1	1	12	1	5	4	-
4:1 Canning Town H	1,556	70,718	38	14	2	2	-	-	-	-	-	-	-	-	-	-	-
6:1 South East Ham 2F	1,993	37,342	30	11	9	-	-	-	1	1	2	-	3	-	1	-	-
7:1 North East Ham W,H	1,333	58,876	44	9	1	4	-	-	-	-	-	-	-	-	-	-	-
8:1 Wanstead F	1,679	9,179	1	4	-	-	-	-	-	1	-	-	-	-	-	-	-
9:1 South Leyton 2W	631	50,467	12	13	5	4	-	-	-	-	1	-	-	-	1	-	-
0:1 North Leyton 2W,W,F	1,963	48,445	32	28	6	5	-	-	1	1	-	-	3	-	1	7	-
9:1 Walthamstow 2H,L	6,504	108,929	84	18	10	4	-	-	-	-	-	-	5	-	1	21	1
0:1 Chigwell 2F,3H	11,778	16,397	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-
2:1 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0:1 Romford, part of* W,2F	6,556	6,091	4	4	1	2	-	-	-	-	-	-	-	-	-	3	-
2:1 Ilford F,L	8,498	41,234	29	13	3	2	-	-	-	-	2	-	1	-	-	5	-
3:1 Barking Town F	3,803	21,547	13	6	3	-	-	-	-	-	-	-	2	-	-	-	-
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
London County Lunatic Asylum, Claybury.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Lunatic Asylum, Napsbury.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-
Essex County Lunatic Asylum, Brentwood.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,753,218	October 5	2162	1212	13'3	-	5	18	25	18	6	1
CALCUTTA - -	955,936	August 31	-	457	28'0	2	1	-	1	1	162†	1
BOMBAY - -	982,000	September 17	374	696	37'0	-	-	-	-	-	87‡	1
MADRAS - -	548,974	" 6	494	518	52'8	-	1	?	?	?	131	1
PARIS - - -	2,722,731	" 28	982	931	17'7	1	3	6	2	6	4	1
BRUSSELS - -	623,202	" 28	163	179	14'9	-	2	1	3	1	2	1
ANTWERP - -	304,032	" 28	121	78	13'3	-	-	-	-	2	1	1
AMSTERDAM -	564,342	" 21	270	101	9'3	-	2	-	1	-	-	-
		" 28	263	136	12'6	-	-	1	1	3	2	-
COPENHAGEN -	433,000	" 28	251	105	12'6	-	-	-	1	1	-	-
STOCKHOLM -	332,738	" 21	187	78	12'2	-	-	-	-	2	2	-
CHRISTIANIA -	226,774	" 28	103	45	10'2	-	-	-	1	-	-	-
ST. PETERSBURG	1,482,769	" 14	-	536	18'8	-	6	7	20	3	20	1
MOSCOW - -	1,296,000	" 21	-	637	25'5	-	6	11	6	8	4	20
BERLIN - - -	2,095,309	" 14	905	537	14'6	-	6	3	7	15	1	10
HAMBURG - -	840,790	" 28	-	225	14'2	-	-	-	1	4	3	2
BRESLAU - -	485,278	" 21	-	153	16'4	-	1	1	2	6	-	2
MUNICH - - -	548,000	" 28	-	183	17'4	-	-	-	3	-	-	3
VIENNA - - -	1,979,093	" 28	880	567	14'9	1	-	6	4	1	1	6
PRAGUE - - -	470,906	" 21	176	166	18'3	-	1	-	2	1	1	1
BUDA-PESTH -	802,235	" 21	412	252	16'3	-	4	4	3	2	2	3
TRIESTE - - -	200,962	" 28	121	111	28'7	-	-	-	-	1	3	-
ROME - - - -	542,760	July 13	272	155	14'9	-	1	-	1	1	2§	2
VENICE - - -	174,398	August 31	-	-	-	-	-	-	-	-	-	-
BUCHAREST - -	292,395	September 28	151	121	21'6	-	-	2	1	-	2	1
NEW YORK - -	4,285,435	" 14	2375	1329	16'2	-	4	4	20	6	18	20
CHICAGO - - -	2,107,620	" 14	-	570	14'1	-	1	7	8	2	11	13
PHILADELPHIA -	1,500,595	" 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	" 8	-	235	19'5	3	1	-	-	-	3†	?

* Excluding deaths from croup in the Indian Cities.

† Including 3 deaths from plague in Calcutta, 22 in Bombay, and 3 in Rio de Janeiro.

‡ Including 28 deaths from cholera in Calcutta, 15 in Bombay, and 65 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th October, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	68'0	40'8	56'5	0'85	LEEDS - - -	64'0	45'0	54'9	0'09
BRIGHTON - -	64'6	43'9	57'1	0'90	YORK - - -	64'0	38'0	51'3	0'25
PORTSMOUTH -	65'2	44'5	57'4	0'62	HULL - - -	64'0	41'0	54'9	0'31
NORWICH - - -	67'2	42'0	56'8	0'67	TYNEMOUTH -	63'0	40'0	51'8	0'12
PLYMOUTH - -	61'9	48'0	56'1	1'04	CARDIFF - -	61'1	37'2	54'4	0'74
BRISTOL - - -	64'7	36'3	53'8	0'29					
BIRMINGHAM -	62'7	42'4	53'3	0'24	EDINBURGH -	61'2	42'5	51'0	0'04
NOTTINGHAM -	64'1	40'2	54'7	0'17	GLASGOW - -	62'2	40'0	53'1	0'37
LIVERPOOL - -	64'0	46'0	54'9	0'24					
OBSERVATORY. }	65'3	41'8	54'1	0'36					
MANCHESTER -	62'5	35'1	52'4	0'19	DUFLIN { Phoenix Park. Fitz- william Square,†	63'3	42'3	52'4	0'42
BURNLEY - - -	63'8	43'5	54'6	0'40					
PRESTON - - -	61'8	42'5	53'3	0'07	BELFAST - -	63'5	43'5	54'0	0'57
HUDDERSFIELD -									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1'0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Table.

Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 28th September, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	5	1	-	1	-	-	4	-	-
Kensington - - -	181,842	-	10	5	-	2	-	-	1	-	-
Hammersmith - -	122,337	-	10	7	-	1	-	-	3	-	-
Fulham - - -	166,749	-	12	21	-	-	-	-	2	-	-
Chelsea - - -	74,857	-	4	3	-	-	-	-	1	-	1
City of Westminster -	172,219	-	10	2	-	1	-	-	3	-	-
NORTH.											
St. Marylebone - -	127,718	-	19	3	-	-	-	-	5	-	-
Hampstead - - -	91,137	-	6	-	-	1	-	-	1	-	-
St. Pancras - - -	236,753	-	32	7	-	4	-	-	4	-	-
Islington - - -	347,017	-	26	13	-	4	-	-	5	-	-
Stoke Newington - -	53,613	-	9	6	-	-	-	-	-	-	-
Hackney - - -	232,993	-	55	14	-	13	-	-	10	-	-
CENTRAL.											
Holborn - - -	55,134	-	5	-	-	1	-	-	1	-	-
Finsbury - - -	96,732	-	27	4	-	-	-	-	1	-	-
City of London - -	20,310	-	6	-	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,682	-	37	6	-	2	-	-	1	-	-
Bethnal Green - -	130,831	-	63	12	-	2	-	-	4	-	-
Stepney - - -	308,923	-	109	19	-	7	1	-	11	1	-
Poplar - - -	171,088	-	48	7	-	6	-	-	2	1	-
SOUTH.											
Southwark - - -	209,731	-	38	13	-	-	-	-	5	-	-
Bermondsey - - -	123,263	-	50	13	-	-	-	-	1	-	-
Lambeth - - -	318,538	-	36	5	-	-	-	-	4	-	-
Battersea - - -	181,736	-	23	9	-	2	-	-	5	-	-
Wandsworth - - -	281,419	-	32	9	-	1	-	-	3	1	-
Camberwell - - -	277,059	-	45	10	-	-	-	-	5	1	-
Deptford - - -	116,510	-	23	3	-	1	-	-	3	1	-
Greenwich - - -	107,222	-	9	7	-	-	-	-	2	-	-
Lewisham - - -	152,532	-	18	10	-	-	-	-	1	-	-
Woolwich - - -	129,336	-	13	9	-	1	-	-	-	1	-
Port of London - -	-	-	-	2	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,753,218											
		-	780	220	-	52	1	-	89	6	1
Ages											
0-1 - - -	-	-	9	3	-	-	-	-	5	-	-
" 1-5 - - -	-	-	210	88	-	1	-	-	6	-	1
" 5- - - -	-	-	342	79	-	5	-	-	5	-	-
" 10- - - -	-	-	138	22	-	4	-	-	3	-	-
" 15- - - -	-	-	37	13	-	12	-	-	7	-	-
" 20- - - -	-	-	25	5	-	8	-	-	4	-	-
" 25- - - -	-	-	17	7	-	10	-	-	12	6	-
" 35- - - -	-	-	1	3	-	7	-	-	13	-	-
" 45- - - -	-	-	1	-	-	5	1	-	12	-	-
" 55- - - -	-	-	-	-	-	-	-	-	10	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	12	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 28th SEPTEMBER, 1907.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.†
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia* (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON -	13,677	-	404	168	162	364	-	39	1	540	1,330	2,936	98
West.													
PADDINGTON -	418	-	10	2	4	6	-	-	-	8	35	77	98
KENSINGTON -	492	-	10	-	6	8	-	2	-	16	45	100	125
HAMMERSMITH -	308	-	1	1	4	8	-	-	-	11	20	59	80
FULHAM -	475	-	18	6	6	16	-	3	-	29	34	129	117
CHELSEA -	228	-	15	-	2	8	-	-	-	10	25	44	134
CITY OF WESTMINSTER -	426	-	7	2	1	4	-	-	-	11	47	49	76
North.													
ST. MARLYBONE -	356	-	6	3	5	10	-	1	-	10	47	50	52
HAMPSTEAD -	145	-	3	1	-	2	-	-	-	2	10	17	54
ST. PANCRAS -	658	-	25	7	5	23	-	2	-	15	71	138	103
ISLINGTON -	940	-	44	10	14	16	-	3	-	28	81	168	83
STOKE NEWINGTON -	107	-	3	1	2	3	-	-	-	2	4	21	81
HACKNEY -	601	-	10	12	5	9	-	6	-	24	44	129	89
Central.													
HOLBORN -	197	-	5	1	1	5	-	-	-	6	36	33	82
FINSBURY -	335	-	14	3	4	5	-	-	-	7	44	54	66
CITY OF LONDON -	63	-	1	-	-	-	-	-	-	-	8	1	14
East.													
SHOREDITCH -	474	-	18	8	1	22	-	-	-	36	51	121	132
BETHNAL GREEN -	448	-	11	14	1	15	-	1	-	24	41	123	122
STEPNEY -	1,012	-	13	22	24	29	-	5	1	63	102	272	110
POPLAR -	617	-	10	5	11	32	-	-	-	32	53	172	136
South.													
SOUTHWARK -	768	-	45	10	9	6	-	1	-	43	71	184	126
BERMONDSEY -	452	-	5	8	3	8	-	1	-	14	56	90	98
LAMBETH -	952	-	32	10	15	22	-	1	-	35	108	213	102
BATTERSEA -	508	-	32	8	5	21	-	3	-	14	49	106	95
WANDSWORTH -	738	-	20	7	6	33	-	5	-	31	58	169	94
CAMBERWELL -	725	-	29	9	15	10	-	2	-	24	69	139	83
DEPTFORD -	324	-	9	5	4	10	-	2	-	11	34	77	92
GREENWICH -	275	-	2	7	2	12	-	1	-	18	20	65	106
LEWISHAM -	323	-	4	4	6	6	-	-	-	6	29	65	73
WOOLWICH -	312	-	2	2	1	15	-	-	-	10	38	71	88

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 451 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. Of the deaths shown in Table 5 during the 13 weeks the previous residence was outside London in 687 cases and these have been excluded from this Table.

* Called "Simple Continued Fever" previous to 1901.

† The number of births used in this calculation is the number registered in the several Boroughs, no correction being made for births occurring in Public Institutions.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 41. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, OCT. 12. [Price 1½d.

*General Register Office, Somerset House,
October 14th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 13·5, 14·5, and 14·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·8 in Rhondda, 23·1 in Bolton, 23·2 in Stockport, 23·4 in York, 24·1 in Wigan, and 25·4 in Merthyr Tydfil; from *measles*, 1·0 in Newcastle on Tyne, 1·7 in Barrow in Furness, 2·9 in Burton on Trent, and 4·1 in Merthyr Tydfil; from *scarlet fever*, 1·0 in Wolverhampton; from *diphtheria*, 1·3 in Leyton, 1·4 in Newport (Mon.), and 1·5 in East Ham; from *whooping-cough*, 1·1 in Newcastle on Tyne and 1·2 in Rochdale; from "*fever*," 1·2 in York; and from *diarrhæa*, 5·0 in Burnley, 5·6 in Sheffield and in Rhondda, 5·8 in Rotherham, 5·9 in Wigan, 6·2 in York, and 6·7 in Stockport. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.†

In LONDON 2183 BIRTHS and 1315 DEATHS were registered. Allowing for increase of population, the births were 305 and the deaths 61 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·0, 13·7, and 13·3 per 1000 in the preceding three weeks, rose last week to 14·4. The death-rate in the four weeks ended last Saturday averaged 13·6 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1315 deaths included 11 from measles, 19 from scarlet fever, 19 from diphtheria, 18 from whooping-cough, 10 from enteric fever, and 110 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 187 deaths were referred, being 31 above the corrected average number in the forty-first week of the preceding five years.

The deaths from *measles*, which had been 11, 9, and 5 in the preceding three weeks, rose to 11 last week, but were 2 below the corrected average; 4 deaths belonged to the Borough of Stepney. The deaths from *scarlet fever*, which had been 13, 14, and 18 in the preceding three weeks, further rose to 19 last week, and were 8 above the corrected average; 4 deaths belonged to Stepney, and 3 to Bermondsey. The deaths from *diphtheria*, which had been 15, 25, and 25 in the preceding three weeks, fell to 19 last week, but were 4 above the corrected average; 4 deaths belonged to Hackney. The deaths from *whooping-cough*, which had been 30, 20, and 18 in the preceding three weeks, numbered 18 last week, and were 5 above the corrected average; 3 deaths belonged to Stepney, and 3 to Woolwich. The deaths from *enteric fever*, which had been 4, 6, and 6 in the preceding three weeks, rose to 10 last week, but were 5 below the corrected average; 3 deaths belonged to Bethnal Green. The deaths from *diarrhoea*, which had been 78, 118, and 126 in the preceding three weeks, fell to 110 last week, but were 21 above the corrected average; 10 deaths belonged to Stepney, 10 to Southwark, 8 to Shoreditch, 7 to Wandsworth, and 6 each to St. Pancras, Islington, and Poplar. Of the 110 deaths from diarrhoea, 103 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 14 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 4, 8, and 3 in the preceding three weeks.

Distinct forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 11 were cases of suicide, while the remaining 34 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 6 to drowning, 2 to building operations, 1 to the effects of an anæsthetic administered for surgical purposes, and 5, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4752 cases of scarlet fever, 1143 of diphtheria, and 107 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 752 cases, against 695, 787, and 759; of diphtheria, 211 cases, against 173, 189, and 229; and of enteric fever, 17 cases, against 27, 23, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 5th, 1907.

GREATER LONDON.

In Greater London 3306 births and 1856 deaths were registered. Allowing for increase of population, these numbers are 591 and 62 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 4 from scarlet fever, 3 from diphtheria, 4 from whooping-cough, 3 from "fever," and 32 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.57 inches, and that of the Thermometer 52.7, the latter being 1.1 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 25.0 hours; the measured rainfall amounted to 1.13 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The Deaths registered in the Week include										Deaths from										Deaths of				Registered during the week ended 12th Oct., 1907.		Deaths in Public Institutions.		Cause of Death.	
TOWNS.	COLS.	Week ended				Week ended 11-17.		Persons aged 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.		Whooping-cough.		Fever.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Uncertified Cause of Death.	
		31st Sept., 1907.	5th Oct., 1907.	10th Oct., 1907.	12th Oct., 1907.	6th Oct., 1907.	7th	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	76 TOWNS.		COLS.					
76 TOWNS.		13'5	14'5	14'8	15'7	2'9	7719	4839	1555	1177	-	43	48	65	70	22	634	164	360	1192	35	76 TOWNS.		COLS.					
LONDON.	-	13'0	13'7	13'3	14'4	2'0	2183	1315	337	383	-	11	19	19	18	10	110	45	127	567	2	LONDON.		COLS.					
OROYDON.	-	10'1	11'1	11'1	10'8	2'4	67	32	9	10	-	-	-	1	-	-	6	2	9	-	-	(OROYDON.		COLS.					
WILLESSEN.	-	6'3	10'8	10'8	6'6	1'0	63	19	10	1	-	-	-	-	-	-	3	2	2	1	-	WILLESSEN.		COLS.					
HORNSEY.	-	7'0	7'0	9'9	8'1	-	22	14	2	8	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.		COLS.					
TOTTENHAM.	-	122,793	5'9	15'3	13'2	10'2	86	24	9	8	-	1	-	-	-	-	2	1	4	6	-	TOTTENHAM.		COLS.					
WEST HAM.	-	308,284	13'2	14'9	17'1	13'2	142	78	35	15	-	2	1	3	-	-	15	2	2	14	-	WEST HAM.		COLS.					
EAST HAM.	-	136,421	12'2	8'8	9'2	10'3	66	27	12	2	-	1	4	1	1	1	6	2	2	5	-	EAST HAM.		COLS.					
LEYTON.	-	122,040	8'5	8'1	7'3	12'0	55	28	7	9	-	-	3	-	-	-	2	-	-	5	-	LEYTON.		COLS.					
WALTHAMSTOW.	-	126,397	9'9	12'0	7'8	16'9	58	41	17	11	-	1	1	-	-	-	10	2	5	10	-	WALTHAMSTOW.		COLS.					
HASTINGS.	-	67,477	13'1	6'2	7'7	13'1	19	17	1	10	-	-	1	-	-	-	-	-	-	3	-	HASTINGS.		COLS.					
BRIGHTON.	-	124,023	15'4	9'7	16'2	16'6	39	41	11	18	-	-	1	-	-	-	5	-	2	11	-	BRIGHTON.		COLS.					
PORTSMOUTH.	-	208,291	9'8	15'5	15'3	16'8	83	67	15	21	-	-	1	3	-	-	4	4	7	15	1	PORTSMOUTH.		COLS.					
BOURNEMOUTH.	-	69,246	9'8	10'5	9'8	9'8	-	25	13	2	8	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.		COLS.					
SOUTHAMPTON.	-	119,745	10'0	16'5	13'9	11'3	17	47	28	9	4	-	2	-	-	-	2	2	3	9	-	SOUTHAMPTON.		COLS.					
READING.	-	80,311	10'4	9'7	9'1	11'7	39	18	4	5	-	1	-	-	1	-	1	1	1	4	-	READING.		COLS.					
NORTHAMPTON.	-	95,070	12'1	6'0	9'9	13'2	47	24	10	5	-	1	-	-	-	-	5	-	1	1	2	NORTHAMPTON.		COLS.					
IPSWICH.	-	72,825	10'7	20'0	10'7	10'0	31	14	-	6	-	-	-	-	-	-	-	1	1	1	-	IPSWICH.		COLS.					
GREAT YARMOUTH.	-	52,879	15'8	15'8	19'7	9'9	21	10	4	5	-	-	-	-	-	-	-	1	1	1	-	GREAT YARMOUTH.		COLS.					
NORWICH.	-	119,191	11'8	13'1	14'4	12'2	54	28	8	11	-	-	-	1	-	-	3	-	1	6	-	NORWICH.		COLS.					
PLYMOUTH.	-	120,063	13'9	10'9	14'8	13'0	53	30	11	6	-	-	-	1	-	-	6	1	3	4	-	PLYMOUTH.		COLS.					
DEVONPORT.	-	78,959	11'1	10'4	11'7	13'7	56	21	9	5	-	-	-	1	-	1	5	-	3	4	-	DEVONPORT.		COLS.					
BRISTOL.	-	307,979	11'1	11'1	13'5	15'6	145	110	40	29	-	-	1	-	-	-	13	4	11	30	-	BRISTOL.		COLS.					
HANLEY.	-	67,174	14'0	12'4	16'3	12'4	48	16	5	5	-	-	-	-	-	-	2	-	-	3	-	HANLEY.		COLS.					
BURTON-ON-TRENT.	-	53,425	12'7	11'7	7'8	13'7	25	14	3	3	-	3	1	-	-	-	-	-	-	3	1	BURTON-ON-TRENT.		COLS.					
WOLVERHAMPTON.	-	102,016	13'8	12'3	12'3	16'9	4'6	33	9	5	-	-	2	1	-	-	6	-	1	10	-	WOLVERHAMPTON.		COLS.					
WALSALL.	-	96,171	10'8	14'6	22'2	15'7	4'3	50	28	13	4	-	-	1	-	-	7	1	3	4	-	WALSALL.		COLS.					
HANDSWORTH.	-	65,929	11'1	9'5	11'1	10'3	25	13	1	7	-	-	-	-	-	-	1	1	-	1	-	HANDSWORTH.		COLS.					
WEST BROMWICH.	-	64,123	8'3	12'8	11'3	18'9	36	25	8	6	-	-	1	-	-	-	2	-	2	4	-	WEST BROMWICH.		COLS.					

TABLE 1 (cont.),—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 12th October, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 12th Oct., 1907.		The DEATHS registered in the Week include											TOWNS.
		Week ended					Week ended 12th Oct., 1907.		Deaths of Persons aged under 1 Year of Age.	Deaths from Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.		
		21st Sept., 1907.	28th Sept., 1907.	5th Oct., 1907.	12th Oct., 1907.	Week ended 12th Oct., 1907.	BIRTHS.	DEATHS.														
Cols	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	-	14.0	13.8	15.6	16.6	2.2	285	176	54	42	-	-	2	-	4	-	17	5	9	37	2	BIRMINGHAM.
KINGS NORTON	-	9.0	9.0	9.7	10.3	0.7	29	15	4	2	-	-	1	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK	-	11.8	7.1	10.2	13.3	2.4	39	17	8	3	-	-	1	-	-	-	2	3	4	-	-	SMETHWICK.
ASTON MANOR	-	12.5	17.5	20.7	16.9	3.1	40	27	13	4	-	-	-	1	1	-	3	-	-	-	-	ASTON MANOR.
COVENTRY	-	8.1	10.7	15.4	13.4	4.7	38	20	9	5	-	1	-	-	-	-	6	-	-	5	-	COVENTRY.
LEICESTER	-	12.6	12.6	13.0	13.5	3.1	80	61	21	12	-	1	-	1	1	1	10	-	4	10	1	LEICESTER.
GRIMSBY	-	16.3	15.5	17.7	20.7	0.7	43	38	9	7	-	-	-	-	-	-	1	1	2	1	-	GRIMSBY.
NOTTINGHAM	-	15.8	17.4	17.4	14.8	4.5	137	73	32	16	-	-	-	-	3	-	19	3	3	17	-	NOTTINGHAM.
DERBY	-	9.9	13.7	11.6	10.4	1.2	51	25	6	12	-	-	-	-	-	-	3	1	4	5	-	DERBY.
STOCKPORT	-	17.0	19.6	13.9	23.2	7.7	34	45	16	10	-	-	1	-	1	-	13	1	3	6	-	STOCKPORT.
BIRKENHEAD	-	9.2	15.8	14.1	11.9	2.2	66	27	9	10	-	-	-	-	-	-	5	1	2	5	1	BIRKENHEAD.
WALLASEY	-	8.6	16.4	17.2	13.3	0.8	29	17	4	6	-	-	-	-	-	-	1	1	1	2	-	WALLASEY.
LIVERPOOL	-	19.4	21.9	18.8	21.4	4.2	469	306	110	55	-	-	4	1	6	1	48	10	19	82	5	LIVERPOOL.
BOOTLE	-	23.3	24.1	19.4	20.2	3.1	40	26	5	6	-	-	-	1	-	-	3	-	-	5	-	BOOTLE.
ST. HELENS	-	15.8	14.7	15.2	20.9	2.3	45	37	15	5	-	-	-	-	-	-	3	1	1	8	2	ST. HELENS.
WIGAN	-	88,606	15.9	23.0	23.5	24.1	48	41	17	9	-	-	-	1	-	1	10	1	1	3	-	WIGAN.
WARRINGTON	-	70,269	22.3	13.4	19.3	14.8	49	20	12	1	-	-	1	1	-	2	1	1	1	2	1	WARRINGTON
BOLTON	-	182,917	12.0	15.4	17.1	23.1	69	81	20	19	-	-	1	1	1	1	11	11	8	-	-	BOLTON.
BURY	-	58,801	14.2	15.0	9.7	10.6	29	12	6	3	-	1	-	-	1	-	2	-	1	1	-	BURY.
MANCHESTER	-	643,148	16.3	17.6	18.0	19.0	335	234	94	40	-	4	2	2	2	2	45	10	18	63	2	MANCHESTER.
SALFORD	-	236,670	13.4	14.5	14.5	18.5	117	84	30	20	-	-	-	1	-	1	13	4	7	21	-	SALFORD.
OLDHAM	-	141,730	16.2	17.3	15.5	12.9	64	35	5	9	-	-	-	-	2	-	3	-	2	2	-	OLDHAM.
ROCHDALE	-	87,999	11.3	11.9	13.6	16.6	40	28	5	5	-	-	-	-	2	1	-	3	4	3	1	ROCHDALE.
BURNLEY	-	103,947	20.6	14.5	18.1	17.6	58	35	20	10	-	-	-	-	-	-	10	1	1	3	1	BURNLEY.
BLACKBURN	-	134,980	10.8	14.3	14.7	17.8	57	46	10	17	-	-	1	-	1	1	5	1	2	9	-	BLACKBURN.
PRESTON	-	117,093	14.7	15.1	17.8	18.7	62	42	12	5	-	-	-	-	2	-	5	1	1	4	2	PRESTON.
BARROW-IN-FURNESS.	-	61,635	7.6	19.5	9.3	14.4	23	17	5	3	-	2	-	-	-	-	2	1	1	4	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	Deaths from Diseases in 1907.				Registered during the week ended 12th Oct., 1907.		Deaths of Persons under 1 Year of Age.		Deaths from Causes of Death.										TOWNS.		
		Week ended 12th Oct., 1907.				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.			
		21st Sept., 1907.	28th Sept., 1907.	5th Oct., 1907.	12th Oct., 1907.																	
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
HUDDESFIELD	84,814	18.7	18.1	15.9	21.4	0.5	45	39	5	10	-	-	-	-	-	-	1	1	5	9	-	HUDDESFIELD.
HALIFAX	110,138	6.6	9.5	19.9	8.5	0.5	33	18	4	6	-	-	-	-	-	-	1	1	1	3	-	HALIFAX.
BRADFORD	290,323	11.9	13.5	12.2	13.8	1.4	111	77	18	26	-	1	-	2	1	-	4	4	8	10	-	BRADFORD.
LEEDS	470,288	13.9	14.1	15.1	16.1	3.0	208	145	52	33	-	-	-	-	1	-	25	4	12	13	-	LEEDS.
SHEFFIELD	455,563	19.1	18.4	25.0	21.7	6.9	275	190	89	24	-	1	1	2	6	1	49	4	9	27	5	SHEFFIELD.
ROTHERHAM	62,412	16.7	16.7	21.7	15.0	5.8	29	18	8	5	-	-	-	-	-	-	7	-	3	-	-	ROTHERHAM.
YORK	84,730	14.8	11.1	13.5	23.4	7.4	44	38	18	8	-	-	-	-	-	2	10	1	4	7	-	YORK.
HULL	286,762	16.0	17.4	14.1	15.6	2.7	142	80	27	22	-	-	2	1	1	-	10	1	5	15	-	HULL.
MIDDLESBROUGH	101,783	14.3	17.4	23.1	19.0	2.6	71	37	9	11	-	-	-	2	-	1	2	-	6	-	3	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,909	17.7	12.8	16.8	20.7	3.0	22	21	7	5	-	-	-	-	-	-	3	1	2	2	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	75,473	11.1	11.7	16.6	15.9	0.7	33	23	6	4	-	-	-	-	1	-	-	3	5	5	-	WEST HARTLEPOOL.
SUNDERLAND	156,029	15.4	13.0	16.4	17.7	3.7	88	53	15	12	-	-	1	1	-	-	9	-	3	12	-	SUNDERLAND.
SOUTH SHIELDS	113,460	15.6	10.1	11.5	14.2	1.4	55	31	7	6	-	-	1	-	1	-	1	2	2	3	1	SOUTH SHIELDS.
GATESHEAD	125,783	17.4	16.6	12.0	13.7	0.8	57	33	11	7	-	-	-	-	-	-	2	1	3	9	1	GATESHEAD.
NEWCASTLE-ON-TYNE	272,869	12.8	13.8	11.7	17.0	3.2	134	89	26	15	-	5	-	3	6	-	3	4	7	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	54,688	14.3	12.4	10.5	19.1	-	35	20	7	6	-	-	-	-	-	-	-	-	-	-	-	TYNEMOUTH.
NEWPORT (MON.)	75,585	11.7	17.2	17.2	14.5	6.2	48	21	8	3	-	-	1	2	-	-	6	-	2	3	-	NEWPORT (MON.).
CARDIFF	187,620	13.1	14.7	13.1	20.3	4.4	91	73	34	9	-	3	-	-	-	-	13	1	3	5	-	CARDIFF.
RHONDDA	130,400	13.6	17.2	16.8	22.8	6.0	76	57	27	9	-	-	-	-	-	-	14	3	3	1	-	RHONDDA.
MERTHYR TYDFIL	76,085	15.8	22.6	32.2	25.4	9.6	43	37	19	2	-	6	-	-	1	-	7	-	-	1	-	MERTHYR TYDFIL.
SWANSEA	97,324	12.3	20.4	19.8	19.8	3.2	60	37	16	8	-	-	-	-	-	-	6	-	-	6	-	SWANSEA.
GREATER LONDON.	7,217,941	11.9	12.9	12.7	13.4	2.2	3306	1856	521	533	-	12	28	32	26	14	186	59	162	663	4	GREATER LONDON.
OUTER RING	2,458,723	9.7	11.2	11.5	11.5	2.4	1123	541	184	150	-	1	9	13	8	4	76	14	35	99	2	OUTER RING.
8 TOWNS IN OUTER RING	1,209,285	9.8	11.7	11.8	11.3	2.8	559	283	101	64	-	-	5	10	4	1	41	10	17	50	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,250,438	9.6	10.7	11.2	11.6	2.0	564	278	83	86	-	1	4	3	4	3	32	4	18	49	2	REMAINDER OF OUTER RING.
EDINBURGH	345,747	12.1	13.9	13.0	13.3	0.9	134	88†	15	27	-	-	-	-	4	-	2	3	†	32	3	EDINBURGH.
GLASGOW	847,584	15.2	14.9	15.0	14.0	2.8	485	227†	49	50	-	5	1	4	7	5	24	9	†	75	7	GLASGOW.
DUBLIN (Registration Area).†	380,691	13.6	18.6	21.0	20.2	4.0	179	151†	42	33	-	1	-	1	2	3	23	4	3	53	3	DUBLIN (Registration Area).†
BELFAST.†	370,163	15.6	16.5	17.7	22.1	5.5	180	157‡	47	31	-	6	1	-	1	4	27	4	8	34	3	BELFAST.†

* See note at foot of page 10.

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively. ‡ Including 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh, 4 in Glasgow, 1 in Dublin, and 2 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIRST Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2633	2454	2549	2429	2676	2489	2437	2491	2386	2355	2488·4	2183
Males - - -	1347	1219	1317	1198	1368	1287	1269	1268	1210	1256	1286·8	1116
Females - - -	1286	1235	1232	1231	1308	1202	1171	1223	1176	1099	1201·6	1067
TOTAL Deaths -	1381	1600	1637	1305	1309	1552	1351	1270	1255	1295	1376·0	1315
Males - - -	721	812	882	679	667	775	727	639	667	695	717·0	685
Females - - -	660	788	755	626	642	777	624	631	588	600	659·0	630

* The numbers in this column are the average weekly numbers in the forty-first week of the five years 1902–1906, raised by 2337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 20.	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	13 Weeks.
TOTAL Births -	2266	2273	2500	2055	2507	2307	2346	2207	2333	2178	2341	2162	2183	29658
TOTAL Deaths -	1077	1101	1052	1097	1093	1056	1068	1080	1083	1182	1251	1212	1315	14667
Deaths -														
Under 1 year -	179	182	216	197	239	239	255	252	251	268	321	302	337	3238
1–5 years -	150	133	125	152	149	122	123	137	103	125	142	140	116	1717
5–20 " -	64	57	66	64	66	55	68	60	59	73	67	69	76	844
20–40 " -	125	140	122	149	138	127	112	133	134	144	142	138	143	1747
40–60 " -	245	258	199	222	217	225	211	226	220	248	238	225	260	2992
60 yrs. & upwds.	314	331	324	313	284	288	299	272	316	326	341	338	383	4129
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	46	40	46	36	43	28	24	25	10	11	9	5	11	334
Scarlet Fever - -	15	19	13	16	8	7	14	13	12	13	14	18	19	181
Diphtheria - - -	12	10	11	11	19	10	10	13	11	15	25	25	19	191
Whooping-cough -	44	35	27	24	29	34	21	20	25	30	20	18	18	345
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	2	3	-	6	3	7	3	3	4	6	6	10	55
Pyrexia (origin uncertain) -	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	19	23	18	24	23	47	56	61	66	78	118	123	110	760
All above Diseases -	138	129	118	112	128	129	132	135	127	151	192	198	187	1876
Dis. of Resp. System	51	45	58	50	54	32	59	48	47	53	62	66	77	702
Pneumonia - - -	75	91	79	89	75	65	70	68	75	77	86	83	93	1034
Phthisis - - -	98	103	84	96	94	109	87	122	114	122	127	100	109	1368
Dis. of Circ. System	148	164	133	157	136	151	146	122	149	150	167	149	160	1932
Violence - - -	46	63	50	63	49	51	41	51	45	54	35	55	45	648
Inquest Cases - -	93	140	104	136	106	105	107	115	104	135	109	114	127	1495
Deaths in Institutions	451	474	476	482	472	438	459	469	477	534	514	494	567	6307
TEMPERATURE OF THE AIR.														
Mean - - -	62·7	59·5	59·7	62·3	61·5	57·0	61·1	56·8	53·6	58·8	58·4	55·4	53·7	58·7
Mean of Highest -	75·4	70·2	71·1	73·6	72·4	66·1	72·3	66·4	71·7	69·1	71·8	64·3	60·1	69·6
Mean of Lowest -	52·9	51·3	51·0	54·7	54·2	50·5	50·6	49·8	47·4	45·9	47·2	48·7	45·6	50·0
Mean Humidity of the Air.	72	78	74	73	73	74	76	79	81	73	73	83	85	76
Rain-fall (in inches) -	0·00	0·51	0·40	0·18	0·71	0·96	0·16	0·44	0·00	0·00	0·03	0·85	1·13	5·37
Registered Sunshine (in hours)	57·7	24·7	43·7	41·9	45·0	24·9	47·8	18·7	41·9	46·0	47·7	22·7	25·0	487·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean.
Small-pox - - -	-	-	-	1	1	1	1	1	1	-	-	-	-	3899
Scarlet Fever - -	3386	3586	3626	3660	3669	3687	3738	3816	3872	4020	4328	4542	4752	918
Diphtheria - - -	880	872	914	885	888	864	837	845	876	902	967	1065	1143	73
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	57	51	50	49	51	55	65	72	83	97	99	109	107	-

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Briggs, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIRST Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 41st week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages								CAUSES OF DEATH	Corrected Average for the 41st week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.										ALL AGES.							
		Under 20.			20 and under 40.							Under 20.			20 and under 40.				
		0-1.	1-5.	5-20.			40 and under 60.	60 years and upwards.			0-1.	1-5.	5-20.			60 years and upwards.			
ALL CAUSES	1376.0	1315	337	116	76	143	280	333	Meningitis (not tuberc.)	16.6	8	4	3	1	-	-			
									Gen. Par. of Insane, Insanity	11.3	11	-	-	1	4	2			
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy	8.6	8	-	1	-	4	2			
Cowpox	0.4	-	-	-	-	-	-	-	Convulsions	21.7	19	17	2	-	1	-			
Measles (Morbilli)	13.1	11	2	9	-	-	-	-	Locomotor Ataxy	2.0	2	-	-	-	1	1			
Scarlet Fever	10.8	19	1	10	7	1	-	-	Paraplegia, Dis. of Cord	4.0	10	-	-	-	5	2			
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	16.8	15	1	2	1	2	3			
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	43.6	40	-	-	2	6	12			
Influenza	10.8	11	-	-	1	2	3	5	Cereb. Hem. Cereb. Emb.	30.1	32	-	-	-	10	20			
Whooping-cough	13.3	18	9	9	-	-	-	-	Apoplexy, Hemiplegia	18.4	7	-	-	-	2	6			
Diphtheria	15.4	19	2	8	9	-	-	-	Aneurysm	5.3	5	-	-	-	3	1			
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	1.2	2	-	-	-	-	2			
Pyrexia,† (origin uncertain)	-	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	77.8	74	-	1	1	7	41			
Enteric Fever	14.7	10	1	-	7	1	1	-	Croup (not Spasm: nor Memb.)	0.8	1	-	-	1	-	-			
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	84.3	66	8	7	-	1	12			
Epidemic Diarrhœa, Infective Enteritis	49.1	60	51	6	-	-	3	-	Emphysema, Asthma	4.5	4	-	-	2	-	3			
Diarrhœa, Dysentery	39.5	50	45	1	-	-	4	-	Pleurisy	4.1	3	-	-	-	3	-			
Tetanus	0.8	1	-	1	-	-	-	-	Respiratory Dis., Other	11.9	3	-	1	-	-	2			
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.6	-	-	-	-	-	-			
Glanders	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	16.4	24	18	4	1	-	1			
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-enteritis	11.3	15	13	1	-	-	1			
Veneral Dis.	7.8	6	3	1	-	1	1	-	Peritonitis (not Puerp.)	4.5	-	-	-	-	-	-			
Puerperal Septicæmia	2.9	3	-	-	-	3	-	-	Cirrhosis of Liver	16.2	17	-	1	1	2	9			
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Liver Dis., Other	4.9	4	-	-	-	-	4			
Puerperal Fever	0.8	1	-	-	1	-	-	-	Digestive Sys., Other Dis.	35.8	38	9	2	4	4	11			
Infective Endocarditis	2.3	5	-	-	4	1	-	-	Acute Nephritis	6.8	6	-	2	1	1	1			
Lobar	10.0	10	-	-	1	8	1	-	Bright's Dis., Albuminuria	33.6	32	-	-	1	1	15			
Pneumonia	44.6	43	13	11	6	3	2	8	Urinary Sys., Other Dis.	12.7	12	-	-	-	-	4			
Epidemic	0.2	-	-	-	-	-	-	-	Generative Organs Dis.	5.3	7	-	-	1	4	1			
Not defined	46.7	45	7	6	2	3	14	13	Childbirth (Accid. of)	1.8	5	-	-	-	5	-			
Erysipelas	4.9	4	1	-	-	-	2	1	Old Age	48.3	58	-	-	-	-	56			
Septicæmia (not Puerperal)	2.3	1	1	-	-	-	-	-	Other Diseases	105.1	90	67	7	3	3	7			
Pyæmia (not Puerperal)	1.2	1	-	-	1	-	-	-	ACCIDENT.										
Other Infective Processes	6.3	3	1	1	-	1	-	-	By Railways	1.2	1	-	-	-	1	-			
Tuberculous Phthisis	76.8	81	-	4	7	25	31	14	By Vehicles and Horses	4.9	10	-	1	5	-	2			
Phthisis	65.5	28	-	-	1	13	12	2	In Ships, Boats, Docks, (exclusive of Drowning)	0.8	1	-	-	-	1	-			
Tuberculous Meningitis	17.4	27	10	9	5	3	-	-	In Building Operations	0.2	2	-	-	-	2	-			
Tuberculous Peritonitis	10.8	9	5	1	-	2	1	-	In Conflagrations	-	-	-	-	-	-	-			
Tuberculosis Mesenterica	4.9	1	1	-	-	-	-	-	By Burns, Scalds, Explosions	3.9	1	-	1	-	-	-			
Tuberculous Dis., Other	19.9	17	2	1	5	4	5	-	By Drowning	3.7	6	-	-	2	2	-			
Tubercula	0.4	-	-	-	-	-	-	-	By Suffocation in Bed	6.8	5	5	-	-	-	-			
Alcoholism	11.1	7	-	-	2	1	4	-	By Poisons or Poisonous Vapours	2.5	2	-	1	-	-	1			
Rheumatic Fever	7.2	7	-	1	3	1	1	1	Other Deaths by Accident	14.9	6	-	-	1	-	2			
Dout-	1.8	2	-	-	-	-	1	1	VIOLENCE OTHER THAN ACCIDENTAL.										
Carcinoma	54.5	68	-	-	3	30	35	-	Homicide	1.2	-	-	-	-	-	-			
Carcinoma	7.6	3	-	-	1	-	2	-	Suicide	7.2	11	-	-	-	5	2			
Cancer (undefined)	31.9	36	-	1	2	12	21	-	Execution	-	-	-	-	-	-	4			
Diabetes Mellitus	9.0	7	-	1	1	2	3	-											
Premature Birth	44.8	40	40	-	-	-	-	-											

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th October, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,538,429	2183	1315	337	383	-	11	19	19	18	-	10	-	110	45	127	587	
WEST DISTRICTS - - -	805,311	316	221	53	75	-	1	2	4	1	-	3	-	20	9	21	102	
NORTH DISTRICTS - - -	1,056,070	486	281	66	92	-	1	3	7	1	-	1	-	15	10	30	99	
CENTRAL DISTRICTS - - -	209,465	92	79	26	12	-	-	-	-	2	-	-	-	12	7	18	52	
EAST DISTRICTS - - -	715,739	410	237	75	56	-	5	-	2	7	-	4	-	24	8	27	113	
SOUTH DISTRICTS - - -	1,749,844	879	460	117	134	-	4	12	3	7	-	1	-	38	11	31	164	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	37	-	14	-	-	2	3	-	-	1	-	1	-	-	37	
WEST DISTRICTS.																		
North Paddington† H - - -	63,603	35	9	2	4	-	-	-	-	-	-	-	-	1	-	1	-	
Central Paddington† W,3H - - -	50,053	19	24	5	4	-	-	-	-	-	-	1	-	4	4	6	20	
South Paddington† - - -	30,320	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - - -	128,037	53	45	8	16	-	-	-	1	-	-	-	-	3	1	6	19	
Brompton 2H- - -	48,591	5	8	2	5	-	-	-	-	-	-	-	-	1	1	1	1	
North Hammersmith 2W,w,H - - -	49,192	27	17	4	9	-	1	-	-	-	-	-	-	-	-	-	8	
South Hammersmith w,2H - - -	63,047	20	15	4	3	-	-	-	-	1	-	1	-	-	1	4	5	
North-west Fulham W - - -	45,180	40	15	7	5	-	-	-	-	-	-	-	-	5	-	-	7	
North-east Fulham F - - -	46,406	15	14	3	2	-	-	2	3	-	-	1	-	-	1	1	6	
South Fulham W - - -	45,704	30	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W,w,3H - - -	42,514	10	19	2	11	-	-	-	-	-	-	-	-	1	-	-	17	
Chelsea South W,2H - - -	31,328	11	8	2	2	-	-	-	-	-	-	-	-	-	-	-	3	
Mayfair and Knightsbridge - - -	28,743	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -	55,815	16	20	3	4	-	-	-	-	-	-	-	-	3	-	1	11	
St. Margaret & St. John 6H - - -	43,698	19	8	5	1	-	-	-	-	-	-	-	-	2	1	1	4	
St. James and St. Anne W,6H - - -	33,081	10	7	2	4	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	7	10	3	3	-	-	-	-	-	-	-	-	-	-	1	5	
St. Mary Marylebone W,4H - - -	37,948	52	11	2	4	-	-	-	-	1	-	-	-	-	-	-	3	
Christchurch Marylebone - - -	39,536	14	5	4	-	-	1	-	-	-	-	-	-	1	-	-	-	
St. John Marylebone 2H - - -	20,426	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
Hampstead W,F,6H - - -	81,942	17	17	1	4	-	-	1	3	-	-	-	-	-	2	3	9	
West St. Pancras 2H - - -	60,562	27	15	2	4	-	-	-	-	-	-	-	-	2	2	4	3	
South St. Pancras w,11H - - -	55,707	7	12	4	1	-	-	-	-	-	-	-	-	1	1	2	7	
East St. Pancras W,2H - - -	60,320	38	22	9	9	-	-	-	-	-	-	-	-	1	1	2	7	
North St. Pancras 2W - - -	58,728	29	17	3	6	-	-	-	-	-	-	-	-	1	-	-	6	
Tufnell W - - -	31,995	17	21	3	6	-	-	-	-	-	-	1	-	-	-	-	15	
Upper Holloway 2W,w,H - - -	33,978	20	26	5	9	-	-	-	-	-	-	-	-	-	2	3	13	
Tollington W,w,H - - -	33,922	20	5	1	3	-	-	-	-	-	-	-	-	1	-	-	-	
Lower Holloway - - -	41,424	21	9	4	3	-	-	-	-	-	-	-	-	1	-	-	-	
Barnsbury - - -	54,478	29	14	6	2	-	-	-	-	-	-	-	-	2	-	-	-	
Islington South-east F - - -	75,397	26	11	1	4	-	-	-	-	-	-	-	-	1	-	-	-	
Highbury 2H - - -	63,797	16	10	1	8	-	-	-	-	-	-	-	-	1	1	3	1	
Stoke Newington H - - -	51,247	22	7	1	3	-	-	-	-	-	-	-	-	-	-	1	1	
North Hackney - - -	50,560	20	9	2	4	-	-	-	-	-	-	-	-	2	1	3	-	
Central Hackney 2w,F - - -	50,536	33	17	2	5	-	-	2	4	-	-	-	-	-	1	1	6	
South-west Hackney 3F - - -	59,921	33	17	7	5	-	-	-	-	-	-	-	-	-	-	1	7	
South-east Hackney 2W,w,H- - -	58,255	31	22	5	7	-	-	-	-	-	-	-	-	1	-	5	15	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901. On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named above.

Population, Births, and Deaths in London Sub-Districts.

667

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th October, 1907—*continued.*

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury 2W,2H -	31,436	18	8	1	2	-	-	-	-	-	-	-	-	-	-	-	1	4	-	
Strand W,4H - - - - -	21,874	3	16	5	1	-	-	-	-	-	-	-	-	-	2	1	2	14	-	
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Holborn W,6H - - - - -	29,612	10	19	11	1	-	-	-	-	-	2	-	-	-	9	-	-	16	-	
South Clerkenwell - - - - -	28,676	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
North Clerkenwell H - - - - -	35,028	11	7	2	1	-	-	-	-	-	-	-	-	-	-	1	4	-	-	
Finsbury 3H,L - - - - -	36,116	29	5	2	2	-	-	-	-	-	-	-	-	-	1	1	1	3	-	
Holborn Union Workhouse, } Mitcham - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - - -	10,299	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows W,2H	16,824	3	18	3	2	-	-	-	-	-	-	-	-	-	-	4	9	14	-	
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
Shoreditch South H - - - - -	46,362	35	7	3	1	-	-	-	-	-	1	-	-	-	2	-	1	-	-	
Shoreditch North-West W,w,H	36,127	20	23	7	6	-	1	-	-	-	-	-	-	-	3	-	4	12	-	
Shoreditch North-East - - - - -	34,148	29	11	5	3	-	-	-	-	-	-	-	-	-	1	1	3	-	-	
Shoreditch Union Workhouse, Wood Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North-East 2W } 2HL	65,138	32	27	5	10	-	-	-	1	-	-	1	-	-	-	2	2	17	-	
Bethnal Green South-West H -	64,542	29	10	4	2	-	-	-	-	-	-	2	-	-	-	-	1	2	-	
Spitalfields - - - - -	27,969	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
File End New Town W,H - - -	28,718	13	42	9	6	-	-	-	1	1	-	-	-	-	4	3	5	38	-	
Woodman's Fields - - - - -	22,081	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St. George and St. John 2W - -	49,068	48	12	3	3	-	-	-	-	-	-	-	-	-	1	-	1	5	1	
Shadwell and Ratcliff W,H - -	25,568	18	15	7	1	-	3	-	-	-	3	-	-	-	3	-	1	8	-	
Shadwell W - - - - -	32,369	19	8	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
File End Old Town South- } Western H - - - - -	63,698	43	11	6	2	-	1	-	-	-	-	-	-	-	4	-	1	-	-	
File End Old Town North- } Eastern W,w - - - - -	49,129	25	14	3	6	-	-	-	-	1	-	-	-	-	-	-	1	9	-	
Row L - - - - -	41,939	15	7	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Bromley 3w,H - - - - -	68,319	30	30	6	9	-	-	-	-	-	-	-	1	-	5	-	3	19	-	
Poplar W,w - - - - -	68,514	38	14	6	5	-	-	-	-	1	-	-	-	-	-	-	1	3	-	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th October, 1907—continued.

		The DEATHS registered during the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th October, 1907.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING	363,302	2,044,973	1123	541	181	150	-	1	9	13	8	4	76	14	35	99	2	
1 Carshalton 2F,3H	12,228	32,997	12	14	2	5	-	-	-	1	-	-	-	-	-	1	3	-
2 Epsom, part of* W,w,2F,H-	10,423	15,548	7	3	-	3	-	-	-	-	-	-	-	-	-	-	2	-
1 Godstone, part of* W,F,L-	2,754	2,692	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
1 Coulsdon	11,069	8,166	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
2 South Croydon w	4,200	49,309	18	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-
3 West Croydon 3W,F,H	2,168	42,888	28	27	6	10	-	-	1	1	-	-	3	1	2	12	-	-
4 North Croydon H	2,644	41,698	21	4	2	1	-	-	-	-	-	-	2	-	-	-	-	-
5 Penge w	770	22,465	8	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-
6 Mitcham	11,711	30,015	19	8	5	-	-	-	-	-	-	-	2	-	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	14	10	5	3	-	-	-	-	1	-	2	-	-	-	-	-
2 Kingston 2W,H	6,224	42,068	20	8	3	1	-	-	-	-	-	-	1	-	-	3	-	-
3 Surbiton F,H	3,046	15,017	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Esher, part of* H	5,402	13,100	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
5 Hampton H,F,L-	4,584	23,456	17	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-
1 Richmond W,H	2,491	31,672	7	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-
2 Mortlake F	2,518	17,821	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
1 Bromley F,2H	4,703	27,354	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham H	7,826	28,497	7	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
3 Orpington part of* W,F	10,113	9,857	2	6	-	4	-	-	-	-	-	-	-	-	-	2	3	-
4 Chislehurst 2H	7,333	16,446	9	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-
1 Bexley w,F,H	8,678	21,151	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Erith F,H	3,854	25,296	11	5	3	1	-	-	-	-	-	-	2	-	-	-	-	-
3 Dartford W,F, part of*	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-	-
1 Sunbury w	11,054	18,883	8	6	1	2	-	-	-	-	-	-	1	-	1	-	-	-
2 Staines W,H	13,277	15,178	5	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-
1 Hillingdon W,F,H	6,035	13,661	4	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-
2 Uxbridge H	12,757	8,924	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes w,2F,H	8,066	16,358	9	6	2	2	-	-	-	-	-	-	-	1	1	-	-	-
1 Isleworth 3W,3F,H	6,859	30,863	29	14	6	4	-	-	-	-	-	-	3	-	-	4	-	-
2 Twickenham F,2H	2,421	20,991	14	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-
3 Brentford 3F,2H-	4,319	48,289	35	15	6	3	-	-	-	-	-	2	2	-	-	1	-	-
4 Chiswick H-	1,249	29,809	18	12	4	3	-	-	-	-	1	-	-	-	2	-	-	-
5 Acton w,F,3H	6,132	48,914	42	15	6	3	-	-	-	-	-	1	1	-	-	-	-	-
1 Harrow F,H	13,809	25,523	15	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Edgware 2F,2H	6,994	4,521	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,F,2H	4,384	114,311	63	19	10	1	-	-	-	-	-	-	3	2	2	1	-	-
4 Hendon W,F	8,382	22,450	11	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
1 South Mimms 2F,H	17,755	7,308	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet W,2H	3,324	17,970	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3 Finchley F,2H	4,688	33,692	24	4	2	1	-	-	-	-	1	-	-	-	-	1	1	-
1 Hornsey F,H	2,875	72,056	22	14	2	8	-	-	-	-	-	-	-	-	-	-	-	-
2 Wood Green H	1,625	34,233	23	10	2	3	-	-	-	-	-	-	-	-	-	1	-	-
3 West Tottenham	996	48,853	35	5	2	1	-	-	-	-	-	-	1	1	1	-	-	-
4 East Tottenham 2H	2,017	53,088	51	20	8	7	-	-	-	-	-	-	2	2	3	7	4	-
5 Edmonton W,w,2F	7,491	61,892	43	21	8	4	-	-	-	-	-	-	6	-	-	2	4	-
6 Enfield 2W,F,H	12,601	42,738	21	17	6	7	-	-	-	2	-	-	3	-	1	5	-	-
7 Waltham Abbey F	11,017	6,549	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt F,H	8,479	12,292	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* W	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Bushey H	9,333	9,173	1	4	-	1	-	-	-	-	-	-	-	2	2	-	-	-
2 Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,091	52,974	21	8	4	2	-	-	-	-	-	-	1	-	-	-	-	-
2 Forest Gate	787	52,745	15	11	2	5	-	-	-	-	-	-	-	-	-	-	-	-
3 Plaistow F,2H	1,249	90,921	60	27	16	3	-	-	2	-	2	-	7	1	1	3	-	-
4 Canning Town H	1,556	70,718	46	21	12	2	-	-	-	-	1	-	7	-	-	-	-	-
5 South East Ham 2F	1,993	37,342	35	19	12	2	-	-	1	4	1	-	6	1	1	3	-	-
6 North East Ham w,H	1,333	58,676	31	7	-	-	-	-	-	-	-	-	1	1	1	1	-	-
7 Wanstead F	1,879	9,179	3	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-
8 South Leyton 2W	631	50,467	29	20	4	9	-	-	-	-	-	-	-	-	-	-	8	-
9 North Leyton 2W,w,F	1,963	48,445	26	26	4	6	-	-	-	4	-	-	-	4	-	-	-	15
10 Walthamstow 2H,L	6,504	108,929	61	32	18	7	-	-	1	-	-	-	8	2	5	-	-	-
1 Chigwell 2F,3H	11,778	16,397	4	10	-	5	-	-	-	1	-	1	-	-	-	4	-	-
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	8,556	6,091	5	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-
2 Ilford F,L	8,498	41,234	22	16	4	5	-	-	1	1	-	-	3	1	2	3	-	-
3 Barking Town F	3,803	31,547	7	4	1	1	-	-	-	1	-	-	2	-	-	1	-	-
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-
Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-	-
London County Lunatic Asylum, Long Grove.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
London County Lunatic Asylum, Hanwell.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Essex County Lunatic Asylum, Brentwood.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher sh; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham sh. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 187: 2 and 187: 2, in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.
LONDON - -	4,758,218	October 12	2183	1315	14·4	-	11	19	20	18	10
CALCUTTA - -	955,926	September 7	-	399	24·4	2	1	-	-	-	130
BOMBAY - -	982,000	" 24	388	738	39·2	-	-	-	-	-	114†
MADRAS - -	548,974	" 13	400	551	56·2	-	3	?	?	?	148
PARIS - - -	2,722,731	October 5	956	931	14·8	-	1	3	2	3	7
BRUSSELS - -	623,202	" 5	231	150	12·4	-	-	-	3	-	-
ANTWERP - -	304,032	" 5	119	71	12·1	-	-	-	-	2	-
AMSTERDAM -	564,342	" 5	266	108	10·0	-	2	-	-	1	1
COPENHAGEN -	433,000	" 5	250	112	13·5	-	1	-	-	2	-
STOCKHOLM -	332,738	September 28	172	75	11·7	-	1	-	-	1	1
CHRISTIANIA -	226,774	October 5	130	46	10·4	-	-	-	-	1	-
ST. PETERSBURG	1,482,769	September 21	845	554	19·4	-	10	9	13	7	17
MOSCOW - - -	1,296,000	" 28	-	-	-	-	-	-	-	-	-
BERLIN - - -	2,096,928	" 21	899	809	15·1	-	3	4	10	13	2
HAMBURG - -	840,790	October 5	-	193	12·5	-	-	-	1	5	1
BRESLAU - -	485,278	September 28	-	197	21·2	-	-	-	-	8	-
MUNICH - - -	548,000	October 5	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,093	" 5	845	521	13·5	3	-	3	3	1	3
PRAGUE - - -	470,906	September 28	161	148	16·3	-	2	-	2	1	1
BUDA-PESTH -	802,235	" 28	462	316	20·5	-	-	15	1	-	2
TRIESTE - - -	200,962	October 5	114	86	22·0	-	-	-	-	-	1
ROME - - -	542,760	July 20	240	172	16·5	-	3	-	1	2	28
VENICE - - -	174,398	August 31	-	-	-	-	-	-	-	-	-
BUCHAREST -	292,395	October 5	180	120	21·4	-	1	2	1	-	2
NEW YORK - -	4,285,435	September 21	2272	1374	16·7	-	5	9	25	4	27
CHICAGO - - -	2,107,620	" 21	-	618	15·3	-	3	15	9	2	14
PHILADELPHIA -	1,500,595	" 7	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	" 15	-	224	18·6	5	3	-	5	-	17

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta, 30 in Bombay, and 1 in Rio de Janeiro.

‡ Including 13 deaths from cholera in Calcutta, 17 in Bombay, and 90 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th October, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	64·5	40·1	52·8	1·13	LEEDS - - -	61·0	39·0	53·0	0·0
BRIGHTON - -	-	-	-	-	YORK - - -	64·8	33·5	51·1	1·0
PORTSMOUTH - -	64·0	43·7	55·5	1·29	HULL - - -	67·0	32·0	51·8	0·0
NORWICH - - -	62·0	34·8	52·0	1·12	TYNEMOUTH - -	62·0	35·0	49·3	1·0
PLYMOUTH - -	61·9	39·0	52·9	1·76	CARDIFF - - -	61·8	33·1	51·9	2·0
BRISTOL - - -	64·0	34·5	52·1	1·51					
BIRMINGHAM -	65·1	36·1	51·2	1·22	EDINBURGH - -	53·2	36·4	49·8	2·0
NOTTINGHAM -	65·3	34·0	51·4	1·10	GLASGOW - - -	59·8	35·4	50·0	1·0
LIVERPOOL - -	63·0	39·0	51·2	1·29					
MANCHESTER -	61·8	34·8	50·6	1·31	PHOENIX Park.	63·8	38·3	43·9	5·0
BURNLEY - - -	61·6	34·2	49·6	0·97	DUPLIN } Fitz- william Square.†	61·1	42·1	51·0	10·0
PRESTON - - -	-	-	-	-					
HUDDERSFIELD -	64·0	34·2	50·7	0·98	BELFAST - - -	57·0	41·0	50·9	5·0

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to above was 1°·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th October, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	6	-	-	-	-	5	-	-
Kensington - - -	181,842	-	9	6	-	1	-	-	5	-	-
Hammersmith - - -	122,337	-	50	9	-	-	-	-	2	-	-
Fulham - - -	166,749	-	16	27	-	-	-	-	2	-	-
Chelsea - - -	74,857	-	8	5	-	1	-	-	1	-	-
City of Westminster - -	172,219	-	15	4	-	1	-	-	-	-	1
NORTH.											
St. Marylebone - - -	127,718	-	17	4	-	3	-	-	4	-	-
Hampstead - - -	91,137	-	4	-	-	-	-	-	-	-	-
St. Pancras - - -	236,753	-	27	6	-	-	-	-	3	-	-
Islington - - -	347,017	-	23	17	-	2	-	-	6	1	1
Stoke Newington - - -	53,613	-	9	6	-	-	-	-	1	-	-
Hackney - - -	232,993	-	79	28	-	5	-	-	6	-	-
CENTRAL.											
Holborn - - -	55,134	-	2	-	-	-	-	-	3	-	-
Finsbury - - -	96,732	-	15	5	-	-	-	-	-	-	-
City of London - - -	20,310	-	4	2	-	1	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	40	13	-	1	-	-	6	-	-
Bethnal Green - - -	130,831	-	49	9	-	4	-	-	10	-	-
Stepney - - -	308,923	-	138	21	-	5	1	-	10	1	-
Poplar - - -	171,086	-	50	15	-	3	-	-	4	1	-
SOUTH.											
Southwark - - -	209,781	-	27	14	-	2	-	-	4	-	-
Bermondsey - - -	128,263	-	39	11	-	2	-	-	1	-	1
Lambeth - - -	318,538	-	44	8	-	1	1	-	7	-	-
Battersea - - -	181,736	-	17	4	-	5	-	-	2	1	-
Wandsworth - - -	281,419	-	30	14	-	4	-	-	2	-	-
Camberwell - - -	277,059	-	39	12	-	2	-	-	2	1	-
Deptford - - -	116,510	-	24	8	-	-	-	-	2	-	-
Greenwich - - -	107,232	-	18	4	-	-	-	-	2	-	-
Lewisham - - -	152,532	-	20	8	-	-	-	-	2	-	-
Woolwich - - -	129,336	-	16	7	-	1	-	-	2	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON, } 4,758,218											
		-	838	273	-	44	2	-	97	5	3
Ag											
0-1 - - -	-	-	11	3	-	-	-	-	3	-	1
" 1-5 - - -	-	-	230	93	-	-	-	-	4	-	-
" 5- - - -	-	-	361	105	-	3	-	-	3	-	-
" 10- - - -	-	-	139	30	-	10	-	-	3	-	2
" 15- - - -	-	-	46	10	-	6	-	-	10	-	-
" 20- - - -	-	-	21	8	-	7	-	-	4	3	-
" 25- - - -	-	-	26	14	-	11	-	-	9	1	-
" 35- - - -	-	-	3	7	-	4	2	-	17	1	-
" 45- - - -	-	-	-	1	-	-	-	-	18	-	-
" 55- - - -	-	-	-	1	-	1	-	-	9	-	-
" 65 and upwards - - -	-	-	1	1	-	-	-	-	15	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	2	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING SEPTEMBER, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
3rd October, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of September.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ September 18th. Cab Rank, Horse Guards, Whitehall. }	16·7	26·72	·136	·016	0	·150	·166	1·7	18·4
West Middlesex - -	{ September 18th. Cab Rank, Riding House Street. }	15·1	25·78	·132	·018	0	·144	·162	1·7	18·3
Southwark - - - -	{ September 18th. Cab Rank, High Street, Peckham. }	18·0	25·78	·145	·015	0	·148	·163	1·7	18·4
Grand Junction - -	{ September 18th. Cab Rank, Portman Street, Oxford Street. }	17·4	23·66	·163	·017	0	·113	·130	1·65	16·3
Lambeth - - - -	{ September 18th. Cab Rank, Station Road, Brixton. }	16·5	25·68	·131	·014	0	·153	·167	1·7	18·6
LEA, WELLS, THAMES, &C.										
New River - - - -	{ September 18th. Cab Rank, by St. Clement Danes Church. }	15·5	31·60	·059	·006	0	·183	·189	1·9	21·7
Eastern - - - -	{ September 18th. Cab Rank, High Street, Shoreditch. }	17·0	24·10	·197	·020	0	·078	·098	1·65	16·1
DEEP WELLS.										
Kent- - - -	{ September 18th. Cab Rank, New Cross Station, opposite Jerningham Road. }	13·5	43·26	·039	·004	0	·500	·504	2·55	30·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the Horse Guards Cab Rank, Whitehall, on the 18th September, had a temperature of 16·7° C.; 100,000 lbs. of it contained 26·72 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·136 lb. of carbon and ·016 lb. of nitrogen. The above quantity of water also contained ·150 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·166 lb. The above weight of water also contained 1·7 lbs. of chlorine and 18·4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 18th September were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several district works was:—Kent, 0·7; New River, 1·1; West Middlesex and Lambeth, 2·5; Chelsea, 2·6; Southwark, 2·7; Grand Junction, 3·1; and Eastern, 3·6.

The proportions of organic impurity present in the five supplies obtained from the Thames were all slightly lower than were found in the previous month, and all the samples collected on the 18th September were clear and of good quality.

The New River district water, consisting of filtered Lea and deep-well water, contained only a very small amount of organic matter, and was clear and of good quality. The Eastern district water, taken in the Shoreditch area, where stored and filtered Thames water is distributed, was also clear and of good quality.

The Kent district deep-well water was, as usual, clear and of excellent quality.

Seen through a stratum two feet deep, the Kent water was colourless, the New River supply nearly colourless; and the six remaining waters very pale yellow in colour.

In addition to the above analytical examination the 104 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid" ammonia (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·076	·053	·064	·082	·056	·070	0	0	0	·0065	·0045	·0055
West Middlesex	·070	·056	·064	·078	·063	·072	0	0	0	·007	·0055	·006
Southwark	·075	·055	·065	·084	·062	·073	0	0	0	·007	·0055	·006
Grand Junction	·069	·055	·063	·078	·062	·069	0	0	0	·0065	·0055	·006
Lambeth	·076	·056	·066	·081	·062	·074	0	0	0	·0065	·0045	·005
LEA, WELLS, THAMES, & C.												
New River	·033	·010	·022	·040	·013	·024	0	0	0	·0035	·0015	·002
Eastern	·089	·042	·061	·099	·046	·068	0	0	0	·010	·005	·006
DEEP WELLS.												
Kent	·013	·005	·008	·018	·006	·009	0	0	0	·001	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The proportion of organic matter present in the five filtered Thames waters has, on the whole, been steadily declining since the early part of May, and during September these supplies contained smaller proportions of organic impurity than had been found in any previous month in the year; all the samples examined were of good quality.

The New River district water contained, on the average, less organic matter than in previous months, and was of very good quality, indeed on some occasions the actual proportion of organic impurity present was not greater than that in the Kent district deep-well supply.

The Eastern district water was throughout the month of good quality, the mean proportion of organic matter in it being slightly less than in the supplies obtained from the Thames.

The Kent district deep-well water was, as usual, of high organic purity and excellent quality during the whole month.

All the samples collected in the Chelsea, West Middlesex, Southwark, New River, and Kent districts were clear, but in the cases of the other supplies, on a few occasions, minute amounts of rust-stained suspended matters were observed.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of September, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 212 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	SEPTEMBER, 1906.	SEPTEMBER, 1907.	SEPTEMBER, 1906.	SEPTEMBER, 1907.
TOTAL SUPPLY - - -	1,054,140	1,070,046	242,141,572	227,250,295
NEW RIVER - - - - -	209,182	211,800	46,529,000	44,096,000
EASTERN - - - - -	237,687	240,587	45,309,566	42,373,000
WESTERN { Chelsea Grand Junction } - -	216,352	219,327	59,475,867	54,529,559
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	275,456	281,030	69,428,450	65,969,737
{ Southwark and Vauxhall }				
KENT - - - - -	115,463	117,302	21,398,689	20,281,999

Note.—The Return for September, 1907, as compared with that for the corresponding month of 1906, shows an increase of 15,906 services, and a decrease of 14,891,277 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 42. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, OCT. 19. [Price 1½d.

General Register Office, Somerset House,
October 21st, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·5, 14·8, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·7 in Walsall, 21·8 in Wigan, 21·9 in Merthyr Tydfil, 22·6 in St. Helens, 23·1 in Southampton, 23·7 in Stockton on Tees, and 24·6 in Liverpool and in Burnley; from *measles*, 1·3 in Newcastle on Tyne, 1·9 in Cardiff, 2·0 in Stockton on Tees, 2·1 in Ipswich, 2·9 in Burton on Trent, and 3·8 in West Bromwich; from *scarlet fever*, 1·1 in St. Helens, 1·5 in West Bromwich, and 2·0 in Burton on Trent; from *whooping-cough*, 1·1 in Walsall, in Bolton, and in Oldham, and 1·8 in South Shields; from "*fever*," 1·5 in Grimsby; and from *diarrhoea*, 4·0 in Oldham, 4·1 in West Ham, 4·2 in Sheffield, 4·6 in Stockport, 4·7 in Hanley, and 5·8 in Rotherham. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2198 BIRTHS and 1270 DEATHS were registered. Allowing for increase of population, the births were 270 and the deaths 136 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·7, 13·3, and 14·4 per 1000 in the preceding three weeks, was 13·9 last week. The death-rate in the four weeks ended last Saturday averaged 13·8 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1270 deaths included 9 from measles, 25 from scarlet fever, 13 from diphtheria, 19 from whooping-cough, 6 from enteric fever, and 88 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 160 deaths were referred, being 28 above the corrected average number in the forty-second week of the preceding five years.

The deaths from *measles*, which had been 9, 5, and 11 in the preceding three weeks, numbered 9 last week, and were 14 below the corrected average. The deaths from *scarlet fever*, which had been 14, 18, and 19 in the preceding three weeks, further rose to 25 last week, and were 15 above the corrected average; 8 deaths belonged to the Borough of Stepney, and 3 to Poplar. The deaths from *diphtheria*, which had been 25, 25, and 19 in the preceding three weeks, further fell to 13 last week, the corrected average being 12; 3 deaths belonged to Stepney. The deaths from *whooping-cough*, which had been 20, 18, and 18 in the preceding three weeks, were 19 last week, and were 3 above the corrected average; 3 deaths belonged to Camberwell. The deaths from *enteric fever*, which had been 6, 6, and 10 in the preceding three weeks, numbered 6 last week, the corrected average being 13. The deaths from *diarrhoea*, which had been 118, 126, and 110 in the preceding three weeks, further fell to 88 last week, but were 30 above the corrected average; 11 deaths belonged to Islington, and 6 each to Hackney, Bethnal Green, Stepney, Poplar, Wandsworth, and Camberwell. Of the 88 deaths from diarrhoea, 83 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 17 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 8, 3, and 11 in the preceding three weeks.

Different forms of *violence* caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 41 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 4 to drowning, 2 to building operations, 1 to a conflagration, 1 to the effects of an anæsthetic administered for surgical purposes, and 6, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4995 cases of scarlet fever, 1181 of diphtheria, and 124 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 820 cases, against 787, 759, and 752; of diphtheria, 179 cases, against 189, 229, and 211; and of enteric fever, 32 cases, against 23, 19, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 12th, 1907.

GREATER LONDON.

In Greater London 3319 births and 1790 deaths were registered. Allowing for increase of population, these numbers are 464 and 146 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from diphtheria, 4 from "fever," and 20 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.24 inches, and that of the Thermometer 51.4, the latter being 1.6 above the week's average in the 65 years ending 1905. The general direction of the wind was Southerly, the horizontal movement of the air being 14 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 19.1 hours; the measured rainfall amounted to 0.79 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 19th October, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	The DEATHS registered in the Week include											TOWNS.
	Deaths of											
	Deaths from											
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
COWNS	Rate from Diseases during the Week ended 19th Oct., 1907.		Rate from Diseases during the Week ended 12th Oct., 1907.		Rate from Diseases during the Week ended 5th Oct., 1907.		Rate from Diseases during the Week ended 28th Sept., 1907.		Rate from Diseases during the Week ended 21st Sept., 1907.		Cols.	
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.		
76 TOWNS	16,024,458	14'5	14'8	15'7	15'7	2'4	7834	4829	1552	1138	21.	
LONDON -	4,788,218	13'7	13'3	14'4	13'9	1'8	2198	1270	339	335	38	
(BOYDON.	154,342	11'1	11'1	10'8	11'1	0'3	71	33	9	8	-	
WILLESDEN -	149,192	10'8	10'8	6'6	8'7	1'4	66	25	9	4	-	
HORNSEY -	89,816	7'0	9'9	8'1	5'2	-	21	9	6	1	-	
(TOTTENHAM -	122,793	15'3	13'2	10'2	14'0	1'3	66	33	13	7	-	
WEST HAM -	308,284	14'9	17'1	13'2	13'5	4'4	177	80	39	12	-	
EAST HAM -	136,421	8'8	9'2	10'3	11'8	2'3	67	31	6	9	-	
LEYTON -	122,040	8'1	7'3	12'0	14'1	2'6	44	33	13	8	-	
(WALTHAMSTOW -	126,397	12'0	7'8	16'9	8'3	1'2	60	20	5	4	-	
HASTINGS -	67,477	6'2	7'7	13'1	9'3	-	15	12	-	8	-	
BRIGHTON -	129,023	9'7	16'2	16'6	13'3	0'8	37	33	7	8	-	
PORTSMOUTH -	298,291	15'5	15'3	16'8	15'3	2'5	92	61	16	14	-	
BOURNEMOUTH -	69,246	10'5	9'8	9'8	8'3	-	17	11	1	4	-	
SOUTHAMPTON -	119,745	16'5	13'9	11'3	23'1	3'0	42	53	21	9	-	
READING -	80,311	9'7	9'1	11'7	8'4	0'6	30	13	2	6	-	
NORTHAMPTON -	95,070	6'0	9'9	13'2	9'3	2'2	33	17	6	2	-	
IPSWICH -	72,825	20'0	10'7	10'0	14'3	3'6	23	20	3	2	-	
GREAT YARMOUTH -	52,879	15'8	19'7	9'9	18'7	3'0	36	19	9	5	-	
NORWICH -	119,191	13'1	14'4	12'2	20'6	3'9	46	47	13	16	-	
PLYMOUTH -	120,063	10'9	14'8	13'0	11'3	3'5	42	26	11	7	-	
DEVONPORT -	79,959	10'4	11'7	13'7	9'1	-	39	14	7	3	-	
BRISTOL -	397,979	11'1	13'5	15'6	13'2	2'1	167	93	27	31	-	
HANLEY -	67,174	12'4	16'3	12'4	20'2	5'4	47	26	8	6	-	
BURTON-ON-TRENT -	53,425	11'7	7'8	13'7	16'6	4'9	19	17	2	1	-	
WOLVERHAMPTON -	102,016	12'3	12'3	16'9	18'4	2'0	43	36	7	15	-	
WALSALL -	96,171	14'6	22'2	15'7	21'7	6'0	54	40	11	4	-	
HANDSWORTH -	65,929	9'5	11'1	10'3	8'7	-	43	11	2	5	-	
WEST BROMWICH -	69,123	12'8	11'3	18'9	19'6	6'0	48	26	12	3	-	

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 19th October, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Registered Deaths during the Week ended 18th Oct., 1907.		The DEATHS registered in the Week include											TOWNS.													
			Week ended			Rate from Diseases in Colls. 11-17.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.		21.												
			28th Sept. 1907.	5th Oct. 1907.	12th Oct. 1907.																		19th Oct. 1907.											
																								Deaths of Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Uncertified Causes of Death.
BIRMINGHAM	-	553,155	13.8	15.6	16.6	16.0	2.2	308	170	66	30	-	-	6	2	3	-	12	7	9	49	7	BIRMINGHAM.											
KINGS NORTON	-	75,600	9.0	9.7	10.3	9.7	-	44	14	3	5	-	-	-	-	-	-	-	-	1	1	-	-	KINGS NORTON.										
SMETHWICK	-	66,467	7.1	10.2	13.3	17.3	2.4	43	22	8	7	-	-	1	-	1	-	1	-	-	3	-	-	SMETHWICK.										
ASTON MANOR	-	83,268	17.5	20.7	16.9	18.8	3.8	26	30	10	10	-	-	-	-	-	-	5	1	1	6	-	-	ASTON MANOR.										
COVENTRY	-	77,626	10.7	15.4	13.4	15.4	3.4	41	23	9	7	-	-	-	-	-	-	5	2	2	1	-	-	COVENTRY.										
LEICESTER	-	236,124	12.6	13.0	13.5	11.0	0.7	92	50	15	16	-	-	-	-	-	-	3	1	3	7	-	-	LEICESTER.										
GRIMSBY	-	70,574	15.5	17.7	20.7	18.5	3.0	32	25	11	4	-	-	-	-	-	2	2	-	1	3	-	-	GRIMSBY.										
NOTTINGHAM	-	257,489	17.4	17.4	14.8	14.2	2.8	134	70	22	20	-	-	-	-	-	2	12	-	2	10	-	-	NOTTINGHAM.										
DERBY	-	125,774	13.7	11.6	10.4	12.4	-	61	30	8	8	-	-	-	-	-	-	-	-	4	8	-	-	DERBY.										
STOCKPORT	-	100,986	19.6	13.9	23.2	19.1	5.7	37	37	16	11	-	-	-	-	-	1	9	-	-	5	-	-	STOCKPORT.										
BIRKENHEAD	-	118,563	15.8	14.1	11.9	11.9	1.8	78	27	10	4	-	-	-	1	-	-	3	1	2	5	2	-	BIRKENHEAD.										
WALLASEY	-	66,707	16.4	17.2	13.3	10.9	0.8	31	14	4	6	-	-	-	-	-	-	1	-	2	1	-	-	WALLASEY.										
LIVERPOOL	-	746,144	21.9	18.8	21.4	24.6	4.5	443	332	136	59	-	-	-	3	3	8	1	47	16	89	4	-	LIVERPOOL.										
BOOTLE	-	67,114	24.1	19.4	20.2	18.6	3.9	45	24	8	4	-	-	-	-	-	1	4	-	-	6	-	-	BOOTLE.										
ST. HELENS	-	92,476	14.7	15.2	20.9	22.6	2.3	57	40	14	4	-	-	-	-	2	-	1	-	-	5	1	-	ST. HELENS.										
WIGAN	-	88,606	23.0	23.5	24.1	21.8	5.3	42	37	8	11	-	-	-	1	-	1	6	-	-	8	-	-	WIGAN.										
WARRINGTON	-	70,269	13.4	19.3	14.8	11.1	2.2	50	15	4	3	-	-	-	-	-	-	3	-	-	3	1	-	WARRINGTON										
BOLTON	-	182,917	15.4	17.1	23.1	17.4	3.4	91	61	20	9	-	-	-	-	-	4	6	-	-	5	-	-	BOLTON.										
BURY	-	58,901	15.0	9.7	10.6	16.8	0.9	22	19	5	3	-	-	-	-	-	-	1	-	1	1	-	-	BURY.										
MANCHESTER	-	643,148	17.6	18.0	19.0	19.6	3.5	335	242	95	45	-	-	-	-	-	-	32	6	12	52	3	-	MANCHESTER.										
SALFORD	-	236,670	14.5	14.5	18.5	18.7	3.5	135	85	32	14	-	-	1	2	3	-	9	2	11	18	-	-	SALFORD.										
OLDHAM	-	141,730	17.3	15.5	12.9	19.9	5.9	65	54	11	13	-	-	1	1	1	1	11	1	1	5	-	-	OLDHAM.										
ROCHDALE	-	87,999	11.9	13.6	16.6	16.6	1.8	40	28	7	6	-	-	-	-	-	-	-	-	1	4	1	-	ROCHDALE.										
BURNLEY	-	103,947	14.5	18.1	17.6	24.6	3.5	63	49	15	10	-	-	-	-	-	-	7	-	1	8	1	-	BURNLEY.										
BLACKBURN	-	134,980	14.3	14.7	17.8	15.5	1.2	55	40	15	11	-	-	-	-	-	1	2	4	5	5	-	-	BLACKBURN.										
PRESTON	-	117,093	15.1	17.8	18.7	19.6	3.6	62	44	13	10	-	-	-	-	-	-	6	1	1	9	2	-	PRESTON.										
BARROW-IN-FURNESS.	-	61,935	19.5	9.3	14.4	13.5	3.4	30	16	10	1	-	-	-	-	-	-	4	1	1	-	-	-	BARROW-IN-FURNESS.										

The DEATHS registered in the Week include

[illegible]

* See note † on first page of this return.

Of

Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively, the annual meningitis or from Cerebro-spinal fever in Edinburgh 4 in Glasgow, 1 in Dublin, and 2 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SECOND Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2610	2468	2529	2485	2389	2486	2345	2442	2372	2411	2467.5	2198
Males - - -	1342	1248	1284	1267	1201	1281	1231	1244	1222	1226	1269.8	1113
Females - -	1268	1220	1245	1218	1188	1205	1114	1198	1150	1185	1197.7	1085
TOTAL Deaths -	1442	1497	1567	1392	1394	1496	1333	1476	1331	1232	1405.7	1270
Males - - -	708	795	789	694	700	760	680	739	683	652	719.2	676
Females - -	734	702	778	698	694	736	653	737	648	580	686.5	594

* The numbers in this column are the average weekly numbers in the forty-second week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 27.	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	13 Weeks.
TOTAL Births -	2273	2500	2055	2507	2307	2346	2207	2333	2178	2341	2162	2183	2198	29590
TOTAL Deaths -	1101	1052	1097	1093	1056	1068	1080	1083	1182	1251	1212	1315	1270	14860
Deaths at														
Under 1 year -	182	216	197	239	239	255	252	251	268	321	302	337	339	3398
1–5 years -	133	125	152	149	122	123	137	103	125	142	140	116	119	1686
5–20 " -	57	66	64	66	55	68	60	59	73	67	69	76	75	855
20–40 " -	140	122	149	138	127	112	133	134	144	142	138	143	157	1779
40–60 " -	258	199	222	217	225	211	226	220	246	238	225	260	245	2992
60 yrs. & upwds.	331	324	313	284	288	299	272	316	326	341	338	383	335	4150
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	40	46	36	43	28	24	25	10	11	9	5	11	9	297
Scarlet Fever -	19	13	16	8	7	14	13	12	13	14	18	19	25	191
Diphtheria - -	10	11	11	19	10	10	13	11	15	25	25	19	13	192
Whooping-cough -	35	27	24	29	34	21	20	25	30	20	18	18	19	320
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	2	3	-	6	3	7	3	3	4	6	6	10	6	59
Pyrexia (origin un- certain) - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	23	18	24	23	47	56	61	66	78	118	126	110	88	838
All above Diseases -	129	118	112	128	129	132	135	127	151	192	198	187	160	1898
Dis. of Resp. System	45	58	50	54	32	59	48	47	53	62	66	77	76	727
Pneumonia - - -	91	79	89	75	65	70	68	75	77	86	88	98	91	1050
Phthisis - - -	106	84	96	94	109	87	122	114	122	127	100	109	114	1384
Dis. of Circ. System	164	133	157	136	151	146	122	149	150	167	149	160	164	1948
Violence - - -	63	50	63	49	51	41	51	45	54	35	55	45	55	657
Inquest Cases - - -	140	104	136	106	105	107	115	104	135	109	114	127	117	1519
Deaths in Institutions	474	476	482	472	438	469	469	477	534	514	494	567	625	6331
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - - -	59.5	59.7	62.3	61.5	57.0	61.1	56.8	58.6	58.4	55.4	52.7	51.4	57.8	57.8
Mean of Highest -	70.2	71.1	73.6	72.4	66.1	72.3	66.4	71.7	69.1	71.8	64.3	60.1	57.5	68.2
Mean of Lowest -	51.3	51.0	54.7	54.2	50.5	50.6	49.8	47.4	45.9	47.2	48.7	45.6	44.5	49.3
Mean Humidity of the Air.	78	74	73	73	74	76	79	81	73	73	83	85	84	77
Rain-fall (in inches) -	0.51	0.40	0.18	0.71	0.96	0.16	0.44	0.00	0.00	0.03	0.85	1.13	0.79	6.16
Registered Sunshine (in hours)	24.7	43.7	41.9	45.0	24.9	47.8	18.7	41.9	46.0	47.7	22.7	25.0	19.1	449.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	1	1	1	1	1	1	1	1	1	1	Means.
Scarlet Fever - - -	3586	3626	3660	3669	3687	3738	3816	3872	4020	4328	4542	4752	4995	4022
Diphtheria - - -	872	914	885	888	864	837	845	876	902	967	1065	1143	1181	941
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	51	50	49	51	55	65	72	83	97	99	109	107	124	78

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.O.E., Plymouth; R. C. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and F. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Gunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SECOND Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 42nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH	Corrected Average for the 42nd week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.				
ALL CAUSES	1405.7	1270	339	119	75	157	245	335	Meningitis (not tuberc.)	14.7	9	3	3	1	1	-		
									Gen. Par. of Insane, {	14.1	14	-	-	-	5	6		
									Insanity - - - - -									
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy - - - - -	8.2	8	-	-	1	2	1		
Cowpox - - - - -	0.2	1	1	-	-	-	-	-	Convulsions - - - - -	21.5	12	11	1	-	-	4		
Measles (Morbilli) -	23.1	9	2	6	1	-	-	-	Locomotor Ataxy - -	1.6	3	-	-	-	1	1		
Scarlet Fever - - -	9.8	25	2	16	7	-	-	-	Paraplegia, Dis. of Cord	3.1	3	-	-	-	2	1		
Typhus - - - - -	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	19.0	17	-	-	1	6	2		
Plague - - - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	43.0	46	-	-	4	10	16		
Influenza - - - - -	9.2	10	-	1	-	3	2	4	Cereb. Hæm. Cereb. Emb.	31.5	31	-	-	-	6	25		
Whooping-cough - -	16.0	19	7	12	-	-	-	-	Apoplexy, Hemiplegia -	18.4	16	-	-	-	5	11		
Diphtheria - - - -	12.3	13	-	6	7	-	-	-	Aneurysm - - - - -	4.1	6	-	-	-	1	5		
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-	Embolism, Thrombosis {	1.0	1	-	-	-	1	-		
Pyæmia,† (origin un-	0.2	-	-	-	-	-	-	-	(not Cerebral) - - - -									
certain) - - - - -	13.3	6	-	-	-	5	1	-	Heart & Blood Vess.,	86.0	61	-	-	1	4	14		
Enteric Fever - - -	-	-	-	-	-	-	-	-	Other Dis. - - - - -									
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	1.2	-	-	-	-	-	-		
Epidemic Diarrhœa, {	31.9	59	48	10	-	1	-	-	Memb.) - - - - -									
Infective Enteritis -	25.6	29	23	2	1	-	1	2	Bronchitis - - - - -	94.8	59	14	2	-	1	9		
Diarrhœa, Dysentery -	-	-	-	-	-	-	-	-	Emphysema, Asthma - -	3.1	2	-	-	-	2	-		
Tetanus - - - - -	0.2	-	-	-	-	-	-	-	Pleurisy - - - - -	2.7	3	-	-	-	-	3		
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Respiratory Dis., Other-	10.0	12	2	1	-	2	5		
Glanders - - - - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	0.6	-	-	-	-	-	-		
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	17.6	21	14	4	-	1	2		
Venereal Dis. - - - -	9.8	11	9	-	-	1	1	-	Gastro-enteritis - - -	10.4	19	15	2	-	1	1		
Puerperal Septicæmia -	3.9	5	-	-	-	4	1	-	Peritonitis (not Puerp.)	3.5	3	-	-	1	-	2		
Puerperal Pyæmia - -	0.2	-	-	-	-	-	-	-	Cirrhosis of Liver - -	15.1	11	-	-	-	1	7		
Puerperal Fever - - -	0.8	-	-	-	-	-	-	-	Liver Dis., Other - - -	8.0	3	-	-	-	1	2		
Infective Endocarditis -	2.0	1	-	-	1	-	-	-	Digestive Sys., Other Dis.	37.3	34	6	2	4	4	13		
Lobar - - - - -	9.4	13	-	1	1	4	4	3	Acute Nephritis - - - -	7.2	3	-	-	-	-	3		
Broncho- - - - -	49.9	37	12	14	1	1	2	7	Bright's Dis., Albumin-	36.2	41	-	-	2	4	16		
Epidemic - - - - -	-	-	-	-	-	-	-	-	uria - - - - -	13.9	8	-	-	-	1	1		
Not defined - - - -	52.0	41	5	9	2	6	7	12	Urinary Sys., Other Dis.									
Erysipelas - - - - -	4.7	2	1	1	-	-	-	-	Generative Organs Dis.-	5.5	4	-	-	-	2	1		
Septicæmia (not Puer-	1.4	-	-	-	-	-	-	-	Childbirth (Accid. of) -	4.1	3	-	-	1	2	-		
peral) - - - - -	-	-	-	-	-	-	-	-	Old Age - - - - -	52.0	35	-	-	-	-	35		
Pyæmia (not Puerperal)	1.4	-	-	-	-	-	-	-	Other Diseases - - - -	97.9	114	82	10	6	4	8		
Other Infective Processes	7.2	2	-	-	-	2	-	-	ACCIDENT.									
Tuberculous Phthisis -	77.6	82	2	2	4	35	35	4	By Railways - - - - -	1.0	1	-	-	-	1	-		
"Phthisis" - - - - -	62.6	32	-	2	3	15	10	2	By Vehicles and Horses-	7.0	8	-	-	1	1	2		
Tuberculous Meningitis-	19.2	17	6	3	8	-	-	-	In Ships, Boats, Docks,	0.2	-	-	-	-	-	-		
Tuberculous Peritonitis -	9.4	9	3	4	1	-	1	-	(exclusive of Drown-									
Tuberculosis Mesenterica	3.7	1	1	-	-	-	-	-	ing) - - - - -	1.6	2	-	-	-	1	1		
Tuberculous Dis., Other -	19.6	18	3	3	6	4	1	1	In Building Operations-	1.8	1	-	1	-	-	-		
Scrofula - - - - -	0.8	-	-	-	-	-	-	-	In Conflagrations - - -	4.1	1	-	-	-	-	1		
Alcoholism - - - - -	11.7	4	-	-	-	-	3	1	By Burns, Scalds, Ex-	4.3	4	1	-	-	2	1		
Rheumatic Fever - - -	4.3	6	-	-	4	1	1	-	plosions - - - - -	9.8	6	6	-	-	-	-		
Gout - - - - -	2.5	-	-	-	-	-	-	-	By Drowning - - - - -	4.3	4	1	-	-	-	-		
Carcinoma - - - - -	56.3	57	-	-	-	3	30	24	By Suffocation in Bed -	3.8	3	-	-	-	-	-		
Sarcoma - - - - -	5.3	6	-	-	1	5	-	-	By Poisons or Poisonous	3.3	2	-	-	-	1	1		
Cancer (undefined) - -	36.0	28	-	-	-	1	15	12	Vapours - - - - -									
Diabetes Mellitus - - -	10.8	11	-	-	4	2	5	-	Other Deaths by Acci-	17.4	16	3	-	2	1	4		
Premature Birth - - - -	52.8	53	56	-	-	-	-	-	dent - - - - -									
									VIOLENCE OTHER THAN									
									ACCIDENTAL.									
									Homicide - - - - -	1.4	2	1	-	-	1	-		
									Suicide - - - - -	9.2	12	-	-	-	6	5		
									Execution - - - - -	-	-	-	-	-	-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th October, 1907.

		The DEATHS registered during the Week include															
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin un- certain).	Diarrhoea.	Violence.		
LONDON - - -	4,536,429	2198	1270	339	335	-	9	25	13	19	-	6	-	88	55	117	528
WEST DISTRICTS - - -	805,311	302	198	39	61	-	-	1	2	3	-	1	-	9	11	21	86
NORTH DISTRICTS - - -	1,056,070	460	267	65	73	-	3	3	2	4	-	2	-	16	9	22	91
CENTRAL DISTRICTS - - -	209,465	112	53	16	14	-	1	-	-	2	-	-	-	6	3	5	20
EAST DISTRICTS - - -	715,739	459	234	83	46	-	4	-	3	1	-	1	-	25	14	36	108
SOUTH DISTRICTS - - -	1,749,844	865	475	136	133	-	1	16	4	9	-	2	-	32	18	33	167
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	43	-	8	-	-	5	2	-	-	-	-	-	-	-	43
WEST DISTRICTS.																	
North Paddington† H - - -	63,603	25	11	2	1	-	-	-	-	-	-	-	-	-	1	2	-
Central Paddington† W,3H - - -	50,053	16	21	5	5	-	-	-	-	1	-	-	-	2	-	-	11
South Paddington† - - -	30,320	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - - -	128,037	62	43	6	22	-	-	-	-	1	-	-	-	-	4	5	23
Brompton 2H - - -	48,591	4	6	-	1	-	-	-	-	-	-	-	-	-	-	-	3
North Hammersmith 2W,w,H - - -	49,192	34	17	5	4	-	-	-	-	-	-	-	-	-	1	3	6
South Hammersmith w,2H - - -	83,047	34	10	1	-	-	-	-	-	-	-	-	-	-	3	3	5
North-west Fulham W - - -	45,180	29	20	5	8	-	-	-	-	1	-	-	-	3	-	-	13
North-east Fulham F - - -	46,405	18	7	2	1	-	-	1	2	-	-	-	-	1	-	1	3
South Fulham W - - -	45,704	12	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - -	42,514	10	15	3	5	-	-	-	-	-	-	-	-	2	-	2	8
Chelsea South W,2H - - -	31,328	12	6	4	-	-	-	-	-	-	-	-	-	-	1	2	2
Mayfair and Knightsbridge - - -	28,743	2	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Belgrave W,2H - - -	55,815	19	13	2	3	-	-	-	-	-	-	1	-	-	1	1	5
St. Margaret & St. John 6H - - -	43,698	14	15	4	4	-	-	-	-	-	-	-	-	1	-	1	7
St James and St. Anne W,6H - - -	33,081	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - -	35,391	13	13	-	4	-	-	-	-	1	-	-	-	-	-	-	9
St. Mary Marylebone W,4H - - -	37,948	34	6	-	2	-	-	-	-	-	-	-	-	-	1	3	2
Christchurch Marylebone - - -	39,536	14	5	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. John Marylebone 2H - - -	20,426	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead W,F,6H - - -	81,942	23	17	2	5	-	-	2	-	-	-	-	-	1	-	1	6
West St. Pancras 2H - - -	60,562	28	14	5	3	-	-	-	-	-	-	-	-	-	-	-	5
South St. Pancras w,11H - - -	55,707	13	22	5	1	-	-	-	-	-	-	-	-	2	2	2	13
East St. Pancras W,2H - - -	60,320	36	19	6	6	-	1	-	-	-	-	-	-	1	1	1	3
North St. Pancras 2W - - -	58,728	22	14	2	5	-	-	-	1	1	-	-	-	1	1	1	7
Tufnell W - - -	31,995	13	20	2	8	-	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway 2W,w,H - - -	33,978	13	14	2	3	-	-	-	-	-	-	1	-	1	1	2	13
Tollington W,w,H - - -	33,922	16	4	1	2	-	-	-	-	-	-	-	-	-	-	-	11
Lower Holloway - - -	41,424	22	11	6	2	-	-	-	-	2	-	-	-	3	1	1	-
Barnsbury - - -	54,478	33	10	7	-	-	-	-	-	-	-	-	-	3	-	-	-
Islington South-east F - - -	75,397	36	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-
Highbury 2H - - -	63,797	24	10	1	6	-	-	-	-	-	-	-	-	-	-	1	1
Stoke Newington H - - -	51,247	19	12	2	3	-	1	-	-	-	-	-	-	-	-	2	-
North Hackney - - -	60,560	15	14	5	4	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w,F - - -	60,558	23	13	3	1	-	1	-	1	-	-	1	-	1	1	2	2
South-west Hackney 3E - - -	59,921	27	18	7	7	-	-	-	-	-	-	-	-	1	1	3	9
South-east Hackney 2W,w,H - - -	58,255	29	19	6	7	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note* on first page of this return.

† On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named as above.

‡ Called "Simple Continued Fever" previous to 1901.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
CENTRAL DISTRICTS.																				
Giles and Bloomsbury 2W, 2H -		31,436	23	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
and W, 4H - - - - -		21,874	3	10	-	2	-	-	-	-	-	-	-	-	-	-	1	1	9	-
and Union Workhouse, Edmonton -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born W, 6H - - - - -		29,612	6	13	7	3	-	-	-	-	1	-	-	-	4	-	1	9	-	-
th Clerkwell - - - - -		28,876	23	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th Clerkwell H - - - - -		35,028	20	5	2	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-
sbury 3H, L - - - - -		36,118	34	6	2	2	-	-	-	-	1	-	-	-	2	-	-	-	-	-
born Union Workhouse, } Micham - - - - -		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Botolph H - - - - -		10,200	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows W, 2H		16,624	1	11	2	2	-	1	-	-	-	-	-	-	-	1	1	10	-	-
y of London Asylum, Stone		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																				
oreditch South H - - - - -		46,362	23	7	3	1	-	-	-	-	-	-	-	-	-	2	2	1	-	-
oreditch North-West W, w, H -		36,127	34	20	9	5	-	1	-	-	-	-	-	-	2	-	3	10	-	-
oreditch North-East - - - - -		36,148	24	5	2	2	-	-	-	-	-	-	-	-	1	1	1	-	-	-
oreditch Union Workhouse, Wood } Green - - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
thnal Green North-East 2W } IL - - - - -		65,138	39	31	14	7	-	-	-	-	-	-	-	-	6	1	1	19	-	-
thnal Green South-West H - -		64,542	50	12	3	2	-	-	-	-	-	-	-	-	1	2	3	1	-	-
talfields - - - - -		27,969	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
le End New Town W, H - - -		28,718	18	44	12	6	-	-	-	1	-	-	-	-	4	2	9	38	-	-
odman's Fields - - - - -		22,081	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2W - - -		49,068	36	15	5	1	-	-	-	-	-	-	-	-	1	-	-	6	-	-
adwell and Batcliff W, H - -		25,568	13	19	8	2	-	1	-	-	1	1	-	-	2	1	3	9	-	-
eshouse W - - - - -		32,369	22	9	3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-
le End Old Town South- } Western H - - - - -		63,698	54	11	3	2	-	1	-	1	-	-	-	-	1	-	2	-	-	-
le End Old Town North- } Eastern W, w - - - - -		49,129	23	16	7	4	-	-	-	-	-	-	1	-	-	-	3	6	-	-
w L - - - - -		41,939	29	6	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-
unley 3w, H - - - - -		68,319	42	25	7	7	-	1	-	-	-	-	-	-	5	3	5	18	-	-
olar W, w - - - - -		58,514	33	8	3	2	-	-	-	-	-	-	-	-	-	2	2	1	-	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th October, 1907.—*continued.*

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include												Inquest Cases.	Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from											
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea	Violence.		
SOUTH DISTRICTS.																		
Christchurch and St. Saviour		23,319	8	13	3	1	-	-	-	1	-	-	-	-	-	3	3	
Southwark W,2H		21,904	13	3	2	1	-	-	-	-	-	-	-	-	1	-	-	
Kent-road		39,094	25	19	5	3	-	-	-	-	1	-	-	-	1	-	-	
St. George the Martyr West		49,022	10	3	1	1	-	-	-	-	-	-	-	-	-	1	-	
W,2H,L		72,841	46	17	8	3	-	-	-	-	-	-	-	-	1	1	1	
Newington North																		
Newington South W																		
St. Olave 2W		9,817	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W		82,483	41	22	8	7	-	-	-	-	-	-	-	-	2	1	1	
Rotherhithe W,F		38,460	31	21	6	8	-	-	-	-	-	-	-	-	2	-	14	
Waterloo 2H		27,440	32	10	7	-	-	-	-	-	1	-	-	-	1	-	5	
Lambeth Church H		27,440	9	17	2	2	-	-	-	-	1	-	-	-	1	-	12	
Kennington 2W		52,518	35	26	5	6	-	-	-	-	-	-	-	-	1	-	18	
Stockwell HF		63,826	32	8	2	1	-	-	-	-	-	-	-	-	-	2	-	
Brixton H		73,673	30	17	6	3	-	-	-	-	-	-	-	-	-	-	2	
Norwood WH		56,998	14	6	1	2	-	-	-	-	-	-	-	-	-	1	-	
East Battersea H		72,203	38	17	6	4	-	-	-	-	-	-	-	-	4	-	2	
North-west Battersea		49,856	25	10	4	-	-	-	-	-	1	-	-	-	1	1	2	
South-west Battersea 2W,H		47,048	16	17	5	8	-	1	-	-	-	-	-	-	2	4	12	
Clapham 2H		51,361	26	5	2	3	-	-	-	-	-	-	-	-	2	-	-	
Streatham W,2w,F,2L		88,019	42	34	9	16	-	4	-	1	-	-	-	-	3	-	12	
Springfield 2W,L		27,959	18	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
Southfields H		40,444	25	6	2	2	-	-	-	-	-	-	-	-	1	1	1	
Putney		24,139	8	8	1	4	-	-	-	-	-	-	-	-	1	1	-	
Dulwich		13,359	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w		40,206	18	20	1	7	-	-	-	-	1	-	-	-	-	-	16	
Camberwell North W,2L		65,584	27	27	5	6	-	-	-	-	2	-	1	-	1	2	17	
St. George		47,331	25	11	7	1	-	-	-	-	-	-	-	-	3	-	-	
Peckham North		48,913	21	10	3	4	-	-	-	-	-	-	-	-	2	-	-	
Peckham South 2W,w		43,946	13	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
Deptford North		37,613	18	6	1	3	-	-	-	-	-	-	-	-	1	-	-	
Deptford Central F		45,481	21	9	3	1	-	-	1	1	1	-	1	-	-	1	3	
Deptford South		34,825	9	7	1	2	-	-	-	-	-	-	-	-	1	1	-	
Greenwich West 2H		23,466	9	4	2	1	-	-	-	-	-	-	-	-	-	-	2	
Greenwich East 2W,H		43,859	21	21	7	3	-	-	-	-	-	-	-	-	2	1	13	
Eltham w,H		7,226	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Lee w,H		25,490	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W,w,F		58,352	39	21	2	12	-	2	-	-	-	-	-	-	-	1	9	
Sydenham H		43,653	25	8	1	6	-	-	-	-	-	-	-	-	1	1	-	
Charlton F,2H		21,134	7	17	5	2	-	-	9	2	-	-	-	-	-	-	12	
Woolwich 5H		41,625	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Plumstead West W		18,063	8	2	1	1	-	-	-	-	-	-	-	-	1	1	-	
Plumstead East 2W,H		50,264	42	7	3	2	-	-	-	-	-	-	-	-	-	-	-	
Workhouse:-																		
Central London Sick Asylum				3	-	-	-	-	-	-	-	-	-	-	-	-	3	
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Joyce Green																		
Long Reach																		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)				2					1	1							2	
North-Eastern				5													5	
Northern				1					3	1							1	
M. A. B. Imbecile Asylums:-																		
Belmont				1													1	
Caterham				2													2	
Darenth				1													1	
Leavesden				1		1											1	
London County Lunatic Asylums:-																		
Banstead				3		1											3	
Ewell (Epileptic Colony)				1													1	
Horton																		
Manor				1													1	
Long Grove				6		2											6	
Cane Hill				4													4	
Dartford Heath				7		2											7	
Hanwell				2		2											2	
Colney Hatch				2													2	
Claybury				1													1	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th October, 1907.

Registration District and Sub-district Numbers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		363,302	2,044,973	1121	520	166	153	-	-	3	5	1	5	61	18	47	90	1	
30: 1	Carshalton 2F,3H	12,228	32,997	10	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
2	Epsom, part of* W, w, 2F, H	10,433	15,548	8	7	-	3	-	-	-	-	-	-	-	-	-	3	1	
37: 1	Godstone, part of* W, F, L	2,754	2,692	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Coulsdon	11,089	8,166	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-	
2	South Croydon w	4,200	49,309	21	10	2	4	-	-	-	-	-	-	-	1	1	3	-	
3	West Croydon 3W, F, H	2,168	42,888	30	18	5	5	-	-	-	-	-	-	-	-	2	11	-	
4	North Croydon H	2,644	41,698	20	9	2	2	-	-	-	-	-	-	1	-	4	-	-	
5	Penge w	770	22,465	3	7	3	3	-	-	-	-	-	-	1	-	-	-	-	
6	Mitcham	11,711	30,016	14	11	3	3	-	-	-	-	-	-	2	1	2	1	-	
39: 1	Wimbledon F, 3H	3,221	41,852	18	6	1	2	-	-	-	-	-	1	-	-	1	-	-	
2	Kingston 2W, H	6,224	42,068	13	14	3	7	-	-	-	-	-	-	2	2	2	5	-	
3	Surbiton F, H	3,046	15,017	3	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
4	Esher, part of* H	5,402	13,100	10	3	-	1	-	-	-	-	-	-	-	-	1	-	-	
5	Hampton H, F, L	4,594	23,456	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W, H	2,491	31,672	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,518	17,821	12	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
41: 1	Bromley F, 2H	4,703	27,354	17	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
2	Beckenham H	7,825	28,497	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington, part of* W, F	10,113	9,857	4	3	-	-	-	-	-	-	-	-	-	-	-	2	-	
4	Chislehurst 2H	7,333	18,446	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley w, F, H	8,678	21,151	11	7	2	5	-	-	-	-	-	-	2	-	-	-	-	
2	Erith F, H	3,854	25,296	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury w	11,054	18,683	6	4	1	3	-	-	-	-	-	-	1	-	-	-	-	
2	Staines W, H	13,277	15,178	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon W, F, H	6,035	13,661	3	3	2	1	-	-	-	-	-	-	2	-	-	2	-	
2	Uxbridge H	12,757	8,984	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w, 2F, H	8,066	16,358	16	4	1	1	-	-	-	-	-	-	1	1	1	-	-	
126: 1	Isleworth 3W, 3F, H	6,859	30,863	17	12	2	6	-	-	-	-	-	-	1	1	1	6	-	
2	Twickenham F, 2H	2,421	20,991	15	8	4	3	-	-	-	-	-	-	2	-	-	-	-	
3	Brentford 3F, 2H	4,319	48,289	26	11	4	4	-	-	1	-	-	-	-	-	1	1	-	
4	Chiswick H	1,249	29,809	11	8	1	3	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w, F, 3H	6,132	48,914	33	8	3	2	-	-	-	-	-	-	2	-	-	-	-	
127: 1	Harrow F, H	13,809	25,523	14	6	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F, 2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W, F, 2H	4,384	114,811	66	22	9	4	-	1	-	-	-	-	3	2	3	2	-	
4	Hendon W, F	8,382	22,450	15	5	3	1	-	-	-	-	-	-	1	-	-	-	-	
128: 1	South Mimms 2F, H	17,755	7,308	-	3	-	1	-	-	-	-	-	-	-	1	1	-	-	
2	Barnet W, 2H	3,324	17,970	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F, 2H	4,688	33,692	20	8	3	4	-	-	-	-	-	-	1	-	1	-	-	
129: 1	Hornsey F, H	3,875	72,056	21	10	6	1	-	-	-	-	1	-	1	-	1	1	1	
2	Wood Green H	1,625	34,233	21	13	1	7	-	-	-	-	-	-	-	-	-	1	-	
3	West Tottenham	996	48,853	30	7	3	1	-	-	-	-	-	-	-	-	1	-	-	
4	East Tottenham 2H	2,017	53,688	36	22	10	3	-	-	-	-	1	-	-	2	5	4	4	
5	Edmonton W, w, 2F	7,491	61,892	45	15	4	6	-	-	-	-	-	-	-	-	-	4	4	
6	Enfield 2W, F, H	12,601	42,738	22	10	5	3	-	-	-	-	-	-	1	-	-	1	2	
7	Waltham Abbey F	11,017	6,549	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F, H	8,479	12,292	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W, 2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
180: 1	Stratford H	1,091	52,974	34	11	4	3	-	-	-	-	-	-	3	-	1	-	-	
2	Forest Gate	787	52,745	24	11	6	3	-	-	-	-	-	-	-	2	1	1	-	
3	Plaistow F, 2H	1,249	90,921	63	20	11	2	-	-	1	-	-	1	5	-	-	2	-	
4	Canning Town H	1,556	70,718	56	29	14	2	-	-	-	-	-	-	-	2	3	2	-	
5	South East Ham 2F	1,993	37,342	32	12	4	2	-	-	-	-	-	-	13	-	1	1	1	
6	North East Ham w, H	1,333	58,676	35	15	2	3	-	-	1	-	-	-	1	1	3	1	-	
7	Wanstead F	1,379	9,179	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	18	22	9	7	-	-	-	1	-	-	3	-	1	9	-	
9	North Leyton 2W, w, F	1,963	48,445	26	26	9	6	-	-	-	-	-	-	4	1	1	12	-	
10	Walthamstow 2H, L	6,504	108,929	68	15	4	4	-	-	-	-	-	-	1	1	2	1	-	
187: 1	Chigwell 2F, 3H	11,778	18,397	9	2	-	-	-	-	-	1	-	-	-	-	-	1	-	
2	Epping W, F, part of*	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	
189: 1	Romford, part of* W, 2F	6,556	6,091	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford F, L	8,496	41,234	15	17	4	8	-	-	-	1	-	-	-	-	-	1	-	
3	Barking Town F	3,803	21,547	17	7	5	-	-	-	-	-	-	-	1	-	-	-	-	
	Grove Hospital, Tooting	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	6	-	
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
	Essex County Lunatic Asylum, Brentwood.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea
LONDON - -	4,753,218	October 19	2198	1270	13·9	-	9	25	13	19	6	8
CALCUTTA - -	955,928	September 14	-	445	27·2	1	-	-	1	-	133†	-
BOMBAY - -	982,000	October 1	396	650	34·6	-	3	-	-	-	90†	-
MADRAS - -	548,974	September 20	520	576	58·8	-	6	?	?	?	129	17
PARIS - - -	2,722,731	October 12	956	860	16·4	1	2	1	2	1	2	-
BRUSSELS - -	623,202	" 12	160	158	13·1	-	2	2	3	-	-	-
ANTWERP - -	304,032	" 12	117	73	12·4	-	1	-	-	1	1	-
AMSTERDAM -	564,342	" 12	253	131	12·1	-	2	-	2	2	1	-
COPENHAGEN -	433,000	" 12	234	112	13·5	-	-	-	-	2	-	-
STOCKHOLM -	332,738	" 5	143	98	15·3	-	-	-	-	-	-	-
CHRISTIANIA -	226,774	" 12	120	44	10·0	-	-	-	4	-	-	-
ST. PETERSBURG	1,482,769	September 28	592	553	19·4	-	9	10	18	14	14	8
MOSCOW - -	1,296,000	October 5	-	629	25·3	1	7	7	2	6	6	15
				566	23·8		6	7	8	4	4	10
BERLIN - - -	2,097,008	September 28	1036	604	15·0	-	5	4	11	16	-	8
HAMBURG - -	840,790	October 12	-	228	14·4	-	1	-	1	3	-	-
BRESLAU - -	485,278	" 5	-	207	22·2	-	1	1	2	1	-	-
MUNICH - - -	548,000	" 5	-	188	17·8	-	1	-	2	1	-	-
VIENNA - - -	1,979,003	" 12	930	520	13·5	1	1	3	4	-	-	6
PRAGUE - - -	470,906	" 5	173	138	15·2	-	3	-	-	2	1	1
BUDA-PESTH -	802,235	" 5	424	272	17·6	-	-	10	2	-	6	-
TRIESTE - - -	200,962	" 12	126	85	21·8	-	-	-	-	-	1	-
ROME - - -	542,760	July 27	244	168	16·1	-	2	-	2	3	3	3
VENICE - - -	174,388	August 31	87	61	18·2	-	-	1	-	-	1	10
		September 7	78	58	17·3	-	-	-	-	-	1	7
BUCHAREST -	292,395	October 12	201	113	20·2	-	-	2	1	-	-	-
NEW YORK - -	4,285,435	September 28	2612	1365	16·6	-	2	3	13	5	23	23
CHICAGO - - -	2,107,620	" 28	-	549	13·6	-	1	8	9	1	9	10
PHILADELPHIA -	1,500,695	" 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	" 22	-	246	20·4	5	2	-	-	-	2	7

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta and 23 in Bombay.

‡ Including 38 deaths from cholera in Calcutta, 12 in Bombay, and 112 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th October, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	63·0	39·1	51·0	0·79	LEEDS - -	63·0	37·0	51·0	2·45
BRIGHTON - -	62·0	42·9	53·7	1·24	YORK - - -	61·0	33·2	49·5	1·63
PORTSMOUTH -	63·0	44·0	53·9	2·90	HULL - - -	62·0	33·0	50·3	1·61
NORWICH - - -	61·8	33·8	51·0	1·04	TYNEMOUTH -	61·0	33·0	48·7	1·30
PLYMOUTH - -	59·9	41·0	52·0	2·08	CARDIFF - -	61·7	31·1	50·0	1·32
BRISTOL - - -	60·0	35·0	50·4	2·09					
BIRMINGHAM -	59·9	35·6	49·7	2·32	EDINBURGH -	55·1	34·8	45·2	4·27
NOTTINGHAM -	61·2	32·2	50·4	1·44	GLASGOW - -	59·5	35·0	46·4	2·95
LIVERPOOL - -	59·0	36·0	48·5	1·03					
OBSERVATORY. } MANCHESTER -	60·0	30·7	49·0	0·86	DUBLIN { Phoenix Park, Fitz- william Square.†	58·3	33·5	43·0	0·60
BURNLEY - - -	58·6	31·6	48·1	1·41					
PRESTON - - -	58·6	37·2	49·6	0·78	BELFAST - -	55·5	39·0	43·0	0·73
HUDDERSFIELD	61·0	32·2	48·4	2·45					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

1907.		Phases of the Moon.	TEMPERATURE.				Difference between the Air-Temperature and Dew Point Temperature.				TEMPERATURE		Winds as deduced from Anemometers.				Rain collected during the month, or the gauge whose receiving apparatus is situated above the ground.	
MONTH AND DAY	BARO- METR. Mean daily reading (cor- rected and re- duced to Fahren- heit).		Of the Air.			Of the Dew Point		Degree of In- ten- sity (Scale equals 100).	Of Radiation.		Off the Earth Feet below the Surface.	Osler's.		Pressure on the Square Foot.		Robinson's, Horizontal Deper- ment of the Air Average of each Day. 40 years.		
			High- est.	Low- est.	Daily Range.	Mean from Average value.	De- parture from Average value.		Mean daily value.	Great daily est.		Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.			P.M.
OCTOBER.	in.		°	°	°	°	°	°	°	°	°	°	°	°	°	°	in.	
SUNDAY - 13	29.561	63.0	43.7	19.3	°	53.5	+ 3.2	48.1	5.4	11.7	0.0	82	105.0	38.1	56.12	W. S.W. & S.W.	239	1.5 0.00
MONDAY - 14	29.151	57.0	48.1	8.9	°	52.7	+ 2.6	51.3	1.4	4.6	0.0	95	71.2	44.3	55.95	S. S.E. & variable.	232	8.5 0.37
TUESDAY - 15	29.173	57.2	40.4	16.8	°	48.7	- 1.2	40.1	8.6	15.8	0.4	72	102.9	31.8	55.85	S.W. S.E. & S.W.	310	0.0 0.07
WEDNESDAY - 16	29.078	54.0	39.1	14.9	°	47.8	- 2.0	46.3	1.5	4.3	0.5	95	70.0	30.5	55.71	S.W. S.E. & E.	271	1.5 0.12
THURSDAY - 17	29.011	53.0	48.1	4.9	°	50.5	+ 0.9	45.4	5.1	8.4	1.0	83	61.7	44.6	55.37	E. E.N.E. & E.S.E.	283	10.5 0.05
FRIDAY - 18	28.161	55.7	43.9	11.8	°	50.8	+ 1.5	46.5	4.3	9.4	0.7	85	82.2	37.3	55.15	S.E. E. & S.W.	427	12.5 0.08
SATURDAY - 19	29.502	62.8	48.3	14.5	°	55.6	+ 6.5	48.8	6.8	11.8	1.7	78	106.0	37.0	55.00	Calm, W.S.W. & S.W.	392	13.2 0.03
MEANS -	29.237	57.5	44.5	13.0	°	51.4	+ 1.6	46.6	4.7	9.4	0.6	84	85.6	37.4	55.59	SSW. & S.S.E.	Sum 2104	6.5 0.79
3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	25
o. of Column -																	24	26

The results apply to the civil day, or from midnight to midnight.

The height of the column of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of correction factors deduced from a discussion of the photographic records made during the afternoon ending 1903, with discussion of the photographic records made during the afternoon ending 1904, and the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily values of the dry and wet bulb thermometers by Glaisher's Hyometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher", and "lower" than the average.

- lower, than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The record of Temperature is obtained from a self-registering thermometer, moderate.

The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.81 in. at the beginning of the week to 29.01 in. by 7h. P.M. on the 14th; increased to 29.28 in. by 1h. A.M. on the 16th; decreased to 28.83 in. by 1h. A.M. on the 17th; increased to 29.59 in. by 9h. P.M. on the 19th; and was 29.57 in. at the end of the week.

GENERAL REMARKS.

SUNDAY	-	13	w. P. throughout.	3.2	10.9	Generally cloudy; fine in afternoon; slight shower at 11h. 45m. P.M.
MONDAY	-	14	w. P. generally.	0.0	10.8	Fine and partially cloudy till 4h. A.M.; generally overcast with frequent rain afterwards.
TUESDAY	-	15	w. P. generally; occasional m. N. in morning.	7.4	10.7	Cloudy and showery in early morning; very fine generally after 8h. A.M.
WEDNESDAY	-	16	w. P. till noon; w. P. with occasional v. N. afterwards.	0.0	10.7	Partially cloudy till 4h. A.M.; overcast afterwards with frequent rain after 11h. 45m. A.M.
THURSDAY	-	17	w. P. till 3h. P.M.; w. P. with occasional m. N. afterwards.	0.0	10.6	Overcast with slight exceptions; light showers after noon.
FRIDAY	-	18	w. P. generally; m. N. at 2h. A.M.	0.9	10.6	Variably cloudy in morning; generally overcast after 9h. 30m. A.M.; frequent rain.
SATURDAY	-	19	w. P. generally.	7.6	10.5	Variable and showery in morning; very fine generally after 7h. A.M.
				Sum 19.1	Sum 74.8	
No. of Ool.-			27	38	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 12th October, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	11	7	-	1	-	-	2	-	-
Kensington - - -	181,842	-	11	8	-	2	-	-	4	-	-
Hammersmith - -	122,337	-	65	6	-	1	-	-	7	-	1
Fulham - - -	166,749	-	21	23	-	1	-	-	4	-	-
Chelsea - - -	74,857	-	5	2	-	3	-	-	2	-	-
City of Westminster -	172,219	-	16	1	-	2	-	-	1	-	-
NORTH.											
St. Marylebone - -	127,713	-	12	4	-	-	-	-	-	-	-
Hampstead - - -	91,137	-	4	2	-	1	-	-	1	-	-
St. Pancras - - -	236,753	-	47	9	-	2	-	-	3	-	-
Islington - - -	347,017	-	36	16	-	4	-	-	10	2	-
Stoke Newington - -	53,613	-	6	10	-	1	-	-	1	-	-
Hackney - - -	232,993	-	59	23	-	3	1	-	5	-	-
CENTRAL.											
Holborn - - -	55,134	-	1	1	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	6	6	-	-	-	-	3	-	-
City of London - -	20,310	-	3	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	30	6	-	4	-	-	6	-	-
Bethnal Green - -	130,831	-	45	6	-	3	-	-	5	-	-
Stepney - - -	308,923	-	112	20	-	1	1	-	6	-	-
Poplar - - -	171,086	-	34	12	-	3	-	-	6	2	-
SOUTH.											
Southwark - - -	209,781	-	27	11	-	-	-	-	10	1	-
Bermondsey - - -	128,263	-	16	14	-	-	-	-	2	-	-
Lambeth - - -	318,538	1	61	7	-	-	-	-	5	-	-
Battersea - - -	181,736	-	23	6	-	-	-	-	4	-	-
Wandsworth - - -	281,419	-	30	17	-	1	-	-	6	-	-
Camberwell - - -	277,059	-	47	16	-	2	-	-	12	2	1
Deptford - - -	116,510	-	18	6	-	-	-	-	1	-	-
Greenwich - - -	107,232	-	15	6	-	1	-	-	1	-	-
Lewisham - - -	152,532	-	16	5	-	1	-	-	2	-	-
Woolwich - - -	129,336	-	16	4	-	1	-	-	3	1	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		1	798	254	-	38	2	-	112	8	2
Ages											
0-1 - - -	-	-	9	6	-	-	-	-	4	-	1
" 1-5 - - -	-	1	208	100	-	2	-	-	5	-	1
" 5- - - -	-	-	349	76	-	2	-	-	4	-	-
" 10- - - -	-	-	136	30	-	5	1	-	8	-	-
" 15- - - -	-	-	38	12	-	1	-	-	6	-	-
" 20- - - -	-	-	30	8	-	8	-	-	5	1	-
" 25- - - -	-	-	22	14	-	9	1	-	13	6	-
" 35- - - -	-	-	5	5	-	8	-	-	25	1	-
" 45- - - -	-	-	1	2	-	1	-	-	19	-	-
" 55- - - -	-	-	-	-	-	-	-	-	13	-	-
" 65 and upwards -	-	-	-	-	-	2	-	-	9	-	-
Age not stated - -	-	-	-	1	-	-	-	-	1	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907,1

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 43. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, OCT. 26. [Price 1½d.

General Register Office, Somerset House,
October 28th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 15·7, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·6 in Wigan, 21·2 in Liverpool, 22·1 in Burnley, 22·6 in Rotherham, 24·3 in Oldham, and 28·8 in Merthyr Tydfil; from *measles*, 2·5 in Barrow in Furness and in Cardiff, 4·1 in Merthyr Tydfil, and 4·9 in Burton on Trent; from *scarlet fever*, 1·1 in Salford; from *whooping-cough*, 1·1 in Oldham and 1·6 in Bootle; from "*fever*," 1·5 in Grimsby; and from *diarrhoea*, 2·5 in Rotherham and in York, 2·6 in Southampton, 2·7 in Preston, and 4·5 in Burnley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2450 BIRTHS and 1265 DEATHS were registered. Allowing for increase of population, the births were 100 and the deaths 119 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·3, 14·4, and 13·9 per 1000 in the preceding three weeks, was 13·9 last week. The death-rate in the four weeks ended last Saturday averaged 13·9 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1265 deaths included 16 from measles, 26 from scarlet fever, 11 from diphtheria, 18 from whooping-cough, 9 from enteric fever, and 67 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 147 deaths were referred, being 30 above the corrected average number in the forty-third week of the preceding five years.

The deaths from *measles*, which had been 5, 11, and 9 in the preceding three weeks, rose to 16 last week, but were 7 below the corrected average; 5 deaths belonged to the Borough of Stépney. The deaths from *scarlet fever*, which had been 18, 19, and 25 in the preceding three weeks, rose to 26 last week, and were 15 above the corrected average; 7 deaths belonged to Stépney, and 2 each to Hammersmith, Islington, Bethnal Green, and Poplar. The deaths from *diphtheria*, which had been 25, 19, and 13 in the preceding three weeks, further fell to 11 last week, the corrected average being 16. The deaths from *whooping-cough*, which had been 18, 18, and 19 in the preceding three weeks, were 18 last week, and were 10 above the corrected average; 3 deaths belonged to Fulham, and 2 each to Kensington, Chelsea, Southwark, and Woolwich. The deaths from *enteric fever*, which had been 6, 10, and 6 in the preceding three weeks, were 9 last week, the corrected average being 8. The deaths from *diarrhœa*, which had been 126, 110, and 88 in the preceding three weeks, further fell to 67 last week, but were 18 above the corrected average; 8 deaths belonged to Shoreditch, 6 to Islington, 5 to Lambeth, and 4 each to Bermondsey, Camberwell, and Greenwich. Of the 67 deaths from diarrhœa, 64 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 18 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 3, 11, and 10 in the preceding three weeks.

Different forms of *violence* caused 28 deaths, concerning all of which inquests were held. Of these 28 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 18 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 3 to burns or scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 3, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5196 cases of scarlet fever, 1237 of diphtheria, and 126 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 793 cases, against 759, 752, and 820; of diphtheria, 199 cases, against 229, 211, and 179; and of enteric fever, 19 cases, against 19, 17, and 32. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 19th, 1907.

GREATER LONDON.

In Greater London 3815 births and 1727 deaths were registered. Allowing for increase of population, these numbers are 124 and 209 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from scarlet fever, 4 from diphtheria, 2 from whooping-cough, and 12 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.70 inches, and that of the Thermometer 48°.8, the latter being 0.6 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 20 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 22.5 hours; the measured rainfall amounted to 0.50 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 26th October, 1907, and DEATH-RATES in each of the preceding three weeks.

TOWNS	POPULATION estimated to the middle of the year 1907.	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered Deaths in the Week ended 26th Oct., 1907.		The DEATHS registered in the Week include											TOWNS,		
		Week ended					5th Oct., 1907.	19th Oct., 1907.	26th Oct., 1907.	BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.	
		Persons aged										Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.					Violence.
		and upwards.																						
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
76 TOWNS	16,024,458	14'8	15'7	15'7	14'6	1'8	8469	4498	1254	1167	-	71	50	52	60	29	301	142	326	1192	20	76 TOWNS,		
LONDON -	4,768,218	13'3	14'4	13'9	13'9	1'6	2450	1265	319	350	-	16	26	11	18	9	67	23	113	557	-	LONDON.		
CROYDON -	154,342	11'1	10'8	11'1	10'8	1'7	69	32	8	11	-	-	1	1	1	-	2	-	1	8	-	CROYDON.		
WILLESDEN -	149,192	10'8	6'6	8'7	11'9	1'4	93	34	11	7	-	-	-	2	-	-	-	-	1	10	1	WILLESDEN.		
HORNSEY -	89,816	9'9	8'1	5'2	8'1	-	37	14	2	8	-	-	-	-	-	-	-	1	1	-	-	HORNSEY.		
TOTTENHAM -	122,793	13'2	10'2	14'0	14'9	1'3	67	35	12	9	-	-	1	-	-	-	2	-	3	8	-	TOTTENHAM.		
WEST HAM -	308,284	17'1	13'2	13'5	10'7	1'9	194	63	17	16	-	-	4	1	-	-	6	3	3	17	-	WEST HAM.		
EAST HAM -	136,421	9'2	10'3	11'8	9'2	3'1	78	24	7	2	-	-	-	2	-	-	6	1	3	7	-	EAST HAM.		
LEYTON -	122,040	7'3	12'0	14'1	7'3	1'7	65	17	3	7	-	-	-	1	1	-	1	2	1	2	-	LEYTON.		
WALTHAMSTOW -	128,397	7'8	16'9	8'3	6'6	0'8	71	16	4	4	-	-	1	-	-	-	1	1	1	4	-	WALTHAMSTOW.		
HASTINGS -	67,477	7'7	13'1	9'3	7'0	-	27	9	-	7	-	-	-	-	-	-	-	1	1	-	-	HASTINGS.		
BRIGHTON -	129,023	16'2	16'6	13'3	10'5	1'6	55	26	4	8	-	-	-	1	-	-	3	1	1	9	-	BRIGHTON.		
PORESMOUTH -	238,291	15'3	16'8	15'3	12'0	1'5	132	48	13	8	-	-	-	2	-	-	1	3	6	12	-	PORESMOUTH.		
BOURNEMOUTH -	69,246	9'8	9'8	8'3	7'5	0'8	24	10	2	4	-	-	-	-	-	-	1	-	2	2	-	BOURNEMOUTH.		
SOUTHAMPTON -	119,745	13'9	11'3	23'1	14'4	3'0	67	33	14	11	-	-	-	-	1	-	6	-	2	7	-	SOUTHAMPTON.		
READING -	80,311	9'1	11'7	8'4	16'9	0'6	38	26	4	11	-	-	-	1	-	-	-	2	2	7	-	READING.		
NORTHAMPTON -	95,070	9'9	13'2	9'3	12'6	1'1	43	23	6	5	-	-	1	-	-	-	1	-	-	6	-	NORTHAMPTON.		
IPSWICH -	72,825	10'7	10'0	14'3	12'9	0'7	21	18	3	10	-	-	-	-	-	-	1	2	3	4	-	IPSWICH.		
GREAT YARMOUTH -	52,879	19'7	9'9	18'7	18'7	2'0	22	19	3	6	-	-	1	-	-	-	1	1	1	6	-	GREAT YARMOUTH.		
NORWICH -	119,191	14'4	12'2	20'6	14'9	1'3	66	34	9	14	-	-	-	-	1	-	1	1	3	8	1	NORWICH.		
PLYMOUTH -	120,063	14'8	13'0	11'3	16'9	1'3	65	39	5	15	-	-	-	-	1	-	2	2	4	10	-	PLYMOUTH.		
DEVONPORT -	70,959	11'7	13'7	9'1	7'2	0'7	43	11	2	5	-	-	-	1	-	-	-	-	1	1	-	DEVONPORT.		
BRISTOL -	367,979	13'5	15'6	13'2	12'2	1'1	161	86	12	36	-	-	-	2	-	-	6	2	7	31	-	BRISTOL.		
HANLEY -	67,174	16'3	12'4	20'2	14'0	3'9	52	18	5	2	-	-	-	1	-	-	3	-	-	3	-	HANLEY.		
BURTON-ON-TRENT -	53,435	7'8	13'7	16'6	14'6	6'8	24	15	5	2	-	5	-	-	-	-	2	-	-	-	-	BURTON-ON-TRENT.		
WOLVERHAMPTON -	102,016	12'3	16'9	18'4	11'8	2'6	55	23	10	3	-	-	-	1	-	-	4	2	3	4	-	WOLVERHAMPTON.		
WALSALL -	94,171	22'2	15'7	21'7	15'2	1'6	60	28	12	5	-	-	-	-	1	-	2	1	1	5	-	WALSALL.		
HANDSWORTH -	65,929	11'1	10'3	8'7	10'3	3'2	18	13	6	5	-	-	-	-	1	-	3	-	1	1	-	HANDSWORTH.		
WEST BROMWICH -	66,123	11'3	18'9	19'6	14'3	1'5	38	19	4	3	-	1	-	-	-	-	1	1	1	2	1	WEST BROMWICH.		

TOWNS,	POPULATION to the middle of the year 1907.	DEATH-RATES from all Causes.				Rate from Causes in Oils. 11-17.	Registered during the week ended 20th Oct., 1907.	Deaths from										Deaths of 60 Years and upwards.		Deaths in Public Institutions.										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Week ended						BIRTHS.	DEATHS.	Deaths from										Periods 60 Years and upwards.	Deaths in Public Institutions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Week ended								Deaths from											Periods 60 Years and upwards.	Deaths in Public Institutions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		5th Oct., 1907.	10th Oct., 1907.	15th Oct., 1907.	20th Oct., 1907.					Deaths from												Periods 60 Years and upwards.	Deaths in Public Institutions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.		23.	24.	25.	26.	27.	28.	29.	30.	31.	32.	33.	34.	35.	36.	37.	38.	39.	40.	41.	42.	43.	44.	45.	46.	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.	57.	58.	59.	60.	61.	62.	63.	64.	65.	66.	67.	68.	69.	70.	71.	72.	73.	74.	75.	76.	77.	78.	79.	80.	81.	82.	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.	96.	97.	98.	99.	100.	101.	102.	103.	104.	105.	106.	107.	108.	109.	110.	111.	112.	113.	114.	115.	116.	117.	118.	119.	120.	121.	122.	123.	124.	125.	126.	127.	128.	129.	130.	131.	132.	133.	134.	135.	136.	137.	138.	139.	140.	141.	142.	143.	144.	145.	146.	147.	148.	149.	150.	151.	152.	153.	154.	155.	156.	157.	158.	159.	160.	161.	162.	163.	164.	165.	166.	167.	168.	169.	170.	171.	172.	173.	174.	175.	176.	177.	178.	179.	180.	181.	182.	183.	184.	185.	186.	187.	188.	189.	190.	191.	192.	193.	194.	195.	196.	197.	198.	199.	200.	201.	202.	203.	204.	205.	206.	207.	208.	209.	210.	211.	212.	213.	214.	215.	216.	217.	218.	219.	220.	221.	222.	223.	224.	225.	226.	227.	228.	229.	230.	231.	232.	233.	234.	235.	236.	237.	238.	239.	240.	241.	242.	243.	244.	245.	246.	247.	248.	249.	250.	251.	252.	253.	254.	255.	256.	257.	258.	259.	260.	261.	262.	263.	264.	265.	266.	267.	268.	269.	270.	271.	272.	273.	274.	275.	276.	277.	278.	279.	280.	281.	282.	283.	284.	285.	286.	287.	288.	289.	290.	291.	292.	293.	294.	295.	296.	297.	298.	299.	300.	301.	302.	303.	304.	305.	306.	307.	308.	309.	310.	311.	312.	313.	314.	315.	316.	317.	318.	319.	320.	321.	322.	323.	324.	325.	326.	327.	328.	329.	330.	331.	332.	333.	334.	335.	336.	337.	338.	339.	340.	341.	342.	343.	344.	345.	346.	347.	348.	349.	350.	351.	352.	353.	354.	355.	356.	357.	358.	359.	360.	361.	362.	363.	364.	365.	366.	367.	368.	369.	370.	371.	372.	373.	374.	375.	376.	377.	378.	379.	380.	381.	382.	383.	384.	385.	386.	387.	388.	389.	390.	391.	392.	393.	394.	395.	396.	397.	398.	399.	400.	401.	402.	403.	404.	405.	406.	407.	408.	409.	410.	411.	412.	413.	414.	415.	416.	417.	418.	419.	420.	421.	422.	423.	424.	425.	426.	427.	428.	429.	430.	431.	432.	433.	434.	435.	436.	437.	438.	439.	440.	441.	442.	443.	444.	445.	446.	447.	448.	449.	450.	451.	452.	453.	454.	455.	456.	457.	458.	459.	460.	461.	462.	463.	464.	465.	466.	467.	468.	469.	470.	471.	472.	473.	474.	475.	476.	477.	478.	479.	480.	481.	482.	483.	484.	485.	486.	487.	488.	489.	490.	491.	492.	493.	494.	495.	496.	497.	498.	499.	500.	501.	502.	503.	504.	505.	506.	507.	508.	509.	510.	511.	512.	513.	514.	515.	516.	517.	518.	519.	520.	521.	522.	523.	524.	525.	526.	527.	528.	529.	530.	531.	532.	533.	534.	535.	536.	537.	538.	539.	540.	541.	542.	543.	544.	545.	546.	547.	548.	549.	550.	551.	552.	553.	554.	555.	556.	557.	558.	559.	560.	561.	562.	563.	564.	565.	566.	567.	568.	569.	570.	571.	572.	573.	574.	575.	576.	577.	578.	579.	580.	581.	582.	583.	584.	585.	586.	587.	588.	589.	590.	591.	592.	593.	594.	595.	596.	597.	598.	599.	600.	601.	602.	603.	604.	605.	606.	607.	608.	609.	610.	611.	612.	613.	614.	615.	616.	617.	618.	619.	620.	621.	622.	623.	624.	625.	626.	627.	628.	629.	630.	631.	632.	633.	634.	635.	636.	637.	638.	639.	640.	641.	642.	643.	644.	645.	646.	647.	648.	649.	650.	651.	652.	653.	654.	655.	656.	657.	658.	659.	660.	661.	662.	663.	664.	665.	666.	667.	668.	669.	670.	671.	672.	673.	674.	675.	676.	677.	678.	679.	680.	681.	682.	683.	684.	685.	686.	687.	688.	689.	690.	691.	692.	693.	694.	695.	696.	697.	698.	699.	700.	701.	702.	703.	704.	705.	706.	707.	708.	709.	710.	711.	712.	713.	714.	715.	716.	717.	718.	719.	720.	721.	722.	723.	724.	725.	726.	727.	728.	729.	730.	731.	732.	733.	734.	735.	736.	737.	738.	739.	740.	741.	742.	743.	744.	745.	746.	747.	748.	749.	750.	751.	752.	753.	754.	755.	756.	757.	758.	759.	760.	761.	762.	763.	764.	765.	766.	767.	768.	769.	770.	771.	772.	773.	774.	775.	776.	777.	778.	779.	780.	781.	782.	783.	784.	785.	786.	787.	788.	789.	790.	791.	792.	793.	794.	795.	796.	797.	798.	799.	800.	801.	802.	803.	804.	805.	806.	807.	808.	809.	810.	811.	812.	813.	814.	815.	816.	817.	818.	819.	820.	821.	822.	823.	824.	825.	826.	827.	828.	829.	830.	831.	832.	833.	834.	835.	836.	837.	838.	839.	840.	841.	842.	843.	844.	845.	846.	847.	848.	849.	850.	851.	852.	853.	854.	855.	856.	857.	858.	859.	860.	861.	862.	863.	864.	865.	866.	867.	868.	869.	870.	871.	872.	873.	874.	875.	876.	877.	878.	879.	880.	881.	882.	883.	884.	885.	886.	887.	888.	889.	890.	891.	892.	893.	894.	895.	896.	897.	898.	899.	900.	901.	902.	903.	904.	905.	906.	907.	908.	909.	910.	911.	912.	913.	914.	915.	916.	917.	918.	919.	920.	921.	922.	923.	924.	925.	926.	927.	928.	929.	930.	931.	932.	933.	934.	935.	936.	937.	938.	939.	940.	941.	942.	943.	944.	945.	946.	947.	948.	949.	950.	951.	952.	953.	954.	955.	956.	957.	958.	959.	960.	961.	962.	963.	964.	965.	966.	967.	968.	969.	970.	971.	972.	973.	974.	975.	976.	977.	978.	979.	980.	981.	982.	983.	984.	985.	986.	987.	988.	989.	990.	991.	992.	993.	994.	995.	996.	997.	998.	999.	1000.	1001.	1002.	1003.	1004.	1005.	1006.	1007.	1008.	1009.	1010.	1011.	1012.	1013.	1014.	1015.	1016.	1017.	1018.	1019.	1020.	1021.	1022.	1023.	1024.	1025.	1026.	1027.	1028.	1029.	1030.	1031.	1032.	1033.	1034.	1035.	1036.	1037.	1038.	1039.	1040.	1041.	1042.	1043.	1044.	1045.	1046.	1047.	1048.	1049.	1050.	1051.	1052.	1053.	1054.	1055.	1056.	1057.	1058.	1059.	1060.	1061.	1062.	1063.	1064.	1065.	1066.	1067.	1068.	1069.	1070.	1071.	1072.	1073.	1074.	1075.	1076.	1077.	1078.	1079.	1080.	1081.	1082.	1083.	1084.	1085.	1086.	1087.	1088.	1089.	1090.	1091.	1092.	1093.	1094.	1095.	1096.	1097.	1098.	1099.	1100.	1101.	1102.	1103.	1104.	1105.	1106.	1107.	1108.	1109.	1110.	1111.	1112.	1113.	1114.	1115.	1116.	1117.	1118.	1119.	1120.	1121.	1122.	1123.	1124.	1125.	1126.	1127.	1128.	1129.	1130.	1131.	1132.	1133.	1134.	1135.	1136.	1137.	1138.	1139.	1140.	1141.	1142.	1143.	1144.	1145.	1146.	1147.	1148.	1149.	1150.	1151.	1152.	1153.	1154.	1155.	1156.	1157.	1158.	1159.	1160.	1161.	1162.	1163.	1164.	1165.	1166.	1167.	1168.	1169.	1170.	1171.	1172.	1173.	1174.	1175.	1176.	1177.	1178.	1179.	1180.	1181.	1182.	1183.	1184.	1185.	1186.	1187.	1188.	1189.	1190.	1191.	1192.	1193.	1194.	1195.	1196.	1197.	1198.	1199.	1200.	1201.	1202.	1203.	1204.	1205.	1206.	1207.	1208.	1209.	1210.	1211.	1212.	1213.	1214.	1215.	1216.	1217.	1218.	1219.	1220.	1221.	1222.	1223.	1224.	1225.	1226.	1227.	1228.	1229.	1230.	1231.	1232.	1233.	1234.	1235.	1236.	1237.	1238.	1239.	1240.	1241.	1242.	1243.	1244.	1245.	1246.	1247.	1248.	1249.	1250.	1251.	1252.	1253.	1254.	1255.	1256.	1257.	1258.	1259.	1260.	1261.	1262.	1263.	1264.	1265.	1266.	1267.	1268.	1269.	1270.	1271.	1272.	1273.	1274.	1275.	1276.	1277.	1278.	1279.	1280.	1281.	1282.	1283.	1284.	1285.	1286.	1287.	1288.	1289.	1290.	1291.	1292.	1293.	1294.	1295.	1296.	1297.	1298.	1299.	1300.	1301.	1302.	1303.	1304.	1305.	1306.	1307.	1308.	1309.	1310.	1311.	1312.	1313.	1314.	1315.	1316.	1317.	1318.	1319.	1320.	1321.	1322.	1323.	1324.	1325.	1326.	1327.	1328.	1329.	1330.	1331.	1332.	1333.	1334.	1335.	1336.	1337.	1338.	1339.	1340.	1341.	1342.	1343.	1344.	1345.	1346.	1347.	1348.	1349.	1350.	1351.	1352.	1353.	1354.	1355.	1356.	1357.	1358.	1359.	1360.	1361.	1362.	1363.	1364.	1365.	1366.	1367.	1368.	1369.	1370.	1371.	1372.	1373.	1374.	1375.	1376.	1377.	1378.	1379.	1380.	1381.	1382.	1383.	1384.	1385.	1386.	1387.	1388.	1389.	1390.	1391.	1392.	1393.	1394.	1395.	1396.	1397.	1398.	1399.	1400.	1401.	1402.	1403.	1404.	1405.	1406.	1407.	1408.	1409.	1410.	1411.	1412.	1413.	1414.	1415.	1416.	1417.	1418.	1419.	1420.	1421.	1422.	1423.	1424.	1425.	1426.	1427.	1428.	1429.	1430.	1431.	1432.	1433.	1434.	1435.	1436.	1437.	1438.	1439.	1440.	1441.	1442.	1443.	1444.	1445.	1446.	1447.	1448.	1449.	1450.	1451.	1452.	1453.	1454.	1455.	1456.

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

‡ Including 1 death from Cerebro-spinal meningitis or from Cerebro-spinal fever in Edinburgh 4 in Glasgow, 1 in Dublin, and 4 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-THIRD Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2540	2652	2495	2238	2655	2489	2567	2585	2362	2474	2549.6	2450
Males - - -	1261	1369	1261	1146	1386	1255	1294	1282	1223	1245	1289.2	1263
Females - - -	1279	1283	1234	1092	1269	1214	1273	1303	1139	1229	1260.4	1187
TOTAL Deaths -	1514	1411	1844	1403	1404	1407	1401	1311	1433	1209	1383.8	1265
Males - - -	814	725	941	705	748	745	725	675	761	623	722.3	663
Females - - -	700	686	903	698	656	662	676	636	672	586	661.5	597

* The numbers in this column are the average weekly numbers in the forty-third week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES OF INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 3.	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	13 Weeks.
TOTAL Births -	2500	2055	2507	307	2346	2207	2333	2178	2341	2162	2183	2198	2450	29767
TOTAL Deaths -	1052	1097	1093	1056	1068	1080	1083	1182	1251	1212	1315	1270	1265	15024
Under 1 year -	216	197	239	239	255	252	251	268	321	302	337	339	319	3635
1-5 years -	125	152	149	122	123	137	103	125	143	140	116	119	104	1657
5-20 " -	66	64	66	55	68	60	59	73	67	69	76	75	77	875
20-40 " -	122	149	138	127	112	131	134	144	142	138	143	157	152	1791
40-80 " -	199	222	217	225	211	236	220	246	238	225	260	245	203	2997
(60 yrs. & upwds)	321	313	284	288	299	272	318	326	341	338	333	350	350	4169
Deaths from--														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	46	36	43	28	24	25	10	11	9	5	11	9	16	273
Scarlet Fever -	13	16	8	7	14	13	12	13	14	18	19	25	26	193
Diphtheria - -	11	11	19	10	10	13	11	15	25	25	19	13	11	193
Whooping-cough -	27	21	29	34	21	20	25	30	20	18	18	19	18	303
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	-	6	3	7	3	3	4	6	6	10	6	9	66
Pyrexia (origin un- certain) - - -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	18	24	23	47	56	61	66	78	118	126	110	88	67	882
All above Diseases -	118	112	128	129	132	135	127	151	192	198	187	160	147	1916
Dis. of Resp. System	58	50	54	32	59	48	47	53	62	66	77	76	86	768
Pneumonia - - -	79	89	75	65	70	68	75	77	86	83	93	91	80	1039
Phthisis - - -	84	96	94	109	87	122	114	122	127	100	109	114	127	1405
Dis. of Circ. System	133	157	136	151	146	122	149	150	167	149	160	164	172	1956
Violence - - -	50	63	49	51	41	51	45	54	35	55	45	55	28	622
Inquest Cases - -	104	136	106	105	107	115	101	135	109	114	127	117	113	1492
Deaths in Institutions	476	482	472	438	459	469	477	534	514	494	567	525	557	6464
TEMPERATURE OF THE AIR.														
Mean - - -	59.7	62.3	61.5	57.0	61.1	56.8	58.6	56.8	58.4	55.4	53.7	51.4	48.8	57.0
Mean of Highest -	71.1	73.6	72.4	66.1	72.3	66.4	71.7	69.1	71.8	64.3	60.1	57.5	57.3	67.2
Mean of Lowest -	51.0	54.7	54.2	50.5	50.6	49.8	47.4	45.9	47.2	48.7	45.6	44.5	40.4	48.5
Mean Humidity of the Air.	74	73	73	74	76	79	81	73	73	83	85	84	87	78
Rain-fall (in inches) -	0.40	0.18	0.71	0.96	0.16	0.44	0.00	0.00	0.03	0.85	1.13	0.79	0.50	6.15
Registered Sunshine (in hours),	43.7	41.9	45.0	24.9	47.8	18.7	41.9	46.0	47.7	22.7	25.0	19.1	22.5	446.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	1	1	1	1	1	1	1	1	1	1	1	1	Mean.
Scarlet Fever - -	3626	3660	3669	3687	3738	3816	3872	4020	4328	4542	4752	4995	5196	4146
Diphtheria - - -	914	885	883	884	887	845	876	902	967	1065	1143	1180	1237	969
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	50	49	51	55	65	72	83	97	99	109	107	124	126	84

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE B.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-THIRD Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 43rd week of the year 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH	Corrected Average for the 43rd week of the year 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.									ALL AGES.						
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.		
ALL CAUSES	1383.8	1285	319	104	77	152	263	350	Meningitis (not tuberc.)	13.9	11	1	5	2	2	1	-
									Gen. Par. of Insane, Insanity	14.3	13	-	1	-	2	4	-
									Epilepsy	5.3	14	-	-	1	8	4	-
Small-pox*	0.2	-	-	-	-	-	-	-	Convulsions	21.3	13	12	1	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Locomotor Ataxy	1.2	4	-	-	-	1	3	-
Measles (Morbilli)	23.1	18	3	10	3	-	-	-	Paraplegia, Dis. of Cord	4.5	4	-	-	-	-	3	1
Scarlet Fever	11.3	26	2	15	8	1	-	-	Nervous Sys., Other Dis.	18.4	13	-	-	3	3	3	4
Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	48.1	33	-	-	4	2	14	16
Plague	-	-	-	-	-	-	-	-	Cereb. Hæm. Cereb. Emb.	34.6	37	-	-	-	1	12	24
Influenza	12.7	11	1	-	-	2	5	3	Apoplexy, Hemiplegia	16.6	9	-	-	-	-	1	8
Whooping-cough	8.4	18	9	9	-	-	-	-	Aneurysm	4.3	1	-	-	-	-	1	-
Diphtheria	15.8	11	3	7	1	-	-	-	Embolism, Thrombosis (not Cerebral)	1.2	1	-	-	-	-	-	1
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Ves., Other Dis.	83.1	88	-	-	3	2	26	57
Pyæmia,† (origin uncertain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.6	1	-	1	-	-	-	-
Enteric Fever	8.4	9	-	-	2	3	3	1	Bronchitis	108.5	66	18	-	1	2	10	35
Asiatic Cholera	-	-	-	-	-	-	-	-	Emphysema, Asthma	5.9	7	-	-	-	1	3	3
Epidemic Diarrhoea, Infective Enteritis	25.6	35	30	5	-	-	-	-	Pleurisy	2.3	2	-	1	-	-	-	-
Diarrhoea, Dysentery	23.7	32	23	6	-	2	1	-	Respiratory Dis., Other	12.1	10	1	1	2	1	-	5
Tetanus	0.2	-	-	-	-	-	-	-	Tonsillitis, Quinsy	1.0	1	-	1	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	12.0	34	25	3	1	1	3	1
Glanders	-	-	-	-	-	-	-	-	Gastro-enteritis	8.6	2	16	2	-	-	-	2
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	1.8	4	-	-	-	1	1	2
Veneræal Dis.	8.8	10	7	1	1	-	1	-	Cirrhosis of Liver	12.0	13	-	-	-	3	6	4
Puerperal Septicæmia	2.9	4	-	-	-	4	-	-	Liver Dis., Other	5.1	5	-	-	-	1	1	3
Puerperal Pyæmia	-	1	-	-	-	1	-	-	Digestive Sys., Other Dis.	34.6	40	7	1	6	6	10	10
Puerperal Fever	1.2	-	-	-	-	-	-	-	Acute Nephritis	5.7	5	1	-	-	1	-	3
Infective Endocarditis	1.4	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	34.8	27	-	-	-	5	8	14
Lobar	15.6	14	1	1	2	5	3	2	Urinary Sys., Other Dis.	9.4	6	-	-	-	-	1	5
Broncho-	61.0	32	13	11	1	2	3	2	Generative Organs Dis.	4.3	7	-	-	-	3	2	2
Epidemic	0.2	-	-	-	-	-	-	-	Childbirth (Accid. of)	3.1	1	-	-	-	1	-	-
Not defined	55.5	34	3	3	5	4	9	10	Old Age	48.1	44	-	-	-	-	-	44
Erysipelas	5.3	4	2	-	-	1	-	1	Other Diseases	99.9	77	48	4	8	4	6	7
Septicæmia (not Puerperal)	1.2	4	-	-	-	1	2	1	ACCIDENT.								
Pyæmia (not Puerperal)	0.6	-	-	-	-	-	-	-	By Railways	2.0	-	-	-	-	-	-	-
Other Infective Processes	5.5	3	-	-	-	2	1	-	By Vehicles and Horses	6.3	4	-	-	-	1	2	1
Tuberculous Phthisis	80.6	82	-	4	7	40	27	4	In Ships, Boats, Docks, (exclusive of Drowning)	0.6	-	-	-	-	-	-	-
"Phthisis"	66.5	45	1	1	3	15	24	1	In Building Operations	1.2	1	-	-	-	-	1	-
Tuberculous Meningitis	17.0	15	8	2	5	-	-	-	In Conflagrations	1.0	-	-	-	-	-	-	-
Tuberculous Peritonitis	7.6	6	1	2	1	1	1	-	By Burns, Scalds, Explosions	3.9	3	-	3	-	-	-	-
Tabs Mesenterica	4.9	3	2	1	-	-	-	-	By Drowning	2.3	-	-	-	-	-	-	-
Tuberculous Dis., Other	16.4	18	6	1	4	3	3	1	By Suffocation in Bed	9.4	3	3	-	-	-	-	-
Serofula	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	2.7	1	-	1	-	-	-	-
Alcoholism	10.8	13	-	-	-	3	8	2	Other Deaths by Accident	11.3	6	1	-	1	-	3	1
Rheumatic Fever	5.1	4	-	-	1	2	-	1	VIOLENCE OTHER THAN ACCIDENTAL.								
Gout	0.8	1	-	-	-	-	-	1	Homicide	1.0	1	-	-	-	-	1	-
Carcinoma	47.1	52	-	-	-	1	23	28	Suicide	8.6	9	-	-	-	-	4	1
Sarcoma	5.5	7	-	-	1	-	3	3	Execution	-	-	-	-	-	-	-	-
Cancer (undefined)	39.7	35	-	-	-	3	9	23									
Diabetes Mellitus	8.0	7	-	-	2	1	4	-									
Premature Birth	56.5	71	71	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple, Continued Fever" previous to 1901.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th October, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Deaths from Causes of Death.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† Origin uncertain.	Diarrhoea.	Violence.			
LONDON - - -	4,538,429	2450	1265	319	350	-	16	26	11	18	-	9	-	67	28	113	557	
WEST DISTRICTS - - -	805,311	378	225	63	62	-	3	1	3	9	-	1	-	8	7	19	92	
NORTH DISTRICTS - - -	1,056,070	501	240	47	80	-	4	5	4	2	-	-	-	10	3	24	92	
CENTRAL DISTRICTS - - -	209,465	104	63	11	10	-	-	-	-	-	-	-	-	5	5	13	38	
EAST DISTRICTS - - -	715,799	446	225	60	62	-	7	1	-	1	-	2	-	12	7	29	115	
SOUTH DISTRICTS - - -	1,749,844	1021	478	137	128	-	2	17	4	6	-	4	-	31	6	23	183	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	34	1	8	-	-	2	-	-	-	2	-	1	-	-	34	
WEST DISTRICTS.																		
North Paddington† <i>H</i> - - -	63,603	36	17	4	3	-	-	-	-	1	-	-	-	-	1	2	-	
Central Paddington† <i>W,3H</i> - - -	50,053	31	30	10	10	-	1	-	-	-	-	-	-	1	1	2	18	
South Paddington† - - -	30,320	6	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town <i>2W,w,2H</i> - - -	128,037	70	44	9	11	-	-	-	-	2	-	-	-	-	-	3	19	
Brompton <i>2H</i> - - -	48,591	12	6	1	2	-	-	-	-	-	-	-	-	1	-	-	1	
North Hammersmith <i>2W,w,H</i> - - -	49,192	32	13	6	3	-	1	-	-	-	-	-	-	2	-	-	3	
South Hammersmith <i>w,2H</i> - - -	63,047	22	14	7	3	-	-	-	1	1	-	-	-	1	-	-	4	
North-west Fulham <i>W</i> - - -	45,180	50	18	5	4	-	1	-	-	2	-	-	-	3	-	2	11	
North-east Fulham <i>F</i> - - -	48,405	25	9	2	5	-	-	1	2	-	-	-	-	-	-	1	3	
South Fulham <i>W</i> - - -	45,704	28	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-	
Chelsea North <i>W,w,3H</i> - - -	42,514	14	25	7	6	-	-	-	-	2	-	1	-	-	1	3	13	
Chelsea South <i>W,2H</i> - - -	31,328	9	8	4	2	-	-	-	-	1	-	-	-	-	-	1	2	
Mayfair and Knightsbridge - - -	28,743	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
Belgrave <i>W,2H</i> - - -	55,815	12	12	-	4	-	-	-	-	-	-	-	-	-	-	-	5	
St. Margaret & St. John <i>6H</i> - - -	43,988	25	14	6	2	-	-	-	-	-	-	-	-	-	3	4	6	
St. James and St. Anne <i>W,6H</i> - - -	33,081	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
NORTH DISTRICTS.																		
All Souls Marylebone <i>8H</i> - - -	35,391	11	13	1	-	-	-	-	1	-	-	-	-	-	-	-	5	
St. Mary Marylebone <i>W,4H</i> - - -	37,948	35	7	-	1	-	1	-	-	-	-	-	-	-	-	-	2	
Christchurch Marylebone - - -	39,536	16	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. John Marylebone <i>2H</i> - - -	20,426	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead <i>W,F,6H</i> - - -	81,942	20	24	1	12	-	-	3	1	-	-	-	-	-	1	3	7	
West St. Pancras <i>2H</i> - - -	60,562	28	6	2	1	-	-	-	-	-	-	-	-	-	-	-	3	
South St. Pancras <i>w,11H</i> - - -	55,707	17	21	1	7	-	-	-	-	-	-	-	-	-	-	3	13	
East St. Pancras <i>W,2H</i> - - -	60,320	24	20	9	6	-	1	-	-	-	-	-	-	2	1	1	5	
North St. Pancras <i>2W</i> - - -	58,728	28	14	2	5	-	-	-	-	-	-	-	-	-	-	1	6	
Tufnell <i>W</i> - - -	31,995	18	15	-	9	-	-	-	-	-	-	-	-	-	-	3	11	
Upper Holloway <i>2W,w,H</i> - - -	33,978	21	20	5	5	-	1	-	-	-	-	-	-	1	1	2	15	
Tollington <i>W,w,H</i> - - -	33,922	17	5	2	3	-	-	-	-	-	-	-	-	-	-	1	-	
Lower Holloway - - -	41,424	24	5	2	2	-	-	-	-	-	-	-	-	1	-	1	-	
Barnsbury - - -	54,478	39	6	2	2	-	-	-	-	-	-	-	-	1	-	1	-	
Islington South-east <i>F</i> - - -	76,397	44	14	4	5	-	-	1	-	-	-	-	-	2	-	1	1	
Highbury <i>2H</i> - - -	63,797	29	8	3	1	-	1	-	-	-	-	-	-	-	-	1	1	
Stoke Newington <i>H</i> - - -	51,247	21	6	4	2	-	-	-	-	1	-	-	-	-	-	-	-	
North Hackney - - -	60,560	19	5	-	4	-	-	-	-	-	-	-	-	-	-	1	-	
Central Hackney <i>2w,F</i> - - -	50,536	26	10	3	2	-	-	1	2	-	-	-	-	-	-	1	3	
South-west Hackney <i>3E</i> - - -	58,921	31	11	2	1	-	-	-	-	1	-	-	-	1	-	1	7	
South-east Hackney <i>2W,w,H</i> - - -	58,265	25	22	2	10	-	-	-	-	-	-	-	-	2	-	1	13	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

‡ On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named as above.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
Giles and Bloomsbury 2W,2H -	31,436	14	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2	3	-		
and W,4H - - - - -	21,674	2	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-		
and Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
born W,8H - - - - -	29,812	11	13	4	1	-	-	-	-	-	-	-	-	1	1	2	11	-	-		
th Clerkenwell - - - - -	28,876	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
th Clerkenwell H - - - - -	35,028	24	7	3	2	-	-	-	-	-	-	-	-	2	-	1	-	-	-		
sbury 3H,L - - - - -	30,116	32	8	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-		
born Union Workhouse, } Richam - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Botolph H - - - - -	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sepulchre and Allhallows W,2H	16,824	4	14	3	1	-	-	-	-	-	-	-	-	1	3	5	13	-	-		
y of London Asylum, Stone -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
EAST DISTRICTS.																					
reditch South H - - - - -	46,362	23	8	4	2	-	-	-	-	-	-	-	-	1	1	2	-	-	-		
reditch North-West W,w,H -	36,127	16	28	3	15	-	-	-	-	-	-	-	-	-	-	4	20	-	-		
reditch North-East - - - - -	36,148	17	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
reditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
hnaal Green North-East 2W } IL - - - - -	65,138	36	30	14	5	-	1	-	-	-	-	-	-	5	2	3	19	-	-		
hnaal Green South-West H -	64,542	43	6	2	1	-	-	-	-	-	-	-	-	1	1	2	2	-	-		
taffields - - - - -	27,969	18	1	1	-	-	-	-	-	-	-	1	-	1	-	-	31	-	-		
e End New Town W,H - - - -	28,718	23	31	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
odman's Fields - - - - -	22,081	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
George and St. John 2W - - -	49,068	36	14	3	4	-	-	-	-	-	-	-	-	-	1	5	6	-	-		
adwell and Ratcliff W,H - - -	25,568	16	10	3	1	-	2	-	-	-	-	-	-	-	-	1	3	-	-		
arehouse W - - - - -	32,389	27	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
e End Old Town South- } Western H - - - - -	63,698	51	11	5	4	-	2	-	-	-	-	-	-	1	1	4	-	-	-		
e End Old Town North- } Eastern W,w - - - - -	49,129	27	21	6	5	-	1	1	-	-	-	-	-	1	-	1	7	-	-		
w L - - - - -	41,939	25	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
omley 3w,H - - - - -	68,319	40	34	6	12	-	1	-	-	-	-	1	-	-	1	4	23	-	-		
plar W,w - - - - -	58,514	38	12	1	5	-	-	-	-	-	-	-	-	-	-	-	4	-	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th October, 1907—continued.

The DEATHS registered during the Week include																					
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of															Inquest Cases.	Deaths in Public Institutions.	
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Deaths from														
							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.						
SOUTH DISTRICTS.																					
Christchurch and St. Saviour	23,319	8	15	2	4	-	-	-	-	-	-	-	-	-	-	-	-	14			
Southwark W,2H	21,904	10	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-			
Kent-road	39,094	17	7	5	1	-	-	-	-	-	-	-	-	-	-	-	6	-			
St. George the Martyr West } W,2H,L	49,022	37	9	5	-	-	1	-	-	-	-	-	1	-	1	-	-	-			
Newington North	72,841	50	15	3	6	-	-	-	-	-	1	-	-	-	1	-	2	2			
Newington South W	9,817	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1			
St. Olave 2W	82,483	48	15	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-			
Bermondsey W	38,460	31	15	4	5	-	-	-	-	-	-	-	-	-	2	-	1	9			
Rotherhithe W,F	27,440	34	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	4			
Waterloo 2H	27,440	15	18	5	3	-	-	-	-	-	-	-	-	-	2	-	3	10			
Lambeth Church H	52,518	36	30	7	13	-	-	-	-	1	-	-	-	-	-	-	2	22			
Kennington 2W	63,826	44	11	4	2	-	-	-	2	-	-	-	-	-	-	-	3	3			
Stockwell HF	73,673	32	13	5	5	-	-	-	-	-	-	-	-	-	1	-	2	2			
Brixton H	56,998	25	15	2	7	-	-	-	-	-	-	-	-	-	-	-	1	-			
Norwood WH	72,203	40	13	4	-	1	-	-	-	-	-	-	-	-	2	-	4	-			
East Battersea H	49,656	33	12	7	2	-	-	-	-	-	-	-	-	-	1	-	1	-			
North-west Battersea	47,048	19	27	8	11	-	-	-	-	-	-	-	-	-	-	2	3	17			
South-west Battersea 2W,H	51,361	32	5	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1			
Clapham 2H	53,019	60	26	4	9	-	-	-	4	-	-	-	-	-	1	-	-	12			
Streatham W,2w,F,2L	27,959	20	9	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-			
Springfield 2W,L	40,444	26	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1			
Southfields H	34,139	10	5	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-			
Putney	13,359	10	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
Dulwich	40,206	21	25	3	7	-	-	-	-	-	-	-	-	-	-	-	-	21			
Camberwell South W,w	65,584	36	21	3	7	-	-	-	-	-	-	-	-	-	-	-	1	17			
Camberwell North W,2L	47,331	27	11	4	4	-	-	-	-	-	-	-	-	-	1	-	-	-			
St. George	48,913	28	7	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-			
Peckham North	43,946	12	7	2	2	-	-	-	-	-	-	-	-	-	1	-	2	-			
Peckham South 2W,w	37,013	27	11	5	3	-	-	-	-	-	-	-	-	-	1	-	1	-			
Deptford North	45,481	31	15	4	2	-	-	-	3	2	-	-	2	-	1	-	7	-			
Deptford Central F	34,625	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deptford South	23,456	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-			
Greenwich West 2H	43,559	29	23	5	4	-	-	-	-	-	-	-	-	-	2	-	-	17			
Greenwich East 2W,H	7,226	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-			
Eltham w,H	25,490	10	5	1	1	-	-	-	-	-	1	-	-	-	-	-	-	1			
Lee w,H	53,352	38	19	9	4	-	-	1	-	-	-	-	-	-	2	-	1	10			
Lewisham W,w,F	41,853	20	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Sydenham H	21,134	6	7	2	-	-	-	6	1	-	-	-	-	-	-	-	-	7			
Charlton F,2H	41,625	25	12	4	4	-	-	-	-	1	-	-	-	-	2	-	-	-			
Woolwich 5H	18,063	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Plumstead West W	50,264	32	11	3	2	-	-	-	-	1	-	-	-	-	1	-	2	-			
Plumstead East 2W,H																					
Workhouse:—																					
Central London Sick Asylum																					
(Westminster, St. Giles, and Strand Unions.)																					
M. A. B. Small-pox Hospitals:—																					
Joyce Green																					
Long Reach																					
M. A. B. Fever Hospitals:—																					
Gore Farm (temporary)																					
North-Eastern			4	1	-	-	-	-	2	-	-	-	2	-	-	-	-	4			
Northern																					
M. A. B. Imbecile Asylums:—																					
Belmont																					
Caterham			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1			
Darenth																					
Leavesden			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1			
London County Lunatic Asylums:—																					
Banstead			6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6			
Ewell (Epileptic Colony)			1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Horton			3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3			
Manor			2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2			
Long Grove																					
Cane Hill			3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3			
Partford Heath			7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7			
Hanwell			3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3			
Colney Hatch			1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1			
Claybury			2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2			

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th October, 1907.

Regis- tration district and sub- district num- ber.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from										Inquest Cases Deaths in Public Institutions. Unclassified Causes or Destr.				
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
LONDON—OUTER RING						363,102	2,044,973	1365	462	118	143	-	-	9	11	4	-	33	20	38	89	2
30: 1	Carshalton 2F,3H	12,258	32,997	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w2F,H	10,428	15,548	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone, part of* W,F,L	2,764	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Coulsdon	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,300	49,309	16	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	27	19	5	6	-	-	1	1	1	-	-	-	-	-	-	-	-	9	-
4	North Croydon H	2,644	41,698	26	5	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	770	22,465	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham	11,711	30,015	36	10	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	3,221	41,652	17	12	3	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
2	Kingston 2W,H	6,224	42,066	15	16	4	7	-	-	1	-	-	-	-	-	-	-	1	1	4	8	-
3	Surbiton F,H	3,038	15,017	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
4	Esher, part of* H	5,432	13,100	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	4,684	23,466	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H	2,491	31,672	15	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-
2	Mortlake F	2,518	17,821	20	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley F,2H	4,703	27,354	11	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	7,825	28,497	16	7	1	4	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W,F	10,113	9,867	5	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
4	Chislehurst 2H	7,333	16,446	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley w,F,H	8,678	21,151	15	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	21	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24: 1	Sunbury w	11,054	18,683	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	13,277	15,178	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
25: 1	Hillingdon W,F,H	6,035	13,661	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	12,757	8,984	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w2F,H	8,066	16,358	15	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
26: 1	Isleworth 3W,3F,H	6,859	30,863	27	12	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4
2	Twickenham F,2H	2,421	20,991	11	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	4,319	48,289	30	10	-	3	-	-	1	-	-	-	-	-	-	-	-	-	2	2	1
4	Chiswick H	1,249	29,309	21	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	6,132	48,914	47	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2
27: 1	Harrow F,H	13,809	25,523	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	93	33	11	6	-	-	-	-	2	-	-	-	-	-	-	-	-	1	9
4	Hendon W,F	8,382	22,450	9	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
28: 1	South Mimms 2F,H	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	3,324	17,970	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3	Finchley F,2H	4,688	33,392	26	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
29: 1	Hornsey F,H	2,876	72,056	37	14	2	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
2	Wood Green H	1,625	34,233	29	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3	West Tottenham	996	48,853	34	11	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	2,017	53,688	33	21	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5
5	Edmonton W,w2F	7,491	61,592	58	17	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8
6	Enfield 2W,F,H	12,601	42,736	34	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	11,017	6,649	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield, part of* W	3,305	684	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H	9,333	9,173	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186: 1	Stratford H	1,091	52,974	30	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Forest Gate	787	52,745	26	8	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	1,249	90,921	75	20	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
4	Canning Town H	1,556	70,718	63	19	8	2	-	-	4	1	-	-	-	-	-	-	-	-	-	2	1
5	South East Ham 2F	1,993	37,342	36	14	5	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	2
6	North East Ham w H	1,333	58,676	42	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	1,679	9,179	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	25	12	2	7	-	-	-	1	1	-	-	-	-	-	-	-	-	-	8
9	North Leyton 2W,w,F	1,963	48,445	40	24	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3
10	Walthamstow 2H,L	6,504	108,929	77	16	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1
187: 1	Chigwell 2F,3H	11,778	16,397	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of* W,2F	6,556	6,091	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
2	Ilford F,L	8,496	41,234	39	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
3	Barking Town F	3,803	21,547	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	London County Lunatic Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
	Essex County Lunatic Asylum, Brentwood.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.--BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Dysentery.
LONDON - -	4,758,218	October 26	2450	1265	13·9	-	16	23	12	18	9	67
CALCUTTA - -	955,936	September 21	-	499	30·6	2	1	-	-	-	168†	67
		" 28	-	474	29·0	-	-	-	-	-	133†	98
BOMBAY - -	982,000	October 8	412	707	37·6	-	2	-	-	-	104†	70
MADRAS - -	548,974	September 27	439	562	57·3	1	4	?	?	?	143	165
PARIS - -	2,722,731	October 19	897	786	15·0	-	3	3	-	2	5	46
BRUSSELS - -	623,202	" 19	182	158	13·1	-	1	1	3	-	2	20
ANTWERP - -	304,032	" 19	116	69	11·8	-	1	-	-	2	1	18
AMSTERDAM -	564,342	" 19	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	433,000	" 19	250	93	11·2	-	1	-	-	2	-	3
STOCKHOLM - -	332,738	" 12	166	88	13·8	-	1	-	-	-	-	7
CHRISTIANIA -	226,774	" 19	94	58	13·1	-	-	-	-	-	-	2
ST. PETERSBURG	1,482,769	" 5	653	553	19·4	-	10	15	15	4	15	80
MOSCOW - -	1,296,000	" 12	-	624	25·1	-	4	16	5	3	6	110
BERLIN - -	2,005,555	" 5	925	597	14·9	-	4	3	11	6	2	88
HAMBURG - -	840,790	" 19	-	210	13·2	-	1	-	2	2	-	30
BRESLAU - -	485,278	" 12	-	195	21·0	-	-	-	3	5	-	33
MUNICH - -	548,000	" 12	-	193	18·3	-	-	-	1	-	1	43
VIENNA - -	1,979,093	" 19	876	520	13·5	1	1	5	1	-	1	68
PRAGUE - -	470,906	" 12	181	144	15·9	-	2	1	1	2	-	7
BUDA-PESTH -	802,235	" 12	412	281	18·2	-	1	14	3	2	4	23
TRIESTE - -	200,962	" 19	120	83	21·3	-	-	-	1	2	-	22
ROME - -	542,760	August 3	256	172	16·5	-	3	-	-	1	4	31
VENICE - -	174,398	September 14	66	69	20·6	-	-	-	1	-	-	13
		" 21	84	53	15·8	-	1	1	-	-	-	9
BUCHAREST -	292,395	October 19	180	121	21·6	-	-	5	-	-	2	8
NEW YORK - -	4,285,435	" 5	-	-	-	-	-	-	-	-	-	-
CHICAGO - -	2,107,620	" 5	-	565	14·0	-	-	3	8	2	9	83
PHILADELPHIA -	1,500,595	September 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	" 29	-	233	19·3	3	5	-	2	2	-	?

* Excluding deaths from croup in the Indian Cities.

† Including 11 and 7 deaths from plague in Calcutta and 27 in Bombay.

‡ Including 31 and 31 deaths from cholera in Calcutta, 12 in Bombay, and 104 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th October, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich) }	64°0	35°6	48°8	0°50	LEEDS - - -	80°0	35°0	48°0	0°62
BRIGHTON - -	60°4	35°7	51°6	0°33	YORK - - - -	80°0	31°0	46°6	0°63
PORTSMOUTH - -	62°0	39°0	52°9	0°53	HULL - - - -	81°0	34°0	43°6	0°26
NORWICH - - -	60°2	33°6	49°1	0°10	TYNEMOUTH - -	80°0	34°0	47°9	0°54
PLYMOUTH - -	59°0	41°0	51°0	0°79	CARDIFF - - -	59°3	31°7	47°7	1°73
BRISTOL - - -	59°2	33°2	48°8	1°12					
BIRMINGHAM - -	58°0	35°3	47°8	0°61	EDINBURGH - -	53°3	41°7	47°5	0°56
NOTTINGHAM - -	59°3	32°2	47°2	0°44	GLASGOW - - -	56°2	35°0	47°7	1°53
LIVERPOOL - -	58°0	36°0	47°8	1°19	DUPLIN } Phoenix Park. Fitz- william Square.†	59°0	34°4	47°3	0°65
MANCHESTER } OBSERVATORY.	59°0	30°8	47°4	0°99		58°3	32°8	47°9	0°84
BURNLEY - - -	56°5	29°0	46°8	1°13					
PRESTON - - -	56°8	35°2	48°2	1°15	BELFAST - - -	58°5	35°0	49°1	1°02
HUDDERSFIELD -	58°3	30°3	46°3	0°94					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE		Winds deduced from Anemometers.				Rain collected in a gauge whose surface is above the ground.							
MONTH AND DAY	Phases of the Moon.	Of the Air.				Of the Dew Point		Degree of Humidity (Saturation 100).	Of Radiation.		Of Direction.		Robinson's.										
		High-est.	Low-est.	Daily Range.	Mean of the day.	Mean of the day.	Great- est.		Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.	Horizontal Movement of the Air on each Day.	Depart- ment of the Average of 40 years.						
OCTOBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	in.							
SUNDAY	- 20	29765	600	468	132	542	485	57	101	08	81	385	5493	SSW. & S.	13.5	403	+159						
MONDAY	- 21	29763	640	486	174	548	483	65	142	00	79	1083	5495	SSW. & S.	1.1	00	- 54						
TUESDAY	- 22	297824	590	432	158	506	438	68	141	02	78	1022	5490	SSW. & S.	1.8	00	+ 13						
WEDNESDAY	23	29755	522	386	136	455	438	17	57	02	94	682	5470	SSW. & S.	1.7	00	- 98						
THURSDAY	- 24	29747	579	358	221	454	422	32	135	00	88	979	5445	NE. & S.	0.2	00	- 155						
FRIDAY	- 25	297645	558	356	202	463	440	23	91	00	91	927	5409	WSW. & S.	4.2	00	- 88						
SATURDAY	- 26	297640	520	362	158	446	433	13	56	00	95	645	5370	N.	0.5	00	- 151						
MEANS	-	297697	573	404	169	488	448	39	103	02	87	886	5453	SSW. & Variable	Sum 050						
No. of Column	-	4	5	8	7	8	9	10	11	12	13	15	16	17	18	19	20	21	22	23	24	25	26

DATE.		ELECTRICITY.		REGISTERED SUNSHINE.		GENERAL REMARKS.	
OCTOBER.		W. P. and V. N. in morning; w. P. after 10h. A.M.	W. P. and V. N. in morning; w. P. after 10h. A.M.	W. P. and V. N. in morning; w. P. after 10h. A.M.	W. P. and V. N. in morning; w. P. after 10h. A.M.	W. P. and V. N. in morning; w. P. after 10h. A.M.	W. P. and V. N. in morning; w. P. after 10h. A.M.
SUNDAY - 20	-	3.2	10.4	3.2	10.4	Generally cloudy with frequent showers till afternoon; very fine after 2h. 30m. P.M.; strong gusty wind prevalent between 8h. A.M. and 5h. P.M.	Generally cloudy with frequent showers till afternoon; very fine after 2h. 30m. P.M.; strong gusty wind prevalent between 8h. A.M. and 5h. P.M.
MONDAY - 21	-	5.8	10.4	5.8	10.4	Fine; variably cloudy. Solar halo in afternoon. Lunar halo at night.	Fine; variably cloudy. Solar halo in afternoon. Lunar halo at night.
TUESDAY - 22	-	7.2	10.3	7.2	10.3	Very fine generally; cloudy intervals; light shower shortly after 4h. A.M.	Very fine generally; cloudy intervals; light shower shortly after 4h. A.M.
WEDNESDAY - 23	-	0.3	10.2	0.3	10.2	Generally overcast till 3h. P.M.; in fine afterwards and nearly cloudless at night; rain between 7h. and 11h. 30m. A.M.	Generally overcast till 3h. P.M.; in fine afterwards and nearly cloudless at night; rain between 7h. and 11h. 30m. A.M.
THURSDAY - 24	-	3.2	10.2	3.2	10.2	Thick fog prevalent in morning; variably cloudy between 10h. A.M. and 7h. 30m. P.M.; nearly cloudless afterwards.	Thick fog prevalent in morning; variably cloudy between 10h. A.M. and 7h. 30m. P.M.; nearly cloudless afterwards.
FRIDAY - 25	-	2.7	10.1	2.7	10.1	Foggy in early morning; very fine till 10h. 30m. A.M.; generally overcast till 7h. 30m. P.M.; fine afterwards; frequent slight showers between 3h. and 7h. P.M.	Foggy in early morning; very fine till 10h. 30m. A.M.; generally overcast till 7h. 30m. P.M.; fine afterwards; frequent slight showers between 3h. and 7h. P.M.
SATURDAY - 26	-	0.1	10.0	0.1	10.0	Very fine in early morning; fog prevalent between 5h. A.M. and noon; generally overcast afterwards.	Very fine in early morning; fog prevalent between 5h. A.M. and noon; generally overcast afterwards.
No. of Col. -	-	25	716	25	716	Sum	Sum

The results apply to the civil day, or from midnight to midnight.
 The height of the observer of the barometer is 135 feet above the mean level of the sea;
 no correction has been applied to the readings to reduce to sea level.
 Observations were made on 28th A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into the daily means by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometric Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 95 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.
 - "Lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.
 The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.
 The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.
 The reading of the barometer decreased from 29.97 in. at the beginning of the week to 29.41 in. by 7h. A.M. on the 20th; increased to 29.84 in. by 7h. P.M. on the 22nd; decreased to 29.68 in. by 4h. A.M. on the 26th; and was 29.68 in. at midnight on the same day.

* Fog and dew.
 The results apply to the civil day, or from midnight to midnight.
 The height of the observer of the barometer is 135 feet above the mean level of the sea;
 no correction has been applied to the readings to reduce to sea level.
 Observations were made on 28th A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into the daily means by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometric Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 95 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906.
 - "Lower," than the average.
 The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.
 The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.
 The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregated duration of bright sunshine on each day.
 The reading of the barometer decreased from 29.97 in. at the beginning of the week to 29.41 in. by 7h. A.M. on the 20th; increased to 29.84 in. by 7h. P.M. on the 22nd; decreased to 29.68 in. by 4h. A.M. on the 26th; and was 29.68 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 19th October, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	15	5	-	1	-	-	5	1	-
Kensington - - -	181,842	-	19	8	-	3	-	-	-	-	-
Hammersmith - -	122,337	-	30	7	-	-	-	-	1	-	-
Fulham - - -	166,749	-	15	22	-	2	-	-	-	-	-
Chelsea - - -	74,857	-	6	4	-	2	-	-	-	-	-
City of Westminster -	172,219	-	15	5	-	3	-	-	3	-	1
NORTH.											
St. Marylebone - -	127,718	-	17	3	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	6	2	-	-	-	-	1	-	-
St. Pancras - - -	236,753	-	24	9	-	-	-	-	3	-	-
Islington - - -	347,017	-	38	15	-	4	-	-	4	-	-
Stoke Newington - -	53,613	-	5	12	-	-	-	-	-	-	-
Hackney - - -	232,993	-	98	9	-	9	-	-	17	-	-
CENTRAL.											
Holborn - - -	55,134	-	6	1	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	15	11	-	1	-	-	2	-	-
City of London - -	20,310	-	2	-	-	1	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	33	4	-	2	-	-	4	1	-
Bethnal Green - -	130,831	-	48	5	-	3	-	-	12	-	-
Stepney - - -	308,923	-	131	24	-	-	-	-	8	-	-
Poplar - - -	171,086	-	44	9	-	6	-	-	5	1	-
SOUTH.											
Southwark - - -	209,781	-	40	11	-	2	-	-	6	1	-
Bermondsey - - -	128,263	-	26	8	-	-	-	-	10	-	-
Lambeth - - -	318,538	-	37	3	-	-	-	-	13	-	-
Battersea - - -	181,736	-	30	8	-	1	-	-	9	1	-
Wandsworth - - -	281,419	-	40	8	-	4	-	-	3	-	-
Camberwell - - -	277,059	-	47	14	-	3	-	-	7	-	-
Deptford - - -	116,510	-	25	12	-	-	-	-	7	-	-
Greenwich - - -	107,232	-	16	2	-	-	-	-	-	-	-
Lewisham - - -	152,532	-	14	4	-	3	-	-	2	-	-
Woolwich - - -	129,336	-	25	6	-	3	-	-	1	1	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	867	231	-	53	-	-	125	6	1
Ages											
0-1 - - -	-	-	13	6	-	-	-	-	3	-	1
" 1-5 - - -	-	-	240	82	-	2	-	-	8	-	-
" 5- - - -	-	-	357	83	-	5	-	-	6	-	-
" 10- - - -	-	-	164	26	-	6	-	-	4	-	-
" 15- - - -	-	-	46	13	-	2	-	-	6	-	-
" 20- - - -	-	-	29	5	-	11	-	-	5	2	-
" 25- - - -	-	-	14	9	-	15	-	-	16	3	-
" 35- - - -	-	-	2	5	-	4	-	-	30	1	-
" 45- - - -	-	-	2	1	-	4	-	-	19	-	-
" 55- - - -	-	-	-	-	-	3	-	-	12	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	16	-	-
Age not stated - -	-	-	-	1	-	1	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 44, 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, NOV. 2. [Price 1½d.

General Register Office, Somerset House,
November 4th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 15·7, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·2 in Stockport, 21·4 in St. Helens, 21·7 in Walsall, 23·6 in Middlesbrough, 23·8 in Liverpool, 26·0 in Merthyr Tydfil, and 26·6 in Stockton on Tees; from *measles*, 1·2 in York, 1·3 in Reading, 1·4 in Ipswich, 1·9 in Tynemouth, 2·5 in Cardiff, 2·7 in Merthyr Tydfil, and 2·9 in Burton on Trent; from *scarlet fever*, 1·1 in Walsall, 1·2 in Walthamstow, and 1·5 in West Bromwich; from *diphtheria*, 1·3 in Reading; from *whooping-cough*, 1·1 in Newcastle on Tyne and 1·9 in Tynemouth; from "*fever*," 1·2 in Gateshead; and from *diarrhoea*, 2·0 in Middlesbrough, 2·1 in Walthamstow, 2·5 in Burnley, 2·7 in Merthyr Tydfil, 3·7 in Warrington, and 4·7 in Hanley. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2379 BIRTHS and 1390 DEATHS were registered. Allowing for increase of population, the births were 213 and the deaths 34 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·4, 13·9, and 13·9 per 1000 in the preceding three weeks, rose last week to 15·2. The death-rate in the four weeks ended last Saturday averaged 14·4 per 1000, being 0·9 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1390 deaths included 22 from measles, 22 from scarlet fever, 21 from diphtheria, 18 from whooping-cough, 2 from enteric fever, and 40 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 125 deaths were referred, being 9 above the corrected average number in the forty-fourth week of the preceding five years.

The deaths from *measles*, which had been 11, 9, and 16 in the preceding three weeks, rose to 22 last week, but were 2 below the corrected average; 4 deaths belonged to the Borough of Poplar. The deaths from *scarlet fever*, which had been 19, 25, and 26 in the preceding three weeks, were 22 last week, and were 8 above the corrected average; 3 deaths belonged to Hackney, and 3 each to Shoreditch, Bethnal Green, Stepney, and Poplar. The deaths from *diphtheria*, which had been 19, 13, and 11 in the preceding three weeks, rose to 21 last week, and were 2 above the corrected average; 5 deaths belonged to Stepney, and 3 to Fulham. The deaths from *whooping-cough*, which had been 18, 19, and 18 in the preceding three weeks, were 18 last week, and were 6 above the corrected average; 3 deaths belonged to Poplar. The deaths from *enteric fever*, which had been 10, 6, and 9 in the preceding three weeks, fell to 2 last week, and were 9 below the corrected average. The deaths from *diarrhoea*, which had been 110, 88, and 67 in the preceding three weeks, fell to 40 last week, but were 4 above the corrected average; 5 deaths belonged Islington, 5 to Poplar, and 4 to Lambeth. Of the 40 deaths from diarrhoea, 37 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 19 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 11, 10, and 11 in the preceding three weeks.

Different forms of *violence* caused 40 deaths, concerning all of which inquests were held. Of these 40 deaths, 5 were cases of suicide, and 1 of homicide, while the remaining 34 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, three to burns or scalds, two to the effects of anæsthetics administered for surgical purposes, and nine, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5467 cases of scarlet fever, 1256 of diphtheria, and 123 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 832 cases, against 752, 820, and 793; of diphtheria, 180 cases, against 211, 179, and 199; and of enteric fever, 13 cases, against 17, 32, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended October 26th, 1907.

GREATER LONDON.

In Greater London 3670 births and 1892 deaths were registered. Allowing for increase of population, these numbers are 314 and 68 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 2 from whooping-cough, 1 from "fever," and 7 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.46 inches, and that of the Thermometer 48°.4, the latter being 1.2 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 35 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 10.2 hours; the measured rainfall amounted to 0.34 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 2nd November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS	DEATH-RATES FROM all Causes.				Rate from all causes during the week ended 2nd Nov., 1907.		The DEATHS registered in the Week include										TOWNS.					
	POPULATION estimated to the middle of the Year, 1907.*			Week ended		Registered during the week ended 2nd Nov., 1907.	Deaths of															
	Causes.			Week ended			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.				
	12th Oct., 1907.	16th Oct., 1907.	20th Oct., 1907.	2nd Nov., 1907.	15th Nov., 1907.	Small-pox.			Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.					Violence.			
COLS.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
76 TOWNS		16,024,458	15.7	15.7	14.6	15.7	1.6	8128	4810	1307	1240	-	95	48	61	61	32	212	134	335	1203	47
LONDON -		4,758,218	14.4	13.9	13.9	15.2	1.4	2379	1380†	339	401	-	22	22	21	18	2	40	40	127	561	-
CROYDON.		154,342	10.8	11.1	10.8	9.5	0.7	86	28	7	11	-	-	1	-	-	-	1	-	5	8	-
WILLESDEN -		149,192	6.6	8.7	11.9	10.7	0.7	82	29	4	8	-	-	1	-	-	-	1	-	-	6	1
HORNSEY -		89,816	8.1	5.2	8.1	8.7	0.6	25	15	-	7	-	-	-	1	-	-	-	-	-	5	-
TOTTENHAM -		122,793	10.2	14.0	14.9	10.6	0.4	69	25	6	11	-	-	-	1	-	-	-	4	3	-	-
WEST HAM -		308,284	13.2	13.5	10.7	12.5	2.4	168	74	22	16	-	-	1	1	4	-	8	2	6	18	-
EAST HAM -		136,421	10.3	11.8	9.2	8.0	0.4	65	21	4	5	-	-	-	1	-	1	1	1	2	6	-
LEYTON -		122,040	12.0	14.1	13.2	1.3	1.3	48	31	5	11	-	-	-	2	-	-	1	1	2	7	1
WALTHAMSTOW -		126,397	16.9	8.3	6.6	13.6	3.3	84	33	9	5	-	-	3	-	-	-	5	-	-	8	-
HASTINGS -		67,477	13.1	9.3	7.0	10.0	-	27	13	3	6	-	-	-	-	-	-	-	-	-	1	-
BRIGHTON -		129,023	16.6	13.3	10.5	12.5	0.4	54	31	8	12	-	-	-	-	-	-	1	4	11	-	-
PORTSMOUTH -		238,291	16.8	15.3	12.0	17.0	2.0	107	88	13	21	-	-	-	2	1	2	3	6	13	1	-
BOURNEMOUTH -		69,246	9.8	8.3	7.5	10.5	0.8	13	14	2	5	-	-	-	-	-	-	1	1	4	2	-
SOUTHAMPTON -		119,745	11.3	23.1	14.4	14.4	0.9	62	33	7	13	-	-	-	1	-	-	1	2	4	8	-
READING -		80,311	11.7	8.4	16.9	13.0	2.6	37	20	5	6	-	2	-	2	-	-	-	4	-	-	-
NORTHAMPTON -		95,070	13.2	9.3	12.6	11.5	1.1	37	21	5	6	-	-	1	-	-	-	1	1	1	4	1
IPSWICH -		72,825	10.0	14.3	12.9	18.6	2.1	41	26	3	10	-	2	-	-	1	-	-	1	1	5	-
GREAT YARMOUTH -		52,879	9.9	18.7	18.7	16.8	1.0	33	17	5	5	-	-	-	-	-	-	1	3	3	3	-
NORWICH -		119,191	12.2	20.6	14.9	9.2	2.6	52	21	10	6	-	-	-	2	-	-	2	-	5	-	-
PLYMOUTH -		120,083	13.0	11.3	16.9	12.6	0.9	44	29	3	12	-	-	-	-	-	-	2	2	3	1	-
DEVONPORT -		79,959	13.7	9.1	7.2	11.7	1.3	32	18	5	8	-	-	-	1	-	1	2	1	1	6	-
BRISTOL -		367,979	15.6	13.2	12.2	12.0	0.7	171	85	10	30	-	1	-	1	-	-	3	1	7	21	-
HANLEY -		67,174	12.4	20.2	14.0	17.1	5.4	30	22	7	6	-	1	-	-	-	-	6	-	-	1	-
BURTON-ON-TRENT -		53,425	13.7	16.6	14.6	14.6	3.9	32	15	5	3	-	3	-	-	-	-	1	-	-	3	-
WOLVERHAMPTON -		102,016	16.9	18.4	11.8	20.4	3.1	59	40	14	10	-	2	1	-	-	-	3	-	2	9	-
WALSALL -		96,171	15.7	21.7	15.2	21.7	2.2	43	40	16	5	-	-	2	-	-	-	2	4	4	6	-
HANDSWORTH -		66,929	10.3	8.7	10.3	13.4	-	29	17	6	5	-	-	-	-	-	-	2	1	1	-	-
WEST BROMWICH -		69,123	18.9	19.6	14.3	18.1	4.5	34	24	5	9	-	1	2	-	-	1	2	1	2	1	1

† These towns are included within the area of Greater London.
‡ Including 1 death from Cerebro-spinal fever.

See note † on first page of this return.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Causes in Cols. 11-17.		Registered during the Week ended 2nd Nov., 1907.		The DEATHS registered in the Week include											TOWNS.	
		Week ended				11-17.		BIRTHS.	DEATHS.	Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		12th Oct., 1907.	16th Oct., 1907.	26th Oct., 1907.	2nd Nov., 1907.	Infants under 1 Year of Age.	Persons Aged 10 and upwards.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.				Violence.		
		1.	2.	3.	4.			5.	6.								7.	8.	9.			10.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,814	21'4	11'0	14'8	19'2	-	36	35	12	12	-	-	-	-	-	-	-	1	2	4	-	HUDDESFIELD.
HALIFAX.	110,138	8'5	17'0	11'8	16'1	-	27	34	2	15	-	-	-	-	-	-	-	-	8	1	-	HALIFAX.
BRADFORD.	290,323	13'8	14'7	16'3	15'8	0'9	111	88	15	23	-	-	1	2	-	1	1	3	6	19	-	BRADFORD.
LEEDS.	470,268	16'1	17'5	17'5	18'5	1'6	221	167	48	35	-	5	1	-	1	1	6	4	16	22	-	LEEDS.
SHEFFIELD.	455,553	21'7	20'5	19'2	15'3	1'3	279	134	43	31	-	1	1	1	1	1	7	5	7	24	1	SHEFFIELD.
ROTHERHAM.	62,412	15'0	15'9	22'6	15'9	-	31	19	5	4	-	-	-	-	-	-	-	-	1	5	-	ROTHERHAM.
YORK.	84,730	23'4	13'9	14'2	17'2	1'2	21	28	8	6	-	2	-	-	-	-	-	1	4	3	-	YORK.
HULL.	266,762	15'6	14'9	13'1	13'3	1'2	146	68	18	18	-	-	-	2	-	-	4	3	6	10	2	HULL.
MIDDLESBROUGH.	101,783	19'0	16'9	15'4	23'6	3'1	57	46	18	9	-	-	-	1	1	-	4	1	2	2	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,909	20'7	23'7	8'9	26'6	3'0	25	27	9	4	-	1	-	-	-	1	1	1	1	4	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	75,473	15'9	9'7	7'6	9'0	1'4	39	13	3	3	-	-	-	-	-	2	-	-	1	4	-	WEST HARTLEPOOL.
SUNDERLAND.	156,029	17'7	19'0	13'0	18'0	1'7	89	54	15	13	-	-	-	-	1	1	3	3	3	12	1	SUNDERLAND.
SOUTH SHIELDS.	113,460	14'2	13'3	11'0	13'8	1'4	57	30	7	11	-	1	-	-	2	-	-	-	-	3	1	SOUTH SHIELDS.
GATESHEAD.	125,783	13'7	16'6	15'3	14'1	1'7	50	34	6	6	-	1	-	-	-	3	-	2	2	5	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	272,869	17'0	17'6	15'5	15'9	2'5	146	83	30	16	-	4	-	2	6	-	1	-	5	7	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	54,688	19'1	16'2	16'2	10'5	3'8	29	11	3	4	-	2	-	-	2	-	-	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.).	75,585	14'5	19'3	13'1	12'4	2'1	58	18	2	5	-	1	-	-	-	-	2	-	1	4	-	NEWPORT (MON.).
CARDIFF.	187,620	20'3	16'4	14'7	16'1	3'6	79	53	16	13	-	9	-	1	-	1	2	1	4	10	-	CARDIFF.
RHONDDA.	130,400	22'8	20'4	18'4	15'2	2'4	108	38	16	2	-	-	-	-	-	2	4	-	-	2	-	RHONDDA.
MERTHYR TYDFIL.	76,085	25'4	21'9	28'8	26'0	6'2	60	38	12	5	-	4	-	-	-	4	1	2	-	-	-	MERTHYR TYDFIL.
SWANSEA.	97,324	19'8	18'8	16'1	16'6	1'6	68	31	10	5	-	1	-	-	-	-	-	2	2	3	-	SWANSEA.
GREATER LONDON.	7,217,941	13'4	12'9	12'5	13'7	1'3	3670	1892†	453	563	-	26	30	31	24	3	64	54	167	674	3	GREATER LONDON.
OUTER RING.	2,459,723	11'5	11'0	9'8	10'6	1'1	1281	502	114	162	-	4	8	10	6	1	24	14	40	113	3	OUTER RING.
8 TOWNS IN OUTER RING.	1,209,255	11'3	11'4	10'1	11'0	1'4	627	256	57	74	-	-	6	5	4	-	17	4	19	61	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,250,438	11'6	10'7	9'5	10'3	0'9	664	246	57	88	-	4	2	5	2	1	7	10	21	52	1	REMAINDER OF OUTER RING.
EDINBURGH.	345,747	13'3	12'8	12'1	15'4	0'5	148	102†	22	29	-	-	-	-	2	-	1	5	†	40	4	EDINBURGH.
GLASGOW.	847,584	14'0	13'1	16'9	16'2	1'9	428	284	51	53	-	12	-	3	5	2	9	13	†	91	7	GLASGOW.
DUBLIN (Registration Area).†	380,691	20'2	20'3	19'1	21'1	1'3	216	158†	34	41	-	1	1	-	-	2	6	2	3	74	4	DUBLIN (Registration Area).†
SELF-ST.	370,163	22'1	19'4	23'2	20'4	2'3	199	145†	31	37	-	4	1	2	-	1	8	1	3	26	3	SELF-ST.

* See note † on first page of this return.

† Including 1 death from Cerebro-spinal fever in Greater London, 2 from Cerebro-spinal meningitis in Edinburgh, and 1 from Cerebro-spinal fever in Belfast.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2751	2530	2613	2392	2737	2723	2563	2581	2494	2304	2592.2	2379
Males - - -	1379	1275	1305	1266	1335	1415	1281	1286	1279	1169	1312.0	1191
Females - - -	1372	1255	1308	1126	1352	1308	1302	1295	1215	1135	1280.2	1188
TOTAL Deaths -	1585	1394	1626	1466	1516	1433	1426	1330	1494	1272	1423.5	1390
Males - - -	818	713	838	772	783	747	764	714	728	648	737.0	714
Females - - -	767	681	788	694	733	686	662	616	766	624	686.5	676

* The numbers in this column are the average weekly numbers in the forty-fourth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 10.	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	13 Weeks.
TOTAL Births -	2055	2507	2307	2346	2207	2333	2178	2341	2162	2183	2198	2450	2379	29646
TOTAL Deaths -	1097	1093	1056	1063	1080	1083	1182	1251	1212	1315	1270	1265	1390	15362
Under 1 year -	197	239	239	255	252	251	268	321	302	337	339	319	339	3658
1–5 years -	152	149	122	123	137	103	125	142	140	116	119	104	132	1664
5–20 " -	64	66	55	68	60	59	73	67	69	76	75	77	64	873
20–40 " -	149	138	127	112	133	134	144	142	138	143	157	152	156	1825
40–60 " -	222	217	225	211	226	220	248	233	225	260	245	263	298	3096
60 yrs. & upwds	313	284	288	299	272	316	326	341	338	383	335	350	401	4246
Deaths from—														
Small-pox† - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	36	43	28	24	25	10	11	9	5	11	9	16	22	249
Scarlet Fever - - -	16	8	7	14	13	12	13	14	18	19	25	26	22	297
Diphtheria - - -	11	19	10	10	13	11	15	25	25	19	13	11	21	203
Whooping-cough - - -	24	29	34	21	20	25	30	20	18	18	19	18	18	293
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	-	6	3	7	3	3	4	6	6	10	6	9	2	65
Pyrexia (origin uncertain). - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery - - -	24	23	47	56	61	66	78	118	123	110	88	67	40	904
All above Diseases -	112	128	129	132	135	127	151	192	198	187	160	147	125	1923
Dis. of Resp. System	50	54	32	59	48	47	53	62	66	77	76	86	123	833
Pneumonia - - -	89	75	65	70	68	75	77	86	86	98	91	80	122	1032
Phthisis - - -	96	94	109	87	122	114	122	127	100	109	114	127	137	1453
Dis. of Circ. System - - -	157	136	151	146	122	149	150	167	149	160	164	172	201	2021
Violence - - -	63	49	51	41	51	45	54	35	55	45	55	28	40	612
Inquest Cases - - -	136	106	105	107	115	104	135	109	114	127	117	113	127	1515
Deaths in Institutions - - -	482	472	438	459	469	477	534	514	494	567	525	557	561	6549
TEMPERATURE OF THE AIR.														
Mean - - -	62.3	61.5	57.0	61.1	56.8	56.6	56.8	58.4	55.4	53.7	51.4	48.8	48.4	56.1
Mean of Highest - - -	73.6	72.4	66.1	72.3	66.4	71.7	69.1	71.8	64.3	60.1	57.5	57.3	55.1	66.0
Mean of Lowest - - -	54.7	54.2	50.5	50.6	49.8	47.4	45.9	47.2	48.7	45.6	44.5	40.4	41.6	47.8
Mean Humidity of the Air.	73	73	74	76	79	81	73	73	83	85	84	87	91	79
Rain-fall (in inches) -	0.18	0.71	0.96	0.16	0.44	0.00	0.00	0.03	0.85	1.13	0.87	0.50	0.34	6.17
Registered Sunshine (in hours).	41.9	45.0	24.9	47.8	18.7	41.9	46.0	47.7	22.7	25.0	19.1	22.5	10.2	413.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	1	1	1	1	1	1	-	-	-	-	-	-	-	-
Scarlet Fever - - -	3660	3669	3637	3738	3816	3872	4020	4328	4542	4752	4995	5197	5467	4288
Diphtheria - - -	885	883	864	837	845	876	902	967	1056	1143	1180	1236	1256	993
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	49	51	55	65	72	83	97	99	109	107	124	126	123	89

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creeswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D. Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FOURTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH	Corrected Average for the 44th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH	Corrected Average for the 44th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.							ALL AGES.	Under 20.					
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.
ALL CAUSES	1423·5	1390	339	132	64	156	298	401	Meningitis (not tuberc.)	11·5	9	5	3	1	-	-
									Gen. Par. of Insane, } Insanity	11·5	9	-	-	-	4	2
									Epilepsy - - - - }	5·9	6	-	-	-	5	1
									Convulsions - - - }	22·9	16	15	1	-	-	-
Small-pox*	-	-	-	-	-	-	-	-	Locomotor Ataxy	2·9	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	3·9	6	-	1	-	2	2
Measles (Morbilli)	24·4	22	4	17	1	-	-	-	Nervous Sys., Other Dis.	18·4	15	-	1	2	-	6
Scarlet Fever	13·7	22	3	9	9	1	-	-	Valv. Dis., Endocarditis.	42·2	55	-	1	3	8	16
Typhus	-	-	-	-	-	-	-	-	Cereb. Hæm. Cereb. Emb.	36·6	38	-	-	-	4	27
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	17·4	6	-	-	-	-	6
Influenza	11·1	10	-	-	-	2	2	6	Aneurysm	7·6	8	-	-	-	3	3
Whooping-cough	12·3	18	9	9	-	-	-	-	Embolism, Thrombosis	1·2	-	-	-	-	-	-
Diphtheria	19·0	21	1	14	5	-	1	-	(not Cerebral)	-	-	-	-	-	-	-
Cerebro-spinal Fever	0·2	1	1	-	-	-	-	-	Heart & Blood Ves.,	85·8	96	-	-	3	10	25
Pyrexia,† (origin un- }	-	-	-	-	-	-	-	-	Other Dis. - - - }	-	-	-	-	-	-	58
Enteric Fever - - - }	11·1	2	-	-	-	1	1	-	Croup (not Spasm: nor	0·4	-	-	-	-	-	-
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.)	-	-	-	-	-	-	-
Epidemic Diarrhoea, }	15·8	18	16	2	-	-	-	-	Bronchitis - - -	126·9	103	21	2	-	6	15
Infective Enteritis }	20·1	22	14	5	-	1	2	-	Emphysema, Asthma	3·5	5	-	-	-	-	2
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	Pleurisy - - -	4·3	2	-	1	-	-	3
Tetanus	0·4	-	-	-	-	-	-	-	Respiratory Dis., Other-	10·6	13	1	3	-	1	7
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0·6	-	-	-	-	-	-
Glanders	0·2	-	-	-	-	-	-	-	Enteritis (not Epid.)	13·7	9	3	1	1	1	2
Anthrax (Splenic Fever)	0·2	-	-	-	-	-	-	-	Gastro-enteritis	5·9	22	18	1	-	-	1
Venereal Dis. - - -	6·5	10	8	1	-	1	-	-	Peritonitis (not Puerp.)	3·1	5	-	1	-	2	1
Puerperal Septicæmia	3·5	3	-	-	-	2	1	-	Cirrhosis of Liver -	12·9	15	-	-	-	1	12
Puerperal Pyæmia	0·2	-	-	-	-	-	-	-	Liver Dis., Other -	3·9	4	-	-	-	1	2
Puerperal Fever	0·4	-	-	-	-	-	-	-	Digestive Sys., Other Dis.	36·6	29	5	2	2	4	8
Infective Endocarditis	2·5	3	-	-	2	-	1	-	Acute Nephritis	7·6	4	-	-	1	-	1
Lobar	15·1	16	1	3	-	2	7	3	Bright's Dis., Albumin-	34·6	47	-	-	-	8	18
Broncho-	61·0	62	29	21	1	-	3	8	uria	9·2	6	-	-	-	-	2
Epidemic	0·4	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	4
Not defined	63·6	44	4	7	5	4	11	13	Generative Organs Dis.	4·9	3	-	-	-	3	-
Erysipelas	6·5	5	-	-	-	1	1	3	Childbirth (Accid. of)	3·7	3	-	-	-	3	-
Septicæmia (not Puer- }	1·2	4	-	1	-	1	2	-	Old Age - - - -	56·1	42	-	-	-	-	42
peral)	-	-	-	-	-	-	-	-	Other Diseases - -	99·9	118	90	5	7	3	8
Pyæmia (not Puerperal)	1·8	1	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-
Other Infective Processes	6·8	4	-	-	-	2	1	-	By Railways - - -	2·0	1	-	-	-	1	-
Tuberculous Phthisis	79·6	95	2	4	6	36	40	7	By Vehicles and Horses	4·1	8	-	1	1	1	2
"Phthisis"	68·6	42	-	1	2	18	16	5	In Ships, Boats, Docks,	-	-	-	-	-	-	-
Tuberculous Meningitis	20·9	17	7	6	3	1	-	-	(exclusive of Drown-	0·8	-	-	-	-	-	-
Tuberculous Peritonitis	6·3	8	5	2	1	-	-	-	ing)	1·0	-	-	-	-	-	-
Tubes Mesenterica	2·9	-	-	-	-	-	-	-	In Building Operations	0·2	-	-	-	-	-	-
Tuberculous Dis., Other	13·1	16	1	5	1	4	4	1	In Conflagrations -	8·0	3	-	1	1	-	1
Scrofula	0·2	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	3·1	1	-	-	1	-	-
Alcoholism	12·5	10	-	-	-	2	7	1	plosions	8·0	9	9	-	-	-	-
Rheumatic Fever	6·3	6	-	-	1	4	-	1	By Drowning	3·1	1	-	-	-	-	-
Gout	1·8	2	-	-	-	-	-	2	By Suffocation in Bed	8·0	9	-	-	-	-	-
Carcinoma	51·2	56	-	-	-	3	30	23	By Poisons or Poisonous	2·3	3	-	-	2	-	1
Sarcoma	4·7	4	-	-	1	-	3	-	Vapours	-	-	-	-	-	-	-
Cancer (undefined)	36·4	40	-	-	-	1	15	24	Other Deaths by Acci-	15·8	9	3	-	1	-	4
Diabetes Mellitus	9·2	10	-	-	1	3	6	-	dent	-	-	-	-	-	-	-
Premature Birth	49·1	61	64	-	-	-	-	-	VIOLENCE OTHER THAN	-	-	-	-	-	-	-
									ACCIDENTAL.	-	-	-	-	-	-	-
									Homicide - - - -	1·0	1	-	-	-	1	-
									Suicide - - - -	9·2	5	-	-	-	1	2
									Execution - - - -	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd November, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,586,429	2379	1300	339	401	-	22	22	21	18	-	2	-	40	40	127	561	
WEST DISTRICTS - - -	805,311	320	225	38	77	-	5	-	3	3	-	-	-	3	10	19	105	
NORTH DISTRICTS - - -	1,058,070	511	301	64	98	-	1	5	5	-	-	1	-	6	10	32	100	
CENTRAL DISTRICTS - - -	209,465	102	70	19	18	-	2	-	-	-	-	-	-	7	3	13	38	
EAST DISTRICTS - - -	715,739	455	242	66	57	-	6	4	2	6	-	-	-	7	7	31	114	
SOUTH DISTRICTS - - -	1,749,844	991	520	150	143	-	6	8	11	9	-	-	-	17	10	32	172	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	32	2	8	-	-	5	-	-	-	-	-	-	-	-	32	
WEST DISTRICTS.																		
North Paddington H - - -	63,603	30	6	-	2	-	1	-	-	-	-	-	-	-	-	-	1	
Central Paddington† W,3H - - -	50,953	31	27	4	7	-	1	-	-	-	-	-	-	-	1	3	17	
South Paddington† - - -	30,320	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H - - -	128,087	36	43	4	17	-	-	-	-	-	-	-	-	-	3	4	26	
Brompton 2H- - -	48,591	13	11	3	5	-	-	-	-	-	-	-	-	-	-	-	2	
North Hammersmith 2W,w,H - - -	49,192	22	21	3	3	-	1	-	-	-	-	-	-	-	-	2	10	
South Hammersmith w,2H - - -	63,047	26	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-	
North-west Fulham W - - -	45,180	39	21	8	8	-	-	-	-	2	2	-	-	1	2	4	11	
North-east Fulham F - - -	48,406	32	9	3	1	-	-	-	-	-	-	-	-	-	-	-	3	
South Fulham W - - -	45,704	20	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea North W,w,3H - - -	42,514	7	24	2	10	-	-	-	-	1	-	-	-	-	2	3	19	
Chelsea South W,2H - - -	51,328	14	12	4	5	-	1	-	-	-	-	-	-	-	-	-	4	
Mayfair and Knightsbridge - - -	28,743	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W,2H - - -	55,815	17	18	2	5	-	-	-	1	-	-	-	-	-	2	2	7	
St. Margaret & St. John 6H - - -	43,698	18	10	2	2	-	-	-	-	-	-	-	-	1	-	-	4	
St. James and St. Anne W,6H - - -	33,081	7	4	1	1	-	1	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - -	35,391	9	19	-	6	-	-	-	-	-	-	-	-	-	-	-	9	
St. Mary Marylebone W,4H - - -	37,948	37	7	3	2	-	-	-	-	-	-	-	-	-	-	-	3	
Christchurch Marylebone - - -	39,536	13	11	2	5	-	-	-	-	-	-	-	-	1	-	-	-	
St. John Marylebone 2H - - -	20,428	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,F,6H - - -	81,942	29	21	1	9	-	-	2	-	-	-	-	-	-	1	1	9	
West St. Pancras 2H - - -	60,562	17	13	4	3	-	-	-	-	-	-	-	-	1	1	2	3	
South St. Pancras w,11H - - -	55,707	20	11	1	3	-	-	-	-	-	-	-	-	-	1	2	9	
East St. Pancras W,2H - - -	60,320	35	21	4	9	-	-	-	-	-	-	-	-	-	1	1	9	
North St. Pancras 2W - - -	58,738	32	17	3	4	-	-	-	-	-	-	-	-	-	3	7	-	
Tufnell W - - -	31,895	13	27	4	13	-	-	-	1	-	-	-	-	-	-	-	17	
Upper Holloway 2W,w,H - - -	33,978	21	18	6	3	-	-	-	-	-	-	-	-	1	1	1	12	
Tollington W,w,H - - -	33,923	13	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	18	10	3	1	-	1	-	-	-	-	-	-	2	-	1	-	
Barnsbury - - -	54,478	44	12	7	1	-	-	-	-	-	-	-	-	-	-	1	-	
Islington South-east F - - -	75,397	33	14	6	6	-	-	-	-	-	-	-	-	-	-	4	-	
Highbury 2H - - -	63,797	30	20	3	13	-	-	-	-	-	-	1	-	-	1	3	-	
Stoke Newington H - - -	51,247	22	10	1	4	-	-	-	-	-	-	-	-	-	-	1	-	
North Hackney - - -	50,560	13	9	1	3	-	-	-	-	-	-	-	-	-	2	2	-	
Central Hackney 2w,F - - -	50,536	33	17	4	2	-	-	3	4	-	-	-	-	-	-	-	8	
South-west Hackney 3H - - -	56,921	25	18	4	5	-	-	-	-	-	-	-	-	-	1	3	7	
South-east Hackney 2W,w,H - - -	58,255	45	16	4	4	-	-	-	-	-	-	-	-	-	1	3	7	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

‡ On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named as above.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
					Deaths of		Deaths from										In- quest Cases.	Deaths in Public Institutions.	Un- certified Causes of Death.	
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarthra.	Violence.				
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury 2W, 2H -		31,436	25	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-
St. Pancras W, 4H -		21,674	3	8	1	-	-	-	1	-	-	-	-	-	-	-	1	1	7	-
St. Pancras Union Workhouse, Edmonton -		-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. John's W, 6H -		29,612	9	15	7	2	-	-	1	-	-	-	-	-	-	-	6	1	10	-
St. John's with Clerkenwell		28,676	16	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St. John's with Clerkenwell H		35,028	13	9	3	2	-	-	2	-	-	-	-	-	-	-	-	3	-	-
St. John's with Clerkenwell 3H, L -		36,116	36	6	2	1	-	-	-	-	-	-	-	-	-	-	1	3	2	-
St. John's Union Workhouse, } Milham -		-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
St. Botolph H -		10,299	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Sepulchre and Allhallows W, 2H		16,824	-	15	2	4	-	-	-	-	-	-	-	-	-	1	1	3	9	-
City of London Asylum, Stons		-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
EAST DISTRICTS.																				
St. Giles South H		46,362	24	8	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Giles North-West W, w, H		36,127	27	27	6	12	-	-	-	-	-	-	-	-	-	-	1	4	18	-
St. Giles North-East		36,148	21	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Giles Union Workhouse, Wood } Green -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. John's Green North-East 2W } St. John's Green South-West H		65,138 64,542	38 48	31 11	4 4	7 2	- -	1 -	1 -	- -	- -	- -	- -	- -	2 -	- 1	1 2	22 1	- -	-
St. John's End New Town W, H		27,999	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
St. John's End New Town W, H		28,718	21	41	9	7	-	-	-	1	1	-	1	-	-	1	2	35	-	-
St. John's End New Town W, H		22,081	7	2	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
St. George and St. John 2W -		49,068	46	9	2	2	-	-	-	-	-	-	-	-	-	1	1	1	4	-
St. Andrew and Ratcliff W, H		25,568	14	21	11	2	-	-	-	1	2	-	-	-	-	-	-	-	14	-
St. Andrew and Ratcliff W -		52,369	20	7	4	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-
St. John's End Old Town South- Western H		63,698	47	12	5	2	-	-	-	-	-	-	-	-	-	-	-	4	-	-
St. John's End Old Town North- Eastern W, w		40,120	29	14	3	7	-	1	-	-	1	-	-	-	-	-	-	-	6	-
St. John's End Old Town South- Western W, w		41,939	26	8	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. John's End Old Town South- Western 3W, H		68,319	44	37	8	10	-	-	4	1	-	2	-	-	-	-	3	6	14	-
St. John's End Old Town South- Western W, w		58,514	32	9	1	2	-	-	-	-	-	-	-	-	-	-	1	3	-	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd November, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	The DEATHS registered during the Week include															
			Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Deaths in Public Institutions.	
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.		Inquest Cases.
SOUTH DISTRICTS.																		
Christchurch and St. Saviour		23,319	11	20	8	1	-	1	-	1	1	-	-	-	-	-	2	16
Southwark W,2H		21,904	12	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road		39,094	29	12	6	-	-	-	-	-	-	-	-	-	-	-	7	-
St. George the Martyr West W,2H,L		49,022	25	11	4	3	-	-	-	-	-	-	-	-	-	1	-	-
Newington North		72,341	36	15	7	3	-	-	-	-	1	-	-	-	-	1	2	2
Newington South W																		
St. Olave 2W		9,817	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1
Bermondsey W		82,483	48	25	9	3	-	1	-	-	-	-	-	-	-	1	2	-
Rotherhithe W,F		38,480	19	14	6	2	-	-	-	-	1	-	-	-	-	1	-	6
Waterloo 2H		27,440	37	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church H		27,440	9	14	3	3	-	1	-	-	-	-	-	-	-	1	1	8
Kennington 2W		52,513	35	23	3	10	-	1	-	-	1	-	-	-	-	1	1	12
Stockwell HF		63,826	35	10	4	2	-	-	2	-	2	-	-	-	-	-	-	4
Brixton H		73,673	26	16	6	3	-	-	-	-	-	-	-	-	-	-	-	2
Norwood WH		56,998	35	10	2	6	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea H		72,203	40	15	6	2	-	1	-	-	-	-	-	-	-	-	-	-
North-west Battersea		49,656	23	8	4	3	-	-	-	-	-	-	-	-	-	-	2	-
South-west Battersea 2W,H		47,048	18	23	4	11	-	-	-	-	-	-	-	-	-	1	2	15
Olapham 2H		51,381	20	16	3	5	-	-	-	-	-	-	-	-	-	-	-	-
Streatham W,2W,F,2L		88,019	78	38	7	7	-	1	3	-	-	-	-	-	-	1	1	4
Springfield 2W,L		27,959	26	7	3	1	-	-	-	-	1	-	-	-	-	-	-	1
Southfields H		40,444	27	16	5	5	-	-	-	-	1	-	-	-	-	-	3	-
Putney		24,139	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich		13,359	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w		40,206	18	23	2	12	-	-	-	-	-	-	-	-	-	1	1	21
Camberwell North W,2L		65,584	28	26	4	8	-	1	-	-	-	-	-	-	-	1	1	14
St. George		47,331	27	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North		48,913	23	16	5	4	-	-	-	-	1	-	-	-	-	2	-	-
Peckham South 2W,w		43,946	17	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North		37,613	27	5	1	1	-	-	-	-	1	-	-	-	-	1	-	-
Deptford Central F		45,481	33	13	4	2	-	-	1	5	-	-	-	-	-	-	-	6
Deptford South		34,625	18	6	2	1	-	-	-	-	1	-	-	-	-	1	-	-
Greenwich West 2H		23,456	16	8	5	2	-	-	-	-	1	-	-	-	-	1	-	-
Greenwich East 2W,H		43,859	22	22	1	10	-	-	-	-	-	-	-	-	-	1	1	15
Eltham w,H		7,226	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Lee wH		25,490	9	10	-	5	-	-	-	-	-	-	-	-	-	-	1	2
Lewisham W,w,F		58,352	43	27	10	13	-	1	-	-	-	-	-	-	-	2	1	14
Sydenham H		43,653	15	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H		21,134	16	10	-	2	-	1	2	-	-	-	-	-	-	-	1	5
Woolwich 5H		41,625	27	9	5	1	-	-	-	-	-	-	-	-	-	-	1	2
Plumstead West W		18,063	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H		50,264	28	7	-	4	-	-	-	-	-	-	-	-	-	-	-	4
Workhouse:-																		
Central London Sick Asylum																		
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Long Reach																		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)																		
Joyce Green																		
North-Eastern				5	2					5								5
Northern																		
M. A. B. Imbecile Asylums:-																		
Belmont																		
Caterham				4		3												4
Darenth																		
Leavesden				4														4
London County Lunatic Asylums:-																		
Banstead				2														2
Ewell (Epileptic Colony)																		2
Horton				2		1												2
Manor																		
Long Grove																		
Cane Hill				4														4
Dartford Heath				2														2
Hanwell				5		3												5
Colney Hatch																		
Claybury				4														4

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd November, 1907.

Regis- tration District and Sub- District Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popa- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
	LONDON—OUTER RING	363,302	2,044,973	1291	502	114	162	-	4	8	10	6	1	24	14	40	113	3	
30: 1	Carshalton 2F,3H	12,228	32,997	19	8	1	-	-	-	-	1	-	1	-	-	1	2	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F,L	2,764	2,692	2	3	-	2	-	-	-	-	-	-	-	-	-	3	-	
38: 1	Coulsdon	11,069	8,166	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	24	7	1	3	-	-	-	-	-	-	-	-	3	-	-	
3	West Croydon 3W,F,H	2,168	42,888	28	19	5	7	-	1	-	-	-	-	-	-	2	10	-	
4	North Croydon H	2,644	41,698	34	4	2	1	-	-	-	-	-	-	1	-	-	-	-	
5	Penge w	770	22,465	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham	11,711	30,016	25	8	1	4	-	1	-	1	-	-	-	1	1	-	-	
39: 1	Wimbledon F,3H	3,221	41,652	27	5	1	3	-	-	-	-	-	-	-	-	1	-	-	
2	Kingston 2W,H	6,224	42,068	24	13	3	5	-	-	-	-	-	-	-	-	-	2	-	
3	Surbiton F,H	3,046	15,017	6	4	1	2	-	-	-	-	-	-	-	-	1	-	-	
4	Escher, part of* H	5,402	13,100	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,584	23,456	9	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,491	31,672	6	15	3	8	-	-	-	-	-	-	-	-	2	5	-	
2	Mortlake F	2,518	17,821	13	5	-	2	-	-	-	1	-	-	-	-	-	-	-	
41: 1	Bromley F,2H	4,703	27,354	9	5	1	2	-	-	-	-	-	-	-	-	-	1	-	
2	Beckenham H	7,825	28,497	17	3	1	1	-	-	-	-	-	-	-	1	1	-	-	
3	Orpington part of* W,F	10,113	9,857	4	4	1	3	-	-	-	-	-	-	-	-	-	4	-	
4	Chislehurst 2H	7,333	16,446	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley w,F,H	8,678	21,151	9	7	1	2	-	-	-	-	-	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	14	4	3	-	-	-	-	-	-	-	1	1	1	2	-	
3	Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
124: 1	Sunbury w	11,054	18,683	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	6	4	2	1	-	-	-	-	-	-	1	-	1	-	-	
125: 1	Hillingdon W,F,H	6,035	13,661	12	4	2	2	-	-	-	-	-	-	-	1	-	-	-	
2	Uxbridge H	12,757	8,984	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w2 F,H	3,066	16,368	10	3	1	-	-	-	-	1	-	-	-	-	-	-	-	
126: 1	Isleworth 3W,3F,H	6,859	30,863	21	18	2	10	-	-	-	-	-	-	1	-	-	10	-	
2	Twickenham F,2H	2,421	20,391	13	5	2	2	-	-	-	-	-	-	1	-	-	2	-	
3	Brentford 3F,2H	4,319	43,289	36	21	5	6	-	1	-	1	-	-	-	2	2	2	-	
4	Chiswick H	1,249	29,809	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	47	13	4	2	-	-	-	1	-	-	1	2	2	1	1	
127: 1	Harrow F,H	13,809	25,523	21	9	1	5	-	3	1	-	-	-	-	-	1	1	-	
2	Edgware 2F,3H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,811	82	29	4	8	-	1	-	-	-	-	1	-	-	6	1	
4	Bendon W,F	8,382	22,450	15	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
128: 1	South Mimms 2F,H	17,755	7,308	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,888	33,692	15	3	-	1	-	-	-	-	-	-	-	-	2	-	-	
129: 1	Hornsey F,H	2,875	72,056	25	11	-	6	-	-	1	-	-	-	-	-	-	1	-	
2	Wood Green H	1,625	34,233	33	6	3	1	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham	996	48,853	33	10	4	6	-	-	-	-	-	-	-	-	1	-	-	
4	East Tottenham 2H	2,017	53,688	36	14	3	5	-	-	-	-	-	-	-	-	3	2	-	
5	Edmonton W,w,2F	7,491	61,892	45	20	5	8	-	-	-	-	-	-	1	-	2	9	-	
6	Enfield 2W,F,H	12,601	42,738	22	11	2	4	-	-	-	-	-	-	-	1	1	1	-	
7	Waltham Abbey F	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F part of*	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
186: 1	Stratford H	1,091	52,974	30	9	2	2	-	-	-	-	-	-	1	-	1	1	-	
2	Forest Gate	787	52,745	21	8	2	1	-	-	-	-	-	-	-	-	1	-	-	
3	Plaistow F,2H	1,249	90,921	71	20	8	3	-	-	1	3	-	-	1	1	2	3	-	
4	Canning Town H	1,556	70,718	48	24	8	3	-	-	1	-	-	-	5	1	2	1	-	
5	South East Ham 2F	1,993	37,342	35	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
6	North East Ham wH	1,333	58,676	30	9	1	2	-	-	-	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	631	50,467	23	20	4	10	-	-	2	-	-	-	1	1	1	9	-	
9	North Leyton 2W,w,F	1,963	43,445	25	32	5	9	-	-	-	-	-	-	2	1	3	19	1	
10	Walthamstow 2H,L	6,504	108,929	95	27	9	4	-	-	-	-	-	-	4	-	-	-	-	
187: 1	Chigwell 2F,3H	11,778	16,397	12	3	-	-	-	-	3	-	-	-	-	-	-	3	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
189: 1	Romford, part of* W,2F	6,556	8,091	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,234	37	5	2	2	-	-	-	-	-	-	-	-	-	1	-	
3	Barking Town F	3,803	21,547	18	5	2	-	-	-	-	-	-	-	-	1	1	-	-	
	N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-	
	Kent County Lunatic Asylum, Maidstone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Essex County Lunatic Asylum, Brentwood.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	November 2	2379	1390	15·2	-	22	23	21	18	2	40
CALCUTTA - -	955,936	October 5	-	492	39·1	2	1	-	1	-	140†	33
BOMBAY - -	982,000	" 15	429	675	35·9	1	1	-	-	-	107†	71
MADRAS - -	548,974	" 4	448	529	54·0	-	8	-	-	-	135	151
PARIS - -	2,722,731	" 26	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	623,202	" 26	193	134	11·1	-	-	1	1	-	1	14
ANTWERP - -	304,032	" 26	114	84	14·3	-	-	-	1	-	1	24
AMSTERDAM -	564,342	" 19	273	139	12·8	-	1	-	1	-	3	8
		" 26	238	119	11·0	-	2	-	-	1	-	5
OPENHAGEN -	433,000	" 26	224	99	11·9	-	1	-	2	3	-	7
STOCKHOLM -	332,738	" 19	162	96	15·0	-	-	1	1	-	-	9
CHRISTIANIA -	226,774	" 26	100	36	8·2	-	-	-	-	1	-	1
ST. PETERSBURG	1,482,769	" 12	751	546	19·1	-	11	11	18	12	13	66
MOSCOW - -	1,296,000	" 19	-	566	22·8	-	1	16	3	2	6	95
BERLIN - -	2,092,574	" 12	791	620	15·4	-	6	6	9	13	1	94
HAMBURG - -	840,790	" 26	-	282	16·5	-	1	1	6	2	-	43
BRESLAU - -	485,278	" 19	-	207	22·2	-	-	1	-	5	1	43
MUNICH - -	548,000	" 19	-	183	17·4	-	1	3	2	1	-	44
VIENNA - -	1,979,093	" 26	918	514	13·4	-	1	4	6	-	3	66
		" 19	165	150	16·6	-	-	-	2	-	-	15
PRAGUE - -	470,906	" 26	170	140	15·5	-	-	1	-	-	-	15
BUDA-PESTH -	802,235	" 19	442	291	18·9	-	2	8	-	1	4	43
TRIESTE - -	200,962	" 26	100	91	23·3	-	-	-	-	-	-	19
ROME - -	542,760	August 10	250	207	19·9	-	8	-	1	1	5§	37
		September 28	79	34	10·2	-	1	-	1	1	-	9
VENICE - -	174,398	October 5	86	63	18·8	-	3	-	-	1	-	10
BUCHAREST -	202,395	" 26	144	129	23·0	-	2	7	2	-	2	13
NEW YORK -	4,285,435	" 5	2421	1362	16·6	-	9	6	18	6	19	213
		" 12	2139	1344	16·4	-	4	5	23	3	32	183
CHICAGO - -	2,107,620	" 12	-	498	12·3	-	1	4	11	2	8	71
PHILADELPHIA -	1,500,595	September 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	October 6	-	218	18·1	3	-	-	1	1	1	?

* Excluding deaths from croup in the Indian Cities.

† Including 12 deaths from plague in Calcutta and 29 in Bombay.

‡ Including 23 deaths from cholera in Calcutta, 8 in Bombay, and 93 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd November, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	59·1	36·9	48·4	0·34	LEEDS - - -	57·0	41·0	43·9	1·13
BRIGHTON -	58·0	38·7	51·1	1·05	YORK - - -	57·0	33·0	47·9	1·11
PORTSMOUTH -	60·2	42·0	52·1	1·69	HULL - - -	53·0	33·0	49·1	0·79
NORWICH - -	56·8	34·8	47·4	0·47	TYNEMOUTH -	53·0	43·0	47·2	0·83
PLYMOUTH -	59·9	40·0	51·2	1·70	CARDIFF - -	53·0	33·0	43·0	1·07
BRISTOL - -	57·7	35·6	48·6	1·32					
BIRMINGHAM -	54·7	35·6	47·2	1·47	EDINBURGH -	54·5	37·7	45·4	0·47
NOTTINGHAM -	56·0	35·4	47·1	0·50	GLASGOW - -	55·2	31·0	45·5	0·04
LIVERPOOL	55·0	39·0	48·7	0·49					
OBSERVATORY.	56·8	34·8	47·0	0·58	Phoenix Park.	53·8	32·1	43·0	1·84
MANCHESTER	55·7	38·2	46·8	0·67	DUPLIN { Fitz- william Square.}	55·4	33·3	43·6	1·63
BURNLEY - -	55·8	40·5	48·8	0·28					
PRESTON - -	54·7	38·3	46·8	1·22	BELFAST - -	53·0	31·0	43·5	0·53
HUDDERSFIELD									

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·7° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.


† Kindly furnished by Sir J. W. Moore B.A. M.D. Dublin.

1907.		Phases of the Moon.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE			Winds deduced from Anemometers.				Rain collected in a Gauge whose receiving funnels are placed above the of Ground.		Ozone																																																																																																																																																																																																																																																																																																																																																																																																																																				
				TEMPERATURE.				Of the Air.				Of the New point		Of Radiation.		Of the Earth 3 feet below the surface.		Oiler's.					General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																														
				Of the Air.		Of the New point		Of Radiation.		Of the Earth 3 feet below the surface.		Oiler's.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																							
				High-est.	Low-est.	Daily Range.	Mean daily value.	Dew-Point from Average value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.					Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.	Mean daily value.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 26th October, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	12	2	-	2	-	-	2	-	-
Kensington - - -	181,842	-	14	1	-	2	-	-	3	-	-
Hammersmith - - -	122,387	-	24	6	-	-	-	-	3	-	-
Fulham - - -	166,749	-	33	27	-	-	-	-	3	-	-
Chelsea - - -	74,857	-	5	2	-	-	-	-	1	1	-
City of Westminster -	172,219	-	12	4	-	2	-	-	4	-	-
NORTH.											
St. Marylebone - - -	127,718	-	9	-	-	1	-	-	5	-	-
Hampstead - - -	91,137	-	5	-	-	-	-	-	-	-	-
St. Pancras - - -	236,753	-	31	13	-	1	-	-	3	-	-
Islington - - -	347,017	-	49	7	-	1	-	-	7	-	-
Stoke Newington - - -	53,613	-	8	8	-	-	-	-	-	-	-
Hackney - - -	232,993	-	83	15	-	3	-	-	10	-	-
CENTRAL.											
Holborn - - -	55,134	-	7	-	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	19	2	-	-	-	-	-	-	-
City of London - - -	20,310	-	1	2	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,682	-	29	4	-	-	-	-	3	-	-
Bethnal Green - - -	130,831	-	43	13	-	-	-	-	5	-	-
Stepney - - -	308,923	-	123	25	-	4	1	-	22	-	-
Poplar - - -	171,086	-	60	7	-	6	-	-	5	-	-
SOUTH.											
Southwark - - -	209,781	-	42	10	-	3	-	-	5	1	1
Bermondsey - - -	128,263	-	28	10	-	-	-	-	5	-	-
Lambeth - - -	318,538	-	46	8	-	2	-	-	6	-	1
Battersea - - -	181,736	-	14	10	-	1	-	-	4	-	-
Wandsworth - - -	281,419	-	33	13	-	1	-	-	3	-	-
Camberwell - - -	277,059	-	53	8	-	-	-	-	5	-	-
Deptford - - -	116,510	-	18	5	-	2	-	-	-	-	-
Greenwich - - -	107,222	-	16	3	-	-	-	-	2	-	-
Lewisham - - -	152,532	-	20	5	-	1	-	-	5	-	-
Woolwich - - -	129,336	-	34	2	-	1	-	-	1	-	-
Port of London - - -	-	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,753,218	-	871	212	-	34	1	-	113	2	2
Ages											
0-1 - - -	-	-	7	8	-	-	-	-	8	-	1
" 1-5 - - -	-	-	260	71	-	2	-	-	5	-	-
" 5- - - -	-	-	349	74	-	2	-	-	3	-	-
" 10- - - -	-	-	165	27	-	3	-	-	2	-	-
" 15- - - -	-	-	44	6	-	6	-	-	7	-	1
" 20- - - -	-	-	17	10	-	7	1	-	8	1	-
" 25- - - -	-	-	21	13	-	7	-	-	14	1	-
" 35- - - -	-	-	5	2	-	4	-	-	22	-	-
" 45- - - -	-	-	3	1	-	3	-	-	20	-	-
" 55- - - -	-	-	-	-	-	-	-	-	13	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	11	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

OFFICIAL COPY.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

NO. 45. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, NOV. 9. [Price 1½d.

General Register Office, Somerset House,
November 11th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 14·6, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·1 in Stockport, 20·2 in Bootle, 20·5 in Liverpool, 20·7 in Stockton on Tees, 21·8 in Halifax, 23·3 in Merthyr Tydfil, 23·5 in Wigan, and 25·6 in Hanley; from *measles*, 1·3 in Reading, 1·4 in Cardiff, 2·0 in Burton on Trent, 2·5 in Barrow in Furness, and 4·8 in Merthyr Tydfil; from *scarlet fever*, 1·5 in West Bromwich; from *whooping-cough*, 1·5 in Oldham and in Warrington; and from *diarrhoea*, 1·5 in Portsmouth, 1·6 in Swansea, 1·8 in Preston and in York, and 2·2 in Walsall. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2393 BIRTHS and 1269 DEATHS were registered. Allowing for increase of population, the births were 125 and the deaths 195 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·9, 13·9, and 15·2 per 1000 in the preceding three weeks, was again 13·9 last week. The death-rate in the four weeks ended last Saturday averaged 14·2 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1269 deaths included 28 from measles, 16 from scarlet fever, 18 from diphtheria, 13 from whooping-cough, 6 from enteric fever, and 36 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 117 deaths were referred, being 2 above the corrected average number in the forty-fifth week of the preceding five years.

The deaths from *measles*, which had been 9, 16, and 22 in the preceding three weeks, further rose to 28 last week, but were 4 below the corrected average; 5 deaths belonged to the Borough of Poplar, and 3 each to Shoreditch, Stepney, and Southwark. The deaths from *scarlet fever*, which had been 25, 26, and 22 in the preceding three weeks, fell to 16 last week, but were 5 above the corrected average. The deaths from *diphtheria*, which had been 13, 11, and 21 in the preceding three weeks, were 18 last week, and were 5 above the corrected average; 3 deaths belonged to Stepney, and 3 to Southwark. The deaths from *whooping-cough*, which had been 19, 18, and 18 in the preceding three weeks, fell to 13 last week, but were 3 above the corrected average. The deaths from *enteric fever*, which had been 6, 9, and 2 in the preceding three weeks, were 6 last week, and were 5 below the corrected average. The deaths from *diarrhoea*, which had been 88, 67, and 40 in the preceding three weeks, further fell to 36 last week, and were 2 below the corrected average; 7 deaths belonged Southwark, 4 to Hackney, and 3 each to Islington, Stepney, and Battersea. Of the 36 deaths from diarrhoea, 33 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 7, having been 10, 11, and 10 in the preceding three weeks.

Different forms of *violence* caused 48 deaths, concerning all of which inquests were held. Of these 48 deaths, 7 were cases of suicide, while the remaining 41 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, five to burns or scalds, three to drowning, two to the effects of anaesthetics administered for surgical purposes, and four, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5604 cases of scarlet fever, 1287 of diphtheria, and 128 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 667 cases, against 820, 793, and 832; of diphtheria, 179 cases, against 179, 199, and 180; and of enteric fever, 18 cases, against 32, 19, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 2nd, 1907.

GREATER LONDON.

In Greater London 3730 births and 1730 deaths were registered. Allowing for increase of population, these numbers are 143 and 284 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 7 from scarlet fever, 6 from diphtheria, 1 from whooping-cough, 1 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.77 inches, and that of the Thermometer 49° 8, the latter being 4.1 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 30 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 8.1 hours; the measured rainfall amounted to 0.03 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, AND DEATH-RATES in each of the preceding three Weeks, ended Saturday, 9th November, 1907, and DEATH-RATES in the Week include

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Registered during the Week ended 9th Nov., 1907.		Deaths of Persons aged under 1 Year of Age.		Deaths from										Inquest Cases.		Deaths in Public Institutions.	Unclassified Causes of Death.	TOWNS.
		Week ended				7	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.				
		16th Oct., 1907.																						
		16th Oct., 1907.	20th Oct., 1907.	2nd Nov., 1907.	9th Nov., 1907.																			
76 TOWNS	16,024,458	15.7	14.6	15.7	14.6	1.3	4199	1032	1273	-	76	49	55	54	26	132	159	318	1241	36	76 TOWNS.			
LONDON -	4,756,218	13.9	13.9	15.2	13.9	1.3	2393	233	425	-	23	16	18	13	6	36	48	103	572	-	LONDON.			
(CROYDON -	154,342	11.1	10.8	9.5	6.4	0.3	75	19	8	-	-	-	1	-	1	-	-	1	-	-	(CROYDON.			
WILLESDEN -	149,192	8.7	11.9	10.1	12.9	2.1	70	37	13	-	2	3	-	-	-	1	-	1	2	-	WILLESDEN.			
HORNSEY -	89,816	5.2	8.1	8.7	9.3	0.6	37	16	7	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.			
TOTTENHAM -	122,793	14.0	14.9	10.6	14.4	-	64	31	11	-	-	-	-	-	-	-	2	4	7	-	TOTTENHAM.			
WEST HAM -	308,284	13.5	10.7	12.5	12.3	1.0	185	73	19	-	-	2	2	-	1	1	2	6	21	-	WEST HAM.			
EAST HAM† -	136,421	11.8	9.2	8.0	8.4	1.1	90	22	4	-	-	1	1	1	-	-	-	2	5	-	EAST HAM†			
LEYTON -	122,040	14.1	7.3	13.2	16.7	0.9	53	25	4	-	-	-	2	-	-	-	1	2	2	-	LEYTON.			
(WALTHAMSTOW -	128,397	8.3	6.6	13.6	7.0	1.2	74	17	3	-	-	2	1	-	-	-	-	1	5	-	(WALTHAMSTOW.			
HASTINGS -	67,477	9.3	7.0	10.0	9.3	-	21	12	1	-	-	-	-	-	-	-	-	-	3	-	HASTINGS.			
BRIGHTON -	129,023	13.3	10.5	12.5	11.7	0.8	46	29	5	-	-	-	-	-	-	2	-	-	8	-	BRIGHTON.			
PORTSMOUTH -	238,291	15.3	12.0	17.0	15.0	2.3	107	60	22	-	-	-	2	-	1	6	-	-	9	-	PORTSMOUTH.			
BOURNEMOUTH -	69,246	8.3	7.5	10.5	13.6	-	16	18	4	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.			
SOUTHAMPTON -	119,745	23.1	14.4	14.4	12.2	1.3	56	28	7	-	-	1	-	-	1	1	3	4	5	-	SOUTHAMPTON.			
READING -	80,311	8.4	16.9	13.0	13.6	2.6	39	21	4	-	-	2	-	1	1	-	1	1	4	3	READING.			
NORTHAMPTON -	95,070	9.3	12.6	11.5	10.4	-	45	19	10	-	-	-	-	-	-	-	-	1	1	-	NORTHAMPTON.			
IPSWICH -	72,825	14.3	12.9	18.6	13.6	0.7	40	19	1	-	-	-	-	-	-	-	1	3	6	-	IPSWICH.			
GREAT YARMOUTH -	52,879	18.7	18.7	16.8	10.8	1.0	24	11	4	-	-	-	-	-	-	1	1	3	-	-	GREAT YARMOUTH.			
NORWICH† -	119,191	20.6	14.9	9.2	10.5	0.9	61	24	2	-	-	-	-	1	1	-	1	3	4	-	NORWICH†.			
PLYMOUTH -	120,063	11.3	16.9	12.6	14.3	0.9	58	33	7	-	-	-	-	-	-	-	2	1	3	-	PLYMOUTH.			
DEVONPORT -	79,959	9.1	7.2	11.7	15.7	1.3	58	24	10	-	-	-	-	-	-	-	2	1	5	-	DEVONPORT.			
BRISTOL -	307,979	13.2	12.2	12.0	11.2	1.0	212	79	23	-	-	-	-	-	1	1	3	5	19	-	BRISTOL.			
HANLEY -	67,174	20.2	14.0	17.1	25.6	2.3	48	33	9	-	-	-	-	-	1	1	3	4	6	1	HANLEY.			
BURTON-ON-TRENT -	53,425	16.6	14.6	14.6	11.7	2.0	20	12	2	-	-	-	-	-	-	-	-	1	3	1	BURTON-ON-TRENT.			
WOLVERHAMPTON -	102,016	18.4	11.8	20.4	17.4	1.0	47	34	6	-	-	1	1	-	-	-	1	2	9	-	WOLVERHAMPTON.			
WALSALL -	96,171	21.7	15.2	21.7	15.7	2.7	67	29	5	-	-	-	-	-	-	4	1	2	2	-	WALSALL.			
HANDSWORTH -	65,929	8.7	10.3	13.4	18.2	0.8	32	23	4	-	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.			
WEST BROMWICH -	69,123	19.6	14.3	18.1	15.1	1.5	41	20	5	-	-	-	-	-	-	-	-	-	6	-	WEST BROMWICH.			

* See note † on first page of this return.

† These towns are included within the area of Greater London. The alteration in the boundaries of the borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 9th November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Registered Deaths during the week ended 9th Nov., 1907.		The DEATHS registered in the Week include											Cols.		
			Week ended				7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.
			19th Oct., 1907.	26th Oct., 1907.	2nd Nov., 1907.	9th Nov., 1907.																
			19th Oct., 1907.	26th Oct., 1907.	2nd Nov., 1907.	9th Nov., 1907.	Infants under 1 Year of Age.	Persons aged 15 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.							
BIRMINGHAM -	-	553,155	16'0	16'6	15'5	15'8	315	168	50	49	-	1	1	2	3	-	5	7	10	49	4	BIRMINGHAM.
KINGS NORTON -	-	75,600	9'7	7'6	11'0	8'3	49	12	1	4	-	-	1	-	1	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK -	-	66,467	17'3	6'3	10'2	14'9	32	19	9	1	-	-	-	-	1	-	-	-	2	1	1	SMETHWICK.
ASTON MANOR -	-	83,266	18'8	8'1	11'3	8'8	39	14	6	2	-	-	-	-	-	-	-	1	-	5	1	ASTON MANOR.
COVENTRY -	-	77,626	15'4	18'8	19'5	18'1	57	27	7	10	-	-	-	-	-	-	-	-	-	-	-	COVENTRY.
LEICESTER -	-	236,124	11'0	9'7	11'0	9'9	103	45	19	7	-	-	1	1	1	-	1	-	2	11	1	LEICESTER.
GRIMSBY -	-	70,574	18'5	11'8	13'3	15'5	37	21	4	8	-	-	-	-	-	-	-	1	1	3	-	GRIMSBY.
NOTTINGHAM -	-	257,489	14'2	14'0	16'8	15'6	138	77	20	28	-	-	-	-	1	3	4	3	6	20	1	NOTTINGHAM.
DERBY -	-	125,774	12'4	17'4	14'1	16'6	63	40	8	12	-	-	-	-	-	-	1	2	4	6	-	DERBY.
STOCKPORT -	-	100,986	19'1	16'0	21'2	20'1	65	39	14	8	-	1	2	-	-	1	1	-	3	5	-	STOCKPORT.
BIRKENHEAD -	-	118,553	11'9	9'7	11'4	12'3	70	28	5	8	-	-	-	1	-	-	-	-	2	4	-	BIRKENHEAD.
WALLASEY -	-	66,707	10'9	14'1	13'3	13'3	26	17	3	5	-	-	-	-	-	-	1	1	1	3	-	WALLASEY.
LIVERPOOL -	-	746,144	24'6	21'2	23'8	20'5	430	294	75	67	-	3	2	1	8	2	9	10	18	93	7	LIVERPOOL.
BOOTLE -	-	67,114	18'6	14'0	17'9	20'2	33	26	8	2	-	-	-	-	1	1	1	1	1	3	-	BOOTLE.
ST. HELENS -	-	92,476	22'6	17'5	21'4	15'8	49	28	8	4	-	-	-	-	1	-	1	1	1	2	1	ST. HELENS.
WIGAN -	-	88,606	21'8	20'6	20'6	23'5	47	40	13	2	-	-	-	-	-	-	-	-	4	4	-	WIGAN.
WARRINGTON -	-	70,269	11'1	13'4	20'0	18'6	59	25	12	5	-	-	-	1	2	-	1	-	2	8	-	WARRINGTON.
BOLTON -	-	182,917	17'4	16'0	14'8	15'7	83	55	16	16	-	-	1	-	-	-	2	-	2	8	1	BOLTON.
BURY -	-	58,901	16'8	14'2	13'3	10'6	28	12	3	5	-	-	-	-	-	-	-	-	-	3	-	BURY.
MANCHESTER -	-	643,148	19'6	19'1	18'3	18'3	355	226	53	53	-	4	1	5	1	-	5	10	21	62	3	MANCHESTER.
SALFORD -	-	236,670	18'7	14'1	18'1	14'5	131	66	21	17	-	-	3	3	-	-	4	3	3	21	-	SALFORD.
OLDHAM -	-	141,730	19'9	24'3	18'4	19'9	70	54	18	10	-	-	-	-	4	-	3	1	3	5	-	OLDHAM.
ROCHDALE -	-	87,999	16'6	16'6	11'3	17'2	33	29	6	5	-	-	-	-	1	-	-	-	1	5	1	ROCHDALE.
BURNLEY -	-	103,947	24'6	22'1	20'6	18'6	59	37	13	6	-	-	1	-	-	1	1	5	6	8	1	BURNLEY.
BLACKBURN -	-	134,980	15'5	10'4	20'5	15'8	57	41	12	11	-	-	-	1	-	-	-	1	1	5	-	BLACKBURN.
PRESTON -	-	117,093	19'6	17'4	14'2	17'8	73	40	13	12	-	-	-	-	-	-	4	3	5	12	-	PRESTON.
BARROW-IN-FURNESS.	-	61,635	13'5	15'2	11'0	16'1	33	19	6	2	-	3	-	1	-	-	-	1	1	2	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year of 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in Colls. 11-17.		Registered during the Week ended 9th Nov., 1907.		The Deaths registered in the Week include											TOWNS.		
		Week ended				Week ended 9th Nov., 1907.		Infants under 1 Year of Age.	Periods of 60 Years and upwards.	Deaths from													
		10th Oct., 1907.	2nd Nov., 1907.	9th Nov., 1907.	Week ended 9th Nov., 1907.	7.	8.			9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.
HUDDESFIELD -	94,814	11'0	14'8	19'2	13'2	-	37	24	6	5	-	-	-	-	-	-	3	4	-	-	HUDDESFIELD.		
HALIFAX -	110,138	17'0	11'8	16'1	21'8	0'5	48	46	4	16	-	-	-	-	-	-	1	2	8	1	HALIFAX.		
BRADFORD -	290,323	14'7	16'3	15'8	15'3	0'9	111	85	18	25	-	1	-	1	-	2	3	4	23	2	BRADFORD.		
LEEDS -	470,268	17'5	17'5	18'5	13'2	1'2	205	119	25	35	-	3	2	2	4	3	3	6	24	-	LEEDS.		
SHEFFIELD -	455,553	20'5	19'2	15'3	16'4	1'8	313	143	41	43	-	-	2	-	2	8	4	6	32	1	SHEFFIELD.		
ROTHERHAM -	62,412	15'9	22'6	15'9	13'4	0'8	33	16	5	5	-	-	-	-	1	-	-	1	4	-	ROTHERHAM.		
YORK -	84,730	12'9	14'2	17'2	15'4	2'5	44	25	7	6	-	1	-	-	-	3	1	1	5	-	YORK.		
HULL -	266,762	14'9	13'1	13'3	13'1	0'2	153	67	11	20	-	-	-	-	-	1	5	9	16	1	HULL.		
MIDDLESBROUGH -	101,783	16'9	15'4	23'6	19'5	1'0	57	38	19	6	-	-	-	-	-	1	1	1	5	-	MIDDLESBROUGH.		
STOCKTON-ON-TEES -	52,909	23'7	8'9	26'6	20'7	-	23	21	8	9	-	-	-	-	-	-	-	1	3	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL -	75,473	9'7	7'6	9'0	10'4	0'7	30	15	5	4	-	-	1	-	-	-	1	1	2	1	WEST HARTLEPOOL.		
SUNDERLAND -	156,029	19'0	13'0	18'0	14'4	1'0	89	43	10	9	-	1	-	-	-	1	4	5	11	-	SUNDERLAND.		
SOUTH SHIELDS -	113,460	13'3	11'0	13'8	16'1	1'8	77	35	12	6	-	1	-	2	-	1	1	1	3	1	SOUTH SHIELDS.		
GATESHEAD -	125,783	16'6	15'3	14'1	15'3	0'4	57	37	10	6	-	-	-	-	1	-	-	1	2	2	GATESHEAD.		
NEWCASTLE-ON-TYNE -	272,969	17'6	15'5	15'9	12'0	1'0	157	63	12	15	-	3	-	-	-	1	1	6	11	-	NEWCASTLE-ON-TYNE.		
TYNEMOUTH -	54,688	16'2	16'2	10'5	10'5	1'0	34	11	3	2	-	-	1	-	-	-	1	2	-	-	TYNEMOUTH.		
NEWPORT (MON.) -	75,585	19'3	13'1	12'4	11'7	1'4	41	17	5	5	-	1	-	-	1	-	3	6	4	-	NEWPORT (MON.).		
CARDIFF -	187,620	16'4	14'7	16'1	15'3	2'2	104	55	16	14	-	5	-	-	1	-	2	4	7	-	CARDIFF.		
RHONDDA -	130,400	20'4	18'4	15'2	14'4	1'6	81	36	14	5	-	-	1	-	-	2	3	3	2	-	RHONDDA.		
MERTHYR TYDFIL -	76,085	21'9	28'8	26'0	23'3	6'2	42	34	7	8	-	7	-	1	-	1	1	1	3	-	MERTHYR TYDFIL.		
SWANSEA -	97,224	18'8	16'1	16'6	16'1	2'7	53	30	12	7	-	1	1	-	-	-	-	1	5	-	SWANSEA.		
GREATER LONDON -	721,941	12'9	12'5	13'7	12'5	1'1	3730	1730	315	599	-	31	31	15	9	42	63	136	681	2	GREATER LONDON.		
OUTER RING -	2,459,723	11'0	9'8	10'6	9'8	0'9	1337	461	82	174	-	3	15	13	2	3	15	33	109	2	OUTER RING.		
8 TOWNS IN OUTER RING -	1,209,285	11'4	10'1	11'0	10'5	0'9	648	243	46	82	-	2	8	7	1	2	5	17	59	-	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING -	1,250,438	10'7	9'5	10'3	9'1	0'8	689	218	36	92	-	1	7	6	1	4	10	16	50	2	REMAINDER OF OUTER RING.		
EDINBURGH -	345,747	12'8	12'1	15'4	13'1	0'3	146	87	12	31	-	-	-	-	1	-	4	?	21	4	EDINBURGH.		
GLASGOW -	847,584	13'1	16'9	16'2	16'6	2'4	450	270	46	51	-	21	1	3	7	1	6	?	74	4	GLASGOW.		
DUBLIN (Registration Area).†	380,691	20'3	19'1	21'1	22'8	1'6	211	171	27	43	-	2	-	2	2	4	6	6	63	4	DUBLIN (Registration Area).†		
BELFAST -	370,163	19'4	23'2	20'4	20'4	2'8	206	145	24	38	-	-	-	-	4	5	4	6	32	1	BELFAST.†		

* See note † on first page of this return.

† Including † death from Cerebro-spinal meningitis in Edinburgh 3 in Glasgow and 1 in Belfast.
 ‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2507	2696	2711	2500	2437	2657	2466	2476	2485	2220	2518.3	2393
Males - - -	1221	1348	1380	1257	1257	1344	1278	1248	1263	1123	1280.4	1197
Females - - -	1286	1348	1331	1243	1180	1313	1188	1228	1222	1097	1237.9	1196
TOTAL Deaths -	1660	1405	1506	1498	1688	1501	1476	1357	1489	1328	1463.6	1269
Males - - -	861	768	784	742	899	782	763	699	804	680	764.0	655
Females - - -	799	637	722	756	789	719	703	653	685	648	699.6	614

* The numbers in this column are the average weekly numbers in the forty-fifth week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 17.	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	13 Weeks.
TOTAL Births -	2507	2307	2346	2207	2333	2178	2341	2162	2183	2198	2450	2379	2393	29984
TOTAL Deaths -	1093	1056	1068	1080	1083	1182	1251	1212	1315	1270	1265	1390	1269	15534
Under 1 year -	239	239	255	252	251	268	321	302	337	339	319	330	233	3694
1-5 years -	149	122	123	137	103	125	142	140	116	119	104	132	146	1658
5-20 " -	66	55	68	60	59	73	67	69	76	75	77	64	66	875
20-40 " -	138	127	112	133	134	144	142	138	143	157	152	156	149	1825
40-60 " -	217	225	211	226	220	246	238	225	260	245	263	268	250	3124
60 yrs. & upwds	284	288	290	272	316	326	341	338	363	335	350	401	425	4358
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	43	28	24	25	10	11	9	11	11	9	16	22	28	241
Scarlet Fever -	8	7	14	13	12	13	14	18	19	25	26	22	16	207
Diphtheria - -	19	10	10	13	11	15	25	25	19	13	11	21	18	210
Whooping-cough -	29	34	21	20	25	30	20	18	18	19	18	18	13	283
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	3	7	3	3	4	6	6	10	6	9	2	6	71
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	23	47	56	61	66	78	118	126	110	88	67	40	36	916
All above Diseases -	128	129	132	135	127	151	192	198	187	160	147	125	117	1928
Dis. of Resp. System	54	32	59	48	47	53	62	66	77	79	86	123	96	879
Pneumonia - - -	75	65	70	68	75	77	86	86	98	91	80	122	108	1101
Phthisis - - -	94	109	87	122	114	122	127	100	109	114	127	137	103	1465
Dis. of Circ. System	136	151	146	122	149	150	167	149	160	164	172	201	166	2033
Violence - - -	49	51	41	51	45	54	35	55	45	55	28	40	48	597
Inquest Cases - -	106	105	107	115	104	135	109	114	127	117	113	127	103	1482
Deaths in Institutions	472	438	459	469	477	534	514	494	567	525	557	561	572	6639
TEMPERATURE OF THE AIR.														
Mean - - -	61.5	57.0	61.1	56.8	58.6	56.8	58.4	55.4	52.7	51.4	48.8	48.4	49.8	55.1
Mean of Highest -	72.4	66.1	72.3	66.4	71.7	69.1	71.8	64.3	60.1	57.5	57.3	55.1	54.6	64.5
Mean of Lowest -	54.2	50.5	50.6	49.8	47.4	45.9	47.2	48.7	45.6	44.5	40.4	41.6	45.2	47.0
Mean Humidity of the Air.	73	74	76	79	81	73	73	83	85	84	87	91	90	81
Rain-fall (in inches) -	0.71	0.96	0.16	0.44	0.00	0.00	0.03	0.85	1.13	0.87	0.50	0.34	0.03	6.02
Registered Sunshine (in hours).	45.0	24.9	47.8	18.7	41.9	46.0	47.7	22.7	25.0	19.1	22.5	10.2	8.1	379.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	1	1	1	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3669	3687	3738	3816	3872	4020	4328	4542	4752	4995	5197	5467	5604	4437
Diphtheria - - -	888	864	837	845	870	902	967	1065	1143	1180	1236	1256	1287	1027
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	51	55	65	72	83	97	99	109	107	124	126	123	128	95

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Means Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. R. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIFTH Week of the Year 1907.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH		Corrected Average for the 45th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH	Corrected Average for the 45th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.							ALL AGES.	Under 20.					
				2-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	2-1.	1-5.	5-20.	20 and under 40.	40 and under 60.
L CAUSES	-	1463.6	1230	233	146	66	149	250	425	Meningitis (not tuberc.)	14.7	15	7	5	1	1	-
										Gen. Par. of Insane, Insanity	13.7	18	-	1	1	11	-
Small-pox*	-	0.2	-	-	-	-	-	-	-	Epilepsy	5.7	8	-	1	1	3	-
Scabies (Morbilli)	-	31.9	28	8	18	2	-	-	-	Convulsions	19.9	10	9	1	-	-	-
Scarlet Fever	-	11.1	16	-	10	5	1	-	-	Locomotor Ataxy	2.0	4	-	-	-	4	-
Diphtheria	-	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	5.7	6	-	1	-	-	5
Erysipelas	-	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	18.2	14	-	1	-	6	7
Influenza	-	15.6	7	-	-	-	1	2	4	Valv. Dis., Endocarditis	51.4	50	-	1	5	5	19
Whooping-cough	-	10.0	13	9	4	-	-	-	-	Cereb. Ham. Cereb. Emb.	31.5	21	-	-	-	1	3
Measles	-	13.3	18	2	13	3	-	-	-	Apoplexy, Hemiplegia	15.6	11	-	-	-	1	2
Scarlatina	-	0.2	-	-	-	-	-	-	-	Aneurysm	5.7	4	-	-	-	-	4
Enteric Fever	-	11.3	6	-	-	1	5	-	-	Embolism, Thrombosis (not Cerebral)	2.7	1	-	-	-	1	-
Typhoid	-	-	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	81.7	79	-	-	4	8	20
Typhus	-	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.2	1	-	1	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	Bronchitis	148.4	81	15	6	-	1	8
Cholera Infantum	-	-	-	-	-	-	-	-	-	Emphysema, Asthma	6.5	2	-	-	-	1	1
Diarrhoea	-	15.8	21	15	6	-	-	-	-	Pleurisy	5.7	4	-	-	-	1	2
Enteritis	-	21.7	15	8	4	1	2	-	-	Respiratory Dis., Other	15.6	8	2	1	1	3	1
Dysentery	-	0.8	1	1	-	-	-	-	-	Tonsillitis, Quinsy	0.6	-	-	-	-	-	-
Stomachic	-	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	12.5	21	14	2	-	3	1
Hydrophobia	-	-	-	-	-	-	-	-	-	Gastro-enteritis	5.1	8	3	3	-	-	2
Rabies	-	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	3.1	1	-	1	-	-	-
Landers	-	-	-	-	-	-	-	-	-	Cirrhosis of Liver	10.7	10	-	-	1	3	6
Spasmodic (Splenic Fever)	-	-	-	-	-	-	-	-	-	Liver Dis., Other	5.3	8	-	-	1	2	5
Cerebral Dis.	-	10.6	8	3	-	1	3	1	-	Digestive Sys., Other Dis.	35.4	35	3	1	4	6	15
Septicæmia	-	1.6	2	-	-	-	2	-	-	Acute Nephritis	7.0	10	-	-	3	2	5
Purpura	-	-	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	32.1	51	-	1	-	2	18
Septicæmia	-	0.4	1	-	-	-	1	-	-	Urinary Sys., Other Dis.	7.0	21	-	1	2	6	12
Septicæmia	-	2.3	6	-	-	2	4	-	-	Generative Organs Dis.	5.1	3	-	-	-	2	1
Septicæmia	-	12.3	11	-	3	-	1	2	5	Childbirth (Accid. of)	3.7	1	-	-	-	1	-
Septicæmia	-	78.2	53	14	21	1	2	4	8	Old Age	48.1	56	-	-	-	-	56
Septicæmia	-	62.8	44	4	4	2	6	9	19	Other Diseases	101.0	97	56	12	2	7	18
Septicæmia	-	6.1	5	1	-	-	-	-	4								
Septicæmia	-	1.8	2	-	-	-	2	-	-	ACCIDENT.							
Septicæmia	-	2.0	-	-	-	-	-	-	-	By Railways	1.0	2	-	-	1	-	1
Septicæmia	-	6.5	1	-	-	-	-	-	-	By Vehicles and Horses	4.7	8	-	1	3	2	1
Septicæmia	-	83.5	77	2	2	6	31	23	10	In Ships, Boats, Docks, (exclusive of Drowning)	0.8	-	-	-	-	-	-
Septicæmia	-	64.3	26	-	1	3	11	11	-	In Building Operations	0.6	3	-	-	-	3	-
Septicæmia	-	14.7	15	4	8	3	-	-	-	In Conflagrations	0.2	-	-	-	-	-	-
Septicæmia	-	5.9	10	3	4	2	1	-	-	By Burns, Scalds, Explosions	6.5	5	-	2	1	2	-
Septicæmia	-	4.9	4	2	2	-	-	-	-	By Drowning	5.1	3	-	-	-	1	2
Septicæmia	-	16.8	14	6	2	3	2	-	1	By Suffocation in Bed	10.0	4	4	-	-	-	-
Septicæmia	-	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	3.7	2	-	-	1	1	-
Septicæmia	-	-	-	-	-	-	-	-	-	Other Deaths by Accident	14.1	14	1	-	-	4	4
Septicæmia	-	10.0	9	-	-	-	4	4	1								
Septicæmia	-	6.5	7	-	-	3	2	2	-								
Septicæmia	-	2.0	-	-	-	-	-	-	-								
Septicæmia	-	51.4	57	-	-	-	5	28	24	VIOLENCE OTHER THAN ACCIDENTAL.							
Septicæmia	-	7.0	3	-	-	-	1	2	-	Homicide	0.4	-	-	-	-	-	-
Septicæmia	-	36.0	36	-	-	-	5	14	17	Suicide	11.7	7	-	-	-	3	4
Septicæmia	-	6.8	9	-	-	-	-	2	7	Execution	0.4	-	-	-	-	-	-
Septicæmia	-	55.5	37	37	-	-	-	-	-								

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th November, 1907.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Deaths.	Deaths from														
			Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON - - -	4,536,429	2393	1269	233	425	-	28	16	18	13	-	6	-	36	48	103	572
WEST DISTRICTS - - -	805,311	351	201	37	77	-	5	1	-	1	-	2	-	7	6	9	77
NORTH DISTRICTS - - -	1,056,070	484	251	42	86	-	6	2	2	1	-	-	-	7	9	25	104
CENTRAL DISTRICTS - - -	209,465	93	63	8	16	-	1	1	1	-	-	1	-	1	5	8	35
EAST DISTRICTS - - -	715,739	478	213	51	56	-	11	-	-	-	-	1	-	4	11	24	109
SOUTH DISTRICTS - - -	1,749,844	987	487	95	171	-	5	8	14	8	-	2	-	15	17	37	193
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	54	-	19	-	-	4	1	-	-	-	-	2	-	-	54
WEST DISTRICTS.																	
North Paddington† H - - -	63,603	27	10	3	3	-	-	-	-	-	-	-	-	1	-	-	-
Central Paddington† W,3H - - -	50,053	28	15	2	7	-	2	-	-	-	-	-	-	1	-	-	10
South Paddington† - - -	30,320	4	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H - - -	128,037	65	36	5	16	-	-	-	-	-	-	-	-	1	1	1	15
Brompton 2H - - -	46,591	7	8	-	4	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith 2W,w,H - - -	49,192	30	11	6	3	-	1	-	-	-	-	-	-	1	-	-	2
South Hammersmith w,2H - - -	63,047	22	20	1	9	-	1	-	-	-	-	-	-	-	2	3	5
North-west Fulham W - - -	45,180	35	10	4	2	-	-	-	1	-	-	-	-	-	-	-	8
North-east Fulham F - - -	46,405	27	10	5	1	-	-	1	-	-	-	1	-	-	-	-	2
South Fulham W - - -	45,704	20	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - -	42,514	18	20	1	10	-	-	-	-	-	-	1	-	1	-	-	17
Chelsea South W,2H - - -	31,323	20	7	2	3	-	-	-	-	-	-	-	-	1	-	1	3
Mayfair and Knightsbridge - - -	28,743	4	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - -	56,815	24	12	2	2	-	-	-	-	-	-	-	-	-	3	4	7
St. Margaret & St. John 6H - - -	43,698	14	14	5	4	-	-	-	-	-	-	-	-	1	-	-	6
St. James and St. Anne W,6H - - -	33,081	6	8	-	3	-	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - -	35,391	8	22	2	4	-	-	-	-	-	-	-	-	-	-	1	15
St. Mary Marylebone W,4H - - -	37,948	43	9	2	6	-	-	-	-	-	-	-	-	-	-	-	3
Christchurch Marylebone - - -	39,536	15	4	1	3	-	-	-	-	-	-	-	-	-	-	-	2
St. John Marylebone 2H - - -	20,426	11	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Hampstead W,F,6H - - -	81,942	21	15	2	8	-	-	1	-	-	-	-	-	-	1	2	5
West St. Pancras 2H - - -	60,562	30	10	1	3	-	-	-	-	-	-	-	-	-	-	-	3
South St. Pancras w,11H - - -	55,707	21	12	2	4	-	-	-	-	1	-	-	-	1	1	1	7
East St. Pancras W,2H - - -	60,320	36	21	5	9	-	1	-	-	-	-	-	-	-	2	3	12
North St. Pancras 2W - - -	58,728	30	12	-	6	-	-	-	-	-	1	-	-	-	2	2	4
Tufnell W - - -	31,995	9	12	2	4	-	1	-	-	-	-	-	-	-	-	-	-
Upper Holloway 2W,w,H - - -	33,978	16	24	4	6	-	2	-	-	-	-	-	-	-	-	2	7
Tollington W,w,H - - -	33,922	9	5	2	2	-	-	-	-	-	-	-	-	1	-	2	18
Lower Holloway - - -	41,424	14	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury - - -	54,478	30	9	3	4	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east F - - -	75,397	42	11	2	2	-	-	-	-	-	-	-	-	1	1	1	1
Highbury 2H - - -	63,797	29	15	-	6	-	1	-	-	-	-	-	-	1	1	2	1
-toke Newington H - - -	51,247	23	8	2	2	-	-	-	-	-	-	-	-	-	-	2	-
North Hackney - - -	50,560	21	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - - -	50,536	32	7	-	1	-	-	1	1	-	-	-	-	-	-	-	2
South-west Hackney 3H - - -	59,921	28	10	2	1	-	-	-	-	-	-	-	-	-	-	-	5
South-east Hackney 2W,w,H - - -	58,255	25	28	6	11	-	-	-	-	-	-	-	-	4	2	4	17

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See the note * on first page of this return.

† On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named as above.

* Called "Simple Continued Fever" previous to 1901.

Population, Births, and Deaths in London Sub-Districts.

733

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th November, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from																
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.							
CENTRAL DISTRICTS.																						
St. Giles and Bloomsbury 2W,3H -	31,436	13	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Strand 4W,H -	21,674	1	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-		
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Holborn 7,6H -	29,612	11	17	6	2	-	1	-	-	-	-	-	-	1	1	2	11	-	-	-		
South Clerkenwell -	28,676	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Clerkenwell H -	35,028	17	9	-	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-		
Finsbury 3H,L -	36,116	33	5	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-		
Holborn Union Workhouse, } Mitcham -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
St. Botolph H -	10,299	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre and Allhallows W,2H -	16,024	-	15	-	3	-	-	-	1	1	-	-	-	-	-	2	2	13	-	-		
City of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																						
Shoreditch South H -	46,362	24	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Shoreditch North-West W,w,H -	36,127	25	29	8	10	-	3	-	-	-	-	-	-	-	-	1	2	-	-	-		
Shoreditch North-East -	34,148	35	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	24	-	-		
Shoreditch Union Workhouse, Wood } Green -	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bethnal Green North-East 2W } 2HL -	65,138	41	25	7	8	-	-	-	-	-	-	-	-	-	-	2	4	16	-	-		
Bethnal Green South-West H -	64,542	43	13	2	5	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-		
Hopitalfields -	27,969	10	4	1	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-		
File End New Town W,H -	28,718	24	36	6	6	-	-	-	-	1	-	-	-	-	3	5	7	35	-	-		
Foodman's Fields -	22,061	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George and St. John 2W -	49,068	31	15	6	3	-	-	-	-	-	-	-	-	-	-	-	1	5	-	-		
Madwell and Ratcliff W,H -	25,568	13	13	7	-	-	1	-	-	-	1	-	-	-	-	1	1	10	-	-		
Amehouse W -	32,369	22	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
File End Old Town South- } Western H -	63,698	52	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
File End Old Town North- } Eastern W,w -	49,129	23	14	3	6	-	1	-	-	-	-	-	-	-	-	1	2	7	-	-		
Low -	41,589	34	8	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-		
Bromley 3w,H -	68,319	49	22	1	11	-	5	-	-	-	-	-	-	-	-	-	1	11	-	-		
Poplar W,w -	58,514	42	12	-	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-		

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th November, 1907—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
SOUTH DISTRICTS.																		
Christchurch and St. Saviour } Southwark W,2H - - - - -	23,319	10	14	-	6	-	-	-	1	-	-	-	-	1	1	2	10	
Kent-road - - - - -	21,904	16	5	2	-	-	-	-	-	-	-	-	-	2	-	1	-	
St. George the Martyr West } W,2H,L - - - - -	39,094	21	13	8	-	-	1	-	-	1	-	-	-	2	-	1	5	
Newington North - - - - -	49,022	35	16	4	4	-	2	-	1	-	-	-	-	1	1	1	-	
Newington South W - - - - -	72,841	42	10	3	6	-	-	-	-	-	-	-	-	1	1	2	3	
St. Olave 2W - - - - -	9,817	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Bermondsey W - - - - -	82,483	57	17	4	8	-	-	-	-	-	-	-	-	1	-	2	-	
Rotherhithe W,F - - - - -	38,460	21	18	4	5	-	-	-	-	-	-	-	-	-	1	1	12	
Waterloo 2H - - - - -	27,440	27	3	3	-	-	-	-	-	-	-	-	-	-	-	-	2	
Lambeth Church H - - - - -	27,440	14	17	3	3	-	-	-	1	-	-	-	-	-	1	-	15	
Kennington 2W - - - - -	52,518	30	35	4	12	-	-	-	-	-	-	-	-	-	-	1	23	
Stockwell HF - - - - -	63,826	40	9	-	5	-	-	2	1	-	-	-	-	-	-	-	3	
Brixton H - - - - -	73,673	37	15	3	5	-	-	-	-	-	-	-	-	-	-	1	1	
Norwood WH - - - - -	56,998	27	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - - - -	72,203	41	12	5	3	-	-	-	-	1	-	-	-	-	2	-	1	
North-west Battersea - - - - -	49,656	30	8	3	2	-	-	-	-	1	-	-	-	-	1	1	-	
South-west Battersea 2W,H - - - - -	47,048	21	25	3	7	-	1	-	-	-	-	-	-	-	1	1	15	
Clapham 2H - - - - -	51,381	23	12	2	5	-	-	-	-	-	-	-	-	-	1	1	1	
Streatham W,2w,F,2L - - - - -	88,019	49	33	4	16	-	-	2	1	-	-	-	-	-	1	2	13	
Springfield 2W,L - - - - -	27,959	19	9	1	3	-	-	-	-	-	-	-	-	-	-	1	-	
Southfields H - - - - -	40,444	24	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	
Putney - - - - -	24,139	10	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Dulwich - - - - -	13,359	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w - - - - -	40,206	15	23	2	14	-	-	-	-	-	-	1	-	-	-	-	18	
Camberwell North W,2L - - - - -	65,584	35	27	5	3	-	-	-	-	1	-	-	-	-	-	2	19	
St George - - - - -	47,331	27	6	3	1	-	-	-	-	1	-	-	-	-	-	1	-	
Peckham North - - - - -	48,913	23	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham South 2W,w - - - - -	43,946	31	7	1	4	-	-	-	-	-	-	-	-	-	-	1	-	
Deptford North - - - - -	37,613	31	7	2	3	-	-	-	-	-	-	-	-	-	2	2	-	
Deptford Central F - - - - -	45,481	37	15	4	2	-	-	-	1	5	1	-	-	1	-	1	8	
Deptford South - - - - -	34,625	14	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - - - -	23,456	8	9	3	3	-	-	-	-	1	-	-	-	-	-	2	2	
Greenwich East 2W,H - - - - -	43,859	20	24	2	11	-	1	-	-	-	-	-	-	1	1	2	18	
Eltham w,H - - - - -	7,226	8	4	2	1	-	-	-	-	-	-	-	-	-	1	-	1	
Lee wH - - - - -	25,490	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W,w,F - - - - -	58,352	47	24	2	10	-	-	-	1	2	-	-	-	-	1	3	12	
Sydenham H - - - - -	43,653	18	8	-	7	-	-	-	-	-	-	-	-	-	1	1	-	
Charlton F,2H - - - - -	21,134	8	4	-	-	-	-	2	1	-	-	1	-	-	-	-	4	
Woolwich 5H - - - - -	41,625	22	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
Plumstead West W - - - - -	18,063	7	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	
Plumstead East 2W,H - - - - -	50,264	19	13	4	3	-	-	-	-	-	1	-	-	-	2	-	6	
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asylum	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Reach - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Fever Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Joyce Green - - - - -	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	2	
North-Eastern - - - - -	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	
Northern - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M. A. B. Imbecile Asylums:-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Belmont - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
Caterham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Darenth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Leavesden - - - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4	
London County Lunatic Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Banstead - - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6	
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton - - - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8	
Manor - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Long Grove - - - - -	-	-	8	-	5	-	-	-	-	-	-	-	-	-	-	-	8	
Cane Hill - - - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4	
Dartford Heath - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Hanwell - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
Colney Hatch - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Claybury - - - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	2	-	-	5	

150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000

The DEATHS registered in the Week include																							
REGISTRATION SUB-DISTRICTS.				Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths of															
								Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Un-identified Causes of Death.			
LONDON—OUTER RING				363,302	2,044,973	1337	461	82	174	-	3	15	13	2	3	6	15	33	109	2			
0:1	Carshalton 2F,3H	-	-	12,228	32,997	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-			
0:2	Epsom, part of* W,w,2F,H-	-	-	10,423	15,548	9	6	-	3	-	-	-	-	-	-	-	-	-	1	3			
0:7	Godstone, part of* W,F,L-	-	-	2,754	2,892	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-			
0:1	Coulsdon - - -	-	-	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:2	South Croydon w - -	-	-	4,200	49,309	19	2	-	1	-	-	-	1	-	-	-	-	-	-	-			
0:3	West Croydon 3W,F,H -	-	-	2,168	42,888	34	8	1	5	-	-	-	-	-	-	-	-	-	1	1			
0:4	North Croydon H - -	-	-	2,644	41,698	22	8	1	2	-	-	-	-	-	-	-	-	-	-	-			
0:5	Penge w - - -	-	-	770	22,465	10	8	-	6	-	-	-	-	-	-	-	-	-	-	-			
0:6	Mitcham - - -	-	-	11,711	30,015	21	9	2	5	-	-	-	-	-	-	-	1	-	-	-			
0:1	Wimbledon F,3H - -	-	-	3,221	41,652	19	6	-	-	-	-	-	1	-	-	-	-	2	1	-			
0:2	Kingston 2W,H - - -	-	-	6,224	42,068	24	7	1	4	-	-	-	-	-	-	-	-	1	2	-			
0:3	Surbiton F,H - - -	-	-	3,346	15,017	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-			
0:4	Esher, part of* H - -	-	-	5,432	13,100	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
0:5	Hampton H,F,L - -	-	-	4,584	23,456	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-			
0:1	Richmond W,H - -	-	-	2,491	31,672	11	6	1	3	-	-	-	-	-	-	-	1	1	1	-			
0:2	Mortlake F - - -	-	-	2,518	17,821	17	1	-	1	-	-	-	-	-	-	-	-	1	-	-			
0:3	Bromley F,2H - - -	-	-	4,703	27,356	10	6	1	2	-	-	-	1	-	-	-	-	-	1	-			
0:4	Beckenham H - - -	-	-	7,825	28,497	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
0:5	Orpington part of* W,F -	-	-	10,113	9,857	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-			
0:6	Chislehurst 2H - -	-	-	7,333	16,446	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
0:1	Bexley w,F,H - - -	-	-	8,678	21,151	19	5	1	3	-	-	-	-	1	-	-	-	1	-	-			
0:2	Erith F,H - - -	-	-	3,854	25,296	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-			
0:3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:4	Sunbury w - - -	-	-	11,054	18,683	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-			
0:5	Staines W,H - - -	-	-	13,277	15,178	8	6	-	6	-	-	-	-	-	-	-	-	1	3	-			
0:1	Hillingdon W,F,H - -	-	-	6,035	13,661	9	4	1	2	-	-	-	-	-	-	-	-	-	2	-			
0:2	Uxbridge H - - -	-	-	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:3	Hayes w,2 F,H - - -	-	-	8,066	16,558	9	3	2	-	-	1	-	-	-	-	-	-	1	-	-			
0:4	Isleworth 3W,3F,H - -	-	-	6,859	30,863	24	13	2	6	-	-	-	-	-	-	-	-	-	10	-			
0:5	Twickenham F,2H - -	-	-	2,421	20,991	7	3	1	1	-	-	-	-	-	-	-	-	1	1	-			
0:6	Brentford 3F,2H - -	-	-	4,319	48,289	25	12	1	8	-	-	-	-	-	-	-	-	-	-	-			
0:7	Chiswick H - - -	-	-	1,249	29,809	18	5	-	4	-	-	-	-	-	-	-	-	-	-	-			
0:8	Acton w,F,3H - - -	-	-	6,132	46,914	47	12	2	2	-	-	2	-	-	-	-	-	-	3	-			
0:1	Harrow F,H - - -	-	-	13,809	25,523	21	3	-	1	-	-	2	-	-	-	-	-	-	2	-			
0:2	Edgware 2F,2H - - -	-	-	6,994	4,521	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
0:3	Willesden W,F,2H - -	-	-	4,384	114,811	70	37	7	13	-	2	3	-	-	1	-	-	-	12	-			
0:4	Hendon W,F - - -	-	-	8,382	22,450	22	2	1	1	-	-	-	-	-	-	-	-	-	1	-			
0:5	South Mimms 2F,H - -	-	-	17,755	7,308	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-			
0:6	Barnet W,2H - - -	-	-	3,324	17,970	9	3	1	1	-	-	-	-	-	-	-	1	-	-	-			
0:7	Finchley F,2H - - -	-	-	4,688	33,692	24	4	-	1	-	-	-	-	-	-	-	-	-	-	-			
0:8	Hornsey F,H - - -	-	-	2,875	72,056	37	14	1	6	-	-	-	-	-	-	-	1	-	1	-			
0:9	Wood Green H - - -	-	-	1,625	34,233	32	10	1	3	-	-	-	-	-	-	-	-	-	1	-			
0:1	West Tottenham - -	-	-	996	48,853	29	13	3	4	-	-	-	-	-	-	-	-	-	1	-			
0:2	East Tottenham 2H - -	-	-	2,017	53,688	35	17	4	6	-	-	-	-	-	-	-	-	-	1	-			
0:3	Edmonton W,w,2F - -	-	-	7,491	61,892	43	16	2	6	-	-	-	-	-	-	-	-	-	1	-			
0:4	Enfield 2W,F,H - -	-	-	12,601	42,738	42	17	5	2	-	-	3	2	-	-	-	-	-	1	-			
0:5	Waltham Abbey F - -	-	-	11,017	6,549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:6	Cheshunt F,H - - -	-	-	8,479	12,292	4	2	-	2	-	-	-	-	-	-	-	-	-	-	1			
0:7	Hatfield, part of* W - -	-	-	3,305	854	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:8	Bushey H - - -	-	-	9,333	9,173	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-			
0:9	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:1	Stratford H - - -	-	-	1,091	52,974	30	5	1	3	-	-	-	-	-	-	-	-	-	-	-			
0:2	Forest Gate - - -	-	-	787	52,745	25	7	3	-	-	-	-	-	-	-	-	-	-	-	-			
0:3	Plaistow F,2H - - -	-	-	1,249	90,921	73	29	9	7	-	-	1	2	-	-	1	1	5	5	-			
0:4	Canning Town H - -	-	-	1,556	70,718	57	15	5	2	-	-	1	-	-	-	-	2	2	2	-			
0:5	South East Ham 2F - -	-	-	1,993	37,342	43	9	3	3	-	-	1	1	-	-	-	-	1	1	-			
0:6	North East Ham w H -	-	-	1,333	58,676	47	9	1	5	-	-	-	-	-	-	-	-	-	-	-			
0:7	Wanstead F - - -	-	-	1,679	9,179	7	1	-	1	-	-	-	-	-	-	-	-	-	1	-			
0:8	South Leyton 2W - -	-	-	631	50,467	23	10	1	4	-	-	-	1	-	-	-	-	-	5	-			
0:9	North Leyton 2W,w,F -	-	-	1,963	48,445	30	39	4	15	-	-	-	-	-	-	-	1	2	2	-			
0:1	Walthamstow 2H,L - -	-	-	6,504	108,929	84	15	5	3	-	-	1	-	1	1	-	1	2	2	1			
0:2	Chigwell 2F,3H - -	-	-	11,778	16,397	3	5	-	1	-	-	1	1	-	-	-	1	1	2	-			
0:3	Spping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
0:4	Romford, part of* W,2F	-	-	6,556	6,091	3	3	-	2	-	-	-	-	-	-	-	-	-	2	-			
0:5	Ilford F,L - - -	-	-	8,496	41,234	50	5	2	2	-	-	-	-	-	-	-	-	-	-	-			
0:6	Barking Town F - -	-	-	3,803	21,547	18	5	2	-	-	-	-	-	-	1	-	1	1	-	-			
Eastern Hospital, Homerton				-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-			
Middlesex County Lunatic Asylum, Wandsworth.				-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-			
Middlesex County Lunatic Asylum, Napoury.				-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-			
Essex County Lunatic Asylum, Brentwood.				-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-			

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	November 9	2393	1289	13'9	-	28	16	19	13	6	39
CALCUTTA - -	955,926	October 12	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	982,000	" 22	459	637	33'9	-	1	-	-	-	81†	67
MADRAS - -	548,974	" 11	470	474	48'3	1	4	?	?	?	119	130
PARIS - -	2,722,731	October 26	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	623,202	November 2	170	138	11'5	-	-	-	-	2	-	19
ANTWERP - -	304,032	" 2	142	89	15'3	-	-	-	-	1	-	23
AMSTERDAM - -	564,342	" 2	252	114	10'5	-	1	-	1	1	1	-
COPENHAGEN - -	433,000	" 2	197	110	13'2	-	4	1	1	4	1	13
STOCKHOLM - -	332,738	October 26	126	78	12'2	-	2	1	1	-	-	-
CHRISTIANIA - -	226,774	November 2	102	52	11'8	-	-	-	-	-	-	-
ST. PETERSBURG - -	1,482,769	October 19	822	508	17'8	-	7	16	19	10	13	5
MOSCOW - -	1,296,000	" 26	-	541	21'8	-	4	8	5	5	3	8
BERLIN - -	2,007,699	" 19	834	629	15'6	-	3	4	10	8	1	7
HAMBURG - -	840,790	November 2	-	235	14'8	-	1	-	4	1	1	3
BRESLAU - -	485,278	October 26	-	209	22'5	-	-	1	3	5	-	4
MUNICH - -	548,000	" 26	-	189	17'9	-	1	-	4	1	1	3
VIENNA - -	1,979,993	" 26	918	514	13'4	-	1	4	6	-	3	6
PRAGUE - -	470,906	November 2	151	148	16'3	-	-	1	-	1	1	1
BUDA-PESTH - -	802,235	October 26	469	319	20'7	-	10	14	2	2	4	5
TRIESTE - -	200,962	November 2	126	95	24'3	-	-	-	1	1	2	1
ROME - -	542,760	August 17	239	191	18'3	-	4	-	-	2	2	3
VENICE - -	174,398	October 12	77	55	16'4	-	1	-	-	-	-	-
		" 19	63	55	16'4	-	-	-	-	-	-	-
BUCHAREST - -	292,395	November 2	160	121	21'6	-	-	6	3	-	2	1
NEW YORK - -	4,285,435	October 19	2447	1350	16'4	-	4	8	32	6	17	12
CHICAGO - -	2,107,620	" 19	-	508	12'6	-	2	4	19	1	7	5
PHILADELPHIA - -	1,500,595	September 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	October 13	-	249	20'6	-	-	-	-	-	4†	?

* Excluding deaths from croup in the Indian Cities.

† Including 16 deaths from plague in Bombay and 2 in Rio de Janeiro.

‡ Including 8 deaths from cholera in Bombay, and 61 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th November, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	60'3	41'3	49'9	0'03	LEEDS - - -	57'0	44'0	50'0	0'32
BRIGHTON - -	57'8	45'3	50'5	0'03	YORK - - -	58'0	45'0	50'4	0'24
PORTSMOUTH - -	59'5	44'0	51'4	0'14	HULL - - -	58'0	43'0	49'7	0'43
NORWICH - - -	?	?	?	?	TYNEMOUTH - -	54'0	35'0	47'8	0'25
PLYMOUTH - - -	57'7	41'7	51'0	0'72	CARDIFF - - -	57'4	36'2	48'2	0'85
BRISTOL - - -	58'0	35'5	48'4	0'89					
BIRMINGHAM - -	54'8	39'9	47'9	0'19	EDINBURGH - -	55'3	39'6	46'9	0'19
NOTTINGHAM - -	56'0	44'3	49'1	0'24	GLASGOW - - -	59'6	36'2	48'9	0'15
LIVERPOOL - - -	54'0	43'0	48'6	0'30					
OBSERVATORY, } MANCHESTER - -	53'6	39'8	47'5	0'24	DUBLIN { Phoenix Park. Fitz- william Square.†	56'7	30'3	45'1	0'18
BURNLEY - - -	55'0	40'1	47'4	0'22		56'1	33'1	46'8	0'26
PRESTON - - -	53'4	43'0	49'1	0'31					
HUDDERSFIELD - -	55'4	41'5	47'7	0'30	BELFAST - - -	58'0	33'5	46'5	0'32

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'6 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A. M.D., Dublin.

1907. MONTH AND DAY	Phases of the Moon.	BARO-METER.		TEMPERATURE.				TEMPERATURE.				WINDS deduced from Anemometers.				Rain collected in a Gage whom resisting surfaces 5 inches above the Average of the Ground 40 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		Mean daily reading (cor- rected and re- duced to 32° Fahr- heit).	High- est.	Of the Air.		Difference between the Air Temperature and Dew Point Temperature.		TEMPERATURE.		TEMPERATURE.		WINDS deduced from Anemometers.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				Low- est.	Daily Range.	Mean value.	De- parture from Average of 85 years.	Of the Dew point		Of Radiation.	Of the Earth 3 feet below the Surface.	Oiler's.		Horizontal Movement of the Air on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
								Mean daily value.	Mean est. value.			Of the Earth 3 feet below the Surface.	General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.	TEMPERATURE. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
NOVEMBER.				
SUNDAY - 3	Loss of Register; in- sulation defective.	0.0	95	Cloudless in early morning; generally overcast after 6h. A.M.; occasional thin rain after 4h. P.M.
MONDAY - 4	Loss of Register; in- sulation defective.	0.0	95	Generally overcast; thick fog prevalent in morning.
TUESDAY - 5	Insulation defective till 4h. P.M.; w. P. afterwards.	1.6	94	Generally cloudy; occasional fine inter- vals.
WEDNESDAY - 6	w. P. throughout.	0.2	94	Fine till 3h. A.M.; overcast with slight ex- ceptions afterwards.
THURSDAY - 7	w. P. throughout.	0.0	93	Overcast with slight exceptions; very slight fog in evening.
FRIDAY - 8	w. P. throughout.	0.5	93	Overcast till 1h. P.M.; fine and variably cloudy afterwards; slight rain at 2h. 30m. A.M.; mild.
SATURDAY - 9	w. P. throughout.	5.8	92	Very fine generally; increasing fog at night; very mild.
		Sum 81	Sum 656	
No. of Col. -	27	28	29	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd November, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.	
WEST.												
Paddington - - -	149,909	-	9	3	-	1	-	-	1	-	-	
Kensington - - -	181,842	-	15	5	-	2	-	-	3	-	-	
Hammersmith - - -	122,337	-	26	3	-	3	-	-	-	-	-	
Fulham - - -	166,749	-	26	33	-	1	-	-	2	-	-	
Chelsea - - -	74,857	-	9	2	-	1	-	-	2	-	-	
City of Westminster -	172,219	-	15	5	-	1	-	-	3	-	-	
NORTH.												
St. Marylebone - - -	127,718	-	7	1	-	1	-	-	1	-	-	
Hampstead - - -	91,137	-	2	3	-	-	-	-	2	-	-	
St. Pancras - - -	236,753	1	28	11	-	2	-	-	2	1	-	
Islington - - -	347,017	-	39	12	-	1	-	-	3	2	-	
Stoke Newington - - -	53,613	-	11	7	-	1	-	-	1	1	-	
Hackney - - -	232,993	-	68	16	-	4	-	-	7	1	-	
CENTRAL.												
Holborn - - -	55,134	-	2	-	-	-	-	-	1	-	-	
Finsbury - - -	96,732	-	16	2	-	1	-	-	1	-	-	
City of London - - -	20,310	-	1	4	-	-	-	-	-	-	-	
EAST.												
Shoreditch - - -	115,662	-	31	8	-	-	-	-	2	-	1	
Bethnal Green - - -	130,831	-	43	8	-	-	-	-	5	-	-	
Stepney - - -	308,923	-	111	25	-	1	-	-	9	-	-	
Poplar - - -	171,086	-	62	6	-	3	-	-	2	-	-	
SOUTH.												
Southwark - - -	209,781	-	23	7	-	1	-	-	6	-	-	
Bermondsey - - -	128,263	-	38	5	-	-	-	-	4	1	-	
Lambeth - - -	318,538	-	53	13	-	-	-	-	4	-	-	
Battersea - - -	181,736	-	29	6	-	3	1	-	3	1	-	
Wandsworth - - -	281,419	-	45	22	-	-	-	-	7	-	-	
Camberwell - - -	277,059	-	61	13	-	2	-	-	2	-	-	
Deptford - - -	116,510	-	32	9	-	-	-	-	3	-	-	
Greenwich - - -	107,222	-	15	3	-	-	-	-	2	-	-	
Lewisham - - -	152,532	-	20	3	-	1	-	-	3	-	-	
Woolwich - - -	129,336	-	24	3	-	-	-	-	1	-	-	
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,758,218	1	851	238	-	29	1	-	82	7	1
Ages												
0-1 - - -	-	-	9	9	-	-	-	-	1	-	1	
" 1-5 - - -	-	-	218	78	-	3	-	-	3	-	-	
" 5- - - -	-	-	358	86	-	1	-	-	4	-	-	
" 10- - - -	-	-	162	30	-	3	1	-	-	-	-	
" 15- - - -	-	-	48	10	-	4	-	-	3	-	-	
" 20- - - -	-	-	1	26	9	2	-	-	4	-	-	
" 25- - - -	-	-	25	12	-	7	-	-	9	6	-	
" 35- - - -	-	-	4	2	-	4	-	-	20	1	-	
" 45- - - -	-	-	1	-	-	4	-	-	15	-	-	
" 55- - - -	-	-	-	1	-	1	-	-	16	-	-	
" 65 and upwards -	-	-	-	1	-	-	-	-	7	-	-	
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING OCTOBER, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th November, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of October.

Thirteen samples were taken in each of the seven districts supplied with river-derived water and 14 samples of well water from the Kent district, making a total of 105 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitriles.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ October 7th. Cab Rank, Fulham Road, near Hospital for Women. }	15.0	26.56	.111	.012	0	.162	.174	1.75	19.0
West Middlesex - -	{ October 7th. Cab Rank, Albert Road, N.W. }	14.7	23.58	.139	.016	0	.125	.141	1.7	16.1
Southwark - - - -	{ October 7th. Cab Rank, St. George's Church, Borough. }	15.3	27.00	.107	.012	0	.192	.204	1.7	19.0
Grand Junction - -	{ October 7th. Cab Rank, Pickering Place, Westbourne Grove. }	15.0	25.22	.157	.017	.003	.106	.126	1.65	17.4
Lambeth - - - -	{ October 7th. Cab Rank, St. George's Road, Southwark. }	15.0	26.04	.115	.011	0	.164	.175	1.7	19.0
LEA, WELLS, THAMES, &C.										
New River - - - -	{ October 7th. Cab Rank, Canonbury Station. }	14.0	32.88	.056	.007	0	.208	.215	1.65	23.3
Eastern - - - -	{ October 7th. Cab Rank, Poplar Police Station. }	14.0	34.88	.161	.015	0	.090	.105	2.45	20.6
DEEP WELLS.										
Kent - - - -	{ October 7th. Cab Rank, Amersham Road, opposite New Cross Station. }	11.5	40.16	.040	.005	0	.508	.513	2.2	28.1
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the cab-rank in Fulham Road, on the 7th October, had a temperature of 15.0° C.; 100,000 lbs. of it contained 26.56 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .111 lb. of carbon and .012 lb. of nitrogen. The above quantity of water also contained .162 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .174 lb. The above weight of water also contained 1.75 lbs. of chlorine and 19.0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 7th October were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several district works was:—Kent, 0·8; New River, 1·1; Southwark, 2·0; Chelsea and Lambeth, 2·1; West Middlesex, 2·6; and Grand Junction and Eastern, 3·0.

The filtered Thames water distributed from the West Middlesex district works on the 7th October contained practically the same proportion of organic matter as was found in September, but in the cases of the other four Thames supplies the amounts were lower, and the mean proportion of impurity in the five waters for October was lower than had been recorded in any previous corresponding examination this year. The five waters were clear and of good quality.

The New River district supply contained only a small amount of organic impurity and was clear and of very good quality. The Eastern district water, obtained chiefly from the Lea, contained about the same proportion of organic matter as some of the Thames-derived supplies and was clear and of good quality.

The deep-well water from the Kent district was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep, the Kent water was colourless, and that from the New River area nearly colourless; the six remaining supplies had a very pale yellow colour.

In addition to the above analytical examination the 105 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid" ammonia (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·091	·050	·059	·097	·053	·064	0	0	0	·0075	·0045	·0060
West Middlesex	·083	·058	·065	·092	·067	·072	0	0	0	·007	·006	·0065
Southwark	·134	·055	·067	·146	·058	·073	0	0	0	·007	·005	·006
Grand Junction	·092	·055	·071	·100	·062	·077	·003	0	·001	·0075	·0055	·0065
Lambeth	·118	·037	·070	·130	·063	·077	0	0	0	·0075	·0045	·0060
LEA, WELLS, THAMES, &C.												
New River	·031	·018	·024	·033	·019	·026	0	0	0	·0025	·0015	·0020
Eastern	·088	·051	·067	·093	·055	·072	0	0	0	·007	·006	·0065
DEEP WELLS.												
Kent	·014	·007	·009	·012	·008	·010	0	0	0	·001	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The steady decrease in the proportion of organic matter, which has been observed in the five filtered Thames waters since the early part of May was continued until the middle of October,

when, in respect to organic purity, the supplies reached their best quality for the present year. Towards the end of the month the proportion of organic matter rose in all the waters, but the increments were not large and all the samples examined were of good quality.

The New River district supply, consisting of filtered Lea and deep-well water contained only a small amount of organic matter and was of very good quality throughout the month. The proportion of organic matter in the Eastern district water was similar to that in the Thames-derived supplies and all the samples tested were of good quality.

The deep-well water distributed during the month in the Kent district was, as usual, of high organic purity and excellent quality.

All the samples collected in the Chelsea, West Middlesex, Southwark, Lambeth and New River districts were clear, but in the cases of the other supplies a few samples contained minute amounts of rust-stained suspended matters.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar General,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of October, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 207 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	OCTOBER, 1906.	OCTOBER, 1907.	OCTOBER, 1906.	OCTOBER, 1907.
TOTAL SUPPLY - - - - -	1,055,803	1,071,506	223,039,661	221,339,666
NEW RIVER - - - - -	209,558	212,061	42,285,000	43,015,000
EASTERN - - - - -	237,985	240,812	41,633,386	41,177,580
WESTERN { Chelsea Grand Junction } - -	216,578	219,542	55,571,351	54,415,957
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	276,017	281,566	63,707,564	63,600,987
{ Southwark and Vauxhall }				
KENT - - - - -	115,685	117,523	19,812,360	19,130,142

Note.—The Return for October, 1907, as compared with that for the corresponding month of 1906, shows an increase of 15,703 services, and a decrease of 1,699,995 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 46. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, NOV. 16. [Price 1½d.

*General Register Office, Somerset House,
November 18th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 15·7, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 21·5 in Coventry, 21·9 in Tynemouth, 22·0 in Rhondda, 22·1 in Oldham, 22·2 in York, 24·1 in Hanley and in Wigan, and 27·6 in Stockton on Tees; from *measles*, 1·1 in Cardiff, 1·2 in York and in Rhondda, 1·4 in Ipswich, 2·0 in Coventry, 2·7 in Merthyr Tydfil, and 2·9 in Burton on Trent; from *scarlet fever*, 1·4 in Willesden; from *diphtheria*, 1·1 in East Ham; from *whooping-cough*, 1·4 in Ipswich and 1·6 in Bootle; from "*fever*," 1·5 in Grimsby and 3·1 in Hanley; and from *diarrhœa*, 1·1 in Oldham, 1·2 in Rhondda, 1·5 in Grimsby, 1·6 in Walsall, and 3·0 in Great Yarmouth. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2342 BIRTHS and 1326 DEATHS were registered. Allowing for increase of population, the births were 145 and the deaths 205 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·9, 15·2, and 13·9 per 1000 in the preceding three weeks, was 14·5 last week. The death-rate in the four weeks ended last Saturday averaged 14·4 per 1000, being 1·5 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1326 deaths included 21 from measles, 9 from scarlet fever, 21 from diphtheria, 17 from whooping-cough, 6 from enteric fever, and 34 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 108 deaths were referred, being 2 below the corrected average number in the forty-sixth week of the preceding five years.

The deaths from *measles*, which had been 16, 22, and 28 in the preceding three weeks, fell to 21 last week, and were 10 below the corrected average; 6 deaths belonged to the Borough of Hammersmith, and 4 to Shoreditch. The deaths from *scarlet fever*, which had been 26, 22, and 16 in the preceding three weeks, further fell to 9 last week, but were 2 above the corrected average. The deaths from *diphtheria*, which had been 11, 21, and 18 in the preceding three weeks, were 21 last week, and were equal to the corrected average; 4 deaths belonged to Stepney, and 3 each to St. Pancras and Islington. The deaths from *whooping-cough*, which had been 18, 18, and 13 in the preceding three weeks, numbered 17 last week, the corrected average being 16; 3 deaths belonged to Stepney, and 3 to Poplar. The deaths from *enteric fever*, which had been 9, 2, and 6 in the preceding three weeks, again numbered 6 last week, and were 5 below the corrected average; 2 deaths belonged to Southwark. The deaths from *diarrhoea*, which had been 67, 40, and 36 in the preceding three weeks, further fell to 34 last week, but were 10 above the corrected average; 6 deaths belonged to Stepney, 4 to Southwark, and 3 to Poplar. Of the 34 deaths from diarrhoea, 32 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 11, 10, and 7 in the preceding three weeks.

Different forms of *violence* caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, five to burns or scalds, five to drowning, one to the effects of an anæsthetic administered for surgical purposes, and eight, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5689 cases of scarlet fever, 1298 of diphtheria, and 130 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 636 cases, against 793, 832, and 667; of diphtheria, 202 cases, against 199, 180, and 179; and of enteric fever, 13 cases, against 19, 13, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 9th, 1907.

GREATER LONDON.

In Greater London 3574 births and 1767 deaths were registered. Allowing for increase of population, these numbers are 218 and 325 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 43°·8, the latter being 0·3 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 11 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 11·0 hours; the measured rainfall amounted to 0·13 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

elder Saturday, 16th November, 1907, and DEATH-RATES in each of the preceding three weeks.

TOWNS.	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 16th Nov., 1907.		The DEATHS registered in the Week include											TOWNS.	
	Week ended					Week ended 16th Nov., 1907.		BIRTHS.	DEATHS.	Deaths from												
	26th Oct., 1907.	2nd Nov., 1907.	9th Nov., 1907.	16th Nov., 1907.	16th Nov., 1907.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.			Small-pox.	Measles.	Scarlet-Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.					
76 TOWNS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
LONDON -	16,024,458	14'6	15'7	14'6	14'5	1'3	8177	4539	1093	1190	-	73	40	59	69	30	118	157	374	1134	35	76 TOWNS.
(CROYDON.	-	13'9	15'2	13'9	14'5	1'2	2342	1326	203	373	-	21	9	21	17	6	34	53	143	638	2	LONDON.
WILLESDEN -	-	10'8	9'5	6'4	10'5	0'3	59	31	5	13	-	-	-	1	-	-	1	1	4	7	-	(CROYDON.
HOBNEY.	-	11'9	10'1	12'9	9'1	2'1	84	26	10	5	-	-	4	1	-	-	-	1	3	6	-	WILLESDEN.
TOTTENHAM.	-	8'1	8'7	9'3	9'3	-	24	16	3	7	-	-	-	-	-	-	-	-	2	2	-	HOBNEY.
WEST HAM -	-	14'9	10'6	14'4	8'5	-	65	20	5	8	-	-	-	-	-	-	-	-	5	1	-	TOTTENHAM.
EAST HAM†	-	10'7	12'5	12'3	10'8	1'2	157	61	15	15	-	-	2	2	2	-	1	6	6	17	1	WEST HAM.
LEYTON.	-	9'2	8'0	8'4	9'2	2'7	57	24	10	1	-	1	1	3	-	-	2	-	-	6	-	WEST HAM.
(WALTHAMSTOW.	-	7'3	13'2	10'7	8'5	0'9	63	20	2	14	-	-	-	2	-	-	-	-	-	4	-	EAST HAM†
HASTINGS -	-	6'8	13'6	7'0	7'8	0'4	73	19	6	4	-	-	-	-	-	-	1	-	3	3	-	LEYTON.
BRIGHTON -	-	7'0	10'0	9'3	9'3	0'8	22	12	1	5	-	-	-	-	1	-	-	-	1	1	-	(WALTHAMSTOW.
PORESMOUTH -	-	10'5	12'5	11'7	18'2	2'0	55	45	6	17	-	-	-	2	1	-	2	1	2	15	-	HASTINGS.
BOURNEMOUTH -	-	12'0	17'0	15'0	13'5	1'0	117	54	15	13	-	-	-	-	-	-	4	2	3	6	-	BRIGHTON.
SOUTHAMPTON -	-	7'5	10'5	13'6	12'8	0'8	18	17	1	7	-	-	1	-	-	-	-	1	3	3	-	PORESMOUTH.
READING -	-	14'4	14'4	12'2	10'0	0'4	57	23	2	8	-	-	-	-	1	-	-	2	2	5	-	BOURNEMOUTH.
NORTHAMPTON -	-	16'9	13'0	13'6	9'7	-	32	15	1	6	-	-	-	-	-	-	-	-	-	3	-	SOUTHAMPTON.
IPSWICH -	-	12'6	11'5	10'4	7'7	0'5	28	14	4	3	-	-	-	1	-	-	-	1	1	1	-	READING.
GREAT YARMOUTH -	-	12'9	18'6	13'6	17'2	2'9	35	24	7	5	-	2	-	-	2	-	-	2	2	4	-	NORTHAMPTON.
NORWICH†	-	18'7	16'8	10'8	18'7	3'9	26	19	3	6	-	-	-	-	1	-	3	2	3	2	-	IPSWICH.
PLYMOUTH -	-	14'9	9'2	10'5	15'7	0'9	61	36	7	14	-	-	-	-	1	-	1	-	3	4	1	GREAT YARMOUTH.
DEVONPORT -	-	16'9	12'6	14'3	9'1	0'4	42	21	-	6	-	-	-	-	-	-	1	-	2	4	-	NORWICH†
BRISTOL -	-	7'2	11'7	15'7	14'3	0'7	47	22	2	9	-	-	-	-	1	-	-	2	3	1	-	PLYMOUTH.
HANLEY -	-	12'2	12'0	11'2	11'1	0'9	186	73	8	26	-	-	-	3	-	-	-	2	9	1	-	DEVONPORT.
BURTON-ON-TRENT	-	14'0	17'1	25'6	24'1	4'7	36	31	8	3	-	1	-	-	-	-	-	4	10	28	-	BRISTOL.
WOLVERHAMPTON -	-	14'6	14'6	11'7	11'7	4'9	22	12	4	3	-	3	1	-	-	-	-	1	2	4	-	HANLEY.
WALSALL -	-	11'8	20'4	17'4	14'3	2'0	53	23	8	8	-	-	1	1	-	-	-	-	-	1	-	BURTON-ON-TRENT.
HANDSWORTH -	-	15'2	21'7	15'7	13'6	2'2	52	25	9	7	-	1	1	1	-	-	1	-	4	10	-	WOLVERHAMPTON.
WEST BROMWICH -	-	10'3	13'4	18'2	14'2	0'8	27	18	2	9	-	-	-	-	-	-	3	-	2	5	-	WALSALL.
	-	14'3	18'1	15'1	10'6	2'3	41	14	2	2	-	1	1	-	-	-	-	-	-	1	-	HANDSWORTH.
	-										-	-	-	-	-	-	-	-	-	-	-	WEST BROMWICH.

* See note † on first page of this return.
 † The recent alterations in the boundaries of the borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TABLE 1 (cont.).—70 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 16th November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th Nov., 1907.		The DEATHS registered in the Week include											TOWNS.
		Week ended					2.	3.	4.	5.	6.	7.	8.	Deaths of								
		Persons aged under 1 Year of Age.												Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	
		26th Oct., 1907.	2nd Nov., 1907.	9th Nov., 1907.	16th Nov., 1907.	Week ended 16th November, 1907.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	553,155	16'6	15'5	15'8	15'6	1'5	318	166	57	34	-	-	7	1	3	1	4	7	8	41	2	BIRMINGHAM.
KINGS NORTON -	75,600	7'6	11'0	8'3	13'1	0'7	31	19	3	9	-	-	1	-	-	-	-	-	2	-	-	KINGS NORTON.
SMETHWICK -	66,467	6'3	10'2	14'9	11'0	0'8	41	14	6	-	-	1	-	-	-	-	-	1	-	-	1	SMETHWICK.
ASTON MANOR -	83,266	8'1	11'3	8'8	9'4	-	51	15	2	4	-	-	-	-	-	-	-	-	2	5	-	ASTON MANOR.
COVENTRY -	77,628	18'8	19'5	18'1	21'5	2'0	44	32	7	10	-	3	-	-	-	-	1	3	2	-	-	COVENTRY.
LEICESTER -	236,124	9'7	11'0	9'9	11'9	-	97	54	14	16	-	-	-	-	-	-	-	2	3	9	1	LEICESTER.
GRIMSBY -	70,574	11'8	13'3	15'5	16'3	3'0	46	22	10	4	-	-	-	-	-	2	2	2	3	3	1	GRIMSBY.
NOTTINGHAM -	257,489	14'0	16'8	15'6	15'8	1'6	124	78	26	18	-	-	-	-	2	2	4	3	7	12	1	NOTTINGHAM.
DERBY -	125,774	17'4	14'1	16'6	14'9	0'8	64	36	9	12	-	-	-	-	-	1	1	2	3	5	-	DERBY.
STOCKPORT -	100,986	16'0	21'2	20'1	13'4	2'6	43	28	6	9	-	-	1	1	2	-	1	-	1	8	-	STOCKPORT.
BIRKENHEAD -	118,563	9'7	11'4	12'3	11'9	0'4	59	27	6	9	-	-	-	-	-	-	1	-	5	3	-	BIRKENHEAD.
WALLASEY -	66,707	14'1	13'3	13'3	11'7	0'8	30	15	4	3	-	-	-	-	1	-	-	1	1	1	1	WALLASEY.
LIVERPOOL -	746,144	21'2	23'8	20'5	20'1	2'0	443	288	75	73	-	6	1	1	8	3	10	8	19	82	7	LIVERPOOL.
BOOTLE -	67,114	14'0	17'9	20'2	16'3	2'3	44	21	6	6	-	-	-	-	2	1	-	-	4	1	1	BOOTLE.
ST. HELENS -	92,476	17'5	21'4	15'8	15'8	0'6	57	28	14	4	-	-	-	-	1	-	-	1	2	6	1	ST. HELENS.
WIGAN -	88,606	20'6	20'6	23'5	24'1	0'6	55	41	13	7	-	-	-	-	-	1	-	2	6	3	-	WIGAN.
WARRINGTON -	70,289	13'4	20'0	18'6	12'6	0'7	38	17	5	4	-	-	-	1	-	-	-	-	2	-	-	WARRINGTON.
BOLTON -	182,917	16'0	14'8	15'7	14'0	0'9	84	49	13	10	-	-	1	-	-	-	2	2	4	11	-	BOLTON.
BURY -	53,901	14'2	13'3	10'6	14'2	-	34	16	3	3	-	-	-	-	-	-	-	-	1	5	-	BURY.
MANCHESTER -	643,143	19'1	18'3	18'3	14'9	1'3	335	184	54	32	-	2	3	2	3	-	6	4	13	40	1	MANCHESTER.
SALFORD -	236,670	14'1	18'1	14'5	17'0	1'5	140	77	27	17	-	3	-	-	1	2	1	1	4	12	1	SALFORD.
OLDHAM -	141,730	24'3	18'4	19'9	22'1	1'1	67	60	17	13	-	-	-	-	-	-	3	-	1	10	-	OLDHAM.
ROCHDALE -	87,989	16'6	11'3	17'2	16'0	0'6	45	27	6	7	-	-	-	-	-	-	-	2	3	6	1	ROCHDALE.
BURNLEY -	103,947	22'1	20'6	18'6	15'0	1'0	53	30	11	6	-	-	-	-	1	-	-	1	5	-	-	BURNLEY.
BLACKBURN -	134,980	10'4	20'5	15'8	16'2	-	70	42	14	13	-	-	-	-	-	-	-	-	3	3	-	BLACKBURN.
PRESTON -	117,093	17'4	14'2	17'8	20'5	1'8	51	46	13	11	-	-	-	-	-	2	2	1	2	4	1	PRESTON.
BARROW-IN-FURNESS.	61,635	15'2	11'0	16'1	16'9	1'7	27	20	5	4	-	1	-	-	-	-	1	1	1	5	-	BARROW-IN-FURNESS.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years, 1902–1906.*	1907
TOTAL Births -	2780	2585	2674	2323	2574	2679	2331	2455	2298	2390	2487.4	2342
Males - - -	1407	1303	1357	1133	1350	1401	1212	1242	1153	1205	1271.6	1168
Females - - -	1373	1282	1317	1190	1224	1278	1119	1213	1145	1185	1215.8	1174
TOTAL Deaths -	1617	1436	1528	1505	1744	1558	1473	1505	1552	1391	1530.8	1326
Males - - -	838	728	769	815	870	797	767	784	776	697	782.1	667
Females - - -	779	708	759	690	874	761	706	721	776	694	748.7	659

* The numbers in this column are the average weekly numbers in the forty-sixth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 24.	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	13 Weeks.
TOTAL Births -	2307	2346	2207	2333	2178	2341	2162	2183	2193	2450	2379	2393	2342	29819
TOTAL Deaths -	1058	1068	1080	1083	1182	1251	1212	1315	1270	1265	1390	1269	1326	15767
Under year -	239	255	252	251	268	321	302	337	339	319	339	233	266	3721
1–5 years -	122	123	137	103	125	142	140	116	119	104	132	146	149	1653
ages at 5–20 " -	55	68	60	59	73	67	69	76	75	77	64	66	78	837
Death 20–40 " -	137	112	133	134	144	142	138	143	157	152	156	149	165	1852
40–60 " -	225	211	226	220	246	238	225	260	245	263	298	250	295	3202
60 yrs. & upwds.	288	299	272	316	326	341	338	383	335	350	401	425	373	4417
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	28	24	25	10	11	9	5	-	9	-	-	-	-	-
Scarlet Fever - -	7	14	13	12	13	14	18	19	25	26	22	16	9	208
Diphtheria - - -	10	10	13	11	15	25	25	19	13	11	21	18	21	212
Whooping-cough -	34	21	20	25	30	20	18	18	19	18	18	13	17	271
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	7	3	3	4	6	6	10	6	9	2	6	6	71
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	47	56	61	66	78	118	126	110	88	67	40	36	34	927
All above Diseases -	129	132	135	127	151	192	198	187	160	147	125	117	108	1908
Dis. of Resp. System	32	59	48	47	53	62	66	77	76	86	123	93	110	935
Pneumonia - - -	65	70	63	75	77	86	83	93	91	80	122	103	141	1167
Phthisis - - -	109	87	122	114	122	127	100	109	114	127	137	103	148	1519
Dis. of Circ. System -	151	146	122	149	150	167	149	160	164	172	201	165	177	2074
Violence - - -	51	41	51	45	54	35	55	45	55	28	40	48	53	601
Inquest Cases - -	105	107	115	104	135	109	114	127	117	113	127	103	143	1519
Deaths in Institutions	438	459	469	477	534	514	494	567	525	557	561	572	538	6705
TEMPERATURE OF THE AIR.														
Mean - - -	57.0	61.1	56.8	58.6	56.8	58.4	55.4	52.7	51.4	48.8	48.4	49.8	43.8	53.3
Mean of Highest -	66.1	72.3	66.4	71.7	69.1	71.8	64.3	60.1	57.5	57.3	55.1	54.6	50.2	62.8
Mean of Lowest -	50.5	50.6	49.8	47.4	45.9	47.2	48.7	45.6	44.5	40.4	41.6	45.2	36.4	45.7
Mean Humidity of the Air.	74	76	79	81	73	73	83	85	81	87	91	90	87	82
Rain-fall (in inches) -	0.96	0.16	0.44	0.00	0.00	0.03	0.85	1.13	0.87	0.50	0.31	0.03	0.13	5.44
Registered Sunshine (in hours) -	24.9	47.8	18.7	41.9	46.0	47.7	22.7	25.0	19.1	22.5	10.2	8.1	11.0	345.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	1	1	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - -	3687	3738	3318	3872	4020	4328	4542	4752	4995	5197	5467	5604	5689	4593
Diphtheria - - -	861	837	845	876	902	967	1065	1143	1180	1236	1256	1287	1298	1058
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	55	65	72	83	97	99	109	107	124	126	123	128	130	101

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Crosswell, Esq., Edgbaston, Birmingham; A. W. Prestoa, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witte, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns, † Called "Simple Continued Fever" previous to 1901.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th November, 1907.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													Deaths in Public Institutions.	
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic† Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2342	1326	266	373	-	21	9	21	17	-	6	-	34	53	143	538		
WEST DISTRICTS	805,311	347	222	44	56	-	7	-	1	3	-	1	-	6	8	23	83		
NORTH DISTRICTS	1,056,070	463	287	39	91	-	5	1	5	2	-	1	-	4	11	30	106		
CENTRAL DISTRICTS	209,466	118	69	14	13	-	-	-	1	1	-	1	-	4	4	8	45		
EAST DISTRICTS	715,739	476	231	65	50	-	5	1	2	6	-	-	-	9	15	32	116		
SOUTH DISTRICTS	1,749,844	938	480	104	152	-	4	6	9	5	-	3	-	10	15	50	151		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	37	-	11	-	-	1	3	-	-	-	-	1	-	-	37		
WEST DISTRICTS.																			
North Paddington† <i>H</i> - - -	63,603	31	12	3	2	-	-	-	-	1	-	-	-	1	-	2	-		
Central Paddington† <i>W,3H</i> - - -	50,053	21	37	5	10	-	-	-	-	-	-	-	-	1	3	5	21		
South Paddington† - - -	30,320	10	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town <i>2W,w,2H</i> - - -	128,037	60	33	6	11	-	-	-	-	-	-	-	-	2	1	2	12		
Brompton <i>2H</i> - - -	48,591	7	8	-	3	-	-	-	-	-	-	-	-	-	1	1	2		
North Hammersmith <i>2W,w,H</i> - - -	49,192	30	19	6	5	-	5	-	-	-	-	1	-	-	1	1	10		
South Hammersmith <i>w,2H</i> - - -	63,047	30	16	2	3	-	1	-	-	-	-	-	-	1	1	2	5		
North-west Fulham <i>W</i> - - -	45,180	31	11	4	1	-	1	-	-	2	-	-	-	-	-	1	7		
North-east Fulham <i>F</i> - - -	48,405	22	15	4	3	-	-	-	-	-	-	-	-	-	-	-	-		
South Fulham <i>W</i> - - -	45,704	21	10	3	3	-	-	-	-	-	-	-	-	-	-	1	-		
Chelsea North <i>W,w,3H</i> - - -	42,514	16	10	-	3	-	-	-	-	-	-	-	-	-	-	1	8		
Chelsea South <i>W,2H</i> - - -	31,328	16	6	1	1	-	-	-	-	-	-	-	-	1	-	-	3		
Mayfair and Knightsbridge - - -	28,743	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave <i>W,2H</i> - - -	55,815	18	13	4	4	-	-	-	-	-	-	-	-	-	1	2	5		
St. Margaret & St. John <i>6H</i> - - -	43,698	17	17	4	3	-	-	1	-	-	-	-	-	-	1	3	8		
St. James and St. Anne <i>W,6H</i> - - -	33,081	9	7	1	1	-	-	-	-	-	-	-	-	-	-	1	2		
NORTH DISTRICTS.																			
All Souls Marylebone <i>8H</i> - - -	35,391	7	21	-	1	-	1	-	-	-	-	-	-	-	1	3	9		
St. Mary Marylebone <i>W,4H</i> - - -	37,948	42	6	2	1	-	-	-	-	-	-	-	-	-	-	1	2		
Christchurch Marylebone - - -	39,536	11	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-		
St. John Marylebone <i>2H</i> - - -	20,426	2	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1		
Hampstead <i>W,F,6H</i> - - -	81,942	26	19	1	8	-	-	-	3	-	-	-	-	-	2	2	9		
West St. Pancras <i>2H</i> - - -	60,562	27	10	1	4	-	1	-	-	-	-	-	-	-	-	2	2		
South St. Pancras <i>w,11H</i> - - -	55,707	13	27	2	6	-	-	-	-	1	-	-	-	1	1	3	19		
East St. Pancras <i>W,2H</i> - - -	60,320	33	11	3	2	-	-	-	-	-	-	-	-	-	-	-	6		
North St. Pancras <i>3W</i> - - -	58,728	31	16	2	5	-	-	-	-	1	-	-	-	-	1	2	7		
Tufnell <i>W</i> - - -	31,995	11	20	2	6	-	2	-	-	-	-	1	-	-	-	1	11		
Upper Holloway <i>2W,w,H</i> - - -	33,973	22	21	1	5	-	1	-	-	-	-	-	-	-	-	-	20		
Tollington <i>W,w,H</i> - - -	33,922	17	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - -	41,424	19	13	2	3	-	-	-	-	-	-	-	-	-	-	1	-		
Barnsbury - - -	54,473	31	10	3	5	-	-	-	-	-	-	-	-	-	-	1	4		
Islington South-east <i>F</i> - - -	75,397	35	16	3	5	-	-	-	-	-	-	-	-	-	1	1	-		
Highbury <i>2H</i> - - -	63,797	31	13	1	7	-	-	-	-	-	-	-	-	1	-	1	1		
Stoke Newington <i>H</i> - - -	51,247	19	11	1	8	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - -	60,560	23	11	2	7	-	-	-	-	-	-	-	-	-	1	2	-		
Central Hackney <i>2w,F</i> - - -	60,536	11	14	2	3	-	-	1	1	-	-	-	-	1	2	3	2		
South-west Hackney <i>3F</i> - - -	69,921	24	14	3	4	-	-	-	-	-	-	-	-	-	-	1	4		
South-east Hackney <i>2W,w,H</i> - - -	68,265	28	19	4	5	-	-	-	-	-	-	-	-	1	1	2	13		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named as above.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
			Total DEATHS.	Deaths from															
				Deaths of Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
CENTRAL DISTRICTS.																			
St Giles and Bloomsbury 2W,2H -	31,436	31	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
St Andrew W,4H -	21,874	3	10	1	2	-	-	-	-	-	-	1	-	1	1	2	3	-	
St Andrew Union Workhouse, Edmonion -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
St John W,6H -	29,612	17	19	7	1	-	-	-	-	1	-	-	-	2	-	-	17	-	
St John Clerkenwell -	28,676	7	2	1	1	-	-	-	-	-	-	-	-	-	2	1	-	-	
St John Clerkenwell H -	35,028	15	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Johnbury 3H,L -	36,116	39	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
St John Union Workhouse, } St Michael -	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Botolph H -	10,299	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Botolph and Allhallows W,2H	16,824	5	18	2	2	-	-	-	-	1	-	-	-	1	-	1	16	-	
St Botolph of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																			
St Andrew South H -	46,362	19	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew North-West W,w,H -	36,127	27	25	7	3	-	4	-	-	-	-	-	-	-	-	-	18	-	
St Andrew North-East -	34,148	14	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
St Andrew Union Workhouse, Wood } St Andrew -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew Green North-East 2W }	65,133	33	28	8	6	-	-	-	-	-	-	-	-	-	3	5	18	-	
St Andrew Green South-West H -	64,542	47	12	5	3	-	1	-	-	-	-	-	-	-	1	2	3	-	
St Andrew Fields -	27,969	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew New Town W,H -	28,718	25	34	6	3	-	-	-	-	-	-	-	-	1	4	5	32	-	
St Andrew Man's Fields -	22,081	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St George and St. John 2W -	49,068	48	10	4	2	-	-	-	-	-	-	-	-	3	1	4	4	-	
St Andrew Well and Ratcliff W,H -	25,568	15	14	5	-	-	-	-	-	1	3	-	-	-	-	2	10	-	
St Andrew House W -	32,369	15	4	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St Andrew End Old Town South- }	63,698	48	13	10	-	-	-	-	-	1	1	-	-	-	1	1	1	-	
St Andrew End Old Town North- }	49,129	25	16	3	6	-	-	-	-	-	1	-	-	-	-	1	5	-	
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			
St Andrew End Old Town North- }																			

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th November, 1907.

Registration District and Sub-district Numbers.		REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
							Deaths of		Deaths from														
							Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.				
LONDON—OUTER RING							363,302	2,044,973	1232	441	101	149	-	3	9	11	8	-	8	16	39	86	1
30: 1	Carshalton 2F,3H	-	12,238	32,997	26	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epston, part of* W,w,2F,H	-	10,423	15,548	6	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone, part of* W,F,L	-	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Conlson	-	11,089	8,166	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	-	4,200	49,309	17	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Croydon 3W,F,H	-	2,168	42,888	26	16	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	North Croydon H	-	2,644	41,698	16	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Penge w	-	770	22,465	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham	-	11,711	30,016	29	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H	-	3,221	41,652	24	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Kingston 2W,H	-	6,224	42,068	23	11	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Surbiton F,H	-	3,946	15,017	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, part of* H	-	5,492	13,100	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Hampton H,F,L	-	4,584	23,458	16	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H	-	2,491	31,672	13	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Mortlake F	-	2,518	17,821	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley F,2H	-	4,703	27,354	13	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Beckenham H	-	7,825	28,497	16	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington part of* W,F	-	10,113	9,857	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chislehurst 2H	-	7,393	16,446	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley w,F,H	-	8,678	21,151	10	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	-	3,364	25,296	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24: 1	Sunbury w	-	11,064	18,683	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Staines W,H	-	13,277	15,178	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25: 1	Hillingdon W,F,H	-	6,035	13,061	14	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Uxbridge H	-	12,757	8,984	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H	-	8,966	16,358	12	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26: 1	Isleworth 3W,3F,H	-	6,859	30,863	14	13	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Twickenham F,2H	-	2,421	20,391	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H	-	4,119	48,289	30	14	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Chiswick H	-	1,249	29,809	22	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H	-	6,132	46,914	39	13	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27: 1	Harrow F,H	-	13,809	25,523	19	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Edgware 2F,2H	-	6,994	4,621	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	-	4,384	114,811	84	26	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hendon W,F	-	8,382	32,450	16	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28: 1	South Mimms 2F,H	-	17,765	7,308	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H	-	3,324	17,970	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	-	4,688	33,692	15	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29: 1	Hornsey F,H	-	2,875	72,066	24	15	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Wood Green H	-	1,625	34,233	20	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	West Tottenham	-	986	48,853	31	10	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2H	-	2,017	53,668	34	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Edmonton W,w,2F	-	7,491	61,892	43	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Enfield 2W,F,H	-	12,601	42,738	31	10	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Waltham Abbey F	-	11,017	6,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	-	8,479	12,292	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35: 1	Hatfield, part of* W	-	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Bushey H	-	9,333	9,173	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36: 1	Stratford H	-	1,091	52,974	25	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Forest Gate	-	787	52,745	22	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Plaistow F,2H	-	1,249	90,921	69	20	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Canning Town H	-	1,556	70,718	50	18	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	South East Ham 2F	-	1,993	37,342	33	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	North East Ham w,H	-	1,333	58,676	24	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Wanstead F	-	1,679	9,179	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	-	631	50,467	31	9	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	North Leyton 2W,w,F	-	1,963	48,445	32	24	3	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Walthamstow 2H,L	-	6,504	108,929	79	19	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37: 1	Chigwell 2F,3H	-	11,778	16,397	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38: 1	Romford, part of* W,2F	-	6,556	6,091	8	13	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Ilford F,L	-	8,496	41,234	28	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Barking Town F	-	3,803	21,547	22	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum, Hendon.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Lunatic Asylum, Wandsworth.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent County Lunatic Asylum, Maidstone.		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Essex County Lunatic Asylum, Brentwood.		-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warrington and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chislehurst, Cuckham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 137: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	November 16	2342	1326	14.5	-	21	9	21	17	6	3
CALCUTTA - -	955,926	October 12	-	498	30.5	2	-	-	-	-	144†	1
BOMBAY - -	982,000	" 29	487	583	31.0	1	2	-	-	1	80†	5
MADRAS - -	548,974	" 18	399	391	39.9	1	5	?	?	?	119	6
PARIS - -	2,722,731	November 9	947	817	15.6	-	-	2	3	3	11	3
BRUSSELS - -	623,202	" 9	200	177	14.7	-	-	-	2	-	2	7
ANTWERP - -	304,032	" 9	118	77	13.1	-	1	-	-	1	-	10
AMSTERDAM -	564,342	" 9	293	158	14.6	-	4	-	2	-	-	8
COPENHAGEN -	433,000	" 9	249	120	14.5	-	6	-	4	5	-	8
STOCKHOLM -	332,738	" 2	164	74	11.6	-	-	-	-	1	-	1
CHRISTIANIA -	226,774	" 9	88	56	12.7	-	-	-	2	-	-	-
ST. PETERSBURG	1,482,769	October 26	721	528	18.5	-	6	21	19	12	13	5
MOSCOW - -	1,296,000	November 2	-	571	23.0	-	5	9	11	4	4	6
BERLIN - -	2,099,907	October 26	829	581	14.4	-	8	1	9	5	1	7
HAMBURG - -	840,790	" 9	-	226	14.2	-	1	-	2	1	1	2
BRESLAU - -	465,278	" 2	267	201	21.6	-	-	-	5	7	1	3
MUNICH - -	548,000	" 2	292	186	17.6	-	-	1	2	-	-	3
		" 9	-	175	16.6	-	-	-	3	-	-	3
VIENNA - -	1,979,003	" 2	795	530	13.8	-	-	6	6	-	1	5
		" 9	864	518	14.2	-	3	3	12	1	-	4
PRAGUE - -	470,906	" 9	145	148	16.3	-	1	-	2	-	1	14
BUDA-PESTH -	802,235	" 2	349	277	18.0	-	8	9	-	1	5	3
TRIESTE - -	200,962	" 9	110	74	19.0	-	-	-	1	2	1	15
ROME - -	542,760	August 24	208	194	18.6	-	10	-	2	4	8§	3
VENICE - -	174,398	October 26	76	48	14.3	-	-	-	-	-	1	3
BUCHAREST -	292,395	November 9	152	139	24.8	-	-	4	1	1	6	12
NEW YORK - -	4,285,435	October 26	1961	1277	15.5	-	9	8	18	2	23	91
CHICAGO - -	2,107,620	" 26	-	509	12.6	-	1	6	14	1	10	35
PHILADELPHIA -	1,500,595	September 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	October 20	-	234	19.4	6	4	-	-	-	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 6 deaths from plague in Calcutta, 23 in Bombay, and 2 in Rio de Janeiro.

‡ Including 39 deaths from cholera in Calcutta, and 13 in Madras.

§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th November, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	53.2	31.5	43.3	0.13	LEEDS - - -	53.0	33.0	43.0	0.33
BRIGHTON - -	54.3	35.7	46.4	0.03	YORK - - -	53.0	29.0	43.8	0.43
PORTSMOUTH -	55.2	34.0	46.9	0.02	HULL - - -	53.0	23.0	43.6	0.43
NORWICH - -	51.2	31.0	43.2	0.57	TYNEMOUTH -	52.0	33.0	44.3	0.65
PLYMOUTH - -	54.4	34.0	47.1	0.11	CARDIFF - -	54.6	23.7	43.9	0.14
BRISTOL - -	55.4	29.0	45.7	0.12					
BIRMINGHAM -	51.8	34.4	44.8	0.18	EDINBURGH -	53.7	37.6	44.2	0.33
NOTTINGHAM -	52.6	26.0	43.4	0.19	GLASGOW - -	56.2	33.3	43.0	0.67
LIVERPOOL - -	55.0	35.0	47.1	0.24					
OBSERVATORY, } MANCHESTER -	53.2	29.5	42.9	0.51	DUPLIN { Phoenix Park. Fitz- william Square.†	54.3	33.4	44.1	0.16
BURNLEY - -	52.2	31.0	42.2	0.39		55.1	36.6	45.7	0.11
PRESTON - -	?	?	?	?					
HUDDESFIELD -	54.0	32.2	44.1	0.70	BELFAST - -	55.0	32.5	44.6	0.55

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0.5 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

1907.

MONTH AND DAY

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th November, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal F. v.	Cerebro-Spinal Fever.
WEST.											
Paddington - - - -	149,808	-	7	3	-	1	-	-	3	-	-
Kensington - - - -	181,842	-	11	15	-	2	1	-	1	-	-
Hammersmith - - - -	122,337	-	21	4	-	1	-	-	1	-	-
Fulham - - - -	186,749	-	21	29	-	-	-	-	1	-	-
Chelsea - - - -	74,857	-	4	3	-	-	-	-	-	-	-
City of Westminster -	172,219	-	7	3	-	2	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	10	1	-	-	-	-	5	-	-
Hampstead - - - -	91,137	-	6	1	-	1	-	-	-	-	-
St. Pancras - - - -	236,753	-	31	8	-	1	-	-	5	-	-
Islington - - - -	347,017	-	38	11	-	2	-	-	4	2	-
Stoke Newington - - -	53,613	-	3	2	-	-	-	-	1	-	-
Hackney - - - -	232,993	-	50	21	-	2	1	-	3	-	-
CENTRAL.											
Holborn - - - -	55,134	-	5	-	-	-	-	-	2	-	-
Finsbury - - - -	96,732	-	12	4	-	-	-	-	4	-	-
City of London - - -	20,310	-	1	2	-	-	-	-	1	-	-
EAST.											
Shoreditch - - - -	115,662	-	19	6	-	-	-	-	3	-	-
Bethnal Green - - -	130,831	-	47	6	-	2	-	-	6	-	-
Stepney - - - -	308,923	-	92	21	-	4	-	-	17	-	-
Poplar - - - -	171,088	-	45	5	-	3	-	-	2	-	-
SOUTH.											
Southwark - - - -	209,781	-	24	9	-	2	-	-	6	-	-
Bermondsey - - - -	128,263	-	28	7	-	4	-	-	1	-	-
Lambeth - - - -	313,538	-	72	12	-	1	1	-	4	1	-
Battersea - - - -	181,736	-	28	10	-	1	-	-	4	-	-
Wandsworth - - - -	281,419	-	30	11	-	1	-	-	5	-	1
Camberwell - - - -	277,059	-	46	11	-	4	-	-	3	-	-
Deptford - - - -	116,510	-	25	5	-	-	-	-	6	-	-
Greenwich - - - -	107,222	-	16	6	-	-	-	-	-	-	-
Lewisham - - - -	152,532	-	19	4	-	1	-	-	1	-	-
Woolwich - - - -	129,336	-	8	2	-	1	-	-	4	-	-
Port of London - - -	-	-	-	-	-	-	-	-	1	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,758,218	-	726	222	-	36	3	-	98	3	1
Agcs 0-1											
	-	-	6	6	-	-	-	-	5	-	-
" 1-5											
	-	-	209	91	-	-	-	-	4	-	-
" 5-											
	-	-	293	65	-	4	-	-	3	-	-
" 10-											
	-	-	120	27	-	4	-	-	7	-	-
" 15-											
	-	-	43	13	-	5	-	-	6	-	1
" 20-											
	-	-	35	7	-	5	-	-	8	-	-
" 25-											
	-	-	18	11	-	12	2	-	12	3	-
" 35-											
	-	-	1	2	-	4	-	-	18	-	-
" 45-											
	-	-	-	-	-	1	1	-	22	-	-
" 55-											
	-	-	1	-	-	1	-	-	7	-	-
" 65 and upwards											
	-	-	-	-	-	-	-	-	6	-	-
Age not stated											
	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, Ltd., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 47. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, NOV. 23. [Price 1½d.

*General Register Office, Somerset House,
November 25th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·3 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 14·6, and 14·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 19·1 in Stockport, 19·2 in St. Helens and in Hull, 19·6 in Liverpool and in Preston, 21·1 in South Shields, 22·5 in Rochdale, 24·0 in York, and 25·1 in Sunderland; from *measles*, 1·3 in Coventry, 1·4 in Willesden, 1·6 in Rhondda, 1·7 in Barrow in Furness, 2·9 in Burton on Trent, and 3·4 in Merthyr Tydfil; from *diphtheria*, 1·2 in Rochdale and 2·0 in Devonport; from *whooping-cough*, 1·2 in Wigan and in Gateshead, 1·3 in Aston Manor, 1·6 in Handsworth (Staffs.), and 2·1 in Ipswich; and from *diarrhoea*, 1·7 in Rotherham, 1·8 in Oldham, 2·1 in Merthyr Tydfil, and 2·5 in York. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2214 BIRTHS and 1373 DEATHS were registered. Allowing for increase of population, the births were 243 and the deaths 216 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·2, 13·9, and 14·5 per 1000 in the preceding three weeks, rose last week to 15·0. The death-rate in the four weeks ended last Saturday averaged 14·7 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1373 deaths included 32 from measles, 18 from scarlet fever, 23 from diphtheria, 16 from whooping-cough, 1 from enteric fever, and 25 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 115 deaths were referred, being 8 above the corrected average number in the forty-seventh week of the preceding five years.

The deaths from *measles*, which had been 22, 28, and 21 in the preceding three weeks, rose to 32 last week, but were 3 below the corrected average; 6 deaths belonged to the Borough of Shoreditch, 4 to Poplar, and 3 each to Paddington, Hammersmith, and Islington. The deaths from *scarlet fever*, which had been 22, 16, and 9 in the preceding three weeks, rose to 18 last week, and were 8 above the corrected average. The deaths from *diphtheria*, which had been 21, 18, and 21 in the preceding three weeks, rose to 23 last week, and were 8 above the corrected average; 4 deaths belonged to Stepney, and 3 to Camberwell. The deaths from *whooping-cough*, which had been 18, 13, and 17 in the preceding three weeks, numbered 16 last week, and were 2 below the corrected average; 5 deaths belonged to Stepney, and 3 to Lewisham. The deaths from *enteric fever*, which had been 2, 6, and 6 in the preceding three weeks, fell to one last week, the corrected average being 9. The deaths from *diarrhoea*, which had been 40, 36, and 34 in the preceding three weeks, further fell to 25 last week, but were 4 above the corrected average; 4 deaths belonged to Poplar, 3 to Stepney, and 3 to Bermondsey. Of the 25 deaths from diarrhoea, 22 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 10, 7, and 12 in the preceding three weeks.

Different forms of *violence* caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 4 were cases of suicide, and 4 of homicide,* while the remaining 46 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, seven to burns or scalds, five to drowning, two to the effects of anæsthetics administered for surgical purposes, and eight, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.†

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5686 cases of scarlet fever, 1293 of diphtheria, and 127 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 597 cases, against 832, 667, and 636; of diphtheria, 156 cases, against 180, 179, and 202; and of enteric fever, 18 cases, against 13, 18, and 13. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 16th, 1907.

GREATER LONDON.

In Greater London 3369 births and 1842 deaths were registered. Allowing for increase of population, these numbers are 396 and 381 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 4 from whooping-cough, 2 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.99 inches, and that of the Thermometer 42.6, the latter being 0.4 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 43 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 2.6 hours; the measured rainfall amounted to 0.70 of an inch.

* Three of the 4 deaths from homicide were caused by a railway collision.

† The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 23rd November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated at the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		The DEATHS registered in the Week include										TOWNS.	Cols.												
		Week ended			Registered during the Week ended 23rd Nov., 1907.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from																							
		2nd Nov., 1907.	9th Nov., 1907.	16th Nov., 1907.	23rd Nov., 1907.	6.			7.	8.	9.	10.	11.	12.	13.	14.	15.	16.			17.	18.	19.	20.	21.							
																										Deaths from						
																						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
76 TOWNS	16,024,458	15'7	14'6	14'8	15'3	1'3	7677	4699	1047	1392	-	91	41	70	76	25	94	165	358	1217	40	76 TOWNS.										
LONDON -	4,758,218	15'2	13'9	14'5	15'0	1'3	2214	1373†	268	447	-	32	18	23	16	1	25	51	131	563	2	LONDON.										
CROYDON -	154,342	9'5	6'4	10'5	9'5	0'7	69	28	2	10	-	-	-	-	-	-	-	1	4	5	-	CROYDON.										
WILLESDEN -	149,192	10'1	12'9	9'1	8'4	2'1	66	24	4	4	-	4	-	2	-	-	-	1	3	8	-	WILLESDEN.										
HORNSEY -	89,816	8'7	9'3	9'3	4'6	0'6	20	8	2	2	-	-	-	1	-	-	-	-	-	-	-	HORNSEY.										
TOTTENHAM -	122,788	10'6	14'4	8'5	12'7	-	70	30	6	14	-	-	-	-	-	-	-	2	3	7	-	TOTTENHAM.										
WEST HAM -	308,284	12'5	12'3	10'8	10'8	1'4	137	64	15	20	-	-	3	3	-	1	1	-	2	21	-	WEST HAM.										
EAST HAM §	136,421	8'0	9'4	9'2	9'2	0'4	65	24	7	7	-	-	-	1	-	-	-	-	1	2	-	EAST HAM §										
LEYTON -	122,040	13'2	10'7	8'5	7'3	-	60	17	6	5	-	-	-	-	-	-	-	-	-	4	-	LEYTON.										
WALTHAMSTOW -	126,397	13'6	7'0	7'8	14'9	0'8	84	36	7	13	-	-	1	1	-	-	-	-	-	9	-	WALTHAMSTOW.										
HASTINGS -	67,477	10'0	9'3	9'3	10'8	-	17	14	1	8	-	-	-	-	-	-	-	-	-	6	-	HASTINGS.										
BRIGHTON -	129,023	12'5	11'7	17'4	11'7	0'4	63	29	5	17	-	-	-	-	-	-	1	2	3	10	-	BRIGHTON.										
PORTSMOUTH -	238,291	17'0	15'0	13'5	14'8	0'8	102	59	16	19	-	-	-	-	1	1	1	1	7	9	1	PORTSMOUTH.										
BOURNEMOUTH -	68,246	10'5	13'6	12'8	7'5	-	22	10	-	5	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.										
SOUTHAMPTON -	119,745	14'4	12'2	10'0	12'6	1'3	48	29	5	8	-	2	-	-	-	-	1	-	2	7	-	SOUTHAMPTON.										
READING -	80,311	13'0	13'6	9'7	7'8	0'6	43	12	-	5	-	-	-	1	-	-	-	1	1	-	-	READING.										
NORTHAMPTON -	95,070	11'5	10'4	7'7	17'0	1'1	35	31	5	9	-	-	-	-	-	1	1	2	3	2	1	NORTHAMPTON.										
IPSWICH -	72,825	18'6	13'6	17'2	12'9	2'9	36	18	2	6	-	-	-	-	3	1	-	-	2	1	-	IPSWICH.										
GREAT YARMOUTH -	52,879	16'8	10'8	18'7	15'8	2'0	33	16	5	7	-	-	-	-	1	1	-	-	-	4	-	GREAT YARMOUTH.										
NORWICH §	119,191	9'2	10'5	15'7	15'3	1'3	57	35	7	11	-	-	-	-	1	1	-	1	2	6	-	NORWICH §										
PLYMOUTH -	120,063	12'6	14'3	9'1	10'0	-	53	23	3	11	-	-	-	-	-	-	-	2	4	7	-	PLYMOUTH.										
DEVONPORT -	79,959	11'7	15'7	14'3	16'3	2'6	43	25	1	14	-	-	-	3	-	-	1	-	-	2	-	DEVONPORT.										
BRISTOL -	307,979	12'0	11'2	11'1	12'5	0'4	166	88	22	36	-	3	-	-	-	-	-	2	5	16	-	BRISTOL.										
HANLEY -	67,174	17'1	25'6	24'1	15'5	1'6	35	20	3	6	-	1	-	-	-	-	1	-	1	4	-	HANLEY.										
BURTON-ON-TRENT -	53,425	14'6	11'7	11'7	15'6	3'9	17	16	3	5	-	3	1	-	-	-	-	1	1	3	-	BURTON-ON-TRENT.										
WOLVERHAMPTON -	102,016	20'4	17'4	14'3	15'3	0'5	38	30	7	10	-	-	-	-	-	-	1	-	1	6	-	WOLVERHAMPTON.										
WALSALL -	96,171	21'7	15'7	13'6	14'6	-	48	27	2	11	-	-	-	-	-	-	-	-	2	8	-	WALSALL.										
HANDSWORTH -	65,929	13'4	18'2	14'2	11'9	1'6	31	15	2	4	-	-	-	-	-	-	-	-	2	2	-	HANDSWORTH.										
WEST BROMWICH -	69,123	18'1	15'1	10'6	9'8	0'8	32	13	4	4	-	-	1	-	-	-	-	1	1	-	-	WEST BROMWICH.										

* See note † on first page of this return.

† These towns are included within the area of Greater London.

‡ Including 1 death from Cerebro-spinal fever.

§ The recent alterations in the boundaries of the borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 23rd November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Registered during the week ended 23rd Nov., 1907.		The DEATHS registered in the Week include												TOWNS.
		Week ended					11-17.	Week ended 23rd Nov., 1907.	Deaths from												
		2nd Nov., 1907.	9th Nov., 1907.	16th Nov., 1907.	23rd Nov., 1907.	30th Nov., 1907.			Deaths of												
									Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
Colc.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
BIRMINGHAM	553,155	15.5	15.8	15.6	17.4	2.0	276	185	45	37	-	-	5	2	7	2	5	6	8	39	2
KINGS NORTON	75,600	11.0	8.3	13.1	12.4	0.7	48	18	5	7	-	-	1	-	-	-	-	1	1	1	-
SMETHWICK	66,467	10.2	14.9	11.0	16.5	0.8	36	21	4	9	-	-	-	-	1	-	-	1	1	5	-
ASTON MANOR	83,266	11.3	8.8	9.4	12.5	1.3	46	20	5	3	-	-	-	-	2	-	-	-	-	1	1
COVENTRY	77,626	19.5	18.1	21.5	18.1	2.7	43	27	2	7	-	2	-	1	-	1	-	2	2	4	1
LEICESTER	236,124	11.0	9.9	11.9	14.6	0.2	98	66	18	25	-	-	-	-	1	-	-	2	7	14	1
GRIMSBY	70,574	13.3	15.5	16.3	12.6	-	35	17	7	5	-	-	-	-	-	-	-	1	1	3	-
NOTTINGHAM	257,489	16.8	15.6	15.8	14.4	1.6	105	71	15	19	-	-	-	3	2	2	1	5	8	12	-
DERBY	125,774	14.1	16.6	14.9	12.9	1.2	59	31	10	8	-	-	-	1	-	1	1	1	6	5	-
STOCKPORT	100,986	21.2	20.1	13.4	19.1	1.0	43	37	3	11	-	-	-	1	-	-	1	2	4	10	-
BIRKENHEAD	118,553	11.4	12.3	11.9	7.9	0.4	71	18	3	3	-	-	-	-	1	-	-	-	1	2	-
WALLASEY	66,707	13.3	13.3	11.7	13.3	-	38	17	2	11	-	-	-	-	-	-	-	1	3	2	-
LIVERPOOL	746,144	23.8	20.5	20.1	19.6	2.0	417	281	72	62	-	6	2	1	9	1	9	7	12	83	10
BOOTLE	67,114	17.9	20.2	16.3	16.3	0.8	43	21	8	4	-	-	-	-	1	-	-	-	-	2	-
ST. HELENS	92,476	21.4	15.8	15.8	19.2	0.6	43	34	17	5	-	-	-	-	1	-	-	3	3	7	2
WIGAN	88,606	20.6	23.5	24.1	11.8	1.2	59	20	7	5	-	-	-	-	2	-	-	-	-	1	-
WARRINGTON	70,269	20.0	18.6	12.6	11.9	0.7	34	16	7	2	-	-	-	-	-	1	-	1	1	2	1
BOLTON	182,917	14.8	15.7	14.0	16.8	-	87	59	13	11	-	-	-	-	-	-	-	1	3	12	-
BURY	58,901	13.3	10.6	14.2	15.9	-	28	18	5	4	-	-	-	-	-	-	-	2	3	2	1
MANCHESTER	643,148	18.3	18.3	14.9	17.9	1.9	317	221	50	50	-	9	1	1	6	-	6	10	20	56	-
SALFORD	236,570	18.1	14.5	17.0	14.8	2.0	127	67	20	11	-	3	1	3	2	-	-	2	4	19	-
OLDHAM	141,730	18.4	19.9	22.1	18.4	1.8	61	50	14	15	-	-	-	-	-	-	5	1	1	7	-
ROCHDALE	87,999	11.3	17.2	16.0	22.5	1.2	31	38	8	13	-	-	-	2	-	-	1	1	2	6	-
BURNLEY	103,947	20.6	18.6	15.0	17.1	2.0	60	34	14	7	-	-	-	1	-	-	2	1	1	5	1
BLACKBURN	194,980	20.5	15.8	16.2	17.4	0.4	63	45	7	13	-	-	-	-	-	-	1	1	2	4	-
PRESTON	117,093	14.2	17.8	20.5	19.6	1.3	55	44	6	13	-	1	-	-	-	-	1	1	-	9	1
BARROW-IN-FURNESS.	51,635	11.0	16.1	16.9	13.5	4.2	30	16	5	1	-	2	-	1	-	1	-	-	-	1	-

The Deaths registered in the Week include

TOWNS,		POPULATION estimated to the middle of the year 1907.		DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths and Burials 23rd Nov., 1907.		Deaths from Causes of Death.										TOWNS,			
				Week ended				11-17.		23rd Nov., 1907.		Deaths of Infants under 1 Year of Age.		Deaths from Causes of Death.											
				2nd Nov., 1907.				16th Nov., 1907.		23rd Nov., 1907.		Persons aged 60 Years and upwards.		Deaths from Causes of Death.											
				2nd Nov., 1907.	16th Nov., 1907.	23rd Nov., 1907.	Week ended 23rd Nov., 1907.	2nd Nov., 1907.	16th Nov., 1907.	23rd Nov., 1907.	Week ended 23rd Nov., 1907.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.			Uncertified Causes of Death.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.			
	HUDDERSFIELD	94,814	19'2	13'2	18'1	17'6	-	52	32	7	13	-	-	-	-	-	-	-	1	4	2	21.	HUDDERSFIELD.		
	HALIFAX	110,188	16'1	21'8	12'3	18'9	0'5	42	40	10	18	-	-	1	-	-	-	-	2	5	-	HALIFAX.			
	BRADFORD	290,323	15'8	15'3	14'5	13'8	1'1	92	77	13	27	-	1	2	1	2	-	1	6	12	-	BRADFORD.			
	LEEDS	470,288	18'5	13'2	14'2	16'7	1'4	180	151	35	45	-	7	1	2	-	2	9	19	35	-	LEEDS.			
	SHEFFIELD	465,563	15'3	16'4	17'2	15'0	1'3	256	131	25	33	-	1	1	1	2	6	6	9	29	1	SHEFFIELD.			
	ROTHERHAM	62,412	15'9	13'4	14'2	11'7	2'5	25	14	4	5	-	-	1	1	-	-	-	1	4	-	ROTHERHAM.			
	YORK	84,730	17'2	15'4	22'2	24'0	3'7	38	39	15	7	-	1	-	-	-	4	-	-	4	-	YORK.			
	HULL	266,762	13'3	13'1	11'5	19'2	1'2	151	98	27	31	-	-	2	1	-	3	6	12	15	1	HULL.			
	MIDDLESBROUGH	101,783	23'6	19'5	20'5	18'4	1'5	58	36	12	7	-	-	1	-	-	2	-	1	3	-	MIDDLESBROUGH.			
	STOCKTON-ON-TEES	52,909	26'6	20'7	27'6	8'9	1'0	22	10	2	4	-	-	1	-	-	-	2	2	2	1	STOCKTON-ON-TEES.			
	WEST HARTLEPOOL	75,473	9'0	10'4	15'2	15'9	-	25	23	6	5	-	-	-	-	-	-	2	2	2	-	WEST HARTLEPOOL.			
	SUNDERLAND	156,029	18'0	14'4	15'0	25'1	1'0	85	75	12	30	-	1	-	1	-	1	2	5	15	4	SUNDERLAND.			
	SOUTH SHIELDS	113,460	13'8	16'1	17'0	21'1	0'9	32	46	12	15	-	-	1	1	-	-	2	2	8	2	SOUTH SHIELDS.			
	GATESHEAD	125,783	14'1	15'3	13'3	17'8	2'5	85	43	12	11	-	-	-	3	2	1	-	-	8	2	GATESHEAD.			
	NEWCASTLE-ON-TYNE	272,969	15'9	12'0	16'2	16'4	2'7	137	86	19	15	-	3	3	3	2	1	2	4	18	2	NEWCASTLE-ON-TYNE.			
	TYNEMOUTH	54,688	10'5	10'5	21'9	9'5	1'0	26	10	1	4	-	-	-	-	-	1	-	1	3	-	TYNEMOUTH.			
	NEWPORT (MON.)	75,585	12'4	11'7	11'0	18'6	-	39	27	7	5	-	-	-	-	-	-	-	2	3	-	NEWPORT (MON.).			
	CARDIFF	187,620	16'1	15'3	18'6	17'2	1'1	88	62	18	17	-	2	-	1	1	-	4	6	12	-	CARDIFF.			
	RHONDDA	130,400	15'2	14'4	22'0	16'4	2'4	88	41	17	6	-	4	-	-	-	1	1	3	1	-	RHONDDA.			
	MEETHY TYDFIL	76,085	26'0	23'3	19'2	15'8	6'2	51	23	4	3	-	5	-	-	1	1	1	1	6	-	MEETHY TYDFIL.			
	SWANSEA	97,324	16'6	16'1	14'5	15'5	1'1	50	29	7	12	-	-	-	1	1	-	1	3	3	-	SWANSEA.			
	GREATER LONDON-OUTER RING	7,217,941	13'7	12'5	12'8	13'3	1'1	3369	1842	353	607	-	40	25	35	20	4	28	66	164	665	3	GREATER LONDON-OUTER RING.		
	8 TOWNS IN OUTER RING	2,459,723	10'6	9'8	9'3	9'9	0'8	1155	469	85	160	-	8	7	12	4	3	3	12	33	102	1	8 TOWNS IN OUTER RING.		
	REMAINDER OF OUTER RING	1,209,285	11'0	10'5	9'5	10'0	0'9	571	231	49	75	-	4	4	10	-	1	1	4	13	56	-	REMAINDER OF OUTER RING.		
	EDINBURGH	345,747	15'4	13'1	12'1	12'8	0'8	135	85	10	28	-	-	-	1	2	-	2	7	?	38	2	EDINBURGH.		
	GLASGOW	847,564	16'2	16'6	17'4	18'3	2'3	425	290	76	58	-	16	1	4	5	1	11	3	?	69	7	GLASGOW.		
	DUBLIN (Registration Area)†	390,691	21'1	22'8	21'4	18'4	1'3	193	138	27	36	-	-	1	-	-	2	7	8	57	8	DUBLIN (Registration Area).†			
	BELFAST†	370,163	20'4	20'4	24'8	23'1	2'3	186	164	33	36	-	12	-	-	1	2	1	3	4	59	3	BELFAST†		

* See note on first page of this return.

† Including 1 death from Cerebro-spinal fever in Greater London.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively. † Including 1 death from Cerebro-spinal meningitis in Glasgow, 1 from Cerebro-spinal fever in Dublin, and 2 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2523	2155	2553	2538	2519	2410	2342	2356	2386	2532	2457.3	2214
Males - - -	1295	1082	1267	1311	1316	1207	1186	1254	1202	1305	1259.6	1168
Females - - -	1228	1073	1286	1227	1203	1203	1156	1102	1184	1227	1197.7	1046
TOTAL Deaths -	1793	1439	1526	1515	1939	1532	1536	1502	1739	1453	1588.7	1373
Males - - -	891	719	798	761	937	811	791	772	881	745	818.7	715
Females - - -	902	720	728	754	942	721	745	730	858	708	770.0	658

* The numbers in this column are the average weekly numbers in the forty-seventh week of the five years 1902-1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 31.	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	13 Weeks.	
TOTAL Births -	2346	2207	2333	2178	2341	2162	2183	2198	2450	2379	2393	2342	2214	29726	
TOTAL Deaths -	1068	1080	1083	1182	1251	1212	1315	1270	1265	1390	1269	1326	1373	16081	
Ages at Death	Under 1 year -	255	252	251	268	321	302	337	339	319	339	233	266	268	3750
	1-5 years -	123	137	103	125	142	140	116	119	104	132	146	149	159	1695
	5-20 " -	68	60	59	73	67	69	76	75	77	64	66	78	73	905
	20-40 " -	112	133	134	144	142	138	143	157	152	156	149	165	156	1881
	40-60 " -	211	226	220	246	238	225	260	245	263	298	250	295	270	3247
(60 yrs.& upwds	299	272	316	326	341	338	383	335	350	401	425	373	447	4806	
Deaths from—															
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Measles	-	24	25	10	11	9	11	9	16	22	28	21	32	223	
Scarlet Fever	-	14	13	12	13	14	18	19	25	26	22	16	9	219	
Diphtheria	-	10	13	11	15	25	25	19	13	11	21	18	21	225	
Whooping-cough	-	21	20	25	30	20	18	19	18	18	13	17	16	253	
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	-	7	3	3	4	6	6	10	6	9	2	6	1	69	
Pyæria (origin un- certain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	-	56	61	66	78	118	126	110	88	67	40	36	34	905	
All above Diseases -	132	135	127	151	192	198	187	160	147	125	117	108	115	1894	
Dis. of Resp. System	59	48	47	53	82	66	77	76	86	123	96	110	154	1037	
Pneumonia	-	70	68	75	77	86	86	98	91	80	122	103	141	1246	
Phthisis	-	87	122	114	122	127	100	109	114	127	137	103	148	1541	
Dis. of Circ. System	146	122	149	150	167	149	160	164	172	201	166	177	191	2114	
Violence	-	41	51	45	54	35	55	45	55	28	40	48	53	604	
Inquest Cases	-	107	115	104	135	109	114	127	117	113	127	103	143	1545	
Deaths in Institutions	459	469	477	534	514	494	567	525	557	561	572	538	563	6830	
TEMPERATURE OF THE AIR.															
Mean-	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean of Highest	61.1	56.8	58.6	56.8	58.4	55.4	53.7	51.4	48.8	48.4	49.8	43.8	42.6	52.7	
Mean of Lowest	72.3	66.4	71.7	69.1	71.8	64.3	60.1	57.5	57.3	55.1	54.6	50.2	47.6	61.4	
	50.6	49.8	47.4	45.9	47.2	48.7	45.6	44.5	40.4	41.6	45.2	36.4	36.2	44.6	
Mean Humidity of the Air.	76	79	81	73	73	83	85	81	87	91	90	87	92	83	
Rain-fall (in inches) -	0.16	0.44	0.00	0.00	0.03	0.85	1.13	0.87	0.50	0.34	0.03	0.13	0.70	5.18	
Registered Sunshine (in hours),	47.8	18.7	41.9	46.0	47.7	22.7	25.0	19.1	22.5	10.2	8.1	11.0	2.6	323.3	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.															
Small-pox	-	1	1	1	-	-	-	-	-	-	-	-	-	-	
Scarlet Fever	-	3738	3816	3872	4020	4328	4542	4752	4995	5197	5467	5604	5689	5686	
Diphtheria	-	837	845	876	902	967	1065	1143	1180	1236	1256	1287	1298	1293	
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	-	65	72	83	97	99	109	107	124	126	123	128	130	127	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-		

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.I.C.E., and P. Scoobyer, Esq., M.D., Nottingham; W. R. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Gunn, Esq., M.D., Prestwick; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.I.C.E., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabbam, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SEVENTH Week of the Year 1907.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 47th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH	Corrected Average for the 47th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.							ALL AGES.	Under 20.						
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1588.7	1373	268	159	73	153	270	447	Meningitis (not tuberc.)	15.1	8	-	3	3	-	1	1
									Gen. Par. of Insane,	13.5	8	-	-	-	3	3	-
									Insanity	6.1	6	-	-	-	4	-	2
Small-pox	0.2	-	-	-	-	-	-	-	Epilepsy	18.8	6	5	1	-	-	-	-
Whooping-cough	34.6	32	5	25	2	-	-	-	Convulsions	1.8	4	-	-	-	-	1	3
Measles (Morbilli)	9.6	18	-	12	5	1	-	-	Locomotor Ataxy	6.1	1	-	-	-	1	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	16.2	15	-	-	2	-	5	8
Typhus	-	-	-	-	-	-	-	-	Nervous Sys., Other Dis.	52.4	45	-	-	3	7	15	20
Plague	20.5	9	1	1	1	3	-	3	Valv. Dis., Endocarditis	33.2	35	-	-	-	4	7	24
Influenza	18.0	16	4	12	-	-	-	-	Cereb. Hem. Cereb. Emb.	18.4	21	-	-	-	-	5	16
Whooping-cough	14.9	23	2	15	6	-	-	-	Apoplexy, Hemiplegia	4.5	5	-	-	-	2	3	-
Diphtheria	0.2	1	-	1	-	-	-	-	Aneurysm	1.0	1	-	-	-	-	1	-
Cerebro-spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis (not Cerebral)	92.9	84	-	-	2	9	19	54
Pyrexia,† (origin un-	8.6	1	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	1.4	-	-	-	-	-	-	-
certain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	190.1	131	33	8	2	-	16	69
Enteric Fever	-	-	-	-	-	-	-	-	Bronchitis	8.4	7	-	-	1	-	2	4
Asiatic Cholera	7.4	14	11	3	-	-	-	-	Emphysema, Asthma	3.5	4	-	-	-	-	1	2
Epidemic Diarrhoea	13.7	11	8	-	-	-	1	2	Pleurisy	16.0	12	2	3	-	-	-	7
Infective Enteritis	0.6	-	-	-	-	-	-	-	Respiratory Dis., Other-	0.6	-	-	-	-	-	-	-
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	9.8	13	5	2	-	1	2	3
Tetanus	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	6.5	4	3	-	1	-	-	-
Rabies, Hydrophobia	0.2	-	-	-	-	-	-	-	Gastro-enteritis	4.3	2	-	-	-	-	1	1
Glanders	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	16.0	9	-	-	-	1	5	3
Anthrax (Splenic Fever)	8.4	15	10	1	1	1	1	1	Cirrhosis of Liver	5.3	7	-	-	-	-	2	5
Venereal Dis.	3.1	3	-	-	-	3	-	-	Liver Dis., Other	35.6	29	2	2	5	6	7	7
Puerperal Septicæmia	0.4	1	-	-	-	1	-	-	Digestive Sys., Other Dis.	7.2	10	-	1	-	-	6	3
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-	Bright's Dis., Albumin-	47.0	23	-	-	-	-	12	11
Puerperal Fever	2.9	5	-	-	2	2	1	-	uria	10.4	8	-	-	-	1	1	6
Infective-Endocarditis	14.5	19	1	1	-	3	10	4	Urinary Sys., Other Dis.	4.1	4	-	-	-	-	4	-
Pneumonia { Lobar	96.8	69	28	27	1	1	4	8	Generative Organs Dis.	2.7	6	-	-	-	-	6	-
Broncho-	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	56.7	60	61	7	-	-	4	60
Epidemic	72.5	56	8	7	2	9	12	18	Old Age	97.2	93	-	-	-	-	6	4
Not defined	8.6	5	2	-	-	-	1	2	Other Diseases	-	-	-	-	-	-	-	-
Erysipelas	1.8	1	-	-	-	1	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
Septicæmia (not Puer-	1.8	2	-	-	-	-	2	-	By Railways	1.0	4	-	-	1	3	-	-
peral)	6.8	4	1	-	-	-	3	-	By Vehicles and Horses	6.1	5	-	-	1	1	2	1
Pyæmia (not Puerperal)	81.1	97	1	2	7	42	36	9	In Ships, Boats, Docks, (exclusive of Drowning)	0.6	2	-	-	-	2	-	-
Other Infective Processes	71.4	34	-	-	2	16	12	4	In Building Operations	0.8	-	-	-	-	-	-	-
Tuberculous Phthisis	20.5	13	2	7	4	-	-	-	In Conflagrations	0.6	-	-	-	-	-	-	-
"Phthisis"	8.0	7	2	3	1	1	-	-	By Burns, Scalds, Explosions	10.8	7	2	5	-	-	-	-
Tuberculous Meningitis	3.1	2	1	1	-	-	-	-	By Drowning	2.7	5	-	-	1	1	3	-
Tuberculous Peritonitis	20.5	18	4	6	2	3	2	1	By Suffocation in Bed	11.1	8	8	-	-	-	1	-
Tabes Mesenterica	0.6	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	1.4	2	-	-	-	-	1	-
Tuberculous Dis., Other	13.3	15	-	-	-	2	7	6	Other Deaths by Accident	17.4	13	1	1	1	1	-	9
Scrofula	8.2	8	-	1	4	1	1	1	VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-	-	-
Alcoholism	2.3	2	-	-	-	-	-	2	Homicide	1.0	4	1	-	-	2	1	-
Rheumatic Fever	53.4	59	-	-	-	1	30	28	Suicide	9.4	4	-	-	1	2	-	1
Gout	5.7	3	-	-	1	1	1	-	Execution	-	-	-	-	-	-	-	-
Carcinoma	34.6	37	-	-	-	-	15	22									
Sarcoma	8.2	7	-	-	1	-	3	3									
Cancer (undefined)	51.8	51	51	-	-	-	-	-									
Diabetes Mellitus	-	-	-	-	-	-	-	-									
Premature Birth	-	-	-	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd November, 1907.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths from														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Age.															
					Infants under 1 Year of Age.	Persons aged 100 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Erysip (or Typhoid) Fever.	Pyæmia (or Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,429	2214	1373	268	447	-	32	18	23	16	-	1	-	25	54	131	563		
WEST DISTRICTS	805,311	328	218	34	87	-	10	1	3	-	-	-	-	5	9	21	90		
NORTH DISTRICTS	1,056,070	454	300	54	100	-	7	6	4	1	1	1	-	3	13	33	113		
CENTRAL DISTRICTS	209,465	93	50	11	14	-	1	-	1	1	-	-	-	2	1	6	27		
EAST DISTRICTS	715,739	442	261	66	56	-	12	1	2	5	9	-	-	8	15	30	130		
SOUTH DISTRICTS	1,749,844	897	503	103	180	-	2	7	12	9	-	-	-	7	16	41	162		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	41	-	10	-	-	-	3	1	-	-	-	-	-	-	41		
WEST DISTRICTS.																			
North Paddington <i>H</i> - - -	63,603	23	13	2	8	-	-	-	1	-	-	-	-	1	-	-	-		
Central Paddington <i>W,3H</i> - - -	50,053	24	24	2	4	-	3	1	1	-	-	-	-	-	1	3	12		
South Paddington - - -	30,320	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town <i>2W,w,2H</i> - - -	128,037	53	43	10	22	-	-	-	-	-	-	-	-	1	-	1	22		
Brompton <i>2H</i> - - -	48,501	9	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
North Hammersmith <i>2W,w,H</i> - - -	40,192	20	21	3	9	-	3	-	-	-	-	-	-	-	2	2	9		
South Hammersmith <i>w,2H</i> - - -	63,047	29	18	4	5	-	-	-	-	-	-	-	-	-	2	4	6		
North-west Fulham <i>W</i> - - -	45,180	40	20	5	5	-	-	-	-	-	-	-	-	1	-	1	11		
North-east Fulham <i>F</i> - - -	46,405	25	5	1	-	-	1	-	1	-	-	-	-	-	-	1	2		
South Fulham <i>W</i> - - -	45,704	25	10	1	4	-	-	-	-	-	-	-	-	1	1	3	-		
Chelsea North <i>W,w,3H</i> - - -	42,514	7	25	1	14	-	1	-	-	-	-	-	-	1	1	2	17		
Chelsea South <i>W,2H</i> - - -	31,328	12	11	3	3	-	1	-	-	-	-	-	-	-	-	2	2		
Mayfair and Knightsbridge - - -	28,743	3	2	-	1	-	1	-	-	-	-	-	-	-	1	1	-		
Belgrave <i>W,2H</i> - - -	55,815	21	11	1	4	-	-	-	-	-	-	-	-	-	1	1	5		
St. Margaret & St. John <i>6H</i> - - -	43,698	18	7	1	4	-	-	-	-	-	-	-	-	-	-	-	4		
St. James and St. Anne <i>W,6H</i> - - -	33,081	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone <i>8H</i> - - -	35,391	11	15	1	2	-	1	-	-	-	-	1	-	-	1	1	11		
St. Mary Marylebone <i>W,4H</i> - - -	37,948	50	12	5	4	-	-	-	-	-	-	-	-	-	1	1	6		
Christchurch Marylebone - - -	33,586	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone <i>2H</i> - - -	20,426	8	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-		
Hampstead <i>W,F,6H</i> - - -	81,942	27	20	2	6	-	-	1	-	-	-	-	-	-	4	6	7		
West St. Pancras <i>2H</i> - - -	60,562	28	11	3	2	-	-	-	-	1	-	-	-	-	1	1	3		
South St. Pancras <i>w,11H</i> - - -	55,707	14	15	4	2	-	-	-	1	-	-	-	-	-	2	3	9		
East St. Pancras <i>W,2H</i> - - -	60,320	27	20	0	6	-	-	-	-	-	-	-	-	1	-	2	10		
North St. Pancras <i>2W</i> - - -	53,728	19	18	1	9	-	-	-	1	-	-	-	-	-	-	-	6		
Tufnell <i>W</i> - - -	31,995	16	25	4	9	-	-	-	-	-	-	-	-	-	-	2	17		
Upper Holloway <i>2W,w,H</i> - - -	33,978	17	24	2	5	-	2	-	-	-	-	-	-	-	1	1	18		
Tollington <i>W,w,H</i> - - -	35,922	12	11	-	4	-	-	-	-	-	-	-	-	-	1	3	-		
Lower Holloway - - -	41,424	22	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - -	54,478	27	12	3	4	-	1	-	-	-	-	-	-	1	-	2	-		
Islington South-east <i>F</i> - - -	75,387	38	14	8	5	-	1	-	-	-	-	-	-	-	-	3	-		
Highbury <i>2H</i> - - -	65,797	24	13	3	5	-	-	-	-	-	-	-	-	-	-	2	-		
Stoke Newington <i>H</i> - - -	51,247	14	13	-	9	-	-	1	-	-	-	-	-	-	-	-	-		
North Hackney - - -	50,560	15	14	1	6	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney <i>2w,F</i> - - -	50,536	26	15	2	3	-	2	-	4	2	-	-	-	-	-	1	5		
South-west Hackney <i>3H</i> - - -	59,921	21	10	2	4	-	-	-	-	-	-	-	-	-	1	2	3		
South-east Hackney <i>2W,w,H</i> - - -	58,255	26	24	2	12	-	-	-	-	-	-	-	-	-	-	3	17		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note " on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

On 1st October, 1907, the three sub-districts of Paddington registration district were re-constituted and named as above.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enume- rated Popa- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of	Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.				Violence.
CENTRAL DISTRICTS.																			
Hilles and Bloomsbury 2W,2H -	31,436	18	7	-	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-
nd W,4H - - - - -	21,674	6	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	7	-
nd Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born W,6H - - - - -	20,612	13	11	5	1	-	1	-	-	-	-	-	-	-	-	1	-	-	7
h Clerkenwell - - - - -	28,676	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
h Clerkenwell H - - - - -	35,028	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
bury 3H,L - - - - -	36,116	29	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1
orn Union Workhouse, } tcham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
otolph H - - - - -	10,269	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
epulchre and Allhallows W,2H of London Asylum, Stone -	16,624	1	13	1	2	-	-	-	-	-	1	-	-	-	-	-	1	2	9
EAST DISTRICTS.																			
reditch South H - - - - -	46,362	21	10	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
reditch North-West W,w,H -	36,127	23	33	5	7	-	6	-	-	-	-	-	-	-	-	-	1	3	24
reditch North-East - - - - -	34,148	25	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
reditch Union Workhouse, Wood } reen - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
inal Green North-East 2W } L - - - - -	65,138	41	35	7	7	-	1	-	-	-	-	-	-	-	-	-	2	5	23
inal Green South-West H - -	64,542	32	12	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2
afields - - - - -	27,969	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End New Town W,H - - - -	28,718	29	28	2	3	-	-	-	-	2	-	-	-	-	-	-	6	7	28
iman's Fields - - - - -	22,081	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
eorge and St. John 2W - - -	40,068	42	14	5	3	-	-	-	-	-	-	-	-	-	-	2	1	1	9
twell and Ratcliff W,H - - -	25,568	7	12	3	1	-	1	-	-	-	-	4	-	-	-	-	1	1	10
ehouse W - - - - -	52,369	19	9	4	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-
End Old Town South- }	63,698	57	19	8	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1
estern H - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
End Old Town North- }	49,129	38	14	3	4	-	-	-	-	-	1	-	-	-	-	-	-	-	6
estern W,w - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
aley 3w,H - - - - -	41,089	21	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ar W,w - - - - -	68,319	33	41	8	12	-	4	-	-	-	-	-	-	-	-	5	2	4	22
	58,514	34	16	2	6	-	-	-	-	-	-	-	-	-	-	-	1	2	5

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd November, 1907.

Regi- stration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																	
						Deaths of		Deaths from															
						Infants under Year of Age.	Persons aged 15 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.					
LONDON—OUTER RING						363,302	2,044,973	1155	469	85	160	-	8	7	12	4	3	3	12	33	102	1	
30: 1	Carshalton 2F,3H	12,228	32,997	11	8	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, part of* W,F,L	2,764	2,892	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
38: 1	Conlsdon	11,089	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	South Croydon w	4,200	49,309	20	12	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	West Croydon 3W,F,H	2,168	42,888	24	14	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	North Croydon H	2,644	41,698	25	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Penge w	770	22,465	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham	11,711	50,015	22	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon F,3H	3,321	41,852	21	18	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Kingston 2W,H	6,224	42,068	21	7	1	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
3	Surbiton F,H	3,348	15,017	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, part of* H	5,402	13,100	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton H,F,L	4,584	23,456	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond W,H	2,491	31,672	11	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Mortlake F	2,518	17,821	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
41: 1	Bromley F,2H	4,703	27,354	25	8	1	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
2	Beckenham H	7,325	28,497	19	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington part of* W,F	10,113	9,857	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst 2H	7,333	16,446	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley w,F,H	8,678	21,151	12	5	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	
2	Erith F,H	3,854	25,296	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford W,F, part of*	-	-	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
124: 1	Sunbury w	11,054	18,883	4	8	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines W,H	13,277	15,178	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
125: 1	Hillingdon W,F,H	6,035	13,661	9	6	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Uxbridge H	12,757	8,984	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes w,2F,H	8,086	16,358	14	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
126: 1	Isleworth 3W,2F,H	6,859	30,863	15	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Twickenham F,2H	2,421	20,991	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Brentford 3F,2H	4,319	48,289	30	12	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chiswick H	1,249	29,809	16	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Acton w,F,3H	6,132	48,914	26	12	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
127: 1	Harrow F,H	13,809	25,523	17	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Edgware 2F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden W,F,2H	4,384	114,311	66	23	4	4	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
4	Hendon W,F	8,382	22,450	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
128: 1	South Mimms 2F,H	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet W,2H	3,324	17,970	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Finchley F,2H	4,888	33,692	19	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
129: 1	Hornsey F,H	2,875	72,056	20	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Wood Green H	1,825	34,233	21	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	West Tottenham	996	48,853	31	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	East Tottenham 2H	2,017	53,688	39	18	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Edmonton W,w,2F	7,491	61,892	40	15	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	Enfield 2W,F,H	12,601	42,738	35	8	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
7	Waltham Abbey F	11,017	6,649	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt F,H	6,479	12,292	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey H	9,333	9,173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford W,2F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
138: 1	Stratford H	1,091	52,974	33	9	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Forest Gate	787	52,745	13	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Plaistow F,2H	1,249	90,921	55	23	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Canning Town H	1,556	70,718	36	12	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	South East Ham 2F	1,993	57,342	31	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
6	North East Ham w,H	1,333	58,676	34	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7	Wanstead F	1,679	9,179	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton 2W	831	50,467	36	17	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	North Leyton 2W,w,F	1,983	48,445	24	21	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
10	Walthamstow 2H,L	6,504	108,929	87	31	7	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Chigwell 2F,3H	11,776	18,397	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, part of* W,2F	6,556	8,091	12	5	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Ilford F,L	8,496	41,234	35	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Barking Town F	3,803	31,547	15	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Lunatic Asylum, Long Grove, Epsom.						-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Middlesex County Lunatic Asylum, Napsbury.						-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Essex County Lunatic Asylum, Brentwood.						-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chislehurst, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 137: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	November 23	2214	1373	15'0	-	32	18	23	16	1	25
CALCUTTA - -	955,926	October 19	-	546	33'4	1	1	-	1	-	150†	135‡
BOMBAY - -	982,000	November 5	413	620	33'0	-	1	-	-	-	94†	69‡
MADRAS - -	548,974	October 25	415	363	37'0	1	-	?	?	?	102	62
PARIS - - -	2,722,731	November 16	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	623,202	" 16	208	155	12'9	-	2	2	-	-	1	11
ANTWERP - -	304,032	" 16	118	78	18'9	-	2	-	1	-	1	18
AMSTERDAM -	564,342	" 16	260	142	13'1	-	-	-	2	-	1	6
COPENHAGEN -	433,000	" 16	259	109	13'1	-	5	-	1	3	-	6
STOCKHOLM -	332,738	" 9	156	100	15'6	-	6	-	2	1	-	10
CHRISTIANIA -	238,774	" 16	132	45	10'2	-	-	1	-	1	-	1
ST. PETERSBURG	1,482,760	" 2	672	606	21'3	-	12	26	17	12	15	60
MOSCOW - -	1,296,000	" 9	-	624	25'1	-	4	15	12	7	3	67
BERLIN - - -	2,102,837	" 2	911	644	16'0	-	7	5	17	16	2	65
HAMBURG - -	840,790	" 16	-	247	15'6	-	4	-	4	2	3	29
BRESLAU - -	485,278	" 9	-	206	22'1	-	1	-	8	6	-	27
MUNICH - - -	548,000	" 16	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,003	" 16	876	571	14'8	-	4	3	7	-	-	53
PRAGUE - - -	470,906	" 16	153	178	19'6	-	4	1	3	1	2	10
BUDA-PESTH -	802,235	" 9	433	300	19'4	-	5	9	1	3	6	31
TRIESTE - - -	200,962	" 16	117	93	23'8	-	-	-	1	-	2	14
ROME - - -	542,760	August 31	217	173	16'6	-	7	-	-	-	11§	26
VENICE - - -	174,388	November 2	-	-	-	-	-	-	-	-	-	-
BUCHAREST - -	292,395	" 16	146	168	30'0	-	-	2	1	-	5	8
NEW YORK - -	4,285,435	" 2	2749	1355	16'5	-	2	11	29	4	27	70
CHICAGO - - -	2,107,620	" 2	-	508	12'6	-	2	6	17	2	9	37
PHILADELPHIA -	1,500,595	September 7	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	October 27	-	250	20'7	5	2	-	-	1	6†	?

* Excluding deaths from croup in the Indian Cities.

† Including 8 deaths from plague in Calcutta, 26 in Bombay, and 4 in Rio de Janeiro.

‡ Including 62 deaths from cholera in Calcutta, 4 in Bombay, and 2 in Madras.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd November, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	53'0	29'1	41'9	0'70	LEEDS - - -	53'0	31'0	41'7	1'08
BRIGHTON - -	55'3	36'3	46'1	0'16	YORK - - -	51'0	27'0	39'2	0'93
PORTSMOUTH -	55'0	37'5	46'5	0'35	HULL - - -	51'0	29'0	41'2	0'52
NORWICH - - -	54'0	31'0	43'0	0'72	TYNEMOUTH -	51'0	30'0	39'4	0'09
PLYMOUTH - -	53'0	39'0	47'1	1'48	CARDIFF - -	51'2	30'2	42'9	0'81
BRISTOL - - -	52'2	33'2	42'7	0'72					
BIRMINGHAM -	49'0	33'5	41'0	0'50	EDINBURGH -	50'4	33'0	41'6	0'14
NOTTINGHAM -	51'1	29'0	39'8	0'33	GLASGOW - -	52'9	30'8	42'0	0'75
LIVERPOOL OBSERVATORY. }	51'0	33'0	41'9	0'47					
MANCHESTER -	49'8	30'8	40'6	1'30	Phoenix Park. DUPLIN { Fitz- william Square.†	52'1	21'6	40'2	0'03
BURNLEY - - -	50'0	27'2	40'1	0'68		52'4	32'9	42'8	0'05
PRESTON - - -	50'3	34'3	41'4	1'05					
HUDDERSFIELD -	50'0	27'2	40'5	0'56	BELFAST - -	50'0	28'5	41'1	0'72

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables

† Kindly furnished by Sir J. W. Moore B.A. M.D., Dublin.

1907.

MONTH AND

[illegible]

ELECTRICITY, or explanation of

ELECTRICITY, or explanation of

NOVEMBER.		symbols, see Note.	in hours.	in hours.
SUNDAY	17	m. P. till 2h. A.M.; w. P. afterwards.	0'0	8'8
MONDAY	18	w. P. till 6h. A.M.; w. P. and v. N. till noon; w. P. and w. N. till 9h. P.M.; w. P. afterwards, w. P. throughout.	0'0	8'7
TUESDAY	19	w. P. throughout.	0'0	8'7
WEDNESDAY	20	w. P. throughout.	0'0	8'6
THURSDAY.	21	w. P. till 9h. A.M.; m. P. afterwards.	0'0	8'6
FRIDAY	22	s. P. till 4h. A.M.; m. P. till noon; w. P. generally afterwards.	0'0	8'5
SATURDAY.	23	w. P. and occasional v. N. till 9h. A.M.; m. P. generally after- wards with s. N. at 2h. P.M.	2'6	8'5
		Sum	2'6	Sum
			28	60'4
No. of Col.	-		28	29

GENERAL REMARKS:

Generally overcast; slight low fog at times in early morning; occasional thin rain (unmeasurable) in afternoon and at night. Generally overcast; nearly continuous rain between 2h. A.M. and 9h. P.M.; gloom in afternoon

Overcast with slight exceptions till 10h. 30m.
p.m.; fine till 5h. p.m.; foggy afterwards.

Overcast; thick fog prevalent in morning; gradually dispersing between 6h. and 9h.

Generally overcast; fog and variable density prevalent till 9h. A.M.

Overcast till 10h. A.M. with continuous rain between 2h. 15m. and 9h. A.M.; very fine generally afterwards; cloudy interval with shower about 2h. P.M.

201

The results apply to the ordinary, or from minimum to maximum, range of the barometer. The height of the column of the barometer is 138 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.¹

Observations are usually taken at 8 A.M., noon, 3 P.M., and 9 P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are used to derive the daily means, the application of corrections to the mean of the eye-readings of the barometer, and the application of corrections to the mean of the eye-readings of the dry bulb thermometer, are made during the fifty years since the commencement of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is deduced the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1903, and that of horizontal movement of the air from a discussion of the nemonemo records for the 40 years ending 1903.

In reading columns 0 and 24 it will be borne in mind that + indicates "Aigner," and "looser" than the average.

The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; W. weak; M. moderate; S. strong; and V. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument

show the aggregate duration of bright sunshine for each day. The reading of the barometer decreased from 30.7 in. at the beginning of the week to 29.98 in. by 4h. P.M. on the 17th; increased to 30.18 in. by 9h. P.M. on the 18th; decreased to 30.04 in. by 6h. A.M. on the 20th; increased to 30.21 in. by noon on the 21st; decreased to 29.95 in. by 4h. P.M. on the 22d; increased to 30.01 in. by 10h. P.M. on the 23d; and increased to 29.61 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th November, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington	149,900	-	4	5	-	-	-	-	5	-	-
Kensington	181,842	-	13	11	-	-	-	-	5	-	-
Hammersmith	122,337	-	17	3	-	-	-	-	-	1	-
Fulham	166,749	-	18	26	-	2	-	-	2	1	-
Chelsea	74,857	-	11	3	-	-	-	-	1	-	-
City of Westminster	172,219	-	9	2	-	3	2	-	1	1	-
NORTH.											
St. Marylebone	127,718	-	14	2	-	2	-	-	4	-	-
Hampstead	91,137	-	9	1	-	-	-	-	3	-	-
St. Pancras	236,753	-	26	14	-	-	-	-	2	-	-
Islington	347,017	-	33	12	-	3	-	-	6	-	-
Stoke Newington	53,613	-	12	2	-	-	-	-	1	-	-
Hackney	232,993	-	49	19	-	1	-	-	7	-	-
CENTRAL.											
Holborn	55,134	-	7	2	-	-	-	-	1	-	-
Finsbury	96,732	-	12	2	-	1	-	-	3	-	-
City of London	20,310	-	3	3	-	1	-	-	-	-	-
EAST.											
Shoreditch	115,662	-	20	5	-	1	-	-	3	-	-
Bethnal Green	130,831	-	41	4	-	3	-	-	7	-	-
Stepney	308,923	-	89	21	-	-	-	-	13	-	-
Poplar	171,066	-	32	7	-	1	-	-	2	-	-
SOUTH.											
Southwark	209,781	-	20	6	-	1	-	-	4	-	-
Bermondsey	128,263	-	17	10	-	-	-	-	4	-	-
Lambeth	318,538	-	52	8	-	-	-	-	4	-	-
Battersea	181,736	-	21	10	-	1	-	-	6	-	-
Wandsworth	281,419	-	28	10	-	4	-	-	3	1	-
Camberwell	277,059	-	39	13	-	4	-	-	5	1	-
Deptford	116,510	-	27	4	-	-	-	-	6	-	-
Greenwich	107,222	-	13	4	-	1	-	-	-	-	-
Lewisham	152,532	-	20	8	-	1	-	-	1	-	-
Woolwich	129,336	-	21	5	-	-	-	-	2	-	-
Port of London	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	677	222	-	30	2	-	102	5	-
Ages											
0-1	-	-	6	7	-	-	-	-	8	-	-
" 1-5	-	-	190	83	-	1	-	-	4	-	-
" 5-	-	-	283	85	-	5	-	-	3	-	-
" 10-	-	-	113	24	-	2	-	-	5	-	-
" 15-	-	-	38	10	-	2	-	-	4	-	-
" 20-	-	-	28	5	-	5	-	-	7	4	-
" 25-	-	-	14	4	-	6	-	-	9	1	-
" 35-	-	-	4	1	-	6	2	-	17	-	-
" 45-	-	-	1	3	-	2	-	-	26	-	-
" 55-	-	-	-	-	-	1	-	-	12	-	-
" 65 and upwards	-	-	-	-	-	-	-	-	7	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office.
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 48. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, NOV. 30. [Price 1½d.

*General Register Office, Somerset House,
December 2nd, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·5 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 14·8, and 15·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·0 in Swansea, 22·8 in Blackburn, 23·4 in West Bromwich, 23·9 in South Shields, 24·7 in Merthyr Tydfil, 25·9 in Smethwick, and 27·2 in Bootle; from *measles*, 1·1 in Leeds and in Newcastle on Tyne, 1·2 in York, 1·4 in Ipswich, 2·1 in Merthyr Tydfil, and 3·9 in Burton on Trent; from *scarlet fever*, 1·0 in Wolverhampton and 1·5 in West Bromwich; from *diphtheria*, 1·1 in East Ham and 1·9 in Reading; from *whooping-cough*, 1·4 in Ipswich and 1·5 in Warrington; from "*fever*," 1·2 in York; and from *diarrhoea*, 1·4 in Ipswich and in Merthyr Tydfil, 1·5 in West Bromwich, 1·7 in Rotherham, and 1·8 in Bury. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2205 BIRTHS and 1531 DEATHS were registered. Allowing for increase of population, the births were 250 and the deaths 157 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 13·9, 14·5, and 15·0 per 1000 in the preceding three weeks, further rose last week to 16·8. The death-rate in the four weeks ended last Saturday averaged 15·1 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1531 deaths included 34 from measles, 13 from scarlet fever, 30 from diphtheria, 9 from whooping-cough, 9 from enteric fever, 1 from ill-defined pyrexia, and 25 from diarrhoea, but not one death from small-pox or typhus; thus, to these diseases in the aggregate 121 deaths were referred, being 11 above the corrected average number in the forty-eighth week of the preceding five years.

The deaths from *measles*, which had been 28, 21, and 32* in the preceding three weeks, rose to 34 last week, but were 2 below the corrected average; 4 deaths belonged to the Borough of Hammersmith, 4 to Poplar, and 3 each to Islington, Shoreditch, and Stepney. The deaths from *scarlet fever*, which had been 16, 9, and 18 in the preceding three weeks, fell to 13 last week, but were 3 above the corrected average; 3 deaths belonged to Lambeth. The deaths from *diphtheria*, which had been 18, 21, and 23 in the preceding three weeks, further rose to 30 last week, and were 16 above the corrected average; 4 deaths belonged to Stepney, 4 to Battersea, and 3 to Southwark. The deaths from *whooping-cough*, which had been 13, 17, and 16 in the preceding three weeks, fell to 9 last week, and were 12 below the corrected average. The deaths from *enteric fever*, which had been 6, 6, and 1 in the preceding three weeks, rose to 9 last week, and were equal to the corrected average. The deaths from *diarrhoea*, which had been 36, 34, and 25 in the preceding three weeks, again numbered 25 last week, but were 4 above the corrected average; 6 deaths belonged to Stepney. Of the 25 deaths from diarrhoea, 21 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 other deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 7, 12, and 9 in the preceding three weeks.

Different forms of *violence* caused 44 deaths, concerning all of which inquests were held. Of these 44 deaths, 10 were cases of suicide, while the remaining 34 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, three to burns or scalds, one to a conflagration, one to drowning, one to the effects of an anæsthetic administered for surgical purposes, and nine, of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5676 cases of scarlet fever, 1279 of diphtheria, and 128 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 623 cases, against 667, 636, and 597; of diphtheria, 179 cases, against 179, 202, and 156; and of enteric fever, 23 cases, against 18, 13, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 23rd, 1907.

GREATER LONDON.

In Greater London 3462 births and 2120 deaths were registered. Allowing for increase of population, these numbers are 295 and 251 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 7 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.60 inches, and that of the Thermometer 42°.7, the latter being 1.1 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 4 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 14.9 hours; the measured rainfall amounted to 1.37 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 30th November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 30th Nov., 1907.		The DEATHS registered in the Week include										TOWNS.		
		Week ended					6th Nov., 1907.	7	8.	Deaths of Infants under 1 Year of Age.		Deaths from					Deaths in Public Institutions.			Un- certified Causes of Death.			
		9th Nov., 1907.	16th Nov., 1907.	23rd Nov., 1907.	30th Nov., 1907.	Week ended 30th Nov., 1907.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.					
Cols.	1.	2.	3.	4.	5.	6.	7	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	16,024,458	14'6	14'8	15'3	16'5	1'4	7653	5085	1136	1531	-	105	42	82	72	34	89	162	410	1246	48	76 TOWNS.	
LONDON -	4,758,218	13'9	14'5	15'0	16'8	1'3	2205	1531	316	482	-	34	13	30	9	10	25	44	139	583	1	LONDON.	
CROYDON -	154,342	6'4	10'5	9'5	10'8	0'7	63	32	5	14	-	-	-	2	-	-	-	-	3	8	-	CROYDON.	
WILLESDEN -	149,192	12'9	9'1	8'4	12'2	1'4	76	35	17	1	-	-	-	-	-	-	-	-	1	-	-	WILLESDEN.	
HORNSEY -	89,816	9'3	9'3	4'6	9'9	0'6	28	17	1	7	-	1	-	-	-	-	-	-	-	-	-	HORNSEY.	
TOTTENHAM -	122,793	14'4	8'5	12'7	12'7	0'4	84	30	8	8	-	-	1	-	-	-	-	1	4	4	-	TOTTENHAM.	
WEST HAM -	508,284	12'3	10'8	10'8	17'6	1'0	162	104	21	35	-	-	3	1	2	-	-	4	9	24	-	WEST HAM.	
EAST HAM§ -	136,421	8'4	9'2	9'2	11'8	2'7	89	31	14	8	-	2	-	3	-	-	2	-	2	4	-	EAST HAM.‡	
LEYTON -	122,040	10'7	8'5	7'3	11'1	0'9	56	26	3	11	-	-	1	1	-	-	2	-	1	8	-	LEYTON.	
WALTHAMSTOW -	126,397	7'0	7'8	14'9	12'0	1'2	72	29	7	12	-	1	-	-	-	-	2	1	2	8	-	WALTHAMSTOW.	
HASTINGS -	67,477	9'3	9'3	10'8	17'8	-	15	23	5	14	-	-	-	-	-	-	-	-	1	4	-	HASTINGS.	
BRIGHTON -	129,023	11'7	17'4	11'7	13'7	1'2	32	34	5	15	-	-	-	1	-	-	2	-	2	10	-	BRIGHTON.	
PORTSMOUTH -	298,291	15'0	13'5	14'8	16'0	0'8	97	64	14	22	-	-	-	2	-	1	-	1	3	14	-	PORTSMOUTH.	
BOURNEMOUTH -	69,246	13'6	12'8	7'5	15'8	0'8	23	21	1	11	-	-	-	-	-	-	1	-	2	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	119,745	12'2	10'0	12'6	13'9	1'3	44	32	1	12	-	-	-	1	2	-	-	2	7	6	-	SOUTHAMPTON.	
READING -	80,311	13'6	9'7	7'8	14'3	1'9	37	22	5	11	-	-	-	3	-	-	-	-	2	10	-	READING.	
NORTHAMPTON -	95,070	10'4	7'7	17'0	17'0	1'1	37	31	7	10	-	-	-	1	1	-	-	-	1	8	-	NORTHAMPTON.	
IPSWICH -	72,825	13'6	17'2	12'9	21'5	5'0	31	30	4	10	-	2	-	1	2	-	2	-	-	8	-	IPSWICH.	
GREAT YARMOUTH -	52,879	10'8	18'7	15'8	11'8	1'0	24	12	3	5	-	-	-	1	-	-	-	-	-	1	-	GREAT YARMOUTH.	
NORWICH§ -	119,191	10'5	15'7	15'3	12'2	1'3	60	28	4	16	-	-	-	-	1	2	-	1	2	6	-	NORWICH.‡	
PLYMOUTH -	120,063	14'3	9'1	10'0	11'7	0'4	33	27	-	13	-	-	-	-	-	-	1	-	1	9	-	PLYMOUTH.	
DEVONPORT -	79,059	15'7	14'3	16'3	13'7	-	47	21	4	10	-	-	-	-	-	-	-	2	5	5	-	DEVONPORT.	
BRISTOL -	367,979	11'2	11'1	12'5	13'9	1'7	173	98	12	34	-	4	2	4	1	1	-	3	14	24	-	BRISTOL.	
HANLEY -	67,174	25'6	24'1	15'5	17'1	1'6	33	22	10	3	-	-	-	-	1	-	1	-	2	1	-	HANLEY.	
BURTON-ON-TRENT -	53,425	11'7	11'7	15'6	14'6	4'9	27	15	1	3	-	4	-	-	-	-	-	-	1	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	102,016	17'4	14'3	15'3	16'9	1'5	48	33	2	9	-	-	2	1	-	-	-	1	3	7	-	WOLVERHAMPTON.	
WALSALL -	96,171	15'7	13'6	14'6	18'4	1'1	43	34	10	10	-	-	-	-	-	-	1	2	3	4	-	WALSALL.	
HANDSWORTH -	65,929	18'2	14'2	11'9	10'3	0'8	33	13	2	6	-	-	-	-	1	-	-	-	-	2	1	-	HANDSWORTH.
WEST BROMWICH -	68,123	15'1	10'6	9'8	23'4	3'0	45	31	10	7	-	-	-	-	-	-	-	-	2	4	-	WEST BROMWICH.	

* See note † on first page of this return.

† The recent alterations in the boundaries of the borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TABLE 1 (*cont.*).—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the week ended Saturday, 30th November, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	COLS.	The DEATHS registered in the Week include										TOWNS.																											
		Deaths of			Deaths from			Inquests Cases.					Deaths in Public Institutions.	Causes of Death.																									
		Persons aged 16 Years and upwards.		Infants under 16 Years.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.				Violence.																								
		9.	10.																																				
POPULATION estimated to the middle of the year 1907.		Rate from 1906 to 1907, in Cols. 11-17.		Registered during the Week ended 30th Nov., 1907.		DEATHS.																																	
Week ended		16th Nov., 1907.		23rd Nov., 1907.		30th Nov., 1907.		Week ended 30th Nov., 1907.		7.		8.		9.		10.		11.		12.		13.		14.		15.		16.		17.		18.		19.		20.		21.	
BIRMINGHAM -	-	553,165	15.8	15.6	17.4	17.5	2.0	281	186	43	57	-	1	4	4	6	2	4	7	8	45	10	BIRMINGHAM.																
KINGS NORTON -	-	76,600	8.3	13.1	12.4	14.5	-	29	21	7	11	-	-	-	-	-	-	-	-	-	2	2	KINGS NORTON.																
SMETHWICK -	-	68,467	14.9	11.0	16.5	25.9	-	35	33	10	11	-	-	-	-	-	-	-	-	2	2	SMETHWICK.																	
ASTON MANOR -	-	83,266	8.8	9.4	12.5	15.7	1.9	39	25	7	7	-	1	-	1	1	-	-	-	-	2	2	ASTON MANOR.																
COVENTRY -	-	77,628	18.1	21.5	18.1	15.4	2.7	40	23	7	7	-	1	1	1	-	-	1	-	-	-	1	COVENTRY.																
LEICESTER -	-	236,124	9.9	11.9	14.6	13.7	0.4	90	62	13	18	-	-	-	-	-	-	-	2	4	9	-	LEICESTER.																
GRIMSBY -	-	70,574	15.5	16.3	12.6	17.0	-	43	23	9	8	-	-	-	-	-	-	-	3	3	2	-	GRIMSBY.																
NOTTINGHAM -	-	257,489	15.6	15.8	14.4	17.2	1.8	144	85	28	26	-	-	1	1	3	2	3	5	7	18	-	NOTTINGHAM.																
DERBY -	-	125,774	16.6	14.9	12.9	12.9	0.8	53	31	10	9	-	-	-	1	-	-	1	2	5	5	-	DERBY.																
STOCKPORT -	-	100,986	20.1	13.4	19.1	18.6	0.5	52	38	7	13	-	-	-	-	-	1	-	2	8	10	-	STOCKPORT.																
BIRKENHEAD -	-	118,553	12.3	11.9	10.1	0.4	0.4	64	23	4	6	-	-	-	1	-	-	-	-	1	4	-	BIRKENHEAD.																
WALLASEY -	-	66,707	13.3	11.7	13.3	11.7	-	34	15	3	5	-	-	-	-	-	-	-	-	-	1	-	WALLASEY.																
LIVERPOOL -	-	746,144	20.5	20.1	19.6	19.2	2.7	403	275	64	63	-	4	2	6	13	3	11	15	23	92	9	LIVERPOOL.																
BOOTLE -	-	67,114	20.2	16.3	16.3	27.2	2.3	34	35	9	11	-	-	1	-	1	-	1	1	1	5	2	BOOTLE.																
ST. HELENS -	-	82,476	15.8	15.8	19.2	11.8	0.6	47	21	7	5	-	-	-	-	1	-	1	1	1	6	-	ST. HELENS.																
WIGAN -	-	88,606	23.5	24.1	11.8	18.8	1.2	35	32	13	6	-	-	-	-	1	-	1	3	4	2	-	WIGAN.																
WARRINGTON -	-	70,269	18.6	12.6	11.9	20.0	2.2	40	27	6	6	-	-	1	-	2	-	-	1	1	5	-	WARRINGTON.																
BOLTON -	-	182,917	16.7	14.0	16.8	14.0	1.4	93	49	9	17	-	-	1	1	-	2	1	3	5	6	-	BOLTON.																
BURY -	-	58,601	10.6	14.2	15.9	20.4	1.8	30	23	9	7	-	-	-	-	-	-	2	-	-	3	1	BURY.																
MANCHESTER -	-	643,148	18.8	14.9	17.9	18.5	1.0	296	228	44	54	-	5	1	2	3	-	1	11	19	60	2	MANCHESTER.																
SALFORD -	-	236,670	14.5	17.0	14.8	17.8	0.7	123	81	17	22	-	2	-	1	-	-	-	1	7	9	1	SALFORD.																
OLDHAM -	-	141,730	19.9	22.1	18.4	21.0	1.1	67	57	16	12	-	1	-	1	-	-	-	-	2	8	-	OLDHAM.																
ROCHDALE -	-	87,939	17.2	16.0	22.5	17.8	-	41	30	7	7	-	-	-	-	-	-	-	-	1	1	-	ROCHDALE.																
BURNLEY -	-	103,947	18.6	15.0	17.1	17.6	1.5	45	35	12	7	-	1	1	1	-	-	1	1	1	8	-	BURNLEY.																
BLACKBURN -	-	134,880	15.8	18.2	17.4	22.8	1.2	67	59	19	23	-	1	1	1	-	-	1	2	4	7	1	BLACKBURN.																
PRESTON -	-	117,083	17.8	20.5	19.6	18.7	1.3	53	42	9	12	-	1	-	-	1	-	-	2	2	3	1	PRESTON.																
BARROW-IN-FURNESS.	-	61,635	16.1	18.9	13.5	12.7	-	29	15	4	3	-	-	-	-	-	1	-	1	1	1	-	BARROW-IN-FURNESS.																

TOWNS.	COLS.	POPULATION estimated to the middle of 1907.*	DEATH-RATES from all Causes.				Registered Deaths during the week ending 30th Nov., 1907.		The Deaths registered in the Week include											TOWNS.			
			Week ended				11-17.	18-19.	Deaths of Persons aged under 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Unidentified Causes of Death.		
			8th Nov., 1907.	15th Nov., 1907.	23rd Nov., 1907.	30th Nov., 1907.																Week ended 30th November, 1907.	
							7.	8.															9.
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
	HUDDESFIELD	-	13-2	18-1	17-6	13-7	-	41	25	4	7	-	-	-	-	-	-	-	1	3	-	-	HUDDESFIELD.
	HALIFAX	-	21-8	12-3	18-9	14-7	0-5	23	31	5	10	-	-	-	-	-	-	1	4	1	4	-	HALIFAX.
	BRADFORD	-	15-3	14-5	13-8	15-8	0-9	93	88	15	23	-	1	1	1	1	-	1	4	9	20	2	BRADFORD.
	LEEDS	-	13-2	14-2	16-7	16-4	1-4	185	148	27	44	-	10	-	1	2	2	4	4	17	27	-	LEEDS.
	SHEFFIELD	-	16-4	17-2	15-0	14-1	1-0	224	123	25	41	-	2	2	-	2	1	2	5	9	25	3	SHEFFIELD.
	ROTHERHAM	-	13-4	14-2	11-7	19-2	3-3	43	23	4	5	-	-	-	1	2	-	2	-	1	1	1	ROTHERHAM.
	YORK	-	84-730	15-4	22-2	24-0	3-7	34	31	7	10	-	2	-	1	1	2	1	2	4	5	-	YORK.
	HULL	-	268,762	13-1	11-5	19-2	1-4	142	88	18	28	-	-	-	3	3	-	1	4	6	20	-	HULL.
	MIDDLESBROUGH	-	101,783	19-5	20-5	18-4	1-0	51	35	16	7	-	-	-	-	-	-	2	1	5	1	-	MIDDLESBROUGH.
	STOCKTON-ON-TEES	-	52,909	20-7	27-6	9-9	1-0	35	16	3	3	-	1	-	-	-	-	-	-	1	1	-	STOCKTON-ON-TEES.
	WEST HARTLEPOOL	-	75,473	10-4	15-2	15-9	0-7	36	27	9	3	-	-	-	-	1	-	-	1	3	-	-	WEST HARTLEPOOL.
	SUNDERLAND	-	156,029	14-4	15-0	25-1	1-3	95	65	19	18	-	-	-	-	3	-	1	1	4	7	-	SUNDERLAND.
	SOUTH SHIELDS	-	113,460	16-1	17-0	21-1	2-8	65	52	6	17	-	3	-	-	2	1	-	2	2	8	6	SOUTH SHIELDS.
	GATESHEAD	-	125,783	15-3	13-3	17-8	1-7	52	42	11	15	-	-	-	1	-	1	1	3	3	5	-	GATESHEAD.
	NEWCASTLE-ON-TYNE	-	272,969	12-0	16-2	16-4	2-5	137	90	23	18	-	6	-	1	5	-	1	1	8	9	-	NEWCASTLE-ON-TYNE.
	TYNEMOUTH	-	54,688	10-5	21-9	9-5	1-0	41	15	4	3	-	1	-	-	-	-	-	1	1	2	1	TYNEMOUTH.
	NEWPORT (MON.)	-	75,585	11-7	11-0	18-6	8-3	44	12	2	4	-	-	-	-	-	-	-	-	1	-	-	NEWPORT (MON.).
	CARDIFF	-	187,620	15-3	18-6	17-2	1-4	72	55	22	9	-	3	-	-	-	2	5	9	9	-	-	CARDIFF.
	RHONDDA	-	130,400	14-4	22-0	16-4	2-4	86	44	17	6	-	-	1	-	-	1	2	-	-	1	1	RHONDDA.
	MERTHYR TYDFIL	-	76,085	23-3	19-2	15-8	4-8	54	36	9	5	-	2	-	-	1	1	2	-	-	6	-	MERTHYR TYDFIL.
	SWANSEA	-	97,324	16-1	14-5	15-5	0-5	61	41	12	8	-	1	-	-	-	-	2	2	4	1	1	SWANSEA.
	GREATER LONDON-	-	7,217,941	12-5	12-8	13-3	1-2	3462	2120	443	709	-	45	20	43	18	11	31	60	183	689	1	GREATER LONDON.
	OUTER RING	-	2,459,723	9-8	9-3	9-9	1-0	1257	889	127	227	-	11	7	12	9	1	6	16	44	103	-	OUTER RING.
	8 TOWNS IN	-	1,209,285	10-5	9-5	10-0	1-1	680	304	64	112	-	7	6	7	2	-	4	6	24	59	-	8 TOWNS IN
	REMAINDER OF	-	1,250,438	9-1	9-2	9-9	0-8	627	285	63	115	-	4	1	5	7	1	2	10	20	47	-	REMAINDER OF
	OUTER RING	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	OUTER RING.
	EDINBURGH	-	345,747	13-1	12-1	12-8	0-8	148	101	18	33	-	-	-	-	3	1	1	3	?	?	6	EDINBURGH.
	GLASGOW	-	847,584	16-6	17-4	18-3	3-2	434	348	93	75	-	23	1	-	10	1	17	11	?	?	11	GLASGOW.
	DUBLIN (Registra-	-	360,691	22-8	21-4	18-4	0-5	238	162	38	56	-	-	-	-	1	-	3	1	3	62	9	DUBLIN (Registra-
	tion Area),†	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	tion Area),†
	BELFAST	-	370,163	20-4	24-8	23-1	2-3	182	183	37	50	-	8	-	2	-	1	5	2	6	38	6	BELFAST

* See note † on first page of this return.

† Including 4 deaths from Cerebro-spinal meningitis in Glasgow, and 2 from Cerebro-spinal fever in Belfast.

‡ Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2459	2575	2439	2338	2460	2373	2460	2542	2275	2345	2455.1	2205
Males - - -	1253	1358	1259	1191	1234	1171	1244	1206	1128	1180	1232.0	1082
Females - - -	1206	1217	1180	1147	1226	1202	1216	1246	1147	1165	1223.1	1123
TOTAL Deaths -	1725	1599	1695	1572	1785	1708	1578	1932	1623	1406	1687.9	1531
Males - - -	836	797	879	804	910	834	789	983	838	706	853.4	797
Females - - -	889	772	816	768	875	854	789	949	785	700	834.5	734

* The numbers in this column are the average weekly numbers in the forty-eighth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 7.	Sept. 14.	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	13 Weeks.
TOTAL Births -	2207	2333	2178	2341	2162	2183	2198	2450	2379	2393	2342	2214	2205	29585
TOTAL Deaths -	1080	1083	1182	1251	1212	1315	1270	1265	1390	1269	1326	1373	1531	16547
Deaths at														
Under 1 year -	252	251	268	321	302	337	339	319	339	233	268	268	316	3811
1–5 years -	137	103	125	142	140	116	119	104	132	146	149	159	183	1755
5–20 " -	60	59	73	67	69	76	75	77	64	66	78	73	78	915
20–40 " -	133	134	144	142	138	143	157	152	156	149	165	156	169	1938
40–60 " -	226	220	248	238	225	280	245	263	298	250	295	270	303	3339
(60 yrs. & up w. is	272	316	326	341	338	383	335	350	401	425	373	447	482	4789
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	25	10	11	9	5	11	9	16	22	28	21	32	34	293
Scarlet Fever -	13	12	13	14	18	19	25	26	22	16	9	18	13	218
Diphtheria - -	13	11	15	25	25	19	13	11	21	18	21	23	30	245
Whooping-cough -	20	25	30	20	18	18	19	18	18	13	17	16	9	241
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	3	4	6	6	10	6	9	2	6	6	1	9	71
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhoea, Dysentery	61	66	78	118	126	110	88	67	40	36	34	25	25	874
All above Diseases -	135	127	151	192	198	187	160	147	125	117	108	115	121	1883
Dis. of Resp. System	48	47	53	62	66	77	76	86	123	93	110	154	200	1198
Pneumonia - - -	68	75	77	86	83	93	91	80	122	103	141	144	188	1364
Phthisis - - -	122	114	122	127	100	109	114	127	137	103	148	131	161	1615
Dis. of Circ. System	122	149	150	167	149	160	164	172	201	168	177	191	193	2161
Violence - - -	51	45	54	35	55	45	55	28	40	48	53	54	44	607
Inquest Cases - -	115	104	135	109	114	127	117	113	127	103	143	131	139	1577
Deaths in Institutions	469	477	534	514	494	567	525	557	561	572	538	563	583	6954
TEMPERATURE OF THE AIR.														
Mean - - -	56.8	58.6	56.8	58.4	55.4	52.7	51.4	48.8	48.4	49.8	43.8	42.6	42.7	51.2
Mean of Highest -	66.4	71.7	69.1	71.8	64.3	60.1	57.5	57.3	55.1	54.6	50.2	47.6	49.4	59.6
Mean of Lowest -	49.8	47.4	45.9	47.2	48.7	45.6	44.5	40.4	41.6	45.2	36.4	36.2	36.3	43.5
Mean Humidity of the Air.	79	81	73	73	83	85	84	87	91	90	87	92	89	84
Rain-fall (in inches) -	0.44	0.00	0.00	0.03	0.85	1.13	0.87	0.50	0.34	0.03	0.13	0.70	1.37	6.39
Registered Sunshine (in hours)	18.7	41.9	46.0	47.7	22.7	25.0	19.1	22.5	10.2	8.1	11.0	2.6	14.9	290.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	-	1	1	-	-	-	-	-	-	-	-	-	-	4396
Scarlet Fever - -	3816	3872	4020	4328	4542	4752	4995	5197	5467	5604	5689	5686	5676	1125
Diphtheria - - -	845	876	902	967	1065	1143	1180	1236	1256	1287	1298	1293	1279	1125
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	72	83	97	99	109	107	124	126	123	128	130	127	128	112

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. O.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowthorpe, Esq., Leeds; Oxley Grabbam, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-EIGHTH Week of the Year 1907.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 48th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH	Corrected Average for the 48th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1637.9	1531	316	183	78	169	303	182									
Small-pox*	-	-	-	-	-	-	-	Meningitis (not tuberc.)	13.3	10	1	5	4	-	-	-	
Cowpox	-	-	-	-	-	-	-	Gen. Par. of Insane, Insanity	19.0	17	-	-	-	4	4	-	
Measles (Morbilli)	36.0	34	7	25	2	-	-	Epilepsy	6.3	4	1	-	-	-	1	2	
Scarlet Fever	10.0	13	1	8	4	-	-	Convulsions	25.8	19	18	1	-	-	-	2	
Typhus	-	-	-	-	-	-	-	Locomotor Ataxy	3.5	3	-	-	-	-	-	3	
Plague	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	5.1	6	-	-	-	3	1	3	
Influenza	20.3	11	1	-	2	3	5	Nervous Sys., Other Dis.	25.8	18	-	1	2	-	3	12	
Whooping-cough	20.5	9	1	6	2	-	-	Valv. Dis., Endocarditis	49.7	57	-	-	10	8	19	20	
Diphtheria	13.9	30	-	17	13	-	-	Cereb. Ham, Cereb. Emb.	38.5	34	-	-	-	2	11	21	
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	Apoplexy, Hemiplegia	22.3	15	-	-	-	-	3	12	
Pyæmia,† (origin un- certain)	-	1	1	-	-	-	-	Aneurysm	5.7	9	-	-	-	-	6	3	
Enteric Fever	8.8	9	-	1	2	4	2	Embolism, Thrombosis (not Cerebral)	2.7	1	-	-	1	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	Heart & Blood Vess., Other Dis.	98.4	77	-	-	5	5	15	52	
Epidemic Diarrhoea, Infective Enteritis	7.0	8	5	3	-	-	-	Croup (not Spasm: nor Memb.)	0.2	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	13.9	17	12	1	-	-	4	Bronchitis	226.0	177	31	15	-	3	21	104	
Tetanus	0.6	2	1	-	1	-	-	Emphysema, Asthma	7.4	8	-	-	-	1	2	5	
Rabies, Hydrophobia	-	-	-	-	-	-	-	Pleurisy	4.5	4	-	1	-	-	2	1	
Glanders	-	-	-	-	-	-	-	Respiratory Dis., Other	14.7	11	1	1	1	1	1	6	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	Tonsillitis, Quinsy	0.6	2	-	1	1	-	-	-	
Venereal Dis.	7.6	17	14	-	-	3	-	Enteritis (not Epid.)	9.4	12	5	3	-	2	2	2	
Puerperal Septicæmia	2.3	1	-	-	1	-	-	Gastro-enteritis	5.7	10	5	4	-	-	-	1	
Puerperal Pyæmia	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.9	3	-	-	1	1	1	1	
Puerperal Fever	0.8	1	-	-	-	1	-	Cirrhosis of Liver	13.9	15	-	-	-	9	6	2	
Infective Endocarditis	3.3	3	-	1	1	1	-	Liver Dis., Other	3.5	2	-	-	-	-	-	2	
Lobar	15.8	16	-	-	1	3	10	Digestive Sys., Other Dis.	38.5	28	1	1	10	8	8	8	
Broncho	99.7	110	44	45	1	2	4	Acute Nephritis	6.3	8	-	-	2	4	2	2	
Epidemic	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	40.9	49	-	-	1	3	18	27	
Not defined	69.6	62	14	12	3	6	14	Urinary Sys., Other Dis.	12.3	13	-	1	2	1	9	9	
Erysipelas	4.7	4	2	-	-	1	1	Generative Organs Dis.	4.1	3	-	-	-	1	1	1	
Septicæmia (not Puerperal)	1.0	2	1	-	1	-	-	Childbirth (Accid. of)	4.1	4	-	-	4	-	-	-	
Pyæmia (not Puerperal)	2.1	1	-	-	1	-	-	Old Age	61.0	48	-	-	-	-	-	48	
Other Infective Processes	6.5	3	2	-	-	-	1	Other Diseases	114.4	70	55	2	1	3	2	7	
Tuberculous Phthisis	91.1	113	1	5	8	44	48										
"Phthisis"	66.9	48	1	2	2	19	17	ACCIDENT.									
Tuberculous Meningitis	13.9	14	3	6	5	-	-	By Railways	1.2	1	-	-	-	1	-	-	
Tuberculous Peritonitis	7.2	7	5	-	1	1	-	By Vehicles and Horses	6.5	4	-	1	-	2	1	-	
Tubes Mesenterica	3.5	2	1	1	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.6	-	-	-	-	-	-	-	
Tuberculous Dis., Other	18.4	22	5	8	2	2	3	In Building Operations	1.0	-	-	-	-	-	-	-	
Sarcæmia	0.2	-	-	-	-	-	-	In Conflagrations	1.8	1	-	-	-	-	-	1	
Alcoholism	14.7	12	-	-	4	7	1	By Burns, Scalds, Explosions	9.2	3	-	3	-	-	-	-	
Rheumatic Fever	8.8	10	-	-	4	5	1	By Drowning	2.9	1	-	-	1	-	-	-	
Gout	3.5	2	-	-	-	-	2	By Suffocation in Bed	10.6	9	9	-	-	-	-	-	
Carcinoma	59.0	57	-	-	4	24	29	By Poisons or Poisonous Vapours	1.6	4	2	-	1	-	1	1	
Sarcoma	3.9	7	-	-	2	3	2	Other Deaths by Accident	18.4	11	3	2	1	-	-	5	
Cancer (undefined)	40.1	35	-	-	1	19	15										
Diabetes Mellitus	8.6	7	-	-	3	1	3	VIOLENCE OTHER THAN ACCIDENTAL.									
Premature Birth	52.2	60	60	-	-	-	-	Homicide	0.4	-	-	-	-	-	-	-	
								Suicide	10.6	10	-	-	-	5	5	-	
								Execution	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th November, 1907.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (or other origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2205	1531	316	482	-	34	13	30	9	-	9	1	25	44	139	583	
WEST DISTRICTS - - -	805,311	328	239	44	83	-	9	-	2	-	-	-	-	4	6	20	83	
NORTH DISTRICTS - - -	1,056,070	466	338	62	116	-	7	3	3	-	-	2	1	6	10	27	113	
CENTRAL DISTRICTS - - -	209,465	99	86	23	17	-	2	-	1	1	-	-	-	3	4	10	32	
EAST DISTRICTS - - -	715,739	408	282	72	70	-	10	1	2	4	-	4	-	8	8	35	142	
SOUTH DISTRICTS - - -	1,749,844	904	543	115	178	-	6	6	23	4	-	2	-	4	16	47	171	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	42	-	18	-	-	3	-	-	-	1	-	-	-	-	42	
WEST DISTRICTS.																		
North Paddington <i>H</i> - - -	63,603	16	14	3	5	-	-	-	-	-	-	-	-	-	1	1	1	
Central Paddington <i>W, 3H</i> - - -	50,053	27	30	9	10	-	2	-	-	-	-	-	-	2	-	-	16	
South Paddington - - -	30,320	-	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town <i>2W, w, 2H</i> - - -	128,037	57	44	7	17	-	-	-	-	-	-	-	-	-	1	7	17	
Brompton <i>2H</i> - - -	48,591	8	8	1	4	-	-	-	-	-	-	-	-	-	-	1	1	
North Hammersmith <i>2W, w, H</i> - - -	49,192	36	18	5	4	-	4	-	-	-	-	-	-	-	-	1	2	
South Hammersmith <i>w, 2H</i> - - -	63,047	27	16	4	4	-	2	-	-	-	-	-	-	-	1	1	5	
North-west Fulham <i>W</i> - - -	45,180	30	13	3	4	-	-	-	-	-	-	-	-	-	1	1	3	
North-east Fulham <i>F</i> - - -	46,405	24	11	3	3	-	-	-	1	-	-	-	-	1	-	-	1	
South Fulham <i>W</i> - - -	45,704	29	6	2	2	-	-	-	1	-	-	-	-	-	-	-	-	
Chelsea North <i>W, w, 3H</i> - - -	42,514	7	23	-	12	-	-	-	-	-	-	-	-	-	1	3	21	
Chelsea South <i>W, 2H</i> - - -	31,328	10	4	-	3	-	-	-	-	-	-	-	-	-	2	-	-	
Mayfair and Knightsbridge - - -	28,743	5	5	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
Belgrave <i>W, 2H</i> - - -	55,815	21	16	1	4	-	-	-	-	-	-	-	-	1	-	2	6	
St. Margaret & St. John <i>6H</i> - - -	43,698	22	18	4	5	-	-	-	-	-	-	-	-	-	-	-	7	
St. James and St. Anne <i>W, 3H</i> - - -	33,081	9	4	-	-	-	-	-	-	-	-	-	-	-	1	1	3	
NORTH DISTRICTS.																		
All Souls Marylebone <i>8H</i> - - -	35,391	2	16	1	6	-	-	-	-	-	-	-	-	-	1	1	6	
St. Mary Marylebone <i>W, 4H</i> - - -	37,948	32	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone - - -	39,596	19	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone <i>2H</i> - - -	20,426	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead <i>W, F, 6H</i> - - -	81,942	21	25	3	9	-	1	2	1	-	-	-	-	1	3	3	12	
West St. Pancras <i>2H</i> - - -	60,562	33	11	2	2	-	-	-	-	-	-	-	-	-	-	1	2	
South St. Pancras <i>w, 11H</i> - - -	55,707	18	29	7	4	-	-	-	1	-	-	-	-	-	1	2	19	
East St. Pancras <i>W, 2H</i> - - -	60,320	36	24	3	13	-	2	-	-	-	-	-	-	1	1	2	11	
North St. Pancras <i>2W</i> - - -	58,728	32	16	2	6	-	-	-	-	-	-	1	-	-	-	3	6	
Tufnell <i>W</i> - - -	31,995	13	23	6	10	-	-	-	-	-	-	-	-	-	-	2	13	
Upper Holloway <i>2W, w, H</i> - - -	33,978	18	24	2	9	-	1	-	-	-	-	-	-	-	1	1	17	
Tollington <i>W, w, H</i> - - -	33,922	11	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - -	41,424	12	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - -	54,478	29	13	4	1	-	1	-	-	-	-	-	-	2	-	-	-	
Islington South-east <i>F</i> - - -	75,397	39	14	5	5	-	-	-	-	-	-	-	-	-	-	2	-	
Highbury <i>2H</i> - - -	63,797	23	16	3	3	-	1	-	-	-	-	-	1	-	-	-	-	
Stoke Newington <i>H</i> - - -	51,247	16	17	2	9	-	-	1	-	-	-	1	-	-	1	1	1	
North Hackney - - -	50,560	14	14	-	5	-	1	-	-	-	-	-	-	-	-	-	-	
Central Hackney <i>2w, F</i> - - -	50,536	25	9	4	3	-	-	-	1	-	-	-	-	-	-	-	2	
South-west Hackney <i>3H</i> - - -	59,921	33	23	8	8	-	-	-	-	-	-	-	-	2	1	3	8	
South-east Hackney <i>2W, w, H</i> - - -	58,255	32	25	3	11	-	-	-	-	-	-	-	-	-	1	2	10	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th November, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury 2W, 2H	31,436	12	10	1	6	-	-	-	-	-	-	-	-	-	2	3	5	-
Strand W, H	21,874	2	8	-	3	-	-	-	-	-	-	-	-	-	-	1	6	-
Strand Union Workhouse, Edmonton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colborn W, 6H	29,612	18	31	9	4	-	2	-	-	-	-	-	-	-	2	1	3	15
South Clerkenwell	28,876	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
North Clerkenwell H	35,028	12	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras 3H, L	36,118	50	12	8	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Colborn Union Workhouse, Mitcham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H	10,299	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows W, 2H	16,624	3	9	1	-	-	-	-	-	1	-	-	-	-	-	-	1	6
City of London Asylum, Stone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
Shoreditch South H	46,362	33	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-West W, v, H	36,127	26	32	3	16	-	3	-	-	-	-	-	-	-	-	1	-	-
Shoreditch North-East	36,148	19	12	6	2	-	-	-	-	-	-	-	-	-	1	2	28	-
Shoreditch Union Workhouse, Wood Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin's Green North-East 2W	65,138	43	35	7	10	-	-	-	-	1	-	1	-	-	1	1	15	-
St. Martin's Green South-West H	64,542	23	13	6	-	-	-	-	-	-	-	-	-	1	1	2	1	-
St. Paul's Fields	27,969	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Paul's New Town W, H	28,718	24	32	5	5	-	-	-	-	-	-	-	-	-	1	4	30	-
St. Paul's Fields	22,081	10	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. George and St. John 2W	49,068	30	18	7	7	-	-	-	-	-	-	-	-	3	-	-	10	-
St. Andrew and Ratcliff W, H	25,568	4	17	3	1	-	-	1	1	2	-	-	-	-	-	-	11	-
St. Andrew's Workhouse W	32,369	22	6	1	1	-	2	-	-	1	-	1	-	-	-	-	-	-
St. Paul's Old Town South-Western H	63,698	44	9	5	1	-	-	-	-	-	-	-	-	1	-	3	-	-
St. Paul's Old Town North-Eastern W, v	49,129	25	19	3	8	-	-	-	-	-	-	-	-	1	-	1	14	-
St. Paul's Old Town Western H	41,989	23	8	2	-	-	-	-	-	-	-	-	-	-	-	3	-	-
St. Paul's Old Town Eastern W, v	68,319	35	50	13	9	-	4	-	-	-	-	2	-	2	3	12	19	-
St. Paul's Old Town Eastern W, v	58,514	32	16	5	5	-	-	-	-	1	-	-	-	-	1	4	4	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th November, 1907—*continued.*

[illegible]

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th November, 1907.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										
					Infants under 1 year of age.	Persons aged 50 years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	363,302	2,044,973	1257	589	127	227	-	11	7	12	9	1	6	16	44	106	-
Carshalton 2F,3H	12,228	32,997	15	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Epsom, part of* W,2F,H	10,433	15,548	11	5	1	3	-	-	-	-	-	-	-	-	-	2	-
Godstone, part of* W,F,L	2,764	2,692	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,089	8,166	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,309	18	12	4	4	-	-	-	-	-	-	-	-	2	-	-
West Croydon 3W,F,H	2,168	42,888	29	21	1	11	-	-	-	2	-	-	-	-	1	10	-
North Croydon H	2,644	41,698	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Penge w	770	22,465	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham	11,711	30,015	31	7	2	2	-	-	-	-	-	-	-	-	1	-	-
Wimbledon F,3H	3,221	41,652	21	11	3	6	-	-	1	-	-	-	-	-	-	1	-
Kingston 2W,H	8,224	42,068	22	21	3	8	-	-	-	-	-	-	-	-	3	5	8
Surbiton F,H	3,446	15,017	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	4,432	13,190	5	1	1	-	-	-	-	-	1	-	-	-	1	1	-
Hampton H,F,L	4,594	23,466	16	5	-	1	-	-	-	-	-	-	-	-	-	1	-
Richmond W,H	2,491	31,672	11	11	3	5	-	-	-	-	-	-	-	1	3	1	-
Mortlake F	2,518	17,821	12	8	2	5	-	-	-	-	-	-	-	2	2	-	-
Bromley F,2H	4,703	27,356	13	5	1	1	-	-	1	-	-	-	-	-	-	1	-
Beckenham H	7,336	28,497	4	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Orpington part of* W,F	10,113	9,657	7	9	2	3	-	-	-	-	-	1	-	-	-	3	-
Chislehurst 2H	7,333	16,446	9	2	-	2	-	-	-	-	-	-	-	1	1	1	-
Bexley w,F,H	8,678	21,151	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,854	26,296	14	3	1	-	-	-	-	1	1	-	-	-	-	1	2
Dartford W,F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Sunbury w	11,054	18,963	7	8	1	3	-	-	-	1	-	-	-	-	-	-	-
Staines W,H	13,277	15,178	7	3	2	1	-	-	-	-	1	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	4	4	2	1	-	2	-	-	-	-	-	-	-	-	-
Uxbridge H	12,757	8,984	3	2	-	1	-	-	-	-	1	-	-	-	-	1	-
Hayes w,2F,H	8,066	16,368	14	4	-	2	-	-	-	-	-	-	-	-	-	-	-
Isleworth 3W,3F,H	3,859	30,883	18	17	7	6	-	-	-	-	1	-	-	2	1	6	-
Twickenham F,2H	2,421	20,391	14	7	1	5	-	-	-	-	-	-	-	-	-	-	-
Brentford 3F,2H	4,319	48,289	34	8	5	-	-	1	-	-	-	-	-	-	-	-	-
Chiswick H	1,249	29,809	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Acton w,F,3H	6,132	48,914	40	19	3	7	-	-	-	-	-	-	1	-	1	-	-
Harrow F,H	13,800	25,523	22	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Edgware 2F,2H	8,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	76	35	5	17	-	3	1	-	-	-	-	-	2	3	-
Hendon W,F	8,382	22,450	12	4	1	2	-	1	-	-	-	-	-	-	-	-	-
South Mimms 2F,H	17,756	7,308	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet W,2H	3,324	17,970	13	5	-	3	-	-	-	-	-	-	-	-	-	1	-
Finchley F,2H	4,688	33,892	16	10	3	4	-	-	-	-	1	-	-	-	2	1	-
Hornsey F,H	2,875	72,056	23	17	1	7	-	1	-	-	-	-	-	-	1	-	-
Wood Green H	1,825	34,233	22	12	2	3	-	-	-	-	1	-	-	-	-	1	-
West Tottenham	996	48,853	39	7	3	-	-	-	-	-	-	-	-	-	-	-	-
East Tottenham 2H	2,017	53,688	45	21	6	5	-	-	1	-	-	-	-	-	1	2	-
Edmonton W,2F	7,491	61,892	40	17	2	12	-	-	-	-	-	-	-	-	1	3	-
Enfield 2W,F,H	12,601	42,758	20	7	2	-	-	-	-	-	-	-	-	-	-	2	5
Waltham Abbey F	11,017	6,549	5	2	1	-	-	-	-	1	-	-	-	-	1	-	-
Cheshunt F,H	8,479	12,292	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,306	664	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bushey H	9,333	9,173	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,091	52,974	19	13	3	8	-	-	-	-	-	-	-	1	2	2	-
Forest Gate	787	52,745	25	14	1	5	-	-	-	-	-	-	-	-	-	-	-
Plaistow F,2H	1,249	90,921	75	33	8	7	-	-	3	1	-	-	-	-	1	3	6
Canning Town H	1,556	70,718	43	29	9	7	-	-	-	-	2	-	-	-	3	5	1
South East Ham 2F	1,993	37,342	43	18	8	3	-	2	-	3	-	-	-	-	-	2	-
North East Ham w,H	1,333	58,676	46	11	5	4	-	-	-	-	-	-	-	-	-	-	-
Wanstead F	1,679	9,179	2	2	-	2	-	-	-	-	-	-	-	1	-	2	-
South Leyton 2W	631	60,467	30	18	-	13	-	-	1	1	-	-	-	-	-	1	11
North Leyton 2W,w,F	1,963	48,445	26	30	6	9	-	-	-	-	-	-	-	2	-	1	19
Walthamstow 2H,L	8,504	108,929	81	25	6	12	-	1	-	-	-	-	-	1	1	1	-
Chigwell 2F,3H	11,778	16,397	8	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Romford, part of* W,2F	6,556	6,091	1	5	-	2	-	-	-	1	-	-	-	-	-	-	-
Ilford F,L	8,496	41,234	34	12	4	3	-	-	-	-	-	-	-	-	-	2	-
Barking Town F	3,803	21,547	15	6	-	2	-	-	-	-	-	-	-	-	-	1	-
Kent County Lunatic Asylum, Maidstone.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-
Essex County Lunatic Asylum, Brentwood.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, in the Croydon Mental Hospital in 37: 1 are also included.

Births, Deaths, Meteorology, &c.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoea and Cholera.
LONDON - -	4,758,218	November 30	2205	1531	16·8	-	34	13	30	9	10	23
CALCUTTA - -	955,926	October 28	-	538	35·9	-	-	-	2	-	178†	130
BOMBAY - -	882,000	November 12	471	634	33·7	-	-	-	-	1	97†	50
MADRAS - -	548,974	" 1	416	414	42·2	3	3	?	?	?	96†	50
PARIS - -	2,722,731	" 16	914	825	15·7	-	1	1	2	-	4	3
BRUSSELS - -	623,202	" 23	949	867	16·5	-	3	3	3	1	9	3
ANTWERP - -	304,032	" 23	204	148	12·3	-	1	2	-	-	-	1
AMSTERDAM - -	564,342	" 23	135	79	13·6	-	4	-	1	-	1	1
COPENHAGEN - -	433,000	" 23	259	150	13·8	-	3	-	1	1	1	1
STOCKHOLM - -	332,738	" 16	227	109	13·1	-	5	-	-	1	1	1
CHRISTIANIA - -	226,774	" 23	148	90	14·1	-	3	-	2	-	-	-
ST. PETERSBURG - -	1,482,769	" 9	101	50	11·3	-	-	-	3	-	-	-
MOSCOW - -	1,296,000	" 16	822	593	20·8	-	19	20	19	3	25	6
BERLIN - -	2,104,117	" 9	-	577	23·2	-	10	13	7	4	3	3
HAMBURG - -	840,790	" 23	852	639	15·8	-	9	6	17	7	2	7
BRESLAU - -	485,278	" 16	-	-	-	-	-	-	-	-	-	-
MUNICH - -	548,600	" 16	-	194	20·8	-	-	-	5	2	-	2
VIENNA - -	1,979,093	" 23	-	193	16·3	-	1	-	5	-	-	3
PRAGUE - -	470,906	" 23	875	623	16·2	-	4	8	5	-	-	4
BUDA-PESTH - -	802,235	" 16	161	156	17·1	-	2	-	1	-	2	1
TRIESTE - -	200,962	" 23	448	322	20·9	-	5	7	1	1	10	2
ROME - -	542,760	September 7	116	74	19·0	-	-	-	-	1	-	-
VENICE - -	174,398	November 2	211	171	16·4	-	3	-	1	1	53	2
BUCHAREST - -	292,395	" 23	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	4,285,435	" 9	156	140	26·6	-	-	2	-	-	2	-
CHICAGO - -	2,107,620	" 9	2160	1248	15·2	-	5	9	32	3	22	5
PHILADELPHIA - -	1,500,595	September 7	-	520	12·9	-	-	9	12	2	6	2
RIO DE JANEIRO - -	628,275	November 3	-	-	-	-	-	-	-	-	-	-
			-	231	19·1	4	3	-	2	2	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 4 deaths from plague in Calcutta, 23 in Bombay, 1 in Madras, and 2 in Rio de Janeiro.

‡ Including 75 deaths from cholera in Calcutta, 2 in Bombay, and 4 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th November, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	56·1	30·6	42·9	1·37	LEEDS - - -	50·0	29·0	39·9	1·62
BRIGHTON - -	54·9	36·1	46·2	1·63	YORK - - -	48·0	26·0	33·8	0·93
PORTSMOUTH - -	56·0	36·5	46·8	1·24	HULL - - -	50·0	23·0	39·5	0·86
NORWICH - -	54·0	28·0	40·7	1·35	TYNEMOUTH - -	47·9	28·0	37·8	0·70
PLYMOUTH - -	54·8	35·2	46·0	1·22	CARDIFF - - -	51·6	27·8	42·4	1·43
BRISTOL - -	56·0	26·3	42·6	1·33					
BIRMINGHAM - -	52·2	29·0	40·4	1·17	EDINBURGH - -	47·8	29·9	39·6	0·37
NOTTINGHAM - -	52·6	26·1	40·1	1·04	GLASGOW - - -	42·8	25·5	34·6	0·35
LIVERPOOL - -	49·0	28·0	40·2	1·04	PHOENIX Park.	50·9	25·7	39·4	1·56
MANCHESTER. } OBSERVATORY.	49·0	24·9	39·0	1·09	DUBLIN } Fitz- william Square.	49·6	23·8	40·9	1·03
BURNLEY - -	46·2	24·3	37·8	0·66					
BRETON - -	48·5	26·6	39·8	0·86	BELFAST - - -	49·0	23·5	37·9	1·44
HUDDERSFIELD - -	49·4	28·0	38·4	1·34					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to that above was 0·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

1907.

MONTH AND
DAY

[illegible]

GENERAL REMARKS.

DATE.	EMMETRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Horizon, in hours.	Sun above in hours.	GENERAL REMARKS.
NOVEMBER.					
SUNDAY - 24	m. P. throughout.	73	85		Very fine and cloudless with slight exceptions till early evening; becoming overcast shortly after 4h. P.M.; hoar frost in morning; small rain at 11h. 40m. P.M.
MONDAY - 25	w. P. generally till 9h. A.M.; m. P. till 10h. P.M.; a. P. afterwards; v. N. between 4h. and 5h. A.M.	00	84		Overcast till 7h. P.M.; partially cloudy afterwards with fog of variable density prevailing after 4h. P.M.; frequent rain in early morning.
TUESDAY - 26	w. P. with occasional v. N. till 11h. A.M.; w. P. afterwards; w. P. and w. N. till 11h. A.M.; w. P. and v. N. afterwards.	00	83		Generally overcast; frequent rain; brisk wind between 2h. and 5h. 30m. P.M.
WEDNESDAY - 27	w. P. and w. N. till 11h. A.M.; w. P. and v. N. afterwards.	18	83		Overcast with rain in early morning; variable and showery after 6h. A.M.; heavy shower of rain and hail accompanied by lightning and thunder shortly before 5h. P.M.
THURSDAY - 28	w. P. till 2h. P.M.; w. P. generally with occasional m. P. and v. N. afterwards.	22	83		Variably cloudy with very fine intervals; occasional showers.
FRIDAY - 29	w. P. throughout.	00	82		Very fine generally till 7h. A.M.; variably foggy till 2h. P.M.; overcast till 7h. P.M.; fine afterwards; and cloudless after 9h. P.M.
SATURDAY - 30	w. P. till 9h. A.M.; m. P. generally till 6h. P.M.; w. P. afterwards.	36	82		Generally cloudless till noon; cloudy afterwards; much hoar frost in morning.
		Sum 149	Sum 582		
No. of Col. -	27	28	29		

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd November, 1907.*

BOROUGHES	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	5	2	-	1	-	-	2	-	-
Kensington - - -	181,842	-	9	9	-	1	-	-	4	-	1
Hammersmith - - -	122,337	-	12	1	-	-	-	-	-	-	-
Fulham - - -	166,749	-	24	19	-	-	-	-	6	-	-
Chelsea - - -	74,857	-	5	2	-	-	-	-	2	-	-
City of Westminster - -	172,219	-	3	1	-	-	-	-	-	-	-
NORTH.											
St. Marylebone - - -	127,718	-	7	1	-	1	-	-	3	-	-
Hampstead - - -	91,137	-	3	-	-	-	-	-	-	-	-
St. Pancras - - -	236,753	-	14	9	-	4	-	-	5	-	-
Islington - - -	347,017	-	29	17	-	-	-	-	7	-	1
Stoke Newington - - -	53,613	-	9	2	-	1	-	-	3	-	-
Hackney - - -	232,993	-	77	12	-	-	-	-	12	-	-
CENTRAL.											
Holborn - - -	55,134	-	1	4	-	-	-	-	3	-	-
Finsbury - - -	96,732	-	10	3	-	-	-	-	3	-	-
City of London - - -	20,310	-	1	2	-	-	-	-	1	-	-
EAST.											
Shoreditch - - -	115,662	-	29	2	-	-	-	-	6	-	-
Bethnal Green - - -	130,831	-	31	4	-	2	-	-	-	-	-
Stepney - - -	308,923	-	71	14	-	4	2	-	11	1	-
Poplar - - -	171,086	-	35	5	-	1	-	-	5	-	-
SOUTH.											
Southwark - - -	209,781	-	28	10	-	3	-	-	8	2	1
Bermondsey - - -	128,263	-	15	3	-	-	-	-	2	-	-
Lambeth - - -	318,538	-	42	8	-	2	-	-	2	-	-
Battersea - - -	181,736	-	30	8	-	1	-	-	4	1	1
Wandsworth - - -	281,419	-	48	16	-	1	-	-	4	-	-
Camberwell - - -	277,059	-	46	8	-	3	-	-	3	-	-
Deptford - - -	116,510	-	15	4	-	-	-	-	1	-	-
Greenwich - - -	107,222	-	17	5	-	-	-	-	3	-	-
Lewisham - - -	152,532	-	21	8	-	1	-	-	1	-	-
Woolwich - - -	129,336	-	16	4	-	-	-	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,753,218	653	183	-	32	2	-	103	4	5
Ages											
0-1 - - -	-	-	7	5	-	-	-	-	1	-	3
" 1-5 - - -	-	-	179	56	-	3	-	-	10	-	2
" 5- - - -	-	-	278	79	-	3	-	-	4	-	-
" 10- - - -	-	-	110	24	-	4	-	-	5	-	-
" 15- - - -	-	-	35	5	-	5	-	-	7	-	-
" 20- - - -	-	-	21	5	-	6	1	-	6	1	-
" 25- - - -	-	-	17	4	-	4	1	-	8	3	-
" 35- - - -	-	-	5	2	-	4	-	-	25	-	-
" 45- - - -	-	-	1	1	-	1	-	-	18	-	-
" 55- - - -	-	-	-	1	-	2	-	-	10	-	-
" 65 and upwards - -	-	-	-	-	-	-	-	-	14	-	-
Age not stated - - -	-	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 49. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, DEC. 7. [Price 1½d.

General Register Office, Somerset House,
December 9th, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·0 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 14·8, 15·3, and 16·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·2 in Oldham, 23·3 in Merthyr Tydfil, 23·4 in South Shields, 24·0 in Rhondda, 24·8 in Bury, and 25·6 in West Bromwich and in Stockton on Tees; from *measles*, 2·0 in Rhondda, 2·1 in Merthyr Tydfil, 2·9 in Burton on Trent, 3·8 in Tynemouth, 4·3 in Ipswich, and 7·6 in Barrow in Furness; from *diphtheria*, 1·2 in Rochdale, 1·3 in Reading, and 2·0 in Burton on Trent and in Stockton on Tees; and from *whooping-cough*, 1·5 in Hastings and in Oldham, 1·7 in Barrow in Furness, in Gateshead, and in Newcastle on Tyne, 1·9 in Aston Manor, and 3·9 in Bootle. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2345 BIRTHS and 1475 DEATHS were registered. Allowing for increase of population, the births were 41 and the deaths 107 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 14·5, 15·0, and 16·8 per 1000 in the preceding three weeks, was 16·2 last week. The death-rate in the four weeks ended last Saturday averaged 15·6 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1475 deaths included 35 from measles, 19 from scarlet fever, 20 from diphtheria, 18 from whooping-cough, 4 from enteric fever, and 9 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 105 deaths were referred, being 8 below the corrected average number in the forty-ninth week of the preceding five years.

The deaths from *measles*, which had been 21, 32, and 34 in the preceding three weeks, were 35 last week, and were 3 above the corrected average; 5 deaths belonged to the Borough of Islington, 5 each to Shoreditch and Stepney, and 4 to St. Pancras. The deaths from *scarlet fever*, which had been 9, 18, and 13 in the preceding three weeks, rose to 19 last week, and were 11 above the corrected average; 3 deaths belonged to Poplar, and 3 each to Southwark and Wandsworth. The deaths from *diphtheria*, which had been 21, 23, and 30 in the preceding three weeks, fell to 20 last week, the corrected average being 19; 4 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 17, 16, and 9 in the preceding three weeks, rose to 18 last week, but were 8 below the corrected average. The deaths from *enteric fever*, which had been 6, 1, and 9 in the preceding three weeks, numbered 4 last week, and were 6 below the corrected average. The deaths from *diarrhœa*, which had been 34, 25, and 25 in the preceding three weeks, fell to 9 last week, and were 8 below the corrected average. Of the 9 deaths from diarrhœa, 7 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 13 other deaths at this age. The deaths attributed directly to *influenza* numbered 18, having been 12, 9, and 11 in the preceding three weeks. The death of a house-decorator, aged 51 years, was certified after inquest as due to *lead-poisoning*.

Different forms of *violence* caused 61 deaths, concerning all of which inquests were held. Of these 61 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 49 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, nine to burns or scalds, two to building operations, two to drowning, and ten, including nine of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5580 cases of scarlet fever, 1283 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 554 cases, against 636, 597, and 623; of diphtheria, 174 cases, against 202, 156, and 179; and of enteric fever, 20 cases, against 13, 18, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended November 30th, 1907.

GREATER LONDON.

In Greater London 3628 births and 2087 deaths were registered. Allowing for increase of population, these numbers are 54 and 142 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 4 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.44 inches, and that of the Thermometer 42°.2, the latter being 1.0 above the week's average in the 65 years ending 1905. The general direction of the wind was south-westerly, the horizontal movement of the air being 5 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 15.6 hours; the measured rainfall amounted to 0.75 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

793

TOWNS.	The DEATHS registered in the Week include										TOWNS.																																						
	Deaths from																																																
	Deaths of																																																
	Inquest Cases.																																																
Causes of Death.										Deaths in Public										Unsanitary																													
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.										Deaths in Public										Unsanitary									
Deaths from										Deaths of										Inquest Cases.																													

* See note † on first page of this return.

† These towns are included within the area of Greater London.
§ The recent alterations in the boundaries of the Borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 7th December, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.		POPULATION estimated to the middle of the Year 1907.*		DEATH-RATES from all Causes.					Rate from Diseases in Colls. 11-17.		Registered Deaths during the Week ended 7th Dec., 1907.		The DEATHS registered in the Week include										TOWNS.	
				Week ended					16th Nov., 1907.	30th Nov., 1907.	7th Dec., 1907.	Week ended Decem-ber, 1907.	Deaths of											
				Deaths from										Deaths in Public Institutions.		Unclassified Causes of Death.								
				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.					Fever.					Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.		
1.	2.	3.	4.						5.	6.	7.	8.		9.	10.	11.	12.						13.	14.
BIRMINGHAM	-	563,155	15'6	17'4	17'5	16'0	1'2	273	170	44	37	-	-	-	-	2	6	-	4	6	45	11	BIRMINGHAM.	
KINGS NORTON	-	75,600	13'1	12'4	14'5	11'0	-	34	16	5	6	-	-	-	-	-	-	-	1	1	4	2	KINGS NORTON.	
SMETHWICK	-	66,467	11'0	16'5	25'9	10'2	1'6	40	13	3	3	-	-	-	-	-	-	-	1	1	1	1	SMETHWICK.	
ASTON MANOR	-	83,266	9'4	12'5	15'7	10'6	1'9	47	17	6	4	-	-	-	-	-	3	-	2	3	3	-	ASTON MANOR.	
COVENTRY	-	77,626	21'5	18'1	15'4	16'8	0'7	46	25	4	11	-	1	-	-	-	-	-	-	-	6	-	COVENTRY.	
LEICESTER	-	236,124	11'9	14'6	13'7	16'6	0'7	76	75	25	21	-	-	1	-	1	1	5	10	12	-	-	LEICESTER.	
GRIMSBY	-	70,574	16'3	12'6	17'0	10'3	1'5	39	14	4	4	-	-	1	1	-	-	-	-	1	2	2	GRIMSBY.	
NOTTINGHAM	-	257,489	15'8	14'4	17'2	20'9	1'8	127	103	26	37	-	-	2	2	2	2	3	11	16	-	-	NOTTINGHAM.	
DERBY	-	125,774	14'9	12'9	12'9	13'7	0'8	50	33	8	10	-	-	-	-	1	1	-	2	7	-	-	DERBY.	
STOCKPORT	-	100,986	13'4	19'1	18'6	17'6	0'5	51	34	12	7	-	-	-	-	-	-	-	5	7	-	-	STOCKPORT.	
BIRKENHEAD	-	118,563	11'9	7'9	10'1	9'2	-	75	21	4	7	-	-	-	-	-	-	-	1	4	-	-	BIRKENHEAD.	
WALLASEY	-	66,707	11'7	13'3	11'7	11'7	0'8	23	15	3	7	-	-	-	-	-	-	1	1	5	-	-	WALLASEY.	
LIVERPOOL	-	746,144	20'1	19'6	19'2	20'1	2'0	448	287	57	60	-	5	2	1	11	15	8	22	101	10	10	LIVERPOOL.	
BOOTLE	-	67,114	16'3	16'3	27'2	19'4	4'7	31	25	4	3	-	-	-	1	5	-	-	2	2	2	1	BOOTLE.	
ST. HELENS	-	92,476	15'8	19'2	11'8	15'2	-	75	27	10	6	-	-	-	-	-	-	-	3	9	2	2	ST. HELENS.	
WIGAN	-	88,606	24'1	11'8	18'8	17'1	0'6	67	29	5	6	-	-	-	-	1	-	-	1	2	-	-	WIGAN.	
WARRINGTON	-	70,269	12'6	11'9	20'0	16'3	-	29	22	2	5	-	-	-	-	-	-	-	-	4	2	2	WARRINGTON.	
BOLTON	-	182,917	14'0	16'8	14'0	14'3	0'3	83	50	8	16	-	-	-	-	1	-	-	7	9	-	-	BOLTON.	
BURY	-	56,901	14'2	15'9	20'4	24'8	0'9	28	28	9	10	-	-	-	-	-	-	-	2	6	-	-	BURY.	
MANCHESTER	-	643,143	14'9	17'9	18'5	16'1	1'0	352	198†	36	58	-	4	1	-	4	1	2	7	55	3	3	MANCHESTER.	
SALFORD	-	236,670	17'0	14'8	17'8	21'4	2'4	120	97	16	22	-	5	1	2	2	-	1	3	9	23	-	SALFORD.	
OLDHAM	-	141,730	22'1	18'4	21'0	23'2	2'2	69	63	12	14	-	-	-	-	4	1	-	5	7	-	-	OLDHAM.	
ROCHDALE	-	87,999	16'0	22'5	17'8	21'9	1'2	42	37	11	6	-	-	-	-	-	-	-	2	9	-	-	ROCHDALE.	
BURNLEY	-	103,947	15'0	17'1	17'6	22'1	1'5	51	44	8	13	-	-	-	-	-	-	-	3	6	-	-	BURNLEY.	
BLACKBURN	-	134,980	16'2	17'4	22'8	15'1	1'5	59	39	7	10	-	-	-	-	1	1	-	1	1	6	-	BLACKBURN.	
PRESTON	-	117,093	20'5	19'6	18'7	20'5	0'9	67	46	13	10	-	1	-	-	-	-	-	2	2	2	2	PRESTON.	
BARROW-IN-FURNESS.	-	61,635	16'9	13'5	12'7	18'6	9'3	38	22	6	2	-	9	-	-	-	-	-	2	1	-	-	BARROW-IN-FURNESS.	

TOWNS.	COLS.	The DEATHS registered in the Week include										TOWNS.	
		Deaths of											
		Deaths from											
		Infants under 1 year of age.	Persons aged 1 year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.		
POPULATION estimated at the middle of the Year 1907.*		16th Nov., 1907.	23rd Nov., 1907.	30th Dec., 1907.	7th Dec., 1907.	Registered during the Week ended 7th Dec., 1907.		Deaths in Public Institutions.		Inquest Cases.		Unofficial Causes of Death.	
		Week ended		Week ended									

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-NINTH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2489	2677	2339	2299	2374	2225	2448	2185	2462	2338	2386.1	2345
Males - - -	1244	1306	1217	1156	1250	1144	1245	1107	1310	1215	1232.4	1204
Females - - -	1245	1271	1122	1143	1124	1081	1203	1078	1152	1123	1153.7	1141
TOTAL Deaths -	1868	1447	1957	1544	1693	1506	1669	1613	1460	1482	1582.1	1475
Males - - -	950	755	1012	810	859	776	878	887	760	748	818.5	740
Females - - -	916	692	945	734	839	730	791	776	700	734	763.6	735

* The numbers in this column are the average weekly numbers in the forty-ninth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 14	Sept. 21	Sept. 28	Oct. 5	Oct. 12	Oct. 19	Oct. 26	Nov. 2	Nov. 9	Nov. 16	Nov. 23	Nov. 30	Dec. 7	13 Weeks.
TOTAL Births -	2333	2178	2341	2162	2183	2198	2450	2379	2393	2342	2214	2205	2345	29723
TOTAL Deaths -	1083	1182	1251	1212	1315	1270	1265	1390	1269	1326	1373	1531	1475	16942
Deaths -														
Under 1 year -	251	268	321	302	337	339	319	339	233	266	268	316	288	3847
1–5 years -	103	125	142	140	116	119	104	132	146	149	159	183	166	1784
5–20 " -	59	73	67	69	76	75	77	64	66	78	73	78	72	927
20–40 " -	134	144	142	138	143	157	152	156	149	165	156	169	145	1950
40–60 " -	220	248	238	225	260	245	263	298	250	295	270	303	312	3425
60 yrs. & upwds	316	326	341	338	383	335	350	401	425	373	447	482	492	5009
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	10	11	9	5	11	9	16	22	28	21	32	34	35	243
Scarlet Fever -	12	13	14	18	19	25	26	22	16	9	18	13	19	224
Diphtheria - -	11	15	25	25	19	13	11	21	18	21	23	30	20	252
Whooping-cough	25	30	20	18	18	19	18	18	13	17	16	9	18	239
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	4	6	6	10	6	9	2	6	6	1	9	4	72
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea, Dysentery	66	78	118	126	110	88	67	40	36	34	25	25	9	822
All above Diseases -	127	151	192	196	187	160	147	125	117	108	115	121	105	1853
Dis. of Resp. System -														
Pneumonia - -	47	53	62	66	77	76	86	123	96	110	154	200	192	1342
Phthisis - - -	75	77	86	86	98	91	80	122	103	141	144	188	163	1459
Diphtheria - -	114	122	127	100	109	114	127	137	103	148	131	161	119	1612
Dis. of Circ. System -	149	150	167	149	160	164	172	201	166	177	191	193	216	2255
Violence - - -	45	54	35	55	45	55	28	40	48	53	54	44	61	617
Inquest Cases -	104	135	109	114	127	117	113	127	103	143	131	139	131	1593
Deaths in Institutions	477	534	514	494	567	525	557	561	572	538	563	583	583	7068
TEMPERATURE OF THE AIR.														
Mean - - -	58.6	56.8	58.4	55.4	52.7	51.4	48.8	48.4	49.8	43.8	42.6	42.7	42.2	50.1
Mean of Highest -	71.7	69.1	71.8	64.3	60.1	57.5	57.3	55.1	54.6	50.2	47.6	49.4	48.2	58.2
Mean of Lowest -	47.4	45.9	47.2	48.7	45.6	44.5	40.4	41.6	45.2	36.4	36.2	36.3	35.4	42.4
Mean Humidity of the Air.														
Mean - - -	81	73	73	83	85	84	87	91	90	87	92	89	86	85
Rain-fall (in inches) -	0.00	0.00	0.03	0.85	1.13	0.87	0.50	0.34	0.03	0.13	0.70	1.37	0.75	.70
Registered Sunshine (in hours)	41.9	46.0	47.7	22.7	25.0	19.1	22.5	10.2	8.1	11.0	2.6	14.9	15.6	287.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever -	3872	4020	4328	4542	4752	4995	5197	5467	5604	5689	5698	5676	5580	5681
Diphtheria - -	876	902	967	1065	1143	1180	1236	1257	1287	1298	1363	1279	1283	1159
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	83	97	99	109	107	124	126	123	128	130	127	128	121	116

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-NINTH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 49th week of the year 1902-1906.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH	Corrected Average for the 49th week of the year 1902-1906.	1907—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1582.1	1475	288	166	72	145	312	492	Meningitis (not tuberc.)	12.9	9	2	4	1	-	2	-
									Gen. Par. of Insane, Insanity	17.0	18	-	-	-	3	9	6
									Epilepsy	7.4	5	-	-	-	1	3	-
									Convulsions	22.7	15	13	2	-	-	-	-
Small-pox*	-	-	-	-	-	-	-	-	Locomotor Ataxy	1.6	2	-	-	-	-	1	1
Lowpox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	5.1	10	-	-	1	1	6	2
Measles (Morbilli)	32.3	35	7	25	3	-	-	-	Nervous Sys., Other Dis.	23.3	25	1	2	-	4	8	10
Scarlet Fever	8.4	19	-	11	7	1	-	-	Valv. Dis., Endocarditis	51.4	43	-	1	3	5	6	28
Erysiphus	-	-	-	-	-	-	-	-	Cereb. Hæm. Cereb. Emb.	32.5	41	-	-	-	1	7	32
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	23.7	16	-	-	-	-	3	12
Influenza	22.7	18	-	3	-	3	6	6	Aneurysm	3.7	6	-	-	-	2	4	-
Whooping-cough	26.0	18	10	6	2	-	-	-	Embolism, Thrombosis (not Cerebral)	1.4	-	-	-	-	-	-	-
Diphtheria	19.2	20	1	12	7	-	-	-	Heart & Blood Vess., Other Dis.	99.5	110	-	-	1	8	31	70
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	0.2	1	-	1	-	-	-	-
Pyæmia,† (origin uncertain)	0.2	-	-	-	-	-	-	-	Bronchitis	189.7	163	43	9	2	2	21	83
Enteric Fever	9.8	4	-	-	-	1	2	1	Emphysema, Asthma	9.4	7	-	-	-	-	4	3
<i>sh</i> Cholera	-	-	-	-	-	-	-	-	Pleurisy	4.5	7	-	1	-	1	2	3
<i>sh</i> Diarrhœa, Infective Enteritis	6.1	3	2	-	-	1	-	-	Respiratory Dis., Other	15.1	9	1	2	-	1	1	4
<i>sh</i> Dysentery	11.1	6	5	-	-	-	-	1	Tonsillitis, Quinsy	0.8	-	-	-	-	-	-	-
Tetanus	0.6	-	-	-	-	-	-	-	Enteritis (not Epid.)	12.3	15	10	1	-	2	1	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-enteritis	4.7	14	10	3	-	-	1	-
Glanders	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	2.9	3	1	-	-	2	-	-
Anthrax (Splenic Fever)	0.4	-	-	-	-	-	-	-	Cirrhosis of Liver	12.1	15	-	-	-	2	8	5
Venereal Dis.	7.2	6	4	-	-	1	1	-	Liver Dis., Other	5.3	7	-	-	-	1	2	4
Puerperal Septicæmia	2.3	3	-	-	-	3	-	-	Digestive Sys., Other Dis.	34.0	31	4	-	5	7	7	8
Puerperal Pyæmia	-	1	-	-	-	1	-	-	Acute Nephritis	8.0	4	-	-	-	-	2	2
Puerperal Fever	0.6	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	32.3	31	-	1	1	-	17	12
Infective Endocarditis	4.1	3	-	-	1	2	-	-	Urinary Sys., Other Dis.	11.9	11	-	-	-	1	-	10
<i>sh</i> Lobar	13.5	15	1	1	1	4	4	4	Generative Organs Dis.	4.5	6	-	-	-	-	4	2
<i>sh</i> Broncho-	90.3	86	37	32	2	1	2	12	Childbirth (Accid. of)	5.1	5	-	-	-	3	2	-
<i>sh</i> Epidemic	-	-	-	-	-	-	-	-	Old Age	58.5	66	-	-	-	-	-	66
<i>sh</i> Not defined	77.8	62	10	13	3	5	16	15	Other Diseases	83.4	72	45	8	2	4	7	6
Erysipelas	6.3	6	3	-	-	1	1	1	ACCIDENT.								
Septicæmia (not Puerperal)	1.2	2	1	1	-	-	-	-	By Railways	1.0	2	-	-	-	2	-	-
Pyæmia (not Puerperal)	0.8	-	-	-	-	-	-	-	By Vehicles and Horses	4.7	7	-	1	1	3	-	2
Other Infective Processes	7.6	5	1	1	-	2	1	-	In Ships, Boats, Docks, (exclusive of Drowning)	0.4	-	-	-	-	-	-	-
Tuberculous Phthisis	78.6	80	-	1	6	31	35	7	In Building Operations	1.2	2	-	-	-	-	1	1
"Phthisis"	72.5	39	-	-	2	15	19	3	In Conflagrations	0.4	-	-	-	-	-	-	-
Tuberculous Meningitis	18.2	19	3	9	5	1	1	-	By Burns, Scalds, Explosions	9.2	9	1	4	1	-	1	2
Tuberculous Peritonitis	9.2	10	5	4	1	-	-	-	By Drowning	2.0	2	-	-	-	-	1	1
Tubes Mesenterica	1.8	-	-	-	-	-	-	-	By Suffocation in Bed	11.7	10	9	1	-	-	-	-
Tuberculous Dis., Other	16.4	25	6	4	5	5	3	2	By Poisons or Poisonous Vapours	3.5	-	-	-	-	-	-	-
Serofula	0.2	-	-	-	-	-	-	-	Other Deaths by Accident	14.9	17	3	-	4	-	2	8
Alcoholism	10.2	7	-	-	-	4	1	2	VIOLENCE OTHER THAN ACCIDENTAL.								
Rheumatic Fever	5.3	2	-	-	1	-	-	1	Homicide	1.0	1	1	-	-	-	-	-
Gout	2.5	5	-	-	-	-	2	3	Suicide	9.0	11	-	-	-	1	2	6
Carcinoma	57.3	42	-	-	-	3	23	16	Execution	-	-	-	-	-	-	-	-
Sarcoma	5.5	2	-	-	1	1	-	-									
Cancer (undefined)	33.2	43	-	-	-	4	17	22									
Diabetes Mellitus	10.8	8	-	-	1	2	1	4									
Premature Birth	50.8	48	48	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th December, 1907.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.		
					Deaths of Infants under 1 Year of Age.	Persons aged 100 Years and upwards.	Deaths from															
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic* Origin un- certain.	Diarrhœa.	Violence.	Inquest Cases.					
LONDON	- - -	4,536,429	2345	1475	238	492	-	35	19	20	18	-	4	-	9	61	131	583	1			
WEST DISTRICTS	- - -	805,311	351	263	41	101	-	4	1	2	4	-	1	-	3	12	27	112	1			
NORTH DISTRICTS	- - -	1,066,070	518	320	59	106	-	12	6	6	4	-	1	-	4	16	33	115	-			
CENTRAL DISTRICTS	- - -	209,465	118	59	15	16	-	1	-	-	-	-	-	-	1	3	23	-	-			
EAST DISTRICTS	- - -	715,739	415	254	72	58	-	12	-	2	5	-	-	-	1	20	44	105	-			
SOUTH DISTRICTS	- - -	1,749,844	943	545	101	204	-	6	11	9	5	-	2	-	1	12	23	189	-			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	}	-	-	34	-	7	-	-	1	1	-	-	-	-	-	-	1	34	-			
WEST DISTRICTS.																						
North Paddington	H - - -	63,603	25	10	4	3	-	-	-	-	1	-	1	-	-	-	-	-	-			
Central Paddington	W,3H - - -	50,053	24	31	3	10	-	-	-	-	-	-	-	-	-	3	4	22	-			
South Paddington	- - -	30,320	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Kensington Town	2W,w,2H - - -	128,037	58	59	11	25	-	-	-	-	1	-	-	-	-	5	8	23	-			
Brompton	2H - - -	48,591	5	8	-	4	-	-	-	-	-	-	-	-	1	-	-	-	-			
North Hammersmith	2W,w,H - - -	49,192	18	25	3	7	-	-	-	-	-	-	-	-	-	1	2	8	-			
South Hammersmith	w,3H - - -	63,047	29	25	4	8	-	1	-	-	-	-	-	-	-	-	3	9	-			
North-west Fulham	W - - -	45,180	37	13	3	4	-	-	-	-	-	-	-	-	2	1	1	7	-			
North-east Fulham	F - - -	46,405	29	13	2	5	-	-	1	2	-	-	-	-	-	-	1	3	-			
South Fulham	W - - -	45,704	25	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1			
Chelsea North	W,w,3H - - -	42,514	16	30	2	18	-	-	-	-	2	-	-	-	-	-	2	22	-			
Chelsea South	W,2H - - -	31,328	23	11	1	3	-	2	-	-	-	-	-	-	-	-	1	-	-			
Mayfair and Knightsbridge	- - -	28,743	4	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-			
Belgrave	W,3H - - -	55,815	25	16	3	5	-	-	-	-	-	-	-	-	-	2	2	7	-			
St. Margaret & St. John	6H - - -	43,868	20	8	2	2	-	1	-	-	-	-	-	-	-	-	1	4	-			
St. James and St. Anne	W,6H - - -	33,081	8	3	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-			
NORTH DISTRICTS.																						
All Souls Marylebone	3H - - -	35,391	14	12	2	1	-	-	-	-	-	-	-	-	-	-	1	4	-			
St. Mary Marylebone	W,4H - - -	37,948	45	13	2	7	-	-	-	-	-	-	-	-	-	-	1	6	-			
Christchurch Marylebone	- - -	38,536	16	7	2	2	-	-	-	-	-	-	-	-	-	2	3	-	-			
St. John Marylebone	2H - - -	20,426	18	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
Hampstead	W,F,6H - - -	81,942	36	21	1	8	-	-	3	-	1	-	-	-	-	-	-	8	-			
West St. Pancras	2H - - -	60,562	27	16	2	3	-	-	-	-	-	-	-	-	-	1	2	3	-			
South St. Pancras	w,12H - - -	55,707	19	18	-	6	-	-	-	-	-	-	-	-	-	2	2	10	-			
East St. Pancras	W,2H - - -	60,320	32	22	3	10	-	-	-	-	-	-	-	-	-	-	2	13	-			
North St. Pancras	3W - - -	58,728	28	20	7	3	-	4	-	-	1	-	-	-	1	-	1	7	-			
Tufnell	W - - -	31,995	21	25	4	11	-	1	-	-	-	-	-	-	1	-	-	18	-			
Upper Holloway	2W,w,H - - -	33,973	18	21	1	6	-	2	-	-	1	-	-	-	-	1	3	14	-			
Tollington	W,w,H - - -	33,922	14	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Lower Holloway	- - -	41,424	26	10	4	3	-	-	-	-	-	-	-	-	-	1	1	-	-			
Barnsbury	- - -	54,478	34	14	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-			
Islington South-east	F - - -	75,397	31	12	4	3	-	1	-	1	-	-	-	-	-	1	3	1	-			
Highbury	2H - - -	63,797	26	16	4	7	-	-	-	-	-	-	-	-	-	3	5	-	-			
Stoke Newington	H - - -	51,247	19	10	2	4	-	1	-	1	-	-	-	-	-	1	1	-	-			
North Hackney	- - -	50,560	26	10	4	3	-	2	-	-	1	-	-	-	-	-	-	-	-			
Central Hackney	2w,F - - -	50,536	25	14	1	4	-	1	3	4	-	-	-	-	-	-	-	8	-			
South-west Hackney	3E - - -	59,921	25	18	4	3	-	-	-	-	-	-	-	-	-	2	2	9	-			
South-east Hackney	2W,w,H - - -	58,255	23	29	5	12	-	-	-	-	-	-	1	-	1	2	5	14	-			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enume- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include																
			Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 1 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
Hilles and Bloomsbury 2W,2H -	- 31,436	25	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
nd W,4H -	- 21,874	4	7	1	3	-	-	-	-	-	-	-	-	-	-	-	5	-	-
nd Union Workhouse, Edmonton-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	1	5	-	-
orn W,6H -	- 29,612	9	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	6	-
sh Clerkenwell -	- 28,876	16	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
th Clerkenwell H -	- 35,028	24	9	4	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-
bury 3H,L -	- 36,116	34	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
orn Union Workhouse, } tcham - }	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph H -	- 10,289	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
epulchre and Allhallows W,2H of London Asylum, Stone	- 16,624	3	8	-	2	-	-	-	-	-	-	-	-	-	1	1	8	-	-
EAST DISTRICTS.																			
editch South H -	- 46,362	13	13	3	1	-	-	-	-	-	-	-	-	-	1	3	2	-	-
editch North-West W,w,H -	- 36,127	17	26	2	8	-	5	-	-	-	-	-	-	-	1	3	13	-	-
editch North-East -	- 34,148	22	8	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
editch Union Workhouse, Wood } en - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ial Green North-East 2W }	- 65,138	35	29	7	10	-	-	-	-	-	-	-	-	-	1	3	17	-	-
ial Green South-West H -	- 64,542	34	9	2	3	-	1	-	-	-	-	-	-	-	1	2	-	-	-
lfields -	- 27,969	14	4	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
End New Town W,H -	- 28,718	22	37	2	3	-	3	-	-	-	-	-	-	-	5	1	35	-	-
man's Fields -	- 22,081	6	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-
orge and St. John 2W -	- 49,068	42	10	4	1	-	-	-	-	-	-	-	-	-	1	-	5	-	-
vell and Ratcliff W,H -	- 26,568	11	16	7	3	-	-	-	1	3	-	-	-	-	-	4	5	9	-
mhouse W -	- 32,369	15	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
End Old Town South- }	- 63,698	41	10	5	1	-	-	-	-	1	-	-	-	-	-	1	1	1	-
End Old Town North- }	- 49,129	37	16	7	5	-	2	-	-	-	-	-	-	-	-	4	4	-	-
oy 3w,H -	- 41,989	23	12	2	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-
W,w -	- 68,319	54	45	13	14	-	1	-	1	-	-	-	-	-	3	8	21	-	-
	- 56,514	29	11	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 7th December, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwds	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
LONDON—OUTER RING						117	216	-	6	6	10	6	1	5	18	40	112	1		
30: 1	Carshalton 2F,3H	12,228	32,997	20	8	2	4	-	-	-	-	-	-	-	-	-	1	-		
2	Epsom, part of* W,w,2F,H-	10,423	15,548	8	6	1	2	-	-	-	-	1	-	-	-	-	1	-		
37: 1	Godstone, part of* W,F,L-	2,764	2,892	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Coulsdon	11,089	8,186	3	4	2	2	-	-	-	-	-	-	-	1	1	-	-		
2	South Croydon w	4,200	49,309	21	7	2	2	-	-	-	-	-	-	-	-	1	-	-		
3	West Croydon 3W,F,H	2,163	42,888	28	21	2	8	-	1	-	-	-	-	-	1	2	11	-		
4	North Croydon H	2,844	41,898	17	10	-	7	-	-	-	-	-	-	-	-	-	1	-		
5	Penge w	770	22,465	6	15	-	-	-	-	-	-	-	-	-	-	-	-	-		
6	Mitcham	11,711	30,015	15	15	1	3	-	-	-	2	-	-	-	1	2	-	-		
39: 1	Wimbledon F,3H	3,221	41,652	21	6	-	3	-	-	1	-	-	-	-	-	-	1	-		
2	Kingston 2W,H	6,224	42,068	21	9	1	3	-	-	-	-	1	1	-	-	1	5	-		
3	Surbiton F,H	3,346	15,017	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of* H	5,402	13,100	12	5	1	2	-	-	-	-	-	-	-	-	1	1	-		
5	Hampton H,F,L	4,584	23,456	11	5	1	1	-	-	-	1	-	-	-	-	-	-	-		
40: 1	Richmond W,H	2,491	31,672	12	12	2	7	-	-	-	-	-	-	-	-	-	1	-		
2	Mortlake F	2,518	17,821	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
41: 1	Bromley F,2H	4,703	27,354	13	8	1	2	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	7,825	28,497	7	5	-	2	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington part of* W,F	10,113	9,857	3	3	-	2	-	-	-	-	-	-	-	-	-	2	-		
4	Chislehurst 2H	7,393	16,446	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
42: 1	Bexley w,F,H	8,678	21,151	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Erith F,H	3,854	25,296	15	7	3	1	-	-	-	-	-	-	1	1	1	-	-		
3	Dartford W,F, part of*	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	2	-		
124: 1	Sunbury w	11,054	18,683	10	5	-	2	-	2	-	-	-	-	-	-	-	-	-		
2	Staines W,H	13,277	15,178	13	2	-	1	-	-	-	-	-	-	-	-	-	1	-		
125: 1	Hillingdon W,F,H	6,035	13,661	12	9	-	7	-	-	-	-	-	-	-	-	-	3	-		
2	Uxbridge H	12,757	8,984	4	5	1	2	-	-	-	-	-	-	-	-	-	1	-		
3	Hayes w,2F,H	8,066	16,358	16	4	-	2	-	1	-	-	-	-	-	-	-	-	-		
126: 1	Isleworth 3W,3F,H	6,859	30,863	23	13	1	7	-	-	1	-	-	-	-	-	-	3	-		
2	Twickenham F,2H	2,421	20,991	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford 3F,2H	4,319	45,289	25	13	1	7	-	-	-	1	-	-	-	-	-	1	-		
4	Chiswick H	1,249	29,809	18	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
5	Acton w,F,3H	6,132	48,914	45	15	2	7	-	-	-	-	-	-	-	-	-	-	-		
127: 1	Harrow F,H	13,809	25,523	15	6	2	1	-	-	-	-	-	-	-	-	-	1	-		
2	Edgware 2F,3H	6,994	4,521	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,F,2H	4,384	114,811	88	53	18	19	-	2	-	-	-	-	-	-	-	11	1		
4	Hendon W,F	8,382	22,450	13	4	1	3	-	-	-	-	-	-	-	-	-	1	-		
128: 1	South Mimms 2F,H	17,755	7,308	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	5,324	17,970	4	4	-	4	-	-	-	-	-	-	-	1	1	-	-		
3	Finchley F,2H	4,888	35,692	23	10	3	3	-	1	-	-	-	-	-	-	-	1	-		
129: 1	Hornsey F,H	2,875	72,056	29	14	3	6	-	-	-	-	-	-	-	-	-	1	-		
2	Wood Green H	1,625	34,233	22	15	4	4	-	-	-	1	-	-	-	-	-	1	-		
3	West Tottenham	998	48,653	35	9	-	3	-	-	-	-	-	-	-	-	-	-	-		
4	East Tottenham 2H	2,017	53,688	37	25	8	4	-	-	-	-	-	-	-	4	8	5	7		
5	Edmonton W,w,2F	7,491	61,892	55	19	4	6	-	1	-	-	-	-	-	-	-	-	-		
6	Enfield 2W,F,H	12,601	42,738	29	13	2	3	-	-	-	1	-	-	-	1	3	2	-		
7	Waltham Abbey F	11,017	6,549	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	6	5	-	3	-	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey H	9,333	9,173	5	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
2	Watford W,2F part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
138: 1	Stratford H	1,091	52,974	26	17	3	3	-	-	-	-	-	-	-	3	3	4	-		
2	Forest Gate	787	52,745	20	11	3	6	-	-	-	1	-	-	-	1	2	7	-		
3	Plaistow F,2H	1,249	90,921	77	25	7	4	-	-	1	2	3	-	-	-	3	1	-		
4	Canning Town H	1,556	70,718	55	19	6	3	-	-	-	-	-	-	-	-	-	-	-		
5	South East Ham 2F	1,993	37,342	33	7	1	3	-	-	-	-	-	-	-	-	-	-	-		
6	North East Ham w,H	1,333	58,676	27	3	-	5	-	-	-	-	-	-	-	1	1	1	-		
7	Wanstead F	1,679	9,179	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton 2W	631	50,467	37	12	4	3	-	-	-	-	-	-	-	-	-	3	-		
9	North Leyton 2W,w,F	1,983	48,445	33	38	4	11	-	1	1	-	-	-	2	-	21	-	-		
10	Walthamstow 2H,L	6,504	108,929	85	28	8	7	-	-	-	-	-	-	1	-	2	-	-		
137: 1	Chigwell 2F,3H	11,778	16,397	13	6	1	4	-	-	-	-	-	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, part of* W,2F	6,556	6,091	8	3	2	1	-	-	-	-	-	-	-	-	-	3	-		
2	Ilford F,L	8,498	41,234	29	14	2	4	-	-	-	-	1	-	-	-	1	-	-		
3	Barking Town F	3,803	21,547	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
N.E. Hospital, Tottenham						-	-	-	-	-	-	-	-	-	-	-	1	5		
Middlesex County Lunatic Asylum, Napsbury.						-	-	-	-	-	-	-	-	-	-	-	-	3		
Essex County Lunatic Asylum, Brentwood.						-	-	-	-	-	-	-	-	-	-	-	-	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 137: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and RATE of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	December 7	2345	1475	16·2	-	35	19	21	18	4	9
CALCUTTA - -	955,926	November 2	-	633	38·8	3	-	-	-	2	174†	103
BOMBAY - -	982,000	" 19	469	620	33·0	2	1	-	-	-	93†	61
MADRAS - -	548,974	" 8	399	362	36·9	-	1	-	-	-	99	57
PARIS - - -	2,722,731	" 30	994	968	17·3	-	-	5	7	2	3	28
BRUSSELS - -	623,202	" 30	180	153	12·7	-	2	1	1	1	1	14
ANTWERP - -	304,032	" 30	148	92	15·7	-	2	1	1	1	-	9
AMSTERDAM -	564,342	" 30	278	162	15·0	-	3	-	2	-	5	9
COPENHAGEN -	493,000	" 30	242	124	14·9	-	5	-	1	2	-	7
STOCKHOLM -	332,738	" 23	172	81	12·7	-	-	2	2	2	-	2
CHRISTIANIA -	226,774	" 30	108	58	13·2	-	-	-	1	-	-	1
ST. PETERSBURG	1,482,769	" 16	821	605	21·3	-	16	20	21	8	13	53
MOSCOW - -	1,296,000	" 23	-	635	25·5	1	8	9	13	6	4	70
BERLIN - - -	2,107,179	" 16	935	679	16·8	-	11	1	20	7	2	43
HAMBURG - -	840,790	" 30	-	257	16·2	-	3	-	4	2	1	23
BRESLAU - -	485,278	" 23	-	197	21·2	-	1	-	4	3	-	15
MUNICH - - -	548,000	" 23	-	189	17·9	-	2	1	3	-	-	20
VIENNA - - -	1,979,003	" 30	816	617	16·0	-	6	6	9	2	3	40
PRAGUE - - -	470,906	" 30	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	802,235	" 23	365	308	20·0	-	13	11	1	1	3	18
TRIESTE - - -	200,962	" 30	127	102	36·1	-	-	-	1	-	3	8
ROME - - -	542,760	September 14	-	-	-	-	-	-	-	-	-	-
VENICE - - -	174,398	November 9	-	-	-	-	-	-	-	-	-	-
BUCHAREST -	292,395	" 30	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	4,285,435	" 16	2262	1299	15·8	-	5	15	27	1	20	57
CHICAGO - - -	2,107,620	" 16	-	525	13·0	-	2	18	12	2	14	23
PHILADELPHIA -	1,500,595	September 14	-	-	-	-	-	-	-	-	-	-
RIO DE JANEIRO	628,275	November 10	-	237	19·6	4	1	-	2	1	2†	?

* Excluding deaths from croup in the Indian Cities.

† Including 12 deaths from plague in Calcutta, 18 in Bombay, and 1 in Rio de Janeiro.

‡ Including 70 deaths from cholera in Calcutta, 3 in Bombay, and 7 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th December, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest	Mean.*	
LONDON (Greenwich) }	51·5	32·1	41·8	0·75	LEEDS - - -	43·0	33·0	40·9	0·99
BRIGHTON - -	54·1	32·1	43·8	1·15	YORK - - -	48·4	30·0	40·2	0·88
PORTSMOUTH -	55·2	32·5	44·5	1·35	HULL - - -	50·0	32·0	40·4	0·65
NORWICH - - -	53·4	30·4	39·6	0·90	TYNEMOUTH -	49·0	30·0	38·9	0·90
PLYMOUTH - -	53·8	34·8	46·4	2·17	CARDIFF - -	54·4	28·5	41·3	3·05
BRISTOL - - -	54·5	29·0	42·4	2·52					
BIRMINGHAM -	49·0	32·1	40·4	1·02	EDINBURGH -	46·7	31·5	38·8	0·69
NOTTINGHAM -	53·0	29·2	40·2	0·87	GLASGOW - -	49·0	24·5	33·9	1·38
LIVERPOOL - -	52·0	28·0	41·3	1·01					
MANCHESTER } OBSERVATORY.	49·8	27·8	39·5	1·73					
BURNLEY - - -	51·1	31·5	39·9	2·36	DUBLIN } Phoenix Park. Ritz- william Square.†	52·3	33·8	41·9	0·90
BRETON - - -	49·0	35·0	41·3	1·88					
HUDDERSFIELD -	48·7	29·8	39·6	1·29	BELFAST - -	49·0	29·0	39·3	0·44

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

1907.

MONTH AND DAY

DECEMBER.

SUNDAY - 1

MONDAY - 2

TUESDAY - 3

WEDNESDAY - 4

THURSDAY - 5

FRIDAY - 6

SATURDAY - 7

MEANS -

No. of Column -

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

Phases of the Moon.

In Equator

..

..

..

New

Perigee

Gr. Dec. 8.

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

BAROMETER.

Mean daily reading

and reduced to 32° Fahr.

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

..

Of the Air.

Daily Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Difference between the Air Temperature and the Dew Point

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Degree of Humidity

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Of the Barometer

Daily Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Of the Thermometer

Daily Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

High-est.

Mean

Daily

Range.

Low-est.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th November, 1907.*

BOROUGHES	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	17	2	-	-	-	-	1	-	-
Kensington - - -	181,842	-	10	13	-	1	-	-	2	-	-
Hammersmith - - -	122,337	-	14	4	-	2	-	-	-	-	-
Fulham - - -	166,749	-	17	13	-	1	-	-	1	-	-
Chelsea - - -	74,857	-	5	9	-	1	-	-	-	-	-
City of Westminster - -	172,219	-	10	1	-	1	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	11	4	-	-	-	-	8	-	-
Hampstead - - -	91,137	-	9	4	-	1	-	-	-	-	-
St. Pancras - - -	236,753	-	10	10	-	1	-	-	4	-	-
Islington - - -	347,017	-	29	14	-	2	-	-	5	1	-
Stoke Newington - - -	53,613	-	7	2	-	1	-	-	-	-	-
Hackney - - -	232,993	-	66	21	-	2	-	-	8	-	-
CENTRAL.											
Holborn - - -	55,134	-	4	-	-	-	-	-	1	-	-
Finsbury - - -	96,732	-	14	2	-	-	-	-	1	-	-
City of London - - -	20,310	-	8	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	21	1	-	2	-	-	3	-	1
Bethnal Green - - -	130,831	-	25	4	-	2	-	-	3	-	-
Stepney - - -	308,923	-	82	15	-	4	-	-	14	-	-
Poplar - - -	171,086	-	43	13	-	2	-	-	8	-	-
SOUTH.											
Southwark - - -	209,781	-	31	5	-	-	-	-	2	-	-
Bermondsey - - -	128,263	-	30	3	-	1	-	-	1	-	-
Lambeth - - -	318,538	-	42	11	-	1	-	-	3	-	-
Battersea - - -	181,736	-	15	11	-	-	-	-	6	-	-
Wandsworth - - -	281,419	-	38	15	-	2	-	-	2	-	-
Camberwell - - -	277,059	-	44	15	-	8	-	-	5	-	-
Deptford - - -	116,510	-	19	3	-	4	-	-	2	-	-
Greenwich - - -	107,222	-	20	5	-	1	-	-	4	-	-
Lewisham - - -	152,532	-	15	17	-	1	-	-	1	-	-
Woolwich - - -	129,336	-	13	9	-	-	-	-	5	-	-
Port of London - - -	-	-	1	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
} 4,758,218		-	668	227	-	41	-	-	91	1	1
AGES.											
Ages 0-1 - - -	-	-	11	6	-	-	-	-	1	-	-
" 1-5 - - -	-	-	168	75	-	1	-	-	5	-	1
" 5- - - -	-	-	302	83	-	7	-	-	3	-	-
" 10- - - -	-	-	114	30	-	4	-	-	1	-	-
" 15- - - -	-	-	30	7	-	3	-	-	7	-	-
" 20- - - -	-	-	19	14	-	6	-	-	2	-	-
" 25- - - -	-	-	14	6	-	14	-	-	12	-	-
" 35- - - -	-	-	9	4	-	5	-	-	22	1	-
" 45- - - -	-	-	1	2	-	1	-	-	12	-	-
" 55- - - -	-	-	-	-	-	-	-	-	12	-	-
" 65 and upwards - -	-	-	-	-	-	-	-	-	14	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 50. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, DEC. 14. [Price 1½d.

*General Register Office, Somerset House,
December 16th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 15·3, 16·6, and 16·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 22·2 in York, 23·3 in Newcastle on Tyne, 24·0 in Merthyr Tydfil, 24·1 in West Bromwich, 26·6 in Stockton on Tees, 27·6 in Rhondda, and 28·9 in Preston; from *measles*, 2·0 in Stockton on Tees, 2·3 in Bootle, 2·7 in Merthyr Tydfil, 2·9 in Tynemouth, 4·3 in York, and 5·9 in Barrow in Furness; from *scarlet fever*, 1·1 in Walsall; from *diphtheria*, 1·1 in East Ham, 1·4 in Newport (Mon.), and 1·9 in Halifax; from *whooping-cough*, 1·1 in Northampton, 1·2 in Gateshead, 1·5 in Hastings and in Warrington, 1·6 in Bootle, and 1·9 in Newcastle on Tyne; and from *diarrhoea*, 2·3 in West Bromwich. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2123 BIRTHS and 1446 DEATHS were registered. Allowing for increase of population, the births were 288 and the deaths 236 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 15·0, 16·8, and 16·2 per 1000 in the preceding three weeks, was 15·8 last week. The death-rate in the four weeks ended last Saturday averaged 16·0 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1446 deaths included 23 from measles, 13 from scarlet fever, 15 from diphtheria, 18 from whooping-cough, 2 from enteric fever, and 10 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 81 deaths were referred, being 40 below the corrected average number in the fiftieth week of the preceding five years.

The deaths from *measles*, which had been 32, 34, and 35 in the preceding three weeks, fell to 23 last week, and were 21 below the corrected average; 3 deaths belonged to the Borough of Paddington, and 3 to Battersea. The deaths from *scarlet fever*, which had been 18, 13, and 19 in the preceding three weeks, fell to 13 last week, the corrected average being 12; 3 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 23, 30, and 20 in the preceding three weeks, fell to 15 last week, and were 2 below the corrected average; 3 deaths belonged to Hackney. The deaths from *whooping-cough*, which had been 16, 9, and 18 in the preceding three weeks, were again 18 last week, and were 6 below the corrected average; 4 deaths belonged to Woolwich, and 3 each to Lambeth and Wandsworth. The deaths from *enteric fever*, which had been 1, 9, and 4 in the preceding three weeks, were 2 last week, and were 6 below the corrected average. The deaths from *diarrhoea*, which had been 25, 25, and 9 in the preceding three weeks, were 10 last week, and were 6 below the corrected average; 3 deaths belonged to Hackney. The 10 deaths from diarrhoea were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 other deaths at this age. The deaths attributed directly to *influenza* numbered 19, having been 9, 11, and 18 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all but 1 of which inquests were held. Of these 62 deaths, 9 were cases of suicide, and 1 of homicide, while the remaining 52 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, nine to burns or scalds, six to drowning, two to building operations, two to a conflagration, one to the effects of an anæsthetic administered for surgical purposes, and thirteen, including twelve of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5352 cases of scarlet fever, 1279 of diphtheria, and 122 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 500 cases, against 597, 623, and 554; of diphtheria, 160 cases, against 156, 179, and 174; and of enteric fever, 20 cases, against 18, 23, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 7th, 1907.

GREATER LONDON.

In Greater London 3274 births and 2011 deaths were registered. Allowing for increase of population, these numbers are 479 and 346 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from scarlet fever, 5 from diphtheria, 3 from whooping-cough, 1 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·16 inches, and that of the Thermometer 45°·2, the latter being 4·7 above the week's average in the 65 years ending 1905. The general direction of the wind was south-westerly, the horizontal movement of the air being 69 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 16·7 hours; the measured rainfall amounted to 1·82 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	COLS.	POPULATION to the middle of the Year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases during the Week ended 14th Dec. 1907.		The DEATHS registered in the Week include											TOWNS.							
			Week ended				7	8.	9.	10.	Deaths of						Deaths from					19.	20.	21.			
			23rd Nov., 1907.	30th Nov., 1907.	7th Dec., 1907.	14th Dec., 1907.					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.		Violence.						
																									Un- certified Causes of Death.	Deaths in Public Institutions.	Inquest Causes.
76 TOWNS		16,024,458	15.3	16.6	16.0	16.1	1.2	7503	4954	1089	1526	-	107	40	57	95	28	47	170	391	1239	32					76 TOWNS.
LONDON -		4,753,218	15.0	16.8	16.2	15.8	0.9	2123	1446	294	491	-	23	13	15	18	2	10	62	157	565	3					LONDON.
ORGYDON -		154,342	9.5	10.8	11.8	14.9	0.7	68	44	10	12	-	1	-	1	-	-	-	1	2	14	-					(ORGYDON.
WILLESDEN -		149,182	8.4	12.2	19.6	11.2	1.7	53	32	9	7	-	4	1	-	-	-	-	1	3	3	-					WILLESDEN.
HORNSEY -		89,816	4.6	9.9	8.1	9.3	-	28	16	2	4	-	-	-	-	-	-	-	1	1	5	-					TOTTENHAM.
TOTTENHAM -		122,783	12.7	12.7	14.0	10.2	-	53	24	6	8	-	-	-	-	2	-	1	2	4	16	-					WEST HAM.
WEST HAM -		308,284	10.8	17.6	14.9	12.5	0.8	163	74	19	17	-	1	1	-	1	-	2	4	5	-	-					EAST HAM.‡
EAST HAM‡ -		136,421	9.2	11.8	6.9	13.0	4.5	60	34	11	5	-	-	-	3	-	-	-	1	8	-	-					LEYTON.
LEYTON -		122,040	7.3	11.1	13.7	10.3	0.4	61	24	5	9	-	-	-	1	-	-	1	-	-	5	-					(WALTHAMSTOW.
(WALTHAMSTOW -		128,397	14.9	12.0	13.2	9.5	0.8	63	23	4	8	-	-	-	1	-	-	1	-	-	-	-					HASTINGS.
HASTINGS -		67,477	10.8	17.8	17.0	10.8	3.1	19	14	4	6	-	-	1	-	2	-	1	-	-	-	-					BRIGHTON.
BRIGHTON -		129,023	11.7	13.7	11.7	11.7	0.4	49	29	4	12	-	-	-	-	1	-	-	1	6	4	-					PORTSMOUTH.
PORTSMOUTH -		238,291	14.8	16.0	11.3	12.5	0.5	80	50	8	19	-	-	-	2	-	-	-	-	1	10	-					BOURNEMOUTH.
BOURNEMOUTH -		69,246	7.5	15.8	6.0	11.3	0.8	24	15	1	5	-	-	-	-	-	1	-	2	4	1	-					SOUTHAMPTON.
SOUTHAMPTON -		119,745	12.6	13.9	10.0	10.9	0.4	42	25	2	7	-	-	-	-	1	-	-	-	4	5	-					READING.
READING -		80,311	7.8	14.3	11.0	13.0	1.3	36	20	5	8	-	-	-	1	-	-	1	-	-	2	-					NORTHAMPTON.
NORTHAMPTON -		95,070	17.0	17.0	11.5	16.5	1.1	34	30	5	12	-	-	-	-	2	-	-	-	-	7	-					IPSWICH.
IPSWICH -		72,825	12.9	21.5	16.5	18.6	0.7	26	26	2	10	-	-	-	-	1	-	-	-	1	1	-					GREAT YARMOUTH. †
GREAT YARMOUTH- †		52,879	15.8	11.8	10.8	12.8	-	22	13	3	2	-	-	-	-	-	-	1	-	3	1	-					NORWICH.‡
NORWICH‡ -		119,191	15.3	12.2	13.6	12.2	-	64	28	10	13	-	-	-	-	-	-	-	-	1	4	-					PLYMOUTH.
PLYMOUTH -		120,063	10.0	11.7	13.5	12.6	0.4	51	29	6	13	-	-	-	-	-	-	1	-	1	4	-					DEVONPORT.
DEVONPORT -		79,959	16.3	13.7	13.7	7.8	-	25	12	-	5	-	-	-	-	-	-	-	1	1	2	-					BRISTOL.
BRISTOL -		367,979	12.5	13.9	11.6	14.2	0.4	143	100	18	48	-	-	-	-	2	-	-	3	8	26	-					HANLEY.
HANLEY -		67,174	15.5	17.1	16.3	17.1	0.8	44	22	5	2	-	-	-	-	-	1	-	-	4	3	1					BURTON-ON-TRENT.†
BURTON-ON-TRENT - †		53,425	15.6	14.6	15.6	13.7	1.0	14	14	2	7	-	-	-	-	-	-	-	-	-	-	-					WOLVERHAMPTON.
WOLVERHAMPTON -		102,016	15.3	18.9	18.4	15.3	1.0	43	30	8	11	-	-	-	-	-	-	-	-	-	8	1					WALSALL.
WALSALL -		96,171	14.6	18.4	9.2	15.2	2.2	43	28	10	5	-	-	-	-	1	-	-	1	1	1	-					HANDSWORTH.
HANDSWORTH -		65,929	11.9	10.3	9.5	11.9	-	26	15	6	3	-	-	-	-	-	-	-	-	1	2	-					WEST BROMWICH.
WEST BROMWICH -		69,123	9.8	23.4	25.6	24.1	4.5	38	32	12	4	-	-	-	-	-	-	-	3	-	4	-					

* See note † on first page of this return.

† These towns are included within the area of Greater London.
‡ The recent alterations in the boundaries of the borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TOWNS.	Cols.	Population to the middle of the year 1907.*				Deaths from Diseases in 1907.				Deaths registered in the Week include										TOWNS.		
		Week ended				Registered during the week ended 14th Dec., 1907.		Deaths of Persons aged 60 Years and upwards.		Deaths from												
		CHURCH CHURCH.				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Deaths from													
		23rd Nov., 1907.	30th Nov., 1907.	7th Dec., 1907.	14th Dec., 1907.				Week ended 14th December, 1907.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		17.	18.
HUDDESFIELD	-	17'6	13'7	17'0	14'3	-	33	26	2	12	-	-	-	-	-	-	-	3	3	7	21.	COLS.
HALIFAX	-	18'9	14'7	14'2	14'2	2'4	32	30	5	10	-	-	4	-	-	-	-	1	1	5	-	HUDDESFIELD, HALIFAX.
BRADFORD	-	13'8	15'8	14'7	17'2	1'8	97	96	19	27	6	-	-	-	1	1	4	5	17	1	BRADFORD, LEEDS.	
LEEDS	-	16'7	16'4	16'6	17'5	2'2	180	158	29	44	-	11	2	1	1	1	6	17	26	-	LEEDS.	
SHEFFIELD	-	15'0	14'1	12'7	15'6	1'1	235	136	30	44	-	2	3	1	3	1	5	8	20	2	SHEFFIELD, ROTHERHAM.	
ROTHERHAM	-	11'7	19'2	10'9	19'2	-	46	23	8	6	-	-	-	-	-	-	1	3	1	-	ROTHERHAM, YORK.	
YORK	-	84'730	24'0	19'1	20'9	22'2	32	36	4	11	7	-	1	1	-	-	5	7	15	1	YORK, HULL.	
HULL	-	19'2	17'2	12'5	14'3	0'2	135	73	13	24	-	-	-	-	-	-	2	2	4	-	MIDDLESBROUGH.	
MIDDLESBROUGH	-	101'783	18'4	17'9	16'4	0'5	57	32	8	7	-	-	1	-	-	-	1	1	4	-	STOCKTON-ON-TEES.	
STOCKTON-ON-TEES	-	52'909	9'9	15'8	25'6	2'0	30	27	4	12	2	-	-	-	-	-	1	1	4	-	WEST HARTLEPOOL.	
WEST HARTLEPOOL	-	75'473	15'9	18'7	17'3	-	42	25	9	4	-	-	-	-	-	-	2	3	6	-	SUNDERLAND.	
SUNDERLAND	-	156'029	25'1	21'7	20'1	0'3	111	60	12	20	-	-	-	1	-	-	3	4	9	-	SOUTH SHIELDS.	
SOUTH SHIELDS	-	113'460	21'1	23'9	23'4	18'4	62	40	8	7	-	-	1	1	-	-	2	5	7	2	GATESHEAD.	
GATESHEAD	-	125'783	17'8	17'4	18'2	18'2	71	44	14	14	-	-	2	3	-	2	-	-	8	1	NEWCASTLE-ON-TYNE.	
NEWCASTLE-ON-TYNE	-	272'969	16'4	17'2	22'3	3'6	155	122	33	23	-	8	1	10	-	-	4	9	20	1	TYNEMOUTH.	
TYNEMOUTH	-	54'688	9'5	14'3	19'1	3'8	27	17	2	7	-	3	-	-	-	-	-	-	3	-	NEWPORT (MON.).	
NEWPORT (MON.)	-	75'585	18'6	8'3	17'2	1'4	30	25	6	6	-	-	2	-	-	-	1	2	4	-	CARDIFF.	
CARDIFF	-	187'620	17'2	15'3	13'9	14'7	83	53	16	16	-	-	-	1	-	-	3	4	12	-	RHONDDA.	
RHONDDA	-	130'400	16'4	17'6	24'0	2'6	85	69	28	17	-	4	-	1	-	2	-	1	2	-	MERTHYR TYDFIL.	
MERTHYR TYDFIL	-	76'085	15'8	24'7	23'3	24'0	43	35	15	6	-	4	1	1	1	1	-	2	7	-	SWANSEA.	
SWANSEA	-	97'324	15'5	22'0	18'8	19'3	56	36	11	4	-	2	-	-	-	1	2	2	2	-	GREATER LONDON.	
GREATER LONDON	-	7,217,941	13'3	15'3	15'1	14'5	9274	2011	416	671	-	31	16	26	23	13	82	200	689	6	OUTER RING.	
OUTER RING	-	2,456,723	9'9	12'5	13'0	12'0	1151	565	122	180	-	8	3	11	5	3	20	43	104	3	8 TOWNS IN OUTER RING.	
8 TOWNS IN OUTER RING	-	1,208,285	10'9	13'1	13'3	11'7	549	271	66	70	-	6	2	6	2	2	7	15	56	-	REMAINDER OF OUTER RING.	
REMAINDER OF OUTER RING	-	1,250,438	9'9	11'9	12'7	12'3	602	284	56	110	-	2	1	5	3	1	13	28	48	3	EDINBURGH.	
EDINBURGH	-	345,747	12'8	15'2	17'9	16'9	125	112½	22	41	-	1	1	-	-	-	4	?	31	8	GLASGOW.	
GLASGOW	-	847,584	18'3	21'4	20'5	20'7	425	337	71	82	-	43	1	4	10	1	10	?	103	10	DUBLIN (Registration Area).†	
DUBLIN (Registration Area).†	-	390,691	18'4	21'6	26'7	22'3	177	167	27	48	-	1	-	3	1	-	2	5	71	3	BELFAST.	
BELFAST	-	370,163	23'1	25'8	26'9	26'3	180	187½	23	53	-	16	-	1	1	4	4	6	53	2		

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and meningoitis in Edinburgh and 1 from Cerebro-spinal fever, and 1 from Cerebro-spinal meningitis in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTIETH Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2623	2519	2269	2527	2231	2339	2544	2446	2279	2172	2411.0	2123
Males - - -	1292	1309	1179	1295	1151	1189	1331	1215	1163	1142	1237.2	1115
Females - - -	1331	1210	1090	1232	1080	1150	1213	1231	1111	1030	1173.8	1008
TOTAL Deaths -	1796	1423	2078	1454	1612	1682	1489	1696	1725	1628	1681.8	1446
Males - - -	910	734	1040	762	834	884	752	850	915	804	860.7	719
Females - - -	886	689	1038	692	778	798	734	846	810	824	821.1	727

* The numbers in this column are the average weekly numbers in the Fiftieth week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 21.	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	13 Weeks
TOTAL Births -	2178	2341	2162	2183	2198	2450	2379	2393	2342	2214	2205	2345	2123	29413
TOTAL Deaths -	1182	1251	1212	1315	1270	1265	1390	1269	1326	1373	1535	1475	1446	17306
Deaths at ages at														
Under 1 year -	268	321	302	337	339	319	339	233	266	268	316	288	294	3890
1–5 years -	125	142	140	116	119	104	132	146	149	159	185	166	138	1821
5–20 " -	73	67	69	76	76	77	64	66	78	73	78	72	87	955
20–40 " -	144	142	138	143	157	152	156	140	165	156	169	145	153	1908
40–60 " -	246	238	225	260	245	263	298	250	295	270	305	312	283	3490
60 yrs. & up wds	326	341	338	383	335	350	401	425	373	447	482	492	491	5189
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	11	9	5	11	9	16	22	28	21	32	34	35	23	250
Scarlet Fever -	13	14	18	19	25	26	22	16	9	18	13	19	13	221
Diphtheria - -	15	25	25	19	13	11	21	18	21	23	30	20	15	250
Whooping-cough -	30	20	18	18	19	18	18	13	17	16	9	18	18	235
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	6	6	10	6	9	2	6	6	1	9	4	2	71
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea, Dysentery	78	118	126	110	88	67	40	36	34	25	25	9	10	760
All above Diseases -	151	192	198	187	160	147	125	117	108	115	121	105	81	1800
Dis. of Resp. System	53	62	66	77	76	86	123	96	110	154	200	192	190	1480
Pneumonia - - -	77	86	85	98	91	80	122	103	141	144	183	163	158	1540
Phthisis - - -	122	127	100	109	114	127	137	103	148	131	161	119	119	1610
Dis. of Circ. System -	150	167	149	160	161	172	201	166	177	191	193	216	204	2310
Violence - - -	54	35	55	45	55	28	40	48	53	54	44	61	62	630
Inquest Cases - -	135	109	114	127	117	113	127	103	144	131	139	131	157	1640
Deaths in Institutions	534	514	494	567	525	567	561	572	538	563	583	583	565	7150
TEMPERATURE OF THE AIR.														
Mean - - -	56.8	58.4	55.4	52.7	51.4	48.8	48.4	49.8	43.8	42.6	42.7	42.2	45.2	49.0
Mean of Highest -	69.1	71.8	64.3	60.1	57.5	57.3	55.1	54.8	50.2	47.6	49.4	48.2	49.3	56.0
Mean of Lowest -	45.9	47.2	48.7	45.6	44.5	40.4	41.6	45.2	36.4	36.2	36.3	35.4	40.8	41.0
Mean Humidity of the Air.	73	73	83	85	84	87	91	90	87	92	89	86	82	80
Rain-fall (in inches) -	0.00	0.03	0.85	1.13	0.87	0.50	0.34	0.03	0.13	0.70	1.37	0.75	1.82	8.50
Registered Sunshine (in hours).	46.0	47.7	22.7	25.0	19.1	22.5	10.2	8.1	11.0	2.6	14.9	15.6	16.7	262.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	Mean
Scarlet Fever - -	4020	4328	4542	4752	4995	5197	5467	5604	5689	5686	5676	5581	5352	5140
Diphtheria - - -	902	967	1065	1143	1180	1236	1256	1287	1298	1293	1279	1282	1279	1180
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	97	99	109	107	124	126	123	128	130	127	123	121	122	1100

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 2.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. O. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Glunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.B.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTIETH Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH	Corrected Average for the 50th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH	Corrected Average for the 50th week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1681.8	1446	294	138	87	153	283	491									
Small-pox*	-	-	-	-	-	-	-	-	12.7	6	3	-	1	1	1	-	
Cowpox	-	-	-	-	-	-	-	-	18.4	12	-	-	1	2	6	3	
Measles (Morbilli)	44.4	23	0	14	3	-	-	-	6.1	6	-	-	1	4	1	-	
Scarlet Fever	11.5	13	1	9	3	-	-	-	20.7	19	17	2	-	-	-	-	
Typhus	-	-	-	-	-	-	-	-	1.8	5	-	-	-	1	3	1	
Plague	-	-	-	-	-	-	-	-	4.1	2	-	-	-	-	1	1	
Influenza	30.5	19	1	-	-	2	6	10	22.9	21	-	2	1	1	6	11	
Whooping-cough	24.4	18	8	9	1	-	-	-									
Diphtheria	16.6	15	1	8	4	2	-	-	48.7	52	-	-	2	6	12	32	
Cerebro-spinal Fever	0.2	-	-	-	-	-	-	-	36.4	36	-	-	-	-	9	27	
Purpura,† (origin uncertain)	-	-	-	-	-	-	-	-	20.7	18	-	-	-	-	2	14	
Euteric Fever	8.4	2	-	-	-	2	-	-	5.9	5	-	-	-	2	2	1	
Asiatic Cholera	-	-	-	-	-	-	-	-	2.3	-	-	-	-	-	-	-	
Epidemic Diarrhoea,†	5.3	6	4	2	-	-	-	-									
Infective Enteritis	10.6	4	3	1	-	-	-	-	0.8	4	1	1	2	-	-	-	
Diarrhoea, Dysentery	-	-	-	-	-	-	-	-	213.9	163	40	5	2	1	15	100	
Tetanus	0.4	-	-	-	-	-	-	-	11.1	7	-	-	-	1	2	4	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	4.3	3	-	1	1	1	-	-	
Glanders	-	-	-	-	-	-	-	-	15.6	17	2	3	1	-	3	8	
Anthrax (Splenic Fever)-	0.2	-	-	-	-	-	-	-									
Venereal Dis.	9.2	5	2	1	-	2	-	-	0.8	4	1	1	2	-	-	-	
Puerperal Septicæmia	3.7	3	-	-	-	3	-	-	10.2	10	5	2	-	2	-	1	
Puerperal Pyæmia	0.2	-	-	-	-	-	-	-	3.3	5	4	1	-	-	-	-	
Puerperal Endocarditis	0.4	-	-	-	-	-	-	-	3.7	2	1	-	-	1	-	-	
Lobar-	16.8	9	1	1	-	3	2	2	12.7	14	-	-	-	1	6	7	
Broncho-	90.3	86	48	26	1	2	6	3	5.7	9	-	-	1	-	5	3	
Epidemic	-	-	-	-	-	-	-	-	39.7	36	6	4	5	3	8	10	
Not defined	77.0	63	15	10	3	7	11	17									
Erysipelas	5.0	5	1	-	-	1	1	2									
Septicæmia (not Puerperal)	1.4	1	-	-	-	-	-	1	7.8	9	-	-	2	-	4	3	
Pyæmia (not Puerperal)	1.0	-	-	-	-	-	-	-	39.7	40	-	-	1	3	17	19	
Other Infective Processes	7.8	5	-	-	1	1	2	1	14.9	14	-	1	-	-	3	10	
Tuberculous Phthisis	96.0	88	1	1	4	40	37	5									
"Phthisis"	71.4	31	-	-	5	18	6	4									
Tuberculous Meningitis	20.1	25	4	11	10	-	-	-	4.1	5	-	-	-	3	1	1	
Tuberculous Peritonitis	6.3	6	2	1	3	-	-	-	2.7	2	-	-	-	1	-	-	
Tubæ Mesenterica	3.3	2	-	2	-	-	-	-	59.8	68	-	-	-	-	1	67	
Tuberculous Dis., Other	17.4	21	2	6	6	5	1	1	101.5	89	56	5	6	5	7	10	
Sarcinula	-	-	-	-	-	-	-	-									
Alcoholism	11.5	6	-	-	-	1	5	-									
Rheumatic Fever	8.2	6	-	-	4	1	1	-									
Gout	2.7	-	-	-	-	-	-	-									
Carcinoma	54.2	62	-	-	-	4	30	28									
Sarcoma	8.0	2	-	-	1	-	1	-									
Cancer (undefined)	33.4	27	-	-	1	1	15	10									
Diabetes Mellitus	9.8	9	-	-	-	2	5	2									
Premature Birth	53.6	45	45	-	-	-	-	-									
Meningitis (not tuberc.)	-	-	-	-	-	-	-	-	12.7	6	3	-	1	1	1	-	
Gen. Par. of Insane, Insanity	-	-	-	-	-	-	-	-	18.4	12	-	-	1	2	6	3	
Epilepsy	-	-	-	-	-	-	-	-	6.1	6	-	-	1	4	1	-	
Convulsions	-	-	-	-	-	-	-	-	20.7	19	17	2	-	-	-	-	
Locomotor Ataxy	-	-	-	-	-	-	-	-	1.8	5	-	-	-	1	3	1	
Paraplegia, Dis. of Cord	-	-	-	-	-	-	-	-	4.1	2	-	-	-	-	1	1	
Nervous Sys., Other Dis.	-	-	-	-	-	-	-	-	22.9	21	-	2	1	1	6	11	
Valv. Dis., Endocarditis	-	-	-	-	-	-	-	-	48.7	52	-	-	2	6	12	32	
Cereb. Hæm. Cereb. Emb.	-	-	-	-	-	-	-	-	36.4	36	-	-	-	-	9	27	
Apoplexy, Hemiplegia	-	-	-	-	-	-	-	-	20.7	18	-	-	-	-	2	14	
Aneurysm	-	-	-	-	-	-	-	-	5.9	5	-	-	-	2	2	1	
Embolism, Thrombosis (not Cerebral)	-	-	-	-	-	-	-	-	2.3	-	-	-	-	-	-	-	
Heart & Blood Vess., Other Dis.	-	-	-	-	-	-	-	-	105.0	95	-	-	4	9	19	63	
Croup (not Spasm: nor Momb.)	-	-	-	-	-	-	-	-	0.8	-	-	-	-	-	-	-	
Bronchitis	-	-	-	-	-	-	-	-	213.9	163	40	5	2	1	15	100	
Emphysema, Asthma	-	-	-	-	-	-	-	-	11.1	7	-	-	-	-	1	2	
Pleurisy	-	-	-	-	-	-	-	-	4.3	3	-	1	1	1	-	-	
Respiratory Dis., Other-	-	-	-	-	-	-	-	-	15.6	17	2	3	1	-	3	8	
Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	0.8	4	1	1	2	-	-	-	
Enteritis (not Epid.)	-	-	-	-	-	-	-	-	10.2	10	5	2	-	2	-	1	
Gastro-enteritis	-	-	-	-	-	-	-	-	3.3	5	4	1	-	-	-	-	
Peritonitis (not Puerp.)	-	-	-	-	-	-	-	-	3.7	2	1	-	-	1	-	-	
Cirrhosis of Liver	-	-	-	-	-	-	-	-	12.7	14	-	-	-	1	6	7	
Liver Dis., Other	-	-	-	-	-	-	-	-	5.7	9	-	-	1	-	5	3	
Digestive Sys., Other Dis.	-	-	-	-	-	-	-	-	39.7	36	6	4	5	3	8	10	
Acute Nephritis	-	-	-	-	-	-	-	-	7.8	9	-	-	2	-	4	3	
Bright's Dis., Albuminuria	-	-	-	-	-	-	-	-	39.7	40	-	-	1	3	17	19	
Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-	14.9	14	-	1	-	-	3	10	
Generative Organs Dis.	-	-	-	-	-	-	-	-	4.1	5	-	-	-	3	1	1	
Childbirth (Accid. of)	-	-	-	-	-	-	-	-	2.7	2	-	-	-	2	-	-	
Old Age	-	-	-	-	-	-	-	-	59.8	68	-	-	-	-	1	67	
Other Diseases	-	-	-	-	-	-	-	-	101.5	89	56	5	6	5	7	10	
ACCIDENT.																	
By Railways	-	-	-	-	-	-	-	-	2.3	-	-	-	-	-	-	-	
By Vehicles and Horses	-	-	-	-	-	-	-	-	4.9	4	-	-	1	2	1	-	
In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-	0.8	1	-	-	-	1	-	-	
In Building Operations	-	-	-	-	-	-	-	-	1.0	2	-	-	-	-	1	1	
In Conflagrations	-	-	-	-	-	-	-	-	1.2	2	-	-	1	-	1	-	
By Burns, Scalds, Explosions	-	-	-	-	-	-	-	-	7.8	9	1	6	2	-	-	-	
By Drowning	-	-	-	-	-	-	-	-	2.3	6	-	-	-	-	2	4	
By Suffocation in Bed	-	-	-	-	-	-	-	-	11.5	13	12	1	-	-	-	-	
By Poisons or Poisonous Vapours	-	-	-	-	-	-	-	-	2.5	1	-	-	-	-	-	-	
Other Deaths by Accident	-	-	-	-	-	-	-	-	16.8	14	1	-	-	2	5	0	
VIOLENCE OTHER THAN ACCIDENTAL.																	
Homicide	-	-	-	-	-	-	-	-	0.6	1	-	-	-	-	1	-	
Suicide	-	-	-	-	-	-	-	-	8.0	9	-	-	-	1	2	6	
Execution	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Called "Simple Continued Fever"

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th December, 1907.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Deaths from Causes of Death.
			Total DEATHS.	Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysiplo (or Typhoid) Fever.	Pyæmic Origin uncertain.	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2123	1446	294	491	-	23	13	15	18	-	2	-	10	62	157	565		
WEST DISTRICTS - - -	805,311	296	232	42	82	-	6	1	1	1	-	-	-	-	13	24	84		
NORTH DISTRICTS - - -	1,058,070	484	336	55	122	-	7	2	5	1	-	-	-	4	13	35	124		
CENTRAL DISTRICTS - - -	208,465	91	64	17	12	-	1	-	1	1	-	-	-	1	3	9	36		
EAST DISTRICTS - - -	715,739	402	240	63	71	-	4	-	-	3	-	1	-	1	10	36	107		
SOUTH DISTRICTS - - -	1,749,844	850	535	116	190	-	5	7	8	12	-	-	-	4	23	53	175		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	39	1	14	-	-	3	-	-	-	1	-	-	-	-	39		
WEST DISTRICTS.																			
North Paddington H - - -	63,603	22	12	2	4	-	1	-	-	-	-	-	-	-	-	-	-		
Central Paddington W,3H - - -	50,053	19	32	6	10	-	2	-	-	-	-	-	-	-	4	5	18		
South Paddington - - -	30,320	9	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-		
Kensington Town 2W,w,2H - - -	128,037	46	39	6	16	-	1	-	-	-	-	-	-	-	1	2	20		
Brompton 2H - - -	48,591	14	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
North Hammersmith 2W,w,H - - -	49,192	22	16	5	6	-	-	-	-	-	-	-	-	-	-	-	5		
South Hammersmith w,2H - - -	63,047	25	12	3	5	-	-	-	-	-	-	-	-	-	-	1	2		
North-west Fulham W - - -	45,180	36	23	8	4	-	-	-	1	-	-	-	-	-	-	1	6		
North-east Fulham F - - -	46,405	17	8	1	2	-	-	1	-	-	-	-	-	-	-	1	2		
South Fulham W - - -	45,704	20	8	1	2	-	-	-	-	-	-	-	-	-	-	2	-		
Chelsea North W,w,3H - - -	42,514	12	25	3	10	-	2	-	-	-	-	-	-	-	-	1	12		
Chelsea South W,2H - - -	31,523	11	12	3	3	-	-	-	-	-	-	-	-	-	1	1	5		
Mayfair and Knightsbridge - - -	28,743	8	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-		
Belgrave W,2H - - -	55,815	13	19	2	10	-	-	-	-	1	-	-	-	-	5	7	6		
St. Margaret & St. John 6H - - -	43,698	10	11	1	4	-	-	-	-	-	-	-	-	-	-	-	7		
St. James and St. Anne W,6H - - -	33,081	12	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - -	35,391	8	15	1	5	-	-	-	-	-	-	-	-	-	1	1	5		
St. Mary Marylebone W,4H - - -	37,948	41	4	1	3	-	-	-	-	-	-	-	-	-	-	2	1		
Christchurch Marylebone - - -	39,536	20	8	2	3	-	-	-	-	-	-	-	-	-	-	1	-		
St. John Marylebone 2H - - -	20,426	4	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W,F,6H - - -	81,942	23	21	3	6	-	2	2	-	-	-	-	-	-	-	1	7		
West St. Pancras 2H - - -	60,562	29	16	3	5	-	-	-	-	-	-	-	-	-	2	4	3		
South St. Pancras w,12H - - -	55,707	20	18	1	4	-	-	-	-	-	-	-	-	-	1	2	13		
East St. Pancras W,2H - - -	60,520	30	21	-	10	-	-	-	-	-	-	-	-	-	1	1	7		
North St. Pancras 2W - - -	58,728	31	20	2	7	-	1	-	-	-	-	-	-	-	-	-	10		
Tufnell W - - -	31,995	14	25	1	12	-	-	-	-	1	-	-	-	-	-	2	21		
Upper Holloway 2W,w,H - - -	33,978	19	18	1	7	-	-	-	-	-	-	-	-	-	1	3	11		
Tollington W,w,H - - -	33,922	14	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - -	41,424	17	17	5	4	-	1	-	1	-	-	-	-	-	1	2	-		
Barnsbury - - -	54,478	23	10	4	1	-	1	-	-	-	-	-	-	-	-	1	-		
Islington South-east F - - -	75,397	25	16	3	6	-	-	-	-	-	-	-	-	-	-	2	-		
Highbury 2H - - -	63,797	26	22	4	10	-	-	-	-	-	-	-	-	-	-	-	2		
Stoke Newington H - - -	51,247	13	10	-	3	-	-	-	-	-	-	-	-	-	2	3	-		
North Hackney - - -	50,680	22	9	2	4	-	1	-	-	-	-	-	-	-	-	1	-		
Central Hackney 2w,F - - -	50,536	24	15	4	5	-	-	-	4	-	-	-	-	-	-	2	4		
South-west Hackney 3H - - -	59,921	38	18	7	2	-	-	-	-	-	-	-	-	1	2	3	9		
South-east Hackney 2W,w,H - - -	58,255	43	38	9	16	-	1	-	-	-	-	-	-	3	2	4	31		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

LE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th December, 1907—continued.

The DEATHS registered during the Week include																				
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from																
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
CENTRAL DISTRICTS.																				
Giles and Bloomsbury 2W,2H -	31,436	16	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Grand W,4H -	21,374	4	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-
Grand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Colborn W,6H -	29,612	9	11	4	-	-	-	-	-	1	1	-	-	-	-	1	1	10	-	-
North Clerkenwell -	28,676	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
North Clerkenwell H -	35,028	14	7	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Bloomsbury 3H,L -	36,116	29	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colborn Union Workhouse, } Mitcham -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph H -	10,299	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Sepulchre and Allhallows W,2H City of London Asylum, Stone -	16,824	3	20	5	3	-	-	-	-	-	-	-	-	-	-	2	4	18	-	-
EAST DISTRICTS.																				
oreditch South H -	46,362	30	11	4	3	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-
oreditch North-West W,w,H -	36,127	27	23	2	8	-	1	-	-	-	-	-	-	-	-	2	4	16	-	-
oreditch North-East -	39,148	21	6	1	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
oreditch Union Workhouse, Wood Green -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
stnhal Green North-East 2W } H,L -	65,138	35	35	10	12	-	-	-	-	-	-	-	1	-	-	2	4	20	-	-
stnhal Green South-West H -	64,542	36	9	2	3	-	1	-	-	-	-	-	-	-	-	-	4	-	-	-
stnhalfields -	27,969	13	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
le End New Town W,H -	28,718	23	47	19	4	-	1	-	-	-	-	-	-	-	-	-	7	37	-	-
odman's Fields -	22,081	10	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
George and St. John 2W -	49,068	37	10	2	4	-	1	-	-	-	-	-	-	-	-	-	-	4	-	-
adwell and Ratcliff W,H -	25,568	11	6	3	-	-	-	-	-	-	1	-	-	-	-	1	-	5	-	-
chouse W -	32,369	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
le End Old Town South- } Western H -	63,698	34	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
le End Old Town North- } Eastern W,w -	49,129	16	25	6	7	-	-	-	-	1	-	-	-	-	-	1	5	8	-	-
ow -	41,889	30	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
onley 3w,H -	68,319	36	27	4	10	-	-	-	-	-	-	-	-	-	-	1	1	15	-	-
plar W,w -	58,514	25	22	6	9	-	-	-	-	-	-	-	-	-	-	2	4	2	-	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th December, 1907—*continued.*

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from										Deaths in Public Institutions		
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea	Violence.		Inquest Cases.	
SOUTH DISTRICTS.																		
Christchurch and St. Saviour	23,319	11	16	1	5	-	1	-	1	-	-	-	-	-	-	2	2	13
Southwark W ² H	21,904	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent-road	39,094	12	18	5	5	-	-	-	-	-	1	-	-	-	-	-	1	4
St. George the Martyr West	49,022	19	9	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-
W ² H,L	72,841	37	13	3	7	-	-	-	-	-	-	-	-	-	-	-	3	2
Newington North	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington South W	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W	9,817	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey W	82,483	55	15	2	6	-	-	-	-	-	-	-	-	-	-	1	3	9
Rotherhithe W,F	38,460	25	18	1	9	-	-	-	-	-	-	-	-	-	-	1	3	-
Waterloo 2H-	27,440	32	14	5	3	-	-	-	-	-	-	-	-	-	-	4	4	1
Lambeth Church H	27,440	13	18	3	7	-	-	-	-	-	-	-	-	-	-	1	2	8
Kennington 2W	52,518	28	28	5	10	-	-	-	-	-	1	1	-	-	-	1	2	15
Stockwell HF	63,826	32	9	3	-	-	-	2	1	1	-	-	-	-	-	-	-	4
Brixton H	73,673	21	28	8	9	-	-	1	-	-	-	-	-	-	-	-	1	5
Norwood WH	56,998	19	9	-	6	-	-	-	-	-	-	-	-	-	-	-	1	-
East Battersea H	72,203	38	14	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-
North-west Battersea	49,666	28	11	5	3	-	1	-	-	-	-	-	-	-	-	-	1	-
South-west Battersea 2W,H	47,048	16	28	3	10	-	-	-	-	-	-	-	-	-	-	2	5	22
Clapham 2H	51,361	20	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham W 2w,F 2L	88,019	44	40	6	19	-	1	1	2	3	-	-	-	-	-	-	2	13
Springfield 2W,L	27,969	27	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Southfields H	40,444	21	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Putney	24,139	12	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich	13,369	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Camberwell South W,w	40,206	17	28	5	12	-	-	-	-	-	-	-	-	-	-	-	2	19
Camberwell North W 2L	65,584	27	28	4	14	-	-	-	-	-	-	-	-	-	-	3	4	13
St George	47,331	17	10	3	3	-	-	-	-	-	-	-	-	-	-	1	2	-
Peckham North	48,913	29	13	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Peckham South 2W,w	43,946	25	9	2	1	-	-	-	-	-	-	-	-	-	-	2	2	-
Deptford North	37,613	16	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central F	45,481	18	9	3	2	-	-	-	1	1	-	-	-	-	-	-	1	2
Deptford South	34,626	19	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H	23,466	10	7	1	2	-	-	-	-	1	1	-	-	-	-	1	1	1
Greenwich East 2W,H	43,869	17	23	1	10	-	-	-	-	1	1	-	-	-	-	1	1	18
Eltham w,H	7,226	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee wH	25,490	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W w,F	68,362	38	27	7	9	-	-	-	-	1	-	-	-	-	-	-	1	14
Sydenham H	43,663	21	9	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Charlton F 2H	21,134	10	9	1	1	-	-	-	3	1	-	-	-	-	-	-	-	5
Woolwich 5H	41,825	22	7	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Plumstead West W	18,063	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H	50,204	21	16	6	5	-	-	-	-	-	3	-	-	-	-	-	1	4
Workhouse:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	-	-	4	1	-	-	-	-	2	-	-	1	-	-	-	-	-	4
North-Eastern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belmont	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Caterham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Leavesden	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	6
Barnstead	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	6
Horton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Long Grove	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Oane Hill	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Dartford Heath	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	5
Hanwell	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5
Colney Hatch	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Claybury	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th December, 1907.

REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																	
						Deaths of		Deaths from															
						Infants under 1 Year of Age.	Persons aged 50 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Unclassified Causes of Death.					
LONDON—OUTER RING						368,302	2,044,973	1151	565	122	180	-	8	3	11	5	2	3	20	43	104	3	
1	Carshalton 2F,3H	12,228	32,997	13	7	5	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	-
2	Epsom, part of* W,w,2F,H	10,423	15,548	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
3	Godstone, part of* W,F,L	2,754	2,692	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-
4	Coulsdon	11,089	8,166	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	South Croydon w	4,200	49,309	14	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	West Croydon 3W,F,H	2,168	42,888	29	28	7	6	-	-	1	1	1	-	-	-	-	-	-	-	1	1	13	-
7	North Croydon H	2,044	41,698	25	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Penge w	770	22,465	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Mitcham	11,711	50,015	22	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
10	Wimbledon F,3H	3,221	41,652	20	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Kingston 2W,H	6,224	42,068	22	15	2	7	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	-
12	Surbiton F,H	3,046	15,017	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
13	Esher, part of* H	5,402	13,100	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Hampton H,F,L	4,684	23,456	14	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
15	Richmond W,H	2,491	31,672	4	15	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	Mortlake F	2,518	17,821	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	Bromley F,2H	4,703	27,354	12	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-
18	Beckenham H	7,825	28,497	14	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
19	Orpington, part of* W,F	10,113	9,857	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Chislehurst 2H	7,333	16,446	7	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
21	Bexley w,F,H	8,678	21,151	17	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
22	Erith F,H	3,854	25,296	14	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2
23	Dartford W,F, part of*	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Sunbury w	11,054	18,883	8	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
25	Staines W,H	13,277	15,178	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
26	Hillingdon W,F,H	6,035	13,661	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
27	Uxbridge H	12,757	8,984	3	3	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	1	1	-
28	Hayes w,2F,H	8,068	18,358	16	8	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
29	Isleworth 3W,3F,H	6,859	30,883	20	12	1	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
30	Twickenham F,2H	2,421	20,991	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
31	Brentford 3F,2H	4,319	48,289	36	11	2	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
32	Chiswick H	1,249	29,809	17	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
33	Acton w,F,3H	6,132	48,914	41	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-
34	Harrow F,H	13,809	25,523	17	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Edgware 2F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Willesden W,F,2H	4,384	114,311	53	31	9	7	-	-	4	1	-	-	-	-	-	-	-	-	1	3	2	1
37	Hendon W,F	8,382	22,450	13	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
38	South Mimms 2F,H	17,755	7,308	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Barnet W,2H	5,324	17,970	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40	Finchley F,2H	4,088	33,692	18	12	3	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
41	Hornsey F,H	2,875	72,056	28	16	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Wood Green H	1,625	34,233	27	11	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	West Tottenham	990	48,853	31	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44	East Tottenham 2H	2,017	53,688	22	19	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45	Edmonton W,w,2F	7,491	61,892	52	23	5	8	-	-	-	1	-	-	-	-	-	-	-	-	1	1	4	7
46	Enfield 2W,F,H	12,601	42,738	10	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1
47	Waltham Abbey F	11,017	6,549	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48	Cheshunt F,H	8,479	12,292	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
49	Hatfield, part of* W	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Bushey H	9,333	9,173	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51	Watford W,2F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Stratford H	1,091	52,974	23	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
53	Forest Gate	787	52,745	19	11	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54	Plaistow F,2H	1,249	90,921	60	25	8	3	-	-	-	1	-	-	-	-	1	-	-	-	1	1	2	5
55	Canning Town H	1,556	70,718	28	27	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
56	South East Ham 2F	1,993	37,342	21	17	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57	North East Ham w,H	1,333	58,676	32	16	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2
58	Wanstead F	1,879	9,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
59	South Leyton 2W	631	50,467	32	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60	North Leyton 2W,w,F	1,963	48,445	29	32	7	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
61	Walthamstow 2H,L	6,504	108,929	70	20	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	20	1
62	Chigwell 2F,3H	11,778	16,397	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Romford, part of, W,2F	6,556	6,091	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65	Ilford F,L	8,496	41,234	30	14	3	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
66	Barking Town F	3,803	21,547	20	10	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
67	Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
68	Kent County Lunatic Asylum, Maidstone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
69	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
70	Essex County Lunatic Asylum, Brentwood.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4 excepting Esher h; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham h. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2. In the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal
LONDON - -	4,758,218	December 14	2123	1446	15·8	-	23	13	15	18	2	-
CALCUTTA - -	955,926	November 16	-	784	48·0	1	1	-	-	-	232†	-
BOMBAY - -	982,000	" 26	516	546	29·0	2	-	-	-	-	67†	-
MADRAS - -	548,974	" 15	425	420	42·8	-	1	?	?	?	113	-
PARIS - - -	2,722,731	December 7	895	934	17·8	-	2	5	3	3	2	-
BRUSSELS - -	623,202	" 7	225	166	13·8	-	-	-	-	-	1	-
ANTWERP - -	304,032	" 7	146	84	14·3	-	1	1	-	1	-	-
AMSTERDAM -	564,342	" 7	201	140	12·9	-	1	-	2	3	5	-
COPENHAGEN -	433,000	" 7	182	118	14·2	-	5	-	-	5	-	-
STOCKHOLM -	332,738	November 30	160	75	11·7	-	2	-	-	-	-	-
CHRISTIANIA -	226,774	December 7	108	62	14·1	-	-	1	1	-	-	-
ST. PETERSBURG	1,482,769	November 23	803	618	21·7	-	9	24	27	10	16	-
MOSCOW - -	1,296,000	" 30	-	607	24·4	6	7	20	11	1	4	-
BERLIN - - -	2,109,296	" 23	912	644	15·9	-	10	1	14	11	-	-
HAMBURG - -	840,790	December 7	-	251	15·8	-	2	2	5	2	-	-
BRESLAU - -	485,278	November 30	261	204	21·9	-	1	2	4	5	-	-
MUNICH - - -	548,600	" 30	261	181	17·2	-	3	1	1	-	-	-
		December 7	-	188	17·8	-	7	-	2	2	-	-
VIENNA - - -	1,979,003	" 7	750	510	13·3	-	3	9	3	-	-	-
PRAGUE - - -	470,906	November 30	190	165	18·1	-	5	-	2	2	2	-
BUDA-PESTH -	802,235	" 30	475	307	19·9	-	8	5	2	1	7	-
TRIESTE - - -	200,962	December 7	134	87	22·3	-	1	-	3	-	-	-
ROME - - -	542,760	September 14	218	151	14·5	-	1	-	-	1	6§	-
VENICE - - -	174,398	November 9	57	47	14·1	-	-	1	-	-	-	-
BUCHAREST -	292,395	" 30	146	120	21·4	-	-	1	-	-	1	-
		December 7	138	123	21·9	-	-	3	1	-	4	-
NEW YORK - -	4,285,435	November 23	2331	1322	16·1	-	5	17	31	1	12	-
CHICAGO - - -	2,107,620	" 23	-	535	13·2	-	3	10	5	2	12	-
PHILADELPHIA -	1,500,595	September 14	-	457	15·8	-	-	2	8	7	8	-
RIO DE JANEIRO	628,275	November 17	-	283	19·3	5	3	-	1	-	2	-

* Excluding deaths from croup in the Indian Cities.

† Including 22 deaths from plague in Calcutta, and 8 in Bombay.

‡ Including 114 deaths from cholera in Calcutta, 5 in Bombay, and 6 in Madras.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th December, 1907.

TOWNS	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	56·7	36·3	45·1	1·82	LEEDS - - -	55·0	35·0	42·7	1·04
BRIGHTON - -	54·9	37·3	46·1	0·97	YORK - - -	53·0	34·0	42·2	1·39
PORTSMOUTH -	57·0	38·0	46·9	1·56	HULL - - -	54·0	35·0	41·9	1·37
NORWICH - - -	56·4	34·6	43·2	1·48	TYNEMOUTH -	52·0	33·0	41·4	0·96
PLYMOUTH - -	55·9	36·9	46·6	1·04	CARDIFF - - -	55·2	31·0	43·0	3·34
Bristol - - -	55·0	33·2	43·3	3·21					
BIRMINGHAM -	52·8	32·9	41·2	2·19	EDINBURGH -	48·8	32·7	40·7	1·63
NOTTINGHAM -	54·4	33·0	41·8	1·71	GLASGOW - -	48·5	31·5	41·9	1·79
LIVERPOOL - -	53·0	28·0	41·5	0·90					
MANCHESTER } OBSERVATORY.	52·1	31·8	40·8	1·07	Phoenix Park. Fitz- william Square.†	54·1	32·4	42·7	0·36
BURNLEY - - -	51·5	30·5	39·8	1·50	DUBLIN {	54·2	35·0	43·7	0·31
PRESTON - - -	50·0	35·0	41·7	1·35					
HUDDERSFIELD -	52·7	32·2	40·8	1·49	LIVERPOOL -	51·0	31·0	41·3	1·21

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 7th December, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	9	2	-	-	-	-	3	-	-
Kensington - - -	181,842	-	12	12	-	-	-	-	6	-	-
Hammersmith - -	122,337	-	11	4	-	1	-	-	-	-	-
Fulham - - -	166,749	-	22	14	-	2	-	-	3	1	-
Chelsea - - -	74,857	-	4	4	-	1	-	-	1	1	-
City of Westminster -	172,219	-	9	5	-	2	-	-	2	-	-
NORTH.											
St. Marylebone - -	127,718	-	6	3	-	-	-	-	1	-	-
Hampstead - - -	91,137	-	8	2	-	-	-	-	4	-	-
St. Pancras - - -	236,753	-	16	1	-	-	-	-	2	-	-
Islington - - -	347,017	-	26	12	-	2	-	-	3	-	-
Stoke Newington - -	53,613	-	6	3	-	-	-	-	1	-	1
Hackney - - -	232,993	-	57	12	-	2	-	-	7	-	-
CENTRAL.											
Holborn - - -	55,134	-	7	1	-	-	-	-	2	-	-
Finsbury - - -	96,732	-	7	3	-	-	-	-	1	-	-
City of London - -	20,310	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,662	-	17	5	-	3	-	-	4	-	-
Bethnal Green - -	130,831	-	33	5	-	1	-	-	5	-	-
Stepney - - -	308,923	-	50	14	-	4	1	-	11	2	-
Poplar - - -	171,086	-	38	5	-	4	-	-	7	-	-
SOUTH.											
Southwark - - -	209,781	-	25	7	-	3	-	-	3	-	-
Bermondsey - - -	128,263	-	20	-	-	1	-	-	2	-	-
Lambeth - - -	318,538	-	41	7	-	2	-	-	4	-	-
Battersea - - -	181,736	-	23	12	-	-	-	-	4	-	-
Wandsworth - - -	281,419	-	38	20	-	1	-	-	6	-	-
Oamberwell - - -	277,059	-	34	8	-	4	-	-	7	-	-
Deptford - - -	116,510	-	15	10	-	1	-	-	2	-	-
Greenwich - - -	107,222	-	12	5	-	-	-	-	-	-	-
Lewisham - - -	152,532	-	22	8	-	1	-	-	1	-	-
Woolwich - - -	129,536	-	24	14	-	-	-	-	-	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,758,218	-	596	198	-	36	1	-	96	4	1
AGES.											
Ages 0-1 - - -	-	-	9	6	-	-	-	-	5	-	-
" 1-5 - - -	-	-	157	77	-	1	-	-	2	-	-
" 5- - - -	-	-	254	72	-	3	-	-	6	-	1
" 10- - - -	-	-	103	20	-	5	-	-	1	-	-
" 15- - - -	-	-	36	4	-	2	-	-	7	-	-
" 20- - - -	-	-	17	8	-	6	-	-	9	1	-
" 25- - - -	-	-	15	7	-	11	1	-	12	2	-
" 35- - - -	-	-	4	3	-	6	-	-	15	1	-
" 45- - - -	-	-	-	-	-	2	-	-	17	-	-
" 55- - - -	-	-	-	1	-	-	-	-	11	-	-
" 65 and upwards -	-	-	1	-	-	-	-	-	11	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING NOVEMBER, 1907.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th December, 1907.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of November.

Thirteen samples were taken from each district, except the Kent in which 12 were collected making a total of 103 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Nitrates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ November 11th. Cab Rank, Victoria Street, near Christ Church. }	10·7	30·20	·322	·028	0	·205	·233	1·75	20·3
West Middlesex - -	{ November 11th. Cab Rank, by Turnham Green Station. }	10·3	25·68	·224	·023	0	·075	·098	1·65	17·0
Southwark - - - -	{ November 11th. Cab Rank, Stockwell Road, near Swan P.H. }	11·0	32·74	·275	·025	·001	·225	·251	1·65	22·4
Grand Junction - -	{ November 11th. Cab Rank, Kensington Park Road. }	10·7	25·18	·222	·024	0	·065	·089	1·6	16·7
Lambeth - - - -	{ November 11th. Cab Rank, Westminster Bridge Road. }	11·4	31·26	·333	·026	·001	·202	·229	1·75	21·2
LEA, WELLS, &C.										
New River - - - -	{ November 11th. Cab Rank, Goswell Road. }	10·0	34·84	·068	·007	0	·253	·260	1·75	23·8
Eastern - - - -	{ November 11th. Cab Rank, Sidney Street, E. }	10·7	36·96	·139	·016	0	·141	·157	2·4	23·0
DEEP WELLS.										
Kent- - - -	{ November 11th. Cab Rank, by Woolwich Arsenal Station. }	10·0	50·46	·050	·006	0	·595	·601	4·65	31·9
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

The numbers in columns 4-11 all relate to 100,000 parts of the waters. The Table is to be read thus:—the water collected in the Chelsea district of the Water Board, at the cab-rank in Victoria Street, on the 11th November, had a temperature of 10·7° C.; 100,000 lbs. of it contained 30·20 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·322 lb. of carbon and ·028 lb. of nitrogen. The above quantity of water also contained ·205 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·233 lb. The above weight of water also contained 1·75 lbs. of chlorine and 20·3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 11th November were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from the several district works was:—Kent, 0·9; New River, 1·3; Eastern, 2·6; West Middlesex and Grand Junction, 4·2; Southwark, 5·1; Chelsea, 5·9; and Lambeth, 6·1.

All the filtered supplies derived from the River Thames contained more organic matter than they had done for many months past; the increases in impurity were least in the West Middlesex and Grand Junction district waters; and these were clear and of good quality. The Lambeth and Chelsea district supplies were clear, but were not of such good chemical and physical quality as the other Thames waters, owing to the somewhat high proportion of organic matter they contained. The Southwark district water was also clear, and in general quality it was a little inferior to the West Middlesex and Grand Junction supplies.

The New River district water, consisting chiefly of filtered Lea and deep-well water, contained only a small amount of organic matter and was clear and of good quality. The Eastern district water, mainly derived from the Lea, contained less organic impurity than the five filtered Thames supplies and was clear and of good quality.

The Kent district deep-well water, drawn in the area supplied from the Plumstead pumping station, was of high organic purity, but its general quality was not quite so good as that of the water distributed in other parts of the Kent area, owing to its greater degree of hardness.

Seen through a stratum two feet deep, the Kent water was colourless, and that from the New River area nearly colourless; the remaining waters had the following tints:—Eastern, West Middlesex, and Grand Junction, very pale yellow; Southwark, pale yellow; and Chelsea and Lambeth, yellow.

In addition to the above analytical examination the 103 samples, collected during the month at various places in the Water Board's districts, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid" ammonia (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea	·193	·105	·150	·210	·116	·164	0	0	0	·0125	·008	·01
West Middlesex	·126	·085	·108	·146	·094	·119	0	0	0	·011	·0105	·01
Southwark	·152	·094	·114	·168	·105	·123	·001	0	0	·0105	·008	·00
Grand Junction	·113	·076	·095	·126	·083	·107	0	0	0	·009	·009	·00
Lambeth	·175	·125	·143	·187	·137	·155	·001	0	0	·012	·0085	·01
LEA, WELLS, THAMES, &C.												
New River	·053	·022	·028	·057	·027	·031	0	0	0	·0025	·002	·00
Eastern	·107	·045	·066	·117	·053	·073	0	0	0	·0145	·0055	·00
DEEP WELLS.												
Kent	·010	·006	·008	·013	·008	·010	0	0	0	·0015	·001	·00

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The proportion of organic matter in all the filtered Thames waters commenced to rise towards the end of October, owing to the unfavourable condition of the river, and in most cases the increase in impurity continued until about the middle of the past month. The Chelsea and Lambeth district waters were adversely affected more than the others, and for a few days these supplies were of somewhat inferior quality, owing to the proportion of organic matter they contained and their high colour. The West Middlesex and Grand Junction Works (which have the advantage of being able to draw on the water stored in the Staines reservoirs) distributed water of good quality throughout the month; the Southwark district supply was on the average, nearly as good as the West Middlesex and Grand Junction waters.

All the samples of the New River district supply, taken during November, contained only small amounts of organic matter and were of very good quality. The Eastern district water contained, on the average, about half the proportion of organic impurity found in the filtered Thames supplies, and all the samples tested were of good quality.

The twelve samples of deep-well water collected in the Kent district were all of high organic purity and good quality.

All the samples examined during the month were practically clear, except a few taken in the Eastern and Kent districts, which contained traces of rust-stained matter.

I am, Sir,

Your obedient Servant,

T. E. THORPE,

The Registrar General,
Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

(Furnished by the Metropolitan Water Board.)

The following is an account of the number of services and the average daily amount of water supplied during the month of November, 1907, inclusive of supply to the Borough of Croydon and to the Urban Districts of Tottenham and Enfield. The supply was in the ratio of 198 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	NOVEMBER, 1906.	NOVEMBER, 1907.	NOVEMBER, 1906.	NOVEMBER, 1907.
TOTAL SUPPLY - - -	1,057,125	1,072,690	214,450,437	212,256,021
NEW RIVER - - - - -	209,759	212,237	41,858,000	41,301,000
EASTERN - - - - -	238,185	241,016	39,225,400	33,681,300
WESTERN { Chelsea Grand Junction } - -	216,862	219,789	53,322,030	52,687,409
{ West Middlesex }				
SOUTHERN { Lambeth - - - - }	276,424	281,981	60,885,064	60,899,211
{ Southwark and Vauxhall }				
KENT - - - - -	115,895	117,667	19,159,943	18,687,101

Note.—The Return for November, 1907, as compared with that for the corresponding month of 1906, shows an increase of 15,565 services, and a decrease of 2,194,416 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF
BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 51. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, DEC. 21. [Price 1½d.

General Register Office, Somerset House,
December 23rd, 1907.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·8 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 16·6, 16·0, and 16·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 23·6 in Rhondda, 24·1 in Sunderland, 24·2 in Rotherham, 25·6 in Bootle, 25·7 in Tynemouth, 26·0 in Merthyr Tydfil, and 28·9 in Preston; from *measles*, 1·7 in Gateshead, 1·8 in Salford, 1·9 in Leeds, 2·1 in Willesden, 3·6 in Rhondda, 3·8 in Tynemouth, and 5·1 in Barrow in Furness; from *scarlet fever*, 1·0 in Burnley; from *diphtheria*, 1·6 in Hanley and in Bootle; from *whooping-cough*, 1·1 in Northampton, 1·2 in Rochdale, 1·3 in Sunderland, 1·4 in Ipswich and in Kings Norton, 2·5 in Aston Manor, and 4·7 in Bootle; and from *diarrhoea*, 1·1 in Walsall and 1·4 in Merthyr Tydfil. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 2403 BIRTHS and 1485 DEATHS were registered. Allowing for increase of population, the births were 86 above and the deaths 179 below, the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 16·8, 16·2, and 15·8 per 1000 in the preceding three weeks, was 16·3 last week. The death-rate in the four weeks ended last Saturday averaged 16·3 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the five years 1902-6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1485 deaths included 18 from measles, 24 from scarlet fever, 15 from diphtheria, 21 from whooping-cough, 5 from enteric fever, and 11 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 94 deaths were referred, being 29 below the corrected average number in the fifty-first week of the preceding five years.

The deaths from *measles*, which had been 34, 35, and 23 in the preceding three weeks, fell to 18 last week, and were 26 below the corrected average; 3 deaths belonged to the Borough of Fulham, and 3 to Islington. The deaths from *scarlet fever*, which had been 13, 19, and 13 in the preceding three weeks, rose to 24 last week, and were 14 above the corrected average; 5 deaths belonged to Stepney, 5 to Poplar, and 3 to St. Pancras. The deaths from *diphtheria*, which had been 30, 20, and 15 in the preceding three weeks, were 15 last week, the corrected average being 16; 3 deaths belonged to St. Pancras. The deaths from *whooping-cough*, which had been 9, 18, and 18 in the preceding three weeks, rose to 21 last week, but were 9 below the corrected average; 4 deaths belonged to Stepney, 3 to Poplar, and 3 to Battersea. The deaths from *enteric fever*, which had been 9, 4, and 2 in the preceding three weeks, were 5 last week, the corrected average being 7. The deaths from *diarrhoea*, which had been 25, 9, and 10 in the preceding three weeks, were 11 last week, and were 4 below the corrected average. Of the 11 deaths from diarrhoea, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 other deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 11, 18, and 19 in the preceding three weeks. The death of a carman, aged 62 years, was certified as due to *chronic lead-poisoning*.

Different forms of *violence* caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 10 were cases of suicide, while the remaining 52 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, eleven to burns or scalds, six to drowning, four to bridge building operations, and five of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5035 cases of scarlet fever, 1205 of diphtheria, and 128 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 447 cases, against 623, 554, and 500; of diphtheria, 162 cases, against 179, 174, and 160; and of enteric fever, 23 cases, against 23, 20, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 14th, 1907.

GREATER LONDON.

In Greater London 3801 births and 2112 deaths were registered. Allowing for increase of population, these numbers are 199 above and 214 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 5 from scarlet fever, 5 from diphtheria, 8 from whooping-cough, and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·88 inches, and that of the Thermometer 44·2, the latter being 4·3 above the week's average in the 65 years ending 1905. The general direction of the wind was southerly, the horizontal movement of the air being 3 per cent. below the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 10·2 hours; the measured rainfall amounted to 0·04 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

827

TOWNS.	POPULATION estimated middle of the year 1907.*	DEATH-RATES from all Causes.				Rate from Diseases in 1907.		Registered Deaths Week ended 21st Dec., 1907.		Deaths of Persons aged under 1 Year of Age.		The DEATHS registered in the Week include											TOWNS.
		Week ended				in 1907.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
		30th Nov., 1907.	7th Dec., 1907.	14th Dec., 1907.	21st Dec., 1907.	Week ended 21st December, 1907.																	
		30th Nov., 1907.	7th Dec., 1907.	14th Dec., 1907.	21st Dec., 1907.	Week ended 21st December, 1907.	Small-pox.					Measles.	Scarlet-Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertained Causes of Death.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	16,024,458	16'6	16'0	16'1	16'8	1'3	8435	5159	1131	1584	-	124	50	62	94	20	48	207	436	1330	36	76 TOWNS.	
LONDON -	4,758,218	16'8	16'2	15'8	16'3	1'0	2403	1485	278	497	-	18	24	15	21	5	11	62	168	576	6	LONDON.	
CROYDON -	154,342	10'8	11'8	14'9	14'9	1'0	82	44	10	16	-	-	-	1	1	-	1	3	6	10	-	CROYDON.	
WILLESDEN -	149,192	12'2	19'6	11'2	16'1	2'8	78	46	8	9	-	6	1	1	-	-	2	4	4	8	-	WILLESDEN.	
HORNSEY -	89,816	9'9	8'1	9'3	9'3	1'2	31	16	4	5	-	-	1	-	-	-	1	-	1	2	-	HORNSEY.	
TOTTENHAM -	122,793	12'7	14'0	10'2	18'6	0'8	75	39	8	15	-	-	1	1	-	-	-	-	1	8	-	TOTTENHAM.	
WEST HAM -	808,284	17'6	14'9	12'5	16'9	1'2	200	100	29	28	-	3	1	1	2	-	4	7	33	2	-	WEST HAM.	
EAST HAM & -	136,421	11'8	6'9	13'0	8'0	0'8	87	21	6	6	-	1	1	-	-	-	2	3	2	6	-	EAST HAM & -	
LEYTON -	122,040	11'1	13'7	10'3	11'5	0'4	54	27	8	13	-	-	-	-	1	-	1	3	7	-	-	LEYTON.	
WALTHAMSTOW -	126,397	12'0	13'2	9'5	12'0	0'4	82	29	13	8	-	-	-	-	-	-	-	-	3	7	-	WALTHAMSTOW.	
HASTINGS -	67,477	17'8	17'0	10'8	16'2	-	19	21	-	15	-	-	-	-	-	-	-	-	1	2	-	HASTINGS.	
BRIGHTON -	129,023	13'7	11'7	11'7	15'0	-	61	37	6	9	-	-	-	-	-	-	-	-	2	11	-	BRIGHTON.	
PORTSMOUTH -	238,291	16'0	11'3	12'5	14'0	0'8	115	56	10	24	-	-	-	2	-	-	1	4	6	15	-	PORTSMOUTH.	
BOURNEMOUTH -	69,246	15'8	6'0	11'3	6'0	-	22	8	-	4	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	118,745	13'9	10'0	10'9	14'4	0'9	42	33	3	15	-	1	-	-	1	-	-	2	6	-	-	SOUTHAMPTON.	
READING -	80,311	14'3	11'0	13'0	14'9	-	31	23	-	10	-	-	-	-	-	-	1	1	1	7	-	READING.	
NORTHAMPTON -	95,070	17'0	11'5	16'5	15'4	1'1	44	28	7	7	-	-	-	-	2	-	2	2	2	6	-	NORTHAMPTON.	
IPSWICH -	72,825	21'5	16'5	18'6	15'8	2'9	35	22	2	10	-	2	-	-	2	-	1	1	2	1	-	IPSWICH.	
GREAT YARMOUTH -	52,879	11'8	10'8	12'8	9'9	-	17	10	-	7	-	-	-	-	-	-	-	-	-	3	-	GREAT YARMOUTH.	
NORWICH & -	118,191	12'2	13'6	12'2	14'4	1'3	51	33	7	15	-	-	-	1	-	-	1	1	2	8	-	NORWICH & -	
PLYMOUTH -	120,063	11'7	13'5	12'6	12'2	-	39	28	8	7	-	-	-	-	-	-	-	1	5	1	-	PLYMOUTH.	
DEVONPORT -	79,869	13'7	13'7	7'8	13'7	-	42	21	4	13	-	-	-	-	-	-	-	1	3	7	-	DEVONPORT.	
BRISTOL -	367,979	13'9	11'6	14'2	14'7	1'0	181	104	19	48	-	5	-	2	-	-	-	12	17	18	-	BRISTOL.	
HANLEY -	67,174	17'1	16'3	17'1	16'3	1'6	48	21	3	6	-	-	-	2	-	-	-	-	1	5	-	HANLEY.	
BURTON-ON-TRENT -	53,425	14'6	15'6	13'7	16'6	-	32	17	3	9	-	-	-	-	-	-	-	-	-	1	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	102,016	16'9	18'4	15'3	16'9	2'0	54	33	4	13	-	-	1	2	-	-	1	1	2	7	-	WOLVERHAMPTON.	
WALSALL -	96,171	18'4	9'2	15'2	15'7	1'1	47	29	6	12	-	-	-	-	-	-	2	1	2	3	-	WALSALL.	
HANDSWORTH -	65,929	10'3	9'5	11'9	8'7	0'8	32	11	3	3	-	-	-	1	-	-	-	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	68,123	23'4	25'6	24'1	17'3	2'3	41	23	12	3	-	1	-	1	1	-	-	-	-	3	-	WEST BROMWICH.	

* See note † on first page of this return.
 † These towns are included within the area of Greater London.
 ‡ The recent alterations in the boundaries of the borough of East Ham and of the city of Norwich will not be taken into account in the Weekly Return until next year.

TOWNS.	POPULATION estimated to the middle of the year 1907.*	Week ended				In Coln. 11-17.	Registered during the week ended 21st Dec., 1907.		Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.		
		Outset.					Week ended 21st Dec., 1907.	BIRTHS.	DEATHS.	Deaths of						Deaths from							
		30th Nov., 1907.	7th Dec., 1907.	14th Dec., 1907.	21st Dec., 1907.					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Dysentery.				Violence.	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,814	13.7	17.0	14.3	12.6	0.5	23	45	23	4	8	-	-	-	-	1	-	-	1	2	3	-	21.
HALIFAX.	110,138	14.7	14.2	14.3	11.4	0.9	24	33	24	4	12	-	-	-	2	1	-	-	1	1	3	-	22.
BRADFORD.	290,323	15.8	14.7	17.2	14.7	0.7	82	101	82	15	25	3	3	-	-	1	-	-	1	7	12	-	23.
LEEDS.	470,288	16.4	16.6	17.5	18.4	2.7	147	243	166	31	50	-	17	2	2	1	1	1	12	22	36	-	24.
SHEFFIELD.	455,553	14.1	12.7	15.6	16.8	1.0	147	281	147	43	45	-	-	1	2	4	-	2	7	10	32	6	25.
ROTHERHAM.	62,412	19.2	10.9	19.2	24.2	-	29	40	29	8	5	-	-	-	-	-	-	-	1	1	6	1	26.
YORK.	84,730	19.1	20.9	22.2	20.9	1.8	34	55	34	3	15	2	2	-	-	-	1	-	1	4	9	-	27.
HULL.	286,762	17.2	12.5	14.3	18.0	2.0	92	143	92	18	21	-	-	-	5	4	-	1	4	8	19	1	28.
MIDDLESBROUGH.	101,783	17.9	17.9	16.4	10.2	0.5	20	80	20	3	7	-	-	-	-	-	-	1	1	1	7	-	29.
STOCKTON-ON-TEES.	52,909	15.8	25.6	26.6	13.8	-	14	28	14	1	4	-	-	-	-	-	-	-	-	1	1	-	30.
WEST HARTLEPOOL.	75,473	18.7	17.3	17.3	11.7	-	17	39	17	5	4	-	-	-	-	-	-	-	1	1	1	-	31.
SUNDERLAND.	156,029	21.7	17.4	20.1	24.1	2.0	72	102	72	23	13	-	1	1	-	4	-	2	2	7	9	-	32.
SOUTH SHIELDS.	113,460	23.9	23.4	18.4	16.5	1.4	36	61	36	12	13	-	-	-	-	1	-	2	4	6	-	33.	
GATESHEAD.	125,783	17.4	18.2	18.2	18.7	2.5	45	58	45	13	7	-	4	-	1	-	-	1	2	2	1	2	34.
NEWCASTLE-ON-TYNE.	272,969	17.2	22.3	23.3	20.6	2.5	108	155	108	28	20	-	7	-	1	4	-	1	4	7	12	-	35.
TYNEMOUTH.	54,688	14.3	19.1	16.2	25.7	3.8	27	32	27	10	7	-	4	-	-	-	-	-	-	5	-	-	36.
NEWPORT (MON.).	75,585	8.3	17.2	17.2	10.6	1.4	24	39	24	9	5	-	-	-	-	1	1	-	-	2	6	-	37.
CARDIFF.	137,650	15.3	13.9	14.7	15.0	1.9	54	96	54	10	15	-	3	1	2	-	-	1	4	7	18	-	38.
RHONDDA.	130,400	17.6	24.0	27.6	23.6	4.8	59	87	59	17	5	-	9	-	2	-	-	3	3	4	-	-	39.
MERTHYR TYDFIL.	76,085	24.7	23.3	24.0	26.0	2.7	38	51	38	11	5	-	1	1	-	-	-	2	2	3	7	-	40.
SWANSEA.	97,324	22.0	18.8	19.3	22.5	1.1	42	70	42	15	7	-	2	-	-	-	-	1	5	2	-	-	41.
GREATER LONDON.	7,217,941	15.3	15.1	14.5	15.3	1.0	2112	3801	2112	437	686	-	31	34	24	33	5	17	83	221	691	7	42.
OUTER RING.	2,459,723	12.5	13.0	12.0	13.3	1.1	627	1398	627	159	199	-	13	10	9	12	-	6	21	53	115	1	43.
8 TOWNS IN OUTER RING.	1,209,265	13.1	13.3	11.7	13.9	1.1	322	689	322	86	100	-	10	5	4	4	-	2	12	27	78	-	44.
REMAINDER OF OUTER RING.	1,250,438	11.9	12.7	12.3	12.7	1.0	305	709	305	73	99	-	3	5	5	8	-	4	9	26	39	1	45.
EDINBURGH.	345,747	15.2	17.9	16.9	17.9	1.2	1194	132	1194	31	27	-	1	1	1	4	-	1	9	?	42	11	46.
GLASGOW.	847,584	21.4	20.5	20.7	20.8	3.7	3384	436	3384	70	70	-	35	1	3	11	2	8	14	?	108	9	47.
DUBLIN (Registration Area).	390,691	21.6	26.7	22.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48.
BELFAST.	370,163	25.8	26.9	26.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49.

* See note † on first page of this return.

+

Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1897-1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902-1906.*	1907
TOTAL Births -	2106	2422	2585	2436	2493	2407	1802	2122	2488	2503	2317.3	2403
Males - - -	1059	1232	1343	1232	1262	1259	909	1117	1217	1307	1188.9	1236
Females - - -	1047	1190	1237	1154	1231	1148	893	1005	1271	1196	1128.4	1167
TOTAL Deaths -	1555	1470	2607	1332	1625	1720	1204	1572	1746	1886	1663.6	1485
Males - - -	784	774	1304	752	844	890	586	815	880	957	840.8	734
Females - - -	791	696	1303	630	781	830	618	757	866	929	822.8	751

* The numbers in this column are the average weekly numbers in the Fifty-first week of the five years 1902-1906, raised by 2.37 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 28.	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	13 Weeks
TOTAL Births -	2341	2162	2183	2198	2450	2379	2393	2342	2214	2205	2345	2123	2403	29738
TOTAL Deaths -	1251	1212	1315	1270	1265	1390	1269	1326	1373	1535	1475	1446	1485	17612
Under 1 year -	321	302	337	339	319	339	233	266	288	316	288	294	278	3907
1-5 years -	142	140	116	119	104	132	146	149	159	185	168	138	162	1858
5-20 " -	67	69	76	75	77	64	66	73	73	78	72	87	64	946
20-40 " -	142	138	143	157	152	156	149	165	156	169	145	153	178	2003
40-60 " -	238	235	260	245	263	298	250	295	270	305	312	283	306	3550
60 yrs. & upwds.	341	338	383	335	350	401	425	373	447	482	492	491	497	5355
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	9	5	11	9	16	22	28	21	32	34	35	23	18	263
Diphtheria	14	18	19	25	26	22	16	9	18	13	19	13	24	235
Whooping-cough	25	25	19	13	11	21	18	21	23	30	20	15	15	256
Typhus	20	18	18	19	18	18	13	17	16	9	18	18	21	223
Enteric Fever	6	6	10	6	9	2	6	6	1	9	4	2	5	72
Pyrexia (origin uncertain)	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery	118	126	110	88	67	40	36	34	25	25	9	10	11	699
All above Diseases -	192	198	187	160	147	125	117	108	115	121	105	81	94	1750
Dis. of Resp. System	62	66	77	76	86	123	96	110	154	200	192	190	175	1607
Pneumonia	86	88	93	91	80	122	108	141	144	188	163	158	172	1637
Phthisis	127	100	109	114	127	137	103	148	131	161	119	119	140	1635
Dis. of Circ. System	167	149	160	164	172	201	166	177	191	193	216	204	220	2380
Violence	35	55	45	55	28	40	48	53	54	44	61	62	62	642
Inquest Cases	109	114	127	117	113	127	103	143	131	139	131	157	168	1679
Deaths in Institutions	514	494	567	525	557	561	572	538	563	583	583	565	576	7198
TEMPERATURE OF THE AIR.														
Mean—	58.4	55.4	52.7	51.4	48.8	48.4	49.8	43.8	42.6	42.7	42.2	45.2	44.2	48.1
Mean of Highest	71.8	64.3	60.1	57.5	57.3	55.1	54.6	50.2	47.6	49.4	48.2	49.3	49.0	55.0
Mean of Lowest	47.2	48.7	45.6	44.5	40.4	41.6	45.2	36.4	36.2	36.3	35.4	40.8	38.1	41.3
Mean Humidity of the Air.	73	83	85	84	87	91	90	87	92	89	86	82	89	86
Rain-fall (in inches) -	0.03	0.85	1.13	0.87	0.50	0.34	0.03	0.13	0.70	1.37	0.75	1.82	0.04	8.56
Registered Sunshine (in hours) -	47.7	22.7	25.0	19.1	23.5	10.2	8.1	11.0	2.6	14.9	15.6	16.7	10.2	226.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	4328	4542	4752	4995	5197	5467	5604	5689	5686	5676	5581	5352	5035	5223
Diphtheria	967	1035	1143	1180	1236	1256	1287	1293	1293	1279	1279	1279	1205	1213
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever	99	109	107	124	126	123	128	130	127	128	121	122	128	121

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Oann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.A., M.I.C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Grabham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-FIRST Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH	Corrected Average for the 51st week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages						CAUSES OF DEATH	Corrected Average for the 51st week of the 5 years 1902-1906.	1907—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.							ALL AGES.	Under 20.						
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.				60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
ALL CAUSES	1663·6	1485	278	162	64	178	306	497		14·7	12	3	5	3	1	-	-
Small-pox*	0·2	-	-	-	-	-	-	-		16·4	16	-	-	-	7	6	-
Cowpox	-	-	-	-	-	-	-	-		8·0	5	-	-	-	1	3	1
Measles (Morbilli)	44·4	18	1	15	1	-	1	-		22·1	12	12	-	-	-	-	-
Scarlet Fever	9·8	24	-	14	10	-	-	-		1·6	1	-	-	-	-	1	-
Typhus	-	-	-	-	-	-	-	-		3·9	8	-	-	-	1	-	7
Plague	-	-	-	-	-	-	-	-		24·4	15	-	-	-	1	3	11
Influenza	36·0	12	-	-	1	2	9	-		44·6	50	-	-	3	8	15	24
Whooping-cough	30·3	21	9	12	-	-	-	-		36·2	41	-	1	-	3	10	27
Diphtheria	16·2	15	1	11	2	1	-	-		19·6	13	-	-	-	2	2	11
Cerebro-spinal Fever	0·4	-	-	-	-	-	-	-		5·1	8	-	-	-	2	3	3
Pyæmia,† (origin un- certain)	6·8	5	-	-	2	2	1	-		0·8	-	-	-	-	-	-	-
Enteric Fever	-	-	-	-	-	-	-	-		104·8	108	-	2	4	10	31	61
Asiatic Cholera	-	-	-	-	-	-	-	-									
Epidemic Diarrhoea, } Infective Enteritis }	7·0	4	3	-	-	-	1	-		Croup (not Spasm: nor Membr.)	0·2	-	-	-	-	-	-
Diarrhoea, Dysentery	8·2	7	3	3	-	-	1	-		Bronchitis	211·4	158	48	13	-	4	15
Tetanus	1·0	1	-	-	1	-	-	-		Emphysema, Asthma	9·8	4	-	-	-	3	1
Rabies, Hydrophobia	-	-	-	-	-	-	-	-		Pleurisy	5·9	5	-	3	1	-	-
Glanders	-	-	-	-	-	-	-	-		Respiratory Dis., Other-	16·4	8	2	2	-	-	4
Anthrax (Splemic Fever)	0·2	-	-	-	-	-	-	-		Tonsillitis, Quinsy	0·8	2	-	2	-	-	-
Venereal Dis.	9·4	5	4	-	1	-	-	-		Enteritis (not Epid.)	8·8	13	6	1	-	2	4
Puerperal Septicæmia	2·9	1	-	-	1	-	-	-		Gastro-enteritis	4·1	3	1	2	-	-	-
Puerperal Pyæmia	0·2	-	-	-	-	-	-	-		Peritonitis (not Puerp.)	3·3	1	1	-	-	-	-
Puerperal Fever	0·4	-	-	-	-	-	-	-		Cirrhosis of Liver	14·3	19	-	-	3	10	6
Infective Endocarditis	2·3	2	-	1	1	-	-	-		Liver Dis., Other	4·7	6	-	-	-	2	4
Lobar	16·6	15	1	2	1	2	5	4		Digestive Sys., Other Dis.	39·9	33	3	-	1	5	15
Broncho-	99·3	77	35	25	1	1	7	8		Acute Nephritis	6·8	10	-	-	2	2	4
Epidemic	0·2	-	-	-	-	-	-	-		Bright's Dis., Albumin- uria	36·0	49	-	1	1	7	15
Not defined	80·8	80	11	10	2	8	22	27		Urinary Sys., Other Dis.	11·1	11	-	-	2	5	4
Erysipelas	4·9	1	1	-	-	-	-	-		Generative Organs Dis.	4·5	4	-	-	-	4	-
Septicæmia (not Puer- peral)	0·8	1	-	-	1	-	-	-		Childbirth (Accid. of)	3·4	3	-	-	3	-	-
Pyæmia (not Puerperal)	1·8	1	-	-	-	1	-	-		Old Age	56·7	69	-	-	-	-	69
Other Infective Processes	6·6	6	1	-	1	2	2	-		Other Diseases	98·7	104	65	11	4	8	10
Tuberculous Phthisis	99·5	106	-	2	5	34	52	13		ACCIDENT.							
"Phthisis"	69·4	34	-	-	6	14	12	2		By Railways	0·8	4	-	-	1	3	-
Tuberculous Meningitis	18·6	20	5	12	1	2	-	-		By Vehicles and Horses	5·3	8	-	-	1	5	1
Tuberculous Peritonitis	6·3	11	3	2	1	4	1	-		In Ships, Boats, Docks, (exclusive of Drown- ing)	0·4	-	-	-	-	-	-
Tubes Mesenterica	3·1	1	1	-	-	-	-	-		In Building Operations	0·8	4	-	-	-	3	1
Tuberculous Dis., Other	15·4	17	3	5	4	3	1	1		In Conflagrations	0·8	-	-	-	-	-	-
Scurvy	0·4	-	-	-	-	-	-	-		By Burns, Scalds, Ex- plosions	10·6	11	1	6	2	-	2
Alcoholism	10·6	7	-	-	2	5	-	-		By Drowning	2·5	6	-	-	-	4	1
Rheumatic Fever	4·7	5	-	3	1	1	-	-		By Suffocation in Bed	11·3	5	5	-	-	-	-
Gout	2·7	1	-	-	-	1	-	-		By Poisons or Poisonous Vapours	1·6	-	-	-	-	-	-
Carcinoma	54·0	34	-	-	6	7	21	-		Other Deaths by Acci- dent	18·4	14	1	-	2	2	9
Sarcoma	4·5	5	-	1	1	3	-	-		VIOLENCE OTHER THAN ACCIDENTAL.							
Cancer (undefined)	30·3	39	-	-	3	13	23	-		Homicide	0·4	-	-	-	-	-	-
Diabetes Mellitus	9·2	8	-	-	3	2	3	-		Suicide	7·0	10	-	-	1	1	4
Premature Birth	49·1	48	48	-	-	-	-	-		Execution	0·2	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st December, 1907.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total DEATHS.	The DEATHS registered during the Week include													Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from												
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON		4,586,429	2403	1485	278	497	-	18	24	15	21	-	5	-	11	62	168	576	6
WEST DISTRICTS		805,311	354	255	36	98	-	6	2	5	2	-	-	-	2	8	23	83	-
NORTH DISTRICTS		1,066,070	520	315	57	109	-	7	5	6	1	-	-	-	2	16	36	132	1
CENTRAL DISTRICTS		209,465	103	70	19	9	-	-	-	-	-	-	-	-	-	7	15	31	-
EAST DISTRICTS		715,739	440	274	67	69	-	3	1	-	8	-	1	-	2	16	47	121	-
SOUTH DISTRICTS		1,749,844	986	527	99	193	-	2	12	4	10	-	-	-	5	15	47	165	5
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	44	-	19	-	-	4	-	-	-	-	-	-	-	-	44	-
WEST DISTRICTS.																			
North Paddington H		63,603	44	17	1	9	-	-	-	-	-	-	-	-	-	2	3	-	-
Central Paddington W,3H		50,953	18	28	4	6	-	1	-	-	-	-	-	-	-	-	1	13	-
South Paddington		30,320	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w2H		128,037	61	62	3	34	-	2	-	-	2	-	-	-	1	2	5	28	-
Brompton 2H		48,591	9	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hammersmith 2W,wH		49,192	25	19	4	10	-	-	-	1	-	-	-	-	-	-	2	3	-
South Hammersmith w,2H		63,047	33	12	4	2	-	-	-	-	-	-	-	-	1	1	2	3	-
North-west Fulham W		45,180	29	16	5	3	-	2	-	-	-	-	-	-	-	-	-	4	-
North-east Fulham F		46,405	25	14	4	2	-	1	2	3	-	-	-	-	-	-	1	6	-
South Fulham W		45,704	27	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H		42,514	10	24	4	10	-	-	-	-	-	-	-	1	-	1	15	-	
Chelsea South W,2H		31,328	15	9	-	2	-	-	1	-	-	-	-	-	-	-	-	2	-
Mayfair and Knightsbridge		28,743	4	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Belgrave W,2H		55,815	27	14	2	5	-	-	-	-	-	-	-	-	-	1	2	5	-
St. Margaret & St. John 6H		43,898	12	13	1	8	-	-	-	-	-	-	-	-	1	-	2	3	-
St. James and St. Anne W,6H		33,081	9	8	3	1	-	-	-	-	-	-	-	-	-	-	3	1	-
NORTH DISTRICTS.																			
All Souls Marylebone 8H		35,301	11	12	-	4	-	2	-	-	-	-	-	-	-	1	2	8	-
St. Mary Marylebone W,4H		37,948	36	10	4	2	-	-	-	-	-	-	-	-	-	1	2	3	-
Christchurch Marylebone		59,536	20	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1
St. John Marylebone 2H		20,426	4	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H		81,942	20	32	2	7	-	1	4	3	-	-	-	-	-	-	-	22	-
West St. Pancras 2H		60,562	40	15	3	3	-	-	-	1	-	-	-	-	-	-	3	3	-
South St. Pancras w,12H		55,707	19	19	4	5	-	-	-	-	-	-	-	-	-	4	6	14	-
East St. Pancras W,2H		60,320	56	19	3	7	-	-	-	-	-	-	-	-	-	2	3	9	-
North St. Pancras 2W		58,728	26	19	2	10	-	-	-	1	-	-	-	-	-	-	1	9	-
Tufnell W		31,995	15	27	3	13	-	-	-	-	-	-	-	-	-	1	3	23	-
Upper Holloway 2W,w,H		33,978	20	22	2	7	-	1	-	-	-	-	-	-	-	-	2	17	-
Tollington W,wH		33,922	16	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway		41,424	21	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnsbury		54,478	40	7	2	1	-	1	-	-	1	-	-	-	1	-	1	-	-
Islington South-east F		75,397	35	11	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Highbury 2H		63,797	31	20	6	8	-	-	-	-	-	-	-	-	1	3	-	-	-
Stoke Newington H		51,247	27	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-
North Hackney		50,560	26	14	1	6	-	1	-	-	-	-	-	-	-	3	4	-	-
Central Hackney 2w,F		50,536	26	10	1	4	-	-	1	1	-	-	1	-	-	-	1	3	-
South-west Hackney 3H		59,921	24	20	6	3	-	-	-	-	-	-	-	-	-	2	2	11	-
South-east Hackney 2W,w,H		58,255	27	26	7	11	-	1	-	-	-	-	-	-	-	1	10	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st December, 1907—continued.

REGISTRATION SUB-DISTRICTS		Enu- mer- ated Popu- lation 1901	Total Births.	Total Deaths.	The DEATHS registered during the Week include.													Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarthæa.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																		
Christchurch and St. Saviour		23,319	9	18	2	3	-	-	-	-	-	-	-	-	1	3	3	12
Southwark W.2H		21,904	12	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-
Kent-road		39,094	19	5	2	1	-	-	-	-	-	-	-	-	-	-	-	3
St. George the Martyr West W.2H,L		49,022	28	10	3	3	-	-	-	-	-	-	-	-	-	-	1	-
Newington North		72,341	34	8	-	2	-	-	-	-	-	-	-	-	-	-	2	-
Newington South W																		
St. Olave 2W		9,817	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Bermondsey W		82,483	52	18	4	5	-	-	-	1	-	-	-	-	-	-	1	7
Rotherhithe W.F		38,460	26	10	1	5	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo 2H		27,440	27	11	2	5	-	-	-	-	-	-	-	-	-	1	4	1
Lambeth Church H		27,440	18	26	4	4	-	-	-	-	-	-	-	-	-	1	4	17
Kennington 2W		52,518	33	27	5	10	-	-	-	-	-	-	-	-	-	-	2	17
Stockwell HF		63,826	40	12	-	7	-	-	1	-	-	-	-	-	-	-	-	2
Brixton H		73,673	27	24	9	10	-	-	-	1	-	-	-	-	-	-	2	3
Norwood WH		56,998	24	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H		72,203	61	15	5	2	-	-	-	1	-	-	-	-	-	-	-	-
North-west Battersea		49,656	32	11	4	2	-	-	1	-	-	-	-	-	-	-	-	-
South-west Battersea 2W,H		47,048	12	27	1	14	-	-	1	-	2	-	-	-	-	1	3	19
Clapham 2H		51,361	26	13	2	5	-	-	-	-	-	1	-	-	-	-	-	-
Streatham W.2w,F,2L		88,019	65	33	7	15	-	-	-	-	2	-	-	-	-	2	5	7
Springfield 2W,L		27,950	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H		40,444	29	10	3	3	-	-	-	-	-	-	-	-	1	-	-	-
Putney		24,139	8	6	2	4	-	-	-	-	-	-	-	-	-	1	-	-
Dulwich		13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w		40,206	22	24	1	13	-	-	-	-	-	-	-	-	-	-	-	18
Camberwell North W,2L		65,584	28	28	6	8	-	-	-	-	-	-	-	-	1	-	2	14
St George		47,331	31	11	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Peckham North		48,913	31	7	4	2	-	-	-	-	-	-	-	-	-	1	2	-
Peckham South 2W,w		43,946	22	7	2	3	-	-	-	-	-	-	-	-	-	-	2	-
Deptford North		37,613	21	8	3	2	-	-	-	-	1	-	-	-	-	-	-	-
Deptford Central F		45,481	32	16	2	7	-	-	1	2	-	-	-	-	-	1	2	4
Deptford South		34,626	15	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H		23,456	11	9	1	5	-	-	-	-	-	-	-	-	-	1	2	1
Greenwich East 2W,H		43,859	25	19	3	4	-	-	-	-	1	-	-	-	-	1	1	10
Eltham w,H		7,226	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w,H		25,490	10	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W,w,F		58,352	32	28	6	11	-	-	2	1	-	-	-	-	1	1	1	16
Sydenham H		43,853	13	11	2	7	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F,2H		21,134	9	12	-	1	-	-	8	-	-	-	-	-	-	-	-	9
Woolwich 5H		41,625	26	13	4	4	-	-	-	-	-	-	-	-	-	-	3	-
Plumstead West W		18,063	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H		50,264	28	17	5	5	-	-	-	-	-	-	-	-	-	1	5	-
Workhouse:-																		
Central London Sick Asylum				1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
(Westminster, St. Giles, and Strand Unions.)																		
M. A. B. Small-pox Hospitals:-																		
Long Reach																		
M. A. B. Fever Hospitals:-																		
Gore Farm (temporary)																		
Joyce Green				3	-	-	-	-	3	1	-	-	-	-	-	-	-	3
North-Eastern				1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Northern																		
M. A. B. Imbecile Asylums:-																		
Belmont																		
Caterham				2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Darenth																		
Leavesden				3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
London County Lunatic Asylums:-																		
Banstead				11	-	4	-	-	-	-	-	-	-	-	-	-	-	11
Ewell (Epileptic Colony)				2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Horton																		
Manor																		
Long Grove				3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
Cane Hill				4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
Dartford Heath				2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Hanwell				2	-	2	-	-	-	-	-	-	-	-	-	-	-	2
Colney Hatch				4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Claybury				6	-	5	-	-	-	-	-	-	-	-	-	-	-	6

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st December, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
						Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence					
	LONDON—OUTER RING	363,702	2,044,973	1398	627	159	199	-	13	10	9	12	-	6	21	53	115	1		
30: 1	Carshalton 2F,3H	12,258	32,907	24	5	1	-	-	-	1	-	-	-	-	1	1	1	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	6	5	2	-	-	-	-	-	2	-	-	-	-	1	-		
37: 1	Godstone, part of* W,F,L	2,754	2,692	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Coulsdon	11,089	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon w	4,290	49,309	30	11	3	3	-	-	-	1	-	-	-	1	2	-	-		
3	West Croydon 3W,F,H	2,168	42,888	28	26	5	11	-	-	-	-	1	-	1	2	4	11	-		
4	North Croydon H	2,644	41,638	24	8	2	3	-	-	-	-	1	-	-	-	-	-	-		
5	Penge w	770	22,465	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
6	Mitcham	11,711	30,016	35	9	1	3	-	-	-	-	-	-	-	-	-	-	-		
39: 1	Wimbledon F,3H	3,221	41,652	22	8	3	-	-	-	1	1	1	-	-	-	-	2	-		
2	Kingston 2W,H	6,224	42,068	23	9	2	5	-	-	-	-	-	-	-	-	1	5	-		
3	Surbiton F,H	3,046	15,017	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of* H	5,492	13,100	7	3	1	1	-	-	-	-	-	-	-	-	1	1	-		
5	Hampton H,F,L	4,584	23,456	13	13	3	4	-	-	-	-	-	-	-	1	1	1	-		
40: 1	Richmond W,H	2,491	31,672	13	10	2	4	-	-	-	-	-	-	1	1	2	1	-		
2	Mortlake F	2,518	17,321	11	5	2	2	-	-	-	-	-	-	-	1	1	-	-		
41: 1	Bromley F,2H	4,703	27,354	10	4	-	1	-	-	-	1	-	-	-	-	-	1	-		
2	Beckenham H	7,825	28,497	9	9	2	4	-	-	-	-	-	-	-	-	-	-	-		
3	Orpington, part of* W,F	10,113	9,857	13	3	-	3	-	-	-	-	-	-	-	-	-	-	-		
4	Chislehurst 2H	7,393	16,446	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
42: 1	Bexley w,F,H	8,678	21,151	10	5	1	2	-	-	-	-	-	-	-	-	1	-	-		
2	Erith F,H	3,854	25,296	22	5	1	2	-	-	1	-	-	-	-	1	1	1	-		
3	Dartford W,F, part of*	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
24: 1	Sunbury w	11,054	18,683	21	4	1	1	-	1	-	-	1	-	-	-	-	-	-		
2	Staines W,H	13,277	15,178	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
25: 1	Hillingdon W,F,H	6,035	13,661	6	5	-	3	-	-	-	-	-	-	-	-	-	2	-		
2	Uxbridge H	12,757	8,964	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes w,2F,H	8,068	16,358	14	4	1	1	-	-	-	-	-	-	-	1	1	-	-		
26: 1	Isleworth 3W,3F,H	8,859	30,863	19	13	3	4	-	-	-	-	-	-	-	1	3	4	-		
2	Twickenham F,2H	2,421	20,991	13	8	1	4	-	-	-	-	-	-	-	-	1	1	-		
3	Brentford 3F,2H	4,319	48,239	46	15	3	8	-	-	-	-	-	-	-	-	-	-	-		
4	Chiswick H	1,249	29,506	16	8	3	3	-	-	-	-	-	-	-	-	-	-	-		
5	Acton w,F,3H	6,132	48,914	37	18	8	1	-	1	1	-	-	-	1	-	2	1	-		
27: 1	Harrow F,H	13,809	25,523	19	7	3	2	-	-	-	-	4	-	-	-	-	-	-		
2	Edgware 2F,2H	6,994	4,521	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,F,2H	4,384	114,311	78	46	8	9	-	6	1	1	-	-	-	2	4	8	-		
4	Hendon W,F	8,352	22,450	16	9	1	4	-	-	-	-	-	-	-	-	1	2	-		
28: 1	South Mimms 2F,H	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,2H	3,324	17,970	12	4	1	2	-	-	-	-	-	-	-	1	-	-	-		
3	Finchley F,2H	4,688	33,692	28	6	2	2	-	-	-	-	-	-	-	-	1	-	-		
29: 1	Hornsey F,H	2,875	72,056	31	15	4	5	-	-	-	1	-	-	1	-	1	1	-		
2	Wood Green H	1,625	34,233	24	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
3	West Tottenham	996	48,353	35	17	4	7	-	-	-	1	-	-	-	-	1	-	-		
4	East Tottenham 2E	2,017	53,688	40	17	4	6	-	-	-	-	-	-	-	-	-	3	-		
5	Edmonton W,w,2F	7,491	61,892	57	30	11	7	-	-	-	-	-	-	1	-	1	6	-		
6	Enfield 2W,F,H	12,601	42,738	37	13	1	3	-	-	-	1	-	-	-	1	2	1	-		
7	Waltham Abbey F	11,017	6,549	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	7	5	1	2	-	-	-	1	-	-	-	-	-	-	-		
35: 1	Hatfield, part of* W	3,305	864	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37: 1	Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
38: 1	Stratford H	1,091	52,974	36	20	10	5	-	-	-	-	-	-	-	-	2	1	-		
2	Forest Gate	787	52,745	28	11	4	5	-	-	-	-	-	-	-	-	-	-	-		
3	Plaistow F,2H	1,249	90,921	71	27	11	4	-	1	1	1	1	-	-	2	2	5	-		
4	Canning Town H	1,556	70,718	65	16	4	1	-	2	-	-	-	-	-	3	4	1	-		
5	South East Ham 2F	1,993	37,342	43	8	4	2	-	1	-	-	-	-	-	1	1	-	-		
6	North East Ham w,H	1,333	58,676	44	11	2	3	-	-	1	-	-	-	-	1	2	-	-		
7	Wanstead F	1,679	9,179	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton 2W	631	50,467	19	13	2	9	-	-	-	-	-	-	-	-	-	6	-		
9	North Leyton 2W,w,F	1,963	48,445	35	44	8	15	-	-	-	-	-	-	-	-	2	30	-		
10	Walthamstead 2H,L	6,504	108,929	89	26	12	9	-	-	-	-	1	-	-	1	3	1	1		
37: 1	Chigwell 2F,3H	11,778	16,397	8	3	-	2	-	-	-	-	-	-	-	-	-	1	-		
2	Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
39: 1	Bromford, part of W,2F	8,556	6,091	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford F,L	8,496	41,234	26	19	6	7	-	-	-	-	-	-	-	1	2	3	-		
3	Barking Town F	3,803	21,547	17	4	1	1	-	1	-	-	-	-	-	-	1	-	-		
	N.W. Hosp., Hampstead	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-		
	N.E. Hospital, Tottenham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Middlesex County Lunatic Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-		
	Middlesex County Lunatic Asylum, Napsbury.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
	Essex County Lunatic Asylum, Brentwood.	-	-	-	5	-	4	-	-	-	-	-	-	-	-	-	5	-		

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	December 21	2403	1485	16'3	-	18	24	15	21	5	11
CALCUTTA - -	955,926	November 23	-	871	53'4	2	-	-	1	2	233†	19†
BOMBAY - -	982,000	December 3	461	629	33'4	-	4	-	-	-	73†	45
MADRAS - -	548,974	November 22	430	442	45'1	2	2	?	?	?	107	62‡
PARIS - -	2,722,731	December 14	937	886	16'9	-	1	1	4	4	3	22
BRUSSELS - -	623,202	" 14	195	141	11'7	-	-	1	1	1	4	8
ANTWERP - -	304,032	" 14	146	71	12'1	-	1	-	1	-	-	6
AMSTERDAM -	564,342	" 14	268	126	11'6	-	3	-	-	1	1	1
COPENHAGEN -	433,000	" 14	264	133	16'6	-	5	-	1	5	2	6
STOCKHOLM -	332,738	" 7	158	102	15'9	-	1	-	-	1	-	-
CHRISTIANIA -	226,774	" 14	118	66	15'0	-	-	-	2	1	-	3
ST. PETERSBURG	1,482,769	November 30	843	685	24'0	-	14	22	19	12	14	47
MOSCOW - -	1,296,000	December 7	-	589	23'7	-	6	17	9	6	5	56
BERLIN - -	2,110,631	November 30	960	680	16'8	-	14	3	19	10	2	45
HAMBURG - -	840,790	December 14	-	296	18'7	-	1	-	4	6	-	22
BRESLAU - -	485,278	" 7	-	205	22'0	-	1	-	3	5	-	20
MUNICH - -	548,000	" 14	-	193	18'8	-	2	-	4	1	-	24
VIENNA - -	1,979,003	" 14	874	564	14'7	-	8	5	4	3	1	43
PRAGUE - -	470,906	" 7	158	202	22'2	-	3	-	1	4	2	17
BUDA-PESTH -	802,235	" 7	382	277	18'0	-	8	8	5	-	2	12
TRIESTE - -	200,962	" 14	133	92	23'6	-	2	-	2	-	2	-
ROME - -	542,760	September 21	243	160	15'4	-	3	-	2	-	8§	22
VENICE - -	174,398	November 16	86	61	18'2	-	-	-	-	-	2	1
		" 23	67	62	18'5	-	-	1	-	-	1	6
BUCHAREST -	262,395	December 14	139	123	21'9	-	-	4	-	-	3	-
NEW YORK - -	4,285,435	November 30	1959	1346	16'4	-	15	11	26	3	22	38
CHICAGO - -	2,107,620	" 30	-	502	12'4	-	1	7	16	-	7	27
PHILADELPHIA -	1,500,595	September 21	-	451	15'6	-	-	1	7	4	11	62
		October 28	-	407	14'1	-	-	-	7	7	11	54
RIO DE JANEIRO	628,275	November 24	-	238	19'7	5	3	-	-	1	3†	?

* Excluding deaths from croup in the Indian Cities.

† Including 18 deaths from plague in Calcutta, 17 in Bombay, and 2 in Rio de Janeiro.

‡ Including 108 deaths from cholera in Calcutta, and 5 in Madras.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st December, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) {	55'3	28'1	43'6	0'04	LEEDS - - -	55'0	33'0	41'5	0'34
BRIGHTON - -	51'3	34'5	45'9	0'06	YORK - - -	52'0	33'0	41'7	0'31
PORTSMOUTH - -	54'0	36'5	47'5	0'09	HULL - - -	53'0	30'0	42'7	0'18
NORWICH - -	52'6	26'2	42'6	0'16	TYNEMOUTH - -	51'0	33'0	41'9	0'76
PLYMOUTH - -	53'3	36'0	48'5	0'53	CARDIFF - -	53'5	29'5	45'4	0'65
BRISTOL - -	55'0	32'2	45'7	0'22					
BIRMINGHAM - -	52'8	32'0	43'7	0'15	EDINBURGH - -	48'5	32'9	42'1	1'27
NOTTINGHAM - -	53'2	33'4	43'6	0'13	GLASGOW - -	50'8	27'8	42'9	1'84
LIVERPOOL - -	53'0	35'0	44'8	0'24					
OBSERVATORY, {	52'7	27'7	43'1	0'70	DUPLIN { Phoenix Park.	-	-	-	-
MANCHESTER - -	51'9	26'0	42'6	0'79	DUPLIN { Fitz- william Square.†	-	-	-	-
BURNLEY - -	-	-	-	-	BELFAST - -	-	-	-	-
BELTON - -	-	-	-	-					
HUDDERSFIELD -	33'0	31'2	45'4	0'23					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A. M.D. Dublin.

Under the Superintendence of the Astronomer Royal.

1807. MONTH AND DAY	Phases of the Moon.	TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE				Winds deduced from Anemometers.				Rain collected in a Gauge whose area is square feet surface above the Average of the Ground. 40 years.		
		Of the Air.				Of the Air Temperature.		Of the Dew Point Temperature.		Of Radiation.		Of the Earth 3 feet below the Surface.		General Direction.		Pressure on the Square Foot.			Robinson's, Horizontal Movement of the Air on each Day.	
		High- est.	Low- est.	Daily Range.	Mean daily Average value.	De- parture from Average value. 65 years.	Mean dew point.	Of the Earth 3 feet below the Surface.	Highest in Sun's Rays.	Lowest in Grass.	A.M.	P.M.	Great- est.	Least.	Mean hourly obs.	Miles. 177	Miles - 131		in.	
DECEMBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
SUNDAY - 15	..	29°30	40°3	28°2	12°1	34°0	- 6°8	32°1	1°9	5°3	0°5	93	51°8	23°6	46°20	°	°	°	0°0	
MONDAY - 16	..	30°15	45°7	28°1	17°6	39°1	- 1°6	36°1	3°0	5°9	0°0	89	72°3	23°5	45°90	°	°	°	0°0	
TUESDAY - 17	..	30°48	44°2	33°0	11°2	38°2	- 2°2	34°7	3°5	6°8	1°3	87	58°0	24°2	45°50	°	°	°	0°0	
WEDNESDAY 18	..	29°36	51°3	33°1	18°2	44°9	+ 4°9	44°3	0°6	3°2	0°2	98	58°0	24°1	45°30	°	°	°	0°0	
THURSDAY- 19	Full	29°04	54°0	50°2	3°8	52°3	+ 12°8	49°7	2°8	3°8	1°0	91	57°6	44°6	45°22	°	°	°	0°7	
FRIDAY - 20	..	29°19	55°3	49°1	6°2	51°9	+ 12°9	47°3	4°6	6°2	3°4	85	78°0	44°0	45°60	°	°	°	3°0	
SATURDAY - 21	Greatest Dec. N.	29°68	52°0	45°2	6°8	49°0	+ 10°3	42°3	6°7	8°6	4°2	78	67°5	40°1	46°10	°	°	°	0°0	
MEANS -	-	29°884	49°0	38°1	10°8	44°2	+ 4°3	40°9	3°3	5°7	1°5	89	63°3	32°0	45°69	°	°	°	Sum 0°01	
																			Sum 2012	
																			23	
																			24	
																			25	
																			26	

GENERAL REMARKS.

DATE.	EXPLANATION (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.
SUNDAY - 15	m. P. till 8h. P.M.; s. P. till 9h. P.M.; loss of Registrar's Register till 11h. A.M. m. P. till 10h. P.M.; w. P. afterwards.	78	0°0
MONDAY - 16	w. P. till 7h. A.M.; w. P. afterwards.	78	0°0
TUESDAY - 17	w. P. till 7h. A.M.; w. P. afterwards.	78	0°0
WEDNESDAY - 18	w. P. generally.	78	0°0
THURSDAY - 19	w. P. throughout.	78	0°0
FRIDAY - 20	w. P. generally.	78	0°0
SATURDAY - 21	w. P. throughout.	78	0°0
MEANS -	-	78	0°0
No. of Col. -	27	28	29

The results apply to the civil day, or from midnight to midnight. The height of the eastern of the barometer is 159 feet above the mean level of the sea. No correction has been applied to the readings to reduce to sea level. The observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1803. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometric Tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 65 years ending 1863, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1806. In reading columns 9 and 10 it will be borne in mind that + indicates "lighter," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; V. variable.

The aggregate column 28, derived from the Campbell-Stokes Sunshine Instrument shows the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.37 in. at the beginning of the week to 30.19 in. by 10h. A.M. on the 17th; increased to 29.56 in. by 8h. A.M. on the 21st; and increased to 29.78 in. by midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th December, 1907.*

BOROUGHS	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	16	3	-	-	-	-	2	-	-
Kensington - - -	181,842	-	11	6	-	-	-	-	3	-	-
Hammersmith - - -	122,337	-	10	12	-	-	-	-	3	-	-
Fulham - - -	166,749	-	17	13	-	-	-	-	3	-	-
Chelsea - - -	74,857	-	4	4	-	-	-	-	-	-	-
City of Westminster -	172,219	-	10	6	-	-	-	-	1	-	-
NORTH.											
St. Marylebone - - -	127,718	-	4	2	-	-	-	-	2	1	-
Hampstead - - -	91,137	-	11	2	-	-	-	-	1	-	-
St. Pancras - - -	236,753	-	23	6	-	5	-	-	2	-	-
Islington - - -	347,017	-	27	17	-	1	-	-	2	1	-
Stoke Newington - - -	53,613	-	7	1	-	-	-	-	-	-	-
Hackney - - -	232,993	-	37	9	-	1	-	-	3	-	-
CENTRAL.											
Holborn - - -	55,134	-	-	1	-	1	-	-	-	-	-
Finsbury - - -	96,732	-	8	3	-	-	-	-	4	-	-
City of London - - -	20,310	-	4	-	-	-	-	-	2	-	-
EAST.											
Shoreditch - - -	115,662	-	21	4	-	-	-	-	3	-	-
Bethnal Green - - -	130,831	-	19	11	-	6	-	-	3	-	-
Stepney - - -	368,923	-	63	30	-	1	2	-	12	-	-
Poplar - - -	171,086	-	24	1	-	8	-	-	6	-	-
SOUTH.											
Southwark - - -	209,781	-	18	5	-	-	-	-	4	-	-
Bermondsey - - -	128,263	-	28	3	-	1	-	-	6	1	-
Lambeth - - -	318,538	-	38	5	-	-	-	-	3	-	1
Battersea - - -	181,736	-	17	5	-	1	-	-	3	-	-
Wandsworth - - -	281,419	-	46	21	-	1	-	-	5	2	-
Camberwell - - -	277,059	-	41	2	-	8	-	-	2	-	-
Deptford - - -	116,510	-	25	4	-	2	-	-	1	-	-
Greenwich - - -	107,222	-	6	10	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	9	7	-	1	-	-	1	-	-
Woolwich - - -	129,336	-	29	6	-	-	-	-	2	1	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,758,218											
		-	573	189	-	37	2	-	80	6	1
Ages											
0-1 - - -	-	-	3	5	-	-	-	-	2	-	-
" 1-5 - - -	-	-	168	66	-	5	-	-	2	-	1
" 5- - - -	-	-	232	75	-	6	-	-	4	-	-
" 10- - - -	-	-	98	19	-	3	-	-	5	-	-
" 15- - - -	-	-	30	9	-	5	-	-	2	-	-
" 20- - - -	-	-	21	3	-	5	-	-	3	1	-
" 25- - - -	-	-	14	11	-	8	-	-	10	2	-
" 35- - - -	-	-	5	1	-	4	1	-	23	3	-
" 45- - - -	-	-	2	-	-	1	-	-	11	-	-
" 55- - - -	-	-	-	-	-	-	1	-	8	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	10	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 52. 1907. VOL. LXVIII.] WEEK ENDED SATURDAY, DEC. 28. [Price 1½d.

*General Register Office, Somerset House,
December 30th, 1907.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·7 per 1000 of their aggregate population, which is estimated† at 16,024,458 persons in the middle of this year. In the preceding three weeks the rates had been 16·0, 16·1, and 16·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

Measured by last week's mortality, the highest annual death-rates per 1000 living, were:—from *all causes*, 20·0 in Salford, 20·4 in Newcastle on Tyne, 20·7 in Stockton on Tees, 22·8 in Rhondda, 23·5 in Wigan, 23·6 in Ipswich, and 24·4 in South Shields; from *measles*, 1·3 in Salford, 1·6 in Bootle, 1·7 in Barrow in Furness and in Leeds, 2·7 in Swansea, 2·9 in Burton on Trent, 3·8 in Tynemouth, and 7·2 in Ipswich; from *scarlet fever*, 2·1 in Newport (Mon.), and 2·3 in West Bromwich; from *diphtheria*, 1·3 in Norwich; from *whooping-cough*, 1·1 in Northampton, 1·3 in Devonport, Aston Manor, Sunderland, and Newcastle on Tyne, 1·4 in Ipswich, and 1·6 in Hanley and in Bootle; and from "*fever*," 1·1 in Northampton. No death from *small-pox* was registered in any of the seventy-six towns.

LONDON.*

In LONDON 1548 BIRTHS and 1326 DEATHS were registered. Allowing for increase of population, the births were 560 and the deaths 443 below the average numbers in the corresponding weeks of the previous five years. The annual death-rate from all causes, which had been 16·2, 15·8, and 16·3 per 1000 in the preceding three weeks, fell last week to 14·5. The death-rate in the four weeks ended last Saturday averaged 15·7 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the five years 1902–6.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Metropolitan Asylums Board Hospitals, and in the Middlesex County Lunatic Asylum within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been corrected by similar distribution of all deaths in public institutions.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1326 deaths included 25 from measles, 10 from scarlet fever, 13 from diphtheria, 14 from whooping-cough, 2 from enteric fever, and 15 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, to these diseases in the aggregate 79 deaths were referred, being 62 below the corrected average number in the fifty-second week of the preceding five years.

The deaths from *measles*, which had been 35, 23, and 18 in the preceding three weeks, were 25 last week, and were 23 below the corrected average; 4 deaths belonged to the Borough of Stepney, and 3 each to St. Pancras and Islington. The deaths from *scarlet fever*, which had been 19, 13, and 24 in the preceding three weeks, fell to 10 last week, the corrected average being 11. The deaths from *diphtheria*, which had been 20, 15, and 15 in the preceding three weeks, fell to 13 last week, and were 9 below the corrected average; 3 deaths belonged to Islington and 3 to Stepney. The deaths from *whooping-cough*, which had been 18, 18, and 21 in the preceding three weeks, fell to 14 last week, and were 18 below the corrected average; 5 deaths belonged to Stepney. The deaths from *enteric fever*, which had been 4, 2, and 5 in the preceding three weeks, were 2 last week, and were 6 below the corrected average. The deaths from *diarrhoea*, which had been 9, 10, and 11 in the preceding three weeks, rose to 15 last week, but were 5 below the corrected average; 3 deaths belonged to Stepney, and 3 to Camberwell. Of the 15 deaths from diarrhoea, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 other deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 18, 19, and 12 in the preceding three weeks. The death of a hot-water fitter, aged 48 years, was certified as due to *chronic plumbism*.

Different forms of *violence* caused 61 deaths, concerning all of which inquests were held. Of these 61 deaths, 9 were cases of suicide, while the remaining 52 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, seven to burns or scalds, six to drowning, and ten of infants under one year of age, to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4999 cases of scarlet fever, 1170 of diphtheria, and 119 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 353 cases, against 554, 500, and 447; of diphtheria, 124 cases, against 174, 160, and 162; and of enteric fever, 10 cases, against 20, 20, and 23. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London shows the number of cases of Infectious Disease that were notified in the County during the week ended December 21st, 1907.

GREATER LONDON.

In Greater London 2347 births and 1852 deaths were registered. Allowing for increase of population, these numbers are 836 and 668 below the respective averages in the corresponding weeks of the previous five years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 7 from whooping-cough, 2 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 39·5°, the latter being 1·0 above the week's average in the 65 years ending 1905. The direction of the wind was variable, the horizontal movement of the air being 14 per cent. above the week's average in the 40 years ending 1906. The duration of registered bright sunshine in the week was 4·8 hours; the measured rainfall amounted to 0·12 of an inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	The DEATHS registered in the Week include										Deaths from										Causes of Death.												
	DEATH-RATES from all Causes.										Deaths of										Inquest Cases.												
	Week ended					Rates from Diseases in Cols. 11-17.					Persons aged under 1 Year of Age.					Deaths from					Inquest Cases.					Deaths from							
	7th Dec. 1907.	14th Dec. 1907.	21st Dec. 1907.	28th Dec. 1907.	Week ended Dec. 1907.	11-17.	7	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Violence.					Deaths from						
POPULATION estimated at the middle of the Year 1907.*		Week ended		Rates from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.		Deaths from Diseases in Cols. 11-17.			
Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.		Cols.	
76 TOWNS		16,024,458		16'0		16'1		16'8		14'7		1'2		5860		4527		970		1335		-		-		-		-		-		-	
LONDON -		4,758,218		16'2		15'8		16'3		14'5		0'9		1548		1326		285		418		-		-		-		-		-		-	
CROYDON -		154,342		11'8		14'9		10'1		8'0		0'3		42		30		4		14		-		-		-		-		-		-	
WILLESDEN -		149,182		19'6		11'2		16'1		8'0		1'0		50		23		6		5		-		-		-		-		-		-	
HORNSEY -		89,816		8'1		9'3		9'3		8'1		0'6		16		14		1		6		-		-		-		-		-		-	
TOTTENHAM -		122,793		14'0		10'2		16'6		8'1		0'4		25		19		5		4		-		-		-		-		-		-	
WEST HAM -		508,284		14'9		12'5		16'9		12'2		0'7		110		72		23		23		-		-		-		-		-		-	
EAST HAM & LEXTON -		136,421		6'9		13'0		8'0		7'6		1'1		48		20		7		3		-		-		-		-		-		-	
WALTHAMSTOW -		122,040		13'7		10'3		11'5		9'8		0'9		54		23		6		9		-		-		-		-		-		-	
HASTINGS -		126,397		13'2		9'5		12'0		8'3		0'8		51		20		3		5		-		-		-		-		-		-	
BRIGHTON -		67,477		17'0		10'8		16'2		7'0		-		18		9		1		3		-		-		-		-		-		-	
PORTSMOUTH -		128,023		11'7		11'7		15'0		13'3		0'8		41		33		2		11		-		-		-		-		-		-	
BOURNEMOUTH -		238,291		11'3		12'5		14'0		14'5		1'3		94		58		12		19		-		-		-		-		-		-	
SOUTHAMPTON -		68,246		6'0		11'3		6'8		12'0		-		13		16		1		8		-		-		-		-		-		-	
READING -		118,745		10'0		10'9		14'4		7'4		0'9		32		17		4		5		-		-		-		-		-		-	
NORTHAMPTON -		80,311		11'0		13'0		14'9		13'6		-		31		21		6		4		-		-		-		-		-		-	
IPSWICH -		85,070		11'5		16'5		15'4		13'2		2'2		32		24		2		5		-		-		-		-		-		-	
GREAT YARMOUTH -		72,825		16'5		18'6		15'8		23'6		9'3		32		33		4		7		-		-		-		-		-		-	
NORWICH & PLYMOUTH -		52,879		10'8		12'8		9'9		16'8		-		15		17		2		8		-		-		-		-		-		-	
DEVONPORT -		119,191		13'6		12'2		14'4		12'2		2'6		51		28		5		9		-		-		-		-		-		-	
BRISTOL -		120,063		13'5		12'6		12'2		11'3		0'9		25		26		1		14		-		-		-		-		-		-	
HANLEY -		70,959		13'7		7'8		13'7		10'4		1'3		30		16		3		7		-		-		-		-		-		-	
BURTON-ON-TRENT -		307,979		11'6		14'2		14'7		10'9		0'6		89		77		10		28		-		-		-		-		-		-	
WOLVERHAMPTON -		67,174		16'3		17'1		16'3		16'3		1'6		26		21		8		2		-		-		-		-		-		-	
WALSALL -		53,425		15'6		13'7		16'6		12'7		3'9		18		13		4		4		-		-		-		-		-		-	
HANDSWORTH -		102,016		18'4		15'3		16'9		15'3		0'5		34		30		4		10		-		-		-		-		-		-	
WEST BROMWICH -		96,171		9'2		15'2		15'7		12'5		1'6		33		23		6		6		-		-		-		-		-		-	
HANDSWORTH -		65,329		9'5		11'9		8'7		8'7		-		17		11		3		6		-		-		-		-		-		-	
WEST BROMWICH -		69,123		25'6		24'1		17'3		17'3		3'0		28		23		10		6		-		-		-		-		-		-	

TABLE 1 (cont.)—78 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES in the Week ended Saturday, 28th December, 1907, and DEATH-RATES in each of the preceding three Weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1907.*	DEATH-RATES from all Causes.					Registered during the week ended 28th Dec., 1907.		Deaths of		The Deaths registered in the Week include											TOWNS.	
		Week ended					7th Dec., 1907.	14th Dec., 1907.	21st Dec., 1907.	28th Dec., 1907.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Inquest Cases.		
		Week ended											Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.			
		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.									13.		14.
Cols.	1.																				Cols.		
BIRMINGHAM -	553,155	16.0	16.9	16.7	14.6	0.7	188	155	41	37	-	1	-	2	2	1	1	7	9	32	6	BIRMINGHAM.	
KINGS NORTON -	75,600	11.0	8.3	14.5	6.9	0.7	18	10	3	2	-	-	-	-	1	-	-	-	-	3	1	KINGS NORTON.	
SMETHWICK -	68,467	10.2	13.3	11.0	10.2	-	23	13	2	6	-	-	-	-	-	-	-	-	1	1	-	SMETHWICK.	
ASTON MANOR -	83,266	10.6	10.0	16.3	8.8	1.3	30	14	5	4	-	-	-	-	2	-	-	-	-	2	-	ASTON MANOR.	
COVENTRY -	77,626	16.8	14.8	18.1	12.8	-	33	19	4	5	-	-	-	-	-	-	1	1	1	2	1	COVENTRY.	
LEICESTER -	236,124	16.6	16.8	14.6	11.0	0.9	78	50	6	15	-	-	2	-	2	-	-	-	1	16	2	LEICESTER.	
GRIMSBY -	70,574	10.3	7.4	17.0	11.8	1.5	28	16	4	3	-	-	-	-	-	1	-	-	2	-	-	GRIMSBY.	
NOTTINGHAM -	257,489	20.9	20.7	20.3	13.8	0.6	107	68	23	17	-	-	-	-	1	-	2	2	2	18	1	NOTTINGHAM.	
DERBY -	126,774	13.7	12.0	14.9	12.9	0.8	48	31	6	10	-	-	-	-	-	-	3	4	6	-	-	DERBY.	
STOCKPORT -	100,986	17.6	16.5	16.0	17.0	0.5	39	33	9	12	-	-	1	-	-	-	-	-	1	7	-	STOCKPORT.	
BIRKENHEAD -	118,553	9.2	19.4	16.3	9.7	1.3	63	22	1	10	-	-	-	2	1	-	-	-	-	3	-	BIRKENHEAD.	
WALLASEY -	66,707	11.7	11.7	14.1	13.3	-	33	17	4	8	-	-	-	-	-	-	-	1	1	2	1	WALLASEY.	
LIVERPOOL -	746,144	20.1	19.8	21.0	19.0	2.0	316	272	52	72	-	-	3	7	10	1	4	11	22	93	7	LIVERPOOL.	
BOOTLE -	67,114	19.4	19.4	25.6	17.1	3.1	36	22	5	7	-	-	-	-	2	-	-	3	2	5	1	BOOTLE.	
ST. HELENS -	92,476	15.2	12.4	13.5	16.9	0.6	68	30	5	9	-	-	2	-	-	-	-	-	1	5	2	ST. HELENS.	
WIGAN -	88,606	17.1	20.6	19.4	23.5	1.8	52	40	9	8	-	-	-	-	1	1	-	1	2	4	-	WIGAN.	
WARRINGTON -	70,269	16.3	20.0	17.1	17.8	0.7	28	24	6	7	-	-	-	-	-	-	1	-	-	1	5	WARRINGTON.	
BOLTON -	182,917	14.3	15.7	14.5	15.1	1.7	80	53	11	14	-	-	-	1	1	3	-	-	3	8	1	BOLTON.	
BURY -	58,901	24.8	18.3	21.2	12.4	1.8	23	14	2	4	-	-	-	-	1	1	-	1	1	3	1	BURY.	
MANCHESTER -	643,148	16.1	17.2	19.6	17.6	1.3	255	217	44	62	-	2	2	4	2	2	4	14	26	58	3	MANCHESTER.	
SALFORD -	236,670	21.4	15.9	21.2	20.0	2.9	99	91	16	27	-	6	1	3	2	-	1	3	8	13	2	SALFORD.	
OLDHAM -	141,730	23.2	21.3	21.7	14.0	1.1	64	38	5	14	-	-	-	-	-	-	1	2	2	5	-	OLDHAM.	
ROCHDALE -	87,999	21.9	16.6	12.4	17.2	0.6	28	29	4	8	-	-	-	-	-	-	2	2	3	2	-	ROCHDALE.	
BURNLEY -	103,947	22.1	12.5	16.1	17.6	1.0	43	35	3	10	-	-	-	-	-	-	-	1	4	6	1	BURNLEY.	
BLACKBURN -	134,980	15.1	15.8	16.2	15.8	0.8	53	41	10	9	-	-	-	-	2	-	-	-	2	3	1	BLACKBURN.	
PRESTON -	117,083	20.5	23.9	28.9	18.3	0.9	40	41	9	10	-	2	-	-	-	-	-	1	2	3	1	PRESTON.	
BARROW-IN-ARROW -	61,635	18.6	20.3	16.1	8.5	1.7	26	10	5	2	-	-	-	-	-	-	-	3	3	6	-	BARROW-IN-ARROW.	

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1907.*				Week ended		In Cols. 11-17.		during the Week ended 28th Dec., 1907.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	TOWNS.			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.					20.	21.	Cols.
		7th Dec., 1907.	14th Dec., 1907.	21st Dec., 1907.	28th Dec., 1907.		Week ended 28th December, 1907.			Infants under 1 year of age.	Persons aged 15 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarhoea.	Violence.								
HUDDESFIELD	-	94,814	17'0	14'3	12'6	17'6	0'5	29	32	4	16	-	-	-	-	-	1	-	2	2	1	-	-	HUDDESFIELD.			
HALIFAX	-	110,138	14'2	14'2	11'4	11'8	1'4	35	25	3	12	-	-	-	1	2	-	-	1	2	6	-	-	HALIFAX.			
BRADFORD	-	290,323	14'7	17'2	14'7	12'8	1'3	85	71	13	18	-	1	1	2	1	2	-	4	6	18	-	-	BRADFORD.			
LEEDS	-	470,268	16'6	17'5	18'4	14'5	2'8	154	131	26	43	-	15	2	2	1	4	1	4	9	26	1	-	LEEDS.			
SHEFFIELD	-	465,553	12'7	15'6	16'8	16'5	1'0	193	144	24	45	-	-	1	3	4	-	1	9	13	39	2	-	SHEFFIELD.			
ROTHERHAM	-	62,412	10'9	19'2	24'2	14'2	1'7	23	17	7	4	-	-	-	-	1	1	-	-	-	2	1	-	ROTHERHAM.			
YORK	-	84,750	20'9	22'2	20'9	19'1	2'5	29	31	3	8	-	2	-	1	1	-	-	-	3	7	-	-	YORK.			
HULL	-	266,762	12'5	14'3	18'0	17'2	0'4	129	88	21	28	-	-	-	1	-	-	1	5	12	14	1	-	HULL.			
MIDDLESBROUGH	-	101,783	17'9	16'4	10'2	14'9	0'5	50	29	9	8	-	-	-	-	-	-	1	1	3	6	-	-	MIDDLESBROUGH.			
STOCKTON-ON-TEES	-	52,909	25'6	26'6	13'8	20'7	2'0	26	21	5	5	-	-	-	1	-	-	1	-	-	3	-	-	STOCKTON-ON-TEES.			
WEST HARTLEPOOL	-	75,473	17'3	17'3	11'7	17'3	-	28	25	4	5	-	-	-	-	-	-	-	2	2	3	-	-	WEST HARTLEPOOL.			
SUNDERLAND	-	156,029	17'4	20'1	24'1	19'7	3'3	81	59	15	13	-	3	1	1	4	1	-	2	4	8	2	-	SUNDERLAND.			
SOUTH SHIELDS	-	113,460	23'4	18'4	16'5	24'4	1'8	39	53	7	11	-	1	-	2	-	-	1	2	2	6	2	-	SOUTH SHIELDS.			
GATESHEAD	-	125,783	18'2	18'2	18'7	15'3	1'2	59	37	10	4	-	2	-	-	1	-	-	3	3	1	1	-	GATESHEAD.			
NEWCASTLE-ON-TYNE	-	272,969	22'3	23'3	20'6	20'4	1'7	128	107	37	20	-	2	-	-	7	-	-	4	12	14	-	-	NEWCASTLE-ON-TYNE.			
TYNEMOUTH	-	54,688	19'1	16'2	25'7	19'1	4'8	28	20	4	6	-	4	-	1	-	-	-	1	1	2	1	-	TYNEMOUTH.			
NEWPORT (MON.)	-	75,585	17'2	17'2	16'6	11'7	2'8	25	17	4	5	-	-	-	-	1	-	-	1	1	5	-	-	NEWPORT (MON.).			
CARDIFF	-	187,620	13'9	14'7	15'0	16'4	1'4	72	59	14	16	-	2	2	-	1	-	-	2	4	12	-	-	CARDIFF.			
RHONDDA	-	130,400	24'0	27'6	23'6	22'8	3'6	69	57	23	13	-	3	-	2	2	2	-	-	-	-	-	-	RHONDDA.			
MERTHYR TYDFIL	-	76,085	23'3	24'0	26'0	15'8	0'7	44	23	7	5	-	1	-	-	-	-	-	1	1	2	2	-	MERTHYR TYDFIL.			
SWANSEA	-	97,324	18'8	19'3	22'5	17'7	3'2	32	33	8	9	-	5	-	-	1	-	-	3	3	6	-	-	SWANSEA.			
GREATER LONDON	-	7,217,941	15'1	14'5	15'3	13'4	0'9	2347	1852	401	599	-	37	14	26	22	5	17	76	188	619	4	-	GREATER LONDON.			
OUTER RING	-	2,459,723	13'0	12'0	13'3	11'2	0'9	799	526	116	181	-	12	4	13	8	3	2	15	38	103	2	-	OUTER RING.			
8 TOWNS IN OUTER RING	-	1,509,285	13'3	11'7	13'9	9'5	0'7	396	221	55	69	-	5	2	8	1	1	-	7	16	45	-	-	8 TOWNS IN OUTER RING.			
REMAINDER OF OUTER RING	-	1,250,438	12'7	12'3	12'7	12'7	1'0	403	305	61	112	-	7	2	5	7	2	2	8	22	58	2	-	REMAINDER OF OUTER RING.			
EDINBURGH	-	345,747	17'9	16'9	17'9	16'6	1'1	130	110	25	36	-	-	1	1	3	-	2	3	?	38	5	-	EDINBURGH.			
GLASGOW	-	847,584	20'5	20'7	20'8	19'5	3'5	482	317	62	71	-	38	3	4	6	1	5	11	?	102	13	-	GLASGOW.			
DUBLIN (Registration Area),†	-	380,691	26'7	22'3	25'0	19'8	0'7	123	148	25	38	-	-	1	1	2	1	-	2	1	54	3	-	DUBLIN (Registration Area),†			
BELFAST	-	370,163	26'9	26'3	24'2	23'9	3'0	164	170	33	39	-	11	-	3	3	1	3	-	2	38	5	-	BELFAST.†			

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast, respectively. ‡ Including 3 deaths from Cerebro-spinal meningitis, or from Cerebro-spinal fever, in Glasgow, 1 in Dublin, and 4 in Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1897–1907.

	1897	1898	1899	1900	1901	1902	1903	1904	1905	1906	Corrected Weekly Average in 5 Years 1902–1906.*	1907
TOTAL Births -	2363	2215	1880	1591	1663	1651	2328	2320	1807	1694	2108.1	1548
Males - - -	1197	1154	950	842	881	868	1454	1200	937	871	1090.9	824
Females - - -	1166	1061	930	749	787	783	1374	1120	870	823	1017.2	724
TOTAL Deaths -	2360	1593	3067	1466	1791	1458	1866	1868	1602	1850	1769.2	1326
Males - - -	1195	828	1485	751	918	735	957	939	796	909	887.5	689
Females - - -	1165	765	1582	715	873	723	909	929	806	941	881.7	637

* The numbers in this column are the average weekly numbers in the Fifty-second week of the five years 1902–1906, raised by 2.337 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 5.	Oct. 12.	Oct. 19.	Oct. 26.	Nov. 2.	Nov. 9.	Nov. 16.	Nov. 23.	Nov. 30.	Dec. 7.	Dec. 14.	Dec. 21.	Dec. 28.	13 Weeks.
TOTAL Births -	2162	2183	2198	2450	2379	2393	2342	2214	2205	2345	2123	2404	1548	28946
TOTAL Deaths -	1212	1315	1270	1265	1390	1269	1326	1373	1535	1475	1446	1485	1326	17687
Under 1 year -	302	337	339	319	339	233	266	288	316	288	294	278	285	3864
1–5 years -	140	116	119	104	132	146	149	159	185	166	138	162	141	1857
5–20 " -	69	76	75	77	64	66	78	73	78	72	87	64	66	945
20–40 " -	138	143	157	152	156	149	165	156	169	145	153	178	175	2036
40–60 " -	225	260	245	263	298	250	295	270	305	312	283	306	241	3553
60 yrs. & upwds.	338	383	335	350	401	425	373	447	482	492	491	497	418	5432
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	5	11	9	16	22	28	21	32	34	35	23	18	25	279
Scarlet Fever - - -	18	19	25	26	22	16	9	18	13	19	13	24	10	232
Diphtheria - - -	25	19	13	11	21	18	21	23	30	20	15	15	13	244
Whooping-cough - - -	18	18	19	18	18	13	17	16	9	18	18	21	14	217
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - - -	6	10	6	9	2	6	6	1	9	4	2	5	2	63
Pyæmia (origin uncertain),	-	-	-	-	-	-	-	-	1	-	-	-	-	1
Diarrhoea, Dysentery	128	110	88	67	40	36	34	25	25	9	10	11	15	596
All above Diseases -	198	187	160	147	125	117	108	115	121	105	81	94	79	1687
Dis. of Resp. System	68	77	76	86	123	96	110	154	200	192	190	175	135	1680
Pneumonia - - -	68	88	91	80	122	108	141	144	188	163	158	172	182	1733
Phthisis - - -	100	109	114	127	137	103	148	131	161	119	119	140	127	1635
Dis. of Circ. System	149	160	164	172	201	166	177	191	193	216	204	220	184	2397
Violence - - -	55	45	55	28	40	48	53	54	44	61	62	62	61	668
Inquest Cases - - -	114	127	117	113	127	103	143	131	139	131	157	168	150	1720
Deaths in Institutions	494	567	525	557	561	572	538	563	583	583	565	576	516	7200
TEMPERATURE OF THE AIR.														
Mean - - -	55.4	52.7	51.4	48.8	48.4	49.8	43.8	42.6	42.7	42.2	45.2	44.2	39.5	46.7
Mean of Highest - - -	64.3	60.1	57.5	57.3	55.1	54.6	50.2	47.6	49.4	48.2	49.3	49.0	42.3	52.7
Mean of Lowest - - -	48.7	45.6	44.5	40.4	41.6	45.2	36.4	36.2	36.3	35.4	40.8	38.1	36.2	40.4
Mean Humidity of the Air.	83	85	84	87	91	90	87	92	89	86	82	89	82	87
Rain-fall (in inches) -	0.85	1.13	0.87	0.50	0.34	0.03	0.13	0.70	1.37	0.75	1.32	0.04	0.12	8.65
Registered Sunshine (in hours).	22.7	25.0	19.1	22.5	10.2	8.1	11.0	2.6	14.9	15.6	16.7	10.2	4.8	183.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	454.2	475.2	499.5	519.7	546.7	580.4	568.9	568.6	567.6	558.1	535.2	503.5	499.9	527.5
Diphtheria - - -	103.5	114.3	118.0	123.6	125.6	128.7	129.8	129.3	127.9	128.3	127.9	120.5	117.0	122.9
Typhus - - -	109	107	124	126	123	128	130	127	128	121	122	128	119	122
Enteric Fever - - -														

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme; Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.D., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., M.A., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich; Manchester; T. Holt, Esq., M.D., Burnley; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. Crowther, Esq., Leeds; Oxley Graham, Esq., M.A., York; H. B. Witty, Esq., Hull; W. B. Clark, Esq., Tynemouth, for the Meteorological Office; and E. Walford, Esq., M.D., Cardiff.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-SECOND Week of the Year 1907.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting

CAUSES OF DEATH	Corrected Average for the 52nd week of the year 1907-1908.	1907—Deaths of Persons of the Ages							CAUSES OF DEATH	Corrected Average for the 52nd week of the year 1907-1908.	1907—Deaths of Persons of the Ages									
		ALL AGES.									ALL AGES.									
		0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.			1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.					
ALL CAUSES	1769.2	1328	285	141	66	175	241	418	Meningitis (not tuberc.)	14.7	11	4	3	2	1	-	1	1	1	1
									Gen. Par. of Insane,	20.5	6	-	-	-	-	-	3	3	3	3
									Insanity	10.8	6	-	-	1	1	2	2	2	2	2
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy	24.8	11	11	-	-	-	-	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions	1.0	1	-	-	-	-	-	-	-	-	-
Measles (Morbilli)	47.7	25	6	16	3	-	-	-	Locomotor Ataxy	6.8	4	1	-	-	-	1	2	1	1	1
Scarlet Fever	11.5	10	1	7	2	-	-	-	Paraplegia, Dis. of Cord	25.2	20	-	-	3	3	5	9	9	9	9
Nervous Sys., Other Dis.																				
									Valv. Dis., Endocarditis-	53.4	52	-	-	6	9	11	23	23	23	23
									Cereb. Hæm. Cereb. Emb.	40.5	40	-	-	-	2	10	28	28	28	28
									Apoplexy, Hemiplegia	17.6	8	-	-	-	-	3	5	5	5	5
									Aneurysm	3.5	8	-	-	-	2	2	4	4	4	4
									Embolism, Thrombosis	0.8	-	-	-	-	-	-	-	-	-	-
									(not Cerebral)											
									Heart & Blood Vess.,	101.5	76	-	1	3	5	11	58	58	58	58
									Other Dis.											
									Croup (not Spasm: nor	0.4	-	-	-	-	-	-	-	-	-	-
									Memb.)											
									Bronchitis	244.0	120	41	12	1	2	14	47	47	47	47
									Emphysema, Asthma	8.0	5	-	-	-	1	1	3	3	3	3
									Pleurisy	4.7	4	-	1	1	1	-	-	-	-	-
									Respiratory Dis., Other-	16.6	6	3	-	-	-	-	-	-	-	-
									Tonsillitis, Quinsy -	1.4	14	8	2	-	-	-	-	-	-	-
									Enteritis (not Epid.)	11.7	7	1	5	1	-	1	3	3	3	3
									Gastro-enteritis	4.5	1	-	-	-	-	-	-	-	-	-
									Peritonitis (not Puerp.)	2.5	1	-	-	1	-	-	-	-	-	-
									Cirrhosis of Liver -	14.3	9	-	-	-	2	3	4	4	4	4
									Liver Dis., Other	7.0	3	-	-	-	-	2	1	1	1	1
									Digestive Sys., Other Dis.	41.1	23	3	3	2	3	6	6	6	6	6
									Acute Nephritis	5.3	13	-	1	2	4	3	5	5	5	5
									Bright's Dis., Albumin-	41.3	33	-	-	1	5	11	16	16	16	16
									uria											
									Urinary Sys., Other Dis.	11.7	7	-	-	-	-	1	-	-	-	-
									Generative Organs Dis.-	3.3	11	-	-	-	-	4	6	6	6	6
									Childbirth (Accid. of)	4.1	5	-	-	-	5	-	-	-	-	-
									Old Age	68.8	53	-	-	-	-	-	53	53	53	53
									Other Diseases	101.2	77	57	6	3	3	3	3	3	3	3
									ACCIDENT.											
									By Railways	0.4	1	-	-	-	1	-	-	-	-	-
									By Vehicles and Horses	7.0	7	-	-	1	2	4	-	-	-	-
									In Ships, Boats, Docks,	0.2	1	-	-	-	-	-	1	-	-	-
									(exclusive of Drown-											
									ing)											
									In Building Operations	0.6	1	-	-	-	-	-	1	-	-	-
									In Conflagrations	0.4	-	-	-	-	-	-	-	-	-	-
									By Burns, Scalds, Ex-	8.4	7	-	4	2	-	-	1	-	-	-
									plosions											
									By Drowning	3.9	6	-	-	1	2	2	-	-	-	-
									By Suffocation in Bed	17.8	10	10	-	-	-	-	-	-	-	-
									By Poisons or Poisonous	1.6	-	-	-	-	-	-	-	-	-	-
									Vapours											
									Other Deaths by Acci-	19.6	19	3	-	1	5	1	1	1	1	1
									dent											
									VIOLENCE OTHER THAN											
									ACCIDENTAL.											
									Homicide	0.8	-	-	-	-	-	-	-	-	-	-
									Suicide	8.8	9	-	-	-	-	4	3	2	2	2
									Execution		-	-	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Called "Simple Continued Fever" previous to 1901.

TABLE 5. LONDON *—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th December, 1907.

REGISTRATION SUB-DISTRICTS,		Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of Age.	Deaths from															
						Infants under 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia of Origin un- certain.	Diarrhoea.	Violence.	Inquest Cases.				
LONDON	4,536,429	1548	1326	285	418	-	25	10	13	14	-	2	-	15	61	150	516	2			
WEST DISTRICTS	805,311	230	229	39	76	-	7	-	2	1	-	1	-	2	14	23	100	-			
NORTH DISTRICTS	1,056,070	324	292	60	85	-	7	2	6	-	-	1	-	1	15	35	102	-			
CENTRAL DISTRICTS	209,465	76	58	18	12	-	-	-	-	-	-	-	-	-	6	6	23	-			
EAST DISTRICTS	715,739	293	216	56	52	-	5	-	1	3	-	-	-	3	11	41	92	-			
SOUTH DISTRICTS	1,749,844	625	500	111	181	-	5	7	4	5	-	-	-	5	15	45	163	2			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	31	1	12	-	1	1	-	-	-	-	-	4	-	-	31	-			
WEST DISTRICTS.																					
North Paddington H	63,603	23	13	2	6	-	1	-	-	-	-	-	-	-	-	1	-	-			
Central Paddington W,3H	50,053	8	16	2	5	-	-	-	-	-	-	1	-	-	1	2	10	-			
South Paddington	30,320	4	7	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-			
Kensington Town 2W,w,2H	128,037	51	42	8	12	-	2	-	-	-	-	-	-	-	1	2	21	-			
Brompton 2H-	48,591	8	4	1	1	-	-	-	-	-	-	-	-	-	1	2	2	-			
North Hammersmith 2W,w,H	49,192	12	13	4	2	-	1	-	-	-	-	-	-	-	-	1	2	-			
South Hammersmith w,2H	63,047	22	9	1	1	-	-	-	-	-	-	-	-	-	1	2	3	-			
North-west Fulham W	45,180	34	23	6	6	-	-	-	-	1	-	-	-	-	3	4	14	-			
North-east Fulham F	46,405	17	12	2	1	-	1	-	2	-	-	-	-	-	-	-	2	-			
South Fulham W	45,704	19	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-			
Chelsea North W,w,3H	42,514	12	40	2	25	-	-	-	-	-	-	-	-	-	-	-	37	-			
Chelsea South W,2H	31,328	6	15	2	9	-	2	-	-	-	-	-	-	-	-	-	1	-			
Mayfair and Knightsbridge	28,743	4	5	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-			
Belgrave W,2H	56,815	11	10	2	1	-	-	-	-	-	-	-	-	-	1	2	3	-			
St. Margaret & St. John 6H	43,698	12	13	4	3	-	-	-	-	-	-	-	-	-	2	2	5	-			
St. James and St. Anne W,6H	33,081	7	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-			
NORTH DISTRICTS.																					
All Souls Marylebone 8H	35,391	4	16	2	3	-	-	-	-	-	-	-	-	-	-	-	11	-			
St. Mary Marylebone W,4H	37,948	35	9	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-			
Christchurch Marylebone	39,536	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
St. John Marylebone 2H	20,426	2	7	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-			
Hampstead W,F,6H	81,942	11	18	-	8	-	1	1	3	-	-	-	-	-	-	-	9	-			
West St. Pancras 2H	60,562	21	13	7	2	-	1	-	-	-	-	-	-	-	1	1	-	-			
South St. Pancras w,12H	55,707	10	19	2	3	-	-	-	-	-	-	-	-	-	2	3	12	-			
East St. Pancras W,2H	60,320	24	21	3	11	-	-	-	-	-	-	-	-	-	-	1	7	-			
North St. Pancras 2W	58,728	13	26	5	5	-	2	-	-	-	-	-	-	-	2	4	12	-			
Fulnell W	31,995	9	29	7	10	-	1	-	-	-	-	-	-	-	-	-	4	16			
Upper Holloway 2W,w,H	33,978	14	22	4	3	-	1	-	-	-	-	-	-	-	4	4	15	-			
Tollington W,w,H	33,922	7	3	1	2	-	-	-	-	-	-	-	-	-	1	2	-	-			
Lower Holloway	41,424	19	7	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-			
Barnsbury	54,478	20	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-			
Clington South-east F	75,397	22	17	2	5	-	1	-	-	-	-	-	-	-	-	3	-	-			
Highbury 2H	63,797	13	12	6	3	-	-	-	1	-	-	-	-	-	2	5	-	-			
Stoke Newington H	51,247	16	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-			
North Hackney	50,560	12	9	1	4	-	-	-	1	-	-	-	-	-	-	1	-	-			
Central Hackney 2w,F	50,536	22	17	4	7	-	-	-	2	-	-	-	-	-	1	1	2	-			
South-west Hackney 3H	59,921	19	12	1	4	-	-	-	-	-	-	-	-	-	1	1	2	-			
South-east Hackney 2W,w,H	58,255	22	14	3	5	-	-	-	-	-	-	-	-	-	1	1	7	6			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter.

* See also note * on first page of this return.

† Called "Simple Continued Fever" previous to 1901.

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th December, 1907—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															
			Total DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 5 Years and upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Islington and Bloomsbury 2W,2H -	31,436	23	8	3	2	-	-	-	-	-	-	1	-	-	1	1	2	-
St. Pancras W,4H - - - - -	21,674	2	8	-	4	-	-	-	-	-	-	-	-	-	1	1	6	-
St. Pancras Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras W,6H - - - - -	29,612	6	13	5	1	-	-	-	-	-	-	-	-	-	1	1	9	-
St. Pancras Clerkenwell - - - - -	28,676	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Clerkenwell H - - - - -	35,028	11	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras St. Mary 3H,L - - - - -	36,116	21	8	5	-	-	-	-	-	-	-	-	-	-	2	2	1	-
St. Pancras Union Workhouse, } St. Andrew - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Andrew St. Andrew H - - - - -	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Andrew St. Andrew and Allhallows W,2H -	16,624	2	11	1	2	-	-	-	-	-	-	-	-	-	1	1	9	-
St. Andrew London Asylum, Stone - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
St. George South H - - - - -	46,362	17	9	5	-	-	-	-	-	-	-	-	-	-	2	3	-	-
St. George North-West W,w,H - - - - -	36,127	20	22	4	5	-	1	-	-	-	-	-	-	-	1	5	11	-
St. George North-East - - - - -	36,148	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George Union Workhouse, Wood } St. George - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George Green North-East 2W } St. George Green South-West H - - - - -	65,138 64,542	25 24	31 12	8 5	11 3	-	-	-	-	1	-	-	-	1	-	2	19	-
St. George St. James W,4H - - - - -	27,969	12	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George St. James New Town W,H - - - - -	28,718	14	23	4	3	-	1	-	1	-	-	-	-	-	1	5	20	-
St. George St. James Fields - - - - -	22,081	3	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
St. George St. Andrew and St. John 2W - - - - -	49,068	23	11	2	1	-	2	-	-	-	-	-	-	-	-	3	1	-
St. George St. Andrew and Batcliff W,H - - - - -	25,568	4	12	5	1	-	1	-	-	4	-	-	-	-	-	-	8	-
St. George St. Andrew and Batcliff W - - - - -	32,369	15	7	4	1	-	-	-	-	2	-	-	-	1	-	-	-	-
St. George St. Andrew Old Town South- } St. George St. Andrew Old Town North- } St. George St. Andrew W,w - - - - -	63,698 49,129	48 17	9 19	- 4	6 7	-	-	-	-	1	-	-	-	-	-	1	6	12
St. George St. Andrew W,w - - - - -	41,989	16	7	2	1	-	-	-	-	-	-	-	-	-	-	-	3	-
St. George St. Andrew W,w - - - - -	68,319	31	32	7	9	-	-	-	-	-	-	-	-	-	1	2	6	20
St. George St. Andrew W,w - - - - -	58,514	16	13	2	3	-	-	-	-	-	-	-	-	-	2	5	1	-

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis-
tered in each SUB-DISTRICT during the Week ended Saturday, 28th December, 1907—*continued.*

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS	Enume- rated Popu- lation 1901	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																	
Christchurch and St. Saviour } Southwark W,2H - - -	23,319	4	15	3	3	-	-	-	-	-	-	-	-	-	-	4	4
Kent-road - - -	21,904	9	6	4	2	-	-	-	-	-	-	-	-	-	-	1	1
St. George the Martyr West } W,2H,L - - -	99,094	14	8	3	2	-	-	-	-	-	-	-	-	-	-	-	6
Newington North - - -	49,022	13	13	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Newington South W - - -	72,841	24	11	3	3	-	1	-	-	-	-	-	-	-	-	-	-
St. Olave 2W - - -	9,817	2	2	-	2	-	-	-	-	-	-	-	-	-	-	1	3
Bermondsey W - - -	82,493	31	18	3	4	-	-	-	-	-	-	-	-	-	-	-	-
Rotherhithe W,F - - -	38,460	14	14	4	5	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo 2H - - -	27,440	30	9	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church H - - -	27,440	10	14	2	3	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 2W - - -	52,518	26	30	3	15	-	-	-	-	-	-	-	-	-	-	-	1
Stockwell HF - - -	63,826	25	18	3	5	-	-	1	1	-	-	-	-	-	-	-	-
Brixton H - - -	73,673	22	17	4	10	-	-	-	-	-	-	-	-	-	-	-	1
Norwood WH - - -	56,998	12	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - -	72,203	32	15	7	6	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - -	49,656	25	17	6	2	-	1	-	-	1	-	-	-	-	-	1	1
South-west Battersea 2W,H - - -	47,048	19	21	1	9	-	1	-	-	-	-	-	-	-	-	-	-
Clapham 2H - - -	51,361	11	7	-	5	-	-	-	-	-	-	-	-	-	-	-	2
Streatham W,2w,F,2L - - -	88,019	20	35	2	18	-	-	2	-	-	-	-	-	-	-	1	-
Springfield 2W,L - - -	27,959	18	5	1	-	-	1	-	-	-	-	-	-	-	-	-	2
Southfields H - - -	40,444	19	10	3	4	-	-	-	-	1	-	-	-	-	-	-	-
Putney - - -	24,139	11	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - -	13,359	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w - - -	40,208	11	27	2	16	-	-	-	-	-	-	-	-	-	-	1	-
Camberwell North W,2L - - -	65,584	23	24	6	10	-	-	-	-	-	-	-	-	-	-	1	1
St. George - - -	47,331	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Peckham North - - -	48,013	9	11	5	3	-	-	-	-	1	-	-	-	-	-	1	-
Peckham South 2W,w - - -	43,946	15	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - -	37,613	17	11	5	3	-	-	-	-	-	-	-	-	-	-	1	3
Deptford Central F - - -	45,481	16	17	8	3	-	-	2	2	-	-	-	-	-	-	1	2
Deptford South - - -	34,625	8	7	1	5	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich West 2H - - -	23,456	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H - - -	43,859	20	24	4	7	-	-	-	-	2	-	-	-	-	-	2	2
Eltham w,H - - -	7,226	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee wH - - -	25,490	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W,w,F - - -	58,352	29	23	4	11	-	1	-	1	-	-	-	-	-	-	-	3
Sydenham H - - -	43,653	16	11	4	4	-	-	-	-	-	-	-	-	-	-	1	4
Charlton F,2H - - -	21,134	4	10	1	5	-	-	2	-	-	-	-	-	-	-	-	-
Woolwich 5H - - -	41,625	15	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1
Plumstead West W - - -	18,063	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H - - -	50,264	14	14	1	7	-	-	-	-	-	-	-	-	-	-	-	-
Workhouse:- Central London Sick Asylum (Westminster, St. Giles, and Strand Unions.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Small-pox Hospitals:- Long Reach	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Fever Hospitals:- Gore Farm (temporary)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Joyce Green	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North-Eastern	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Imbecile Asylums:- Belmont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Caterham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Darenth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leavesden	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Lunatic Asylums:- Banstead	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Ewell (Epileptic Colony)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Manor	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Long Grove	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cane Hill	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Wartford Heath	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-
Hanwell	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Colney Hatch	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Claybury	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 6. LONDON.—OUTER RING (excluding DEATHS in Public Institutions of persons not belonging to the Outer Ring, and including DEATHS in the London Fever Hospital, the Metropolitan Asylums Board Hospitals, and County Lunatic Asylums of persons belonging to the Outer Ring).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23th December, 1907.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popa- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from														
						Infants under 1 Year of Age.	Persons aged 50 Years & upwards	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence	Inquest Cases	Deaths in Public Institutions.	Uncertified Causes of Death.				
LONDON—OUTER RING						368,302	2,044,973	799	526	116	181	-	12	4	13	8	3	2	15	38	103	2
30: 1	Carshalton 2F,3H	12,228	32,997	13	7	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
2	Epsom, part of* W,w,2F,H-	10,423	15,548	3	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2
37: 1	Godstone, part of* W,F,L-	2,754	2,692	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
38: 1	Coulsdon - - -	11,069	8,166	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w - -	4,200	49,309	12	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
3	West Croydon 3W,F,H	2,168	42,888	21	21	3	10	-	-	-	1	-	-	-	-	-	-	-	2	2	13	-
4	North Croydon H - -	2,844	41,898	9	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5	Penge w - - -	770	22,465	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham - - -	11,711	30,015	12	6	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
39: 1	Wimbledon F,3H - -	3,221	41,652	11	11	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-
2	Kingston 2W,H - -	6,224	42,068	16	8	1	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
3	Surbiton F,H - - -	3,946	15,017	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
4	Esher, part of* H - -	5,402	13,100	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
5	Hampton H,F,L - -	4,584	23,456	8	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
40: 1	Richmond W,H - -	2,491	31,672	3	8	-	4	-	-	-	-	-	-	-	-	-	-	-	3	3	2	-
2	Mortlake F - - -	2,518	17,321	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41: 1	Bromley F,2H - - -	4,703	27,354	11	9	-	4	-	-	-	1	-	-	-	-	-	-	-	-	1	3	-
2	Beckenham H - - -	7,825	28,497	4	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Orpington, part of* W,F	10,113	9,857	3	7	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	3	-
4	Chislehurst 2H - -	7,333	16,446	4	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
42: 1	Bexley w,F,H - - -	8,678	21,151	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H - - -	3,854	25,296	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
124: 1	Sunbury w - - -	11,054	18,883	3	7	3	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-
2	Staines W,H - - -	13,277	15,178	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon W,F,H - -	6,035	13,661	3	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
2	Uxbridge H - - -	12,767	8,984	6	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,2F,H - - -	8,066	16,558	9	7	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
126: 1	Isleworth 3W,3F,H - -	6,859	30,863	15	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
2	Twickenham F,2H - -	2,421	20,991	5	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 3F,2H - -	4,319	48,389	19	15	2	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-
4	Chiswick H - - -	1,249	20,809	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Acton w,F,3H - - -	6,132	48,914	25	18	6	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
127: 1	Harrow F,H - - -	13,809	25,523	20	11	3	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
2	Edgware 2F,2H - - -	6,994	4,521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H - -	4,384	114,811	50	22	6	5	-	3	-	-	-	-	-	-	-	-	-	-	1	3	-
4	Hendon W,F - - -	8,382	22,450	2	8	1	3	-	1	-	-	-	-	-	-	-	-	-	-	1	4	-
128: 1	South Mimms 2F,H - -	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,2H - - -	3,324	17,970	4	10	1	4	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-
3	Finchley F,2H - - -	4,688	33,692	17	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
129: 1	Hornsey F,H - - -	3,875	72,056	16	14	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
2	Wood Green H - - -	1,825	34,233	20	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
3	West Tottenham - -	996	48,853	14	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	East Tottenham 2F - -	2,017	53,588	11	14	2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	3
5	Edmonton W,w,2F - -	7,491	81,892	25	20	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	4	6
6	Enfield 2W,F,H - -	12,601	42,738	23	10	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
7	Waltham Abbey F - -	11,017	6,549	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H - - -	8,479	12,292	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
135: 1	Hatfield, part of* W - -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey H - - -	9,333	9,173	2	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
2	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186: 1	Stratford H - - -	1,091	52,974	17	11	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2
2	Forest Gate - - -	787	52,745	14	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
3	Plaistow F,2H - - -	1,249	90,921	52	26	8	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3
4	Canning Town H - -	1,556	70,718	27	16	8	5	-	1	1	1	-	-	-	-	-	-	-	-	-	2	-
5	South East Ham 2F - -	1,993	37,342	25	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
6	North East Ham w,H	1,333	58,878	23	5	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-
7	Wanstead F - - -	1,879	9,179	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W - -	631	50,467	27	16	3	8	-	-	-	1	-	1	-	-	-	-	-	-	-	2	6
9	North Leyton 2W,w,F	1,983	48,445	27	25	6	11	-	-	-	-	-	1	1	-	-	-	-	-	-	-	14
10	Walthamstow 2H,L - -	6,504	108,929	54	17	4	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-
187: 1	Chigwell 2F,3H - - -	11,778	16,397	9	5	1	2	-	-	-	-	2	-	-	-	-	-	-	-	-	2	-
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, part of, W,2F	6,556	8,091	2	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-
2	Ilford F,L - - -	8,496	41,234	21	13	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
3	Barking Town F - -	3,803	21,547	17	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Middlesex County Lunatic Asylum, Wandsworth.		-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Middlesex County Lunatic Asylum, Napsbury.		-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Essex County Lunatic Asylum, Brentwood.		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-

* The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4 excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2 and 187: 2, and in the Croydon Mental Hospital in 37: 1 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in LONDON and in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.*	Whooping- cough.	Fever.	Diarrhoeal Diseases.
LONDON - -	4,758,218	December 28	1548	1326	14.5	-	25	10	13	14	2	15
CALCUTTA - -	955,926	November 30	-	836	51.2	-	-	-	3	-	209†	243†
BOMBAY - -	982,000	December 10	493	623	33.1	2	3	-	-	-	72†	58†
MADRAS - -	548,974	November 29	414	466	47.5	-	1	?	?	?	97	64†
PARIS - - -	2,722,731	December 21	984	912	17.4	-	4	5	-	1	2	22
BRUSSELS - -	623,202	" 21	196	160	13.3	-	-	1	-	-	-	8
ANTWERP - -	304,032	" 21	-	-	-	-	-	-	-	-	-	-
AMSTERDAM -	564,342	" 21	-	-	-	-	-	-	-	-	-	-
COPENHAGEN -	433,000	" 21	206	115	13.8	-	1	-	-	3	-	4
STOCKHOLM -	332,738	" 14	187	96	15.0	-	3	-	1	2	-	2
CHRISTIANIA -	226,774	" 21	103	45	10.2	-	-	-	-	-	1	1
ST. PETERSBURG	1,482,769	" 7	577	677	23.7	-	21	20	22	9	12	71
MOSCOW - -	1,296,000	" 14	-	659	26.5	3	4	18	6	4	1	78
BERLIN - - -	2,111,454	" 7	872	669	16.5	-	15	4	25	11	2	41
HAMBURG - -	840,790	" 21	-	251	15.8	-	1	3	5	1	1	14
BRESLAU - -	485,278	" 14	-	198	21.3	-	1	1	2	5	-	20
MUNICH - - -	548,000	" 21	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,979,003	" 21	860	574	14.9	-	2	5	3	-	3	28
PRAGUE - - -	470,906	" 14	175	185	20.3	-	4	-	-	2	1	17
BUDA-PESTH -	802,235	" 14	410	319	20.7	-	7	10	1	3	2	13
TRIESTE - - -	200,962	" 21	132‡	74	19.0	-	-	-	1	1	1	-
ROME - - - -	542,760	September 28	-	-	-	-	-	-	-	-	-	-
VENICE - - -	174,398	November 30 December 7	71 79	63 53	18.8 15.8	-	-	1	-	1	-	5 2
BUCHAREST -	292,395	" 21	160	162	28.9	-	-	1	3	-	2	2
NEW YORK - -	4,285,435	" 7	2457	1430	17.4	-	19	19	33	1	18	36
CHICAGO - - -	2,107,620	" 7	-	546	13.5	-	1	10	8	1	13	22
PHILADELPHIA -	1,500,595	October 12 " 19 " 26	- - -	415 443 394	14.3 15.3 13.6	- - -	- - -	2 2 2	7 9 5	- 3 2	9 8 7	32 34 20
RIO DE JANEIRO	628,275	December 1	-	278	23.0	11	2	-	1	2	4†	?

* Excluding deaths from croup in the Indian Cities.

† Including 18 deaths from plague in Calcutta, 8 in Bombay, and 3 in Rio de Janeiro.

‡ Including 143 deaths from cholera in Calcutta, 1 in Bombay, and 4 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th December, 1907.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	53.6	32.3	39.2	0.12	LEEDS - - -	51.0	31.0	38.4	0.08
BRIGHTON - - -	-	-	-	-	YORK - - -	50.0	25.0	37.2	0.13
PORTSMOUTH - -	53.0	32.3	42.4	0.04	HULL - - -	49.0	25.0	37.2	0.31
NORWICH - - -	49.0	28.2	37.5	0.36	TYNEMOUTH - -	50.0	32.0	39.4	0.42
PLYMOUTH - - -	52.6	32.1	44.6	0.70	CARDIFF - - -	48.1	31.0	37.8	0.23
BRISTOL - - -	51.0	30.2	38.6	0.22	EDINBURGH - -	48.8	31.0	33.2	0.03
BIRMINGHAM - -	47.2	30.0	36.5	0.08	GLASGOW - - -	48.8	33.8	39.2	0.12
NOTTINGHAM - -	46.5	29.2	36.4	0.04	LUTLIN { Phoenix Park. Fitz- william Square.†	50.2	25.7	39.4	0.18
LIVERPOOL - - -	49.0	32.0	38.1	0.04		51.3	34.0	41.1	0.32
MANCHESTER - -	47.8	27.8	36.4	0.05		-	-	-	-
BURNLEY - - -	47.0	29.0	36.3	0.11	BELFAST - - -	50.0	32.5	41.4	0.88
PRESTON - - -	48.2	33.0	38.4	0.07					
HUDDERSFIELD -	48.2	26.8	35.9	0.08					

* At the English stations the figures in this column which are compiled in the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0.1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore B.A., M.D., Dublin.

[Under the Superintendence of the Astronomer Royal.]

1907.			MONTH AND DAY		BARO-METER.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				WIND as deduced from Anemometers.				Rain collected in a Glass whose surface is above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
DECEMBER.	SUNDAY - 22	Apogee	Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahr. height).	Of the Air.				Of the Dew point		Difference between the Air, Dew Point, and Temperature.		Degree of Humidity (Saturation equals 100).	Of Radiation.		Of the Earth 3 feet below Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
					High-est.	Low-est.	Range.	Daily value.	Mean daily value.	De-parture from Average value, 65 years.	Mean daily value.	Great est.	Least.	Highest on Sun's Rays.	Lowest on the Grass.	°	°	°	°	°	°	°	°	°	°																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																										°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

DATE.		ELECTRICITY.		REGISTERED Sunshine in hours.		SUNSHINE in hours.		GENERAL REMARKS.	
DECEMBER.		(For explanation of symbols, see Note.)		27		78		Generally overcast but very fine and bright during the afternoon. Nearly continuous slight rain after 10h. P.M.	
SUNDAY	- 22	w. P. throughout.		27		78		Overcast till 5h. 30m. P.M.; partially cloudy till 10h. 30m. P.M. then overcast and foggy; nearly continuous rain till 8h. 30m. A.M. followed by occasional light showers till 2h. P.M.; gloomy interval about 11h. A.M. Generally overcast; foggy till afternoon.	
MONDAY	- 23	w. P. and w. N. till 9h. A.M.; w. P. afterwards.		0°0		78		Generally cloudy but fine.	
TUESDAY	- 24	w. P. till 4h. A.M.; w. P. till noon; w. P. afterwards.		0°6		78		Overcast with slight exceptions; small range of temperature.	
WEDNESDAY	- 25	w. P. throughout.		1°2		78		Generally overcast; cold wind; small range of temperature.	
THURSDAY	- 26	w. P. throughout.		0°2		78		Generally overcast; cold wind; small range of temperature.	
FRIDAY	- 27	w. P. generally.		0°1		78		Generally overcast; cold wind; small range of temperature.	
SATURDAY	- 28	w. P. generally.		0°0		78		Sum 549	
No. of Col.	-	27		28		29			

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea. No correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the fifty years ending 1903. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 65 years ending 1905, and that of horizontal movement of the air from a discussion of the anemometric records for the 40 years ending 1906. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29°78 in. at the beginning of the week to 30°18 in. by 5h. A.M. on the 24th; decreased to 29°41 in. by 5h. A.M. on the 25th; and increased to 29°66 in. by midnight on the same day.

TABLE 10.--NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 21st December, 1907.*

BOROUGHES	Estimated Population in the middle of 1907.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Cerebro-Spinal Fever.
WEST.											
Paddington - - -	149,909	-	6	1	-	-	-	-	1	-	-
Kensington - - -	181,842	-	9	5	-	-	-	-	2	-	-
Hammer-smith - -	122,337	-	6	5	-	2	-	-	1	-	-
Fulham - - -	166,749	-	22	8	-	4	-	-	4	-	-
Chelsea - - -	74,857	-	6	7	-	-	1	-	-	-	-
City of Westminster -	172,219	-	7	1	-	1	-	-	2	-	-
NORTH.											
St. Marylebone - -	127,713	-	7	3	-	-	-	-	8	-	-
Hampstead - - -	91,137	-	7	-	-	1	-	-	2	-	-
St. Pancras - - -	236,753	-	10	10	-	4	1	-	4	-	-
Islington - - -	347,017	-	14	10	-	1	-	-	5	-	-
Stoke Newington - -	55,613	-	6	3	-	1	-	-	-	-	-
Hackney - - -	232,993	-	46	16	-	2	-	-	5	-	-
CENTRAL.											
Holborn - - -	55,134	-	1	-	-	-	-	-	-	-	-
Finsbury - - -	96,732	-	3	-	-	-	-	-	4	-	1
City of London - -	20,310	1	2	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	115,682	-	18	2	-	-	-	-	3	-	-
Bethnal Green - -	130,331	-	21	8	-	2	-	-	10	-	-
Stepney - - -	306,923	-	44	17	-	2	-	-	5	-	-
Poplar - - -	171,086	-	41	5	-	4	-	-	3	-	-
SOUTH.											
Southwark - - -	209,781	-	24	9	-	1	-	-	3	-	-
Bermondsey - - -	128,263	-	19	4	-	1	-	-	2	-	-
Lambeth - - -	318,538	-	41	9	-	3	-	-	5	-	-
Battersea - - -	181,736	-	13	10	-	-	-	-	2	-	-
Wandsworth - - -	281,419	-	26	36	-	1	-	-	9	-	-
Camberwell - - -	277,059	-	31	4	-	2	-	-	8	-	1
Deptford - - -	116,510	-	14	3	-	1	-	-	7	-	-
Greenwich - - -	107,222	-	10	6	-	-	-	-	1	-	-
Lewisham - - -	152,532	-	14	11	-	3	-	-	1	-	-
Woolwich - - -	129,336	-	23	8	-	-	-	-	2	-	-
Port of London - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
} 4,758,218		1	491	201	-	36	2	-	98	1	2
AGES.											
Ages 0-1 - - -	-	-	4	4	-	-	-	-	2	-	1
" 1-5 - - -	-	1	144	66	-	-	-	-	4	-	-
" 5- - - -	-	-	209	73	-	7	-	-	5	-	-
" 10- - - -	-	-	82	30	-	1	-	-	7	-	1
" 15- - - -	-	-	18	7	-	9	1	-	4	-	-
" 20- - - -	-	-	13	7	-	7	1	-	4	-	-
" 25- - - -	-	-	18	10	-	6	-	-	11	1	-
" 30- - - -	-	-	2	2	-	4	-	-	22	-	-
" 35- - - -	-	-	1	1	-	2	-	-	21	-	-
" 40- - - -	-	-	-	-	-	-	-	-	7	-	-
" 45- - - -	-	-	-	-	-	-	-	-	10	-	-
" 50- - - -	-	-	-	-	-	-	-	-	1	-	-
" 55- - - -	-	-	-	-	-	-	-	-	-	-	-
" 60 and upwards -	-	-	-	1	-	-	-	-	-	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1907.

